

Cisco IOS Software Release 12.3(4)XK

Document ID: 60451

Please provide your feedback on this document.

Description of the Release	<p>Cisco IOS® Software Release 12.3(4)XK is an ED (XED) release optimized for the Cisco 17xx platforms.</p> <p>This release is based upon the Cisco IOS Software 12.3(4)T maintenance release. Any early deployment (ED) release of software should be used in a test network before being deployed in a production network.</p>					
Product and Feature Support	<p>Cisco IOS Software Release 12.3(4)XK supports these platforms:</p>					
	<table border="1"> <thead> <tr> <th data-bbox="438 703 845 779">Product/Feature</th> <th data-bbox="852 703 1209 779">Image Name</th> <th data-bbox="1209 703 1442 779">Memory Requirements</th> </tr> </thead> </table>	Product/Feature	Image Name	Memory Requirements		
Product/Feature	Image Name	Memory Requirements				
	<p>Cisco 17xx Platforms</p>	<p>Legacy Cisco 1700 Images</p> <ul style="list-style-type: none"> • IP c1700–y–mz • IP ADSL c1700–y7–mz • IP ADSL PLUS c1700–sy7–mz • IP ADSL VOX PLUS c1700–sv8y7–mz • IP ADSL FW IDS PLUS IPSEC 3DES c1700–k9o3sy7–mz • IP ADSL VOX FW IDS PLUS IPSEC 3DES c1700–k9o3sv8y7–mz • IP ADSL IPX AT IBM PLUS c1700–bnr2sy7–mz • IP ADSL IPX AT IBM FW IDS PLUS IPSEC 3DES c1700–bk9no3r2sy7–mz • IP ADSL IPX AT IBM VOX FW IDS PLUS IPSEC 3DES c1700–bk9no3r2sv8y7–mz <p>Reformation 1700 Images</p> <ul style="list-style-type: none"> • IP BASE c1700–ipbase–mz • IP VOICE 	<p>See Release Notes</p>			

		<ul style="list-style-type: none"> c1700-ipvoice-mz • ENTERPRISE BASE c1700-entbase-mz • ADVANCED SECURITY c1700-advsecurityk9-mz • SP SERVICES c1700-spservicesk9-mz • ENTERPRISE SERVICES c1700-entservicesk9-mz • ADVANCED IP SERVICES c1700-advipservicesk9-mz • ADVANCED ENTERPRISE SERVICES c1700-adventerprisek9-mz, c1710-bk9no3r2sy-mz, c1710-k9o3sy-mz 	
<p>Feature Description: When you define multiple peers in a crypto map, if the first peer is designated "Default", it prevents the advancing of peers from being triggered by a DPD failure. Only retransmits or Idle timer based failures advance to the next peer.</p>			
<p>Support Pages</p>	<p>For more information, consult these web pages:</p> <p>Release Documentation</p> <ul style="list-style-type: none"> • 12.3(4)XK Product Bulletin • 12.3(4)XK Release Notes for the 1700 <p>Parent Release Documentation</p> <ul style="list-style-type: none"> • Cisco 12.3T Release Notes <p>Other Links</p> <ul style="list-style-type: none"> • Cisco IOS General Information • Cisco IOS Software Release Field Notices • Cisco IOS Software Release Reference Guide • Projected Release Dates 		
<p>Target Market</p>	<p>Cisco Systems, Inc. released Cisco IOS Software Release 12.3(4)XK as a short-lived early deployment (XED) release for the Cisco 17xx platforms. It is targeted for the Enterprise market.</p>		

Lifecycle of Release	Cisco IOS Software Release Reference Guide		
	Milestones	Y2K Compliance	Release Designation
	CCO FCS: March 8, 2004 MFG FCS: March 15, 2004 EOS: EOE: EOL:	Yes	XED Release
Maintenance Releases	It is highly recommended that Release Notes are used to determine if a maintenance release should be used. Release Notes provide announcements of new features and a summary of known caveats at the time of the renumber.		
	Maintenance Cycle	Download Image	
	Cisco IOS Software Release 12.3(4)XK – No maintenance plans for an X release.		
	Important Notes: N/A		

Interim Builds

Short-lived X releases do not provide interim builds.

Recommended Customer Migration Path

To view the projected release date of Cisco IOS Software Release 12.3(4)XK, see the Projected Release Dates for Cisco IOS Software Release Product Bulletin.

All contents are Copyright ©1992--2004 Cisco Systems Inc. All rights reserved. Important Notices and Privacy Statement.

Updated: Jul 22, 2004

Document ID: 60451
