



## MIB Locator

### Make Selections to get to a Specific Cisco IOS Release:

Release

Platform Family

Feature Set

[New Search](#)

### Download all [V1](#) , [V2](#) MIBs

#### Image Information

c2800nm-ipbasek9-mz.124-20.T.bin

Get [list of features](#) for this image from Cisco Feature Navigator

#### MIBS Supported in this Image

ADSL-DMT-LINE-MIB  
 ADSL-LINE-MIB  
 ATM-MIB  
 BGP4-MIB  
 BRIDGE-MIB  
 CISCO-AAA-SERVER-MIB  
 CISCO-AAA-SESSION-MIB  
 CISCO-AAL5-MIB  
 CISCO-ACCESS-ENVMON-MIB  
 CISCO-ADSL-DMT-LINE-MIB  
 CISCO-ATM-EXT-MIB  
 CISCO-ATM-PVCTRAP-EXTN-MIB  
 CISCO-BGP4-MIB  
 CISCO-BULK-FILE-MIB  
 CISCO-CALL-HISTORY-MIB  
 CISCO-CAR-MIB  
 CISCO-CAS-IF-MIB  
 CISCO-CDP-MIB  
 CISCO-CEF-MIB  
 CISCO-CIRCUIT-INTERFACE-MIB  
 CISCO-CLASS-BASED-QOS-MIB  
 CISCO-COMPRESSION-SERVICE-ADAPTER-MIB  
 CISCO-CONFIG-COPY-MIB  
 CISCO-CONFIG-MAN-MIB  
 CISCO-DDP-IAPP-MIB  
 CISCO-DOT11-ASSOCIATION-MIB  
 CISCO-DOT11-IF-MIB  
 CISCO-DOT11-QOS-MIB  
 CISCO-DOT11-SSID-SECURITY-MIB  
 CISCO-EIGRP-MIB  
 CISCO-ENHANCED-MEMPOOL-MIB

#### Details

[V1](#)

#### Download MIB

[V2](#)

|                                   |                      |                    |                    |
|-----------------------------------|----------------------|--------------------|--------------------|
| CISCO-ENTITY-ASSET-MIB            |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-ENTITY-EXT-MIB              |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-ENTITY-FRU-CONTROL-MIB      |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-ENTITY-VENDORTYPE-OID-MIB   |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-ENVMON-MIB                  |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-ERM-MIB                     |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-ETHER-CFM-MIB               |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-FLASH-MIB                   |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-FRAME-RELAY-MIB             |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-FTP-CLIENT-MIB              |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-HSRP-EXT-MIB                |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-HSRP-MIB                    |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-ICSUDSU-MIB                 |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-IETF-ATM2-PVCTRAP-MIB       |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-IETF-ATM2-PVCTRAP-MIB-EXTN  | <a href="#">Note</a> | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-IETF-DOT11-QOS-EXT-MIB      |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-IETF-DOT11-QOS-MIB          |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-IETF-NAT-MIB                |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-IF-EXTENSION-MIB            |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-IMAGE-MIB                   |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-IP-STAT-MIB                 |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-IP-URPF-MIB                 |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-IPMROUTE-MIB                |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-ISDN-MIB                    |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-ISDNU-IF-MIB                |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-L2-DEV-MONITORING-MIB       |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-LICENSE-MGMT-MIB            |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-MEMORY-POOL-MIB             |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-MVPN-MIB                    |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-NBAR-PROTOCOL-DISCOVERY-MIB |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-NETFLOW-MIB                 |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-NTP-MIB                     |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-OSPF-MIB                    |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-OSPF-TRAP-MIB               |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-PAE-MIB                     |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-PIM-MIB                     |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-PING-MIB                    |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-POP-MGMT-MIB                |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-PPPOE-MIB                   |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-PROCESS-MIB                 |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-PRODUCTS-MIB                |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-QUEUE-MIB                   |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-RMON-CONFIG-MIB             |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-RMON-SAMPLING-MIB           | <a href="#">Note</a> | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-SMI                         |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-SNAPSHOT-MIB                |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-SNMP-TARGET-EXT-MIB         |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-STACKMAKER-MIB              |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-SYSLOG-MIB                  |                      | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-TBRIDGE-DEV-IF-MIB          |                      | <a href="#">V1</a> | <a href="#">V2</a> |

|                                     |                    |                    |
|-------------------------------------|--------------------|--------------------|
| CISCO-TC                            | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-TCP-MIB                       | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-VLAN-IFTABLE-RELATIONSHIP-MIB | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-VLAN-MEMBERSHIP-MIB           | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-VPDN-MGMT-EXT-MIB             | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-VPDN-MGMT-MIB                 | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-VTP-MIB                       | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-WLAN-VLAN-MIB                 | <a href="#">V1</a> | <a href="#">V2</a> |
| CISCO-WRED-MIB                      | <a href="#">V1</a> | <a href="#">V2</a> |
| DS1-MIB                             | <a href="#">V1</a> | <a href="#">V2</a> |
| DS3-MIB                             | <a href="#">V1</a> | <a href="#">V2</a> |
| ENTITY-MIB                          | <a href="#">V1</a> | <a href="#">V2</a> |
| ETHERLIKE-MIB                       | <a href="#">V1</a> | <a href="#">V2</a> |
| EVENT-MIB                           | <a href="#">V1</a> | <a href="#">V2</a> |
| FR-MFR-MIB                          | <a href="#">V1</a> | <a href="#">V2</a> |
| HC-RMON-MIB                         | <a href="#">V1</a> | <a href="#">V2</a> |
| HDSL2-SHDSL-LINE-MIB                | <a href="#">V1</a> | <a href="#">V2</a> |
| IANAifType-MIB                      | <a href="#">V1</a> | <a href="#">V2</a> |
| IEEE8021-PAE-MIB                    | <a href="#">V1</a> | <a href="#">V2</a> |
| IEEE802dot11-MIB                    | <a href="#">V1</a> | <a href="#">V2</a> |
| IF-MIB                              | <a href="#">V1</a> | <a href="#">V2</a> |
| IGMP-STD-MIB                        | <a href="#">V1</a> | <a href="#">V2</a> |
| IMA-MIB                             | <a href="#">V1</a> | <a href="#">V2</a> |
| INET-ADDRESS-MIB                    |                    |                    |
| INT-SERV-GUARANTEED-MIB             | <a href="#">V1</a> | <a href="#">V2</a> |
| INT-SERV-MIB                        | <a href="#">V1</a> | <a href="#">V2</a> |
| IP-FORWARD-MIB                      | <a href="#">V1</a> | <a href="#">V2</a> |
| IPMROUTE-STD-MIB                    | <a href="#">V1</a> | <a href="#">V2</a> |
| IPV6-FLOW-LABEL-MIB                 |                    |                    |
| ISDN-MIB                            | <a href="#">V1</a> | <a href="#">V2</a> |
| MSDP-MIB                            | <a href="#">V1</a> | <a href="#">V2</a> |
| NHRP-MIB                            |                    |                    |
| NOTIFICATION-LOG-MIB                | <a href="#">V1</a> | <a href="#">V2</a> |
| OLD-CISCO-CHASSIS-MIB               | <a href="#">V1</a> | <a href="#">V2</a> |
| OLD-CISCO-CPU-MIB                   | <a href="#">V1</a> | <a href="#">V2</a> |
| OLD-CISCO-FLASH-MIB                 | <a href="#">V1</a> | <a href="#">V2</a> |
| OLD-CISCO-INTERFACES-MIB            | <a href="#">V1</a> | <a href="#">V2</a> |
| OLD-CISCO-IP-MIB                    | <a href="#">V1</a> | <a href="#">V2</a> |
| OLD-CISCO-MEMORY-MIB                | <a href="#">V1</a> | <a href="#">V2</a> |
| OLD-CISCO-SYSTEM-MIB                | <a href="#">V1</a> | <a href="#">V2</a> |
| OLD-CISCO-TCP-MIB                   | <a href="#">V1</a> | <a href="#">V2</a> |
| OLD-CISCO-TS-MIB                    | <a href="#">V1</a> | <a href="#">V2</a> |
| OSPF-MIB                            | <a href="#">V1</a> | <a href="#">V2</a> |
| OSPF-TRAP-MIB                       | <a href="#">V1</a> | <a href="#">V2</a> |
| PIM-MIB                             | <a href="#">V1</a> | <a href="#">V2</a> |
| Q-BRIDGE-MIB                        | <a href="#">V1</a> | <a href="#">V2</a> |
| RFC1213-MIB                         | <a href="#">V1</a> | <a href="#">V2</a> |
| RFC1315-MIB                         | <a href="#">V1</a> | <a href="#">V2</a> |
| RFC1381-MIB                         | <a href="#">V1</a> | <a href="#">V2</a> |
| RFC1382-MIB                         | <a href="#">V1</a> | <a href="#">V2</a> |

[Note](#)

|                       |                      |                                       |
|-----------------------|----------------------|---------------------------------------|
| RFC2982-MIB           |                      |                                       |
| RFC4087-MIB           |                      | <a href="#">V1</a> <a href="#">V2</a> |
| RIPv2-MIB             |                      | <a href="#">V1</a> <a href="#">V2</a> |
| RMON-MIB              |                      | <a href="#">V1</a> <a href="#">V2</a> |
| RMON2-MIB             |                      | <a href="#">V1</a> <a href="#">V2</a> |
| RS-232-MIB            |                      | <a href="#">V1</a> <a href="#">V2</a> |
| RSVP-MIB              |                      | <a href="#">V1</a> <a href="#">V2</a> |
| SMON-MIB              |                      | <a href="#">V1</a> <a href="#">V2</a> |
| SNMP-FRAMEWORK-MIB    |                      | <a href="#">V1</a> <a href="#">V2</a> |
| SNMP-MPD-MIB          |                      | <a href="#">V1</a> <a href="#">V2</a> |
| SNMP-NOTIFICATION-MIB |                      | <a href="#">V1</a> <a href="#">V2</a> |
| SNMP-PROXY-MIB        | <a href="#">Note</a> | <a href="#">V1</a> <a href="#">V2</a> |
| SNMP-TARGET-MIB       |                      | <a href="#">V1</a> <a href="#">V2</a> |
| SNMP-USM-MIB          |                      | <a href="#">V1</a> <a href="#">V2</a> |
| SNMP-VACM-MIB         |                      | <a href="#">V1</a> <a href="#">V2</a> |
| SNMPv2-MIB            |                      | <a href="#">V1</a> <a href="#">V2</a> |
| TCP-MIB               |                      | <a href="#">V1</a> <a href="#">V2</a> |
| UDP-MIB               |                      | <a href="#">V1</a> <a href="#">V2</a> |
| VRRP-MIB              |                      | <a href="#">V1</a> <a href="#">V2</a> |

© 1992-2008 Cisco Systems, Inc. All rights reserved.

[Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks of Cisco Systems, Inc.](#)