



Cisco Feature Navigator

[Search by Feature](#)
[Search by Software](#)
[Compare Images](#)

Objective: Define a specific software image in order to view its supported features.

Select from the pull down menus to find releases which support particular platform and feature set combinations. View your results in the table below and repeat as necessary to define a specific software image.

Your Selections:

Platform	1841
Software	IOS
Major Release	12.4T
Release	12.4(20)T
Feature Set/License	ADVANCED SECURITY

[New Search](#)

Search Results

Image Info

Image Name	c1841-advsecurityk9-mz.124-20.T.bin
DRAM / Min Flash	192 / 64
Enterprise Product Number	S184ASK9-12420T

[Compare Images](#)
[View MIBs](#)
[Release Notes](#)
[Image Download Information](#)

Features

- [AAA Broadcast Accounting](#)
- [AAA Call Trace Messages](#)
- [AAA CLI Stop Record Enhancement](#)
- [AAA DNIS Map for Authorization](#)
- [AAA Double Authentication Secured by Absolute Timeout](#)
- [AAA Server Group](#)
- [AAA Server Group Deadtimer](#)
- [AAA Server Group Enhancements](#)
- [AAA Server Groups Based on DNIS](#)
- [AAA Support for MSCHAPv2 Password Aging](#)
- [Ability to Disable Xauth for Static IPsec Peers](#)
- [Access Point Link Role Flexibility](#)
- [Accounting of VPDN Disconnect Cause](#)
- [ACL - Ability to Filter on the TTL Value](#)
- [ACL - Reflexive Access Lists](#)
- [ACL - Support for Non-Contiguous Port Ranges on an ACE](#)
- [ACL - TCP Flags Filtering](#)
- [ACL Authentication of Incoming RSH and RCP](#)
- [ACL IP Options Selective Drop](#)
- [ACL Manageability](#)
- [ACL Sequence Numbering](#)
- [ACL Support for Filtering IP Options](#)

[Active Probe Source Address](#)

[Additional Vendor-Proprietary RADIUS Attributes](#)

[Address Resolution Protocol \(ARP\)](#)

[ADSL - Asymmetric Digital Subscriber Line Support](#)

[ADSL over ISDN](#)

[ADSL over POTS with Dying Gasp](#)

[Advanced Encryption Standard \(AES\)](#)

[Advanced Encryption Standard \(AES\) - CCMP](#)

[Always On Dynamic ISDN \(AO/DI\)](#)

[Always On Dynamic ISDN \(AO/DI\) Enhancements](#)

[Application Inspection And Control for HTTP - Phase 2](#)

[Application Inspection and Control for SMTP](#)

[ARP Optimization](#)

[ARP-Auto Logoff](#)

[Asynchronous Call Queueing by Role](#)

[Asynchronous Line Monitoring](#)

[Asynchronous Rotary Line Queueing](#)

[Asynchronous Serial Traffic Over UDP \(aka UDPTN\)](#)

[ATM Cell Loss Priority \(CLP\) Bit Marking](#)

[ATM Cell Loss Priority \(CLP\) Setting](#)

[ATM Mode for Four-Wire SHDSL](#)

[ATM Mode for Two-Wire SHDSL](#)

[ATM Multilink PPP Support on Multiple VCs](#)

[ATM Oversubscription for DSL](#)

[ATM Routed Bridge Encapsulation \(RBE\)](#)

[ATM Subinterface MIB/Traps](#)

[Attribute Filtering Per-Domain and VRF Aware Framed-Routes](#)

[Attribute Screening For Access Requests](#)

[Authentication Proxy Accounting for HTTP](#)

[Authorization for Protocol Translation](#)

[Auto Secure Manageability](#)

[AutoInstall over Frame Relay-ATM Interworking Connections](#)

[AutoInstall Using DHCP for LAN Interfaces](#)

[Automatic modem configuration](#)

[Automatic Signature Extraction](#)

[AutoRP Enhancement](#)

[AutoSecure](#)

[AutoSecure Customization and Audit Trail Enhancements](#)

[Bandwidth Allocation Control Protocol \(BACP\)](#)

[BGP](#)

[BGP 4](#)

[BGP 4 Multipath Support](#)

[BGP 4 Prefix Filter and In-bound Route Maps](#)

[BGP 4 Soft Config](#)

[BGP Conditional Route Injection](#)

[BGP Configuration Using Peer Templates](#)

[BGP Convergence Optimization](#)

[BGP Cost Community](#)

[BGP Cost Community Support for EIGRP MPLS VPN PE-CE](#)

[BGP Dynamic Update Peer-Groups](#)

[BGP Hide Local-Autonomous System](#)

[BGP Hybrid CLI Support](#)

[BGP Increased Support of Numbered as-path Access Lists](#)

[BGP Link Bandwidth](#)

[BGP Multicast Inter-AS \(IAS\) VPN](#)

[BGP Multipath Load Sharing for Both eBGP and iBGP in an MPLS-VPN](#)

[BGP Named Community Lists](#)

[BGP Neighbor Policy](#)

[BGP Per Neighbor SOO Configuration](#)

[BGP Prefix-Based Outbound Route Filtering](#)

[BGP Reduction in Transient Memory Usage](#)

[BGP Restart Neighbor Session After max-prefix Limit Reached](#)

[BGP Route-Map Continue](#)

[BGP Route-Map Continue Support for Outbound Policy](#)

[BGP Route-Map Policy List Support](#)

[BGP Selective Address Tracking](#)

[BGP Soft Reset](#)

[BGP Support for Dual AS Configuration for Network AS Migrations](#)

[BGP Support for Named Extended Community Lists](#)

[BGP Support for Sequenced Entries in Extended Community Lists](#)

[BGP Support for TTL Security Check](#)

[Bidirectional Forwarding Detection \(BFD\) Standard Implementation](#)

[Bridge Control Protocol \(BCP\) Support](#)

[Bridge/Transparent support for Authentication Proxy](#)

[Bridging between IEEE 802.1Q vLANs](#)

[Broadcast Key Rotation](#)

[Cache Control Enhancements for Certification Revocation Lists](#)

[Call Admission Control for IKE](#)

[CDP \(Cisco Discovery Protocol\) Version 2](#)

[CEF Support for Dialer Profile](#)

[CEF/dCEF - Cisco Express Forwarding](#)

[Certificate - Authority \(CA\) Key Rollover](#)

[Certificate - Auto Enrollment](#)

[Certificate - Enrollment Enhancements](#)

[Certificate - Security Attribute-Based Access Control](#)

[Certificate - Storage Location Specification](#)

[Certificate - Complete Chain Validation](#)

[Certification Authority Interoperability \(CA\)](#)

[CFM-2](#)

[CGMP - Cisco Group Management Protocol](#)

[Challenge Handshake Authentication Protocol \(CHAP\)](#)
[Circuit Interface Identification Persistence for SNMP](#)
[Cisco Discovery Protocol \(CDP\) over ATM](#)
[Cisco Easy VPN Remote](#)
[Cisco IOS 4096-Bit Public Key Support](#)
[Cisco IOS Certificate Server](#)
[Cisco IOS Content Filtering](#)
[Cisco IOS Firewall - SIP Enhancements: ALG and AIC](#)
[Cisco IOS Login Enhancements](#)
[Cisco IOS Resilient Configuration](#)
[Cisco IOS SHA2 Support](#)
[Class Based Traffic Policing with CLP Tagging](#)
[Class Based Weighted Fair Queuing \(CBWFQ\)](#)
[Class-Based Marking](#)
[Class-Based Policing](#)
[Class-Based Shaping](#)
[Classless InterDomain Routing \(CIDR\) IP Default Gateway](#)
[Clear IP Traffic CLI](#)
[CLI for Displaying Certificates in Cisco IOS \(Manageability Enhancement\)](#)
[CLI String Search](#)
[CLI Views](#)
[ClickStart](#)
[CLNS Support for GRE Tunneling of IPv4 and IPv6](#)
[CNS - Agents SSL Security](#)
[CNS - Configuration Agent](#)
[CNS - Enhanced Results Message](#)
[CNS - Event Agent](#)
[CNS - Flow Through Provisioning](#)
[CNS - Frame Relay Zero Touch](#)
[CNS - Image Agent](#)
[CNS - Security Enhancement](#)
[Command Scheduler \(Kron\)](#)
[Commented IP Access List Entries](#)
[Committed Access Rate \(CAR\)](#)
[Compressed RTP \(cRTP\) - DSL interfaces](#)
[Compression Control Protocol](#)
[Config Change Tracking Identifier](#)
[Config Logger Enhancements for EAL4+ Certification](#)
[Configurable Domain Name Prefix and Suffix Stripping](#)
[Configuration Change Notification and Logging](#)
[Configuration Replace and Configuration Rollback](#)
[Configuration Rollback Confirmed Change](#)
[Connection-Mode Network Service \(CMNS\)](#)
[Consent feature for IOS Routers](#)
[Content Engine Network Module for Caching and Content Delivery](#)

[Context-Based Access Control \(CBAC\)](#)

[Contextual Configuration Diff Utility](#)

[Control Plane Logging](#)

[Control Plane Policing \(CoPP\)](#)

[Control Plane Policing - Time based](#)

[Control Plane Policing Manageability](#)

[CPP Policy Manager](#)

[CPU Thresholding Notification](#)

[Crypto Access Check](#)

[Crypto Conditional Debug Support](#)

[CT1/RBS \(Robbed Bit Signaling\)](#)

[CTCP Support on Easy VPN Clients](#)

[CUG Selection Facility Suppress Option](#)

[Custom Queueing \(CQ\)](#)

[Customer Profile Idle Timer Enhancements for Interesting Traffic](#)

[Default Passive Interface](#)

[Default Route on a PPP Virtual Access Interface](#)

[DES/3DES/AES VPN Encryption Module \(AIM-VPN/BP11\)](#)

[DF Bit Override Functionality with IPSec Tunnels](#)

[DHCP - Class Support for Client Identification](#)

[DHCP - Configurable DHCP Client](#)

[DHCP - Server Multiple subnet](#)

[DHCP - Statically Configured Routes Using a DHCP Gateway](#)

[DHCP Accounting](#)

[DHCP Address Allocation using Option 82](#)

[DHCP Authorized ARP](#)

[DHCP Client](#)

[DHCP Client - Dynamic Subnet Allocation API](#)

[DHCP Client on WAN Interfaces](#)

[DHCP ODAP Server Support](#)

[DHCP On Demand Address Pool \(ODAP\) Manager for non-MPLS VPN pools](#)

[DHCP Option 82 on Stacked EtherSwitch Modules](#)

[DHCP Proxy Client](#)

[DHCP Relay Accounting](#)

[DHCP Relay Agent Support for Unnumbered Interfaces](#)

[DHCP Relay Option 82 - Per Interface Support](#)

[DHCP Release and Renew CLI in Exec Mode](#)

[DHCP Secured IP Address Assignment](#)

[DHCP Server](#)

[DHCP Server - On Demand Address Pool Manager](#)

[DHCP Server - Option to Ignore all BOOTP Requests](#)

[DHCP Server Options - Import and Autoconfiguration](#)

[Dial Backup](#)

[Dial-on-demand](#)

[Dialer Idle Timer Inbound Traffic Configuration](#)

[Dialer Map VRF Aware](#)

[Dialer Persistent](#)

[Dialer Profiles](#)

[Dialer Watch](#)

[Dialer Watch Connect Delay](#)

[Diffserv Compliant WRED](#)

[Digital J1 Voice Support](#)

[Direct http enroll with CA servers](#)

[Distinguished Name Based Crypto Maps](#)

[Distributed Class-Based Weighted Fair Queueing \(dCBWFQ\)](#)

[Distributed Weighted Random Early Detection \(dWRED\)](#)

[DLR Enhancements: PGM RFC-3208 Compliance](#)

[DLSw \(RFC 1795\)](#)

[DNS - VRF aware DNS](#)

[DNS based X.25 routing](#)

[DNS Proxy](#)

[Double Authentication](#)

[DPNSS Backhaul](#)

[Dynamic DNS Support for Cisco IOS](#)

[Dynamic Frequency Selection \(DFS\) and IEEE 802.11h Transmit Power Control](#)

[Dynamic Multiple Encapsulation for Dial-in over ISDN](#)

[Dynamic Multipoint VPN \(DMVPN\) Phase 1](#)

[Dynamic Per VRF AAA](#)

[Dynamic Subscriber Bandwidth Selection](#)

[Dynamic Trunking Protocol \(DTP\)](#)

[E1 R2 Signaling](#)

[Easy IP \(Phase 1\)](#)

[Easy Secure Device Deployment \(Easy SDD\) - Phase 4](#)

[Easy VPN Client RSA - Signature Support](#)

[Easy VPN Phase 8.0](#)

[Easy VPN Remote](#)

[Easy VPN Remote : Multiple Inside Interface Enhancements](#)

[Easy VPN Remote Enhancements](#)

[Easy VPN Remote Phase 4.1 Enhancements](#)

[Easy VPN Remote Web Based Activation](#)

[Easy VPN Remote: Local-Address Support](#)

[Easy VPN Remote: Manual Tunnel Control Enhancement](#)

[Easy VPN Server](#)

[EasyVPN Phase 6](#)

[EasyVPN Phase 7](#)

[EasyVPN phase 7.1](#)

[EasyVPN Server Enhancements](#)

[EIGRP Dynamic Metric Calculations](#)

[EIGRP MPLS VPN PE-CE Site of Origin \(SoO\)](#)

[EIGRP Stub Routing](#)

[EIGRP Support for Route Map Filtering](#)

[Email Inspection Engine](#)

[Embedded Event Manager \(EEM\) 1.0](#)

[Embedded Event Manager \(EEM\) 2.1](#)

[Embedded Event Manager \(EEM\) 2.2](#)

[Embedded Event Manager \(EEM\) 2.4](#)

[Embedded Packet Capture](#)

[Embedded Resource Manager \(ERM\) - MIB](#)

[Embedded Syslog Manager \(ESM\)](#)

[Encrypted Pre-shared Key](#)

[Encrypted Vendor Specific Attributes](#)

[End of Record functionality for DCN networks](#)

[Enhanced cRTP for links with high delay, packet loss and reordering](#)

[Enhanced IGRP \(EIGRP\)](#)

[Enhanced Local Management Interface \(ELMI\)](#)

[Enhanced Packet Marking](#)

[Enhanced Password Security](#)

[Enhanced Tracking Support](#)

[EOT Support for carrier delay](#)

[Ethernet Local Management Interface](#)

[ETSI Call Transfer](#)

[Event MIB and Expression MIB Enhancements](#)

[Event Tracer](#)

[Exporting and Importing RSA Keys](#)

[Express RTP and TCP Header Compression on Dialer interfaces](#)

[Extended Simple Mail Transfer Protocol \(ESMTP\) for IOS Firewall](#)

[Extended ACL support for IGMP to support SSM in IPv4](#)

[Extended VLAN ID](#)

[EzSDD Phase III](#)

[Fast-Switched Policy Routing](#)

[FAT32 Support](#)

[FHRP - VRF Aware VRRP](#)

[FHRP - Enhanced Object Tracking of IP SLAs](#)

[FHRP - EOT integration with EEM](#)

[FHRP - HSRP - Hot Standby Router Protocol V2](#)

[FHRP - HSRP Group Shutdown](#)

[FHRP - HSRP Multiple Group Optimization](#)

[FHRP - Object Tracking List](#)

[FHRP - VRRP - Object Tracking](#)

[Firewall ACL Bypass](#)

[Firewall Authentication Proxy](#)

[Firewall Authentication Proxy for FTP and Telnet Sessions](#)

[Firewall Feature Set](#)

[Firewall Intrusion Detection \(IDS\) Signature Enhancements](#)

[Firewall Intrusion Detection System](#)

[Firewall N2H2 Support](#)

[Firewall Stateful Inspection of ICMP](#)

[Firewall Support for SIP](#)

[Firewall Support of Skinny Client Control Protocol \(SCCP\)](#)

[Firewall Support of SSL Encrypted HTTP Authentication Proxy Sign-on](#)

[Firewall Websense URL Filtering](#)

[Flexible NetFlow](#)

[Flexible NetFlow - IPv6 Unicast Flows](#)

[Flexible NetFlow - Output Features on Data Export](#)

[Flow-Based WRED](#)

[FPM - Flexible Packet Matching](#)

[FPM CCE Integration including XML CCE infrastructure](#)

[Frame Mode TDM over G.shdsl](#)

[Frame Relay](#)

[Frame Relay - PVC Bundles with IP QoS Support](#)

[Frame Relay - PVC Bundles with MPLS QoS Support](#)

[Frame Relay - FRF.5 & FRF.8](#)

[Frame Relay - Multilink \(MLFR-FRF.16\)](#)

[Frame Relay Encapsulation](#)

[Frame Relay End-to-End Keepalive](#)

[Frame Relay Fragmentation \(FRF.12\)](#)

[Frame Relay Fragmentation with Hardware Compression](#)

[Frame Relay FRF.9 Payload Compression](#)

[Frame Relay PVC Interface Priority Queueing](#)

[Frame Relay QoS features with Hierarchical Queueing Framework \(HQF\)](#)

[Frame Relay Queueing and Fragmentation at the Interface](#)

[Frame Relay Router ForeSight](#)

[Frame Relay Show and Debug Command Enhancement](#)

[Frame Relay SVC Support \(DTE\)](#)

[Frame Relay Switched Virtual Circuits \(SVC\) over ISDN](#)

[Frame Relay Switching](#)

[Frame Relay Switching Diagnostics and Troubleshooting](#)

[Frame Relay Switching Enhancements: Shaping and Policing](#)

[Frame Relay Traffic Shaping \(FRTS\)](#)

[Frame Relay Tunnel Switching](#)

[Framed-Route in RADIUS Accounting](#)

[FTP Support for Downloading Software Images](#)

[G.SHDSL Symmetric DSL Support](#)

[Gateway Load Balancing Protocol \(GLBP\)](#)

[Generic Routing Encapsulation \(GRE\)](#)

[Generic Routing Encapsulation \(GRE\) Tunnel Keepalive](#)

[Generic Traffic Shaping \(GTS\)](#)

[GET VPN Support for VRF-Lite](#)

[GLBP MD5 Authentication](#)

[Granular Protocol Inspection](#)

[GRE Tunnel IP Source and Destination VRF Membership](#)

[Group Encrypted Transport VPN \(GET VPN\)](#)

[Group Scheduler Enhancement](#)

[H.323 RAS Support in IOS Firewall](#)

[Half bridge/half router for CPP and PPP](#)

[HFC RIP Relay](#)

[Hosted NAT Support for SBC Phase II - SNAT Support](#)

[HSRP MD5 Authentication](#)

[HSRP over ISL](#)

[HSRP support for ICMP Redirects](#)

[HTTP 1.1 Web Client](#)

[HTTP 1.1 Web Server](#)

[HTTP Cookie Support per RFC2965](#)

[HTTP Inspection Engine](#)

[HTTP Security](#)

[HTTP Server - Enabling of Applications](#)

[HTTP TACAC+ Accounting support](#)

[HTTP\(S\) USB Flash](#)

[HTTPS - HTTP with SSL 3.0](#)

[ICMP Unreachable Rate Limiting User Feedback](#)

[IDS Support of Security Device Event Exchange \(SDEE\)](#)

[IEEE 802.11b Support](#)

[IEEE 802.11d World Mode Support](#)

[IEEE 802.11g Support](#)

[IEEE 802.1p Support](#)

[IEEE 802.1Q ISL VLAN Mapping](#)

[IEEE 802.1Q Tunneling](#)

[IEEE 802.1Q VLAN Support](#)

[IEEE 802.1Q VLAN Trunking](#)

[IEEE 802.1x - VPN Access Control](#)

[IEEE 802.1x Authenticator](#)

[IEEE 802.1x Local Authentication for Cisco LEAP](#)

[IEEE 802.1x Local Authentication for EAP-FAST](#)

[IEEE 802.1x Supplicant](#)

[IEEE 802.1x Supplicant Support for EAP-FAST](#)

[IEEE 802.3ah, Ethernet OAM](#)

[IEEE 802.3x Flow Control](#)

[IGMP Fast Leave](#)

[IGMP Snooping](#)

[IGMP State Limit](#)

[IGMP Version 2](#)

[IGMP Version 3](#)

[IGMP Version 3 - Explicit Tracking of Hosts, Groups, and Channels](#)

[Ignore revocation check and expired certs based on CERT ACL](#)

[IKE - Initiate Aggressive Mode](#)

[IKE Extended Authentication \(Xauth\)](#)

[IKE Mode Configuration](#)

[IKE Security Protocol](#)

[IKE Shared Secret Using AAA Server](#)

[IM Blocking Support in IOS Firewall for ICQ & Windows Messenger](#)

[Image Verification](#)

[Import of RSA keypair in PEM format](#)

[Integrated IS-IS Global Default Metric](#)

[Integrated IS-IS Point to Point Adjacency over Broadcast Media](#)

[Integrated IS-IS Protocol Shutdown Support Maintaining Configuration Parameters](#)

[Integrated routing and bridging \(IRB\)](#)

[Interface Alias Long Name Support](#)

[Interface Index Display](#)

[Interface Range Specification](#)

[Intrusion Prevention System](#)

[Intrusion Prevention System \(IPS\) Enhancements](#)

[Invalid Special Parameter Index \(SPI\) Recovery](#)

[IOS Certificate Server \(CS\) Split Database](#)

[IOS-FW - H323 v3/v4 Support](#)

[IOS-FW - Support for Skinny Local Traffic & CME](#)

[IP DSCP marking for Frame-Relay PVC](#)

[IP Enhanced IGRP Route Authentication](#)

[IP Event Dampening](#)

[IP Multicast Load Splitting across Equal-Cost Paths](#)

[IP Named Access Control List](#)

[IP over CLNS tunnel](#)

[IP Overlapping Address Pools \(AOP\)](#)

[IP Precedence for GRE Tunnels](#)

[IP Routing](#)

[IP SLAs - ICMP Jitter Operation](#)

[IP SLAs - ATM/Frame-Relay Thresholds](#)

[IP SLAs - DHCP Operation](#)

[IP SLAs - Distribution of Statistics](#)

[IP SLAs - DNS Operation](#)

[IP SLAs - FTP Operation](#)

[IP SLAs - History Statistics](#)

[IP SLAs - HTTP Operation](#)

[IP SLAs - ICMP Echo Operation](#)

[IP SLAs - ICMP Path Echo Operation](#)

[IP SLAs - MPLS VPN Awareness](#)

[IP SLAs - Multi Operation Scheduler](#)

[IP SLAs - One Way Measurement](#)

[IP SLAs - Path Jitter Operation](#)

[IP SLAs - Reaction Threshold](#)

[IP SLAs - Scheduler](#)

[IP SLAs - SNA LU2 Echo](#)

[IP SLAs - SNMP Support](#)

[IP SLAs - TCP Connect Operation](#)

[IP SLAs - UDP Echo Operation](#)

[IP SLAs - UDP Jitter Operation](#)

[IP SLAs Additional Threshold Traps](#)

[IP SLAs for Metro-Ethernet](#)

[IP SLAs Random Scheduler](#)

[IP SLAs Responder](#)

[IP SLAs Sub-millisecond Accuracy Improvements](#)

[IP Summary Address for RIPv2](#)

[IP to ATM CoS, per-VC WFQ and CBWFQ](#)

[IP Traffic Export](#)

[IPHC Profiles](#)

[IPS - Increase Session Setup Rate](#)

[IPS 5.x Signature Format Support and Usability Enhancements](#)

[IPS Support for Microsoft Engines](#)

[IPSec and Quality of Service](#)

[IPSec Anti-Replay Window: Expanding and Disabling](#)

[IPSec Dead Peer Detection \(DPD\) Periodic Message Option](#)

[IPSec MIB Support for Cisco IPSec VPN Management](#)

[IPsec NAT Transparency](#)

[IPSec Network Security](#)

[IPSEC Preferred Peer](#)

[IPSec Through Network Address Translation Support](#)

[IPSec Triple DES Encryption \(3DES\)](#)

[IPsec Usability Enhancements](#)

[IPsec Virtual Tunnel Interface](#)

[IPSec VPN Accounting](#)

[IPSec VPN High Availability Enhancements](#)

[IPSec VTI - Virtual Tunnel Interface](#)

[IPv6 - CNS Agents](#)

[IPv6 - HTTP\(S\)](#)

[IS-IS](#)

[IS-IS HMAC-MD5 Authentication](#)

[IS-IS Support for IP Route Tags](#)

[ISDN](#)

[ISDN Advice of Charge \(AOC\)](#)

[ISDN Caller ID Callback](#)

[ISDN Cause Code Override](#)

[ISDN Generic Transparency Descriptor \(GTD\) for Setup Message](#)

[ISDN LAPB-TA](#)

[ISDN SETUP: HASH character within Called party info element](#)

[ISO CLNS](#)

[Jumbo Frames](#)

[Key Management Interface \(KMI\)](#)

[Key Rollover for Certificate Renewal](#)

[L2TP - IPSEC Support for NAT and PAT Windows Clients](#)

[L2TP - Large Scale Dial-Out per user attribute via AAA](#)

[L2TP Dial-Out](#)

[L2TP Dial-Out Load Balancing & Redundancy](#)

[L2TP Extended Failover](#)

[L2TP Layer 2 Tunneling Protocol](#)

[L2TP Redirect](#)

[L2TP Security](#)

[L2TP Tunnel Connection Speed Labeling](#)

[L2TP Tunnel Preservation of IP TOS](#)

[Large Scale Dialout \(LSDO\)](#)

[Layer 2 Forwarding-Fast Switching](#)

[Layer 2 Local Switching - Same-Port Switching for Frame Relay](#)

[Line Printer Daemon \(LPD\)](#)

[Link Fragmentation and Interleaving \(LFI\) for Frame Relay and ATM Virtual Circuits](#)

[Loadsharing IP packets over more than six parallel paths](#)

[Local Proxy ARP](#)

[Lock and Key](#)

[Login Password Retry Lockout](#)

[Low Latency Queueing \(LLQ\)](#)

[Low Latency Queueing \(LLQ\) for Frame Relay](#)

[Low Latency Queueing \(LLQ\) with Priority Percentage Support](#)

[MAC Address Filtering](#)

[Management Plane Protection](#)

[Manual certificate enrollment \(TFTP and cut-and-paste\)](#)

[MD5 File Validation](#)

[Memory Leak Detector](#)

[Memory Traceback Recording](#)

[Message Banners for AAA Authentication](#)

[Microsoft Point-to-Point Compression \(MPPC\)](#)

[Microsoft WPS IE SSIDL](#)

[MLPPP - Multilink PPP](#)

[MLPPP Bundling - DSL Interfaces](#)

[MLPPP Enable/Disable via Radius for Preauthentication User](#)

[MLPPP Minimum Links Mandatory](#)

[Modem Calls over QSIG](#)

[Modem User Interface Option](#)

[Modular QoS CLI \(MQC\)](#)

[Modular QoS CLI \(MQC\) - Based Frame Relay Traffic Shaping](#)

[Modular QoS CLI \(MQC\) Three-Level Hierarchical Policer](#)

[Modular QoS CLI \(MQC\) Unconditional Packet Discard](#)

[Monitoring Control Characters on Async Lines](#)

[MPLS Traffic Engineering \(TE\) - RSVP Graceful Restart](#)

[MPLS Traffic Engineering \(TE\) - RSVP Hello State Timer](#)
[MPLS VPN VRF Selection using Policy Based Routing](#)
[MS Callback](#)
[MS-CHAP Version 1](#)
[MS-CHAP Version 2](#)
[MSDP compliance with IETF RFC 3618](#)
[MSDP MD5 password authentication](#)
[MTree crypto data structure optimizations](#)
[Multi-pad support for X.25 connections](#)
[Multi-protocol BGP \(MP-BGP\) - MPLS VPN](#)
[Multi-VRF Support \(VRF lite\)](#)
[Multicast Fast Switching Performance Improvement](#)
[Multicast NAT](#)
[Multicast Service Reflection](#)
[Multicast Source Discovery Protocol \(MSDP\)](#)
[Multicast Subsecond Convergence](#)
[Multicast-VPN: Multicast Support for MPLS VPN](#)
[Multichassis MultiLink PPP \(MMP\)](#)
[Multiclass Multilink PPP](#)
[Multiple Basic Service Set ID \(BSSID\)](#)
[Multiple RSA Keypair Support](#)
[Multiple SSIDs](#)
[Multiprotocol BGP \(MP-BGP\) Support for CLNS](#)
[NAC - Agentless Host Support](#)
[NAC - L2 IEEE 802.1x](#)
[NAC - Network Admission Control](#)
[Named Method Lists for AAA Authorization and Accounting](#)
[NAT - Default Inside Server Enhancement](#)
[NAT - Network Address Translation](#)
[NAT - Optimized SIP Media Path with SDP](#)
[NAT - Optimized SIP Media Path without SDP](#)
[NAT - Performance & Scalability enhancement - Timer Wheel](#)
[NAT - Performance Enhancement - CEF Switching Support](#)
[NAT - Rate Limiting NAT Translation](#)
[NAT - Stateful Fail-Over - Asymmetric Outside-to-Inside Support](#)
[NAT - Stateful Fail-over for Embedded Addressing](#)
[NAT - Static IP Support](#)
[NAT - Support for NetMeeting Directory \(Internet Locator Service - ILS\)](#)
[NAT - Translation of external IP Addresses only](#)
[NAT as SIP-Session Border Controller Hosted NAT Traversal](#)
[NAT as SIP-Session Border Controller Media Flow](#)
[NAT as SIP-Session Border Controller Support for Address-Only Fields](#)
[NBAR - Network-based Application Recognition](#)
[NBAR Extended Inspection for HTTP Traffic](#)
[NBAR PDLM Versioning](#)

[NBAR Real-time Transport Protocol Payload Classification](#)

[NBAR User-Defined Custom Application Classification](#)

[NBAR-NAT Integration & RTSP](#)

[NetBEUI over PPP \(NBFCP\)](#)

[NETCONF over BEEP](#)

[NETCONF over SSHv2](#)

[NetFlow](#)

[NetFlow Aggregation](#)

[NetFlow Dynamic Top Talkers CLI](#)

[Netflow Egress Accounting](#)

[NetFlow Layer 2 and Security Monitoring Exports](#)

[Netflow Multiple Export Destinations](#)

[NetFlow Top Talker CLI](#)

[NetFlow ToS-Based Router Aggregation](#)

[Network Time Protocol \(NTP\)](#)

[Next Hop Resolution Protocol \(NHRP\)](#)

[Next Hop Resolution Protocol \(NHRP\) - CEF rewrite for DMVPN Phase 3 Networks](#)

[No Service Password-Recovery](#)

[NSF Awareness \(Nonstop Forwarding Awareness\)](#)

[NSF Awareness - BGP](#)

[NSF Awareness - EIGRP](#)

[NSF Awareness - IS-IS](#)

[NSF Awareness - OSPF](#)

[NSF Awareness - OSPF \(RFC 3623 OSPF Graceful Restart Helper Mode\)](#)

[Object Groups for ACLs](#)

[OCSP \(Online Certificate Status Protocol\)](#)

[OCSP - Server Certification from Alternate Hierarchy](#)

[OER - API](#)

[OER - Application Aware Routing with Static Application Mapping](#)

[OER - Inbound Optimization thru BGP](#)

[OER - MC Support for Cat6k Phase1](#)

[OER - Voice Traffic Optimization](#)

[OER Port and Protocol Based Prefix Learning](#)

[OER Support for Cost-Based Optimization and Traceroute Reporting](#)

[OER VPN IPsec/GRE Tunnel Optimization](#)

[On Demand Routing \(ODR\)](#)

[Optimized Edge Routing \(OER\)](#)

[Option to Disable Hardware Crypto Engine Failover to Software Crypto Engine](#)

[Optional OCSP Nonce](#)

[OSPF](#)

[OSPF ABR type 3 LSA Filtering](#)

[OSPF Area Transit Capability](#)

[OSPF Flooding Reduction](#)

[OSPF Forwarding Address Suppression in Translated Type-5 LSAs](#)

[OSPF Inbound Filtering using Route Maps with a Distribute List](#)

[OSPF Incremental Shortest Path First \(i-SPF\) Support](#)

[OSPF Limit on Number of Redistributed Routes](#)

[OSPF Link State Database Overload Protection](#)

[OSPF Link-local Signaling \(LLS\) Per Interface Basis](#)

[OSPF MIB Support of RFC 1850 and Latest Extensions](#)

[OSPF Not-So-Stubby Areas \(NSSA\)](#)

[OSPF On Demand Circuit \(RFC 1793\)](#)

[OSPF Packet Pacing](#)

[OSPF Sham-Link Support for MPLS VPN](#)

[OSPF Shortest Paths First Throttling](#)

[OSPF Stub Router Advertisement](#)

[OSPF Support for Fast Hellos](#)

[OSPF Support for Link State Advertisement \(LSA\) Throttling](#)

[OSPF Support for Multi-VRF on CE Routers](#)

[OSPF Support for Unlimited Software VRFs per Provider Edge \(PE\) Router](#)

[Packet Classification Based on Layer3 Packet-Length](#)

[Packet Classification using Frame-Relay DLCI Number](#)

[PAD Subaddress Formatting Option](#)

[PAD Subaddressing](#)

[Parse Bookmarks](#)

[Parser Cache](#)

[Password Authentication Protocol \(PAP\)](#)

[PBR Support for Multiple Tracking Options](#)

[Peer Pool Backup Support](#)

[Per VRF AAA](#)

[Per-User Configuration](#)

[Per-User QoS via AAA Policy Name](#)

[Percentage-Based Policing and Shaping](#)

[Performance Enhancements for IOS ACL](#)

[Performance Routing - Application Interface](#)

[Performance Routing - Link Groups](#)

[Performance Routing with NBAR/CCE Application Recognition](#)

[Persistent Self-Signed Certificates](#)

[PIM Dense Mode State Refresh](#)

[PIM MIB Extension for IP Multicast](#)

[PIM Multicast Scalability](#)

[PIM Version 1](#)

[PIM Version 2](#)

[PKI - CLI to Control Certificate Revocation List \(CRL\) Cache](#)

[PKI AAA Authorization Using the Entire Subject Name](#)

[PKI Integration with AAA Server](#)

[Policer Enhancement - Multiple Actions](#)

[Policy-Based Routing \(PBR\)](#)

[Port to Application Mapping \(PAM\)](#)

[PPP](#)

[PPP MLP MRRU negotiation configuration](#)

[PPP over ATM](#)

[PPP over ATM \(IETF-Compliant\)](#)

[PPP Over Fast Ethernet 802.1Q](#)

[PPP over Frame Relay](#)

[PPPoA/PPPoE autosense for ATM PVCs](#)

[PPPoE Client](#)

[PPPoE Client DDR Idle-Timer](#)

[PPPoE Connection Throttling](#)

[PPPoE MTU Adjustment](#)

[PPPoE over VLANs Scaling and PPPoE over VLANs forwarding over PVC](#)

[PPPoE Relay](#)

[PPPoE Server Restructuring and PPPoE Profiles](#)

[PPPoE Service Selection](#)

[PPPoE Session Limit per NAS port](#)

[PPPoE Session Recovery After Reload](#)

[PPTP with MPPE](#)

[Pragmatic General Multicast \(PGM\)](#)

[Pre-fragmentation For Ipsec VPNs](#)

[Priority Queueing \(PQ\)](#)

[Privilege Command Enhancement](#)

[Protected Private Key Storage](#)

[Protocol Translation \(PT\)](#)

[Protocol Translation Ruleset](#)

[QoS - Hierarchical Queueing Framework \(HQF\)](#)

[QoS Bandwidth Estimation](#)

[QoS Device Manager \(QDM\)](#)

[QoS for Virtual Private Networks](#)

[QoS Packet Marking](#)

[QoS Priority Percentage CLI Support](#)

[QoS: DirectConnect PDLM](#)

[QoS: Skype classification](#)

[Quality of Service \(QoS\) - Classification Only](#)

[Quality of Service \(QoS\) Queueing](#)

[Query Mode Definition Per Trustpoint](#)

[Query Multiple Servers during Certificate Revocation Check](#)

[RADIUS](#)

[RADIUS Attribute 104](#)

[RADIUS Attribute 44 \(Accounting Session ID\) in Access Requests](#)

[RADIUS attribute 5 \(NAS-Port\) format specified on a per-server group level](#)

[RADIUS Attribute 52 and 53 Gigaword Support](#)

[RADIUS Attribute 77 for DSL](#)

[RADIUS Attribute 82: Tunnel Assignment Id](#)

[RADIUS Attribute 91 Encrypted and Tagged VSA Support](#)

[RADIUS Centralized Filter Management](#)

[RADIUS EAP Support](#)

[RADIUS for Multiple User Datagram Protocol Ports](#)

[RADIUS Logical Line ID](#)

[RADIUS NAS-IP-Address Configurability](#)

[RADIUS Route Download](#)

[RADIUS Server per SSID](#)

[RADIUS Server Reorder on Fail](#)

[RADIUS Timeout set during Pre-Authentication](#)

[RADIUS Tunnel Preference for Load Balancing and Fail-over](#)

[RADIUS VC Logging](#)

[Random Early Detection \(RED\)](#)

[RBE Client Side Encapsulation with QoS](#)

[Re-Enroll Using Existing Certificate](#)

[Real-time Resolution for IPsec Tunnel Peer](#)

[Reliable Delivery and Filtering for Syslog](#)

[Reliable Static Routing Back-up using Object Tracking](#)

[Remote Monitoring MIB Update](#)

[Response Time Reporter \(RTR\)](#)

[Response Time Reporter \(RTR\) enhancements](#)

[Reverse Route Injection \(RRI\)](#)

[Reverse SSH Enhancements](#)

[RFC 2576: SNMP v1/ v2c pdu conversions for proxy forwarder](#)

[RFC-2867 Tunnel Accounting](#)

[RIP](#)

[RIPv2: RFC 1724 MIB Extension](#)

[RMON events and alarms](#)

[RMON full](#)

[Role-Based Access Control CLI commands](#)

[Rotating Through Dial Strings](#)

[RRI Enhancements](#)

[RSVP - Previous Hop Overwrite](#)

[RSVP - Resource Reservation Protocol](#)

[RSVP Local Policy Support](#)

[RSVP Message Authentication](#)

[RSVP Refresh Reduction and Reliable Messaging](#)

[RSVP Support for Frame Relay](#)

[RSVP support for LLQ](#)

[RSVP Support for RTP Header Compression](#)

[RTP Header Compression](#)

[SCTP Show/Clear CLI Enhancements](#)

[SDP \(Secure Device Provisioning\) Start Page](#)

[SEAL Encryption](#)

[Secure Copy \(SCP\)](#)

[Secure Device Provisioning \(SDP\) Connect Template](#)

[Secure Shell SSH Terminal-line access](#)

[Secure Shell SSH Version 1 Integrated Client](#)

[Secure Shell SSH Version 1 Server Support](#)

[Secure Shell SSH Version 2 Client Support](#)

[Secure Shell SSH Version 2 Server Support](#)

[Security Device Manager \(SDM\)](#)

[Selective Packet Discard \(SPD\)](#)

[Session Limit Per VRF](#)

[SHDSL - Auto Detection of 2 Wire Versus 4 Wire Line Mode](#)

[Show and Clear commands for IOS Sockets](#)

[Show Command Redirect](#)

[Silent Operation Mode](#)

[Simple Network Time Protocol \(SNTP\)](#)

[Simple Network-enabled Auto Provisioning \(SNAP\)](#)

[Single Rate 3-Color Marker for Traffic Policing](#)

[Smartports on ISR Etherswitch](#)

[Snapshot routing](#)

[SNMP \(Simple Network Management Protocol\)](#)

[SNMP Inform Request](#)

[SNMP Manager](#)

[SNMP Support for IOS vLAN Subinterfaces](#)

[SNMP Support for Named Access Lists](#)

[SNMP Support for vLAN \(ISL, DOT1Q\) Subinterfaces](#)

[SNMP Support over VPN](#)

[SNMP Support over VPNs - Context Based Access Control](#)

[SNMPv2C](#)

[SNMPv3 \(SNMP Version 3\)](#)

[SNMPv3 - 3DES and AES Encryption Support](#)

[Source Interface Selection for Outgoing Traffic with Certificate Authority \(CA\)](#)

[Spanning Tree Protocol \(STP\)](#)

[Spanning Tree Protocol \(STP\) - Backbone Fast Convergence](#)

[Spanning Tree Protocol \(STP\) - Loop Guard](#)

[Spanning Tree Protocol \(STP\) - Portfast](#)

[Spanning Tree Protocol \(STP\) - Portfast BPDU Guard](#)

[Spanning Tree Protocol \(STP\) - Uplink Fast Convergence](#)

[Spanning Tree Protocol \(STP\) - Uplink Load Balancing](#)

[Spanning Tree Protocol \(STP\) Extension](#)

[SRB - Source-Route bridging](#)

[SSHv2 Enhancements](#)

[SSL VPN - WebVPN Enhancements](#)

[SSLVPN - Access Control Enhancements](#)

[SSLVPN - AnyConnect Client Support](#)

[SSLVPN - Application ACL support](#)

[SSLVPN - Back End HTTP Proxy](#)

[SSLVPN - Full-Tunnel CEF Support](#)

[SSLVPN - URL Rewrite Splitter](#)

[SSLVPN Debug Infrastructure](#)
[SSLVPN Front-Door VRF Support](#)
[SSLVPN GUI Enhancements](#)
[SSLVPN Netegrity Single Sign-on \(SSO\) Support](#)
[SSLVPN Port-Forward Enhancements](#)
[SSLVPN URL obfuscation](#)
[SSLVPN User-Level Bookmarking](#)
[Stack Group Bidding Protocol \(SGBP\)](#)
[Standard IP Access List Logging](#)
[Stream Control Transmission Protocol \(SCTP\)](#)
[Stub IP Multicast Routing](#)
[Subnetwork Bandwidth Manager \(SBM\)](#)
[Subordinate/RA Mode IOS Certificate Server \(CS\) Rollover](#)
[Subscriber Service Switch](#)
[Support for IUA with SCTP for Cisco Access Servers](#)
[Switch Port Analyzer \(SPAN\)](#)
[Switch Port Analyzer \(SPAN\) - Disable Receive Traffic Destination Port](#)
[Switch Port Analyzer \(SPAN\) - Multiple Source Port Selection](#)
[Switched Multimegabit Data Service \(SMDS\)](#)
[T1/E1 Mode for Two-Wire SHDSL](#)
[Tacacs SENDAUTH function](#)
[Tacacs Single Connection](#)
[TACACS+](#)
[TACACS+ Per VRF](#)
[Tag and Template](#)
[TCP - Explicit Congestion Notification](#)
[TCP - TCP Congestion Avoidance](#)
[TCP Show Extension](#)
[TCP Window Scaling](#)
[Threat Information Distribution Protocol \(TIDP\)](#)
[TIDP - Based Mitigation Services](#)
[TIDP - Based Mitigation Services Phase-II](#)
[Timer and Retry Enhancements for L2TP and L2F](#)
[TR-069 - Support for Ethernet LAN Profile, Time Profile, ATM Loopback Profile and TraceRoute profile](#)
[TR-069 Agent](#)
[Transient Memory Management](#)
[Transparent Bridging](#)
[Transparent IOS Firewall](#)
[Transparent IPS](#)
[Triggered RIP](#)
[Trusted Root Certification Authority](#)
[Trustpoint CLI](#)
[Tunable Tx-Ring buffer-DSL interfaces](#)
[Tunnel Authentication via Radius on LNS](#)
[Tunnel Endpoint Discovery](#)

[Tunnel Route Selection](#)

[Tunnel Type of Service \(TOS\)](#)

[Turbo Flooding of UDP Datagrams](#)

[Two-Rate Policer](#)

[UDLR Tunnel ARP and IGMP Proxy](#)

[UDP forwarding support of IP Redundancy Virtual Router Group \(VRG\)](#)

[Uni-Directional Link Routing \(UDLR\)](#)

[Unicast Reverse Path Forwarding \(uRPF\)](#)

[Unity Express Voice Mail and Auto Attendant on AIM](#)

[Universal Client Mode](#)

[USB eToken 64KB smartcard support](#)

[USB Storage PKI Enhancements](#)

[User Based Firewall Support](#)

[User Maximum Links](#)

[V.120 Support](#)

[Vendor-Specific RADIUS Attributes](#)

[Virtual Fragmentation Reassembly](#)

[Virtual Interface Template Service](#)

[Virtual Private Dial-up Network \(VPDN\)](#)

[Virtual Profile CEF Switched](#)

[Virtual Profiles](#)

[Virtual Router Redundancy Protocol \(VRRP\)](#)

[Virtual Templates for Protocol Translation](#)

[VLAN Assignment By Name](#)

[VLAN Range](#)

[VLAN.DAT to NVGEN](#)

[VLANs over IP Unnumbered Sub-Interfaces](#)

[VPDN Default Group Template](#)

[VPDN Group Session Limiting](#)

[VPDN Multihop by DNIS](#)

[VPN Routing Forwarding \(VRF\) Framed Route \(Pool\) Assignment via PPP](#)

[VPN Tunnel Management](#)

[VRF Aware Cisco IOS Firewall](#)

[VRF Aware Dialer Watch](#)

[VRF aware IPsec](#)

[VRF-Aware VPDN Tunnels](#)

[VRRP MD5 Authentication](#)

[Warm Reload](#)

[WCCP Layer 2 Redirection / Forwarding](#)

[WCCP Mask Assignment](#)

[WCCP Redirection on Inbound Interfaces](#)

[WCCP Version 1](#)

[WCCP Version 2](#)

[WebVPN Auto Applet Download](#)

[WebVPN Hardware Acceleration Infrastructure](#)

[WebVPN NTLM Authentication](#)

[WebVPN RADIUS Accounting](#)

[Weighted Fair Queueing \(WFQ\)](#)

[Weighted RED \(WRED\)](#)

[Wi-Fi Multimedia \(WMM\) Required Elements](#)

[Wi-Fi Protected Access \(WPA\)](#)

[Wildcard Pre-Shared Key](#)

[Wireless Enhancements for Integrated Services Routers](#)

[Wireless Non-Root Bridge](#)

[World Mode](#)

[WRED Enhancement - Explicit Congestion Notification \(ECN\)](#)

[x Digital Subscriber Line \(xDSL\) Bridge Support](#)

[X.25](#)

[X.25 Call Confirm Packet Address Control](#)

[X.25 Call Record](#)

[X.25 Closed User Group](#)

[X.25 Data Display Trace](#)

[X.25 Dual Serial Line Management](#)

[X.25 Failover](#)

[X.25 Load Balancing](#)

[X.25 on ISDN D-Channel](#)

[X.25 over Frame Relay \(Annex G\)](#)

[X.25 over TCP \(XOT\)](#)

[X.25 Over TCP Profiles](#)

[X.25 Record Boundary Preservation for Data Communications Networks](#)

[X.25 Remote Failure Detection](#)

[X.25 Station Type For ISDN D-Channel Interface](#)

[X.25 Suppression of Security Signaling Facilities](#)

[X.25 Switch Local Acknowledgement](#)

[X.25 Terminal Line Security for PAD Connections](#)

[X.28 Emulation](#)

[XML-PI](#)

Some features are dependent on product model, interface modules (i.e. Line Cards & Port Adapters), and/or require a software feature license. [Click](#) here for more information.

© 1992-2008 Cisco Systems, Inc. All rights reserved.

[Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks of Cisco Systems, Inc.](#)