



## Cisco Feature Navigator

[Search by Feature](#)
[Search by Software](#)
[Compare Images](#)

**Objective:** Define a specific software image in order to view its supported features.

Select from the pull down menus to find releases which support particular platform and feature set combinations. View your results in the table below and repeat as necessary to define a specific software image.

### Your Selections:

<a href="#">Platform</a>	CAT3750
Software	IOS
Major Release	Select One <input type="button" value="v"/>
Release	Select One <input type="button" value="v"/>
Feature Set/License	Select One <input type="button" value="v"/>

[New Search](#)

**NOTE:** The features listed below are not available in every software image.

### Search Results

#### Features

[AAA Server Group](#)  
[Access Switch Device Manager \(SDM\) Template](#)  
[ACL - Improved Merging Algorithm](#)  
[ACL - TCP Flags Filtering](#)  
[ACL Sequence Numbering](#)  
[Additional Vendor-Proprietary RADIUS Attributes](#)  
[Address Resolution Protocol \(ARP\)](#)  
[ARP Optimization](#)  
[AutoInstall Using DHCP for LAN Interfaces](#)  
[AutoQoS - VoIP](#)  
[BGP](#)  
[BGP 4](#)  
[BGP 4 Multipath Support](#)  
[BGP 4 Prefix Filter and In-bound Route Maps](#)  
[BGP 4 Soft Config](#)  
[BGP Convergence Optimization](#)  
[BGP Hide Local-Autonomous System](#)  
[BGP Named Community Lists](#)  
[BGP Prefix-Based Outbound Route Filtering](#)  
[BGP Restart Neighbor Session After max-prefix Limit Reached](#)  
[BGP Route-Map Continue](#)  
[BGP Route-Map Continue Support for Outbound Policy](#)  
[BGP Soft Reset](#)  
[Broadcast/Multicast Suppression](#)

[CDP \(Cisco Discovery Protocol\) Version 2](#)  
[CEF/dCEF - Cisco Express Forwarding](#)  
[CEFv6/dCEFv6 - Cisco Express Forwarding](#)  
[CGMP - Cisco Group Management Protocol](#)  
[Cisco IGMP MIB and Filter MIB Support](#)  
[Cisco IP Phone Support](#)  
[Cisco StackWise Technology](#)  
[Class Based Ethernet CoS Matching & Marking \(802.1p & ISL CoS\)](#)  
[Class-Based Marking](#)  
[Clear Counters Per Port](#)  
[CLI String Search](#)  
[Commented IP Access List Entries](#)  
[Configurable IGMP Leave Timer](#)  
[Configuration Change Notification and Logging](#)  
[Configuration Replace and Configuration Rollback](#)  
[Contextual Configuration Diff Utility](#)  
[Cross-Stack Link Aggregation Control Protocol](#)  
[DHCP - Configurable DHCP Client](#)  
[DHCP Auto Image upgrade](#)  
[DHCP Auto Install with Saved Configuration](#)  
[DHCP Client](#)  
[DHCP Server](#)  
[DHCP Server Options - Import and Autoconfiguration](#)  
[DHCP Snooping](#)  
[DHCP Snooping Counters](#)  
[Diagnostics Options on bootup](#)  
[Digital Optical Monitoring \(DOM\)](#)  
[Dynamic ARP Inspection](#)  
[Dynamic Trunking Protocol \(DTP\)](#)  
[EIGRP Stub Routing](#)  
[Embedded Event Manager \(EEM\) 2.3](#)  
[Enhanced IGRP \(EIGRP\)](#)  
[Enhanced Password Security](#)  
[Enhanced Tracking Support](#)  
[ErrDisable Reactivation Per Port](#)  
[ErrDisable timeout](#)  
[EtherChannel](#)  
[EtherChannel - Flexible PAgP](#)  
[Etherchannel Guard](#)  
[Fallback Bridging](#)  
[Fast EtherChannel \(FEC\)](#)  
[Fast Stack Image Upgrade](#)  
[Fast-Switched Policy Routing](#)  
[FHRP - HSRP - Hot Standby Router Protocol V2](#)  
[Flex Link Bi-directional Fast Convergence](#)  
[Flex Link VLAN Load-Balancing](#)  
[Flex Links](#)

[Flex Links Interface Preemption](#)  
[FTP Support for Downloading Software Images](#)  
[GOLD - Generic Online Diagnostics](#)  
[HSRP - Hot Standby Router Protocol](#)  
[HTTP Security](#)  
[IEEE 802.1ab LLDP \(Link Layer Discovery Protocol\)](#)  
[IEEE 802.1ab LLDP - MED Location Extension](#)  
[IEEE 802.1p Support](#)  
[IEEE 802.1Q VLAN Trunking](#)  
[IEEE 802.1s - Multiple Spanning Tree \(MST\) Standard Compliance](#)  
[IEEE 802.1s VLAN Multiple Spanning Trees](#)  
[IEEE 802.1t](#)  
[IEEE 802.1W Spanning Tree Rapid Reconfiguration](#)  
[IEEE 802.1x - Auth Fail Open](#)  
[IEEE 802.1x - Auth Fail VLAN](#)  
[IEEE 802.1x - VLAN Assignment](#)  
[IEEE 802.1x - Wake on LAN Support](#)  
[IEEE 802.1x Authenticator](#)  
[IEEE 802.1x Fallback support](#)  
[IEEE 802.1x Multi-Domain Auth with Voice VLAN Assignment](#)  
[IEEE 802.1X Multi-Domain Authentication](#)  
[IEEE 802.1x RADIUS Accounting](#)  
[IEEE 802.1x Readiness Check](#)  
[IEEE 802.1x with Port Security](#)  
[IEEE 802.3ad Link Aggregation \(LACP\)](#)  
[IEEE 802.3af PoE \(Power over Ethernet\)](#)  
[IEEE 802.3x Flow Control](#)  
[IGMP Fast Leave](#)  
[IGMP Proxy](#)  
[IGMP Querier](#)  
[IGMP Snooping](#)  
[IGMP State Limit](#)  
[IGMP Throttling](#)  
[IGMP Version 1](#)  
[IGMP Version 2](#)  
[IGMP Version 3](#)  
[IGRP](#)  
[Image Verification](#)  
[Interface Range Specification](#)  
[IP Enhanced IGRP Route Authentication](#)  
[IP Multicast Load Splitting across Equal-Cost Paths](#)  
[IP Named Access Control List](#)  
[IP Phone Detection Enhancements](#)  
[IP Phone Enhancement - PHY Loop Detection](#)  
[IP Routing](#)  
[IP SLAs - Distribution of Statistics](#)  
[IP SLAs - DNS Operation](#)

- [IP SLAs - FTP Operation](#)
- [IP SLAs - HTTP Operation](#)
- [IP SLAs - ICMP Echo Operation](#)
- [IP SLAs - ICMP Path Echo Operation](#)
- [IP SLAs - MPLS VPN Awareness](#)
- [IP SLAs - Multi Operation Scheduler](#)
- [IP SLAs - One Way Measurement](#)
- [IP SLAs - Path Jitter Operation](#)
- [IP SLAs - Reaction Threshold](#)
- [IP SLAs - Scheduler](#)
- [IP SLAs - SNMP Support](#)
- [IP SLAs - TCP Connect Operation](#)
- [IP SLAs - UDP Based VoIP Operation](#)
- [IP SLAs - UDP Echo Operation](#)
- [IP SLAs - UDP Jitter Operation](#)
- [IP SLAs Additional Threshold Traps](#)
- [IP SLAs Random Scheduler](#)
- [IP SLAs Responder](#)
- [IP Summary Address for RIPv2](#)
- [IPSG \(IP Source Guard\)](#)
- [IPv6 \(Internet Protocol Version 6\)](#)
- [IPv6 - HTTP\(S\)](#)
- [IPv6 Data Link: VLANs using Cisco Inter-Switch Link \(ISL\)](#)
- [IPv6 Data Link: VLANs using IEEE 802.1Q Encapsulation](#)
- [IPv6 MTU Path Discovery](#)
- [IPv6 Neighbor Discovery](#)
- [IPv6 Neighbor Discovery Throttling](#)
- [IPv6 Routing - EIGRP Support](#)
- [IPv6 Routing: OSPF for IPv6 \(OSPFv3\)](#)
- [IPv6 Routing: RIP for IPv6 \(RIPng\)](#)
- [IPv6 Routing: Route Redistribution](#)
- [IPv6 Routing: Static Routing](#)
- [IPv6 Routing: Unicast Routing](#)
- [IPv6 Security: Secure Shell SSH support over IPv6](#)
- [IPv6 Services: AAAA DNS Lookups over an IPv4 Transport](#)
- [IPv6 Services: Cisco Discovery Protocol \(CDP\) - IPv6 Address Family Support for Neighbor Information](#)
- [IPv6 Services: DNS Lookups over an IPv6 Transport](#)
- [IPv6 Services: Extended Access Control Lists](#)
- [IPv6 Services: Standard Access Control Lists](#)
- [IPv6 Stateless Auto-configuration](#)
- [IPv6 Switching: CEF/dCEF Support](#)
- [IPv6: ICMPv6](#)
- [IPv6: ICMPv6 Redirect](#)
- [IPv6: Neighbor Discovery Duplicate Address Detection](#)
- [ISL VLAN](#)
- [Jumbo Frames](#)
- [L2PT - Layer 2 Protocol Tunneling](#)

[Link Aggregation Control Protocol \(LACP\) \(802.3ad\) for Gigabit Interfaces](#)

[Local Proxy ARP](#)

[MAC Authentication Bypass](#)

[Message Banners for AAA Authentication](#)

[MLD Snooping](#)

[Multi-VRF Support \(VRF lite\)](#)

[Multicast BGP \(MBGP\)](#)

[Multicast Etherchannel Load Balancing](#)

[Multicast Fast Convergence with Flexlink Failover](#)

[Multicast Source Discovery Protocol \(MSDP\)](#)

[Multicast Subsecond Convergence](#)

[NAC - L2 IEEE 802.1x](#)

[NAC - L2 IP](#)

[NAC - L2 IP with Auth Fail Open](#)

[Network Time Protocol \(NTP\)](#)

[NSF - EIGRP](#)

[NSF - OSPF](#)

[NSF Awareness - BGP](#)

[NSF Awareness - EIGRP](#)

[NSF Awareness - OSPF](#)

[OSPF](#)

[OSPF Forwarding Address Suppression in Translated Type-5 LSAs](#)

[OSPF Inbound Filtering using Route Maps with a Distribute List](#)

[OSPF Not-So-Stubby Areas \(NSSA\)](#)

[Packet-Based Storm Control](#)

[Pagp/UDLD/LACP L2 tunneling](#)

[Parse Bookmarks](#)

[Parser Cache](#)

[Per Port Per VLAN Policing](#)

[PIM Dense Mode State Refresh](#)

[PIM MIB Extension for IP Multicast](#)

[PIM Multicast Scalability](#)

[PIM Stub](#)

[PIM Version 1](#)

[PIM Version 2](#)

[Policy-Based Routing \(PBR\)](#)

[Port Security](#)

[Port Security on Private VLAN Ports](#)

[Priority Queueing \(PQ\)](#)

[Private VLANs](#)

[QoS Packet Marking](#)

[RADIUS](#)

[RADIUS Attribute 44 \(Accounting Session ID\) in Access Requests](#)

[RADIUS for Multiple User Datagram Protocol Ports](#)

[RADIUS Tunnel Attribute Extensions](#)

[Rapid-Per-VLAN-Spanning Tree \(Rapid-PVST\)](#)

[Reduced MAC Address Usage](#)

[Remote SPAN \(RSPAN\)](#)

[RIP](#)

[RMON events and alarms](#)

[RTP Header Compression](#)

[Secure Copy \(SCP\)](#)

[Secure Shell SSH Version 1 Integrated Client](#)

[Secure Shell SSH Version 1 Server Support](#)

[Secure Shell SSH Version 2 Client Support](#)

[Secure Shell SSH Version 2 Server Support](#)

[Smart Port](#)

[SNMP \(Simple Network Management Protocol\)](#)

[SNMP Inform Request](#)

[SNMP Manager](#)

[SNMP over IPv6](#)

[SNMPv2C](#)

[SNMPv3 \(SNMP Version 3\)](#)

[Source Specific Multicast \(SSM\)](#)

[Source Specific Multicast \(SSM\) Mapping](#)

[Spanning Tree Protocol \(STP\)](#)

[Spanning Tree Protocol \(STP\) - Backbone Fast Convergence](#)

[Spanning Tree Protocol \(STP\) - Loop Guard](#)

[Spanning Tree Protocol \(STP\) - Portfast](#)

[Spanning Tree Protocol \(STP\) - PortFast BPDU Filtering](#)

[Spanning Tree Protocol \(STP\) - Portfast BPDU Guard](#)

[Spanning Tree Protocol \(STP\) - Portfast Support for Trunks](#)

[Spanning Tree Protocol \(STP\) - Root Guard](#)

[Spanning Tree Protocol \(STP\) - Uplink Fast Convergence](#)

[Spanning Tree Protocol \(STP\) - Uplink Load Balancing](#)

[Spanning Tree Protocol \(STP\) Extension](#)

[SRR \(Shaped Round Robin\)](#)

[Standard IP Access List Logging](#)

[Standby Supervisor Port Usage](#)

[STP Syslog Messages](#)

[Stub IP Multicast Routing](#)

[Support for 4096 VLAN IDs](#)

[Switch Port Analyzer \(SPAN\)](#)

[Switch Provisioning for Stackwise technology](#)

[Syslog over IPV6](#)

[Tacacs Single Connection](#)

[TACACS+](#)

[Time-Based Access Lists Using Time Ranges](#)

[Transparent Bridging](#)

[Trunk Failover](#)

[Trusted boundary \(extended trust for CDP devices\)](#)

[UDI - Unique Device Identifier](#)

[Unicast Mac Filtering](#)

[UniDirectional Link Detection \(UDLD\)](#)

[Vendor-Specific RADIUS Attributes](#)

[Virtual Profile CEF Switched](#)

[VLAN Aware Port Security](#)

[WCCP Redirection on Inbound Interfaces](#)

[WCCP Version 1](#)

[WCCP Version 2](#)

[Weighted Tail Drop \(WTD\)](#)

[Wireless LAN Controller Support](#)

Some features are dependent on product model, interface modules (i.e. Line Cards & Port Adapters), and/or require a software feature license. [Click](#) here for more information.

© 1992-2008 Cisco Systems, Inc. All rights reserved.

[Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks of Cisco Systems, Inc.](#)