



## Cisco Feature Navigator

[Search by Feature](#)
[Search by Software](#)
[Compare Images](#)

**Objective:** Define a specific software image in order to view its supported features.

Select from the pull down menus to find releases which support particular platform and feature set combinations. View your results in the table below and repeat as necessary to define a specific software image.

### Your Selections:

<a href="#">Platform</a>	2811
Software	IOS
Major Release	12.4T
Release	12.4(20)T
Feature Set/License	IP BASE

### [New Search](#)

#### Search Results

Image Info

<b>Image Name</b>	c2800nm-ipbasek9-mz.124-20.T.bin
<b>DRAM / Min Flash</b>	256 / 64
<b>Enterprise Product Number</b>	S28NIPBK9-12420T S28NIPBK9-12420T=

[Compare Images](#)
[View MIBs](#)
[Release Notes](#)
[Image Download Information](#)

Features

[AAA Broadcast Accounting](#)  
[AAA Call Trace Messages](#)  
[AAA CLI Stop Record Enhancement](#)  
[AAA DNIS Map for Authorization](#)  
[AAA Double Authentication Secured by Absolute Timeout](#)  
[AAA Resource Accounting](#)  
[AAA Server Group](#)  
[AAA Server Group Deadtimer](#)  
[AAA Server Group Enhancements](#)  
[AAA Server Groups Based on DNIS](#)  
[AAA Support for MSCHAPv2 Password Aging](#)  
[AAA-PPP-VPDN Non-Blocking](#)  
[AAL1 CES on AIM-ATM](#)  
[Access Point Link Role Flexibility](#)  
[Accounting of VPDN Disconnect Cause](#)  
[ACL - Ability to Filter on the TTL Value](#)  
[ACL - Reflexive Access Lists](#)  
[ACL - Support for Non-Contiguous Port Ranges on an ACE](#)  
[ACL - TCP Flags Filtering](#)  
[ACL Authentication of Incoming RSH and RCP](#)  
[ACL Default Direction](#)

[ACL IP Options Selective Drop](#)  
[ACL Manageability](#)  
[ACL Sequence Numbering](#)  
[ACL Support for Filtering IP Options](#)  
[Adaptive Frame Relay Traffic Shaping for Interface Congestion](#)  
[Additional Vendor-Proprietary RADIUS Attributes](#)  
[Address Resolution Protocol \(ARP\)](#)  
[ADSL - Asymmetric Digital Subscriber Line Support](#)  
[ADSL over ISDN](#)  
[ADSL over POTS with Dying Gasp](#)  
[Advanced Encryption Standard \(AES\) - CCMP](#)  
[Always On Dynamic ISDN \(AO/DI\)](#)  
[Always On Dynamic ISDN \(AO/DI\) Enhancements](#)  
[ARP Optimization](#)  
[ARP-Auto Logoff](#)  
[Asynchronous Call Queueing by Role](#)  
[Asynchronous Line Monitoring](#)  
[Asynchronous Rotary Line Queueing](#)  
[Asynchronous Serial Traffic Over UDP \(aka UDPTN\)](#)  
[ATM Cell Loss Priority \(CLP\) Bit Marking](#)  
[ATM Cell Loss Priority \(CLP\) Setting](#)  
[ATM Cell Switching for Voice/Data Traffic Over ATM](#)  
[ATM Mode for Four-Wire SHDSL](#)  
[ATM Mode for Two-Wire SHDSL](#)  
[ATM Multilink PPP Support on Multiple VCs](#)  
[ATM Oversubscription for DSL](#)  
[ATM Routed Bridge Encapsulation \(RBE\)](#)  
[ATM Subinterface MIB/Traps](#)  
[Attribute Filtering Per-Domain and VRF Aware Framed-Routes](#)  
[Attribute Screening For Access Requests](#)  
[Authorization for Protocol Translation](#)  
[Auto Secure Manageability](#)  
[AutoInstall over Frame Relay-ATM Interworking Connections](#)  
[AutoInstall Using DHCP for LAN Interfaces](#)  
[Automatic modem configuration](#)  
[AutoRP Enhancement](#)  
[AutoSecure](#)  
[AutoSecure Customization and Audit Trail Enhancements](#)  
[Bandwidth Allocation Control Protocol \(BACP\)](#)  
[BGP](#)  
[BGP 4](#)  
[BGP 4 Multipath Support](#)  
[BGP 4 Prefix Filter and In-bound Route Maps](#)  
[BGP 4 Soft Config](#)  
[BGP Conditional Route Injection](#)

[BGP Configuration Using Peer Templates](#)

[BGP Convergence Optimization](#)

[BGP Cost Community](#)

[BGP Cost Community Support for EIGRP MPLS VPN PE-CE](#)

[BGP Dynamic Update Peer-Groups](#)

[BGP Hide Local-Autonomous System](#)

[BGP Hybrid CLI Support](#)

[BGP Increased Support of Numbered as-path Access Lists](#)

[BGP Link Bandwidth](#)

[BGP Multicast Inter-AS \(IAS\) VPN](#)

[BGP Multipath Load Sharing for Both eBGP and iBGP in an MPLS-VPN](#)

[BGP Named Community Lists](#)

[BGP Neighbor Policy](#)

[BGP Per Neighbor SOO Configuration](#)

[BGP Prefix-Based Outbound Route Filtering](#)

[BGP Reduction in Transient Memory Usage](#)

[BGP Restart Neighbor Session After max-prefix Limit Reached](#)

[BGP Route-Map Continue](#)

[BGP Route-Map Continue Support for Outbound Policy](#)

[BGP Route-Map Policy List Support](#)

[BGP Selective Address Tracking](#)

[BGP Soft Reset](#)

[BGP Support for Dual AS Configuration for Network AS Migrations](#)

[BGP Support for IP Prefix Import from Global Table into a VRF Table](#)

[BGP Support for Named Extended Community Lists](#)

[BGP Support for Next-Hop Address Tracking](#)

[BGP Support for Sequenced Entries in Extended Community Lists](#)

[BGP Support for TTL Security Check](#)

[Bidirectional PIM](#)

[Bridge Control Protocol \(BCP\) Support](#)

[Bridged 1483 Encapsulated Traffic over ATM SVCs](#)

[Bridging between IEEE 802.1Q vLANs](#)

[Broadcast Key Rotation](#)

[Broadcast/Multicast Suppression](#)

[Cache Control Enhancements for Certification Revocation Lists](#)

[CDP \(Cisco Discovery Protocol\) Version 2](#)

[CEF Support for Dialer Profile](#)

[CEF Support for IP Routing between IEEE 802.1Q vLANs](#)

[CEF/dCEF - Cisco Express Forwarding](#)

[Certificate - Authority \(CA\) Key Rollover](#)

[Certificate - Auto Enrollment](#)

[Certificate - Enrollment Enhancements](#)

[Certificate - Security Attribute-Based Access Control](#)

[Certificate - Storage Location Specification](#)

[Certificate - Complete Chain Validation](#)

[Certification Authority Interoperability \(CA\)](#)  
[CFM-2](#)  
[CGMP - Cisco Group Management Protocol](#)  
[Challenge Handshake Authentication Protocol \(CHAP\)](#)  
[Channelized E1 Signaling](#)  
[Circuit Interface Identification Persistence for SNMP](#)  
[Cisco Discovery Protocol \(CDP\) over ATM](#)  
[Cisco IOS 4096-Bit Public Key Support](#)  
[Cisco IOS Certificate Server](#)  
[Cisco IOS Login Enhancements](#)  
[Cisco IOS Resilient Configuration](#)  
[Cisco IOS SHA2 Support](#)  
[Class Based Traffic Policing with CLP Tagging](#)  
[Class Based Weighted Fair Queuing \(CBWFQ\)](#)  
[Class-Based Frame-Relay DE-Bit Matching and Marking](#)  
[Class-Based Marking](#)  
[Class-Based Policing](#)  
[Class-Based Shaping](#)  
[Classless InterDomain Routing \(CIDR\) IP Default Gateway](#)  
[Clear Channel T3/E3 with Integrated CSU/DSU](#)  
[Clear IP Traffic CLI](#)  
[CLI for Displaying Certificates in Cisco IOS \(Manageability Enhancement\)](#)  
[CLI String Search](#)  
[CLI Views](#)  
[ClickStart](#)  
[CNS - Agents SSL Security](#)  
[CNS - Configuration Agent](#)  
[CNS - Enhanced Results Message](#)  
[CNS - Event Agent](#)  
[CNS - Flow Through Provisioning](#)  
[CNS - Frame Relay Zero Touch](#)  
[CNS - Image Agent](#)  
[CNS - Security Enhancement](#)  
[Command Scheduler \(Kron\)](#)  
[Commented IP Access List Entries](#)  
[Committed Access Rate \(CAR\)](#)  
[Compressed RTP \(cRTP\) - DSL interfaces](#)  
[Compression Control Protocol](#)  
[Config Logger Enhancements for EAL4+ Certification](#)  
[Configurable Domain Name Prefix and Suffix Stripping](#)  
[Configurable per ATM-VC Hold Queue size](#)  
[Configuration Change Notification and Logging](#)  
[Configuration Replace and Configuration Rollback](#)  
[Configuration Rollback Confirmed Change](#)  
[Connect-Info RADIUS Attribute 77](#)

[Contact Closure Network Module](#)  
[Content Engine Network Module for Caching and Content Delivery](#)  
[Contextual Configuration Diff Utility](#)  
[Control Plane DSCP Support for RSVP](#)  
[Control Plane Logging](#)  
[Control Plane Policing \(CoPP\)](#)  
[Control Plane Policing - Time based](#)  
[Control Plane Policing Manageability](#)  
[COPS for RSVP](#)  
[CPP Policy Manager](#)  
[CPU Thresholding Notification](#)  
[Crashinfo Support](#)  
[Crypto Access Check](#)  
[CT1/RBS \(Robbed Bit Signaling\)](#)  
[CUG Selection Facility Suppress Option](#)  
[Custom Queueing \(CQ\)](#)  
[Customer Profile Idle Timer Enhancements for Interesting Traffic](#)  
[Default Passive Interface](#)  
[Default Route on a PPP Virtual Access Interface](#)  
[DHCP - Class Support for Client Identification](#)  
[DHCP - Configurable DHCP Client](#)  
[DHCP - Server Multiple subnet](#)  
[DHCP - Statically Configured Routes Using a DHCP Gateway](#)  
[DHCP Accounting](#)  
[DHCP Address Allocation using Option 82](#)  
[DHCP Authorized ARP](#)  
[DHCP Client](#)  
[DHCP Client - Dynamic Subnet Allocation API](#)  
[DHCP Client on WAN Interfaces](#)  
[DHCP Lease Limit per ATM/RBE unnumbered interface](#)  
[DHCP ODAP Server Support](#)  
[DHCP On Demand Address Pool \(ODAP\) Manager for non-MPLS VPN pools](#)  
[DHCP Option 82 on Stacked EtherSwitch Modules](#)  
[DHCP Option 82 Support for Routed Bridge Encapsulation](#)  
[DHCP Proxy Client](#)  
[DHCP Relay - MPLS VPN Support](#)  
[DHCP Relay Accounting](#)  
[DHCP Relay Agent Support for Unnumbered Interfaces](#)  
[DHCP Relay Option 82 - Per Interface Support](#)  
[DHCP Release and Renew CLI in Exec Mode](#)  
[DHCP Secured IP Address Assignment](#)  
[DHCP Server](#)  
[DHCP Server - On Demand Address Pool Manager](#)  
[DHCP Server - Option to Ignore all BOOTP Requests](#)  
[DHCP Server Options - Import and Autoconfiguration](#)

[Dial Backup](#)  
[Dial on Demand Authentication Enhancements](#)  
[Dial-on-demand](#)  
[Dialer CEF](#)  
[Dialer Idle Timer Inbound Traffic Configuration](#)  
[Dialer Map VRF Aware](#)  
[Dialer Persistent](#)  
[Dialer Profiles](#)  
[Dialer Watch](#)  
[Dialer Watch Connect Delay](#)  
[Diffserv Compliant WRED](#)  
[Digital J1 Voice Support](#)  
[Digital Modem Support and Modem Resource Pooling](#)  
[Direct http enroll with CA servers](#)  
[Distributed Class-Based Weighted Fair Queueing \(dCBWFQ\)](#)  
[Distributed Management Event MIB Persistence](#)  
[Distributed Management Expression MIB persistence](#)  
[Distributed Weighted Random Early Detection \(dWRED\)](#)  
[DLR Enhancements: PGM RFC-3208 Compliance](#)  
[DMVPN Manageability Enhancements](#)  
[DNS - VRF aware DNS](#)  
[DNS based X.25 routing](#)  
[DNS Proxy](#)  
[Double Authentication](#)  
[DPNSS Backhaul](#)  
[DRP Server Agent](#)  
[Dynamic DNS Support for Cisco IOS](#)  
[Dynamic Frequency Selection \(DFS\) and IEEE 802.11h Transmit Power Control](#)  
[Dynamic Multiple Encapsulation for Dial-in over ISDN](#)  
[Dynamic Per VRF AAA](#)  
[Dynamic Subscriber Bandwidth Selection](#)  
[Dynamic Trunking Protocol \(DTP\)](#)  
[E1 R2 Collect Call Blocking](#)  
[E1 R2 Signaling](#)  
[Easy IP \(Phase 1\)](#)  
[Easy Secure Device Deployment \(Easy SDD\) - Phase 4](#)  
[EIGRP Dynamic Metric Calculations](#)  
[EIGRP MPLS VPN PE-CE Site of Origin \(SoO\)](#)  
[EIGRP Stub Routing](#)  
[EIGRP Support for Route Map Filtering](#)  
[Embedded Packet Capture](#)  
[Embedded Resource Manager \(ERM\) - MIB](#)  
[Encrypted Vendor Specific Attributes](#)  
[End of Record functionality for DCN networks](#)  
[Enhanced cRTP for links with high delay, packet loss and reordering](#)

[Enhanced IGRP \(EIGRP\)](#)  
[Enhanced Local Management Interface \(ELMI\)](#)  
[Enhanced Packet Marking](#)  
[Enhanced Password Security](#)  
[Enhanced Test Command](#)  
[Enhanced Tracking Support](#)  
[EOT Support for carrier delay](#)  
[EtherChannel - Flexible PAgP](#)  
[Ethernet Local Management Interface](#)  
[ETSI Call Transfer](#)  
[Event MIB and Expression MIB Enhancements](#)  
[Event Tracer](#)  
[Exporting and Importing RSA Keys](#)  
[Express RTP and TCP Header Compression on Dialer interfaces](#)  
[Extended ACL support for IGMP to support SSM in IPv4](#)  
[Extended VLAN ID](#)  
[EzSDD Phase III](#)  
[Fast-Switched Policy Routing](#)  
[FHRP - VRF Aware VRRP](#)  
[FHRP - HSRP - Hot Standby Router Protocol V2](#)  
[FHRP - HSRP Group Shutdown](#)  
[FHRP - HSRP Multiple Group Optimization](#)  
[FHRP - Object Tracking List](#)  
[FHRP - VRRP - Object Tracking](#)  
[Flow-Based WRED](#)  
[Frame Mode TDM over G.shdsl](#)  
[Frame Relay](#)  
[Frame Relay - PVC Bundles with IP QoS Support](#)  
[Frame Relay - PVC Bundles with MPLS QoS Support](#)  
[Frame Relay - FRF.1.2 Annex A](#)  
[Frame Relay - FRF.5 & FRF.8](#)  
[Frame Relay - Multilink \(MLFR-FRF.16\)](#)  
[Frame Relay 64-bit Counters](#)  
[Frame Relay ELMI Address Registration](#)  
[Frame Relay Encapsulation](#)  
[Frame Relay End-to-End Keepalive](#)  
[Frame Relay Fragmentation \(FRF.12\)](#)  
[Frame Relay FRF.9 Payload Compression](#)  
[Frame Relay PVC Interface Priority Queueing](#)  
[Frame Relay QoS features with Hierarchical Queueing Framework \(HQF\)](#)  
[Frame Relay Queueing and Fragmentation at the Interface](#)  
[Frame Relay Router ForeSight](#)  
[Frame Relay Show and Debug Command Enhancement](#)  
[Frame Relay Switched Virtual Circuits \(SVC\) over ISDN](#)  
[Frame Relay Switching](#)

[Frame Relay Switching Diagnostics and Troubleshooting](#)  
[Frame Relay Switching Enhancements: Shaping and Policing](#)  
[Frame Relay Traffic Shaping \(FRTS\)](#)  
[Frame Relay Voice Adaptive Traffic Shaping](#)  
[Framed-Route in RADIUS Accounting](#)  
[FRF.20 support](#)  
[FTP Support for Downloading Software Images](#)  
[G.SHDSL Symmetric DSL Support](#)  
[Gateway Load Balancing Protocol \(GLBP\)](#)  
[Generic Routing Encapsulation \(GRE\)](#)  
[Generic Routing Encapsulation \(GRE\) Tunnel Keepalive](#)  
[Generic Traffic Shaping \(GTS\)](#)  
[GLBP MD5 Authentication](#)  
[GRE Tunnel IP Source and Destination VRF Membership](#)  
[Half bridge/half router for CPP and PPP](#)  
[HFC RIP Relay](#)  
[Hosted NAT Support for SBC Phase II - SNAT Support](#)  
[HSRP - Hot Standby Router Protocol](#)  
[HSRP - Hot Standby Router Protocol and IPSec](#)  
[HSRP MD5 Authentication](#)  
[HSRP support for ICMP Redirects](#)  
[HSRP support for MPLS VPNs](#)  
[HTTP 1.1 Web Client](#)  
[HTTP 1.1 Web Server](#)  
[HTTP Cookie Support per RFC2965](#)  
[HTTP Security](#)  
[HTTP Server - Enabling of Applications](#)  
[HTTP TACAC+ Accounting support](#)  
[HTTP\(S\) USB Flash](#)  
[HTTPS - HTTP with SSL 3.0](#)  
[ICMP Unreachable Rate Limiting User Feedback](#)  
[IEEE 802.11b Support](#)  
[IEEE 802.11d World Mode Support](#)  
[IEEE 802.11g Support](#)  
[IEEE 802.1p Support](#)  
[IEEE 802.1Q Tunneling](#)  
[IEEE 802.1Q VLAN Support](#)  
[IEEE 802.1Q VLAN Trunking](#)  
[IEEE 802.1x - VLAN Assignment](#)  
[IEEE 802.1x - VPN Access Control](#)  
[IEEE 802.1x Authenticator](#)  
[IEEE 802.1x Guest VLAN](#)  
[IEEE 802.1x Local Authentication for Cisco LEAP](#)  
[IEEE 802.1x Local Authentication for EAP-FAST](#)  
[IEEE 802.1x MIB Support](#)



[IEEE 802.1x RADIUS Accounting](#)  
[IEEE 802.1x Radius-Supplied Session Timeout](#)  
[IEEE 802.1x Supplicant](#)  
[IEEE 802.1x Supplicant Support for EAP-FAST](#)  
[IEEE 802.3ah, Ethernet OAM](#)  
[IEEE 802.3x Flow Control](#)  
[IGMP Fast Leave](#)  
[IGMP MIB Support Enhancements for SNMP](#)  
[IGMP Snooping](#)  
[IGMP State Limit](#)  
[IGMP Version 2](#)  
[IGMP Version 3](#)  
[IGMP Version 3 - Explicit Tracking of Hosts, Groups, and Channels](#)  
[Ignore revocation check and expired certs based on CERT ACL](#)  
[Image Verification](#)  
[Import of RSA keypair in PEM format](#)  
[Inline Power Auto Negotiation](#)  
[Integrated IS-IS Global Default Metric](#)  
[Integrated IS-IS Protocol Shutdown Support Maintaining Configuration Parameters](#)  
[Integrated routing and bridging \(IRB\)](#)  
[Interface Alias Long Name Support](#)  
[Interface Index Display](#)  
[Interface Index Persistence](#)  
[Interface Range Specification](#)  
[IOS Certificate Server \(CS\) Split Database](#)  
[IP DSCP marking for Frame-Relay PVC](#)  
[IP Enhanced IGRP Route Authentication](#)  
[IP Event Dampening](#)  
[IP Multicast Load Splitting across Equal-Cost Paths](#)  
[IP Multicast Multilayer Switching \(MMLS\)](#)  
[IP Named Access Control List](#)  
[IP over CLNS tunnel](#)  
[IP Overlapping Address Pools \(AOP\)](#)  
[IP Precedence Accounting](#)  
[IP Precedence for GRE Tunnels](#)  
[IP Routing](#)  
[IP Summary Address for RIPv2](#)  
[IP to ATM CoS, per-VC WFQ and CBWFQ](#)  
[IP Traffic Export](#)  
[IPHC Profiles](#)  
[IPSec Through Network Address Translation Support](#)  
[IPv6 - CNS Agents](#)  
[IPv6 - HTTP\(S\)](#)  
[IS-IS](#)  
[IS-IS Caching of Redistributed Routes](#)

[IS-IS HMAC-MD5 Authentication](#)[IS-IS Incremental Shortest Path First \(i-SPF\) Support](#)[IS-IS Limit on Number of Redistributed Routes](#)[IS-IS Mechanism to Exclude Connected IP Prefix from LSP Advertisements](#)[IS-IS Multiarea Support](#)[IS-IS Support for IP Route Tags](#)[IS-IS Support for Priority-Driven IP Prefix RIB Installation](#)[ISDN](#)[ISDN Advice of Charge \(AOC\)](#)[ISDN Caller ID Callback](#)[ISDN Cause Code Override](#)[ISDN Generic Transparency Descriptor \(GTD\) for Setup Message](#)[ISDN LAPB-TA](#)[ISDN Network Side for ETSI Net5 PRI](#)[ISDN NFAS](#)[ISDN QEP \(NA\)](#)[ISDN SETUP: HASH character within Called party info element](#)[ISDN-NFAS with D Channel Backup](#)[ISO CLNS](#)[Jumbo Frames](#)[Key Rollover for Certificate Renewal](#)[L2TP - IPSEC Support for NAT and PAT Windows Clients](#)[L2TP - Large Scale Dial-Out per user attribute via AAA](#)[L2TP Client Initiated Tunneling](#)[L2TP Dial-Out](#)[L2TP Dial-Out Load Balancing & Redundancy](#)[L2TP Extended Failover](#)[L2TP Layer 2 Tunneling Protocol](#)[L2TP Redirect](#)[L2TP Security](#)[L2TP Tunnel Connection Speed Labeling](#)[L2TP Tunnel Preservation of IP TOS](#)[Layer 2 Forwarding-Fast Switching](#)[Layer 2 Local Switching - Same-Port Switching for Frame Relay](#)[License Call Home](#)[Licensing Storage](#)[Line Printer Daemon \(LPD\)](#)[Link Fragmentation and Interleaving \(LFI\) for Frame Relay and ATM Virtual Circuits](#)[Loadsharing IP packets over more than six parallel paths](#)[Local Proxy ARP](#)[Lock and Key](#)[Low Latency Queueing \(LLQ\)](#)[Low Latency Queueing \(LLQ\) for Frame Relay](#)[Low Latency Queueing \(LLQ\) with Priority Percentage Support](#)[LSDO: L2TP Large-Scale Dial-Out](#)

[MAC Address Filtering](#)  
[Manual certificate enrollment \(TFTP and cut-and-paste\)](#)  
[MD5 File Validation](#)  
[Memory Leak Detector](#)  
[Memory Traceback Recording](#)  
[Message Banners for AAA Authentication](#)  
[MGCP Layer 2 Teardown for IUA DPNSS Trunks](#)  
[Microsoft Point-to-Point Compression \(MPPC\)](#)  
[Microsoft WPS IE SSIDL](#)  
[MLPPP - Multilink PPP](#)  
[MLPPP Bundling - DSL Interfaces](#)  
[MLPPP Enable/Disable via Radius for Preauthentication User](#)  
[MLPPP Minimum Links Mandatory](#)  
[Modem Calls over QSIG](#)  
[Modem Chat Script and System Script Support in LSDO](#)  
[Modem over BRI](#)  
[Modem User Interface Option](#)  
[Modular QoS CLI \(MQC\)](#)  
[Modular QoS CLI \(MQC\) - Based Frame Relay Traffic Shaping](#)  
[Modular QoS CLI \(MQC\) Three-Level Hierarchical Policer](#)  
[Modular QoS CLI \(MQC\) Unconditional Packet Discard](#)  
[Monitoring Control Characters on Async Lines](#)  
[MPLS Traffic Engineering \(TE\) - RSVP Graceful Restart](#)  
[MPLS Traffic Engineering \(TE\) - RSVP Hello State Timer](#)  
[MPLS VPN VRF Selection using Policy Based Routing](#)  
[MS Callback](#)  
[MS-CHAP Version 1](#)  
[MS-CHAP Version 2](#)  
[MSDP compliance with IETF RFC 3618](#)  
[MSDP MD5 password authentication](#)  
[Multi-pad support for X.25 connections](#)  
[Multi-protocol BGP \(MP-BGP\) - MPLS VPN](#)  
[Multi-VRF Support \(VRF lite\)](#)  
[Multicast BGP \(MBGP\)](#)  
[Multicast Fast Switching Performance Improvement](#)  
[Multicast NAT](#)  
[Multicast Routing Monitor \(MRM\)](#)  
[Multicast Source Discovery Protocol \(MSDP\)](#)  
[Multicast Subsecond Convergence](#)  
[Multicast-VPN: Multicast Support for MPLS VPN](#)  
[Multiclass Multilink PPP](#)  
[Multihop VPDN](#)  
[Multilink Frame Relay \(FRF.16.1\) - Variable Bandwidth Class](#)  
[Multiple Basic Service Set ID \(BSSID\)](#)  
[Multiple RSA Keypair Support](#)

[Multiple SSIDs](#)

[Multiprotocol BGP \(MP-BGP\) Support for CLNS](#)

[NAC - L2 IEEE 802.1x](#)

[Named Method Lists for AAA Authorization and Accounting](#)

[NAT - Default Inside Server Enhancement](#)

[NAT - Stateful Fail-over of Network Address Translation \(SNAT\) Phase 1](#)

[NAT - Ability to use Routes Maps with Static Translations](#)

[NAT - Enhanced H.225/H.245 Forwarding Engine](#)

[NAT - Network Address Translation](#)

[NAT - Optimized SIP Media Path with SDP](#)

[NAT - Optimized SIP Media Path without SDP](#)

[NAT - Performance & Scalability enhancement - Timer Wheel](#)

[NAT - Performance Enhancement - CEF Switching Support](#)

[NAT - Rate Limiting NAT Translation](#)

[NAT - Stateful Fail-Over - Asymmetric Outside-to-Inside Support](#)

[NAT - Stateful Fail-over for Embedded Addressing](#)

[NAT - Static IP Support](#)

[NAT - Static Mapping Support with HSRP for High-Availability](#)

[NAT - Support for H.323 Fragmented Control Messages](#)

[NAT - Support for H.323v3 and v4 in v2 Compatibility mode](#)

[NAT - Support for NetMeeting Directory \(Internet Locator Service - ILS\)](#)

[NAT - Support for SIP](#)

[NAT - Support of H.323v2 Call Signaling \(FastConnect\)](#)

[NAT - Support of H.323v2 RAS](#)

[NAT - Support of IP Phone to Cisco Call Manager](#)

[NAT - Translation of external IP Addresses only](#)

[NAT - VRF Aware NAT](#)

[NAT as SIP-Session Border Controller Hosted NAT Traversal](#)

[NAT as SIP-Session Border Controller Media Flow](#)

[NAT as SIP-Session Border Controller Support for Address-Only Fields](#)

[NAT-Support of IP Phone to Cisco Call Manager](#)

[NBAR - Citrix ICA Published Applications](#)

[NBAR - Multiple Matches Per Port](#)

[NBAR - Network-based Application Recognition](#)

[NBAR Extended Inspection for HTTP Traffic](#)

[NBAR PDLM Versioning](#)

[NBAR Real-time Transport Protocol Payload Classification](#)

[NBAR User-Defined Custom Application Classification](#)

[NBAR- BitTorrent PDLM](#)

[NBAR-NAT Integration & RTSP](#)

[NETCONF over BEEP](#)

[NETCONF over SSHv2](#)

[NetFlow](#)

[NetFlow Aggregation](#)

[NetFlow Dynamic Top Talkers CLI](#)

[Netflow Egress Accounting](#)  
[NetFlow Layer 2 and Security Monitoring Exports](#)  
[Netflow Multiple Export Destinations](#)  
[NetFlow Top Talker CLI](#)  
[NetFlow ToS-Based Router Aggregation](#)  
[Network Analysis Module \(NAM\)](#)  
[Network Side ISDN PRI Signaling, Trunking, and Switching](#)  
[Network Time Protocol \(NTP\)](#)  
[Next Hop Resolution Protocol \(NHRP\)](#)  
[Next Hop Resolution Protocol \(NHRP\) - CEF rewrite for DMVPN Phase 3 Networks](#)  
[No Service Password-Recovery](#)  
[NSF Awareness \(Nonstop Forwarding Awareness\)](#)  
[NSF Awareness - BGP](#)  
[NSF Awareness - EIGRP](#)  
[NSF Awareness - IS-IS](#)  
[NSF Awareness - OSPF](#)  
[NSF Awareness - OSPF \(RFC 3623 OSPF Graceful Restart Helper Mode\)](#)  
[Object Groups for ACLs](#)  
[OCSP \(Online Certificate Status Protocol\)](#)  
[OCSP - Server Certification from Alternate Hierarchy](#)  
[Offload Server Accounting Enhancement](#)  
[On Demand Routing \(ODR\)](#)  
[Optimized PPP Negotiation](#)  
[Optional OCSP Nonce](#)  
[OSPF](#)  
[OSPF ABR type 3 LSA Filtering](#)  
[OSPF Area Transit Capability](#)  
[OSPF Flooding Reduction](#)  
[OSPF Forwarding Address Suppression in Translated Type-5 LSAs](#)  
[OSPF Inbound Filtering using Route Maps with a Distribute List](#)  
[OSPF Incremental Shortest Path First \(i-SPF\) Support](#)  
[OSPF Limit on Number of Redistributed Routes](#)  
[OSPF Link State Database Overload Protection](#)  
[OSPF Link-local Signaling \(LLS\) Per Interface Basis](#)  
[OSPF MIB Support of RFC 1850 and Latest Extensions](#)  
[OSPF Not-So-Stubby Areas \(NSSA\)](#)  
[OSPF On Demand Circuit \(RFC 1793\)](#)  
[OSPF Packet Pacing](#)  
[OSPF Sham-Link Support for MPLS VPN](#)  
[OSPF Shortest Paths First Throttling](#)  
[OSPF Stub Router Advertisement](#)  
[OSPF Support for Fast Hellos](#)  
[OSPF Support for Link State Advertisement \(LSA\) Throttling](#)  
[OSPF Support for Multi-VRF on CE Routers](#)  
[OSPF Support for Unlimited Software VRFs per Provider Edge \(PE\) Router](#)

[OSPF Update Packet-Pacing Configurable Timers](#)  
[Packet Classification Based on Layer3 Packet-Length](#)  
[Packet Classification using Frame-Relay DLCI Number](#)  
[PAD Subaddress Formatting Option](#)  
[PAD Subaddressing](#)  
[Parse Bookmarks](#)  
[Parser Cache](#)  
[Password Authentication Protocol \(PAP\)](#)  
[PBR Support for Multiple Tracking Options](#)  
[Peer Pool Backup Support](#)  
[Per VRF AAA](#)  
[Per-User Configuration](#)  
[Per-User QoS via AAA Policy Name](#)  
[Percentage-Based Policing and Shaping](#)  
[Performance Enhancements for IOS ACL](#)  
[Persistent Self-Signed Certificates](#)  
[PIM Dense Mode State Refresh](#)  
[PIM MIB Extension for IP Multicast](#)  
[PIM Multicast Scalability](#)  
[PIM Version 1](#)  
[PIM Version 2](#)  
[PKI - CLI to Control Certificate Revocation List \(CRL\) Cache](#)  
[PKI AAA Authorization Using the Entire Subject Name](#)  
[PKI Integration with AAA Server](#)  
[Policer Enhancement - Multiple Actions](#)  
[Policy Based Routing: Recursive Next Hop](#)  
[Policy-Based Routing \(PBR\)](#)  
[PPP](#)  
[PPP MLP MRRU negotiation configuration](#)  
[PPP over ATM](#)  
[PPP over ATM \(IETF-Compliant\)](#)  
[PPP over ATM SVCs](#)  
[PPP Over Fast Ethernet 802.1Q](#)  
[PPP over Frame Relay](#)  
[PPPoA/PPPoE autosense for ATM PVCs](#)  
[PPPoE Client](#)  
[PPPoE Client DDR Idle-Timer](#)  
[PPPoE MTU Adjustment](#)  
[PPPoE on Ethernet](#)  
[PPPoE Radius Port Identification](#)  
[PPPoE Relay](#)  
[PPPoE Server Restructuring and PPPoE Profiles](#)  
[PPPoE Session limit](#)  
[PPPoE Session Limit per NAS port](#)  
[Pre-fragmentation For Ipsec VPNs](#)

[Preauthentication with ISDN PRI and Channel-Associated Signalling Enhancements](#)

[PRI/Q.931 Signaling Backhaul for Call Agent Applications](#)

[Priority Queueing \(PQ\)](#)

[Privilege Command Enhancement](#)

[Protected Private Key Storage](#)

[Protocol Translation \(PT\)](#)

[Protocol Translation Ruleset](#)

[QoS - Hierarchical Queueing Framework \(HQF\)](#)

[QoS Bandwidth Estimation](#)

[QoS Device Manager \(QDM\)](#)

[QoS for Virtual Private Networks](#)

[QoS Packet Marking](#)

[QoS Policy Propagation via Border Gateway Protocol \(QPPB\)](#)

[QoS Priority Percentage CLI Support](#)

[QOS: DirectConnect PDL](#)

[QoS: Skype classification](#)

[Quality of Service \(QoS\) - Classification Only](#)

[Quality of Service \(QoS\) Queueing](#)

[Query Mode Definition Per Trustpoint](#)

[Query Multiple Servers during Certificate Revocation Check](#)

[Radio Management Aggregation](#)

[RADIUS](#)

[RADIUS Attribute 104](#)

[RADIUS Attribute 44 \(Accounting Session ID\) in Access Requests](#)

[RADIUS attribute 5 \(NAS-Port\) format specified on a per-server group level](#)

[RADIUS Attribute 52 and 53 Gigaword Support](#)

[RADIUS Attribute 66 \(Tunnel-Client-Endpoint\) Enhancements](#)

[RADIUS Attribute 77 for DSL](#)

[RADIUS Attribute 82: Tunnel Assignment Id](#)

[RADIUS Attribute 91 Encrypted and Tagged VSA Support](#)

[RADIUS Attribute Value Screening](#)

[RADIUS Centralized Filter Management](#)

[RADIUS EAP Support](#)

[RADIUS for Multiple User Datagram Protocol Ports](#)

[RADIUS Logical Line ID](#)

[RADIUS NAS-IP-Address Configurability](#)

[RADIUS Progress Codes](#)

[RADIUS Route Download](#)

[RADIUS Server per SSID](#)

[RADIUS Server Reorder on Fail](#)

[RADIUS Timeout set during Pre-Authentication](#)

[RADIUS Tunnel Attribute Extensions](#)

[RADIUS Tunnel Preference for Load Balancing and Fail-over](#)

[RADIUS VC Logging](#)

[Random Early Detection \(RED\)](#)

[RBE Client Side Encapsulation with QoS](#)  
[Re-Enroll Using Existing Certificate](#)  
[Redial Enhancements](#)  
[Reliable Delivery and Filtering for Syslog](#)  
[Reliable Static Routing Back-up using Object Tracking](#)  
[Remote Monitoring MIB Update](#)  
[Resource Pool Management with Direct Remote Services](#)  
[Reverse Route Injection \(RRI\)](#)  
[Reverse SSH Enhancements](#)  
[RFC 2576: SNMP v1/ v2c pdu conversions for proxy forwarder](#)  
[RFC-2867 Tunnel Accounting](#)  
[RGMP - Router-Port Group Management Protocol](#)  
[RIP](#)  
[RIPv2: RFC 1724 MIB Extension](#)  
[RMON events and alarms](#)  
[RMON full](#)  
[Rotating Through Dial Strings](#)  
[RSVP - Previous Hop Overwrite](#)  
[RSVP - Resource Reservation Protocol](#)  
[RSVP Application ID Support](#)  
[RSVP Local Policy Support](#)  
[RSVP Message Authentication](#)  
[RSVP Refresh Reduction and Reliable Messaging](#)  
[RSVP Scalability Enhancements](#)  
[RSVP Support for Frame Relay](#)  
[RSVP support for LLQ](#)  
[RSVP Support for RTP Header Compression](#)  
[RTP Header Compression](#)  
[RTP Header Compression over Satellite Links](#)  
[SCTP Show/Clear CLI Enhancements](#)  
[SEAL Encryption](#)  
[Secure Copy \(SCP\)](#)  
[Secure Shell SSH Terminal-line access](#)  
[Secure Shell SSH Version 1 Integrated Client](#)  
[Secure Shell SSH Version 1 Server Support](#)  
[Secure Shell SSH Version 2 Client Support](#)  
[Secure Shell SSH Version 2 Server Support](#)  
[Security Device Manager \(SDM\)](#)  
[Selective Packet Discard \(SPD\)](#)  
[Selective Virtual-Access Interface Creation](#)  
[Session Limit Per VRF](#)  
[SHDSL - Auto Detection of 2 Wire Versus 4 Wire Line Mode](#)  
[Shell-Based Authentication of VPDN Users](#)  
[Show and Clear commands for IOS Sockets](#)  
[Show Command Redirect](#)



[Silent Operation Mode](#)

[Simple Network-enabled Auto Provisioning \(SNAP\)](#)

[Single Rate 3-Color Marker for Traffic Policing](#)

[Smartports on ISR Etherswitch](#)

[Snapshot routing](#)

[SNMP \(Simple Network Management Protocol\)](#)

[SNMP Inform Request](#)

[SNMP Manager](#)

[SNMP Support for IOS vLAN Subinterfaces](#)

[SNMP Support for Named Access Lists](#)

[SNMP Support for vLAN \(ISL, DOT1Q\) Subinterfaces](#)

[SNMP Support over VPN](#)

[SNMP Support over VPNs - Context Based Access Control](#)

[SNMPv2C](#)

[SNMPv3 \(SNMP Version 3\)](#)

[SNMPv3 - 3DES and AES Encryption Support](#)

[Source Interface Selection for Outgoing Traffic with Certificate Authority \(CA\)](#)

[Source Specific Multicast \(SSM\)](#)

[Source Specific Multicast \(SSM\) - IGMPv3,IGMP v3lite, and URD](#)

[Source Specific Multicast \(SSM\) Mapping](#)

[Spanning Tree Protocol \(STP\)](#)

[Spanning Tree Protocol \(STP\) - Backbone Fast Convergence](#)

[Spanning Tree Protocol \(STP\) - Loop Guard](#)

[Spanning Tree Protocol \(STP\) - Portfast](#)

[Spanning Tree Protocol \(STP\) - Portfast BPDU Guard](#)

[Spanning Tree Protocol \(STP\) - Uplink Fast Convergence](#)

[Spanning Tree Protocol \(STP\) - Uplink Load Balancing](#)

[Spanning Tree Protocol \(STP\) Extension](#)

[SSG RADIUS VC Logging Enhancement](#)

[SSHv2 Enhancements](#)

[Standard IP Access List Logging](#)

[Stream Control Transmission Protocol \(SCTP\)](#)

[Stub IP Multicast Routing](#)

[Subnetwork Bandwidth Manager \(SBM\)](#)

[Subordinate/RA Mode IOS Certificate Server \(CS\) Rollover](#)

[Subscriber Service Switch](#)

[Support for IUA with SCTP for Cisco Access Servers](#)

[Switch Port Analyzer \(SPAN\)](#)

[Switch Port Analyzer \(SPAN\) - Disable Receive Traffic Destination Port](#)

[Switch Port Analyzer \(SPAN\) - Multiple Source Port Selection](#)

[Switched Multimegabit Data Service \(SMDS\)](#)

[T1/E1 Mode for Two-Wire SHDSL](#)

[Tacacs SENDAUTH function](#)

[Tacacs Single Connection](#)

[TACACS+](#)

[TACACS+ Per VRF](#)  
[TCP - Explicit Congestion Notification](#)  
[TCP - TCP Congestion Avoidance](#)  
[TCP Show Extension](#)  
[TCP Window Scaling](#)  
[Time-Based Access Lists Using Time Ranges](#)  
[Timer and Retry Enhancements for L2TP and L2F](#)  
[TR-069 - Support for Ethernet LAN Profile, Time Profile, ATM Loopback Profile and TraceRoute profile](#)  
[TR-069 Agent](#)  
[Transient Memory Management](#)  
[Transparent Bridging](#)  
[Triggered RIP](#)  
[Trusted Root Certification Authority](#)  
[Trustpoint CLI](#)  
[Tunable Tx-Ring buffer-DSL interfaces](#)  
[Tunnel Authentication via Radius on LNS](#)  
[Tunnel Route Selection](#)  
[Tunnel Type of Service \(TOS\)](#)  
[Turbo Flooding of UDP Datagrams](#)  
[Two-Rate Policer](#)  
[UDI - Unique Device Identifier](#)  
[UDLR Tunnel ARP and IGMP Proxy](#)  
[UDP forwarding support of IP Redundancy Virtual Router Group \(VRG\)](#)  
[Uni-Directional Link Routing \(UDLR\)](#)  
[Unicast Reverse Path Forwarding \(uRPF\)](#)  
[Unity Express Voice Mail and Auto Attendant on AIM](#)  
[Universal Client Mode](#)  
[USB eToken 64KB smartcard support](#)  
[USB Storage PKI Enhancements](#)  
[User Maximum Links](#)  
[V.110 support for Digital Modems](#)  
[V.120 Support](#)  
[V.92 Modem on Hold](#)  
[Vendor-Specific RADIUS Attributes](#)  
[Virtual Fragmentation Reassembly](#)  
[Virtual Interface Template Service](#)  
[Virtual Private Dial-up Network \(VPDN\)](#)  
[Virtual Profile CEF Switched](#)  
[Virtual Profiles](#)  
[Virtual Router Redundancy Protocol \(VRRP\)](#)  
[VLAN Assignment By Name](#)  
[VLAN Range](#)  
[VLAN.DAT to NVGEN](#)  
[VLANs over IP Unnumbered Sub-Interfaces](#)  
[VoIP Gateway Trunk and Carrier Based Routing Enhancements](#)

[VPDN Default Group Template](#)  
[VPDN Group Session Limiting](#)  
[VPDN Multihop by DNIS](#)  
[VPN Routing Forwarding \(VRF\) Framed Route \(Pool\) Assignment via PPP](#)  
[VPN Tunnel Management](#)  
[VRF Aware Dialer Watch](#)  
[VRF-Aware VPDN Tunnels](#)  
[VRRP MD5 Authentication](#)  
[WAN Interface Performance Analytics](#)  
[Warm Reload](#)  
[WCCP Layer 2 Redirection / Forwarding](#)  
[WCCP Mask Assignment](#)  
[WCCP Redirection on Inbound Interfaces](#)  
[WCCP Version 1](#)  
[WCCP Version 2](#)  
[Weighted Fair Queueing \(WFQ\)](#)  
[Weighted RED \(WRED\)](#)  
[Wi-Fi Multimedia \(WMM\) Required Elements](#)  
[Wi-Fi Protected Access \(WPA\)](#)  
[Wireless Enhancements for Integrated Services Routers](#)  
[Wireless Non-Root Bridge](#)  
[World Mode](#)  
[WRED Enhancement - Explicit Congestion Notification \(ECN\)](#)  
[x Digital Subscriber Line \(xDSL\) Bridge Support](#)  
[X.25](#)  
[X.25 Annex G Session Status Change Reporting](#)  
[X.25 Call Confirm Packet Address Control](#)  
[X.25 Call Record](#)  
[X.25 Calling Address Insertion and Removal Based on Input Interface](#)  
[X.25 Closed User Group](#)  
[X.25 Data Display Trace](#)  
[X.25 Dual Serial Line Management](#)  
[X.25 Failover](#)  
[X.25 Load Balancing](#)  
[X.25 on ISDN D-Channel](#)  
[X.25 over Frame Relay \(Annex G\)](#)  
[X.25 over TCP \(XOT\)](#)  
[X.25 Over TCP Profiles](#)  
[X.25 Record Boundary Preservation for Data Communications Networks](#)  
[X.25 Remote Failure Detection](#)  
[X.25 Station Type For ISDN D-Channel Interface](#)  
[X.25 Suppression of Security Signaling Facilities](#)  
[X.25 Switch Local Acknowledgement](#)  
[X.25 Switching between PVCs and SVCs](#)  
[X.25 Terminal Line Security for PAD Connections](#)

[X.28 Emulation](#)[XML-PI](#)

Some features are dependent on product model, interface modules (i.e. Line Cards & Port Adapters), and/or require a software feature license. [Click](#) here for more information.

© 1992-2008 Cisco Systems, Inc. All rights reserved.

[Terms & Conditions](#) | [Privacy Statement](#) | [Cookie Policy](#) | [Trademarks of Cisco Systems, Inc.](#)