

تاي ل مع ة تمتأل ة لك ش م ل ل و ح ة ين ف ة ظ ح ال م ت ا ق ي ب ط ت ل ل ة ج م ر ب ة ه ج ا و م ا د خ ت س ا ب C C M ر ش ن

ت ا ي و ت ح م ل ا

[ة م د ق م ل ا](#)

[API م ا د خ ت س ا ب C C M ر ش ن ت ا ي ل م ع ة م ت ا ل ة ل ك ش م : ة ل ك ش م ل ا](#)

[ل ح ل ا](#)

ة م د ق م ل ا

م ا د خ ت س ا ب ء ا ش ن ا ل ا ت ا م و ل ع م و ة ب ا ح س ل ل ز ك ر م ر ا د ص ا ض ر ع ة ي ف ي ك د ن ت س م ل ا ا ذ ه ح ض و ي
ت ا ق ي ب ط ت ل ل ة ج م ر ب ة ه ج ا و ء ا ع د ت س ا

API م ا د خ ت س ا ب C C M ر ش ن ت ا ي ل م ع ة م ت ا ل ة ل ك ش م : ة ل ك ش م ل ا

ة م ت ا د ي ر ت و ف ل ت خ م ر ا د ص ا م ا د خ ت س ا ب (C C M) C l o u d C e n t e r ي ر ي د م ن م د ي د ع ل ل ك ي د ل ن ا ك ا ذ ا
C C M ر ا د ص ا ي ل ع ل و و ح ل ا ي ف ك د ع ا س ي د ن ت س م ل ا ا ذ ه ن ا ف ، API م ا د خ ت س ا ب C C M ر ش ن ت ا ي ل م ع
API م ا د خ ت س ا ب ت ا م و ل ع م ل ا ء ا ش ن ا و

ل ح ل ا

ل و خ د ل ل ا ل ي ج س ت ك ن ك م ي . API ت ا م ل ل ا ك م ي ل ع ل و و ح ل ل د ي ر ب ل ا ي ع ا س د ن ت س م ل ا ا ذ ه م د خ ت س ي
ة ه ج ا و ل ي غ ش ت و ب ي و ل ا ح ف ص ت م م ا د خ ت س ا ب C C M ة ي م و س ر ل ل ا م د خ ت س م ل ا ة ه ج ا و ي ل ا ة ر ش ا ب م
ل ي ص ا ف ت ل ل ا ي ل ع ل و و ح ل ل ت ا ق ي ب ط ت ل ل ة ج م ر ب

ت ا ن ا ي ب م ا د خ ت س ا ب (G U I) ة ي م و س ر ل ل ا م د خ ت س م ل ا ة ه ج ا و ي ل ل و خ د ل ل ا ل ي ج س ت ب م ق . 1 ة و ط خ ل ا
م د خ ت س م ل ل / ل و و س م ل ا د ا م ت ع ا

ة ج م ر ب ة ه ج ا و ح ا ت ف م ة ر ا د ا > ن و م د خ ت س م ل ا > ة ي س ي ئ ر ل ل ا ة ر ا د ا ل ا ة ح ف ص ي ل ل ا ل ق ت ن ا . 2 ة و ط خ ل ا
ت ا ق ي ب ط ت ل ل ا ة ج م ر ب ة ه ج ا و ة ر ا د ا ح ا ت ف م ي ل ع ر ق ن ا و ت ا ق ي ب ط ت ل ل ا

ت ا ق ي ب ط ت ل ل ا ة ج م ر ب ة ه ج ا و ح ا ت ف م خ س ن ا . 3 ة و ط خ ل ا

Manage API Key

Manage API Access Key for user "admin@cliqrtech.com"

User Name

cliqradmin

Key

395C1A2A7ECF11D7

Generate new key

Cancel

في حضوره وه امك ةرورضال لىصافتال رىفوتب مقو PostMan قىببطت حتفا 4. ةوطخلال ةروصلال:

The screenshot shows the Postman interface for a GET request to `https://CCM_IP/system/service/get_session`. The request is configured with Basic Authentication. The username is `cliqradmin` and the password is masked with dots. The interface includes tabs for Authorization, Headers (1), Body, Pre-request Script, and Tests. There are buttons for 'Send', 'Save', 'Clear', and 'Update Request'. A note states: 'The authorization header will be generated and added as a custom header'. There is also a checkbox for 'Save helper data to request' and a 'Show Password' checkbox.

GET بولسأ

url : https://CCM_IP/system/service/get_session

ةىساسألأ ةقداصلمال :عونال

مدختصلمال مسا : مدختصلمال مسا

رسالل ةملك :

تاقىببطتال ةجرمرب ةهجاو بلط لاسرال لاسرا قوف رقنا ،ةروصلال فى حضوره وه امك 5. ةوطخلال (API).

GET ▼ https://CCM_IP/system/service/get_session Params Send Save ▼

Authorization ● Headers (1) Body Pre-request Script Tests Code

Type Basic Auth ▼ Clear Update Request

Username cliqadmin The authorization header will be generated and added as a custom header

Password Save helper data to request

Show Password

Body Cookies Headers (13) Tests Status: 200 OK Time: 603 ms

Pretty Raw Preview Auto ▼ ≡

```

414     },
415     "dashboardType": "VendorUser"
416   },
417   "id": 2,
418   "featuresEnabled": {
419     "TAG_POLICY_MGMT": true
420   }
421 },
422 "osmosix_admin_vendor_shortName": null,
423 "osmosix_admin_vendor_url": "http://www.cisco.com",
424 "saml_auth": null,
425 "saml_global_logout": null,
426 "osmosix_enhanced_storage": true,
427 "mgmtserver_version": "4.8.0",

```

Body Cookies Headers (13) Tests Status: 200 OK Time: 603 ms

Pretty Raw Preview Auto ▼ ≡

```

294     "enable_password_auth": true,
295     "hide.policy.run.menu": "0",
296     "hide.job.cloud.type": "0",
297     "vendor.nag.low.credit.no.plan.msg": "Your credit is about to run out. Do you want to c
298     "hide.acctmgmt.preference.menu": "0",
299     "ua.default.cloud": "Amazon-us-west-2",
300     "forum.url": "",
301     "user.reset.pwd.email.subject": "MyCompany user password reset",
302     "Hp-1-a-az-1.default": ""
303   },
304   "osmosix_admin_vendor_id": 1,
305   "build_tag": "release-4.8.0-20170512.1.67",
306   "_csrf": {
307     "headerName": "X-CSRF-TOKEN",
308     "token": "fa9a3c67-073e-4f56-8fd5-4d7ae510eec4",
309     "parameterName": "_csrf"
310   },

```

Search for ▼ ^ All ×
.* Aa \b

ةمچرتل هذه لوج

ةللأل تاي نقتل نمة ومة مادختساب دن تسمل اذة Cisco تمةرت
ملاعلاء انء مء مء نمة دختسمل معد و تمة مء دقتل ةر شبل او
امك ةق قء نوك ت نل ةللأل ةمچرت لصف أن ةظحال مء ءرء. ةصاأل مء تءل ب
Cisco ةللخت. فرتمة مچرت مء دقء ةللأل ةل فارتحال ةمچرتل عم لاعل او
ىل إأمءءاد ءوچرلاب ةصوء و تامةرتل هذه ةقء نء اهءل وئس م Cisco
Systems (رفوتم طبارل) ةلصلأل ةزءل ءنل دن تسمل