مادختساب ةيجراخلا طئاسولا نيزخت دادع<u>ا</u> تايوتحمل

<u>قمدقملا</u> <u>قيساسأ تامولعم</u> <u>قيساسألا تابلطتملا</u> <u>قمدختسملا تانوكملا</u> <u>تابلطتملا</u>

ەمدقملا

مادختساب ةيجراخ طئاسو نيزخت ةدحو دادعا ةيفيك دنتسملا اذه حضوي مت (NAS) قكبشلاب ةلصتم نيزخت ةدحو زامج مادختساب Cisco يصوت . ربتخم نم دمتعم اضيأ وهو Windows ليغشتلا ماظنب نيزختلا تادحو مداخ ىلع هميمصت ليغشتلا ماظنب قزهجألا قدوج

.Cisco نم TAC سدنهم ،غنيس ردنيرمأ ةطساوب ةمهاسملا تمت

ةيساسأ تامولعم

اضيأ كيدل :E صارقألا كرجم وه Content Server طئاسو تافلمل يضارتفالا نيزختلا عقوم قعس نوكت ال ىتح (NAS) قكبشلاب قلصتملا نيزختلا قدحو زامج ىلع تافلملا نيزخت رايخ Content Server موقي ،NAS زامج دادعإب تمق اذإ Content Server صرق قحاسمب قدودجم ليجستلا طئاسولا نيزختب موقي مث Content Server ىلع تقؤم ليلد ىلإ ليجستلا طئاسو نيزختب قلصتملا نيزختلات الدحو نم طئاسولا قفدب Content Server موقي .ايئاقلت NAS ىلع قلصتملا نيزختل تادحو نم طئاسولا قفدب Content Server موقي .ايئاقلت NAS يلع ولا متمال تيزختلات الدحو نم طئاسولا قال قال مل المالية موقى .ايئاقلت NAS يلع قلصتمال تيزختلا تادحو نم طئاسولا قال مل المالية المالية لي من المالية المالية . مراية مالية مالية مالية مالية مالية مالية مالية المالية مالية المالية المالية . كراية مالية مالية مالية مالية مالية مالية مالية مالية . كراية مالية مالية مالية مالية مالية مالية . كراية مالية مالية مالية مالية مالية .

ةيساسألا تابلطتملا

- لاجملا نم ءزج يجراخلا نيزختلا مداخو TCS مدختسمو TCS نأ نم دكأتلا •
- TCS ىلإ عقوملا ريدم لوصو قح ەيدل مدختسم ةفاضإ •
- عقوم نييعت نم ققحتلاو مداخلا ىلع ةماع ةرظن- TCS بيو ةەجاو ىلإ لوخدلا ليجست يلحملا ىوتحملا مداخ ىلع طئاسولا نيزخت
- ِ يلامجالا مجحلا نم ربكأ ةيجراخلا نيزختلا ةدحو ىلع ةرفوتملا ةحاسملا نوكت نأ بجي طئاسولا تافلمل

ةمدختسملا تانوكملا

ةنيعم ةيدام تانوكمو جمارب تارادصإ ىلع دنتسملا اذه رصتقي ال.

ةصاخ ةيلمعم ةئيب يف ةدوجوملا ةزهجألاا نم دنتسملا اذه يف ةدراولا تامولعملا ءاشنإ مت. تناك اذإ .(يضارتفا) حوسمم نيوكتب دنتسملا اذه يف ةمدختسُملا ةزهجألاا عيمج تأدب رمأ يأل لمتحملا ريثأتلل كمهف نم دكأتف ،ةرشابم كتكبش.

تابلطتملا

- TCS
- (Windows يف) ةيجراخلا طئاسولا مداخ •
- عقوم ريدم لوصو عم لاجملا مدختسم TCS

 To change the current media storage location, log in to the Content Server via remote desktop and run the TCS Wizard.

 Media storage location
 Local Content Server (i)

تانيوكتلا

Media storage location

ىوتحملا مداخل يطايتحالا خسنلاا .1 ةوطخلا

.NAS لاجم سفن ىلإ Content Server ةفاضإب مق 2 ةوطخلا

ىل كا المردختسي يذلا الجملا يف اباسح رتخاً .3 ةوطخلا Sontent Server ىل المري يا المري ين المري المري المري الم المري الم Server المري ال

ريدم مدختسم عاشنإب مق .4 ةوطخلا (eg: ricky\tcs_nas_user)، ريدم مدختسم عاشنإب مق 4. قوطخلا عقوم TCS.

تامولعملا ريدم ەلعجو نالعإلا ىلع ەۋاشنإ مت يذلا مدختسملا

Act Act	tive Dire	ctory Users and Computers
File Action View Help File Action View Help File Action View Help File Action View Help Particle Computers and Computers [External_DNS.r Saved Queries icky.com Bangalore Builtin Computers Domain Controllers ForeignSecurityPrincipals Ivedesk Managed Service Accounts Microsoft Exchange Security Groups Users	Name Name room room room room room Schei Syste Syste Syste Syste Syste Stac2: tac2: tac3 tac3 tac3 tac3 tac3 tac3 tac3 tac3	tcs nas Properties ? × Member Of Dial-in Environment Sessions Remote control Remote Desktop Services Profile COM+ General Address Account Profile Telephones Organization User logon name: @ricky.com ~ User logon name @ricky.com ~ User logon name (pre-Windows 2000): RICKY/ tcs_nas_user Logon Hours Log On To Unlock account Log On To Unlock account
< III >	ा प् रि पि पि पि WinR	O End of: Wednesday, June 22, 2016

	View Recordings	Management			Cisco TelePresence
Diagnostic	s Recordings	Recording	g setup	Configuration	
Edit gro	up or user				
Save	Return				
Details					
Name		tcs_nas_user	i		
Role		Site manager	i		
Display nam	e			i	
Internet s	peed detection				
Automaticall Internet	y determine internet spee speed	d 🗸 👔 Maximum 🔽			
- Recording	g aliases owned by this gr	roup or user			
This user do	es not own any recording	aliases.			
Save	Return				

(TCSNASUSER) يجراخلا نيزختلا عقوم ىلع دلجم ءاشنإ .5 ةوطخلا





كرتشملا دلجملا ىلإ ةكراشملا تانوذأ ةفاضا .6 ةوطخلا

- كرتشملا باسحلاو Content Server ل حامسلل ةكراشملا ىلع تانوذألا نييعتب مق سواملا رزب رقنا .ةكراشملا يف لماكلا مكحتلاب (لاثملا اذه يف ricky\tcs_nas_user) قوف رقنا .نوذأ قوف رقنا مث .نامألاو ةكراشملا قوف رقناو ةكراشملا قوف نميألا OK.
- رقنا دلجملا اذه ةكراشم ديدحت ةمدقتم ةكراشم ةكراشم بيوبتلا ةمالع قوف رقنا •

عقوم ريدم" دحأ ةفاضإب مق .رتويبمك زاهج ددحو نﺉاك عاونأ قوف رقنا ةفاضإ - نﺫإ قوف TCS" (مدختسم = tcs_nas_user)

1 TCSNASUSER Properties	Advanced Sharing	Permissions for TCSNASUSER
General Sharing Security Previous Versions Customize Network File and Folder Sharing TCSNASUSER Shared Network Path: \\Nasstorage\tcsnasuser Share Advanced Sharing Set custom permissions, create multiple shares, and set other advanced sharing options. Advanced Sharing Advanced Sharing 2	✓ Share this folder 3 Settings Share name: Share name: TCSNASUSER Add Remove Limit the number of simultaneous users to: 16777: Comments:	Share Permissions Group or user names:
Select Users, Computers, Service Accounts, or Groups Select this object type: Users, Groups, or Built in security principals From this location: ficky.com Enter the object names to select (examples):	Image: Crisck: Names Object Types Object Types Select the types of objects you want to find. Object Types Object types: Discription Image: Select as accurate security principals Crieck: Names Image: Select as accurate security principals	Cel Apply
Advanced OK	Cancel	

ةكراشملا دلجم ىلإ نامأ نذإ ةفاضإ .7 ةوطخلا

اهذيفنتب تمق يتلاا تاوطخلا راركتب مق .(Add) ةفاضإ قوف رقنا .نيمأتلا ةحفص رقنا ةكراشم يف لماك مكحت ricky\tcs_nas_user و Content Server ءاطعاو نوذأ بيوبتلا ةمالع نمض NAS.

TCSNASUSER Properties	Permissions for TCSNASUSER
General Sharing Security Previous Versions Customize	Security
Object name: C:\TCSNASUSER	Object name: C:\TCSNASUSER
Group or user names:	Group or user names:
& CREATOR OWNER	& CREATOR OWNER
SYSTEM	& SYSTEM
Los nas (tcs_nas_user@ricky.com)	👗 tcs nas (tcs_nas_user@ricky.com)
Trsse	TCS3\$
To always a sector shall Date	Machinistrators (NASSTORAGE Administrators)
To change permissions, click Edit. Edit	& Users (NASSTORAGE\Users)
Permissions for CREATOR OWNER Allow Deny	Add Remove
Full control	Permissions for CREATOR
Modify	Allow Deny
Read & execute	
List folder contents	Modify
Read	Read & execute
Write	List folder contents
For special permissions or advanced settings	Read L I
click Advanced.	Learn about access control and permissions
Learn about access control and permissions	OK Cancel Apply
OK Cancel Apply	
- PPy	



يأ لوبق متي ال ثيحب لومخلا عضو يف ىوتحملا مداخ عضي منأ امك .تاملاكملا قفاك ءامنإ جلاعملا كنم بلطي ،ةرشابم تاملاكم دوجو قلاح يف ربع عضولا) ةيداعلا ةيلمعلا ىل ىوتحمل مداخ ةداعال (ەؤاغلا وأ) جلاعملا لامكا بجي .جلاعملا ليغشت ءانثا زيمرت زيمرت فئاظو وأ ةديدج تاملاكم .

(NAS) ليدبلا نيزختلا جلاعم قوف رقنا

Ľ	Cisco TelePresence Content Server Wizard	- 🗆 X
(Cisco TelePresence Content Server Wizard Select one of the options below	cisco
	Alternate Storage (NAS) Wizard Choose this to test and configure a standalone Content Server's media storage location.	
	Cluster Management Wizard Choose this to test and configure this Content Server in a cluster.	
	< Back Next >	Cancel

لاجملل كرتشملا باسحلا دامتعا تانايب ءلم

		Cisco TelePresence	Content Server Wiza	rd	_ □ ×
1	NAS: Alternate Storag Test the account that the	e Setup ne Content Server will use to acce	ess the alternate storage locat	ion	cisco
ſ	Jser Account Enter the user name and DOMAIN\Usemame.	password of the domain account	that the Contant Server will u	ise acce	ess the NAS in the form
	User name	ricky\tcs_nas_user		?	
	Password			2	
	Select Next to verify the	se values. Your local system will r	ot be changed.		
	Select Cancel to exit the	Wizard without making any char	iges.		
			< Back	Next >	Cancel

	Cisco TelePresence Content Server Wizard	- 0 3
Ver ⊺	ifying the IIS Anonymous User Account esting that the account credentials are correct and has been set up with the correct privileges	cisco
	Log	
0	Info: Getting the domain account for IIS to use to access the NAS [user = ricky\tcs_nas_user]	
	CHECKING IIS ANONYMOUS USER	
0	Ok: Validating user and password [user = ricky\tcs_nas_user] - User is a domain account	
Ø	Ok: Validating user and password [domain = ricky, user = tcs_nas_user] - User and password are correct	
0	Ok: Impersonating user [user = ricky\tcs_nas_user]	
	Select Next to continue	

الما الما الما الما الما عقومل ديعبلا مداخلا تامولعم ألما (server_name\share_name). ناونعك سيلو ،DNS مساك مداخلا مسا لاخدا بجي IP.

2	Cisco TelePresence Content Server Wizard	- 🗆 X
NAS: Alternate Storage Test the alternate storage	e Setup e location	cisco
Alternate Storage Location		
Enter the remote server in	formation in the form: \\ServerName\Share	
Path	\\NASStorage\TCSNASUSER	

ىلع ةرفوتملاا ةحاسملاو كرتشملا مدختسملا باسحل نذإلا ىوتسم نم تبثملا ققحتي ايطايتحإ ىوتحملا مداخ خسن نم دكات ،"ىوتحملا مداخ نم ققحتلا" ةوطخ يف .يجراخلا نيزختلا جمانرب نم ةيطايتحا ةخسن لمعب مقت مل اذإ .تاسوريفلا ةحفاكم جمانرب فاقيإ نمو مق مث .تاءارجالا هذه لامكاو جلاعملا ءاغلاب مق ،هليغشت فاقياب مق وأ تاسوريفلا ةحفاكم .ماظنلا ريغتي نلف ،"رمألا ءاغلإ" قوف ترقن اذإ .ىرخأ قرم جلاعملا ليغشتب

cibeo referrebence content berrer trizara	Ci	isco	TelePr	esence	Content	Server	Wizard
---	----	------	--------	--------	---------	--------	--------

Verifying Alternate Storage Location

Testing that the NAS has been correctly set up and the information entered is correct

cisco

	Log	^
\bigcirc	Ok: Checking data directory [data_directory = \\NASStorage\TCSNASUSER\data\] - Data directory exists	
1	Info: Listing any existing sub directories of the data directory [directory = \\NASStorage\TCSNASUSER\data\download]	
0	Info: Listing any existing sub directories of the data directory [directory = \\NASStorage\TCSNASUSER\data\imports]	
•	Info: Listing any existing sub directories of the data directory [directory = \\NASStorage\TCSNASUSER\data\media]	
0	Info: Listing any existing sub directories of the data directory [directory = \\NASStorage\TCSNASUSER\data\rtpdumps]	
•	Info: Listing any existing sub directories of the data directory [directory = \\NASStorage\TCSNASUSER\data\www]	
0	Ok: Checking permissions on alternate storage location for user [media_location = \\NASStorage\TCSNASUSER user = ricky\tcs_nas_user] - Have write permission	
0	Ok: Checking permissions on alternate storage location for user [media_location = \\NASStorage\TCSNASUSER user = ricky\tcs_nas_user] - Have delete permission	=
	Checking media location permissions for system account	
\bigcirc	Ok: Stopping service [service_name = TCS Helper Tool, seconds_taken = 2] - Service is stopped	1
\bigcirc	Ok: Starting service [service_name = TCS Helper Tool, seconds_taken = 1] - Service is started	
		1

	Cisco TelePresence Content Server Wizard	×
Content Server Ensure that you	r Checks u have done the following recommendations	cisco
✓ This Cont	tent Server is backed up.	
🗹 Antivirus	software has been stopped or is not installed.	
لا اضيأ كنكمي	.تارييغت يأ ءارجإ نودب جلاعملا ءاهنإل ءاهنإ قوف رقنا	يأ لشف ةلاح يف (١٨٩٨) تاريخ المحتار

المَّانَّ اللَّانَ ال قوف رقنا ،ةيلمعلا لامتكا دنع 9 ةوطخلا .ىرخأ قرم لواحو اهتلخذا يتلا تامولعملاو ةيجراخلا قوف رقنا ،ةيلمعلا لامتكا المتكاني عنوب الماحين الماحين الماحين الماحين الماحين الماحين الماحين الماحين الماحين جلاعم تالجس رفوتت .مداخلا ليغشت قداعا مزلي ال .عاهنا مداخلا يلع قماع قرظن < قرادإلا تادادعا يل ل لقتنا ،قديدجلا طئاسولا عقوم نم ققحتل

Media storage location	
To change the current media storage	location, log in to the Content Server via remote desktop and run the TCS Wizard.
Media storage location	External on \\NASStorage\TCSNASUSER

ةمجرتاا مذه لوح

تمجرت Cisco تايان تايانق تال نم قعومجم مادختساب دنتسمل اذه Cisco تمجرت ملاعل العامي عيمج يف نيم دختسمل لمعد يوتحم ميدقت لقيرشبل و امك ققيقد نوكت نل قيل قمجرت لضفاً نأ قظعالم يجرُي .قصاخل امهتغلب Cisco ياخت .فرتحم مجرتم اممدقي يتل القيفارت عال قمجرت اعم ل احل اوه يل إ أم اد عوجرل اب يصوُتو تامجرت الاذة ققد نع اهتي لوئسم Systems الما يا إ أم الا عنه يل الان الانتيام الال الانتيال الانت الما