

نويوكـت بـGP ئـلـع ئـادـاحـتـا Nexus 9000

تـايـوـتـحـمـلا

[قـمـدـقـمـلا](#)

[قـيـسـاسـأـلـا تـابـلـطـتـمـلا](#)

[تـابـلـطـتـمـلا](#)

[قـمـدـخـتـسـمـلا تـانـوـكـمـلا](#)

[قـيـسـاسـأـتـامـوـلـعـمـ](#)

[لـاثـمـ نـيـوـكـتـ](#)

[قـلـبـشـلـلـيـطـخـتـلـا مـسـرـلـا](#)

[نـيـوـكـتـلـا](#)

[قـحـصـلـلـانـمـقـقـحـتـلـا](#)

قـمـدـقـمـلا

قـلـسـلـسـ ئـلـعـ (BGP) ئـيـدوـحـلـا ئـرـابـعـلـا لـوـكـوـتـورـبـ تـادـاحـتـا نـيـوـكـتـ عـارـجـا دـنـتـسـمـلا اـذـهـ فـصـيـ Nexus 9000.

قـيـسـاسـأـلـا تـابـلـطـتـمـلا

تـابـلـطـتـمـلا

قـيـلـاتـلـا عـيـضـاـوـمـلـاـبـ ئـفـرـعـمـ كـيـدـلـ نـوـكـتـ نـأـبـ Cisco يـصـوـتـ:

- تـالـوـحـمـلا Nexus
- BGP

قـمـدـخـتـسـمـلا تـانـوـكـمـلا

قـنـيـعـمـ ئـيـدـامـ تـانـوـكـمـ وـجـمـاـرـبـ تـارـادـصـاـ ئـلـعـ ٥ـتـادـنـتـسـمـ رـصـتـقـتـ الـ.

قـصـاخـ ئـيـلـمـعـمـ ئـيـيـبـ يـفـ ئـدـوـجـوـمـلاـ ئـزـهـجـأـلـاـ نـمـ دـنـتـسـمـلاـ اـذـهـ يـفـ ئـدـرـاـوـلـاـ تـامـوـلـعـمـلاـ ئـاعـشـنـاـ مـتـ.
قـصـاخـ ئـيـلـمـعـمـ ئـيـيـبـ يـفـ ئـدـوـجـوـمـلاـ ئـزـهـجـأـلـاـ نـمـ دـنـتـسـمـلاـ اـذـهـ يـفـ ئـدـرـاـوـلـاـ تـامـوـلـعـمـلاـ ئـاعـشـنـاـ مـتـ.
قـصـاخـ ئـيـلـمـعـمـ ئـيـيـبـ يـفـ ئـدـوـجـوـمـلاـ ئـزـهـجـأـلـاـ نـمـ دـنـتـسـمـلاـ اـذـهـ يـفـ ئـدـرـاـوـلـاـ تـامـوـلـعـمـلاـ ئـاعـشـنـاـ مـتـ.
قـصـاخـ ئـيـلـمـعـمـ ئـيـيـبـ يـفـ ئـدـوـجـوـمـلاـ ئـزـهـجـأـلـاـ نـمـ دـنـتـسـمـلاـ اـذـهـ يـفـ ئـدـرـاـوـلـاـ تـامـوـلـعـمـلاـ ئـاعـشـنـاـ مـتـ.
قـصـاخـ ئـيـلـمـعـمـ ئـيـيـبـ يـفـ ئـدـوـجـوـمـلاـ ئـزـهـجـأـلـاـ نـمـ دـنـتـسـمـلاـ اـذـهـ يـفـ ئـدـرـاـوـلـاـ تـامـوـلـعـمـلاـ ئـاعـشـنـاـ مـتـ.
قـصـاخـ ئـيـلـمـعـمـ ئـيـيـبـ يـفـ ئـدـوـجـوـمـلاـ ئـزـهـجـأـلـاـ نـمـ دـنـتـسـمـلاـ اـذـهـ يـفـ ئـدـرـاـوـلـاـ تـامـوـلـعـمـلاـ ئـاعـشـنـاـ مـتـ.

قـيـسـاسـأـتـامـوـلـعـمـ

يـتـاذـلـاـ مـاـظـنـلـاـ مـقـرـ ئـفـاـضـاـبـ مـوـقـيـوـ ٥ـيـجـوـتـلـاـ تـاقـلـحـ بـنـجـتـلـاـ لـوـكـوـتـورـبـ مـدـخـتـسـيـ
لـيـدـعـتـبـ تـاثـيـدـحـتـلـاـ مـوـقـتـ الـ، IBGP، طـطـخـمـلـ ئـبـسـنـلـاـبـ. رـاـسـمـ ئـمـسـ ئـلـاـ (ASN)ـ هـ بـ صـاخـلـاـ
يـقـلـحـ رـاـرـكـتـ ثـوـدـحـ يـفـ بـبـسـتـتـ نـأـ نـكـمـيـ يـتـلـاـوـ، سـفـنـ ئـلـاـ يـمـتـنـتـ اـهـنـأـلـ AS-PATH ئـمـسـ
يـيـجـوـتـلـلـ.

رباع ئىداب ملتسى BGP زاهج نأ حضوت يىتلارا بىن ئاخلا قىفألا ماسقنا ئىدعاڭ BGP مىختسى لوصحلا ئىلۇ ئىدعاقلارا بىن ئىدابىت. رخآ IBGP راجلىا ئىدابىلا نالعىلارا هنكمىي الو، IBGP رىيظان اهل نوكىي نأ ئىرىبكلارا تاكىپشىلل. IBGP راجلىك عم تائىدابىلا لىدابىتلىك ئىكېشلىا لىماڭ ططاخمىنى ئىلۇ تائىدابىلا ئاشنال ئەطرافىم دراوم مىختسى هنال ارظن هرىي ووطت نىكىمىي ال لىماكتىم ويرانىس.

bGP ل ئىل سىلى لەم اك ططاخم لىءا دې يلى امىيىف:

- راس ملا ساكعن
 - ةيراق تاداحتا


طبقه BGP تا داحتا مادختسایل ع دنتسمل اذه زکری.

ميسقت لالخ نم ٰيعرفلا ٰكبشلا لماك ططخم ىلا ٰجاحلا نم صلختلا ىلع BGP داحتا لماعي داحتا ىلا اهعي مجت و مكحتلا ٰقيتاذ ٰددعتم قمظنأ ىلا ASN ٰكبش.

لائم نیوک

Nexus 9000 مدقّت ملّا BGP نیوکت لیلد عجار ، BGP داحتا نیوکت لیلد نم ققحت لل

ةكبس للى طختلا مسرا



داحتالا سفن نم اعجز Nexus 4 و Nexus 1 و Nexus 2 و Nexus 3 دعـت ، ططـخـمـلـا يـف : ظـحـالـمـ ASN 64513 (64512 و 64514) رـغـصـا نـيـرـطـشـ ىـلـا دـاحـتـالـا مـيـسـقـتـلـ)

iBGP: لـوكـوـتـورـبـ ربـعـ رـاـجـ قـطـنـمـ عـاـشـنـإـبـ Nexus 3 و Nexus 1 مـوقـتـ: ظـحـالـمـ

iBGP: لـوكـوـتـورـبـ ىـلـعـ ظـمـئـاقـ رـاـجـ قـطـنـمـ عـاـشـنـإـبـ Nexus 4 و Nexus 2 مـوقـتـ: ظـحـالـمـ

eBGP: رـاـجـ قـطـنـمـ عـاـشـنـإـبـ Nexus 2 و Nexus 1 مـوقـتـ: ظـحـالـمـ

نیوکتل

بجی .٥٥ فواشنا مٽ BGP ریظن لک ىلإ نیييعت ٽداع| یف داحتالا نیوکت ببسٽي: ٽحالم ٽنایصلٽ راطا نمضر نیوکتل اذه عارج|

Nexus 1

```
Nexus1# show running-config bgp

!Command: show running-config bgp
!Running configuration last done at: Thu Jul 20 21:13:08 2023
!Time: Thu Jul 20 23:28:41 2023

version 10.2(5) Bios:version 05.47
feature bgp

router bgp 64512
    confederation identifier 64513
    confederation peers 64514
        log-neighbor-changes
        neighbor 10.0.5.2
            remote-as 64515
            address-family ipv4 unicast
        neighbor 172.16.255.2
            remote-as 64514
            update-source loopback0
            address-family ipv4 unicast
        neighbor 172.16.255.3
            remote-as 64512
            log-neighbor-changes
            update-source loopback0
            address-family ipv4 unicast
```

--> Local ASN
--> BGP Confederation identifier
--> ASN that belong to the Confederation

Nexus 2

```
Nexus2# show running-config bgp

!Command: show running-config bgp
!Running configuration last done at: Thu Jul 20 21:12:54 2023
!Time: Thu Jul 20 23:31:04 2023

version 10.2(5) Bios:version 05.47
feature bgp

router bgp 64514
    confederation identifier 64513
    confederation peers 64512
        log-neighbor-changes
        neighbor 172.16.255.1
            remote-as 64512
            update-source loopback0
            address-family ipv4 unicast
```

--> Local ASN
--> BGP Confederation identifier
--> ASN that belong to the Confederation

```
neighbor 172.16.255.4
  remote-as 64514
  update-source loopback0
  address-family ipv4 unicast
```

Nexus 3

```
Nexus3# show running-config bgp

!Command: show running-config bgp
!Running configuration last done at: Thu Jul 20 21:14:54 2023
!Time: Thu Jul 20 23:31:45 2023

version 10.2(5) Bios:version 05.47
feature bgp

router bgp 64512
  confederation identifier 64513
  log-neighbor-changes
  neighbor 172.16.255.1
    remote-as 64512
    log-neighbor-changes
    update-source loopback0
    address-family ipv4 unicast
      --> Local ASN
      --> BGP Confederation identifier
```

Nexus 4

```
Nexus4# show running-config bgp

!Command: show running-config bgp
!Running configuration last done at: Thu Jul 20 15:11:15 2023
!Time: Thu Jul 20 17:32:58 2023

version 10.2(5) Bios:version 05.47
feature bgp

router bgp 64514
  confederation identifier 64513
  log-neighbor-changes
  address-family ipv4 unicast
    network 172.30.1.0/24
    network 172.30.2.0/24
    network 172.30.3.0/24
    network 172.30.4.0/24
    network 172.30.5.0/24
    network 172.30.6.0/24
    network 172.30.7.0/24
    network 172.30.8.0/24
  neighbor 172.16.255.2
    remote-as 64514
    update-source loopback0
    address-family ipv4 unicast
      --> Local ASN
      --> BGP Confederation identifier
```

Nexus 5

```
Nexus5# show running-config bgp

!Command: show running-config bgp
!Running configuration last done at: Thu Jul 20 21:13:32 2023
!Time: Thu Jul 20 23:33:34 2023

version 10.2(5) Bios:version 05.47
feature bgp

router bgp 64515                                --> Local ASN
  log-neighbor-changes
  address-family ipv4 unicast
    network 192.168.1.0/24
    network 192.168.2.0/24
    network 192.168.3.0/24
    network 192.168.4.0/24
    network 192.168.5.0/24
    network 192.168.6.0/24
    network 192.168.7.0/24
    network 192.168.8.0/24
  neighbor 10.0.5.1
    remote-as 64513
    address-family ipv4 unicast
```

ةحصـلـا نـم قـقـحـلـا

Nexus 1

تاـئـدـابـلـا نـوـلـدـاـبـتـيـوـ بـغـپـ نـارـيـجـ عـاـشـنـاـ مـتـيـ: 1ـ وـطـخـلـاـ.

```
Nexus1# show ip bgp summary
BGP summary information for VRF default, address family IPv4 Unicast
BGP router identifier 172.16.255.1, local AS number 64512
BGP table version is 28, IPv4 Unicast config peers 3, capable peers 3
16 network entries and 16 paths using 4416 bytes of memory
BGP attribute entries [2/704], BGP AS path entries [2/12]
BGP community entries [0/0], BGP clusterlist entries [0/0]
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
10.0.5.2	4	64515	328	321	28	0	0	05:00:34	8
172.16.255.2	4	64514	270	264	28	0	0	04:16:51	8
172.16.255.3	4	64512	318	318	28	0	0	05:12:28	0

يـفـ رـظـنـلـاـ لـالـخـ نـمـ ةـيـلـارـديـفـنـوـكـلـاـ رـيـظـنـ اـهـمـلـعـتـيـ يـتـلـاـ تـاـئـدـابـلـاـ دـيـدـحـتـ مـتـيـ: 2ـ وـطـخـلـاـ

```
Nexus1# show ip bgp
BGP routing table information for VRF default, address family IPv4 Unicast
BGP table version is 28, Local Router ID is 172.16.255.1
Status: s-suppressed, x-deleted, S-stale, d-dampened, h-history, *-valid, >-best
Path type: i-internal, e-external, c-confed, l-local, a-aggregate, r-redist, I-injected
Origin codes: i - IGP, e - EGP, ? - incomplete, | - multipath, & - backup, 2 - best2
```

Network	Next Hop	Metric	LocPrf	Weight	Path
*>c172.30.1.0/24	172.16.255.4		100	0	(64514) i
*>c172.30.2.0/24	172.16.255.4		100	0	(64514) i
*>c172.30.3.0/24	172.16.255.4		100	0	(64514) i
*>c172.30.4.0/24	172.16.255.4		100	0	(64514) i
*>c172.30.5.0/24	172.16.255.4		100	0	(64514) i
*>c172.30.6.0/24	172.16.255.4		100	0	(64514) i
*>c172.30.7.0/24	172.16.255.4		100	0	(64514) i
*>c172.30.8.0/24	172.16.255.4		100	0	(64514) i
*>e192.168.1.0/24	10.0.5.2			0	64515 i
*>e192.168.2.0/24	10.0.5.2			0	64515 i
*>e192.168.3.0/24	10.0.5.2			0	64515 i
*>e192.168.4.0/24	10.0.5.2			0	64515 i
*>e192.168.5.0/24	10.0.5.2			0	64515 i
*>e192.168.6.0/24	10.0.5.2			0	64515 i
*>e192.168.7.0/24	10.0.5.2			0	64515 i
*>e192.168.8.0/24	10.0.5.2			0	64515 i

Nexus 2

تائیداپلا نولداپتیو BGP ناریج عاشنی متي: 1: ۋەطخلا

```
Nexus2# show ip bgp summary
BGP summary information for VRF default, address family IPv4 Unicast
BGP router identifier 172.16.255.2, local AS number 64514
BGP table version is 27, IPv4 Unicast config peers 2, capable peers 2
16 network entries and 16 paths using 3904 bytes of memory
BGP attribute entries [2/344], BGP AS path entries [1/12]
BGP community entries [0/0], BGP clusterlist entries [0/0]
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
172.16.255.1	4	64512	274	265	27	0	0	04:20:26	8
172.16.255.4	4	64514	269	262	27	0	0	04:16:00	8

يەر ئەندازىنەم ئەملىكتى يەنەن وەكلا رىي ئەندازىنەم دەيدىت مەتى: 2 ۋە طەخلا c-confied.

```
Nexus2# show ip bgp
BGP routing table information for VRF default, address family IPv4 Unicast
BGP table version is 27, Local Router ID is 172.16.255.2
Status: s-suppressed, x-deleted, S-stale, d-dampened, h-history, *-valid, >-best
Path type: i-internal, e-external, c-confed, l-local, a-aggregate, r-redist, I-injected
Origin codes: i - IGP, e - EGP, ? - incomplete, | - multipath, & - backup, 2 - best2
```

Network	Next Hop	Metric	LocPrf	Weight	Path
*>i172.30.1.0/24	172.16.255.4		100	0	i
*>i172.30.2.0/24	172.16.255.4		100	0	i
*>i172.30.3.0/24	172.16.255.4		100	0	i
*>i172.30.4.0/24	172.16.255.4		100	0	i
*>i172.30.5.0/24	172.16.255.4		100	0	i
*>i172.30.6.0/24	172.16.255.4		100	0	i
*>i172.30.7.0/24	172.16.255.4		100	0	i
*>i172.30.8.0/24	172.16.255.4		100	0	i
*>c192.168.1.0/24	10.0.5.2		100	0 (64512)	64515 i
*>c192.168.2.0/24	10.0.5.2		100	0 (64512)	64515 i
*>c192.168.3.0/24	10.0.5.2		100	0 (64512)	64515 i
*>c192.168.4.0/24	10.0.5.2		100	0 (64512)	64515 i
*>c192.168.5.0/24	10.0.5.2		100	0 (64512)	64515 i
*>c192.168.6.0/24	10.0.5.2		100	0 (64512)	64515 i
*>c192.168.7.0/24	10.0.5.2		100	0 (64512)	64515 i
*>c192.168.8.0/24	10.0.5.2		100	0 (64512)	64515 i

Nexus 3

تائیدابلا لدابتیو BGP راج عاشنا متي: 1: ۋەطخىل.

```
Nexus3# show ip bgp summary
BGP summary information for VRF default, address family IPv4 Unicast
BGP router identifier 172.16.255.3, local AS number 64512
BGP table version is 34, IPv4 Unicast config peers 1, capable peers 1
16 network entries and 16 paths using 4416 bytes of memory
BGP attribute entries [2/704], BGP AS path entries [2/12]
BGP community entries [0/0], BGP clusterlist entries [0/0]
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/
PfxRcd									
172.16.255.1	4	64512	332	323	34	0	0	05:17:52	16

iBGP لوكوتوربلى ئىداع تائیدابك تائیدابلا يلىع فرعىتلا متي، Nexus 3 روظنم نم: 2: ۋەطخىل.
iBGP لوكوتورب رىظن وە اهل دىحولا رىظنلار، ئىلاردىنوك ئراجيأ اهيدل سىل، اهروظنم نم و

```
Nexus3# show ip bgp
BGP routing table information for VRF default, address family IPv4 Unicast
BGP table version is 34, Local Router ID is 172.16.255.3
Status: s-suppressed, x-deleted, S-stale, d-dampened, h-history, *-valid, >-best
Path type: i-internal, e-external, c-confed, l-local, a-aggregate, r-redist, I-i
njected
Origin codes: i - IGP, e - EGP, ? - incomplete, | - multipath, & - backup, 2 - b
est2
```

Network	Next Hop	Metric	LocPrf	Weight	Path
*>i172.30.1.0/24	172.16.255.4		100	0 (64514)	i
*>i172.30.2.0/24	172.16.255.4		100	0 (64514)	i
*>i172.30.3.0/24	172.16.255.4		100	0 (64514)	i
*>i172.30.4.0/24	172.16.255.4		100	0 (64514)	i
*>i172.30.5.0/24	172.16.255.4		100	0 (64514)	i
*>i172.30.6.0/24	172.16.255.4		100	0 (64514)	i

```
*>i172.30.7.0/24      172.16.255.4          100      0 (64514) i  
*>i172.30.8.0/24      172.16.255.4          100      0 (64514) i  
*>i192.168.1.0/24     10.0.5.2            100      0 64515 i  
*>i192.168.2.0/24     10.0.5.2            100      0 64515 i  
*>i192.168.3.0/24     10.0.5.2            100      0 64515 i  
*>i192.168.4.0/24     10.0.5.2            100      0 64515 i  
*>i192.168.5.0/24     10.0.5.2            100      0 64515 i  
*>i192.168.6.0/24     10.0.5.2            100      0 64515 i  
*>i192.168.7.0/24     10.0.5.2            100      0 64515 i  
*>i192.168.8.0/24     10.0.5.2            100      0 64515 i
```

Nexus 4

تائیداپلا لدابتیو BGP راج عاشنامتی: 1 ۋە طخلا

```
Nexus4# show ip bgp summary
BGP summary information for VRF default, address family IPv4 Unicast
BGP router identifier 172.16.255.4, local AS number 64514
BGP table version is 18, IPv4 Unicast config peers 1, capable peers 1
16 network entries and 16 paths using 4416 bytes of memory
BGP attribute entries [2/704], BGP AS path entries [1/12]
BGP community entries [0/0], BGP clusterlist entries [0/0]
```

Neighbor	V	AS	MsgRcvd	MsgSent	TblVer	InQ	OutQ	Up/Down	State/PfxRcd
172.16.255.2	4	64514	268	267	18	0	0	04:21:40	8

```
Nexus4# show ip bgp
BGP routing table information for VRF default, address family IPv4 Unicast
BGP table version is 18, Local Router ID is 172.16.255.4
Status: s-suppressed, x-deleted, S-stale, d-dampened, h-history, *-valid, >-best
Path type: i-internal, e-external, c-confed, l-local, a-aggregate, r-redist, I-injected
Origin codes: i - IGP, e - EGP, ? - incomplete, | - multipath, & - backup, 2 - best2
```

Network	Next Hop	Metric	LocPrf	Weight	Path
*>1172.30.1.0/24	0.0.0.0		100	32768	i
*>1172.30.2.0/24	0.0.0.0		100	32768	i
*>1172.30.3.0/24	0.0.0.0		100	32768	i
*>1172.30.4.0/24	0.0.0.0		100	32768	i
*>1172.30.5.0/24	0.0.0.0		100	32768	i
*>1172.30.6.0/24	0.0.0.0		100	32768	i
*>1172.30.7.0/24	0.0.0.0		100	32768	i
*>1172.30.8.0/24	0.0.0.0		100	32768	i
*>i192.168.1.0/24	10.0.5.2		100	0	(64512) 64515 i
*>i192.168.2.0/24	10.0.5.2		100	0	(64512) 64515 i
*>i192.168.3.0/24	10.0.5.2		100	0	(64512) 64515 i
*>i192.168.4.0/24	10.0.5.2		100	0	(64512) 64515 i
*>i192.168.5.0/24	10.0.5.2		100	0	(64512) 64515 i
*>i192.168.6.0/24	10.0.5.2		100	0	(64512) 64515 i
*>i192.168.7.0/24	10.0.5.2		100	0	(64512) 64515 i
*>i192.168.8.0/24	10.0.5.2		100	0	(64512) 64515 i

Nexus 5

Nexus وه دیحول راجلا نوکی، ۃلحل ۵۰۰ میں اسے بھی تائیڈاپ لدارپتیو BGP راج عاشنا مرتی: ۱: ۃوطخلا eBGP، ۲: ۃکبش ۵۰۰، ۳: ۃکبش ۵۰۰.

```
Nexus5# show ip bgp summary
BGP summary information for VRF default, address family IPv4 Unicast
BGP router identifier 172.16.255.5, local AS number 64515
BGP table version is 18, IPv4 Unicast config peers 1, capable peers 1
16 network entries and 16 paths using 3904 bytes of memory
BGP attribute entries [2/344], BGP AS path entries [1/6]
BGP community entries [0/0], BGP clusterlist entries [0/0]

Neighbor      V     AS MsgRcvd MsgSent    TblVer  InQ OutQ Up/Down  State/PfxRcd
10.0.5.1      4 64513    317    317      18      0    0 05:11:26 8
```

AS مادختس اب 3 Nexus 5، eBGP تایدادک اهلابقت سا مرتی اهنکلو، Federation ASN ب صاخلا PATH ی داع تایدادک اهلابقت سا مرتی اهنکلو، Federation ASN ب صاخلا PATH.

```

Nexus5# show ip bgp
BGP routing table information for VRF default, address family IPv4 Unicast
BGP table version is 18, Local Router ID is 172.16.255.5
Status: s-suppressed, x-deleted, S-stale, d-dampened, h-history, *-valid, >-best
Path type: i-internal, e-external, c-confed, l-local, a-aggregate, r-redist, I-injected
Origin codes: i - IGP, e - EGP, ? - incomplete, | - multipath, & - backup, 2 - best2

      Network          Next Hop           Metric     LocPrf    Weight Path
*->e172.30.1.0/24      10.0.5.1
*->e172.30.2.0/24      10.0.5.1
*->e172.30.3.0/24      10.0.5.1
*->e172.30.4.0/24      10.0.5.1
*->e172.30.5.0/24      10.0.5.1
*->e172.30.6.0/24      10.0.5.1
*->e172.30.7.0/24      10.0.5.1
*->e172.30.8.0/24      10.0.5.1
*>l192.168.1.0/24      0.0.0.0          100       32768  i
*>l192.168.2.0/24      0.0.0.0          100       32768  i
*>l192.168.3.0/24      0.0.0.0          100       32768  i
*>l192.168.4.0/24      0.0.0.0          100       32768  i
*>l192.168.5.0/24      0.0.0.0          100       32768  i
*>l192.168.6.0/24      0.0.0.0          100       32768  i
*>l192.168.7.0/24      0.0.0.0          100       32768  i
*>l192.168.8.0/24      0.0.0.0          100       32768  i

```

 ٤٥٥ نم Nexus 1-Nexus 4. نیب ٖم دختسملا ٖلاردنكلاب Nexus 5 ملعي ال ظحالم ٖي داع eBGP تايداب هذه هرظن.

هـ لـ وـ لـ جـ رـ تـ لـ اـ هـ ذـ هـ

ةـ يـ لـ آـ لـ اـ تـ اـ يـ نـ قـ تـ لـ اـ نـ مـ مـ جـ مـ وـ عـ مـ اـ دـ خـ تـ سـ اـ بـ دـ نـ تـ سـ مـ لـ اـ اـ ذـ هـ تـ مـ جـ رـ تـ
لـ اـ عـ لـ اـ ءـ اـ حـ نـ اـ عـ يـ مـ جـ يـ فـ نـ يـ مـ دـ خـ تـ سـ مـ لـ لـ مـ عـ دـ ئـ وـ تـ حـ مـ يـ دـ قـ تـ لـ ةـ يـ رـ شـ بـ لـ اـ وـ
اـ مـ كـ ةـ قـ يـ قـ دـ نـ وـ كـ تـ نـ لـ ةـ يـ لـ آـ ةـ مـ جـ رـ تـ لـ ضـ فـ اـ نـ اـ ةـ ظـ حـ اـ لـ مـ ئـ جـ رـ يـ .ـ صـ اـ خـ لـ اـ مـ هـ تـ غـ لـ بـ
يـ لـ خـ تـ .ـ فـ رـ تـ حـ مـ مـ جـ رـ تـ مـ اـ هـ دـ قـ يـ يـ تـ لـ اـ ةـ يـ فـ اـ رـ تـ حـ اـ لـ اـ ةـ مـ جـ رـ تـ لـ اـ عـ مـ لـ اـ حـ لـ اـ وـ
ىـ لـ إـ أـ مـ ئـ اـ دـ عـ وـ جـ رـ لـ اـ بـ يـ صـ وـ تـ وـ تـ اـ مـ جـ رـ تـ لـ اـ هـ ذـ هـ ةـ قـ دـ نـ عـ اـ هـ تـ يـ لـ وـ ئـ سـ مـ
(رـ فـ وـ تـ مـ طـ بـ اـ رـ لـ اـ)ـ يـ لـ صـ أـ لـ اـ يـ زـ يـ لـ جـ نـ إـ لـ اـ دـ نـ تـ سـ مـ لـ اـ).