

# ةسايس في ءارجإل نبيعت لمعي ال اذامل في زكرملا مكحتلا

## تاوت حمل

[ةمدقملا](#)

[ايچولوبوط](#)

[نبيوتلا](#)

[ةلكشملا](#)


[لحللا](#)

## ةمدقملا

اذا (OMP) ةنمضملا ةرادإل لوكتورب تاراسم عم شحت يتلا ةلكشملا دنتمسلا اذه فصبي ةيفيكو واهتودح ببس حرشي ويزكرملا مكحتلا ةسايس في `set tloc-action` رمالا مادختسا مت اهل.

## ايچولوبوط

دادعإل فصبي يذلا طيسبلا يلكيهلا ططخملا اذه ىلإ عجرا، لصفأ لكشب ةلكشملا مهفل



## نبيوتلا

vEdge و مكحتلا تادحوجمانرب نم 18.3.5 رادصإل مادختسا مت، ةلاقملا هذه ضارغل

نبيوتلا لودجلا اذه صخلي، `private color` و `biz-internet` ب لاصتا اهل عقاوملا ةفاك

مسا ف	رم ف وم ع	م ا ظ ن ل IP	ا و ن IP ل ع ب ت ر ا ط ب i z - i n t e r n e t	ا و ن IP ل ع ت ر ا ل ا ط ب ا خ ل ا ص
vEdge1	40	192.168.30 .104	192.1 68.10 9.181	192. 168. 110. 181
vEdge2	50	192.168.30 .105	192.1 68.10 9.182	192. 168. 110. 182
vEdge3	60	192.168.30 .106	192.1 68.10 9.183	192. 168. 110. 183
vSmart	1	192.168.30 .103		

مستت نيضارتفا نيراسم مادختساب ةئيهتل. vEdges لى ع صاخ تانيوكت دجوت ال راصتخالل انه اهلهاجت متيو ةطاسبلاب.

ننيوكتلا اذه قيبطت مت، vSmart في:

```
lists
vpn-list VPN_40
  vpn 40
!
site-list sites_40_60
  site-id 40
  site-id 60
!
prefix-list SITE_40
  ip-prefix 192.168.40.0/24
!
prefix-list SITE_60
  ip-prefix 192.168.60.0/24
!
!
control-policy REDIRECT_VIA_VEDGE2
sequence 10
match route
  prefix-list SITE_40
!
action accept
set
  tloc-action primary
  tloc 192.168.30.105 color biz-internet encap ipsec
!
```



## مطابق vEdge1 و vEdge3:

```
vedge1# show bfd sessions
```

DST PUBLIC SYSTEM IP	SITE ID	STATE	SOURCE TLOC DST PUBLIC COLOR PORT	ENCAP	REMOTE TLOC DETECT MULTIPLIER	TX INTERVAL(msec)	SOURCE IP	UPTIME	
192.168.30.105	50	up	biz-internet		biz-internet			192.168.109.181	
192.168.109.182			12366 ipsec	7	1000			0:02:52:22	0
192.168.30.105	50	up	privatel		privatel			192.168.110.181	
192.168.110.182			12366 ipsec	7	1000			0:00:00:12	1
192.168.30.106	60	up	biz-internet		biz-internet			192.168.109.181	
192.168.109.183			12366 ipsec	7	1000			0:02:52:22	0
192.168.30.106	60	up	privatel		privatel			192.168.110.181	
192.168.110.183			12366 ipsec	7	1000			0:00:56:28	0

```
vedge3# show bfd sessions
```

DST PUBLIC SYSTEM IP	SITE ID	STATE	SOURCE TLOC DST PUBLIC COLOR PORT	ENCAP	REMOTE TLOC DETECT MULTIPLIER	TX INTERVAL(msec)	SOURCE IP	UPTIME	
192.168.30.104	40	up	biz-internet		biz-internet			192.168.109.183	
192.168.109.181			12366 ipsec	7	1000			0:02:54:25	0
192.168.30.104	40	up	privatel		privatel			192.168.110.183	
192.168.110.181			12366 ipsec	7	1000			0:00:58:30	0
192.168.30.105	50	up	biz-internet		biz-internet			192.168.109.183	
192.168.109.182			12366 ipsec	7	1000			0:02:54:25	0
192.168.30.105	50	up	privatel		privatel			192.168.110.183	
192.168.110.182			12366 ipsec	7	1000			0:00:57:26	0

نأ اضي أو حي حص لك شب ه ن ي ع ت م **tloc** نأ ى ر ت ، omp ضرع ال راس م ل ي ل ي ص ف ت ل ا ج ا ر خ إ ل ا ي ف  
**untimate-tloc** ح ل ا ص ر ي غ ة ر ا س خ ل ا ب ب س و **Inv,U** ي ه ة ل ا ح ل ن ك ل و ، ه ن ي ع ت م

```
vedge3# show omp routes 192.168.40.0/24 detail
```

```
omp route entries for vpn 40 route 192.168.40.0/24
```

```
RECEIVED FROM:
peer          192.168.30.103
path-id       19
label 1002 status Inv,U loss-reason invalid lost-to-peer 192.168.30.103 lost-to-path-id 20
Attributes: originator 192.168.30.104 type installed tloc 192.168.30.105, biz-internet, ipsec
ultimate-tloc 192.168.30.104, biz-internet, ipsec -- primary domain-id not set overlay-id 1
site-id 40 preference not set tag not set origin-PROTO connected origin-metric 0 as-path not set
unknown-attr-len not set RECEIVED FROM: peer 192.168.30.103 path-id 20 label 1002 status C,I,R
loss-reason not set lost-to-peer not set lost-to-path-id not set Attributes: originator
192.168.30.104 type installed tloc 192.168.30.104, biz-internet, ipsec ultimate-tloc not set
domain-id not set overlay-id 1 site-id 40 preference not set tag not set origin-PROTO connected
origin-metric 0 as-path not set unknown-attr-len not set
```

يوتسم ق فن ءاشنإب ةطيسولا ةوطخلا موقت يذلا TLOC وه يئاهنلا TLOC: **ةظحالم** ةيئاهنلا ةهجولا ىلإ لوصولل هيلا (GRE) ماعلا هيجوتلا نيمضت وأ IPsec تانايبلا

نم هسفن وه لقنلا نول ناك اذا ةياهن ىلإ ةياهن نم موعدم طقف وه **ءارجإلا**: **ةظحالم** لقنلا نإ. ةيئاهنلا ةهجولا ىلإ ةطيسولا ةوطخلا نم و ةطيسولا ةوطخلا ىلإ عقوم نم لمعتسي لقنلا نم فل تخم عقوم نم طسوتم ةزفقا ىلإ لصحي نأ لمعتسي tloc- عم ةلكشم ببسي اذه كلذ دعب، يئاهن ةياغلا ىلإ لصحي نأ طسوتم ةزفقا action.

راسملا عبتت تانايبلا رورم ةكرح نأ هقيقتحت متي ال يسيئرلا فدهلا نأ ظحالت نأ كنكمي 192.168.40.0/24: ةيئرلا ةكبشلا نم فيضملا ىلع حضوم وه امك رشابملا

```
tracert 192.168.60.20
tracert to 192.168.60.20 (192.168.60.20), 30 hops max, 60 byte packets
 1  192.168.40.104  0.288 ms  0.314 ms  0.266 ms
 2  192.168.60.106  0.911 ms  1.045 ms  1.140 ms
 3  192.168.60.20  1.213 ms !X  1.289 ms !X  1.224 ms !X
```

## لحلا

نكلو، موجهلل ضرعت [CSCvm64622](#) جم انربلا للخ نأ هبتشي ناك ةيادبلا في، يرنج ببسك مل جتنملا قئاثو نأ ةقيقتل ارظن نيوكتللا في أطخ ناك هنأ نيبت، يفاضل قيقحت دعب قلعتي امي في [قئاثولا](#) مسق شي دحت متي، كلذل. **ينقتلا ءارجإلا** تابلطتم لوح ةحضاو نكت اذهب TLOC ءارجإلا

**ةهجولا ىلع TE ةمدخل نيوكتب مقف، tloc-action ةومجم لبقي ءارجإلا ناك اذا: ةظحالم** ةطيسولا.

لج لجأ نم vEdge2 ىلع نيوكتللا ةمدخ رفوت مزلي، يلاخلا ويرانيسلا في، يلاتلابو لكشب (TE) تانايبلا رورم ةكرح ةسدنه مدختست كنال لمعت يزكرملا مكحتلا ةسايس يئواوشع راسم ربع هيجوتلا لالخ نم ياساس:

```
vedge2(config)# vpn 40
vedge2(config-vpn-40)# service ?
Possible completions:
  FW  IDP  IDS  TE  netsvc1  netsvc2  netsvc3  netsvc4
vedge2(config-vpn-40)# service TE
vedge2(config-vpn-40)# commit
Commit complete.
```

TE: ةمدخل نع نالعالا في vEdge2 أدبي شيح مكحتلا جهنب ةقلعتملا ةلكشملا لحي هنإ

```
vsmart1# show omp services | b PATH
```

VPN	SERVICE	ORIGINATOR	FROM PEER	PATH		STATUS
				ID	LABEL	
40	VPN	192.168.30.104	192.168.30.104	68	1002	C,I,R
			192.168.30.104	81	1002	C,I,R
40	VPN	192.168.30.105	192.168.30.105	68	1002	C,I,R
			192.168.30.105	81	1002	C,I,R
40	VPN	192.168.30.106	192.168.30.106	68	1002	C,I,R
			192.168.30.106	81	1002	C,I,R

40 TE 192.168.30.105 192.168.30.105 68 1007 C,I,R 192.168.30.105 81 1007 C,I,R

اهنبيعت متة لجال نأ ظحال، حاجنب تاراسملا تيبتب نأل vEdge3 و vEdge1 نازارطلا موقبي  
ع C,I,R:

vedge3# show omp routes 192.168.40.0/24 detail

```
-----  
omp route entries for vpn 40 route 192.168.40.0/24  
-----  
RECEIVED FROM:  
peer 192.168.30.103  
path-id 19 label 1002 status C,I,R loss-reason not set lost-to-peer not set lost-to-path-id  
not set Attributes: originator 192.168.30.104 type installed tloc 192.168.30.105, biz-internet,  
ipsec ultimate-tloc 192.168.30.104, biz-internet, ipsec -- primary domain-id not set overlay-id  
1 site-id 40 preference not set tag not set origin-proto connected origin-metric 0 as-path not  
set unknown-attr-len not set RECEIVED FROM: peer 192.168.30.103 path-id 20 label 1002 status R  
loss-reason tloc-action lost-to-peer 192.168.30.103 lost-to-path-id 19 Attributes: originator  
192.168.30.104 type installed tloc 192.168.30.104, biz-internet, ipsec ultimate-tloc not set  
domain-id not set overlay-id 1 site-id 40 preference not set tag not set origin-proto connected  
origin-metric 0 as-path not set unknown-attr-len not set vedge3# show ip routes 192.168.40.0/24  
| b PROTOCOL PROTOCOL NEXTHOP NEXTHOP NEXTHOP VPN PREFIX PROTOCOL SUB TYPE IF NAME ADDR VPN TLOC  
IP COLOR ENCAP STATUS -----  
----- 40 192.168.40.0/24 omp - - -  
- 192.168.30.105 biz-internet ipsec F,S
```

ةمچرتل هذه لوج

ةللأل تاي نقتل نمة ومة مادختساب دن تسمل اذة Cisco تمةرت  
ملاعلاء انء مء مء نمة دختسمل معد و تمة مء دقتل ةر شبل او  
امك ةق قء نوك ت نل ةللأل ةمچرت لصف أن ةظحال مء ءرء. ةصاأل مء تءل ب  
Cisco ةللخت. فرتمة مچرت مء مء دقء ةللأل ةل فارتحال ةمچرتل عم لاعل او  
ىل إأمءءاد ءوچرلاب ةصوءو تامةرتل هذه ةقء نء اهءل وئس م Cisco  
Systems (رفوتم طبارل) ةل صأل ةل ءل ءن إل دن تسمل