

ديرب لاصتا رابتخا يننكمي فيك smtps؟ م ادختساب ESA لالخ نم ةكبشلاو

المحتويات

المقدمة

كيف يمكنني اختبار اتصال البريد والشبكة من خلال ESA باستخدام smtps؟

معلومات ذات صلة

المقدمة

يوضح هذا المستند كيفية اختبار اتصال البريد والشبكة من خلال جهاز أمان البريد الإلكتروني (ESA) المزود بتقنية SMTMP.

كيف يمكنني اختبار اتصال البريد والشبكة من خلال ESA باستخدام smtps؟

على Cisco ESA الخاص بك، من أجل أكتشاف أخطاء الشبكة وإصلاحها بشكل صحيح وتحديد أخطاء الإرسال، قد ترغب في رؤية التحقق من صحة رسائل الخطأ التي يتم رؤيتها داخل سجلات البريد عند الإرسال إلى MTA معينة.

لاستخدام أدوات التشخيص مثل smtmp، يلزمك الاتصال ب CLI (واجهة سطر الأوامر) الخاصة ب ESA لديك.

يمكنك بعد ذلك تشغيل التشخيص < الشبكة < smtps.

اتباع التعليمات لاختبار الاتصال أو لإرسال رسالة اختبار.

```
esa.example.com> diagnostic
```

```
:Choose the operation you want to perform
```

```
.RAID - Disk Verify Utility -
```

```
.DISK_USAGE - Check Disk Usage -
```

```
.NETWORK - Network Utilities -
```

```
.REPORTING - Reporting Utilities -
```

```
.TRACKING - Tracking Utilities -
```

```
.RELOAD - Reset configuration to the initial manufacturer values -
```

```
network <[]
```

```
:Choose the operation you want to perform
```

```
.FLUSH - Flush all network related caches -
```

```
.ARPSHOW - Show system ARP cache -
```

```
.SMTPPING - Test a remote SMTP server -
```

```
.TCPDUMP - Dump ethernet packets -
```

```
smtping <[]
```

```
:Enter the hostname or IP address of the SMTP server
```

```
esa.example.com]> destination.example.com]
```

```
.The domain you entered has MX records
```

```
Would you like to select an MX host to test instead? [Y]> y
```

```

        .Select an MX host to test
            a.example.com .1
            b.example.com .2
            c.example.com .3
            d.example.com .4
                1 <[1]
        .Select a network interface to use for the test
            Management .1
            Inbound .2
            Outbound .3
            auto .4
                3 <[4]
Do you want to type in a test message to send? If not, the connection will be tested
but no email will be sent. [N]> y
:Enter the From e-mail address
from@example.com]> your_address@example.org]
:Enter the To e-mail address
to@example.com]> test_user@example.com]
:Enter the Subject
Test Message]> Test email]
.Enter the Body of the message one line at a time. End with a "." on a line by itself
You should be able to receive this email if there are no border gateway devices
.blocking email to Yahoo
.

        .Starting SMTP test of host a.mailhost.com
        .Resolved 'a.mailhost.com' to 10.1.2.3
        .Connection to 10.1.2.3 succeeded
            Command EHLO succeeded
        .Command MAIL FROM succeeded
        .Command RCPT TO succeeded
        .Command DATA succeeded
        .Message body accepted
Test complete. Total time elapsed 0.87 seconds

```

معلومات ذات صلة

- [جهاز أمان البريد الإلكتروني من Cisco - أدلة المستخدم النهائي](#)
- [الدعم التقني والمستندات - Cisco Systems](#)

ةمچرتل هذه ل و ح

ةلأل تاي نقتل ن م ة و مچ م ادخت ساب دن تسم ل ا اذ ه Cisco ت مچرت
م ل ا ل ا ا ن ا ع مچ ي ف ن ي م د خ ت س م ل ل م ع د ي و ت ح م م ي د ق ت ل ة ي ر ش ب ل و
ا م ك ة ق ي ق د ن و ك ت ن ل ة ل ا ة مچرت ل ض ف ا ن ا ة ظ ح ا ل م ي ج ر ي . ة ص ا خ ل ا م ه ت غ ل ب
Cisco ي ل خ ت . ف ر ت ح م مچرت م ا ه م د ق ي ي ت ل ا ة ي ف ا ر ت ح ا ل ا ة مچرت ل ا ع م ل ا ح ل ا و ه
ي ل ا م ا ة ا د ع و ج ر ل ا ب ي ص و ت و ت ا مچرت ل ا ه ذ ه ة ق د ن ع ا ه ت ي ل و ئ س م Cisco
Systems (ر ف و ت م ط ب ا ر ل ا) ي ل ص ا ل ا ي ز ي ل ج ن ا ل ا دن ت س م ل ا