

Azure AD عم ISE 3.0 ليفك لى فكه باوب نيوكت SAML SSO

تايوت حمل

[عمدق مل](#)

[ةيساس الابلط مل](#)

[تابلط مل](#)

[عمدخت سمل تانوك مل](#)

[يوت سمل يل اع قفدتل لى طي طخت مسر](#)

[نيوكت ل](#)

[ISE لى لى ليفك لى او SAML ةيوه رفوم لخدم نيوكت 1. ةوطخل](#)

[1. يجرخ SAML ةيوه ردصمك Azure AD نيوكت](#)

[2. Azure AD مادخت سمل لى ليفك لى باوب نيوكت](#)

[3. عمدخل دوزم تامول عم ري دصت](#)

[Azure AD IDp تاداعل نيوكت 2. ةوطخل](#)

[1. Azure AD مدخت سم عاشنا](#)

[2. Azure AD ةومجم عاشنا](#)

[3. ةومجم لى لى Azure AD مدخت سم نييعت](#)

[4. Azure AD Enterprise قيبطت عاشنا ب مق](#)

[5. قيبطت لى لى ةومجم ةفاضا](#)

[6. Azure AD Enterprise قيبطت نيوكت](#)

[7. Active Directory ةومجم ةمس نيوكت](#)

[8. Azure داخا فيرعت تانا بىل XML فلم لى زنت](#)

[ISE لى لى Azure Active Directory نم Metadata لى محت 3. ةوطخل](#)

[ISE لى لى SAML تاعومجم نيوكت 4. ةوطخل](#)

[ISE لى لى ليفك لى ةومجم نييعت نيوكت 5. ةوطخل](#)

[ةحصل نم ققحت لى](#)

[اهالصل او ااطخ ال فاشكت س](#)

[ةعئاش لى تالكش مل](#)

[اهالصل او لى م عمل ااطخ فاشكت س](#)

[اهالصل او ISE ااطخ فاشكت س](#)

عمدق مل

كرحم مادخت سمل (AD) Azure Active Directory لى SAML م داخ نيوكت ةي فكه دنن سمل اذه فصى ني مدخت سمل (SSO) ي داخ ال لوخدل لى جست تاي ناكم لى فوتل (ISE) 3.0 Cisco فيرعت تامدخ ال فكل.

ةيساس الابلط مل

[تابلط مل](#)

ةيلالتل عيضاوملاب ةفرعم كيدل نوكت ناب Cisco ي صوت


1. Cisco ISE 3.0
2. رشن تاي لمعب ةيساسا ةفرعم SAML SSO
3. يد ي دروزال

ةمدختسملا تانوكملا

1. Cisco ISE 3.0
2. يد ي دروزال

ةصاخ ةيلمعم ةئيبي يف ةدوجوملا ةزهجال نم دنتسملا اذه يف ةدراول تامولعمل اشن امت تناك اذا. (يضا رتفا) حوسمم نيوكتب دنتسملا اذه يف ةمدختسملا ةزهجال عيمج تادب رما يال لم تحملا ريثاتلل كمهف نم دكأتف، ليغشلتل دي قكتكبش

يوتسملا يلاع قفدتلل يطيخت مسر



نيوكتلا



ISE يلع لي فكلال او SAML ةي وه رفوم لخدم نيوكت 1. ةوطخل

1. ي جراخ SAML ةي وه ردصمك Azure AD نيوكت

يلع رقناو SAML Id يرفوم > ةي جراخلا ةي وهلا رداصم > ةي وهلا ةرادا > ةرادا يلا لقتنا، ISE يلع ةفاضلا رز.

وه امك ISE ل طقف مهم فرعمل رفوم مسا. هظفل لاسرا قوف رقناو فرعمل رفوم مسا لخدأ ةروصلا يف حضورم.

External Identity Sources

- <  
- > Certificate Authentication F
- Active Directory
 - EXAMPLE
 - LDAP
 - ODBC
 - RADIUS Token
 - RSA SecurID
 - SAML Id Providers
 - Social Login
 - REST (ROPC)

Identity Provider List > New Identity Provider

SAML Identity Provider

General Identity Provider Config. Service Provider Info. Groups Attributes Advanced Settings

* Id Provider Name	Azure_SAML
Description	Azure Active Directory

2. Azure AD مداخلتسالا لئفكلا ةباوب نئوكت

ةباوب ددحو لئفكلا ةباوب > تانوكملاو ةباوبلا > فئضلا لوصو > لمعلا زكارم ىل لقتنا (ئضارتفالا) لئفكلا لخدم مداخلتسالا مئئ لاثملا اذئ ف. ك ةصاخلا لئفكلا

ردصم لسلسلت فئ ك ةصاخلا دئدجلا SAML فرعم ددحو لخدملا تاداعل ةحول عئسوتب مق لاثملا اذئ ف. لئفكلا لخدملا (FQDN) لمكلا لءؤملا لءملا مسالا نئوكتب مق. ةئوهلا ةروصلا فئ ءضوم وه امك ظفء ىل عرقنا. sponsor30.example.com نوكئ

Portal Name:* **Sponsor Portal (default)** Description:* **Default portal used by sponsors to crei**

Language File

[Portal test URL](#)

Portal Behavior and Flow Settings Portal Page Customization

Portal & Page Settings

Portal Settings

HTTPS port: * **8445**

Allowed interfaces: * Make selections in one or both columns based on your PSN configurations.

If bonding is not configured on a PSN, use:	If bonding is configured on a PSN, use:
<input checked="" type="checkbox"/> Gigabit Ethernet 0 <input type="checkbox"/> Gigabit Ethernet 1 <input type="checkbox"/> Gigabit Ethernet 2 <input type="checkbox"/> Gigabit Ethernet 3 <input type="checkbox"/> Gigabit Ethernet 4 <input type="checkbox"/> Gigabit Ethernet 5	<input checked="" type="checkbox"/> Bond 0 Uses Gigabit Ethernet 0 as primary , 1 as backup . <input type="checkbox"/> Bond 1 Uses Gigabit Ethernet 2 as primary , 3 as backup . <input type="checkbox"/> Bond 2 Uses Gigabit Ethernet 4 as primary , 5 as backup .

Certificate group tag:* **Default Portal Certificate Group**

Configure certificates at:
[Work Centers > Guest Access > Administration > System Certificates](#)

Fully qualified domain names (FQDN) and host names: **sponsor30.example.com**

Identity source sequence: * **Azure_SAML**

Configure authentication methods at:
[Work Centers > Guest Access > Identities > Identity Source Sequences](#)
[Work Centers > Guest Access > Ext Id Sources > SAML Identity Providers](#)

3. عم دوزم تامولعم ري دصت

SAML دوزم] > SAML فرعم يدوزم > عي ج راخ لا عي وه لا رداصم > عي وه لا اراد > اراد اى لا لقتنا
 [كب صاخ لا].

في حضورم وه امك ري دصت رزلا قوف رقناو. بيوبت لا عم دخ رفوم تامولعم اى لا لي دب تلاب مق
 اروصل.

SAML Identity Provider

General Identity Provider Config. **Service Provider Info.** Groups Attributes Advanced Settings

Service Provider Information

Load balancer ⓘ

Export Service Provider Info. **Export** ⓘ

Includes the following portals:

Sponsor Portal (default)

فلم جاتحت تنأ. ني فلم يلع روثعال كنكمي، فلم الا اذه يفو. هظفحاو zip فلم ليزنتب مق ك ب صاخلا ليلفكلا لخدم يمس ي XML

م ي ق و EntityID ة م ي ق و SingleLogoutService طب اور نم ة باجت سالا ع ق وم ب ة ظ ح الم ني و د ت ب مق Location نم ConfirmationConsumerService Binding.

```
<?xml version="1.0" encoding="UTF-8"?>
<md:EntityDescriptor xmlns:md="urn:oasis:names:tc:SAML:2.0:metadata"
entityID="http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429">
<md:SPSSODescriptor AuthnRequestsSigned="false" WantAssertionsSigned="true"
protocolSupportEnumeration="urn:oasis:names:tc:SAML:2.0:protocol">
<md:KeyDescriptor use="signing">
<ds:KeyInfo xmlns:ds="http://www.w3.org/2000/09/xmldsig#">
<ds:X509Data>
<ds:X509Certificate>
MIIFZjCCA06gAwIBAgIQX1oAvwAAAAChgVd9cEEWozANBkgqhkiG9w0BAQwFADAlMSMwIQYDVQQD
ExpTQUlMX01lTRTMwLTFlay5leGFtcGxlLmNvbTAeFw0yMDA5MTAxMDMyMzFaFw0yNTA5MDkxMDMy
MzFaMCUxIzAhBgNVBAMTGlNBTUxfSVNFMzAtMWVrLmV4YUw1bWUyY29tMIICIjANBgkqhkiG9w0B
AQEFAAOCAg8AMIICCGKCAgEAT+MixKfuZvg/oAWGEs6zrUYL3H2JwvZw9yJs6sJ8/BpP6Sw027wh
FXnESXpqqmnoSVrVcEQIrDdk3l8UYNn/+98PPkIi/4ftyFjZK9YdeverD6nrA2MeoLCzGlkWg/y4i
vvVcYuW344pySm65awVvro3q84x9esHqyLahExs9guiLJryD497XmNP4Z8eTHCctu777PuI1wL04
QOYUs2sozXvR98D9Jok/+PjH3bjmVKapqAcNEFvk8Ez9x1sMBUgFwP4YdZzQB9IRVkJdIJGvqMyf
a6gn+KaddJnmIbXKfbrTaFii2IvRs3qHJ0mMVfYRnYeMql9/PhzvSftjRe32x/aQh23j9dCsVXmQ
ZmXpZyxxJ8p4RqyM0YgkfxnQXXtV9K0sRZPFn60+iszUw2hARRG/te0hTuVXpbonG2dT109JeeEe
S1E5uxenJvYkU7mMamvBjYQN6qVvyogf8F0lHTSfd6TDsK3Qhmz0jg50PrBvvg5qE6OrxxNvqSVZ
ldhx/iHZAZlyYSVdwizsZMCw0PjSwrRPx/h8l03djeW0aL5R1AF1qTFHVHNSNvigzh6FyjdkUJH66
JAygPe0PKJFRgYzh5vWoJ41qvdQjlGk3c/zYi57MR1Bs0mkSvkOGbmjSsb+EehnYyLLB8FG3De2V
ZaXaHZ37gmoCNNmZHrn+GB0CAwEAAoBkTCBjjAgBgNVHREEGTAXghVJU0UzMC0xZWsuZXhhbXBs
ZS5jb20wDAYDVDR0TBAUwAwEB/zALBgNVHQ8EBAMCAuwwHQYDVDR0OBByEFPT/6jpfyugxRolbjzWJ
858wfTP1MB0GA1UdJQQWMBQGCCsGAQUFBwMBBggrBgEFBQcDAjARBglghkgBhvhCAQEEBAMCBkAw
DQYJKoZIhvcNAQEMBQADggIBABGyWZbLaJM2LyLASg//4N6mL+xu/9IMdVvNWBQodF+j0WusW15a
VPSQU2t3Ckd/IlanvpK+cp77NMjo9V9oWi3/ZnjZHGofAicHnlgCoEjmc1TvLau7ZzhCCII37DFA
yMKDrXLi3Pr+ONlXlTivjPHTTzrKmlNHhkxkx/Js5Iuz+MyRKP8FNmWT0q4XGejyKzJWrqEu+bc1
idC1/gBNUCHgqmFem82IGQ7jVomlkBjLb4pTDbYk4fMIbJVh4V2Pgi++6MIfXAYEWL+LHjSGHCQT
PSM3+kpvlwHHpGWzQSmcJ4tXVXV95W0NC+LxQZLBPNUMZorhuYCILXZxvXH1HGJJ0YKx91k9Ubd2
s5JaD+GN8jqm5XXAAu7S4BawfvCo3bo0iXnSvGcIuh9YFiR2lp2n/2X0VVbdPHYZtqGieqBWebHr
4I1z18FXblYyMzpIkht00vkP5mAlR92VXBkvx2WPjtzQrvOtSXgvTCOKerYCBM/jnuwsztV7FVTV
JNdFwOsncXC70YngZeujZyJpOubfRKZI34VKZp4i05bZsGlbWE9Skdquv0PaQ8ecXTv8OCVBYUeg1
vt0pde18h/9jImdLG8dF0rbADGHiieTcntSDdw3E7JFmS/oHw7FsA5GI8IxXfcOWUx/L0Dx3jTND
ZlAXp4juySODIx9yDyM4yV0f
</ds:X509Certificate>
</ds:X509Data>
```

```
</ds:KeyInfo>
</md:KeyDescriptor>
<md:SingleLogoutService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect"
Location="https://sponsor30.example.com:8445/sponsorportal/SSOLogoutRequest.action?portal=bd48c1
a1-9477-4746-8e40-e43d20c9f429"
ResponseLocation="https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action"/>
<md:NameIDFormat>urn:oasis:names:tc:SAML:2.0:nameid-format:transient</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameid-format:emailAddress</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:2.0:nameid-format:persistent</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameid-format:unspecified</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameid-
format:WindowsDomainQualifiedName</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:2.0:nameid-format:kerberos</md:NameIDFormat>
<md:NameIDFormat>urn:oasis:names:tc:SAML:1.1:nameid-format:X509SubjectName</md:NameIDFormat>
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST"
Location="https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action" index="0"/>
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST"
Location="https://10.48.23.86:8445/sponsorportal/SSOLoginResponse.action" index="1"/>
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST"
Location="https://10.48.26.63:8445/sponsorportal/SSOLoginResponse.action" index="2"/>
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST"
Location="https://10.48.26.60:8445/sponsorportal/SSOLoginResponse.action" index="3"/>
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST"
Location="https://ise30-1ek.example.com:8445/sponsorportal/SSOLoginResponse.action" index="4"/>
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST"
Location="https://ise30-2ek.example.com:8445/sponsorportal/SSOLoginResponse.action" index="5"/>
<md:AssertionConsumerService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST"
Location="https://ise30-3ek.example.com:8445/sponsorportal/SSOLoginResponse.action" index="6"/>
</md:SPSSODescriptor>
</md:EntityDescriptor>
```

XML فلرل اقفو

ةباجتسالل ع قوم

SingleLogoutService="<https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action>"

EntityID="<http://CiscoSE/100d02da-9457-41e8-87d7-0965b0714db2>"

ع قوم

ConfirmationConsumerService="<https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action>"

ع قوم

ConfirmationConsumerService="<https://10.48.23.86:8445/sponsorportal/SSOLoginResponse.action>"

ع قوم

ConfirmationConsumerService="<https://10.48.23.63:8445/sponsorportal/SSOLoginResponse.action>"

ع قوم

ConfirmationConsumerService="<https://10.48.26.60:8445/sponsorportal/SSOLoginResponse.action>"

ع قوم

ConfirmationConsumerService="<https://ise30-1ek.example.com:8445/sponsorportal/SSOLoginResponse.action>"

عقوم ConfirmationConsumerService="https://ise30-2ek.example.com:8445/sponsorportal/SSOLoginResponse.action"

عقوم ConfirmationConsumerService="https://ise30-3ek.example.com:8445/sponsorportal/SSOLoginResponse.action"

Azure AD IDp تادادع| نيوك ت 2. ةوطخل

1. Azure AD مدمختسم عاشن|

حضورم وه امك AD دحو Azure Active Directory ةراد| زكرم تامولعم ةحول ىل| لوخدلا ليجستب مق ةروصلال يف.

The screenshot shows the Azure Active Directory admin center interface. The left sidebar contains navigation options like Dashboard, All services, and Favorites, with 'Azure Active Directory' highlighted. The main content area displays the 'Default Directory | Overview' page. Key sections include 'Tenant information' with details like 'Your role: Global administrator', 'License: Azure AD Premium P2', and 'Tenant ID: 64ace648-115d-4ad9-a3bf-7660...'. Below this is the 'Azure AD Connect' section, which shows 'Status: Not enabled' and 'Last sync: Sync has never run'. At the bottom, there is a 'Sign-ins' table with the following data:

Sign-ins
3
2.8
2.6
2.4
2.2
2

ةملكوم سال او، مدمختسمال مسا نيوكتب مقو، ديدج مدمختسم قوف رقناو، ني مدمختسمال دحو ةروصلال يف حضورم وه امك عاشن| لعل رقنا. ةلوالا رورملا

Dashboard > Users >

New user

Default Directory

Got feedback?

Create user

Create a new user in your organization. This user will have a user name like `alice@ekorneyccisco.onmicrosoft.com`.
[I want to create users in bulk](#)

Invite user

Invite a new guest user to collaborate with your organization. The user will be emailed an invitation they can accept in order to begin collaborating.
[I want to invite guest users in bulk](#)

[Help me decide](#)

Identity

User name * @ [The domain name I need isn't shown here](#)

Name *

First name

Last name

Password

Auto-generate password

Let me create the password

Initial password *

2. Azure AD عومجم عاشن |

ةروصلال يف حضوم وه امك ةديج ةعومجم لىل ع رقنا .تاعومجم دي دحت

[Dashboard](#) > [Default Directory](#) > [Groups](#)

Groups | All groups

Default Directory - Azure Active Directory

This page includes previews available for your evaluation. View previews →

ةروصلال يف حضوم وه امك ةعومجم لال مسا نيوكتب مق .نامأك ةعومجم لال عونب ظافات لال

Dashboard > Default Directory > Groups >

New Group

Group type *
Security

Group name * ⓘ
Sponsor Group

Group description ⓘ
Enter a description for the group

Azure AD roles can be assigned to the group (Preview) ⓘ
Yes No

Membership type * ⓘ
Assigned

Owners
No owners selected

Members
No members selected

3. ةومجملا لىل Azure AD مدختسم نىيعة ت

ءاشنل ءاشنل قوف رقنا . دىحت قوف رقناو مدختسم لارخا . ءاضعا دىحت مدع قوف رقنا
اهل هنىيعة ت مت مدختسم ةطساوب ةومجملا

Add members



Search ⓘ



AAD Terms Of Use
d52792f4-ba38-424d-8140-ada5b883f293



Alice
alice@ekorneyccisco.onmicrosoft.com
Selected



azure
azure@ekorneyccisco.onmicrosoft.com



Azure AD Identity Governance - Directory Management
ec245c98-4a90-40c2-955a-88b727d97151



Azure AD Identity Governance - Dynamics 365 Management
c495cfdc-814f-46a1-89f0-657921c9fbe0



Azure AD Identity Governance Insights
58c746b0-a0b0-4647-a8f6-12dde5981638



Azure AD Identity Protection
fc68d9e5-1f76-45ef-99aa-214805418498



Azure AD Notification
fc03f97a-9db0-4627-a216-ec98ce54e018



Azure ESTS Service
00000001-0000-0000-c000-000000000000

Selected items



Alice
alice@ekorneyccisco.onmicrosoft.com

Remove

ل f626733b-eb37-4cf2-b2a6-c2895fd5f4d3 هـ، ةشاشلا هذه يف ةومجم ل نئاك فرعم طحال ل فكل ةومجم.

Groups | All groups

Default Directory - Azure Active Directory

- All groups
 - Deleted groups
 - Diagnose and solve problems
- Settings
- General
 - Expiration
 - Naming policy

+ New group | Download groups | Delete | Refresh | Columns | Preview features | Got feedback?

This page includes previews available for your evaluation. View previews →

Search groups

Add filters

Name	Object Id	Group Type	Membership Type
<input type="checkbox"/> IG ISE Group	eebf9cb9-91e2-4989-8c06-eef2cd3f69a3	Security	Assigned
<input type="checkbox"/> SG Sponsor Group	f626733b-eb37-4cf2-b2a6-c2895fd5f4d3	Security	Assigned

4. قیېبېت عاشن اب مق Azure AD Enterprise

ةروصلال ي ف حضورم وه امك ديدج قیېبېت ىلع رقن او تاسسؤملا تاقیېبېت ددح، AD تحت

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications

Enterprise applications | All applications

Default Directory - Azure Active Directory

+ New application | Columns | Preview features | Got feedback?

Try out the new Enterprise Apps search preview! Click to enable the preview. →

Application type: Enterprise Applications | Applications status: Any | Application visibility: Any

First 50 shown, to search all of your applications, enter a display name or the application ID.

ةروصلال ي ف حضورم وه امك ضرعملال سيل قیېبېت ددح

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications >

Add an application

Click here to try out the new and improved app gallery. →

Add your own app

- Application you're developing: Register an app you're working on to integrate it with Azure AD
- On-premises application: Configure Azure AD Application Proxy to enable secure remote access.
- Non-gallery application: Integrate any other application that you don't find in the gallery

ةفاضل ىلع رقن او قیېبېتلا مسا لخدأ

Add your own application

Name * ⓘ

ISE30

Once you decide on a name for your new application, click the "Add" button below and we'll walk you through some simple configuration steps to get the application working.

Supports: ⓘ

SAML-based single sign-on

[Learn more](#)

Automatic User Provisioning with SCIM

[Learn more](#)

Password-based single sign-on

[Learn more](#)

5. قیبطتلا ىل ةومجم ةفاضل

تاعومجم ونىم دختسم نىي عت ددح.

ISE30 | Overview

Overview

Deployment Plan
Diagnose and solve problems

Manage

Properties
Owners
Users and groups
Single sign-on
Provisioning
Application proxy
Self-service

Security

Conditional Access

Properties

Name ⓘ
ISE30

Application ID ⓘ
20ee030a-1a06-4a65-80ce-9 ...

Object ID ⓘ
0e6aac66-0ce1-4924-84a6-0 ...

Getting Started



1. Assign users and groups

Provide specific users and groups access to the applications
[Assign users and groups](#)



2. Set up single sign on

Enable users to sign into their application using their Azure AD credentials
[Get started](#)

مدختسم ةفاضل قوف رقنا

ISE30 | Users and groups

Enterprise Application

+ Add user

Edit

Remove

Update Credentials

Columns

Got feedback?


The application will appear on the Access Panel for assigned users. Set 'visible to users?' to no in properties to prevent this. →

First 100 shown, to search all users & groups, enter a display name.

Display Name

No application assignments found

تاعومجمل او نيمدختسمل قوف رقنا



Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications > Add an application > ISE30 >

Add Assignment

Default Directory

Users and groups >

None Selected

Select a role >

User

ديدت قوف رقنا و اقبس م اهنيوكت مت ي تال ة عومجمل رتخأ

بجي ي تال تاعومجمل او نيمدختسمل نم ة بس انملا ة عومجمل ديدت ك ي ل دوعي : ة ظ حال م
لوصول قح يلع لصحت نا

Users and groups



Search

AL Alice
alice@ekorneyccisco.onmicrosoft.com

AZ azure
azure@ekorneyccisco.onmicrosoft.com

EK Eugene Korneychuk
ekorneyc@cisco.com

IG ISE Group

SP Sponsor
sponsor@ekorneyccisco.onmicrosoft.com

SG Sponsor Group
Selected

ة روصول ي ف حضورم وه امك ن ي ي عت قوف رقنا ، ة عومجمل ديدت درجمب

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications > Add an application > ISE30 >

Add Assignment

Default Directory

⚠ When you assign a group to an application, only users directly in the group will have access. The assignment does not cascade to nested groups. ✕

Users and groups >

1 group selected.

Select a role >

User

ةومجملاب كبا صاخال قيبطلل تاومجمل او نومدختسمل اةمئاقلا علم بجي ،كلذل ةجيتنو ةدحمل.

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications > Add an application > ISE30

ISE30 | Users and groups

Enterprise Application

⏪ + Add user ✎ Edit 🗑 Remove 🔑 Update Credentials | ☰ Columns ⏩

ℹ The application will appear on the Access Panel for assigned users. Set 'visible to users?'

First 100 shown, to search all users & groups, enter a display name.

Display Name
<input type="checkbox"/> SG Sponsor Group

6. Azure AD Enterprise قيبط نيوكت

حضم وه امك يداحال لوخدلا ليجست دادع قوف روناو قيبطتلا لىل فلخلل لقننلاب مق ةروصل ي ف.

Azure Active Directory admin center

Dashboard > Default Directory > Enterprise applications > Add an application > ISE30

ISE30 | Overview

Enterprise Application

Overview

- Deployment Plan
- Diagnose and solve problems

Manage

- Properties
- Owners
- Users and groups
- Single sign-on
- Provisioning
- Application proxy
- Self-service

Security

- Conditional Access

Properties

Name: ISE30

Application ID: 20ee030a-1a06-4a65-80ce-9 ...

Object ID: 0e6aac66-0ce1-4924-84a6-0 ...

Getting Started

- 1. Assign users and groups**
Provide specific users and groups access to the applications
[Assign users and groups](#)
- 2. Set up single sign on**
Enable users to sign into their application using their Azure AD credentials
[Get started](#)

ةيلالاتلا ةشاشلا ىلع SAML ددح.

Azure Active Directory admin center

Dashboard > Enterprise applications > ISE30

ISE30 | Single sign-on

Enterprise Application

Select a single sign-on method [Help me decide](#)

Disabled
Single sign-on is not enabled. The user won't be able to launch the app from My Apps.

SAML
Rich and secure authentication to applications using the SAML (Security Assertion Markup Language) protocol.

ي.ساسألا SAML نيوكت راوچب ريحت ىلع رقنا

Azure Active Directory admin center

Dashboard > Enterprise applications > ISE30 >

ISE30 | SAML-based Sign-on

Enterprise Application

Upload metadata file | Change single sign-on mode | Test this application | Got feedback?

Set up Single Sign-On with SAML

Read the [configuration guide](#) for help integrating ISE30.

- ### Basic SAML Configuration

Identifier (Entity ID)	Required
Reply URL (Assertion Consumer Service URL)	Required
Sign on URL	Optional
Relay State	Optional
Logout Url	Optional
- ### User Attributes & Claims

givenname	user.givenname
surname	user.surname
emailaddress	user.mail
name	user.userprincipalname
Unique User Identifier	user.userprincipalname
- ### SAML Signing Certificate

Status	Active
Thumbprint	8E26CD6E415249B9B13D8ACDF4216A464E0AE20C
Expiration	7/18/2025, 2:00:00 AM
Notification Email	ekorneyc@cisco.com
App Federation Metadata Url	https://login.microsoftonline.com/64ace648-115d ...
Certificate (Base64)	Download
Certificate (Raw)	Download
Federation Metadata XML	Download

ري دصتلا ةمدخ رفوم تامولعم نم XML فلم نم EntityID ةمي قب (ةدحول او فرعم) فرعملا ةئبت
 ةمي قب (ديكأتلل كل لهتسمل ةمدخل URL ناوع) درلل URL ناوع ميمعتب مق. ةوطخلل
 عم جورخل ليجستل URL ناوع ةمي قب علمب مق. ConfirmationConsumerService نم عقاوملا
 ResponseLocation نم SingleLogoutService. ظفح قوف رقنا.

لمعلاب URL نيوانع ضعب لحمسي امم، ريرمت ةئاقك درلل URL ناوع لمعي: ةظحالم
 IdP. ةحفص ىلإ اههيجوت ةداع دنع ردصمك

Basic SAML Configuration



Save

Identifier (Entity ID) * ⓘ

The default identifier will be the audience of the SAML response for IDP-initiated SSO

	Default
<input type="text" value="http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429"/>	<input checked="" type="checkbox"/> ⓘ
<input type="text"/>	

Reply URL (Assertion Consumer Service URL) * ⓘ

The default reply URL will be the destination in the SAML response for IDP-initiated SSO

	Default
<input type="text" value="https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action"/>	<input checked="" type="checkbox"/> ⓘ
<input type="text" value="https://10.48.23.86:8445/sponsorportal/SSOLoginResponse.action"/>	<input type="checkbox"/> ⓘ
<input type="text" value="https://10.48.26.63:8445/sponsorportal/SSOLoginResponse.action"/>	<input type="checkbox"/> ⓘ
<input type="text" value="https://10.48.26.60:8445/sponsorportal/SSOLoginResponse.action"/>	<input type="checkbox"/> ⓘ
<input type="text" value="https://ise30-1ek.example.com:8445/sponsorportal/SSOLoginResponse.action"/>	<input type="checkbox"/> ⓘ
<input type="text" value="https://ise30-2ek.example.com:8445/sponsorportal/SSOLoginResponse.action"/>	<input type="checkbox"/> ⓘ
<input type="text" value="https://ise30-3ek.example.com:8445/sponsorportal/SSOLoginResponse.action"/>	<input type="checkbox"/> ⓘ
<input type="text"/>	

Sign on URL ⓘ

Relay State ⓘ

Logout Url ⓘ

7. إعداد Active Directory ومجموعه مس نيوكت

تامس راجب ريرحت قوف رقنا، اقبس مهن نيوكت مت يتل اوعومجم ل اعمس عميق اءاعل
تابل اطم ل او مدخت س ل

User Attributes & Claims

givenname	user.givenname
surname	user.surname
emailaddress	user.mail
name	user.userprincipalname
Unique User Identifier	user.userprincipalname

 Edit

ةومجم قبل اطم ةفاضل قوف رونا

Azure Active Directory admin center

Dashboard > Enterprise applications > ISE30 > SAML-based Sign-on >

User Attributes & Claims

+ Add new claim + Add a group claim Columns

Required claim

Claim name	Value
Unique User Identifier (Name ID)	user.userprincipalname [nameid-for... ***

Additional claims

Claim name	Value
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/emailaddress	user.mail ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/givenname	user.givenname ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name	user.userprincipalname ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/surname	user.surname ***

ةومجم فرعم به ديك اتل اه عاجرا مت يتلا ردصم لا ةمس . ظفح ىلع رونا و نامألا تاومجم ددح . اقبس م ه طاق تلالا مت ةومجم نئاك فرعم وهو .

Group Claims



Manage the group claims used by Azure AD to populate SAML tokens issued to your app

Which groups associated with the user should be returned in the claim?

- None
- All groups
- Security groups
- Directory roles
- Groups assigned to the application

Source attribute *

Group ID

نوكتس، لاجل هذه في. ةومجمل لة لاطم ال مساب ةظالم ن يودت ب مق
<http://schemas.microsoft.com/ws/2008/06/identity/claims/groups>.

Azure Active Directory admin center

Dashboard > Enterprise applications > ISE30 > SAML-based Sign-on >

User Attributes & Claims

+ Add new claim + Add a group claim Columns

Required claim	
Claim name	Value
Unique User Identifier (Name ID)	user.userprincipalname [nameid-for... ***

Additional claims	
Claim name	Value
http://schemas.microsoft.com/ws/2008/06/identity/claims/groups	user.groups [SecurityGroup] ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/emailaddress	user.mail ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/givenname	user.givenname ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name	user.userprincipalname ***
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/surname	user.surname ***

8. Azure داخات في رعت تانا يبل XML فلم لي زنت.

SAML عي قوت ةداهش في داخات ال في رعت تانا يبل XML لباقم لي زنت لى ع رقا

Status	Active
Thumbprint	9772DA460A43ACDA2AC5FBF09EE33ED7DAA7BAE2
Expiration	9/16/2023, 10:57:46 AM
Notification Email	ekorneyc@cisco.com
App Federation Metadata Url	https://login.microsoftonline.com/64ace648-115d ...
Certificate (Base64)	Download
Certificate (Raw)	Download
Federation Metadata XML	Download

ISE | Azure Active Directory Metadata لي محت 3. ة و ط خ ل ا

SAML دوزم] > SAML فرعم ي دوزم > ة ي خ ر ا خ ل ا ة ي و ه ل ا ر د ا ص م > ة ي و ه ل ا ة ر ا د ا > ة ر ا د ا | ة ي ل ا ل ق ت ن ا [ك ب ص ا خ ل ا].

ف ل م د د ح . ض ا ر ع ت س ا ر ز ل ا ق و ف ر ق ن ا و ب ي و ب ت ل ا ة م ا ل ع ة ي و ه ر ف و م ن ي و ك ت | ة ي ل ا ل ي د ب ت ل ا ب م ق . ط ف ح ر ق ن ا و Azure Federation Metadata XML ل ي ز ن ت ة و ط خ ل ا ن م د ا ح ت ا ل ا ف ي ر ع ت ت ا ن ا ي ب ل XML

[CSCw74517](#) ن م ض ة ي و ه ل ا ر ف و م ن ي و ك ت ع م م د خ ت س م ل ا ة ه ج ا و ل ل خ ة ج ل ا ع م ب ج ي : ة ط ح ا ل م

External Identity Sources

- Certificate Authentication Profile
- Active Directory
 - EXAMPLE
- LDAP
- ODBC
- RADIUS Token
- RSA SecurID
- SAML Id Providers
 - Azure_SAML
 - Social Login
 - REST (ROPC)

Identity Provider List > Azure_SAML

SAML Identity Provider

General Identity Provider Config. Service Provider Info. Groups Attributes Advanced Settings

Identity Provider Configuration

Import Identity Provider Certificate

Single Sign Out URL (Redirect) <https://login.microsoftonline.com/64ace648-115d-4ad9-a3bf-76601b0f8d5c/saml2>

Subject	Issuer	Valid From	Valid To (Expira...	Serial Number
CN=Microsoft Azure Federated SSO Certificate	CN=Microsoft Azure...	Wed Sep 16 08:57:...	Sat Sep 16 08:57:4...	54 FB 3C 2B 81 49 68 B...

ISE | SAML ت ا ع و م ج م ن ي و ك ت 4. ة و ط خ ل ا

ة م س ن ي و ك ت ن م ة ب ل ا ط م ل ا م س ا ة م ي ق ق ص ل ل ا و ب ي و ب ت ل ا ت ا م ا ل ع ت ا ع و م ج م | ة ي ل ا ل ي د ب ت ل ا ب م ق . ة و ط خ ل ا ة ي و ط و ع ة م س ي ف Active Directory ة و ط خ ل ا

External Identity Sources

- <
- > Certificate Authentication Profile
- > Active Directory
 - EXAMPLE
 - LDAP
 - ODBC
 - RADIUS Token
 - RSA SecurID
- > SAML Id Providers
 - Azure_SAML
 - Social Login
 - REST (ROPC)

Identity Provider List > Azure_SAML

SAML Identity Provider

General Identity Provider Config. Service Provider Info. **Groups** Attributes Advanced Settings

Groups

Group Membership Attribute <http://schemas.microsoft.com/ws/2008/06/identity/claims/groups>

+ Add Edit Delete



Name in Assertion

Name in ISE

No data available

صاخال ة ءومءملا نئاك فرعم ءمقق عم دءكأءللا ف مءسالا مءمءءب مق . ءفاضا لءل ع رءنا ءومءملا لءل Azure Active Directory مءءءسم نءفءء ف ءءقءلملا ءالفكلا ءومءمب رءنا OK قوف رءناو . ءومءم ءءار Azure وه ءءءل ءءه ف ءءءمءقلا عم ISE ف مءسلا ءلءش ظفء قوف .

لءل ءمءءءسلا نءمء ءومءملا مءساو Azure ف ءومءملا نءب نءفءء ءاشنل لءل ءءه ءءءء ISE.

Add Group

*Name in Assertion

*Name in ISE

ISE لءل ءالفكلا ءومءم نءفءء نءفءء 5 ءوءءل

ءءء ءالفكلا ءومءم > ءانوءملاو ءاباوبلا > فءفءلا لوءوو > لمءلا ءءارم لءل لءءنا مءءءسلا مءءءءءءه فءل ءومءم لءل ءءءمءقلا ءالفكلا ءومءم (ءءءءءءل) ALL_ACCOUNTS.

Guest Portals

Guest Types

Sponsor Groups

Sponsor Portals

Sponsor Groups

You can edit and customize the default sponsor groups and create additional ones.

A sponsor is assigned the permissions from **all** matching sponsor groups (multiple matches are permitted) ⓘ

[Create](#) [Edit](#) [Duplicate](#) [Delete](#)

Enabled	Name	Member Groups
<input checked="" type="checkbox"/>	ALL_ACCOUNTS (default) Sponsors assigned to this group can manage all guest user accounts. By default, users in the ALL_ACCOUNTS user identity group are members of this sponsor group. More	ALL_ACCOUNTS (default)
<input checked="" type="checkbox"/>	GROUP_ACCOUNTS (default) Sponsors assigned to this group can manage just the guest accounts created by sponsors from the same sponsor group. By default, users in the GROUP_ACCOUNTS user identity group are members of this sponsor group. More	GROUP_ACCOUNTS (default)
<input checked="" type="checkbox"/>	OWN_ACCOUNTS (default) Sponsors assigned to this group can manage only the guest accounts that they have created. By default, users in the OWN_ACCOUNTS user identity group are members of this sponsor group. More	OWN_ACCOUNTS (default)

نېم دځست سمل ا تاعومچم ىل Azure_SAML:Azure ې عارة عومچم ةفاض او... ءاضعألا قوف رقنا
رقنا او. all_accounts ءالفك ةعومچم ىل Azure ې لېفك لةعومچم نې ېعتب اذه موقې. ةدځم ل
ظفح قوف رقنا. OK قوف



Select Sponsor Group Members

Select the user groups who will be members of this Sponsor Group

Available User Groups

Selected User Groups

Name ^

Employee

GROUP_ACCOUNTS (default)

OWN_ACCOUNTS (default)

Name ^

ALL_ACCOUNTS (default)

Azure_SAML:Azure Sponsor Group

OK


قحصللا نم ققحتلا

قححص لكشب نيوكتلا لمع ديكأتل مسقلا اذه مدختسا

لججست لوأ دنع مدختسملا رورم ةملك ريغت ىلا ديدجلا مدختسملا رطضي: **ةظحالم** يظغت. هيظغت ال (AUP) يبوروالا داحتالا ةسايس نم ققحتلا تاوطخ لوبقو. لوخد دقو، ةرم لوأل ني مدختسملا لوخد لججست متي ال شج، ويرانيسلا اذه ققحتلا ةيلمع (سلا) ةعارلا ةهجال لبق نم ةدحاو ةرم AUP لوبق لعفلاب مت

ةداعإ متت ،(لاثمل لېبس ىلع ،رابتخالل URL ناووع نم) "لېفكلا" ةباوب حتفب تمق اذا نآلا ةداعإ لېفكلا ةباوب" ىل ةدوعلا مث لوخدلا لېجستل Azure ىل ةكهيحوت

1. رابتخاب صاخلا URL ناووع طاابترا ىلع اهب ةصاخلا FQDN عم لېفكلا ةباوب لېغشت ادب . ةباوبلا ل تلخد . Azure ىل لوخدلا لېجست ةحفص ىل ةكهيحوت ةداعإب ISE موقى نا بجي . ةباوبلا كلذ دعب ةقطقطوركبأ قلخي **username**



The image shows a Microsoft sign-in interface. At the top left is the Microsoft logo. Below it, the text "Sign in" is displayed in a large, bold font. Underneath, the email address "alice@ekorneyccisco.onmicrosoft.com" is entered into a text field. Below the text field, there are two links: "Can't access your account?" and "Sign-in options". At the bottom, there are two buttons: "Back" (grey) and "Next" (blue).

2. ةداعإب IDp ىل لوخدلا لېجست ةشاش موقت . لوخدلا لېجست قوف رقناورورملا ةملك لخدأ . يلوألا ISE Sponsors the Portal لخدم ىل مدختسملا هيحوت



← alice@ekorneyccisco.onmicrosoft.com

Enter password

.....|

[Forgot my password](#)

Sign in

3. فيناغفألا ةيمسرللا ةطرشللا لبقا.

alice@ekorneyccisco.onmicrosoft.com

 Sponsor Portal

Acceptable Use Policy

Please read the Acceptable Use Policy.

You are responsible for maintaining the confidentiality of the password and all activities that occur under your username and password. Cisco Systems offers the Service for activities such as the active use of e-mail, instant messaging, browsing the World Wide Web and accessing corporate intranets. High volume data transfers, especially sustained high volume data transfers, are not permitted. Hosting a web server or any other server by use of our Service is prohibited. Trying to access someone else's account, sending unsolicited bulk e-mail, collection of other people's personal data without their knowledge and interference with other network users are all prohibited. Cisco Systems reserves the right to suspend the Service if Cisco Systems reasonably believes that your use of the Service is unreasonably excessive or you are using the Service for criminal or illegal activities. You do not have the right to resell this Service to a third party. Cisco Systems reserves the right to revise, amend or modify these Terms & Conditions, our other policies and agreements, and aspects of the Service itself. Notice of any revision, amendment, or modification will be posted on Cisco System's website and will be effective as to existing users 30 days after posting.

Accept

Decline

[Help](#)

4. ةباوبلا لىل لمكلا لوصولا قحب لىل فكلا مدختسمللا عتمتتي نأ بجي، ةطقنلا هذه دنع. ALL_ACCOUNTS لىل فكلا ةومجم تانوذأب

Create Accounts

Manage Accounts (0)

Pending Accounts (0)

Notices (0)

Create, manage, and approve guest accounts.

Guest type:

Contractor (default)

Maximum devices that can be connected: 5 | Maximum access duration: 365 days

Guest Information

Known

Random

Import

First name:

Last name:

Email address:

Mobile number:

Company:

Person being visited (email):

Reason for visit:

Group tag:

Language:

English - English

Access Information

End of business day

23:59

Duration:*

90

Days (Maximum:365)

From Date (yyyy-mm-dd) *

2020-09-16

From Time *

11:22

To Date (yyyy-mm-dd) *

2020-12-15

To Time *

10:22

Create

[Help](#)

5. "كَب اب حرم" ةلدس نمل ةمئاقلا نمض جورخلا ليجست قوف رونا .

Welcome alice@ekorneyccisco.onmicrosoft.com

Help

Sign Out

6. ىرخأ ةرم لوخذلا ليجست ةشاش ىلا ههيجوت ةداعا و حاجن ب مدختسملا جورخ ليجست بجي .



Pick an account



alice@ekorneyccisco.onmicrosoft.co
m



Use another account

اهحال صإو نىوكتلا ءاطخأ فاشكتسا

اهحال صإو نىوكتلا ءاطخأ فاشكتسا ال اهم ادختسا كنك مي تامولعم مسقلا اذه رفوي

ةعئاشلا تالكشمل

Azure Active Directory و ضرعتسمل نىب SAML ةقداصم ةجلاعم متي هنأ مهف مهملا نم ةيوهلا رفوم نم ةرشابم ةقداصم لاب ةقلعتملا ءاطخألا ىلع لوصحلا كنك مي ، ىلاتلاب و دعب ISE ةكراشم أدبت مل ثيح (Azure)

ISE، ىلع تلمع لمعتسمل تانايب ةجلاعم نم ام ، ئطاخ ةمكلا لمعتسمل لخدي 1. ةلأسمل تانايب ريفوت وأ رورملا ةمكك طبض ةداعإ: احوال صإل (Azure) IdP نم ةرشابم مداق رادصإل ةحوصل رورملا ةمكك



← alice@ekorneyccisco.onmicrosoft.com

Enter password

Your account or password is incorrect. If you don't remember your password, [reset it now](#).

Password

[Forgot my password](#)

Sign in

إلى لوصول اب اهل حمسي نأ ضررت في يتلا ةومجم لا نم اعزج سيل مدختسم لا 2. ةلأسم لا يتأت ISE، لىل مدختسم لا تانايب ةجلاعم متت مل ةلاحل هذه في رخأ ةرمو، SAML SSO، إلى ةومجم ةفاضل ةوطخ ذيفنت نم ققحت: كذلحالصل IdP (Azure) نم ةرشابم ةلكشم لا حيحص لكشب قيبتللا نيوكت.



Sign in

Sorry, but we're having trouble signing you in.

AADSTS50105: The signed in user 'azure@ekorneyccisco.onmicrosoft.com' is not assigned to a role for the application '92ecf9db-766a-42bf-af42-617e95d44675'(ISE).

Troubleshooting details ✕

If you contact your administrator, send this info to them.

[Copy info to clipboard](#)

Request Id: e128020b-a4b1-4a5e-9ea8-2c7007b1fe00

Correlation Id: 09a3bce1-8dc9-464d-ab97-85e2bf1f0a33

Timestamp: 2020-05-21T13:03:07Z

Message: AADSTS50105: The signed in user 'azure@ekorneyccisco.onmicrosoft.com' is not assigned to a role for the application '92ecf9db-766a-42bf-af42-617e95d44675'(ISE).

Advanced diagnostics: [Enable](#)

If you plan on getting support for an issue, turn this on and try to reproduce the error. This will collect additional information that will help troubleshoot the issue.

لجست لشف - أطخال اذه ةظحالم متي و، عقوتم وه امك "جراخلل بحسلا" ةزيم لمعت ال 3. بتكمب لاصتالاءا رلا SSO ةسلج نم جورخلل لجست ءانثأ ةلكشم تثدح SSO نم جورخلل لجستل URL ناو نع نيوكت متي ال ام دنع اه تيؤر نكمي. ةدعاسملا يلع لوصحلل ةدعاسملا اذه URL ناو نع مادختسا مت، ةلحال هذه في SAML IdP يلع حيحص لكشب جورخلل <https://sponsor30.example.com:8445/sponsorportal/SSOLogoutRequest.action?portal=100d02da-9457-41e8-87d7-0965b0714db2> نوكي نأ بجي ام ني ب <https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action> لخدأ: حالصال Azure IdP في جورخلل لجستل URL ناو نع في حيحصال URL ناو نع

Error

SSO Logout failed.
There was a problem to logout from your SSO session. Please contact help desk for assistance.

[Help](#)

اهال صواو لي م عمل ااطخا فاش كتسا

> تاودا يلى لقتنا . بيولا روطم تاودا مادختسا كنكمي ، SAML ةلومح مالتسا نم ققحتل ل Azure دامتعا تانايب مادختسا ب لوخدلا لچسو Firefox مدختست تنك اذا ةكباش > بيوروطم Params بيوبتلا ةمالع يف ةرفشم ل SAML ةباجتسا ةدهاشم كنكمي . ةباوبلا يلى

The screenshot shows the Cisco Sponsor Portal interface. At the top, there are buttons for 'Create Accounts', 'Manage Accounts (0)', 'Pending Accounts (0)', and 'Notices (0)'. Below these, there's a 'Guest type:' dropdown menu set to 'Contractor (default)'. The 'Guest Information' section includes 'Known', 'Random', and 'Import' buttons. The 'Access Information' section has an 'End of business day' checkbox. A network inspector window is open at the bottom, showing a list of requests and a detailed view of an SAML response. The SAML response details include a 'RelayState' parameter with a long alphanumeric string.

اهال صواو ISE ااطخا فاش كتسا

اطخا ل فاش كتسا > تايل م عمل اى ل لقتنا . ISE يلى انه تانوكم ل لچس يوتسم ريغت بجي . ااطخا ل لچس نيوكت > ااطخا ل احيصت لچام > اهال صواو

نوكم ل مسا	ليچستلا يوتسم	لچسلا فلم مسا
ءولولي قلال لوصو	اطخا ل احيصت	guest.log
نشك ابي ولخ دم	اطخا ل احيصت	guest.log
لماس نپوا	اطخا ل احيصت	ise-psc.log
لماس	اطخا ل احيصت	ise-psc.log

احيصتلا (ise-psc.log) قفدتلا ذيفنت تقوي ف ااطخا ل احيصت نم لم عمل ةعومجم

1. ليدفك الة باوب نم IdP ب صاخلا URL ناوع لى مدختس مل ا هجوت ةداع امت 1.

```
2020-09-16 10:43:59,207 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAMLUtils::isLoadBalancerConfigured() - LB NOT  
configured for: Azure_SAML  
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAMLUtils::isOracle() - checking whether IDP URL  
indicates that its OAM. IDP URL:  
https://login.microsoftonline.com/64ace648-115d-4ad9-a3bf-76601b0f8d5c/saml2  
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SPProviderId for Azure_SAML is:  
http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429  
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAMLUtils::isLoadBalancerConfigured() - LB NOT  
configured for: Azure_SAML  
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML request - providerId (as should be found in  
IdP configuration):  
http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429  
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML request - returnToId (relay state):  
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId_EQUALSbd48c1a1-9477-4746-8e40-  
e43d20c9f429_SEMIportalSessionId_EQUALS8fa19bf2-9fa6-4892-b082-  
5cdabfb5daa1_SEMIToken_EQUALSOA6CZJQD7X67TLYHE4Y3EM3EY097E2J_SEMI_DELIMITERSponsor30.example.com  
2020-09-16 10:43:59,211 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML request - spUrlToReturnTo:  
https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action
```

2. ضرتس مل ا هجوت س ا يقلت مت 2.

```
2020-09-16 10:44:11,122 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML response - Relay State:  
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-  
e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;  
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com  
2020-09-16 10:44:11,126 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML HTTPRequest - Portal Session info:  
portalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-  
5cdabfb5daa1;token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;  
2020-09-16 10:44:11,126 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML response - Relay State  
:_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-  
e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;  
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com  
2020-09-16 10:44:11,126 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML HTTPRequest - Portal Session info:  
portalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-  
5cdabfb5daa1;token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;  
2020-09-16 10:44:11,129 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML response - Relay State:  
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-  
e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;  
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com  
2020-09-16 10:44:11,129 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML HTTPRequest - Portal Session info:  
portalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-  
5cdabfb5daa1;token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;  
2020-09-16 10:44:11,133 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML response - Relay State:  
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-
```

```
e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,134 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML HTTPRequest - Portal Session info:
portalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-
5cdabfb5daa1;token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;
2020-09-16 10:44:11,134 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML response - Relay State:
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-
e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,134 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML flow initiator PSN's Host name
is:sponsor30.example.com
2020-09-16 10:44:11,134 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -::::- Is redirect required:
InitiatorPSN:sponsor30.example.com
This node's host name:ISE30-lek LB:null request Server Name:sponsor30.example.com
2020-09-16 10:44:11,182 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -::::- This node is the initiator (sponsor30.example.com)
this node host name is:sponsor30.example.com
2020-09-16 10:44:11,184 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
org.opensaml.xml.parse.BasicParserPool -::::- Setting DocumentBuilderFactory attribute
'http://javax.xml.XMLConstants/feature/secure-processing'
2020-09-16 10:44:11,187 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
org.opensaml.xml.parse.BasicParserPool -::::- Setting DocumentBuilderFactory attribute
'http://apache.org/xml/features/disallow-doctype-decl'
2020-09-16 10:44:11,190 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.ws.message.decoder.BaseMessageDecoder -::::- Beginning to decode message from inbound
transport of type: org.opensaml.ws.transport.http.HttpServletRequestAdapter
2020-09-16 10:44:11,190 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.saml2.binding.decoding.HTTPPostDecoder -::::- Decoded SAML relay state of:
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId_EQUALSbd48c1a1-9477-4746-8e40-
e43d20c9f429_SEMIportalSessionId_EQUALS8fa19bf2-9fa6-4892-b082-
5cdabfb5daa1_SEMItoken_EQUALSOA6CZJQD7X67TLYHE4Y3EM3EY097E2J_SEMI_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,190 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.saml2.binding.decoding.HTTPPostDecoder -::::- Getting Base64 encoded message from
request
2020-09-16 10:44:11,191 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.ws.message.decoder.BaseMessageDecoder -::::- Parsing message stream into DOM document
2020-09-16 10:44:11,193 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.ws.message.decoder.BaseMessageDecoder -::::- Unmarshalling message DOM
2020-09-16 10:44:11,195 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.xml.signature.impl.SignatureUnmarshaller -::::- Starting to unmarshall Apache XML-
Security-based SignatureImpl element
2020-09-16 10:44:11,195 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.xml.signature.impl.SignatureUnmarshaller -::::- Constructing Apache XMLSignature object
2020-09-16 10:44:11,195 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.xml.signature.impl.SignatureUnmarshaller -::::- Adding canonicalization and signing
algorithms, and HMAC output length to Signature
2020-09-16 10:44:11,195 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.xml.signature.impl.SignatureUnmarshaller -::::- Adding KeyInfo to Signature
2020-09-16 10:44:11,197 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.ws.message.decoder.BaseMessageDecoder -::::- Message succesfully unmarshalled
2020-09-16 10:44:11,197 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.saml2.binding.decoding.HTTPPostDecoder -::::- Decoded SAML message
2020-09-16 10:44:11,197 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.saml2.binding.decoding.BaseSAML2MessageDecoder -::::- Extracting ID, issuer and issue
instant from status response
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.ws.message.decoder.BaseMessageDecoder -::::- No security policy resolver attached to
this message context, no security policy evaluation attempted
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.ws.message.decoder.BaseMessageDecoder -::::- Successfully decoded message.
```



```

2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.common.binding.decoding.BaseSAMLMessageDecoder -::::- Checking SAML message intended
destination endpoint against receiver endpoint
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.common.binding.decoding.BaseSAMLMessageDecoder -::::- Intended message destination
endpoint:
https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.common.binding.decoding.BaseSAMLMessageDecoder -::::- Actual message receiver endpoint:
https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -::::-
SAML decoder's URIComparator -
[https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action] vs.
[https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action]
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
opensaml.common.binding.decoding.BaseSAMLMessageDecoder -::::-
SAML message intended destination endpoint matched recipient endpoint
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML Response:
statusCode:urn:oasis:names:tc:SAML:2.0:status:Success

```

3. (ديكأتال) ةمسلا ليلحت ءدب مت

```

2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Found attribute name :
http://schemas.microsoft.com/identity/claims/tenantid
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Delimiter not configured,
Attribute=<http://schemas.microsoft.com/identity/claims/tenantid> add value=<64ace648-115d-4ad9-a3bf-76601b0f8d5c>
2020-09-16 10:44:11,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Set on IdpResponse object
-
attribute<http://schemas.microsoft.com/identity/claims/tenantid> value=<64ace648-115d-4ad9-a3bf-76601b0f8d5c>
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Found attribute name :
http://schemas.microsoft.com/identity/claims/objectidentifier
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Delimiter not configured,
Attribute=<http://schemas.microsoft.com/identity/claims/objectidentifier> add value=<50ba7e39-e7fb-4cb1-8256-0537e8a09146>
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Set on IdpResponse object
-
attribute<http://schemas.microsoft.com/identity/claims/objectidentifier> value=<50ba7e39-e7fb-4cb1-8256-0537e8a09146>
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Found attribute name :
http://schemas.microsoft.com/identity/claims/displayname
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Delimiter not configured,
Attribute=<http://schemas.microsoft.com/identity/claims/displayname> add value=<Alice>
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Set on IdpResponse object
-
attribute<http://schemas.microsoft.com/identity/claims/displayname> value=<Alice>

```

4. عي قوت، f626733b-eb37-4cf2-b2a6-c2895fd5f4d3 ةمي قب ةعومحما ةمس مالتسا متي ققحتلا

```
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Found attribute name :  
http://schemas.microsoft.com/ws/2008/06/identity/claims/groups  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Delimiter not configured,  
Attribute=<http://schemas.microsoft.com/ws/2008/06/identity/claims/groups> add value=<f626733b-  
eb37-4cf2-b2a6-c2895fd5f4d3>  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Set on IdpResponse object  
- attribute  
<http://schemas.microsoft.com/ws/2008/06/identity/claims/groups> value=<f626733b-eb37-4cf2-b2a6-  
c2895fd5f4d3>  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Found attribute name :  
http://schemas.microsoft.com/identity/claims/identityprovider  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Delimiter not configured,  
Attribute=<http://schemas.microsoft.com/identity/claims/identityprovider> add  
value=<https://sts.windows.net/64ace648-115d-4ad9-a3bf-76601b0f8d5c/>  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Set on IdpResponse object  
- attribute  
<http://schemas.microsoft.com/identity/claims/identityprovider>  
value=<https://sts.windows.net/64ace648-115d-4ad9-a3bf-76601b0f8d5c/>  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Found attribute name :  
http://schemas.microsoft.com/claims/authnmethodsreferences  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Delimiter not configured,  
Attribute=<http://schemas.microsoft.com/claims/authnmethodsreferences> add  
value=<http://schemas.microsoft.com/ws/2008/06/identity/authenticationmethod/password>  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Set on IdpResponse object  
- attribute  
<http://schemas.microsoft.com/claims/authnmethodsreferences>  
value=<http://schemas.microsoft.com/ws/2008/06/identity/authenticationmethod/password>  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Found attribute name :  
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Delimiter not configured,  
Attribute=<http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name> add  
value=<alice@ekorneyccisco.onmicrosoft.com>  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes] Set on IdpResponse object  
- attribute  
<http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name>  
value=<alice@ekorneyccisco.onmicrosoft.com>  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAMLUtills::getUserNameFromAssertion:  
IdentityAttribute is set to Subject Name  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAMLUtills::getUserNameFromAssertion: username  
value from Subject is=[alice@ekorneyccisco.onmicrosoft.com]  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAMLUtills::getUserNameFromAssertion: username set  
to=[alice@ekorneyccisco.onmicrosoft.com]  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML Response: Found value for 'username'  
attribute assertion: alice@ekorneyccisco.onmicrosoft.com  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.impl.SAMLAttributesParser -::::- [SAMLAttributesParser:readDict]  
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][  
cpm.saml.framework.cfg.IdentityProviderMgr -::::- getDict: Azure_SAML
```

2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLAttributesParser -::::- [SAMLAttributesParser:readDict]: read Dict
attribute=<ExternalGroups>
2020-09-16 10:44:11,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes]
Attribute <http://schemas.microsoft.com/identity/claims/displayname> NOT configured in IdP
dictionary, NOT caching
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLAttributesParser -::::- [cacheGroupAttr] Adding to cache
ExternalGroup values=<f626733b-eb37-4cf2-b2a6-c2895fd5f4d3>
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes]
Attribute <http://schemas.microsoft.com/identity/claims/tenantid> NOT configured in IdP
dictionary, NOT caching
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes]
Attribute <http://schemas.microsoft.com/identity/claims/identityprovider> NOT configured in IdP
dictionary, NOT caching
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes]
Attribute <http://schemas.microsoft.com/identity/claims/objectidentifier> NOT configured in IdP
dictionary, NOT caching
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes]
Attribute <http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name> NOT configured in IdP
dictionary, NOT caching
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLAttributesParser -::::- [parseAttributes]
Attribute <http://schemas.microsoft.com/claims/authnmethodsreferences> NOT configured in IdP
dictionary, NOT caching
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cisco.cpm.saml.framework.SAMLSessionDataCache -::::- [storeAttributesSessionData]
idStore=<Azure_SAML> userName=alice@ekorneyccisco.onmicrosoft.com>
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLAttributesParser -::::- [SAMLAttributesParser:getEmail] The email
attribute not configured on IdP
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML Response: email attribute value:
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML response - Relay State:
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-
e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML HTTPRequest - Portal ID:bd48c1a1-9477-4746-
8e40-e43d20c9f429
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML response - Relay State:
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-
e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML HTTPRequest - Portal Session info:
portalId=bd48c1a1-9477-4746-8e40-e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-
5cdabfb5daa1;token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML response - Relay State:
_bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId=bd48c1a1-9477-4746-8e40-
e43d20c9f429;portalSessionId=8fa19bf2-9fa6-4892-b082-5cdabfb5daa1;
token=OA6CZJQD7X67TLYHE4Y3EM3EY097E2J;_DELIMITERSponsor30.example.com
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAML flow initiator PSN's Host name
is:sponsor30.example.com
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][

```
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAMLUtils::isLoadBalancerConfigured() - LB NOT
configured for: Azure_SAML
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SAMLUtils::isOracle() - checking whether IDP URL
indicates that its OAM.
IDP URL: https://login.microsoftonline.com/64ace648-115d-4ad9-a3bf-76601b0f8d5c/saml2
2020-09-16 10:44:11,201 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -::::- SPProviderId for Azure_SAML is:
http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -::::- ResponseValidationContext:
IdP URI: https://sts.windows.net/64ace648-115d-4ad9-a3bf-76601b0f8d5c/
SP URI: http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429
Assertion Consumer URL: https://sponsor30.example.com:8445/sponsorportal/SSOLoginResponse.action
Request Id: _bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITERportalId_EQUALSbd48c1a1-9477-4746-
8e40-e43d20c9f429_SEMIportalSessionId_EQUALS8fa19bf2-9fa6-4892-b082-
5cdabfb5daa1_SEMItoken_EQUALSOA6CZJQD7X67TLYHE4Y3EM3EY097E2J_SEMI_DELIMITERSponsor30.example.com
Client Address: 10.61.170.160
Load Balancer: null
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.validators.SAMLSignatureValidator -::::- no signature in response
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.validators.SAMLSignatureValidator -::::- Validating signature of assertion
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.validators.BaseSignatureValidator -::::- Determine the signing certificate
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.validators.BaseSignatureValidator -::::- Validate signature to SAML standard
with cert:CN=Microsoft Azure Federated SSO Certificate
serial:112959638548824708724869525057157788132
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
org.opensaml.security.SAMLSignatureProfileValidator -::::- Saw Enveloped signature transform
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
org.opensaml.security.SAMLSignatureProfileValidator -::::- Saw Exclusive C14N signature
transform
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.validators.BaseSignatureValidator -::::- Validate signature againsta signing
certificate
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
org.opensaml.xml.signature.SignatureValidator -::::- Attempting to validate signature using key
from supplied credential
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
org.opensaml.xml.signature.SignatureValidator -::::- Creating XMLSignature object
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
org.opensaml.xml.signature.SignatureValidator -::::- Validating signature with signature
algorithm URI: http://www.w3.org/2001/04/xmldsig-more#rsa-sha256
2020-09-16 10:44:11,202 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
org.opensaml.xml.signature.SignatureValidator -::::- Validation credential key algorithm 'RSA',
key instance class 'sun.security.rsa.RSAPublicKeyImpl'
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
org.opensaml.xml.signature.SignatureValidator -::::- Signature validated with key from supplied
credential
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.validators.SAMLSignatureValidator -::::- Assertion signature validated
succesfully
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.validators.WebSSOResponseValidator -::::- Validating response
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.validators.WebSSOResponseValidator -::::- Validating assertion
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.validators.AssertionValidator -::::- Assertion issuer succesfully validated
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.validators.AssertionValidator -::::- Authentication statements succesfully
validated
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
```

```

cpm.saml.framework.validators.AssertionValidator -:::- Subject successfully validated
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.validators.AssertionValidator -:::- Conditions successfully validated
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML Response: validation succeeded for
alice@ekorneyccisco.onmicrosoft.com
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML Response: found signature on the assertion
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::- Retrieve [CN=Microsoft Azure Federated SSO
Certificate] as signing certificates
2020-09-16 10:44:11,204 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML Response: loginInfo:SAMLLoginInfo:
name=alice@ekorneyccisco.onmicrosoft.com,
format=urn:oasis:names:tc:SAML:1.1:nameid-format:emailAddress, sessionIndex=_4b798ec4-9aeb-40dc-
8bed-6dd2fdd46800, time diff=26329
2020-09-16 10:44:11,292 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::- AuthenticatePortalUser - Session:null IDPResponse:
IdP ID: Azure_SAML
Subject: alice@ekorneyccisco.onmicrosoft.com
SAML Status Code:urn:oasis:names:tc:SAML:2.0:status:Success
SAML Success:true
SAML Status Message:null
SAML email:
SAML Exception:nullUserRole : SPONSOR
2020-09-16 10:44:11,292 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::- AuthenticatePortalUser - about to call
authenticateSAMLUser messageCode:null subject:alice@ekorneyccisco.onmicrosoft.com
2020-09-16 10:44:11,306 INFO [RMI TCP Connection(346358)-127.0.0.1][]
api.services.server.role.RoleImpl -:::- Fetched Role Information based on RoleID: 6dd3b090-
8bff-11e6-996c-525400b48521
2020-09-16 10:44:11,320 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cisco.cpm.saml.framework.SAMLSessionDataCache -:::- [SAMLSessionDataCache:getGroupsOnSession]
idStore=<Azure_SAML> userName=<alice@ekorneyccisco.onmicrosoft.com>
2020-09-16 10:44:11,320 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cisco.cpm.saml.framework.SAMLSessionDataCache -:::- [getAttributeOnSession]
idStore=<Azure_SAML> userName=<alice@ekorneyccisco.onmicrosoft.com>
attributeName=<Azure_SAML.ExternalGroups>

```

5. طس اوب اهم ادخ تس | ن كم ي يتح ة ق داصم ال جئاتن | ل ن ي مدخ تس م ال ة ع وم جم ة فاض | م ت . SAML ة ق داصم م ت و ، ل خ دم ل

```

2020-09-16 10:44:11,320 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::- AuthenticatePortalUser - added user groups from
SAML response to AuthenticationResult, all retrieved groups:[f626733b-eb37-4cf2-b2a6-
c2895fd5f4d3]
2020-09-16 10:44:11,320 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::- Authenticate SAML User - result:PASSED

```

6. SAML ة با ج تس | ي ف ج و ر خ ل ل ي ج س ت ل URL ن ا و ن ع ي ق ل ت م ت ي . ج و ر خ ل ل ي ج س ت ل ي غ ش ت م ت .
<https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action>

```

2020-09-16 10:44:51,462 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::alice@ekorneyccisco.onmicrosoft.com:-
SAMLUtils::isOracle() - checking whether IDP URL indicates that its OAM. IDP URL:
https://login.microsoftonline.com/64ace648-115d-4ad9-a3bf-76601b0f8d5c/saml2
2020-09-16 10:44:51,462 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::alice@ekorneyccisco.onmicrosoft.com:- getLogoutMethod
- method:REDIRECT_METHOD_LOGOUT
2020-09-16 10:44:51,462 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::alice@ekorneyccisco.onmicrosoft.com:-
getSignLogoutRequest - null

```

2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.MessageComposer -:::alice@ekorneyccisco.onmicrosoft.com:-
buildLgoutRequest - loginInfo:SAMLLoginInfo: name=alice@ekorneyccisco.onmicrosoft.com,
format=urn:oasis:names:tc:SAML:1.1:nameid-format:emailAddress, sessionIndex=_4b798ec4-9aeb-40dc-
8bed-6dd2fdd46800, time diff=26329
2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLFacadeImpl -:::alice@ekorneyccisco.onmicrosoft.com:-
SAMLUtils::isLoadBalancerConfigured() - LB NOT configured for: Azure_SAML
2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLFacadeImpl -:::alice@ekorneyccisco.onmicrosoft.com:-
SAMLUtils::isOracle() - checking whether IDP URL indicates that its OAM. IDP URL:
https://login.microsoftonline.com/64ace648-115d-4ad9-a3bf-76601b0f8d5c/saml2
2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.SAMLFacadeImpl -:::alice@ekorneyccisco.onmicrosoft.com:- SPPProviderId
for Azure_SAML is: http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429
2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.MessageComposer -:::alice@ekorneyccisco.onmicrosoft.com:-
buildLgoutRequest - spProviderId:http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429
2020-09-16 10:44:51,463 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-8][
cpm.saml.framework.impl.MessageComposer -:::alice@ekorneyccisco.onmicrosoft.com:-
buildLgoutRequest - logoutURL:https://login.microsoftonline.com/64ace648-115d-4ad9-a3bf-
76601b0f8d5c/saml2
2020-09-16 10:44:53,199 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML response - Relay State:_bd48c1a1-9477-4746-
8e40-e43d20c9f429_DELIMITER8fa19bf2-9fa6-4892-b082-5cdabfb5daa1_DELIMITERsponsor30.example.com
2020-09-16 10:44:53,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML HTTPRequest - Portal ID:bd48c1a1-9477-4746-
8e40-e43d20c9f429
2020-09-16 10:44:53,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML response - Relay State:_bd48c1a1-9477-4746-
8e40-e43d20c9f429_DELIMITER8fa19bf2-9fa6-4892-b082-5cdabfb5daa1_DELIMITERsponsor30.example.com
2020-09-16 10:44:53,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML flow initiator PSN's Host name
is:sponsor30.example.com
2020-09-16 10:44:53,200 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- Is redirect required:
InitiatorPSN:sponsor30.example.com This node's host name:ISE30-lek LB:null request Server
Name:sponsor30.example.com
2020-09-16 10:44:53,248 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- This node is the initiator (sponsor30.example.com)
this node host name is:sponsor30.example.com
2020-09-16 10:44:53,249 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML response - Relay State:_bd48c1a1-9477-4746-
8e40-e43d20c9f429_DELIMITER8fa19bf2-9fa6-4892-b082-5cdabfb5daa1_DELIMITERsponsor30.example.com
2020-09-16 10:44:53,249 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML HTTPRequest - Portal Session info:8fa19bf2-
9fa6-4892-b082-5cdabfb5daa1
2020-09-16 10:44:53,250 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
org.opensaml.xml.parse.BasicParserPool -:::- Setting DocumentBuilderFactory attribute
'http://javax.xml.XMLConstants/feature/secure-processing'
2020-09-16 10:44:53,251 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
org.opensaml.xml.parse.BasicParserPool -:::- Setting DocumentBuilderFactory attribute
'http://apache.org/xml/features/disallow-doctype-decl'
2020-09-16 10:44:53,253 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.ws.message.decoder.BaseMessageDecoder -:::- Beginning to decode message from inbound
transport of type: org.opensaml.ws.transport.http.HttpServletRequestAdapter
2020-09-16 10:44:53,253 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.saml2.binding.decoding.HTTPRedirectDeflateDecoder -:::- Decoded RelayState: _bd48c1a1-
9477-4746-8e40-e43d20c9f429_DELIMITER8fa19bf2-9fa6-4892-b082-
5cdabfb5daa1_DELIMITERsponsor30.example.com
2020-09-16 10:44:53,253 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.saml2.binding.decoding.HTTPRedirectDeflateDecoder -:::- Base64 decoding and inflating
SAML message
2020-09-16 10:44:53,253 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][

opensaml.ws.message.decoder.BaseMessageDecoder -:::- Parsing message stream into DOM document
2020-09-16 10:44:53,256 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.ws.message.decoder.BaseMessageDecoder -:::- Unmarshalling message DOM
2020-09-16 10:44:53,256 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.ws.message.decoder.BaseMessageDecoder -:::- Message successfully unmarshalled
2020-09-16 10:44:53,256 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.saml2.binding.decoding.HTTPRedirectDeflateDecoder -:::- Decoded SAML message
2020-09-16 10:44:53,256 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.saml2.binding.decoding.BaseSAML2MessageDecoder -:::- Extracting ID, issuer and issue
instant from status response
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.ws.message.decoder.BaseMessageDecoder -:::- No security policy resolver attached to
this message context, no security policy evaluation attempted
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.ws.message.decoder.BaseMessageDecoder -:::- Successfully decoded message.
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.common.binding.decoding.BaseSAMLMessageDecoder -:::- Checking SAML message intended
destination endpoint against receiver endpoint
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.common.binding.decoding.BaseSAMLMessageDecoder -:::- Intended message destination
endpoint: https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.common.binding.decoding.BaseSAMLMessageDecoder -:::- Actual message receiver endpoint:
https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML decoder's URIComparator -
[https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action] vs.
[https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action]
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
opensaml.common.binding.decoding.BaseSAMLMessageDecoder -:::- SAML message intended destination
endpoint matched recipient endpoint
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML Response:
statusCode:urn:oasis:names:tc:SAML:2.0:status:Success
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML response - Relay State:_bd48clal-9477-4746-
8e40-e43d20c9f429_DELIMITER8fa19bf2-9fa6-4892-b082-5cdabfb5daal_DELIMITERsponsor30.example.com
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML HTTPRequest - Portal ID:bd48clal-9477-4746-
8e40-e43d20c9f429
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML response - Relay State:_bd48clal-9477-4746-
8e40-e43d20c9f429_DELIMITER8fa19bf2-9fa6-4892-b082-5cdabfb5daal_DELIMITERsponsor30.example.com
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML HTTPRequest - Portal Session info:8fa19bf2-
9fa6-4892-b082-5cdabfb5daal
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML response - Relay State:_bd48clal-9477-4746-
8e40-e43d20c9f429_DELIMITER8fa19bf2-9fa6-4892-b082-5cdabfb5daal_DELIMITERsponsor30.example.com
2020-09-16 10:44:53,257 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML flow initiator PSN's Host name
is:sponsor30.example.com
2020-09-16 10:44:53,258 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAMLUtils::isLoadBalancerConfigured() - LB NOT
configured for: Azure_SAML
2020-09-16 10:44:53,258 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAMLUtils::isOracle() - checking whether IDP URL
indicates that its OAM. IDP URL: https://login.microsoftonline.com/64ace648-115d-4ad9-a3bf-
76601b0f8d5c/saml2
2020-09-16 10:44:53,258 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SPPProviderId for Azure_SAML is:
http://CiscoISE/bd48clal-9477-4746-8e40-e43d20c9f429
2020-09-16 10:44:53,258 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][
cpm.saml.framework.impl.SAMLFacadeImpl -:::- ResponseValidationContext:

IdP URI: https://sts.windows.net/64ace648-115d-4ad9-a3bf-76601b0f8d5c/
SP URI: http://CiscoISE/bd48c1a1-9477-4746-8e40-e43d20c9f429
Assertion Consumer URL:
https://sponsor30.example.com:8445/sponsorportal/SSOLogoutResponse.action
Request Id: _bd48c1a1-9477-4746-8e40-e43d20c9f429_DELIMITER8fa19bf2-9fa6-4892-b082-5cdabfb5daa1_DELIMITERSponsor30.example.com
Client Address: 10.61.170.160
Load Balancer: null
2020-09-16 10:44:53,259 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][]
cpm.saml.framework.validators.SAMLSignatureValidator -:::- LogoutResponse signature validated
succesfully
2020-09-16 10:44:53,259 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][]
cpm.saml.framework.validators.SAMLSignatureValidator -:::- This is LogoutResponse (only
REDIRECT is supported) no signature is on assertion, continue
2020-09-16 10:44:53,259 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][]
cpm.saml.framework.validators.WebSSOResponseValidator -:::- Validating response
2020-09-16 10:44:53,259 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][]
cpm.saml.framework.validators.WebSSOResponseValidator -:::- Validating assertion
2020-09-16 10:44:53,259 DEBUG [https-jsse-nio-10.48.23.86-8445-exec-4][]
cpm.saml.framework.impl.SAMLFacadeImpl -:::- SAML Response: validation succeeded for null

ةمچرتل هذه لوج

ةللأل تاي نقتل نمة ومة مادختساب دن تسمل اذة Cisco تمةرت
ملاعلاء انء مء مء نمة دختسمل معد و تمة مء دقتل ةر شبل او
امك ةق قء نوك ت نل ةللأل ةمچرت لصف أن ةظحال مء ءرء. ةصاأل مء تءل ب
Cisco ةللخت. فرتمة مچرت مء دقء ةللأل ةل فارتحال ةمچرتل عم لاعل او
ىل إأمءءاد ءوچرلاب ةصوء و تامةرتل هذه ةقء نء اهءل وئس م Cisco
Systems (رفوتم طبارل) ةل صأل ةل ءل ءن إل دن تسمل