

14.x ي ف (IDN) UTF-8 تالاجم عامسأ نيوكت

تايوتحمل

[عمدقمل](#)

[تابلطتمل](#)

[عمدختسمل تانوكمل](#)

[IDN معدل 14.x ي ف عمودمل تاغلل](#)

[ةيدنه ةيميلقا تاغل](#)

[ةيويسأ/ةيبورا تاغل](#)

[عمودمل IDN تاقيسنت](#)

[IDN معدمتي نيأ](#)

[SMTP لوكوتورب تاراسم](#)

[DNS تالاجم](#)

[ةعبقلا/ذرجلا - عمتمسم](#)

[لبقتسمل/السرملا - رداصل/دراولا ديربلا جهن](#)

[انثتسالا لودج](#)

[نيوانعلا مئاوق](#)

[ةهجولا مكحت رصانع](#)

[تازفقا فيرعت تافل](#)

[LDAP](#)

[يلحمل يئاوشعلا ديربلا لزع](#)

[اهجالص او اطاخال افاشكتساوق قحتلا](#)

[قلص تاذا تامولعم](#)

عمدقمل

يتلا ةديدل "UTF-8 (IDN) يلودلا لاجملا مسأ" ةزيم نيوكت ةيفي ك دنتسمل اذه فص ي نيورتكلل ديربلا ةباحس ةباوبو (ESA) ةنمألا نيورتكلل ديربلا ةرابع يلا اهتفاضلا تمت 14.x زمرا ي ف (CES) ةنمألا

Cisco نم TAC سندنهم، Libin Varghese و Anvitha Prabhu لبق نم ةمهاسملا تمت

تابلطتمل

ةيلاتل عيضاوملاب ةفرعم كي دل نوكت نأب Cisco ي صوت

اهنيوكتو ESA ميهافم

عمدختسمل تانوكمل

ةقحلال تارادصل او ESA 14.0 ل AsyncOS يلا دنتسمل اذه ي ف دراوالا تامولعمل دنتست

ةصاخ ةي لمعم ةئي ب ي ف ةدوجوملا ةزهجالا نم دنتسملا اذه ي ف ةدراولما تامولعملما عاشنإ مت
تناك اذا (يضا رتفا) حوسمم نيوكتب دنتسملا اذه ي ف ةمدختسملا ةزهجالا عي مج تادب
رما يال لم تحملا ريثاتلل كمهف نم دكأتف ، ليغشتلا دي ق ك تكبش

IDN معدل 14.x ي ف ةم و عدمل تاغلل

ةيدنه ةي م ي ل ق ا تاغل

ةي ت ا ر ج ك ل ل ، ةي ل ا غ ن ب ل ، م ا ل ا ي ل ا م ل ، ةي ب ا ج ن ب ل ، ي ت ا ر ا م ، ا د ا ن ك ، و غ و ل ي ت ، ل ي م ا ت ل ل ، ي د ن ه ل ل ،
ي ل ي ث ي م ، ي ن ا ك ن و ك ، ي ر ي م ش ك ، ي ر غ و د ، و د و ب ، ا ل ج ن ا ب ، ةي ل ا ب ي ن ل ل ، ةي م ا س ا ل ل ، ةي د ر ا ل ل ،
و ل و ت ، ةي د ن س ل ل ، ي ل ا ت ن ا س ل ل ، ةي ت ي ر ك س ن س ل ل ، ا ي ر و ا ، ي ر و ب ي ن ا م

ةي و ي س ا / ةي ب و ر و ا تاغل

ةي ل ا ط ي ا ل ا و ةي ن ا ب س ا ل ا و ةي ر و ك ل ا و ةي ن ا ر ك و ا ل ا و ةي ن ا م ل ا ل ا و ةي ن ا ب ا ي ل ل ا و ةي س و ر ل ل ا و ةي س ن ر ف ل ل
ةي خ ا ز ا ك ل ل ا و ةي ب ر ع ل ل ا و ةي د ن ا ل ي ا ت ل ل ا و ةي د ن ل و ه ل ل ا و ةي ن ي ص ل ل ا و

ةم و عدمل IDN ت ا ق ي س ن ت

- م ا ج ل IDN ل ا ك ل ل : अनअन्वति@जी मेल को म अ न् व त्ता यो ष्ठो ड
- ي ئ ز ج ل IDN ل ا ج م : .कोम , योष्ठो.ज्म
- ASCII ، ةم و ع م IDN : test@जीमेल.कोम

IDN م عد م ت ي ن ي ا

SMTP ل و ك و ت و ر ب ت ا ر ا س م

م ا ز ت ل ل ا ل -> ل ا س ر ل ل ا -> IDN ل ا ج م ة ف ا ض ا ل -> ر ا س م ة ف ا ض ا ل -> SMTP ت ا ر ا س م -> ة ك ب ش ل ل ي ل ل ق ت ن ا

Monitor Mail Policies Security Services Network System Administration

Add SMTP Route

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

SMTP Route Settings

Receiving Domain: ?	जिमेल.कोम			
Destination Hosts:	Priority ?	Destination ?	Port	Add Row
	0	10.1.1.1	25	
	(Hostname, IPv4 or IPv6 address.)			
Outgoing SMTP Authentication:	No outgoing SMTP authentication profiles are configured. See Network > SMTP Authentication			

Note: DANE will not be enforced for domains that have SMTP Routes configured.

Cancel Submit

DNS تالاجم

DNS مداوخ ي ف IDN تالاجم ريح ت وأ ة فاضا اننكم ي

DNS مداوخ تازواج ت نمض IDN لاجم ة فاضا -> تادادع اإل ريح ت -> DNS -> ةكبش لال ل لقتنا "ة لېدل"

Monitor Mail Policies Security Services Network System Administration

Edit DNS

Mode — Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

DNS Server Settings

DNS Servers: Use these DNS Servers

Priority ?	Server IP	Add Row
0	10.0.201.2	
1	10.0.201.12	

Alternate DNS servers Overrides (Optional):

Domain(s)	DNS Server IP Address	Add Row
جيميل.كوم <i>i.e., example.com, example2.com</i>	10.1.1.4 <i>i.e., 10.0.0.3</i>	

Use the Internet's Root DNS Servers

Alternate DNS servers Overrides (Optional):

Domain	DNS Server FQDN	DNS Server IP Address	Add Row
<i>i.e., example.com</i>	<i>i.e., dns.example.com</i>	<i>i.e., 10.0.0.3</i>	

Interface for DNS Traffic: Auto Change

Wait Before Timing out Reverse DNS Lookups:

Cancel Submit

ةظحال م:

م ا ل / ت ن ر ت ن ا ل ل ر ذ ج ل DNS مداوخ ة ط س ا و ب ة م ا ل ل IDN تالاجم ل ح م ت ي .

ق ي س ن ت ب تالاجس تاذ ق ط ا ن م ت ا ف ل م ء ا ش ن ا ب م ق ، ي ل ح م ل DNS مداوخ ي ف : ة ي ل ح م ل IDN تالاجم :
IDN تالاجم ء ا م س ا ل ل ح ت ة ج ل ا م ل IDN [eg: xn-2scrj9c.xn-2scrj9c.] تالاجم ل ئ ف ا ك م Punycode
ة ي ل ح م ل .

ة ب ق ل / ذ ر ج ل - ع م ت س م

ي ف IDN م ع د م ا د خ ت س ا ل ا ن ن ك م ي :

- ي ض ا ر ت ف ا ل ا ل ا ج م ل ي ف IDN تالاجم ريح ت / ة فاضا -> ن و ر د ا ص ل ل / ن و ر د ا و ل ل ن و ع م ت س م ل ا
- Hat/Rat ي ف IDN تالاجم ريح ت / ة فاضا -> Hat/Rat
- IDN م ا د خ ت س ا ب HAT/RAT ل و ا د ج ر ي د ص ت / د ا ر ي ت س ا ل

لودج -> دېرېل تاسايس ىل لقتنا، IDN مادختساب (RAT) ملتسمل لوصو لودج نيوكتل
مازتلالا -> لاسرا -> IDN لاجم ةفاضل -> ملتسمل ةفاضل قوف رقتاو (RAT) ملتسمل لوصو

Recipient Access Table Overview

Success — Recipient Access Table entry for "जीमेल.कॉम" was added.

Mode — Cluster: ESA_BETA_CLUSTER

Change Mode...

Centralized Management Options

Overview for Listener: Incoming

Items per page 20

Add Recipient...

Clear All Entries

Import RAT...

Order	Recipient Address	Default Action	All Delete
1	humaaralab.com	Accept	<input type="checkbox"/>
2	doosralab.com	Accept	<input type="checkbox"/>
3	जीमेल.कॉम	Accept	<input type="checkbox"/>
All Other Recipients		Reject	

Edit Order... Export RAT... Delete

لقتنا، IDN تالاجم مادختساب (HAT) فيضمل ىل لوصولا لودج لىل سرمتاعومجم نيوكتل
لاسرا -> ةديج لىل سرمتاعومجم ةفاضل -> HAT لىل ةماع ةرظن -> دېرېل تاسايس ىل
مازتلالا -> لاسرا -> IDN فيضم مسا مادختساب مهتفاضل لىل سرمل

Incoming Mail Policies

Mode --Cluster: ESA_BETA_CLUSTER

Change Mode...

> Centralized Management Options

Add User

Any Sender

Following Senders

Following Senders are Not

Email Address:

@example.com

(e.g. user@example.com, user@, @example.com, @.example.com)

LDAP Group:

Query: LDAP.group

Group:

Add Group

Remove

Any Recipient

Following Recipients

example@example.com

(e.g. user@example.com, user@, @example.com, @.example.com)

Cisco Security Awareness not configured.

LDAP Group:

Query: LDAP.group

Group:

Add Group

Remove

Following Recipients are Not

Email Address:

(e.g. user@example.com, user@, @example.com, @.example.com)

LDAP Group:

Query: LDAP.group

Group:

Add Group

Remove

Cancel

OK

Add Incoming Mail Policy

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

Add Policy

Policy Name:
(e.g., my IT policy)

Insert Before Policy:

Users

Sender	Recipients	Edit:	Delete
उदाहरण.कॉम	उदाहरण@उदाहरण.कॉम	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>

رداصل دي ربال جه نل ةيل م عل س فن عابتا كنكمي :ةظحالم

ءانثتسالا لودج

ىلا لقتنا ،تاءانثتسالا لودج ىلا IDN تالاجم ءامسأ ةفاضلا

IDN تالاجم ةفاضلا -> لسرمل نم ققحتلا ءانثتسالا ةفاضلا -> ءانثتسالا لودج -> ديربال جهن
مازتلالا -> لاسرالا ->

Add Sender Verification Exception

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

Sender Verification Exception

Exception:
(e.g.: user@example.com, user@, @example.com, @.example.com, @[1.2.3.4])

Order: (of 1)

Behavior: Allow
 Reject

SMTP Code:

SMTP Text:

Address Lists

Mode — Cluster: **ESA_BETA_CLUSTER** Change Mode...

Centralized Management Options

Address Lists

Add Address List...

Address List Name	Description	Used for	Addresses	All Delete
IDN-Support	IDN-Support-test		(3) ಅಭ್ಯಾಸ@ಯಾಹೂ.ಜಿ.ಕೆ, @ಜಿಮೇಲ್.ಕೊಂ,...	<input type="checkbox"/>

Delete

ههجو لاء مكحت رصان ع

ىل لوقت نا ، ههجو لاء مكحت لاء رصن ع ىل IDN تالاجم عام ساء فاضال

IDN - لاجم مسا فاضال كن كمى -> ههجو فاضال -> ههجو لاء ف مكحت لاء رصان ع -> دىر لاء هه
مازت لال -> لاس ل

Monitor Mail Policies Security Services Network System Administration

Add Destination Controls

Mode — Cluster: **ESA_BETA_CLUSTER** Change Mode...

Centralized Management Options

Destination Controls

Destination:

IP Address Preference: Default (IPv6 Preferred)

Limits:

- Concurrent Connections: Use Default (500) Maximum of (between 1 and 1,000)
- Maximum Messages Per Connection: Use Default (50) Maximum of (between 1 and 1,000)
- Recipients: Use Default (No Limit) Maximum of per minutes
Number of recipients between 0 and 1,000,000,000 per number of minutes between 1 and 60
- Apply limits: Per Secure Email hostname: System Wide Each Virtual Gateway (recommended if Virtual Gateways are in use)

TLS Support: Default (None)

DANE Support: Default (None)

Bounce Verification: Perform address tagging: Default (No) No Yes
Applies only if bounce verification address tagging is in use. See Mail Policies > Bounce Verification.

Bounce Profile: Default
Bounce Profile can be configured at Network > Bounce Profiles.

Note: DANE will not be enforced for domains that have SMTP Routes configured.

Cancel Submit

Destination Controls

Success — Your changes have been committed.

Mode — Cluster: ESA_BETA_CLUSTER

Change Mode...

▸ Centralized Management Options

Destination Control Table

Items per page 20

Domain ▲	IP Address Preference	Destination Limits	TLS Support	DANE Support ^	Bounce Verification *	Bounce Profile	All <input type="checkbox"/> Delete
doosralab.com	Default	Default connection limit, 50 messages per connection, Default recipient limit	Required	Default	Default	Default	<input type="checkbox"/>
humaaralab.com	Default	Default connection limit, 50 messages per connection, Default recipient limit	Required	Default	Default	Default	<input type="checkbox"/>
जीमेल.कॉम	Default	500 concurrent connections, 50 messages per connection, Default recipient limit	Default	Default	Default	Default	<input type="checkbox"/>
Default	IPv6 Preferred	500 concurrent connections, 50 messages per connection, No recipient limit	None	None	Off	Default	

[Add Destination...](#) [Import Table](#) [Export Table](#) [Delete](#)

* Bounce Verification settings apply only if bounce verification address tagging is in use. See Mail Policies > Bounce Verification.
^ DANE will not be enforced for domains that have SMTP Routes configured.

Global Settings

Certificate:	Client-Cert
Send an alert when a required TLS connection fails:	Enabled

[Edit Global Settings...](#)

تازفقلل فيرعت تافللم

تافللم نمض IDN لاجم مسا مادختساب زفقلل او هي بننتل لئاسرر ملتسملا نيوكت نكمي تازفقلل فيرعت.

- مسا لاخذل -> تازفقلل فيرعت فلم ةفاضل -> تازفقلل فيرعت تافللم -> ةكبشلا لىل لقتنا ناو نع دح -> ريذحتلاو تازفقلل لئاسرر ملتسملل -> تازفقلل فيرعت فلم ميقي نيوكت > IDN لاجم ناو نع مادختسا رايتخا كنكميو ةزفقلل.

Monitor Mail Policies Security Services Network System Administration

Add Bounce Profile

Mode — Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

Add Bounce Profile

Profile Name:

Maximum Number of Retries: (between 0 and 10000)

Maximum Time in Queue: seconds (between 0 and 3000000)

Initial Time to Wait per Message: seconds (between 60 and 86400)

Maximum Time to Wait per Message: seconds (between 60 and 86400)

Hard Bounce and Delay Warning Messages: Send Hard Bounce Messages:

Use Default (Yes) Yes No

Use DSN format for bounce messages:

Use Default (Yes) Yes No

Message Composition

Message Subject:

Parse DSN "Status" field from bounce responses: Use Default (No) Yes No

Notification Template: Bounce Notification Template can be defined at Mail Policies > Text Resources.

Message Language	Template	Preview	Delete
Default	System Generated		

[Add Row](#)

Send Delay Warning Messages:

Use Default (No) Yes No

Message Composition

Message Subject:

Notification Template: Bounce Notification Template can be defined at Mail Policies > Text Resources.

Message Language	Template	Preview	Delete
Default	System Generated		

[Add Row](#)

Minimum Interval Between Messages: seconds

Maximum Number of Messages to Send:

Recipient for Bounce and Warning Messages:

Message sender

Alternate:

Use Domain Key Signing for Bounce and Delay Messages:

Use Default (No) Yes No

There is no signing profile matching bounce from address MAILER-DAEMON@_NOTSET_. Bounce messages will not be signed until you create appropriate signing profile.

[Cancel](#) [Submit](#)

LDAP

حضوره وه امك IDN تالاجم عامسأ عم LDAP Accept/Group تامالعتسا ىلع لوصحل نآلا كنكمي ةروصل ي ف.

Edit User

Any Sender
 Following Senders
 Following Senders are Not

Email Address:

(e.g. user@example.com, user@, @example.com, @.example.com)

LDAP Group:
Query:

Group: ^

Any Recipient
 Following Recipients

(e.g. user@example.com, user@, @example.com, @.example.com)

Cisco Security Awareness not configured.

LDAP Group:
Query:

Group: ^

ي ل ح م ل ا ي ئ ا و ش ع ل ا د ي ر ب ل ا ل ز ع

د ي ر ب ع و ض و م / ا ل ا ج م / ا ن ا و ن ع ي ف I D N ت ا ل ا ج م ء ا م س ا ض ر ع ي ي ل ح م ل ا S P M ل ز ع ة ي و ر ك ن ك م ي ي ن و ر ت ك ل ل ا م د خ ت س ل ا

Search

Note: For best performance your search should contain an envelope recipient.

Messages Received: Today Last 7 days Date Range: and

Where :

Envelope Recipient :

[Clear Search] 14 items found Search

Search Results Items per page 25

Displaying 1 — 14 of 14 items.

[Release](#) [Delete](#)

<input type="checkbox"/>	From	Envelope Recipient	To	Subject	Date	Size
<input type="checkbox"/>		anvitha@doosralab.com		[SUSPICIOUS MESSAGE] this is to test policy	10 Feb 2021 16:30 (GMT -06:00)	3.6K
<input type="checkbox"/>		ਅਨਅਵਿਤਾ2@ਜੀਮੇਲ.ਕੋਮ		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 21:49 (GMT -06:00)	7.3K
<input type="checkbox"/>		あなたは誰ですか2@ヤフー.com		this is japanese test 今は17時38分です	09 Feb 2021 21:37 (GMT -06:00)	3.5K
<input type="checkbox"/>		你是誰2@明天.在		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 21:18 (GMT -06:00)	3.4K
<input type="checkbox"/>		你是誰2@明天.在		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 17:13 (GMT -06:00)	7.6K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 17:11 (GMT -06:00)	8.8K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries .	09 Feb 2021 17:02 (GMT -06:00)	4.7K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 17:00 (GMT -06:00)	5.1K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very மாகாணத்திற்கு எందు பாவீசுத்தீவு for both the countries.	09 Feb 2021 16:54 (GMT -06:00)	5.2K
<input type="checkbox"/>		anvitha@doosralab.com		this is a test	09 Feb 2021 16:01 (GMT -06:00)	3.3K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries .	09 Feb 2021 15:49 (GMT -06:00)	8.1K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 15:41 (GMT -06:00)	8.8K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very आशा for both the countries.	08 Feb 2021 21:53 (GMT -06:00)	5.0K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very आशा for both the countries.	08 Feb 2021 21:47 (GMT -06:00)	3.9K

[Release](#) [Delete](#)

ہیئت‌العمل دیربیل لزع عارجك الٹامم اكولس PVO یلع یلحلم‌ال‌ص‌ح‌ف‌ال‌ره‌ظي: ع‌ظ‌ح‌الم

اه‌ح‌ال‌ص‌ا‌و‌ع‌اط‌خ‌أ‌ل‌ا‌ ف‌اش‌ك‌ت‌س‌ا‌و‌ق‌ق‌ح‌ت‌ل‌ا

ن‌م‌أ‌ل‌ا‌ ی‌ن‌ور‌ت‌ك‌ل‌ل‌ا‌ل‌ د‌یر‌ب‌ل‌ا‌ (ر‌اد‌ا‌) SMA ر‌ای‌ع‌م‌ل‌ا‌و‌ اس‌ی‌ا‌ل‌ا‌ب‌ ن‌ا‌ق‌ل‌ع‌ت‌م‌ل‌ا‌ ن‌ار‌ی‌ر‌ق‌ت‌ل‌ا‌ ن‌أ‌ل‌ا‌ م‌ع‌د‌ی‌ (1) د‌یر‌ب‌ل‌ا‌ ن‌ی‌وان‌ع‌/ت‌ال‌ا‌ج‌م‌ل‌ا‌/ن‌ی‌م‌د‌خ‌ت‌س‌م‌ل‌ا‌ ع‌ام‌س‌أ‌ة‌ی‌ؤ‌ر‌ان‌ن‌ك‌م‌ی‌ IDN. ت‌ن‌ر‌ت‌ن‌ا‌ل‌ا‌ة‌ك‌ب‌ش‌ (ب‌ی‌ول‌ا‌و‌ ر‌ی‌ر‌ا‌ق‌ت‌ل‌ا‌ ی‌ف‌ IDN ق‌ی‌س‌ن‌ت‌ب‌ ی‌ن‌ور‌ت‌ك‌ل‌ل‌ا‌ل‌

ن‌و‌ی‌ل‌خ‌ا‌د‌ل‌ا‌ ن‌وم‌د‌خ‌ت‌س‌م‌ل‌ا‌ -> ة‌ش‌ا‌ش‌ل‌ا‌ ی‌ل‌ل‌ق‌ت‌ن‌ا‌

Mon Feb 8 21:47:11 2021 Info: Start MID 23569633 ICID 148853
Mon Feb 8 21:47:11 2021 Info: MID 23569633 ICID 148853 From:

<@.>

Mon Feb 8 21:47:19 2021 Info: MID 23569633 ICID 148853 RID 0 To: <test@lab.com>
Mon Feb 8 21:47:52 2021 Info: MID 23569633 Subject 'Please read as this is very for both the countries.'
Mon Feb 8 21:47:52 2021 Info: MID 23569633 SDR: Domains for which SDR is requested: reverse DNS host: sample.host.com, helo: lab.com, env-from: ., header-from: Not Present, reply-to: Not Present
Mon Feb 8 21:47:53 2021 Info: MID 23569633 SDR: Consolidated Sender Reputation: Tainted, Threat Category: N/A, Suspected Domain(s) : lab.com. Youngest Domain Age: 3 months 29 days for domain: lab.com
Mon Feb 8 21:47:53 2021 Info: MID 23569633 SDR: Tracker Header :
87dSxFfNYdsiOahrXSUZFOrdpenKiF6J2uKiPf+SFKCtj52hNCpe6LDQ8UFAligNUDA7FsuXLvHTcaAtt6AKG4PWLpwEeo/dcIPBUOdxB48=
Mon Feb 8 21:47:53 2021 Info: MID 23569633 ready 605 bytes from

<@.>

Mon Feb 8 21:47:53 2021 Info: MID 23569633 matched all recipients for per-recipient policy DEFAULT in the inbound table
Mon Feb 8 21:47:53 2021 Info: MID 23569633 interim verdict using engine: CASE spam positive
Mon Feb 8 21:47:53 2021 Info: MID 23569633 using engine: CASE spam positive
Mon Feb 8 21:47:53 2021 Info: ISQ: Tagging MID 23569633 for quarantine
Mon Feb 8 21:47:53 2021 Info: MID 23569633 interim AV verdict using McAfee CLEAN
Mon Feb 8 21:47:53 2021 Info: MID 23569633 interim AV verdict using Sophos CLEAN
Mon Feb 8 21:47:53 2021 Info: MID 23569633 antivirus negative
Mon Feb 8 21:47:53 2021 Info: MID 23569633 AMP file reputation verdict : SKIPPED (no attachment in message)
Mon Feb 8 21:47:53 2021 Info: MID 23569633 using engine: GRAYMAIL negative
Mon Feb 8 21:47:53 2021 Info: MID 23569633 Custom Log Entry: SDR Age is less than 1 Year
Mon Feb 8 21:47:53 2021 Info: MID 23569633 Outbreak Filters: verdict negative
Mon Feb 8 21:47:53 2021 Info: MID 23569633 Message-ID '<d35764\$mf971@esal.lab.com>'
Mon Feb 8 21:47:53 2021 Info: MID 23569633 queued for delivery
Mon Feb 8 21:47:53 2021 Info: New SMTP DCID 250225 interface 10.0.202.17 address 10.0.201.5 port 6025
Mon Feb 8 21:47:53 2021 Info: DCID 250225 STARTTLS command not supported
Mon Feb 8 21:47:53 2021 Info: Delivery start DCID 250225 MID 23569633 to RID [0] to offbox IronPort Spam Quarantine
Mon Feb 8 21:47:53 2021 Info: Message done DCID 250225 MID 23569633 to RID [0] (external quarantine)
Mon Feb 8 21:47:53 2021 Info: MID 23569633 RID [0] Response 'ok: Message 27293054 accepted'
Mon Feb 8 21:47:53 2021 Info: Message finished MID 23569633 done
Mon Feb 8 21:47:58 2021 Info: DCID 250225 close

قلمص تاذا تامولعم

- [قلمص تاذا تامولعم](#) - Cisco
- [قلمص تاذا تامولعم](#) - Cisco Systems

ةمچرتل هذه لوج

ةللأل تاي نقتل نمة ومة مادختساب دن تسمل اذة Cisco تمةرت
ملاعلاء انء مء مء نمة دختسمل معد و تمة مء دقتل ةر شبل او
امك ةق قء نوك ت نل ةللأل ةمچرت لصف أن ةظحال مء ءرء. ةصاأل مء تءل ب
Cisco ةللخت. فرتمة مچرت مء دقء ةللأل ةل فارتحال ةمچرتل عم لاعل او
ىل إأمءءاد ءوچرلاب ةصوء و تامةرتل هذه ةقء نء اهءل وئس م Cisco
Systems (رفوتم طبارل) ةل صأل ةل ءل ءن إل دن تسمل