

YouTube عقوم ىلع ةددم ويديف/ةانق نيكم ت SWA ف YouTube ةيقب عنمو

تايوتحمل

[ةمدقملا](#)

[ةيساسالاب لطلتملا](#)

[تابلطلتملا](#)

[ةمدختسملا تانوكملا](#)

[نيوكتللا تاوطخ](#)

[ةلص تاذا تامولعم](#)

ةمدقملا

عنمو YouTube عقوم ىلع ةنيعم ويديف عطاقم/تاونقب حامسلا ةيفيك دنتسملا اذه حضوي (SWA) نم آبيو قيبطت في YouTube عقوم يقاب.

ةيساسالاب لطلتملا

تابلطلتملا

ةيلاتل تاعوضوملا ةفرعم Cisco ي صوت:

- SWA ل (GUI) ةيموسرلا مدختسملا ةهجاو ىل لوصول
- SWA ىل يرادل لوصول

ةمدختسملا تانوكملا

ةنيعم ةيдам تانوكموجمارب تارادصل ىلع دنتسملا اذه رصتقي ال

ةصاخ ةيلمعم ةئيب في ةدوجوملا ةزهجال نم دنتسملا اذه في ةدراول تامولعمل عاشن امت تناك اذ (يضايرتفا) حوسمم نيوكتب دنتسملا اذه في ةمدختسملا ةزهجال عيمج تأدب رما يال لم تحملا ريثأتلل كمهف نم دكأتف ،ليغشتل دي قكتكبش

نيوكتللا تاوطخ

YouTube ىل لوصول رطح اناثا ةنيعم YouTube ةانقب حامسلل تاوطخل هذه مدختسا

حنم ىل اجاتحت يتللا ةانقلل ةيجراخو ةصصخم URL ناو نع تائف عاشناب مق 1. ةوطخل 'channel' هذه URL ناو نع ئف ىمست ،لاثملا اذه في ،لوصول

URL ناو نع رتخاو بيولا ناما ةرادا ىل لقتنا ،ةيموسرلا مدختسملا ةهجاو نم 1.1. ةوطخل

ة.جراخ لا تائفلاو صصخملا

Authentication

Identification Profiles

SaaS Policies

Web Policies

Decryption Policies

Routing Policies

Access Policies

Overall Bandwidth Limits

Data Transfer Policies

Cisco Data Security

Outbound Malware Scanning

External Data Loss Prevention

Web Traffic Tap Policies

SOCKS Policies

Custom Policy Elements

Custom and External URL Categories

هذه هي لوصول او ريفش التالك جهن في فصصم التال نيعت كنكمي :
لصفم فيعت فلم نيعت لتجاح دوت ال، التال

فيعت تافلم رتخاو بيولا ناما اراا الى لتنا ،ميوسرل مدختسم الهجاو نم 3.1 ةوطخل

فيعت فلم ةفاض رتخا 3.2 ةوطخل

مس فيصوتل 3.3 ةوطخل

IP ةكبش ةطساوب اضعال فيعتب مق وا (ني مدختسم) مدختسم رتخا 3.4 ةوطخل
ةيعرفل

URL ناوع تائف رتخاو مدمت تارايخ مسق قوف رقا 3.5 ةوطخل

Identification Profiles: Users Allowed To View Channel

Client / User Identification Profile Settings	
☒ Enable Identification Profile	
Name: ?	Users Allowed To View Channel (e.g. my IT Profile)
Description:	Users Allowed to View Channel (Maximum allowed characters 256)
Insert Above:	1 (Global Profile) v

User Identification Method	
Identification and Authentication: ?	For additional options, define an authentication realm (see Network > Authentication) or enable ISE (see Network > Identity Services Engine).

Membership Definition	
Membership is defined by any combination of the following options. All criteria must be met for the policy to take effect.	
Define Members by Subnet:	10.0.0.0/8 (examples: 10.1.1.0, 10.1.1.0/24, 10.1.1.1-10, 2001:420:80:1::5, 2000:db8::1-2000:db8::10)
Define Members by Protocol:	☒ HTTP/HTTPS
Advanced	Use the Advanced options to define or edit membership by proxy port, destination (URL Category), or User Agents. The following advanced membership criteria have been defined: Proxy Ports: None Selected URL Categories: None Selected User Agents: None Selected The Advanced options may be protocol-specific. For instance, user agent strings are applicable only for HTTP and decrypted HTTPS. Similarly, URL Categories, including Custom URL Categories are not applicable for SOCKS transactions or transparent HTTPS (unless decrypted). When Advanced options that do not apply to a protocol are selected, no transactions in that protocol will match this Identity, regardless of the protocol selection above.

فرعم فيعت فلم عاشن - ةروص

رقناو 2 ةوطخل او 1 ةوطخل في امه واشن مت ني لتل URL ناوع يئف الك فضا 3.6 ةوطخل
مت قوف

Identity Profiles: Policy "Users Allowed To View Channel": Membership by URL Categories

Advanced Membership Definition: URL Category


Select any row below to use that URL Category as membership criteria. Leave all rows unselected if membership by URL Category is not desired.

Custom and External URL Categories		
Category	Category Type	
Channel	Custom (Local)	☒
YouTube	Custom (Local)	☒

URL ناوئع تائف ةفاضل - ةروص

تاريغتلا لاسرا 3.7 ةوطخل

اذه في YouTube رورم ةكرح ريفشت ك ف لجا نم ريفشت ك ف ةسايس ءاشناب مق 4 ةوطخل
YouTube ريفشت ك ف وه جهنلا مسا ، لاثملا



ديحت نم SWA نكمتي نل ف ، YouTube رورم ةكرح ريفشت ك فب مقت مل اذا : ةطحالم

فافشل رشنل ي ف ةانقلل ناونع

ك ف تاسايس رتخاو بيولل نامأ ةرادإ لىل لقتنا ، ةيموسرلل مدختسملا ةهجاو نم 4.1 ةوطخلل ريفشتلل

جهنلل مسا لخدأو تاسايس ةفاضل رتخأ 4.2 ةوطخلل

3 ةوطخلل ي ف هئاشناب تمق يذلل فيرعتل فيرعت فلم رتخأ 4.3 ةوطخلل

Decryption Policy: Add Group

Policy Settings	
☒ Enable Policy	
Policy Name: ?	Decrypt Youtube (e.g. my 11 policy)
Description:	 (Maximum allowed characters 256)
Insert Above Policy:	1 (Global Policy) ▾
Policy Expires:	☐ Set Expiration for Policy On Date: MM/DD/YYYY At Time: 00 : 00

Policy Member Definition		
Membership is defined by the combination of the following options. All criteria must be met for the policy to take effect.		
Identification Profiles and Users:	Select One or More Identification Profiles ▾	
	Identification Profile	Authorized Users and Groups
	<input type="text" value="Users Allowed To View Channel" ▾=""/>	No authentication required
		Add Identification Profile
Authentication information may not be available at HTTPS connection time. For transparent proxy traffic, user agent information is unavailable for decryption policies.		
Advanced		Define additional group membership criteria.

Cancel

Submit

ريفشت ك ف ةسايس ءاشن - ةروص

تاريغتلا لاسرا 4.4 ةوطخلل

URL ةيفصت مسق ي ف ةبقارم رقنا ، ريفشتلل ك ف تاسايس ءحفص ي ف 4.5 ةوطخلل

Decryption Policies

Policies						
Add Policy...						
Order	Group	URL Filtering	Web Reputation	Default Action	Clone Policy	Delete
1	Decrypt Youtube Identification Profile: Users Allowed To View Channel All identified users	Monitor: 2	(global policy)	(global policy)		
	Global Policy Identification Profile: All	Monitor: 107	Enabled	Decrypt		
Edit Policy Order...						

URL ةيففصت ىلع رقنا -ةروصل

ل.اسراو URL ناوئع يئف نم لكل ريفشت كف رتخأ 4.6 ةوطخل

Decryption Policies: URL Filtering: Decrypt Youtube

Custom and External URL Category Filtering								
These URL Categories are defined as group membership criteria. All other categories are not applicable for this policy.								
Category	Category Type	Use Global Settings	Override Global Settings					
			Pass Through	Monitor	Decrypt	Drop	Quota-Based	Time-Based
		Select all	Select all	Select all	Select all	Select all	(Unavailable)	(Unavailable)
Channel	Custom (Local)	—			✓		—	—
YouTube	Custom (Local)	—			✓		—	—

Cancel

Submit

ريفشتل كف رتخأ -ةروصل

اذه يف YouTube ةانق ىل لوصولل نيوكت لجأ نم لوصولل ساس ءاشناب مق 5 ةوطخل Allow YouTube وه جهنل مسا ،لالثمل

تاسايس رتخاو بيولل نامأ ري دم ىل لقننا ،ةيموسرلل مدختسملا ةهجاو نم 5.1 ةوطخل لوصولل

جهنل مسا لخدأو جهن ةفاضل قوف رقنا 5.2 ةوطخل

3 ةوطخلال يف هئاشناب موقت يذل فيرعتل فيرعت فلم رتخأ 5.3 ةوطخلال

Access Policy: Add Group

Policy Settings

☒ **Enable Policy**

Policy Name:

(e.g. my IT policy)

Description:

(Maximum allowed characters 256)

Insert Above Policy: 1 (Global Policy) ▾

Policy Expires:

☐ Set Expiration for Policy

On Date: MM/DD/YYYY

At Time: 00 ▾ : 00 ▾

Policy Member Definition

Membership is defined by the combination of the following options. All criteria must be met for the policy to take effect.

Identification Profiles and Users: Select One or More Identification Profiles ▾

Identification Profile	Authorized Users and Groups	
Users Allowed To View Channel ▾	No authentication required	Add Identification Profile <input type="image"/>

Advanced

Use the Advanced options to define or edit membership by protocol, proxy port, subnet, Time Range, destination (URL Category), or User Agents.

The following advanced membership criteria have been defined:

Protocols: HTTP/HTTPS/FTP over HTTP in Identification Profile Users Allowed To View Channel

Proxy Ports: None Selected

Subnets: None Selected

Time Range: No Time Range Definitions Available
(see Web Security Manager > Defined Time Ranges)

URL Categories: URL Categories Channel, YouTube in Identification Profile Users Allowed To View Channel

User Agents: None Selected

لوصول جەن عاشن - ەروصل

تاريجي غتال لاسرا 5.4 ەوطلخ.

URL ەيفصت مسق ي ف ەبقارم رقنا ، لوصول تاسايس ەحفص ي ف 5.5 ەوطلخ.


Access Policies

Policies									
Add Policy...									
Order	Group	Protocols and User Agents	URL Filtering	Applications	Objects	Anti-Malware and Reputation	HTTP ReWrite Profile	Clone Policy	Delete
1	Allow YouTube Identification Profile: Users Allowed To View Channel All identified users	(global policy)	Monitor: 2	(global policy)	(global policy)	(global policy)	(global policy)		
	Global Policy Identification Profile: All	No blocked items	Monitor: 107	Monitor: 342	No blocked items	Web Reputation: Enabled Secure Endpoint: Enabled Anti-Malware Scanning: Enabled	None		
Edit Policy Order...									

لوصول ەسايس نيوكت - ەروصل

ەانقل ەئفل خامسل ارتخا 5.6 ەوطلخ.

YouTube ەئفل ەلتك ارتخا 5.7 ەوطلخ.



- [Cisco Secure Web Appliance - GD \(مراجعة رشن\)](#) لـ Cisco Secure Web Appliance 15.0 لمدخ تسمل لـ
- [Cisco \[Cisco Secure Web Appliance\]](#) احوال صا واطاخ ال فاشكت سا
- [Cisco](#) نم تاليزن تال او ين فال معدل

ةمچرتل هذه ل و ح

ةيلآل ا تاي ن ق ت ل ا ن م ة و م ج م ا د خ ت س ا ب د ن ت س م ل ا ا ذ ه Cisco ت م چ ر ت م ل ا ع ل ا ا ح ن ا ع م ج ي ف ن ي م د خ ت س م ل ل م ع د ي و ت ح م م ي د ق ت ل ة ي ر ش ب ل ا و ا م ك ة ق ي ق د ن و ك ت ن ل ة ي ل آ ة م چ ر ت ل ض ف ا ن ا ة ط ح ا ل م ي ج ر ي . ة ص ا خ ل ا م ه ت غ ل ب Cisco ي ل خ ت . ف ر ت ح م م چ ر ت م ا ه م د ق ي ي ت ل ا ة ي ف ا ر ت ح ا ل ا ة م چ ر ت ل ا ع م ل ا ح ل ا و ه ي ل ا ا م ا د ع و ج ر ل ا ب ي ص و ت و ت ا م چ ر ت ل ا ه ذ ه ة ق د ن ع ا ه ت ي ل و ئ س م Systems (ر ف و ت م ط ب ا ر ل ا) ي ل ص ا ل ا ي ز ي ل ج ن ا ل ا د ن ت س م ل ا