



تامل عمل اءحول ي ف ءءب ل ا طيرش نم دراوم ل ا ءومءم ل ا ل ل قءنا : 1 ءو طءل ا




ءراوم ل ا ءومءم ل ا - Azure-UI

ءقووم ل ا ءومءم ل ا ءقءءو دراوم ل ا ءومءم ل ا ءقووم ءءء : 2 ءو طءل ا




ءقووم ءءء ل ا Azure-UI دراوم ل ا ءومءم ل ا



نيزختلا باسح نإف ،دنهلا بونج عقوم يف ةدوجوم دراوملا ةومجم نأ ام بو :ةظحالم
دنهلا بونج عقوم يف اضيأ ةدوجوم

تامولعمل ةحول يف شحبللا طيرش ربع نيزختلا ةدحو باسح ىلإ لقتنا :3 ةوطخلا



Azure-UI نيزخت باسح

ةقطنملا ددح مث ، Storage AccountName نيزخت ب مقو ، دراوملا ةومجم ددح :4 ةوطخلا



Create a storage account

- Basics**
- Advanced
- Networking
- Data protection
- Encryption
- Tags
- Review + create

Azure Storage is a Microsoft-managed service providing cloud storage that is highly available, secure, durable, scalable, and redundant. Azure Storage includes Azure Blobs (objects), Azure Data Lake Storage Gen2, Azure Files, Azure Queues, and Azure Tables. The cost of your storage account depends on the usage and the options you choose below. [Learn more about Azure storage accounts](#)

Project details

Select the subscription in which to create the new storage account. Choose a new or existing resource group to organize and manage your storage account together with other resources.

Subscription *

Resource group * [Create new](#)

Instance details

Storage account name *

Region * [Deploy to an Azure Extended Zone](#)

Performance * **Standard:** Recommended for most scenarios (general-purpose v2 account)

Premium: Recommended for scenarios that require low latency.

Redundancy *

Make read access to data available in the event of regional unavailability.



Home > Storage accounts >

Create a storage account

- Basics
- Advanced
- Networking
- Data protection
- Encryption
- Tags
- Review + create**

[View automation template](#)

Basics

Subscription	
Resource group	
Location	South India
Storage account name	
Performance	Standard
Replication	Read-access geo-redundant storage (RA-GRS)

Advanced


Enable hierarchical namespace	Disabled
Enable SFTP	Disabled
Enable network file system v3	Disabled
Allow cross-tenant replication	Disabled
Access tier	Hot
Enable large file shares	Enabled

Security

Secure transfer	Enabled
Blob anonymous access	Disabled
Allow storage account key access	Enabled
Default to Microsoft Entra authorization in	Disabled

[Previous](#) [Next](#) [Create](#) ←

Azure-UI نم نېزخت باسح عاشن ال 2 ة و ط خ ل ا




مدع ةلأح يف هؤاشنإو نيزختلا باسح ةعجارم ىلإ ةرشابم لاقنتنالا كنكمي :خيملت
عونو ةاقبتسالالمايأ). نيزختلا باسح ىلع اهب مايقلل ىرخأ تاصيصخت دوجو
(كلذ ىلإ اموري فشتلا

NSG قفدت تالچس ءاشنإ

NSG قفدت تالچس ءاشنإ تاوطخ.

ثحبلا طيرش نم ةكبشلا بقارم ىلإ لقتنا :1 ةوطخلا



قفدتلا تالجس قوف رقناو رسيألا بناجلا لىع تالجسلا دلجم عيسوتب مق: 2 ةوطخلا



Home >



Network Watcher



Microsoft



Overview



Get started



Monitoring



Network diagnostic tools



Metrics



Logs



Flow logs



Migrate flow logs

