

Secure Client Settings

IPv6 DNS Protection

Enables DNS protection through redirection to Umbrella resolvers for IPv6. DNS protection over IPv6 DNS64 support is unavailable. Recommend enabling this feature.

Enabled

Secure Web Gateway

Enables full web proxy protection for internet traffic using the Secure Web Gateway. You can also override this setting per device through the Roaming Computers page.

Enabled

Send IPv6 Traffic Through the Secure Web Gateway

Enables the direction of IPv6 traffic through the Secure Web Gateway. Enablement requires a dual stack IPv4/IPv6 network.

Disabled

Secure Web Gateway Fail Open

Enables the Secure Web Gateway to allow traffic to egress directly to the internet in the event that the SWG module is unable to reach Umbrella. Recommend enabling this feature.

Enabled

AnyConnect Client Auto-Update

26452882497812

ةمچرتل هذه ل و ح

ةلأل تاي نقتل ن م ة و مچ م ادخت ساب دن تسمل اذ ه Cisco ت مچرت
ملاعلاء ن أ عي مچ ي ف ن ي م دخت سمل ل معد ي و تح م مي دقت ل ة ي رش ب ل و
امك ة ق ي قد ن و ك ت ن ل ة ي ل أ ة مچرت ل ض ف أ ن أ ة ظ حال م ي ج ر ي . ة ص ا خ ل م ه ت غ ل ب
Cisco ي ل خ ت . ف ر ت ح م مچرت م ا ه م د ق ي ي ت ل ا ة ي ف ا ر ت ح ا ل ا ة مچرت ل ا ع م ل ا ح ل ا و ه
ي ل ا م ا د ع و ج ر ل ا ب ي ص و ت و ت ا مچرت ل ا ه ذ ه ة ق د ن ع ا ه ت ي ل و ئ س م Cisco
Systems (رف و ت م ط بار ل ا) ي ل ص أ ل ا ي ز ي ل ج ن ا ل ا دن تسمل ا