

Ø¥Ø¶Ø§Ù◊Ø© Ø®Ø§Ø¯Ù... Ø¨Ø±Ù^ØªÙ^ÙƒÙ^Ù,, Ù^Ù,Øª Ø§Ù,,Ø´Ø¨ÙƒØ© Ø§Ù,,Ø¨Ø³ÙŠØ· (SNTP) Ø¹Ù,,Ù% Ø§Ù,,Ù...ØÙ^Ù,,Ø§Øª Ø§Ù,,Ù...Ø¯Ø§Ø±Ø© Ù◊Ø!Ø© 200/300

Ø§Ù,,Ø£Ù‡Ø-Ø§Ù◊

Ø¨Ø±Ù^ØªÙ^ÙƒÙ^Ù,, Ù^Ù,Øª Ø§Ù,,Ø´Ø¨ÙƒØ© Ø§Ù,,Ø¨Ø³ÙŠØ· (SNTP) Ù‡Ù^
Ø¨Ø±Ù^ØªÙ^ÙƒÙ^Ù,, ÙŠØ³ØªØ®Ø¯Ù... Ù,,Ù...Ø²Ø§Ù...Ù†Ø© Ø³Ø§Ø¹Ø§Øª
Ø§Ù,,Ø£Ø-Ù‡Ø²Ø© Ø¹Ù,,Ù% Ø´Ø¨ÙƒØ© Ø§Ù,,Ø¨ÙŠØ§Ù†Ø§Øª. Ø§Ù,,Ø°Ø±Ø¶
Ø§Ù,,Ø£Ø³Ø§Ø³ÙŠ Ù...Ù† Ø¥Ø³ØªØ®Ø¯Ø§Ù... Ø¨Ø±Ù^ØªÙ^ÙƒÙ^Ù,, SNTP Ù‡Ù^
ØªÙ^Ù◊ÙŠØ± Ø¯Ù,Ø© Ø§Ù,,Ø£ØØ¯Ø§Ø« Ø§Ù,,ØªÙŠ ØªØØ¯Ø« Ø¹Ù,,Ù%
Ø§Ù,,Ø-Ù‡Ø§Ø² Ù...Ø«Ù,, syslogs. ÙŠØ´Ø±Ø Ù‡Ø°Ø§ Ø§Ù,,Ù...Ø³ØªÙ†Ø¯ ÙƒÙŠÙ◊ÙŠØ©
Ø¥Ø¶Ø§Ù◊Ø© Ø®Ø§Ø¯Ù... SNTP Ø¹Ù,,Ù% Ø§Ù,,Ù...ØÙ^Ù,,Ø§Øª Ø§Ù,,Ù...Ø¯Ø§Ø±Ø©
Ù...Ù† Ø§Ù,,Ø³Ù,,Ø³Ù,,Ø© 200/300.

Ø§Ù,,Ø£Ø-Ù‡Ø²Ø© Ø§Ù,,Ù,Ø§Ø¯Ù,,Ø© Ù,,Ù,,ØªØ·Ø¨ÙŠÙ,

Ø§Ù,,Ù...Ø´Ø¯Ù,,Ø§Øª Ø§Ù,,Ù...Ø-Ø§Ø±Ø© SF/SG 200 Ù^ SF/SG 300 Series •

Ø¥Ø¶Ø¯Ø§Ø± Ø§Ù,,Ø¨Ø±Ø§Ù...Ø¯

1.3.0.62 •

Ø¥Ø¶Ø§Ù◊Ø© Ø®Ø§Ø¯Ù... SNTP

Ø§Ù,,Ø®Ø·Ù¯Ø© 1. Ù,Ù... Ø´ØªØ³Ø-ÙŠÙ,, Ø§Ù,,Ø-Ø®Ù^Ù,, Ø¥Ù,,Ù% Ø§Ù,,Ø£Ø-Ø§Ø©
Ø§Ù,,Ù...Ø³Ø§Ø¹Ø-Ø© Ù,,ØªÙƒÙ^ÙŠÙ† Ø§Ù,,Ù^ÙŠØ¨ Ù^Ø§Ø®ØªØ± Ø¥Ø¯Ø§Ø±Ø© >
Ø¥Ø¹Ø-Ø§Ø¯Ø§Øª Ø§Ù,,Ù^Ù,Øª > unicast Ù,, SNTP. ÙŠØªÙ... Ù◊Øª ØµÙ◊Ø©
Ø§Ù,,Ø¨Ø« Ø§Ù,,Ø£ØØ§Ø-ÙŠ Ù,, SNTP:

SNTP Unicast

The Main Clock Source (SNTP Servers) must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers)

SNTP Client Unicast: Enable

Apply

Cancel

Unicast SNTP Server Table

<input type="checkbox"/>	SNTP Server	Poll Interval	Authentication Key ID	Stratum Level	Status	Last Response	Offset	Delay	Source
--------------------------	-------------	---------------	-----------------------	---------------	--------	---------------	--------	-------	--------

0 results found.

Add...

Delete

2. The SNTP Client Unicast feature must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers) must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers)

3. The SNTP Client Unicast feature must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers) must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers)

4. The SNTP Client Unicast feature must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers) must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers)

Server Definition: By IP address By name

IP Version: Version 6 Version 4

IPv6 Address Type: Link Local Global

Link Local Interface:

* SNTP Server IP Address:

* SNTP Server:

Poll Interval: Enable

Authentication: Enable

Authentication Key ID:

Apply Close

5. The SNTP Client Unicast feature must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers) must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers)

6. The SNTP Client Unicast feature must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers) must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers)

- The SNTP Client Unicast feature must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers) must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers)
- The SNTP Client Unicast feature must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers) must be enabled for SNTP Client Unicast to operate. Main Clock Source (SNTP Servers)

Ù,Ø§Ø!Ù...Ø© Ø®Ù^Ø§ØÙ... SNTP.
ÙŠØ`ÙŠØ± Ø§Ù,,Ø¥ØØ-Ø§Ø± 6 â€” Ø¥Ù,,Ù% Ù†Ù^Ø¹ Ø¹Ù†Ù^Ø§Ù† IPv6. •
ÙŠØ`ÙŠØ± Ø§Ù,,Ø¥ØØ-Ø§Ø± 4 â€” Ø¥Ù,,Ù% Ù†Ù^Ø¹ Ø¹Ù†Ù^Ø§Ù† IPv4. •

Ù...Ù,,Ø§ØØ,Ø©: Ù,,Ø§ ØªØªÙ^Ù^Ø± ØÙ,Ù^Ù,, IPv6 Ù†Ø,Ø±Ø§ Ù,,Ø¹ØÙ... Ø¥Ø¹Ø-Ø§ØÙ...
Ø§Ù,,Ù...ØÙ^Ù,, Ù,,Ø§Ø³ØªØ®ØÙ... IPv6. ÙŠÙ...Ù†Ù† Ø¥Ø³ØªØ®ØÙ...
Ø§Ù,,Ù...Ø³ØªÙ†ØÙ Ø§Ù,,Ù...Ø¹Ù†Ù^Ù† Ø¹Ù†Ù^ÙŠÙ† Ù^Ø§ØÙ-Ù†Ø© IPv6 Ø¹Ù,,Ù%
Ø§Ù,,Ù...ØÙ^Ù,,Ø§Øª Ø§Ù,,Ù...Ø-Ø§Ø±Ø© Ù...Ù† Ø§Ù,,Ø³Ù,,Ø³Ù,,Ø© 200/300
Ù†Ù...Ø±Ø-Ø¹ Ù,,Ø¥Ø¹Ø-Ø§ØÙ...ØÙ^Ù,, Ù,,Ø§Ø³ØªØ®ØÙ... IPv6.

Ø§Ù,,Ø®Ø·Ù^Ø© 7. Ø¥Ø°Ø§ ØªÙ... Ø¥Ø®ØªÙŠØ§Ø± Ù†Ù^Ø¹ Ø¹Ù†Ù^Ø§Ù† IP
Ø§Ù,,Ø¥ØØ-Ø§Ø± 6Øœ Ù^Ø§Ù†Ù,Ø± Ù^Ù^, Ù†Ù^Ø¹ Ø¹Ù†Ù^Ø§Ù† IPv6
Ø§Ù,,Ù...Ø·Ù,,Ù^Ø`.

Link Local â€” ÙŠØ`ÙŠØ± Ø¥Ù,,Ù% Ø¹Ù†Ù^Ø§Ù† IPv6 Ø§Ù,,Ø°ÙŠ ÙŠØØØ-
Ø§Ù,,Ù...Ø¶ÙŠÙ^ Ø`Ø`Ù†Ù,, Ù^Ø±ÙŠØ- Ø¹Ù,,Ù% Ø¥Ø±ØªØ`Ø§Ø· Ø`Ø`Ù†Ø©
Ù^Ø§ØØÙ.

Ø¹Ù...Ù^Ù...ÙŠ â€” ÙŠØ`ÙŠØ± Ø¥Ù,,Ù% Ø¹Ù†Ù^Ø§Ù† IPv6 Ù†Ù^ Ø`Ø« Ø£ØØØÙŠ
Ø¹Ø§Ù,,Ù...ÙŠ ÙŠÙ...Ù†Ù† Ø±ØªÙŠØªÙ† Ù^Ø§Ù,,Ù^Ø¶Ù,, Ø¥Ù,,ÙŠÙ† Ù...Ù†
Ø§Ù,,Ø`Ø`Ù†Ø§Øª Ø§Ù,,Ø£Ø®Ø±Ù%.

Ø§Ù,,Ø®Ø·Ù^Ø© 8. Ø¥Ø°Ø§ ØªÙ... Ø¥Ø®ØªÙŠØ§Ø± Ù†Ù^Ø¹ Ø¹Ù†Ù^Ø§Ù† IPv6
Ø§Ù,,Ù...ØÙ,,ÙŠ Ù,,Ù,,Ø§Ø±ØªØ`Ø§Ø·Øœ Ù^Ø£Ø®ØªØ± Ø§Ù,,Ù^Ø§ØÙ-Ù†Ø©
Ø§Ù,,Ù...ØÙ,,ÙŠØ© Ù,,Ù,,Ø§Ø±ØªØ`Ø§Ø· Ù...Ù† Ø§Ù,,Ù,Ø§Ø!Ù...Ø©
Ø§Ù,,Ù...Ù†Ø³ØÙ,,Ø© Ù,,Ù,,Ù^Ø§ØÙ-Ù†Ø© Ø§Ù,,Ù...ØÙ,,ÙŠØ© Ù,,Ù,,Ø§Ø±ØªØ`Ø§Ø·.

Ù...Ù,,Ø§ØØ,Ø©: Ø¥Ø°Ø§ ØªÙ... Ø¥Ø®ØªÙŠØ§Ø± Ø`Ù^Ø§Ø³Ø·Ø© Ø¹Ù†Ù^Ø§Ù† IP Ù^ÙŠ
Ø§Ù,,Ø®Ø·Ù^Ø© 5Øœ Ù^Ø£ØØÙ^Ø®, Ø¹Ù†Ù^Ø§Ù† IP Ø§Ù,,Ø®Ø§Øµ Ø`Ø®Ø§ØÙ...
SNTP Ù^ÙŠ ØÙ,Ù,, Ø¹Ù†Ù^Ø§Ù† IP Ù,,Ø®Ø§ØÙ... SNTP. Ø¥Ø°Ø§ ØªÙ...
Ø¥Ø®ØªÙŠØ§Ø± Ø³Ø`Ø§Ù,,Ø§Ø³Ù... Ù^ÙŠ Ø§Ù,,Ø®Ø·Ù^Ø© 5Øœ Ù^Ø£Ø®ØªØ±
Ø§Ø³Ù... Ø®Ø§ØÙ... SNTP Ù...Ù† Ø§Ù,,Ù,Ø§Ø!Ù...Ø© Ø§Ù,,Ù...Ù†Ø³ØÙ,,Ø©
Ù,,Ø®Ø§ØÙ... SNTP. Ø¥Ø°Ø§ ØªÙ... Ø¥Ø®ØªÙŠØ§Ø± Ø£Ø®Ø± Ù...Ù†
Ø§Ù,,Ù,Ø§Ø!Ù...Ø© Ø§Ù,,Ù...Ù†Ø³ØÙ,,Ø©Øœ Ù^Ø£ØØÙ^Ø®, Ø§Ø³Ù... Ø®Ø§ØÙ... SNTP
Ù^ÙŠ Ø§Ù,,ØÙ,Ù,, Ø§Ù,,Ù...Ø-Ø§Ù^Ø±.

Ø§Ù,,Ø®Ø·Ù^Ø© 11. ØØØ-Ø®Ø§Ù†Ø© Ø§Ù,,Ø§Ø®ØªÙŠØ§Ø± ØªÙ...Ù†ÙŠÙ†
Ù,,ØªÙ...Ù†ÙŠÙ† Ù^Øµ Ø®Ø§ØÙ... SNTP Ù,,Ù,,ØµÙ^Ù,, Ø¹Ù,,Ù%
Ù...Ø¹Ù,,Ù^Ù...Ø§Øª Ù^Ù,Øª Ø§Ù,,Ù†Ø,Ø§Ù... ÙŠØªÙ... Ø¥Ø³ØªÙ,ØµØ§Ø; Ø®Ù^Ø§ØÙ...
NTP Ø§Ù,,Ù...Ø³ØÙ,,Ø© Ù,,Ù,,Ø§Ù,ØªØ±Ø§Ø¹Øœ Ù^ÙŠØªÙ... ØªØØÙŠØÙ
Ø§Ù,,Ø³Ø§Ø¹Ø© Ù...Ù† Ø§Ù,,Ø®Ø§ØÙ... Ø§Ù,,Ø°ÙŠ ÙŠØªÙ^ÙŠ Ø¹Ù,,Ù% Ø£Ù,Ù,,
Ù...Ø³ØªÙ^Ù% Ù,,Ù,,Ù...Ø³ØªÙ^Ù% Ø§Ù,,Ø§Ø³ØªØ±Ø§ØªÙŠØ-ÙŠ.

Ø§Ù,,Ø®Ø·Ù^Ø© 12. (Ø¥Ø®ØªÙŠØ§Ø±ÙŠ) Ù,,ØªÙ...Ù†ÙŠÙ† Ø§Ù,,Ù...Ø¶ØÙ,,Ø©Øœ ØØØ-
Ø§Ù,,Ù...Ø±Ø-Ø¹ ØªÙ...Ù†ÙŠÙ† Ù^ÙŠ ØÙ,Ù,, Ø§Ù,,Ù...ØµØ§ØÙ,,Ø©.

Ø§Ù,,Ø®Ø·Ù^Ø© 13. Ù^ÙŠ Ø§Ù,,Ø© ØªÙ...Ù†ÙŠÙ† Ø§Ù,,Ù...ØµØ§ØÙ,,Ø©Øœ ØØØ-
Ù,ÙŠÙ...Ø© Ù...Ø¹Ø±Ù^ Ø§Ù,,Ù...Ù^ØªØ§Ø Ù...Ù† Ø§Ù,,Ù,Ø§Ø!Ù...Ø©
Ø§Ù,,Ù...Ù†Ø³ØÙ,,Ø© Ù,,Ù...Ø¹Ø±Ù^ Ù...Ù^ØªØ§Ø Ø§Ù,,Ù...ØµØ§ØÙ,,Ø©. ÙŠÙ...Ù†Ù†
Ø¥Ù†Ø`Ø§Ø; Ù...Ù^Ø§ØªÙŠØ Ø§Ù,,Ù...ØµØ§ØÙ,,Ø© Ø¹Ù,,Ù% ØµÙ^ØØ©

Ú... 00\$0-Ú, 0© SNTP.

0\$Ú,, 0@0-Ú^0© 14. 0\$Ú†Ú, 0± Ú 0^Ú, 0^0-0-ÚŠÚ, Ú,, 0¥0¶0\$Ú 0© 0@0\$0-Ú... SNTP 0¥Ú,, Ú%o 0-0-Ú^Ú,, 0@0\$0-Ú... SNTP Ú,, Ú,, 0-0« 0\$Ú,, 0E00\$0-ÚŠ.

SNTP Unicast

The [Main Clock Source \(SNTP Servers\)](#) must be enabled for SNTP Client Unicast to operate. [Main Clock Source \(SNTP Servers\)](#)

SNTP Client Unicast: Enable

Apply

Cancel

Unicast SNTP Server Table

<input type="checkbox"/>	SNTP Server	Poll Interval	Authentication Key ID	Stratum Level	Status	Last Response	Offset	Delay
<input type="checkbox"/>	192.168.1.10	Enabled	0	255	Unknown	31.12.1899 0:0:0	0	0

Add...

Delete

ةمچرتل هذه لوج

ةللأل تاي نقتل نمة ومة مادختساب دن تسمل اذة Cisco تمةرت
ملاعلاء انء مء مء نمة دختسمل معد و تمة مء دقتل ةر شبل او
امك ةق قء نوك ت نل ةللأل ةمچرت لصف أن ةظحال مء ءرء. ةصاأل مء تءل ب
Cisco ةللخت. فرتمة مچرت مء مء دقء ةللأل ةل فارتحال ةمچرتل عم لاعل او
ىل إأمءءاد ءوچرلاب ةصوء و تامةرتل هذه ةقء نء اهءل وئس م Cisco
Systems (رفوتم طبارل) ةل صأل ةل ءل ءن إل دن تسمل