Ø^ªرÙ,ية اÙ,,Ø[™]راÙ...ج اÙ,,ثاØ[™]Ø[®]Ø© Ø¹Ø[™]ر Ø[™]رÙ[^]Ø^ªÙ[^]ÙfÙ[^]Ù, TFTP Ø¹Ù,,Ù‰ اÙ,,Ù...ØÙ[^]Ù,,اØ^ª اÙ,,Ù...Ø[−]ارØ© �ئØ© 200/300

اÙ,,أهØ⁻اÙ�

اÙ,,Ø`رناÙ...ج اÙ,,ثاØ`Ø* Ù‡Ù^ اÙ,,Ø`رناÙ...ج اÙ,,ذÙŠ ÙŠØ*Ø-ÙfÙ... Ù�ÙŠ عÙ...Ù, ياØ* اÙ,,Ù...ØÙ^Ù, Ù^Ù^Ø,ائÙ�Ù‡. ÙŠÙ...ÙfÙ† Ø*Ù^Ù�ير اÙ,,Ø ¨Ø±Ø§Ù...ج اÙ,,ثاØ ¨Ø*Ø© اÙ,,Ø*ÙŠ Ø*Ù...Ø* Ø*رÙ, ÙŠØ*Ù\$Ø* اÙ, Ø ¯Û^رÙŠØŒ ÙfÙ...ا Ø*Ù^Ù�ر Ù...يزاØ* Ø£Ù...اÙ† Ù...ØØ*ÙfD, دÛ^رÙŠØŒ ÙfD...ا Ø*Ù^Ù �ر Ù...يزاØ* Ø£Ù...اÙ† Ù...ØØ*نة Ù^Ù...يزاØ* جديدØ© Ù^إصÙ,,اØØ§Ø* Û,,Ù,,أخطاØ; Ø£Ù^ Ø*رÙ, ياØ* Ù,,Ù,,أداØ;. خادÙ... Ø ¯Ø±Ù^Ø*Ù^ÛfÙ^Ù, Ù†Ù, Ù, اÙ,,Ù...Ù,,Ù �اØ* اÙ,,Ù...Ø ¯Ø*Ø; خادÙ... ÙŠØ*Ù... Ø¥Ø*Ø*خداÙ...Ù‡ Ù,,Ù†Ù,Ù,, Ù...Ù,,Ù اÛ,,Ø*ÙfÙ^ين Ù^اÙ,,Ø*Ù...هيد Ø ¨ÙŠÙ† اÙ,,أجهزØ© اÙ,,Û...Ù^دØ© Ø¹Ù,,Ù‰ Ø´Ø ¨ÙfØ© LAN Ø*Ù,,Ù,ائUŠØ\$

تÙ^ضØ Ø§Ù,,Ù...Ù,اÙ,,Ø© ÙfÙŠÙ�ية ترÙ,ية اÙ,,برناÙ...ج اÙ,,ثابت عÙ,,Ù‰ اÙ,,Ù...ØÙ^Ù,,ات اÙ,,Ù...دارØ© اÙ,,تÙŠ تتÙfÙ^Ù† Ù...Ù† 200 Ù^ 300 Series Ù...Ù† خادÙ... TFTP.

اÙ,,أجهزØ© اÙ,,Ù,ابÙ,,Ø© Ù,,Ù,,تطبÙŠÙ,

اÙ,,Ù...Ø^{..}Ø⁻Ù,,اØ^a اÙ,,Ù...Ø⁻ارØ© SF/SG 200 Ù^ SF/SG 300 Series •

عÙ†Ù^اÙ† URL Ù,,تنزÙŠÙ,, اÙ,,براÙ...ج

- <u>اÙ,,Ù...Ø'Ø'Ù'Ù,,اØ*اÙ,,Ù...Ù�Ø'Ø\$رØ© 200 Series</u> •
- <u>اÙ,,Ù...Ø`Ø`Ù'Ù,,اØ*اÙ,,Ù...Ù�Ø[®]ارØ© 300 Series</u> •

Ø^aرÙ,ية/Ù†Ø³Ø® Ø¥ØØ^aياطي Ù,,Ù,,Ø^{..}راÙ...ج اÙ,,ثاØ^{..}Ø^aØ©/اÙ,,Ù,,ذØ©

اÙ,,خطÙ^Ø© 1. Ù,Ù... Ø'Ø'Ø'Ø'Ø'\ŠÙ,,Ø\$Ù,,Ø'Ø®Ù^Ù,,Ø¥Ù,,Ù‰ Ø\$Ù,,Ø£Ø'Ø\$Ø© Ø\$Ù,,Ù...Ø'Ø\$Ø'Ø`Ø© Ù,,Ø'U'‡ÙŠØ'Ø© Ø\$Ù,,Ù^ÙŠØ'' ``D^Ø\$Ø®Ø'ر Ø¥Ø'Ø\$رØ© > Ø¥Ø'Ø\$رØ© Ø\$Ù,,Ù...Ù,,Ù�Ø\$Ø'' > Ø''رÙ,ية/Ù†Ø''3Ø® Ø¥ØØ''`U`ŠØ\$طي Ù,,Ù,Ø''رØ\$Ù...ج Ø\$Ù,,Ø~Ø\$Ø'' O''Ø©/Ø\$Ù,,Ù,Ø''Ø©©. ÙŠØ''`U... Ù�Ø''Ø ØµÙ�ØØ© Ø\$`U,,Ø''رÙ, ية/Ø\$`U,,Ù†Ø''Ø® Ø\$`U,,Ø\$ØØ''`U`ŠØ\$Ø·`U`Š`U,,`U,,Ø''رØ\$`U...ج Ø\$`U,,Ø~Ø\$Ø``O''Ø©/Ø\$`U,,`U'†Ø''Ø® Ø\$`U,,Ø\$ØØ''`O''Ø©/Ø\$`U,,`U,,0''Ø=0 ©\$`U,,Ø~Ø\$Ø''O''Ø©/Ø\$`U,,`U,,0''Ø©:

Transfer Method:	 via TFTP via HTTP/HTTPS
Save Action:	 Upgrade Backup
File Type:	 Firmware Image Boot Code Language File
TFTP Server Definition:	By IP address By name
IP Version:	Version 6 Version 4
IPv6 Address Type:	🔿 Link Local 🔘 Global
Link Local Interface:	None 👻
FFTP Server IP Address/Name:	10.10.10.10
Source File Name:	filename.example (16/160 Characters Use

 \emptyset \hat{U} , \emptyset \hat{U} , \emptyset \hat{U}^{O} $\hat{U$

اÙ,,خطÙ^Ø© 3. اÙ†Ù,ر Ù�Ù^Ù, زر ترÙ,ية اÙ,,راØ⁻ÙŠÙ^ Ù�ÙŠ ØÙ,Ù, ØÙ�Ø, إجراØ;.

اÙ,,خطÙ^Ø© 4. اÙ†Ù,ر Ù�Ù^Ù, اÙ,زر اÙ,تبادÙ,,ÙŠ اÙ,ذÙŠ يتÙ^اÙ�Ù, Ù...ع Ù†Ù^ع اÙ,,Ù...Ù,,Ù� اÙ,,Ù...رذÙ^ب Ù�ÙŠ ØÙ,Ù,, Ù†Ù^ع اÙ,,Ù...Ù,Ù�.

- ØÙ^رØ© اÙ,,Ø'رناÙ...ج اÙ,,ثاØ''Ø* â€'' سØ*Ø*Ù... Ø*رÙ,ية اÙ,,Ø'رناÙ...ج اÙ,,ثاØ''Ø*. اÙ,,Ø''رناÙ...ج اÙ,,ثاØ''Ø* Ù‡Ù^ اÙ,,Ø''رناÙ...ج اÙ,,ذÙŠ ÙŠØ*ØÙfÙ... Ù�ÙŠ Ø¹Ù...Ù,,ياØ* اÙ,,Ù...ØÙ^Ù,, Ù^Ù^Ø,ائÙ�Ù‡. ÙŠØ¹رÙ� اÙ,,Ø''رناÙ...ج اÙ,,ثاØ" Ø* أيضا Ø"اÙ,,صÙ^رØ©.
 - رÙ...زاÙ,,تÙ...هيØ⁻— يجبترÙ,,ŮŠØ©Ø±Ù...ز• اÙ,,تÙ...هيØ⁻.تتØÙfÙ... ÙfÙ^Ø⁻اÙ,,تÙ...هيØ⁻ Ù�يبدØ¡ تØ′ذÙŠÙ,,اÙ,,Ù†Ø,اÙ...اÙ,,أساسÙŠ Ù^تØ′ذÙŠÙ,,Ù‡.
 - $$\begin{split} \dot{U}...\dot{U}_{,i}\dot{U} \diamondsuit & \phi \$\dot{U}_{,i}\dot{U}_{,i} & \phi \circ \phi @ \ a \in " \dot{U} \dot{S} \phi \neg \phi @ \ \phi \ast \phi \ast \dot{U}_{,i}\dot{U} \dot{S} \phi @ \ \dot{U}...\dot{U}_{,i}\dot{U} \diamondsuit & \phi \$\dot{U}_{,i}\dot{U}_{,i} & \phi \circ \phi @ \ \dot{U} \ast \dot{U}_{,i}\dot{U}_{,i} & \phi \circ \phi @ \ \dot{U} \ast \dot{U}_{,i}\dot{U}_{,i} & \phi \circ \phi @ \ \dot{U} \ast \dot{U}_{,i}\dot{U}_{,i}\dot{U}_{,i} & \phi \circ \phi @ \ \dot{U} \ast \dot{U}_{,i}\dot{U}_$$

اÙ,,خطÙ^Ø© 5. اÙ†Ù,ر زر اÙ,,اختيار اÙ,,Ù...تÙ^اÙ�Ù, Ù...ع اÙ,,طرÙŠÙ,Ø© اÙ,,Ù...Ø·Ù,,Ù^بØ© Ù,,تعرÙŠÙ� خادÙ... TFTP.

ØØ³Ø¨Ø¹Ù†Ù^اÙ† IP — ØØ⁻Ø⁻ خاØ⁻Ù… TFTP بÙ^اسØ∙Ø© عÙ†Ù^اÙ† IP • اÙ,,خاصبخاØ⁻Ù… TFTP. Ø^{..}اÙ,,اØ³Ù... — ØØ⁻Ø⁻خاØ⁻Ù... TFTP Ø^{..}اÙ,,اØ³Ù.... •

ÙŠØ⁻Ø®Ù,, خطÙ^Ø© 6. (إختÙŠØ\$رÙŠ) إن Ø\$Ù,, TFTP Ù†Ø\$Ø⁻Ù,, أن ÙŠÙfÙ^Ù† عينت Ø'' عÙ†Ù^Ø\$ن، Ø\$Ù,,تØ\$Ù,,ÙŠ Ù...جØ\$Ù,,.

- Ø¥ØØ⁻ار IP اÙ†Ù,ر Ù�Ù^Ù, زر اÙ,اختيار اÙ,,Ù...طاØ[¬]Ù, Ù,,Ù†Ù^Ø¹ Ø¹Ù†Ù^اÙ† IP اÙ,,خاص Ø[¬]خاØ[¬]Ù... TFTP.
- Ù†Ù^ع عÙ†Ù^اÙ† IPv6 إذا ÙfاÙ† Ø¥ØØ⁻ار IPv6ØŒ Ù�اÙ†Ù,ر Ù�Ù^Ù, زر اÙ,,اختيار اÙ,,0°ÙŠ ÙŠØªÙ^اÙ,Û, Ù...ع Ù†Ù^ع عÙ†Ù^اÙ† IPv6 اÙ,,Ù...Ø'Ù,Ù^Ø". - Link Local — ÙŠØØ⁻Ø⁻ عÙ†Ù^اÙ† IPv6 اÙ,,أجهزØ© اÙ,,Ù...ضÙŠÙ�Ø© بØ´ÙfÙ, Ù�ريد عÙ,,Ù‰ إرتباØ· Ø'بÙfØ© Ù^اØŌ. - عÙ...Ù^Ù...ÙŠ — عÙ†Ù^اÙ† IPv6 Ù‡Ù^ Ù†Ù^ع IPv6 عاÙ,,Ù...ÙŠ Ù,,Ù,,ØïØ« اÙ,,Ø£ØØ§Ø⁻ÙŠ ÙŠÙfÙ^Ù† Ù...رئيا Ù^ÙŠÙ....ÙfÙ† اÙ,,Û´ØŴ`Ù, Ø¥Ù,,يٱ Ù...Ù† اÙ,,Ø´Ø`Ùfات اÙ,,أخرÙ‰.
- $$\begin{split} & \varnothing \bar{U}, \bar{U}^{0} \otimes \begin{aligned} & \varnothing \bar{U}, \bar{U}, \bar{U}^{0} \otimes \begin{aligned} & & 0 \bar{U}^{0} \otimes \bar{U}^{0} \otimes \bar{U}^{0}, \bar{U}^{0} \otimes \bar{U}^{0} \otimes \bar{U}^{0}, \bar{U}^{0} \otimes \bar{U}^{0} \otimes \bar{U}^{0} \otimes \bar{U}^{0}, \bar{U}^{0} \otimes \bar{U}^{0} \otimes \bar{U}^{0} \otimes \bar{U}^{0} \otimes \bar{U}^{0} \otimes \bar{U}^{0}, \bar{U}^{0} \otimes \bar{U}^{0}$$

اÙ,,خطÙ^Ø© 7. Ø⁻Ø®Ù,,Ø^a اÙ,, TFTP ناØ⁻Ù,, ØⁱÙ†Ù^اÙ† Ø£Ù^ اÙ,, TFTP ناØ⁻Ù,, Ø¥Ø³Ù... Ù�ÙŠ اÙ,, *TFTP ناØ⁻*Ù,, ØⁱÙ†Ù^اÙ†/Ø¥Ø³Ù... Ù...جاÙ,,.

اÙ,,خطÙ^Ø© 8. Ø£Ø⁻Ø®Ù,, اØ³Ù... اÙ,,Ù...Ù,,Ù� Ù�ÙŠ اÙ,,ØÙ,Ù,, اØ³Ù... اÙ,,Ù...Ù,,Ù� اÙ,,Ù...صØ⁻ر.

 \emptyset \hat{U}, \emptyset \hat{U}, \emptyset \hat{U} \hat{O} \hat{U} \hat{O} \hat{U}, \emptyset \hat{U}, \emptyset \hat{U}, \emptyset \hat{U}, \emptyset \hat{U}, \emptyset \hat{U}, \emptyset \hat{U} \hat{U}



اÙ,,خطÙ^Ø© 10. Ù^اÙ†Ù,ر Ù�Ù^Ù, **OK**. ÙŠØ,هر Ø′ريط تÙ,Ø⁻Ù... Ù,,عØ⁻Ø© Ø⁻Ù,ائÙ,.

اÙ,,خطÙ^Ø© 11. Ø''Ø'Ø⁻ Ø''ضØ' Ø⁻Ù,ائÙ,ØŒ يختÙ�ÙŠ شريط اÙ,,Ø⁼Ù,Ø⁻Ù.... تØ,هر اÙ,,Ø¥ØØµØ§Ø¦ÙŠØ§Øª Ù^أي أخؕاØ; Ù...Ù† اÙ,,Ù†Ù,Ù,. إذا نجØ Ø§Ù,,Ù†Ù,Ù,@Œ اÙ†Ù,ر Ù�Ù^Ù,تÙ....

أعØ⁻ تÙ...هيØ⁻ اÙ,,Ù...ØÙ^Ù,,

Ù...Ù,,اØØ,Ø©: Ù,,Ø^aØ·Ø[·]ÙŠÙ, Ø¥ØØ⁻ار اÙ,,Ø[·]رناÙ...ج اÙ,,ثاØ[·]Ø^a اÙ,,ذÙŠ Ø^aÙ...Ø^a Ø^aرÙ,ÙŠØ^aه، يجØ^{··} Ø¥Ø¹اØ⁻Ø© Ø^aÙ...هيØ⁻ اÙ,,Ù...ØÙ[^]Ù,,..Ù,,ا ÙŠÙ,,Ø²Ù... Ø¥Ø¹اØ⁻Ø© Ø^aÙ...هيØ⁻ اÙ,,Ù...ØÙ[^]Ù,, إذا ÙfاÙ† اÙ,,Ù...Ù,,Ù� اÙ,,ذÙŠ Ø^aÙ... Ø^aØØ⁻يثÙ‡ Ù...Ù,,Ù� Ù,,ذØ© Ù�Ù,Ø·. اÙ,,خطÙ^Ø© 1. Ù,Ù... Ø[™]Ø³Ø[¬]ÙŠÙ,, اÙ,,Ø[¬]Ø®Ù^Ù,, Ø¥Ù,,Ù‰ اÙ,,Ø£Ø[¬]اØ© اÙ,,Ù...Ø³اØ¹Ø[¬]Ø© Ù,,Ø^aÙfÙ⁺ين اÙ,,Ù⁺ÙŠØ[™] Ù^اØ®Ø^aر **Ø¥Ø[¬]ارØ**© > **Ø¥Ø¹اØ[¬]Ø© اÙ,,Ø^aÙ...هيØ[¬]**. Ø^aØ,هر Ø**ù**�ØØ© Ø¥Ø¹اØ[¬]Ø© اÙ,,Ø^aØ´Ø[°]ŬŠÙ,,:

Reboot
To reboot the device, click the 'Reboot' button.
Clear Startup Configuration File
Reboot
To reboot the device and return to factory default settings, click the "Reboot to Factory Defaults" button.
Reboot to Factory Defaults

اÙ,,خطÙ^Ø© 2. (إختÙŠØ\$رÙŠ) تØÙ,Ù, Ù...Ù† Ù...سØ Ù...Ù,,Ù� تÙfÙ^ين Ø"دØ¡Ø\$Ù,,تشذÙŠÙ,, Ù,,ØØ°Ù� تÙfÙ^ين Ø"دØ; Ø\$Ù,,تشذÙŠÙ, Ø"Ù...جرد إعØ\$دØ© تÙ...هيد Ø\$Ù,,Ù...ØÙ^Ù,, Ù...ع تÙ...Ùfين هذØ\$ Ø\$Ù,,خيØ\$رØŒ ÙŠÙ,Ù^Ù... Ø\$Ù,,Ù...ØÙ^Ù,, Ø"Ø′ÙfÙ, أسØ\$سÙŠ Ø"إعØ\$دØ© ضØ"طإع⁰Ø\$دØ\$ت Ø\$Ù,,Ù...صنع Ø\$Ù,,Ø\$Ù�ترØ\$ضية Ù,,أنÙ‡ سيتÙ... ØØ°Ù� ÙfÙ,, Ù...Ù† تÙfÙ^ينØ\$ت Ø\$Ù,,تØ′ذÙŠÙ,, Ù^Ø\$Ù,,تØ′ذÙŠÙ,, عند إعØ\$دØ© Ø\$Ù,,تÙ...هيد.

> Ø\$Ù,,خطÙ^Ø© 3. Ø·Ù,Ø·Ù,Ø© reboot. تتÙ... إعØ\$Ø⁻Ø© تÙ...هيØ⁻ Ø\$Ù,,Ù...ØÙ^Ù,, Ù^يتÙ... تطبÙŠÙ, Ø\$Ù,,برÙ†Ø\$Ù...ج Ø\$Ù,,Ø«Ø\$بت Ø\$Ù,,Ù...ØØ⁻Ø«.

ةمجرتاا مذه لوح

تمجرت Cisco تايان تايانق تال نم قعومجم مادختساب دنتسمل اذه Cisco تمجرت ملاعل العامي عيمج يف نيم دختسمل لمعد يوتحم ميدقت لقيرشبل و امك ققيقد نوكت نل قيل قمجرت لضفاً نأ قظعالم يجرُي .قصاخل امهتغلب Cisco ياخت .فرتحم مجرتم اممدقي يتل القيفارت عال قمجرت اعم ل احل اوه يل إ أم اد عوجرل اب يصوُتو تامجرت الاذة ققد نع اهتي لوئسم Systems الما يا إ أم الا عنه يل الان الانتيام الال الانتيال الانت الما