

يُرسِل Umbrella حات فم دادرْتس: ةي فيك دوق فم ل

فده ل

نم مدلا خضب مدلا أدبي نأ نكمي مك ملعت تنأف، هدادرتس إنكمي ال احات فم اموي تدق ف اذا ةجمر ب ةهجاو حات فم نادق ف نم يفاع تال ةي فيك لاقم ل اذه كل رهظيس . ةعرسب كمسج لال خ ضرعي الو، هئاشن دنع طقف ةدحاو ةرم يُرسِل احات فم ل اذه ضرعي . (API) ةي رس ل اتاقي بط ل ا هذه دق فت دق ف ، API حات فم ةشاش نع اديعب ضرعتسم ل ا يف لقن تلاب تمق اذا . يرخأ ةرم تامولعمل .

قي بط ل ل ةلباق ل ةزهجال

- WAP125
- WAP581

جمار ب ل رادص ل

- 1.0.1

تاب ل ط م ل

- رادص ل ادب و ا راعس ا ضرع بلط ؟ Umbrella باسح كي دل سي ل ا طشن Umbrella باسح (ي ن ا جم ي بي رت)

يُرسِل احات فم تدق ف دق ل ، ةدجن ل

ي ل ا اذه لوحتي شيح . تفتخ ل ، رثي ل ا ةكبش عم تعاض ، يُرسِل احات فم ، ةبعصل ل رابخ ل ا ي ه اه API حات فم ءاشن ل لال خ نم . دحل ا اذه ي ل ا ةملؤم تسيل يفاع تال ةي لمع نأ وه ، لصف ا رابخ API حات فم فذح دادرْتس ل ا ةي لمع نمضتت كلذل . دي دج يُرسِل احات فم ءاشن اب موقت ، دي دج . ةدي دج ل API حات فم ةومجم ءاشن و دوق فم ل احات فم ل اب نرتقم ل ا

باسح تامولعمل ةحول نم يُرسِل احات فم ل او API حات فم عزت ناب أدبي ، لي دل ل ا اذه لقن تي شيح ةجمر ب ةهجاو ةفاض ل كب صاخ ل WAP زا هج ي ل ل لوخد ل لي ج ستب موقن س ، كلذ دعب . Umbrella [يلع ل و ص ح ل ل ا ن ه ق ق ح ت ف](#) ، تال ك شم ي ا تهجاو اذا . يُرسِل احات فم ل او (API) اتاقي بط ل ل [Umbrella م عد ت ا ر ا ي خ ي ل ع ل و ص ح ل ل ا ن ه و ، ق ئ ا ث و ل ا](#) .

يلع ر ق ن ا تامولعمل ةحول ةشاش نم ، Umbrella باسح ي ل ل لوخد ل لي ج ست دعب . 1. ةوطخل Admin > API حات فم

| | | | |
|--------------------------|---------------|--------------------------|---|
| Legacy Network Devices | Token: A56 | Created: Apr 18, 2018 | ▼ |
| Umbrella Network Devices | Key: 494 | Created: Aug 8, 2018 | ▼ |

Documentation

Read here to get authentication set up for your first endpoint queries, explore what you can do and search for any answers you need.

[VIEW DOCS](#)

Our Legacy APIs

Some of our older legacy APIs use a different authentication mechanism than what you are setting up here and have unique functions.

[VIEW DOCS](#)

Investigate

Looking for information about the Investigate API? That API is managed separately.

[VIEW DOCS](#)

عاشن| رزلا قوف رقنا مٲ Umbrella ءكبش ءزهجأ ددح .3 ءوطخل

| | | | |
|--------------------------|---------------|--------------------------|---|
| Legacy Network Devices | Token: A56 | Created: Apr 18, 2018 | ▼ |
| Umbrella Network Devices | Key: 494 | Created: Aug 8, 2018 | ^ |

The API key and secret here are used to perform API requests against your Umbrella organization, such as identity management, reporting and more. If you are using an Umbrella-integrated hardware device that uses basic authentication, this allows management of Umbrella from the device and vice versa.

Your Key: 494:

Check out the [documentation](#) for step by step instructions.

[DELETE](#) [REFRESH](#) [CLOSE](#)

ءولءلا ءيوازلا يف API ءاتفم ءفاض| رزلا قوف رقنا .اروف ءاتفملا فءء مءيس .4 ءوطخل ءقيرطلا سفنب نالءءشي امءالك .API ءاتفم عاشن| رزلا قوف رقنا وأ ،ينمئل



Legacy Network Devices
Token: A56
Created: Apr 18, 2018

Documentation

Read here to get authentication set up for your first endpoint queries, explore what you can do and search for any answers you need.

[VIEW DOCS](#)

Our Legacy APIs

Some of our older legacy APIs use a different authentication mechanism than what you are setting up here and have unique functions.

[VIEW DOCS](#)

Investigate

Looking for information about the Investigate API? That API is managed separately.

[VIEW DOCS](#)

عاشن رزلا قوف رقنا مث Umbrella ةكبش ةزهجأ ددح 5 ةوطخلا

What should this API do?

Choose the API that you would like to use.

Umbrella Network Devices
To be used to integrate Umbrella-enabled hardware with your organization. In addition, allows you to create, update, list and delete identities in Umbrella.

Legacy Network Devices
A Network Devices token enables hardware network devices such as Cisco Wireless Lan Controllers and Cisco Integrated Services Routers 4000 series to integrate with Umbrella.
ⓘ You can only generate one token. Refresh your current token to get a new token.

Umbrella Reporting
Enables API access to query for Security Events and traffic to specific Destinations

[CANCEL](#) [CREATE](#)

خسن قثبنم مالعإ دكؤيس، یرسلإ حاتفملا نیمی یلإ خسن رزلا قوف رقنا 6 ةوطخلا كبةصاخلا ةظفاحلا یلإ حاتفملا

Umbrella Network Devices
Key: aae
Created: Jul 26, 2018

The API key and secret here are used to perform API requests against your Umbrella organization, such as identity management, reporting and more. If you are using an Umbrella-integrated hardware device that uses basic authentication, this allows management of Umbrella from the device and vice versa.

Your Key: aae

Your Secret: 352

To keep it secure, we only display your key's secret once. For future reference, copy this secret and keep it in a safe place. Tick this box to acknowledge this.


Check out the [documentation](#) for step by step instructions.

[DELETE](#)


[REFRESH](#) [CLOSE](#)

رارقإ لامكإ ديكأتل رایتخالا ةناخ رقنا، نمآ عقوم یلإ یرسلإ حاتفملا و حاتفملا خسن دعب

قالغ رزلا قوف رونا مٹ



يف ك ب صاخال API و Secret حاتفم قصلأو Notepad لثم صوصن ررحم حتفا 7. ةوطخال حاتفملا" اهمسا نوكي ةلاخال هذه يفو. يلبقتسم عجرمك امهتيمستب مقو، دنتسملل همادختسال ريصق فصو عم يرسلال كحاتفم عم API حاتفم نيضتتب مق. "Umbrella يرسلال اقحال هيل لوصولا لهسي نم آع قوم يف يصنللا فلملا ظفحا مٹ. اذه صنللا فلم سفن يف هيللا تجتحا اذا.




وأ ةفيظو دجوت الف، أطخال قيرط نع هفذب تمق وأ يرسلال حاتفملا تدقف اذا: ةماه ةظحال م كنادقف ةلاح يف. [إنمأ هيقبأ، ارس رمألا قيبأ](#). حاتفملا اذه دادرتسال هئاعدتسال معد مقرر يف بغرته يتل WAP ةزهجأ نم زاهج لك عم API حاتفم ليوخت ةداعو حاتفملا فذح لىل جاتحتس Umbrella مادختساب هتيامح.

صارقأ كرحم لثم، زاهج لىل دنتسملل اذه نم ةدحو/ةخسنب طقف ظافتحالا: ةسرامم لصفأ ةكبش ي نم هيل لوصولا نكمي ال، عبصأب USB.

WAP زاهج لىل Umbrella نيوكت

ةزهجأ لىل اه بكرنوح يتاتفملا هذه ذخانس، Umbrella لخاد API حيتافم عاشناب انمق نأ دعب نألا WAP581 مدختسن نحن انتلاح يف. انب ةصاخال WAP.

ةمئاق يف Umbrella لىل رونا، ك ب صاخال WAP زاهج لىل لوخدلا ليحست دعب 1. ةوطخال يبنجالا طيرشلا.



انه ديحت لابل ناريدج نالاجم كانه نكلو، ةرشابمو ةحضاو ةلظملا ةشاش نإ 2. ةوطخل

- يتلا ةيلخادلا تالاجملا ىلع لقحلا اذه يوتحي - اهزواج متيس يتلا ةيلحلملا تالاجملا
- Umbrella ةمدخ نم اهداعبتسإ يف ب؁رت
- ديق ةزيملا هذه نوكت DNS لرحمو DNS ليمع نيب مزحللا لقن نمؤي - DNSCrypt
- انامأ لقأ ةكبشلا لعج ىلإ ةزيملا هذه ليطلع تيؤي، يضارتفا لكش ب ليغشتلا

Umbrella

Save Cancel

Cisco Umbrella is a cloud security platform that provide the first line of defense against threats on the internet wherever users go.

With an [Umbrella account](#), this integration will transparently intercept DNS queries and redirect them to Umbrella.

This device will appear in the [Umbrella dashboard](#) as a network device for applying policy and viewing reports.

Enable:

API Key:

Secret:

Local Domains to Bypass (optional):

Device Tag (optional):

DNSCrypt: Enable

Registration Status:

ةلباقملا لوقحلا يف يرسلات فملاو API قصللا 3. ةوطخل

WAP581-WAP581

Umbrella

Save Cancel

Cisco Umbrella is a cloud security platform that provide the first line of defense against threats on the internet wherever users go.
With an [Umbrella account](#), this integration will transparently intercept DNS queries and redirect them to Umbrella.
This device will appear in the [Umbrella dashboard](#) as a network device for applying policy and viewing reports.

Enable:

API Key:

Secret:

Local Domains to Bypass (optional):

Device Tag (optional):

DNSCrypt: Enable

Registration Status:

ق. قحت لال ة لاج لى ل DNSCrypt و enable راي تخالال تان اخ ري يغت نم دكأت . 4 ة و ط خ ل ل

WAP581-WAP581

Umbrella

Save Cancel

Cisco Umbrella is a cloud security platform that provide the first line of defense against threats on the internet wherever users go.
With an [Umbrella account](#), this integration will transparently intercept DNS queries and redirect them to Umbrella.
This device will appear in the [Umbrella dashboard](#) as a network device for applying policy and viewing reports.

Enable:

API Key:

Secret:

Local Domains to Bypass (optional):

Device Tag (optional):

DNSCrypt: Enable

Registration Status:

ي. ضارت فالال ني كم مت . DNS ل ل حم و DNS ل ي مع ني ب DNS ل اص تا DNSCrypt نم مؤي : ة ط خ الم .
ة ي لمع ل ح DNS ل ل ل خ نم حم سي نأ Umbrella ديرت تنأ ل ل حم ل (ي راي تخ ل). 5 ة و ط خ ل خ دي

WAP581-WAP581

Umbrella

Save Cancel

Cisco Umbrella is a cloud security platform that provide the first line of defense against threats on the internet wherever users go.
With an [Umbrella account](#), this integration will transparently intercept DNS queries and redirect them to Umbrella.
This device will appear in the [Umbrella dashboard](#) as a network device for applying policy and viewing reports.

Enable:

API Key:

Secret:

Local Domains to Bypass (optional):

Device Tag (optional):

DNSCrypt: Enable

Registration Status:

ب ل ط ت ك ت ك ب ش تنك اذ . DNS تالاجم مي س ق ت و ت نار ت ن ا تالاجم ة فاك ل ب ول ط م اذه : ة ط خ الم
ل و ص ل ل Umbrella م ع د ب ل اص ت الال ل ا ج ا ت ح ت س ، ه ي ج و ت ل ل ة ي ل حم ل ا ة ق ط ن م ل ا تالاجم م ا د خ ت س ا
راي خ ل ا اذه م ا د خ ت س ا ل ل ن ي م د خ ت س م ل ا م ط ع م ج ا ت ح ي ن ل . ل ي غ ش ت ل و ل ع ا ل ة ز ي م ل ا ه ذ ه ل ع ل

ك ب ة ص ا خ ل ا ة ي ل حم ل ا تالاجم ل ا ة ف ا ض ا ب ت م ق و ا ت ا ر ي ي غ ت ل ل ن ع ا ي ض ا ر ن و ك ت ن ا د ع ب . 6 ة و ط خ ل ل

ىنمىلا ةيولعلا ةيوازلا يف ظفح رزلا قوف رونا ، اهزواجت متيل



"حاجنب" ل قحلا ليجست ةلاح أرقست ، تاريخي غتلا لامتك دنع 7 ةوطخلا

Enable:

API Key:

Secret:

Local Domains to Bypass (optional):

Device Tag (optional):

DNSEncrypt: Enable

Registration Status: Successful

حىحصلنا هناكم يف عيش لك ديكأت

بىو عقوم Cisco تاشنأ دقل ، دكأتن انعد ؟ تنأ مأ Cisco ةلظم تحت ةيمحم نآلا تنأ ، انيناهت <https://InternetBadGuys.com> بتكا وأ [إنه رونا](#) . ةحفضلا لامحأ لثم ةعرسب اذه ديدحتل اصصخم ضرعتسملا طيرش يف

ةلثامم ةشاشب كللابقتسإ متيسف ، حىحصل لكشب Umbrella نيوكت مت اذا



SECURITY THREAT DETECTED AND BLOCKED

Based on Cisco Umbrella security threat information, access to the web site **Not_Found** has been blocked to prevent an attack on your browser.

Malware protection has shifted from the endpoint, deeper into the network, in order to cater to a growing number and variety of devices. In order to offer the most effective protection to computing assets on the Cisco network, Infosec, Cisco IT, and the Security Business Group have jointly rolled out Umbrella protection for Cisco's corporate DNS infrastructure. This service will block access to hostnames that are known bad and has been deployed to prevent malicious actors from serving malware or content otherwise harmful to users of the Cisco corporate network.

If you believe this page should not be blocked, [open a case](#) providing the following information:

- Text or screenshot of the corresponding debug information below
- Business justification for use of the website

Block Reason: Umbrella DNS Block

Date: July 26, 2018
Time: 22:58:17
Host Requested: Not_Found
URL Requested: Not_Found
Client IP address: [redacted]
User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:61.0) Gecko/20100101 Firefox/61.0
Request Method: GET

ةمچرتل هذه لوج

ةللأل تاي نقتل نم ةومچم مادختساب دن تسمل اذه Cisco تچرت
ملاعلاء انءمچ يف نيمدختسمل معدى وتحم مي دقتل ةيرشبلاو
امك ةقيد نوك تنل ةللأل ةمچرت لصف أن ةظحال مچرئ. ةصاغل مهتغب
Cisco يلخت. فرتحم مچرت مامدقي يتل ةيفارتحال ةمچرتل عم لالحل وه
ىلإ أمئاد عوچرلاب يصوت و تامچرتل هذه ةقदन ةتيلوئسم Cisco
Systems (رفوتم طبارلا) يلصلأل يزىلچنلإل دن تسمل