



Address	Description
172.16.30.3	OCISenderTool

## أرم OCI-P

فيلم اذه ي GroupAccessDeviceGetListRequest' J Enterprise PWS\_ENT وGroup\_pws\_grp.

ي' pws\_groupAccessDeviceGetListRequest.xml' لمل اذه ي م س.

<#root>

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<BroadsoftDocument protocol="OCI" xmlns="C" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<sessionId xmlns="">%%OCI_SESSION_ID%%</sessionId>
<command xsi:type="
GroupAccessDeviceGetListRequest
" xmlns="">
<serviceProviderId>
pws_ent
</serviceProviderId>
<groupId>
pws_grp
</groupId>
</command>
</BroadsoftDocument>
```

## مادختس ال ا تاراخي

ةلصل ا اذ ا مل عمل ا ديحت ي ا ا تحت، رمل ا اذه لي غشتل.

<#root>

[bwadmin@bwtac1ab ASOCICLIENT]\$

./startASOCIClient.sh

\*\*\*\* OCI Client Build Version: 1.1.2

\*\*\*\* Usage:

startOCIClient configFile

startOCIClient loginId password [-i inputXMLFile] [-o outputXMLFile] [-h host] [-p port]

```
[-m {un}secure/{s}ecure] [-c BCCT/OCS] [-t timeOut] [-s sessionID] [-l loginRequestName] [-f tabSize]
  loginId          LoginId of the user (mandatory)
  password         Password of the user (mandatory)
  -i inputXMLFile  File containing the XML Request
  -o outputXMLFile File to write the XML Response. File is over-written.
                  If not provided will default to: inputXMLFile.response.xml)
  -h host          HostName to connect to. Default is localhost
  -p port          Port to connect to. Default is 31000
  -m mode          Unsecure/Secure mode for login
  -c connection    BCCT or OCS
  -t timeOut       Timeout in seconds to pause for a response from the server.
                  (Default is 30 seconds, if set to -1 will never timeout)
  -s sessionID     session ID
  -l loginRequest  name of the login request, i.e. LoginRequest or LoginRequest22
  -f tab size      formats the response XML to make it pretty (off by default)
```

---

## ي لم عم ل اثم

### ساس اى ل ع م ك ح ل ا

- ذفنم) BCCT م ادخت ساو (172.16.30.127) AS ر بع ب ل ط ل ا ع فد د یرت تنك اذا دادع ا ل ا اثم (2220).
- 

<#root>

loginId -

admin

password -

admin

inputXMLFile -

/Commands/pws\_GroupAccessDeviceGetListRequest.xml

host -

172.16.30.127

port -

2220

connection -

BCCT

---

<#root>

bwadmin@bwtaclab ASOCICLIENT]\$

```
./startASOCIClient.sh admin admin -i  
./Commands/pws_GroupAccessDeviceGetListRequest.xml -h 172.16.30.127 -p 2220 -c BCCT
```

```
**** OCI Client Build Version: 1.1.2  
**** Start OCIClient initialization --> 2022.05.12 04:06:14:540 EDT  
**** Sending request at: 2022.05.12 04:06:14:566 EDT
```

=====>

```
<?xml version="1.0" encoding="UTF-8"?>  
<BroadsoftDocument protocol = "OCI" xmlns="C" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">  
  <sessionId xmlns="">172.16.30.3,460141958,1652342774546</sessionId>  
  <command xsi:type="LoginRequest22V3" xmlns="">  
    <userId>admin</userId>  
    <password>admin</password>  
  </command>  
</BroadsoftDocument>
```

<=====

```
**** Received response (Request process time: 176 ms)
```

=====>

```
<?xml version="1.0" encoding="UTF-8"?>  
<BroadsoftDocument protocol="OCI" xmlns="C" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">  
<sessionId xmlns="">172.16.30.3,460141958,1652342774546</sessionId>  
<command echo="" xsi:type="LoginResponse22V3" xmlns="">  
<loginType>System</loginType>  
<locale>en_US</locale>  
<encoding>ISO-8859-1</encoding>  
<isEnterprise>>false</isEnterprise>  
<passwordExpiresDays>2147483647</passwordExpiresDays>  
<userDomain>calo.cisco.com</userDomain>  
<tokenRevocationTime>1616017564343</tokenRevocationTime>  
</command>  
</BroadsoftDocument>
```

<=====

LoginRequest command successful

```
**** Reading request(s) from file: ./Commands/pws_GroupAccessDeviceGetListRequest.xml  
**** Writing response to file: ./Commands/pws_GroupAccessDeviceGetListRequest.xml.response.xml  
**** Sending request from file: ./Commands/pws_GroupAccessDeviceGetListRequest.xml  
at: 2022.05.12 04:06:14:745 EDT
```

=====>

```
<?xml version="1.0" encoding="ISO-8859-1"?>  
<BroadsoftDocument protocol="OCI" xmlns="C" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">  
<sessionId xmlns="">172.16.30.3,460141958,1652342774546</sessionId>  
<command xsi:type="GroupAccessDeviceGetListRequest" xmlns="">  
<serviceProviderId>pws_ent</serviceProviderId>  
<groupId>pws_grp</groupId>  
</command>
```

</BroadsoftDocument>

<=====

\*\*\*\* Received response (Request process time: 1304 ms)

=====>

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<BroadsoftDocument protocol="OCI" xmlns="C" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
<sessionId xmlns="">172.16.30.3,460141958,1652342774546</sessionId>
<command echo="" xsi:type="GroupAccessDeviceGetListResponse"
....<snipped_response>...
```

---

## XSP/ADP نأش ب دامت عا

ذفنم (OCS) مادختساو (XSP/ADP (172.16.30.71) ربع بلطلا ع فد ديتر تنك اذا لاثم دادع (2208).

---

<#root>

loginId -

admin

password -

admin

inputXMLFile -

/Commands/pws\_GroupAccessDeviceGetListRequest.xml

host -

172.16.30.71

port -

2208

connection -

ocs

---

<#root>

./startASOCIClient.sh admin admin -i ./Commands/pws\_GroupAccessDeviceGetListRequest.xml -h 172.16.30.71

## لجسلا ىلع لاثم

PSLog. نم هتدهاشم تمت يذلا اذه بلطلا عونل لجسلا لاثم

<#root>

2022.05.12 03:43:05:463 EDT | FieldDebug | Generic | BCCT Worker #1

OCI Transaction com.broadsoft.oci.transactions.group.GroupAccessDeviceGetListTransaction read38257

executed.

User: Default Administrator (admin) Authorization Level: System  
Start Time: 2022.05.12 03:43:03:616 EDT  
End Time: 2022.05.12 03:43:05:463 EDT  
Duration: 1847 ms

## ةلص تاذا تامولعم

قيثوتلا

[BW-ASProvisioningInterfaceSpec](#)

جمانربلا

لقتسملا رادصلا - [REL 2022 08 ASOCENT](#)

رادصلا 24 - [REL 24 0 ASOCABLE](#)

رادصلا 23 - [REL 23 ASOCICENT](#)

رادصلا 22 - [REL 22 ASOCICENT](#)

ةمچرتل هذه ل و ح

ةلأل تاي نقتل ن م ة و مچ م ادخت ساب دن تسمل اذ ه Cisco ت مچرت  
ملاعلاء ن أ عي مچ ي ف ن ي م دخت سمل ل معد ي و تح م مي دقت ل ة ي رش ب ل و  
امك ة ق ي قد ن و ك ت ن ل ة ي ل أ ة مچرت ل ض ف أ ن أ ة ظ حال م ي ج ر ي . ة ص ا خ ل م ه ت غ ل ب  
Cisco ي ل خ ت . ف ر ت ح م مچرت م ا ه م د ق ي ي ت ل ا ة ي ف ا ر ت ح ا ل ا ة مچرت ل ا ع م ل ا ح ل ا و ه  
ي ل ا م ا د ع و ج ر ل ا ب ي ص و ت و ت ا مچرت ل ا ه ذ ه ة ق د ن ع ا ه ت ي ل و ئ س م Cisco  
Systems (رف و ت م ط بار ل ا) ي ل ص أ ل ا ي ز ي ل ج ن ا ل ا دن تسمل ا