

ويديفالا قيسنت نم ققحتالا ةيفيك

تايوتحملا

[ةمدقملا](#)

[طئاسولا لغشم تاقيسنت عم ههاضيلا ويديف قيسنت نم ققحتالا كنكمي فيك .س
ةمومدملا 4310 وا 4400 \(DMP\) ةيمقرلا](#)

ةمدقملا

ويديف قيسنت نم ققحتالا ةيلمع ليصفت وه دنتسملا اذه نم ضرغلا


عم ههاضيلا ويديف قيسنت نم ققحتالا كنكمي فيك .س 4310 وا 4400 (DMP) ةيمقرلا طئاسولا لغشم تاقيسنت ةمومدملا؟

لباقم هتاهاضم كنكمي شيحب ويديفالا قيسنت يلع فرعتلا لاهيف جاتحت تاقوا كانه .أ
DMPs نم ةمومدملا ةقرولا

جمانرب مادختساب ويديفالل ويديفالا قيسنت ديدحت ةيفيك دنتسملا اذه كل رهظيس
MediaInfo يمس يناعم

<http://mediaarea.net/en/MediaInfo>

شيح ماعلا مسقلا تحت ثحبلال اءجرلا .ويديفالا قيسنت كل رهظيسو ويديفحتف كنكمي
للا مهسال ريشي



ويديف زيمرت قباطي يذال 2 رادصإال MPEG-4 وه ويديفال قي سنن نأ ىرت، هالعأ لاثملا يف موعدم، MPEG4 Part 2

دراول جتنملا تافصاوم لودج نمض توصولاو ويديفال ريفشت ك فچارب يف جردم وه امك هاندأ.

لوكوتورب DMP 4400:

http://www.cisco.com/c/en/us/products/collateral/video/digital-media-manager/data_sheet_c78-480272.html

Video codecs	<ul style="list-style-type: none"> • Video MPEG1 • Video MPEG2: Main Profile at High Level • Video MPEG4 Part 2 • Video MPEG4 Part 10 Baseline and Main profiles • Video Windows Media 9 and VC-1-VoD only • Aspect ratio: 4:3 and 16:9 • HD (up to 1080p at 16:9) progressive and interlace video resolution • Video data rate up to 28 Mbps • Video frames per second rate up to 29.9fps for MPEG-1, 2, 4 and 23.9fps for WMV • Internal Hardware Decoder delay configurable to < 1 sec
Audio codecs	<ul style="list-style-type: none"> • Audio MPEG1 Layers 1 and 2 • MP3 • HE-AAC v1 • MPEG4 AAC Low Complexity • AC-3 • Audio data rate: 64-320 kbps

لوكوتورب DMP 4310:

http://www.cisco.com/c/en/us/products/collateral/video/digital-media-manager/data_sheet_c78-625677.html

Video codecs	<ul style="list-style-type: none"> ● Video MPEG1 ● Video MPEG2: Main Profile at High Level ● Video MPEG4 Part 10 Baseline and Main profiles ● Video Windows Media 9 and VC-1 - VoD only ● Aspect ratio: 4:3 and 16:9 ● HD (up to 1080p at 16:9) progressive and interlaced video resolution ● Video data rate up to 28 Mbps ● Video frames per second rate up to 29.9fps for MPEG-1, 2, 4 and 23.9fps for WMV ● Internal Hardware Decoder delay configurable to < 1 sec
Audio codecs	<ul style="list-style-type: none"> ● Audio MPEG1 Layers 1 and 2 ● MP3 ● MPEG4 AAC Low Complexity ● AC-3 ● HE-AAC v1 ● Audio data rate: 64-384 kbps

ةمچرتل هذه ل و ح

ةلأل تاي نقتل ن م ة و مچ م ادخت ساب دن تسم ل ا اذ ه Cisco ت مچرت
م ل ا ل ا ا ن ا ع مچ م ف ن م دخت س م ل م عد و ت م م م دقت ل ة م ش ب ل و
م ك ة ق ي ق د ن و ك ت ن ل ة ل ا ة مچرت ل ض ف ا ن ا ة ظ ح ا ل م م چ ر ي . ة ص ا خ ل م ه ت غ ل ب
Cisco ي ل خ ت . ف ر ت م م مچرت م ا ه م د ق ي ي ت ل ا ة ي ف ا ر ت ح ا ل ا ة مچرت ل ا م ل ا ح ل ا و ه
ل ا ا م ا د ا د ع و چ ر ل ا ب ي ص و ت و ت ا مچرت ل ا ه ذ ه ة ق د ن ع ا ه ت ي ل و ئ س م Cisco
Systems (ر ف و ت م ط ب ا ر ل ا) ي ل ص ا ل ا ي ز ي ل چ ن ا ل ا دن ت س م ل ا