

# Cisco Unified Computing System and Intel Xeon Processors: 90 World-Record Performance Results



Performance Brief  
February 2014

The Cisco Unified Computing System™ (Cisco UCS®) with versatile Intel® Xeon® processors continues its industry leadership, capturing a total of 90 world performance records with first-to-market results or results that exceed those set by other system vendors, including Dell, HP, and IBM, as of the date of disclosure (Table 1).



**Table 1.** World-Record Benchmarks Set by Cisco UCS

World-Record VMware VMmark Benchmarks				
Benchmark	Cisco UCS Server	Publication Date	Result and Disclosure	Record as of Publication Date
VMware® VMmark™ 2.x	C460 M2	9/20/2011	<a href="#">35.06</a> @35 tiles	Number-one result of any server
	C460 M2	10/4/2011	<a href="#">18.00</a> @18 tiles	Number-one 4-socket server, 2-node result
	C460 M2	4/5/2011	<a href="#">16.68</a> @18 tiles	Number-one result of any server
	C240 M3	5/9/2013	<a href="#">12.00</a> @10 tiles	Number-one 2-socket server, 2-node result
	B200 M3	9/11/2012	<a href="#">42.79</a> @36 tiles	Number-one result of any server
	B260 M4	2/12/2014	<a href="#">19.18</a> @16 tiles	Number-one 2-socket server, 2-node result
	B200 M3	9/18/2012	<a href="#">11.32</a> @10 tiles	Number-one 2-socket blade server
	B200 M2	3/23/2011	<a href="#">7.17</a> @7 tiles	Number-one 2-socket server
	B200 M2	12/28/2010	<a href="#">6.51</a> @6 tiles	Number-one overall VMmark 2.0
VMware VMmark 1.x	C460 M1	9/7/2010	<a href="#">76.10</a> @51 tiles	Number-one server
	C460 M1	5/4/2010	<a href="#">73.82</a> @50 tiles	Number-one server
	B250 M2	4/6/2010	<a href="#">35.83</a> @26 tiles	Number-one 2-socket server
	B230 M1	10/19/2010	<a href="#">39.19</a> @27 tiles	Number-one 2-socket blade server
	B440 M1	7/27/2010	<a href="#">71.13</a> @48 tiles	Number-one blade server
	B200 M1	4/21/2009	<a href="#">24.14</a> @17 tiles	Number-one 2-socket server
	B200 M1	1/12/2010	<a href="#">25.06</a> @17 tiles	Number-one 2-socket server
World-Record VMware View Planner Benchmarks				
Benchmark	Cisco UCS Server	Publication Date	Result and Disclosure	Record as of Publication Date
VMware® View Planner	B200 M3	9/10/2013	VMware VDImark™ <a href="#">149</a>	First and best official result by any company

Cisco Unified Computing System and Intel Xeon Processors:  
90 World-Record Performance Results

World-Record Java-Based SPEC® Benchmarks				
Benchmark	Cisco UCS Server	Publication Date	Result and Disclosure	Record as of Publication Date
SPECjAppServer®2004	C250 M2	3/16/2010	<a href="#">5,185.45</a> SPECjAppServer2004 JOPS@Standard	Number-one 1-node 2-socket server
	B230 M1	9/8/2010	<a href="#">11,283.80</a> SPECjAppServer2004 JOPS@Standard	Number-one 2-node server
SPECjEnterprise™2010	B440 M2	9/30/2011	<a href="#">26,118.67</a> SPECjEnterprise EjOPS	Number-one x86-architecture server
	B440 M1	3/9/2011	<a href="#">17,301.86</a> SPECjEnterprise EjOPS	Number-one overall server
World-Record Java-Based SPEC Benchmarks (Continued)				
Benchmark	Cisco UCS Server	Publication Date	Result and Disclosure	Record as of Publication Date
	C460 M1	3/30/2010	<a href="#">2,021,525</a> SPECjbb2005 bops, 1,263,45 SPECjbb2005 bops/JVM	Number-one x86/64 4-socket server
	C260 M2	4/5/2011	<a href="#">1,337,210</a> SPECjbb2005 bops, 668605 SPECjbb2005 bops/JVM	Number-one 2-socket server
	C220 M3	9/10/2013	<a href="#">2,152,354</a> SPECjbb2005 bops, 1,076,177 SPECjbb2005 bops/2 JVM	Number-one 2-socket server
	C220 M3	3/9/2012	<a href="#">1,584,567</a> SPECjbb2005 bops, 792,284 SPECjbb2005 bops/2 JVMs	Number-one 2-socket server
	B230 M2	9/30/2011	<a href="#">1,408,935</a> SPECjbb2005 bops, 704,468 SPECjbb2005 bops/JVM	Number-one 2-socket server
	B440 M2	9/30/2011	<a href="#">2,798,763</a> SPECjbb2005 bops, 699,691 SPECjbb2005 bops/JVM	Number-one 4-socket server
	B230 M2	6/15/2011	<a href="#">1,395,684</a> SPECjbb2005 bops, 697,842 SPECjbb2005 bops/JVM	Number-one 2-socket server
	B230 M1	9/25/2010	<a href="#">1,017,141</a> SPECjbb2005 bops, 127,143 SPECjbb2005 bops/JVM	Number-one x86/64 2-socket server
	B230 M1	9/7/2010	<a href="#">1,015,802</a> SPECjbb2005 bops, 126,975 SPECjbb2005 bops/JVM	Number-one x86/64 2-socket server
	B200 M1	3/16/2010	<a href="#">624,059</a> SPECjbb2005 bops, 156,015 SPECjbb2005 bops/JVM	Number-one x86/64 2-socket server
SPECjbb™2013	C240 M3	2/5/14	<a href="#">63,079</a> max-jOPS 23,797 critical-jOPS	Number-one x86/64 2-socket server result for max-jOPS
	C220 M3	4/17/2013	<a href="#">41,954</a> max-jOPS 16,545 critical-jOPS	Top MultiJVM x86/x64 2-socket server
	B200 M3	9/10/2013	<a href="#">62,393</a> max-jOPS <a href="#">23,505</a> critical-jOPS	Top MultiJVM x86/x64 2-socket server

Cisco Unified Computing System and Intel Xeon Processors:  
90 World-Record Performance Results

World-Record SPEC Computing Benchmarks				
Benchmark	Cisco UCS Server	Publication Date	Result and Disclosure	Record as of Publication Date
SPECint®_base2006	C220 M3	9/10/2013	<a href="#">63.0</a>	Number-one 2-socket server
SPECint®_rate_base2006	C460 M2	4/5/2011	<a href="#">1030</a>	Number-one x86/64 4-socket server
	C460 M1	3/30/2010	<a href="#">723</a>	Number-one x86/64 4-socket server
	C460 M4	2/18/2014	<a href="#">2320</a>	Number-one 4-socket server
	C220 M3	4/9/2013	<a href="#">681</a>	Number-one x86/64 2-socket server
	C220 M3	3/6/2012	<a href="#">671</a>	Number-one 2-socket server
	C260 M2	4/5/2011	<a href="#">526</a>	Number-one x86/64 2-socket server
	B260 M4	2/18/2014	<a href="#">1170</a>	Number-one 2-socket server
	B200 M2	3/15/2011	<a href="#">390</a>	Number-one x86/64 2-socket server
	B200 M2	3/16/2010	<a href="#">355</a>	Number-one x86/64 2-socket server
	B200 M1	4/21/2009	<a href="#">239</a>	Number-one x86/64 2-socket server
SPECfp®_rate_base2006	C460 M1	5/25/2010	<a href="#">549</a>	Number-one x86/64 4-socket server
	C420 M3	7/30/2013	<a href="#">868</a>	Number-one x86/x64 4-socket server
	C220 M3	10/31/2013	<a href="#">682</a>	Number-one 2-socket server
	C220 M3	3/3/2012	<a href="#">496</a>	Number-one x86/64 2-socket server
	C260 M2	4/5/2011	<a href="#">365</a>	Number-one x86/64 2-socket server
	B260 M4	2/18/2014	<a href="#">865</a>	Number-one 2-socket server
	B200 M3	9/10/2013	<a href="#">681</a>	Number-one 2-socket server
	B200 M2	3/16/2010	<a href="#">248</a>	Number-one x86/64 2-socket server
	B200 M1	4/21/2009	<a href="#">194</a>	Number-one x86/64 2-socket server
SPECfp®_base2006	C220 M3	3/6/2012	<a href="#">89.9</a>	Number-one 2-socket server
SPECComp®G_base2012	C460 M4	2/18/2014	<a href="#">17.9</a> SPECCompG_base2012	Number-one 4-socket server
	C240 M3	9/13/2013	<a href="#">6.79</a> SPECCompG_base2012 7.37 SPECCompG_peak2012	Number-one 2-socket server
	B260 M4	2/18/2014	<a href="#">8.91</a> SPECCompG_base2012 9.66 SPECCompG_peak2012	Number-one 2-socket server

Cisco Unified Computing System and Intel Xeon Processors:  
90 World-Record Performance Results

World-Record SPEC Computing Benchmarks (Continued)				
Benchmark	Cisco UCS Server	Publication Date	Result and Disclosure	Record as of Publication Date
SPECCompL®base2001	C460 M2	4/5/2011	<a href="#">727,635</a>	Number-one 4-socket server
	C460 M1	3/30/2010	<a href="#">607,818</a>	Number-one 4-socket server
	C220 M3	3/8/2012	<a href="#">527,122</a>	Number-one 2-socket server
	B230 M2	4/5/2011	<a href="#">378,522</a>	Number-one 2-socket server
	B200 M2	3/15/2011	<a href="#">282,771</a>	Number-one 2-socket server
	B200 M2	3/16/2010	<a href="#">278,603</a>	Number-one 2-socket server
SPECCompM®base2001	C460 M1	3/30/2010	<a href="#">100,258</a>	Number-one 4-socket server
	C460 M2	4/5/2011	<a href="#">115,176</a>	Number-one 4-socket server
	C240 M3	3/6/2012	<a href="#">94,065</a>	Number-one 2-socket server
	B230 M2	4/5/2011	<a href="#">67,926</a>	Number-one x86 2-socket server
	B200 M2	3/15/2011	<a href="#">52,986</a>	Number-one 2-socket server
	B200 M2	3/16/2010	<a href="#">52,314</a>	Number-one 2-socket server

Transaction Processing Council Benchmarks				
Benchmark	Server	Publication Date	Result and Disclosure	Record as of Publication Date
TPC-C	C240 M3	9/27/12	<a href="#">1,609,186</a> tpmC US\$0.47 per tpmC	Number-one 2-socket server
	C250 M2	12/7/2011	<a href="#">1,053,100</a> tpmC US\$0.58 per tpmC	Number-one 2-socket server powered by Intel Xeon processors
TPC-H	C250 M2	2/14/2012	<a href="#">332,482</a> @100GB US\$0.15 per QphH@100GB	Number-one 2-socket server at 100-GB scale factor
	C250 M2	2/13/2012	<a href="#">331,658</a> @300GB US\$0.34 per QphH@300GB	Number-one 2-socket server at 300-GB scale factor
	C420 M3	10/31/2013	<a href="#">230,119</a> @3000GB US\$1.29 per QphH@3000GB	Number-one single-system x86 performance and price/performance at 3000-GB scale factor
	C460 M2	12/7/2011	<a href="#">134,117</a> QphH@1000GB US\$1.30 per QphH@1000GB	Number-one 4-socket server powered by Intel Xeon processors running Microsoft SQL Server

Cisco Unified Computing System and Intel Xeon Processors:  
90 World-Record Performance Results

World-Record Oracle Benchmarks				
Benchmark	Cisco UCS Server	Publication Date	Result and Disclosure	Record as of Publication Date
Oracle E-Business Suite R12 (12.1.3)	B200 M3	9/10/2013	<a href="#">1,017,639</a> employees per hour	Number-one extra-large-model payroll batch result
	B200 M3	9/14/2012	Payroll <a href="#">839,865</a> employees per hour	Number-one extra-large-model payroll batch
	B200 M3	9/14/2012	Order-to-Cash <a href="#">232,739</a> lines per hour	Number-one large-model order-to-cash
Oracle E-Business Suite R12 (12.1.2)	B200 M3	9/14/2012	Payroll <a href="#">835,189</a> employees per hour	Number-one result
	B200 M3	3/6/2012	Payroll <a href="#">828,729</a> employees per hour	Number-one result
	B230 M2	12/9/2011	Payroll <a href="#">738,188</a> employees per hour	Number-one extra-large-model 2-socket server payroll batch
	B200 M3	9/14/2012	Order-to-Cash <a href="#">221,239</a> lines per hour	Number-one result
	B200 M3	3/6/2012	Order-to-Cash <a href="#">206,044</a> lines per hour	Number-one result
Oracle E-Business Suite 12.0.4	B200 M2	2/23/2011	Payroll <a href="#">422,535</a> employees per hour	Number-one medium-model payroll batch
	B200 M2	8/21/2010	Payroll <a href="#">581,846</a> employees per hour	Number-one extra-large-model payroll batch
	B200 M2	8/21/2010	Payroll <a href="#">368,098</a> employees per hour	Number-one medium-model payroll batch
	B200 M2	8/21/2010	Order-to-Cash <a href="#">185,643</a> lines per hour	Number-one medium-model order-to-cash

Other World-Record Benchmarks				
Benchmark	Server	Publication Date	Result and Disclosure	Record as of Publication Date
LS-Dyna	C460 M1	3/30/2010	<a href="#">41,727</a> seconds car2car	Number-one 4-socket server
LINPACK	B200 M2	3/16/2010	146.8 GFlops	Number-one 2-socket server

## Architecture Propels Performance

The architectural advantage of Cisco UCS contributes to the system's world-record-setting performance and the timeliness with which Cisco delivers performance results. Cisco UCS is a single unified system that is configured through integrated, model-based management to simplify and accelerate the deployment of enterprise-class applications and services running in bare-metal, virtualized, and cloud-computing environments.

## First Unified System

The first unified system available anywhere, Cisco UCS combines industry-standard, x86-architecture servers with networking and storage access into a single management domain that incorporates both blade and rack servers. The system is designed so that server, network, and storage access configuration can be programmed and automated through the system's embedded management features. Customers tuning system performance can reproduce their adjustments rapidly and accurately on additional servers with click-of-the-mouse simplicity.

## Performance Breadth

With versatile Intel Xeon processors, Cisco UCS demonstrates performance breadth by setting records for raw CPU power, business- and mission-critical applications, database management systems, Java application servers, virtualization, cloud computing, and high-performance computing (HPC). Although all vendors have access to the same powerful Intel Xeon processors, only Cisco unleashes their power to accelerate application performance.

## Performance for Applications

For customers, these results mean not only excellent application performance but also an automated configuration model that accelerates deployment, makes performance predictable, and increases IT productivity. The world records presented in Table 1 can help customers assess the way that Cisco UCS will perform for their mission-critical applications, while demonstrating the reasons that Cisco has emerged as a server-industry leader.

## For More Information

For the most up-to-date information about Cisco UCS performance, please visit <http://www.cisco.com/go/ucsatwork>.

For more information about Cisco UCS, please visit <http://www.cisco.com/go/ucs>.

## Disclosures

SPEC, SPECfp, SPECjAppServer, SPECjbb, SPECjEnterprise, SPECint, SPECcomp, SPECcomPL, and SPECcomPM are trademarks or registered trademarks of Standard Performance Evaluation Corporation. The performance results described in this document are derived from detailed benchmark results available at <http://www.spec.org> on the dates specified in Table 1.

VMware VMmark is a product of VMware, Inc. The results cited in this document were made available at <http://www.vmmark.com> as of the dates specified in Table 1.



---

**Americas Headquarters**  
Cisco Systems, Inc.  
San Jose, CA

**Asia Pacific Headquarters**  
Cisco Systems (USA) Pte. Ltd.  
Singapore

**Europe Headquarters**  
Cisco Systems International BV Amsterdam,  
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).