

# Components and Cables for Collaboration Devices

Version 11.1

[Quick Link --> Go to INDEX](#)

## Introduction

January 2024 / Version 11.1

### Purpose of this guide

This Components and Cables Guide is designed to help Cisco Employees and Partners choose the correct PIDs (Product ID) when placing orders for Video Collaboration Devices in CCW.

In this guide, you will find the following:

- Orderable PIDs for each product
- Cables and other components that are included automatically
- Software feature options such as MultiSite and Remote Monitoring
- Microphone options where applicable
- Mounting options where applicable
- Cable options and power cables
- Post-sale licensing
- Spares and spare parts

### Hardware as a Service (HaaS)

The Cisco Hardware as a Service (HaaS) Ordering Guide has good information about this service.

[Cisco Hardware as a Service \(HaaS\) Ordering Guide](#)

### Certified Devices for Microsoft Teams

This web page has good information about this subject:

[Cisco Devices for Microsoft Teams Rooms](#)

### Rebranding

With recent advances in native Microsoft Teams mode on many newer devices, "Webex" has been removed and replaced by "Cisco" on product names. This continues the tradition of supporting many different protocols - not only Cisco call control - on our devices.

This document was prepared by Cisco CTG Technical Marketing Engineering. If you have feedback or questions, please send an email to the following:

[ctg\\_tme\\_devices@cisco.com](mailto:ctg_tme_devices@cisco.com)

### Notes

- \* TAA and Made in a Neutral Country PIDs are listed herein
- \* REFURBISHED :There is also a tab for refurbished / remanufactured video devices
- \* NEW LINKS for AES67 and AV Integrator Pack on the Index page
- \* **NAVIGATORS** - all new versions of table and wallmount Navigators have a -L in the part number. This indicates an increase in RAM to facilitate running the MS Teams UI on the device.

Software options: **MultiSite**, **Remote Monitoring**, **Encryption**, and **AV Integrator Pack**

**MultiSite** is available for some endpoints as an option in CCW. For others, it must be ordered separately. MultiSite does not apply to Webex cloud-registered devices.

The top level PID for MultiSite is L-ROOM-PAK.

Each endpoint is listed under that PID.

**Remote Monitoring** (web snapshots) must be ordered separately.

The top level PID for Remote Monitoring is L-TP-RM.

Each endpoint is listed under that PID.

**Encryption** is required for all endpoints registering to Webex cloud.

This is *not* a paid option - it is no-cost and is chosen at time of order.

If your endpoint doesn't have it, and you need it for Webex cloud, contact your account team for support.

**AV Integrator Pack** is available for certain newer endpoints.

It allows the use of additional Table Mic Pro, and in some cases it enables Audio Console.

\* TAA Compliance:

[TAA Trade Agreements Act Explained](#)

\* End of Life Products

Some products that have already been announced End of Life are actually still orderable. You can find them listed in this document.

# INDEX

Click on a product name below

## Cisco Room Series

[Room 70 Dual - Extended](#)

[Room 55 Dual - Extended](#)

[Room 55 Single - Extended](#)

## End of Life - not orderable

[Desk Hub](#)

[Cisco Room 70 S G2](#)

[Room Kit Plus:](#)

\* All Non-Radio Versions

\* Some TAA Versions

[Room Kit:](#)

\* All Non-Radio Versions

\* Some TAA Versions

[Room Kit Mini:](#)

\* All Non-Radio Versions

\* Some TAA Versions

## Collaboration Peripherals

[Navigator](#)

[Touch 10](#)

[Microphones](#)

## Cisco Room Kit Series

[Cisco Room Kit Pro](#)

[Room Kit Pro SpeakerTrack 60](#)

[Cisco Room Kit Pro PTZ 4K](#)

[Cisco Room Kit Pro P60 - Extended](#)

[Cisco Codec Pro](#)

[Cisco Room Kit EQX - NEW](#)

[Cisco Room Kit EQ - NEW](#)

[Cisco Room Kit Plus](#)

[Cisco Room Kit Plus PTZ 4K](#)

[Cisco Room Kit Plus P60 - Extended](#)

[Cisco Codec Plus](#)

## Cisco Board Pro

[Board Pro 75](#)

[Board Pro 55](#)

## Cisco Desk Series

[Desk Pro](#)

[Desk](#)

[Desk Mini](#)

[Desk Camera 4k and 1080p](#)

## Assorted Links

[AUDIO - AES67 Interop - NEW](#)

[AUDIO - AV Integrator Key - NEW](#)

[Refurbished Products](#)

[Hardware as a Service](#)

[Webex Partner Ecosystem](#)

[All Spares](#)

[Quick Link --> Go to TITLE PAGE](#)

[PTZ 4K Camera](#)

[Quad Camera](#)

[SpeakerTrack 60](#)

[Precision 60 Camera](#)

[Cisco Room Kit](#)

[Cisco Room Bar](#)

[Cisco Room Bar Pro - NEW](#)

[Cisco Room Kit Mini - Extended](#)

[Cisco Room USB](#)

## Cisco Panorama Series

[Cisco Room Panorama](#)

[Cisco Room 70 Panorama](#)

[Room 70D Panorama Upgrade](#)

[Index](#)

- CS-ROOM-PANO85-K9
- CS-ROOM-P85-NR-K9
- CS-ROOM-P85-NR-K7 (Russia Price List)

Room Panorama

Immersive video system based on Codec Pro

**Furniture is not included**

**NOTE:**

3rd party call control not supported



In-call resolutions of up to 1080p60 Main and 4Kp15 Content using dual split screens in P-P calls  
 Room Panorama supports SIP and Webex calling. It registers to CUCM, VCS, and Webex cloud

[Click here for the Datasheet](#)

Cisco Product ID (PID)

Description

CS-ROOM-PANO85-K9	Cisco Room Panorama
CS-ROOM-P85-NR-K9	Cisco Room Panorama, no radio
CS-ROOM-P85-NR-K7	Cisco Room Panorama, no radio, no encryption

Product Desc: Cisco Room Panorama 85, Triple Screens, Quad Camera

*Room Panorama does not include furniture*

[Panorama on Project Workplace](#)

Selected Components and Cables

*automatically included with Top Level PID*

CS-PANO-MON85	Qty 2	Samsung 82" 8K professional monitor for Room Panorama
CS-RPQUADCAM		Fully automatic quad camera for Room Panorama
CS-CODEC-PRO++		Codec Pro, TAA Compliant
LIC-ROOM-PANO		Cisco Room Panorama Product ID
Sound System		12 top speakers, 4 subwoofers, DNAM4 amplifier
CS-MIC-ARRAY-T	Qty 3	Cisco Table Microphone Pro - 4 element array
CS-T10-TS		Room Navigator - Table version
CAB-DV10-12.5M		12.5 meter flat grey Ethernet cable for Navigator
CAB-DV10-4M		4 meter flat grey Ethernet cable for Navigator
CAB-ETH-5M-GR	Qty 2	Ethernet cable 5m/16.4 ft, grey
CS-WALL85-STRUCT		Room Panorama 85 Wall Structure
CS-PANO-SWITCH2	Qty 2	Room Panorama - Cisco C1000 16 Port Switch
PSU-12VDC-120W		Power supply
PSU-24VDC-270W		Power supply
CAB-HDMI-MUL4K-9M	Qty 2	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
CS-CPRO-ADPT		Full set of Phoenix-style Euroblock connectors

Software Feature Options

Remote Monitoring	Top level PID: I L-TP-RM
L-ROOM-PANO	<i>order separately</i> Remote Monitoring Option for Web Snapshots

Cisco Product ID (PID)		Description
<b>Wall Options</b>		
CS-PANO-WALL-LIGHT	<i>optional</i>	Oak wood finish for Panorama Wall structure, Light Colour
CS-PANO-WALL-PAINT	<i>optional</i>	Panorama Wall structure, ready for painting
CS-PANO-WALL-CSTM	<i>no charge</i>	Panorama Custom Wall Kit - Parts needed for Carpenter to build wall outside Panorama structure
CS-PANO-WALL-LIGH2	<i>optional</i>	Oak wood finish for Panorama Wall structure - Low ceiling version
CS-PANO-WALL-PAIN2	<i>optional</i>	Panorama Wall structure, ready for painting - Low ceiling version
CS-PANO-240-CSTM	<i>no charge</i>	Room Panorama Custom wall - low ceiling bracket
<b>Presentation Screen Options</b>		
CS-PANO-MON65		Samsung 65" presentation screen for Room Panorama & Room 70 Panorama
CS-PANO-PRES-TOP		Screen mount for Samsung 65" presentation screen mounted on top
CS-PANO-NOPRES		Room Panorama Low Ceiling Height Option - No presentation
<b>Control Options</b>		
		<i>Optional extra controllers</i>
CS-T10-TS-L-K9=	<i>order separately</i>	Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i>	Room Navigator -Wall Mount, First Light
<b>Microphone Options</b>		
		<i>Three Array Microphones are included</i>
CS-MIC-ARRAY-T	<i>optional</i>	Cisco Table Microphone Pro - 4 element array
<b>Cable Options</b>		
CAB-HDMI-MUL4K-9M	<i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
CAB-PRES-2HDMI-GR=	<i>order separately</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional
<b>Post-Sale Licensing</b>		
Remote Monitoring	L-TP-RM	
L-ROOM-RM		Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>		
<a href="#">All Spares</a>		

**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

PWR-CORD-ARG-B=	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B=	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B=	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B=	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B=	Power Cord for China 2m 10A
PWR-CORD-DNK-B=	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B=	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B=	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B=	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B=	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B=	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B=	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B=	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B=	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B=	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B=	Power Cord for South Africa 2m 10A
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped


© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

- CS-ROOM70-PANO-K9
- CS-ROOM70P-NR-K9
- CS-ROOM70P-NR-K7 (Russia Price List)

Room 70 Panorama  
 Immersive video system based on Room 70D  
**Furniture is not included**

**NOTE:**  
 3rd party call control not supported



In-call resolutions of up to 1080p60 Main and 4Kp15 Content using Dual Screen technology. Room 70 Panorama supports SIP and Webex calling. It registers to CUCM, VCS, and Webex cloud.

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
CS-ROOM70-PANO-K9	Cisco Room 70 Panorama
CS-ROOM70P-NR-K9	Cisco Room 70 Panorama
CS-ROOM70P-NR-K7 (Russia Price Li	Cisco Room 70 Panorama

Product Desc: Room 70 Dual with extra screen, cables, and Panorama software

*Room 70 Panorama does not include furniture  
[Panorama on Project Workplace](#)*

Selected Components and Cables		<i>automatically included with Top Level PID</i>
CS-RCODPRO-xx		Cisco Codec Pro for Room 70 G2 as indicated above
LIC-ROOM70-PANO		Cisco Room70 Panorama Product ID
CS-ROOM70D-MON-L		Left monitor for Room 70 Dual UHD (4K)
CS-ROOM70D-MON-R		Right monitor for Room 70 Dual UHD (4K)
CS-RQUADCAM		Speaker tracking camera for Room 55 Dual and Room 70
CS-MIC-ARRAY-T	Qty 2	Cisco Table Microphone Pro - 4 element array
CS-T10-TS		Cisco Room Navigator - Table stand version
CAB-DV10-12.5M		12.5 meter flat grey Ethernet cable for Navigator
CAB-DV10-4M		4 meter flat grey Ethernet cable for Navigator
CAB-ETH-5M-GR	Qty 2	Ethernet cable 5m/16.4 ft, grey
CAB-PRES-2HDMI-GR	Qty 2	Presentation cable 8m, HDMI, gray, 4kp30, directional
CS-CPRO-ADPT		Full set of Phoenix-style Euroblock connectors

Software Feature Options

Remote Monitoring	Top level PID: L-TP-RM
L-ROOM-RM	<i>order separately</i> Remote Monitoring Option for Web Snapshots



Cisco Product ID (PID)	Description
<b>Presentation Screen Mounting Options</b>	
CS-R70-PRES-TOP	Screen mount for Samsung 65" mounted on top
CS-R70-PRES-BTM	Screen mount for Samsung 55" mounted below
<b>System Mounting Options</b>	
CS-ROOM70P-FSK	Room 70 Panorama Floor Stand Kit, freestand or secured to the wall
CS-ROOM70P-WMK	Room 70 Panorama Wall Mount Kit - hangs on wall
CS-ROOM70P-SFSK	Room 70 Panorama Floor Stand Kit (SHORT) Secured to the wall
<b>Presentation Screen Options</b>	
CS-PANO-MON55	Depends on Mounting Options chosen above Samsung 55" presentation screen - can be mounted below
CS-PANO-MON65	Samsung 65" presentation screen - can be mounted on top
<b>Control Options</b>	
CS-T10-TS-L-K9=	<i>Optional extra controllers</i> Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i> Room Navigator -Wall Mount, First Light
<b>Microphone Options</b>	
CS-MIC-ARRAY-T	<i>Two Array Microphones are included</i> Cisco Table Microphone Pro - 4 element array
<b>Cable Options</b>	
CAB-HDMI-MUL4K-9M	Multi-head Presentation cable 9 meters (4K30, USB-C, HDMI, miniDP)
CAB-PRES-2HDMI-GR=	<i>order separately</i> Presentation cable 8m, HDMI, gray, 4kp30, directional
<b>Post-Sale Licensing</b>	
Remote Monitoring	L-TP-RM
L-ROOM-RM	Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>	
<a href="#">All Spares</a>	
<b>Documentation</b>	
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>	
<b>Power Cords</b>	
PWR-CORD-ARG-F	Power Cord for Argentina 5m 1mm2
PWR-CORD-AUS-F	Power Cord for Australia 5m 1mm2
PWR-CORD-BRA-F	Power Cord for Brazil 5m 1mm2
PWR-CORD-CHE-F	Power Cord for Switzerland 5m 1mm2
PWR-CORD-CHN-F	Power Cord for China 5m 1mm2
PWR-CORD-DNK-F	Power Cord for Denmark 5m 10A
PWR-CORD-EUR-F	Power Cord for Europe 5m 1mm2
PWR-CORD-GBR-F	Power Cord for United Kingdom 5m 1mm2
PWR-CORD-IND-F	Power Cord for India 5m 1mm2
PWR-CORD-ISR-F	Power Cord for Israel 5m 10A
PWR-CORD-ITA-F	Power Cord for Italy 5m 10A
PWR-CORD-JPN-F	Power Cord for Japan 5m 10A
PWR-CORD-KOR-BF	Power Cord for South Korea 5m 1mm2
PWR-CORD-TWN-F	Power Cord for Taiwan 5m 10A
PWR-CORD-USA-F	Power Cord for United States of America 4.5m 18AWG
PWR-CORD-ZAF-F	Power Cord for South Africa 5m 1mm2
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped
© 2024 Cisco and/or its affiliates. All rights reserved.	

[Index](#)


CS-R70P-UPG-BUN

**Room 70D Panorama Upgrade**

Immersive upgrade for existing Room 70 Dual

Furniture is not included

Base system must be G2 Room 70 Dual



**NOTE:**

3rd party call control not supported

In-call resolutions of up to 1080p60 Main and 4Kp15 Content using Dual Screen technology. Room 70 Panorama supports SIP and Webex calling. It registers to CUCM, VCS, and Webex cloud.

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-R70P-UPG-BUN</b>	<b>Cisco Room 70D Panorama Upgrade</b>
Product Desc:	Panorama Presentation Screen Kit and Room 70D Panorama Product Key <b>Base system must be a G2 Room 70 Dual</b> <a href="#">Panorama on Project Workplace</a>
Main Components and Cables	<i>automatically included with Top Level PID</i>
CS-R70P-SCREEN-KIT	Panorama Presentation Screen kit for Room 70D G2
L-ROOM70-PANO	Electronic delivery for Room 70 PANORAMA Product key
CAB-2HDMI-2.06M	HDMI to HDMI Cable, 2.06 meters long for ROOM 70
CAB-2HDMI-4M-GR	4m GREY HDMI 2.0
CAB-ETH-5M-GR	CAB (16,4 feet / 5m) GREY ETHERNET
<b>Presentation Screen Mounting Options</b>	
CS-R70-PRES-TOP	Screen mount for Samsung 65" mounted on top
CS-R70-PRES-BTM	Screen mount for Samsung 55" mounted below
<b>Control Options</b>	
CS-T10-TS-L-K9=	<i>order separately</i> Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i> Room Navigator -Wall Mount, First Light
<i>Optional extra controllers - Recommended if customer has a Touch 10</i>	
<b>Presentation Screen Options</b>	
CS-PANO-MON55	<i>Depends on Mounting Options chosen above</i> Samsung 55" presentation screen - can be mounted below
CS-PANO-MON65	Samsung 65" presentation screen - can be mounted on top
<b>Microphone Options</b>	
CS-MIC-ARRAY-T	<i>order separately</i> Cisco Table Microphone Pro - 4 element array
<b>Spares and Spare Parts</b>	
<a href="#">All Spares</a>	



**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

CAB-PWR-C7-EUR-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, Europe
CAB-PWR-C7-ARG-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, Argentina
CAB-PWR-C7-AUS-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, Australia
CAB-PWR-C7-CHE-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, Switzerland
CAB-PWR-C7-CHN-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, China
CAB-PWR-C7-KOR-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, South Korea
CAB-PWR-C7-GBR-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, United Kingdom
CAB-PWR-C7-USA-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, United States of America
CAB-PWR-C7-BRA-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, Brazil
CAB-PWR-C7-IND-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, India
CAB-PWR-C7-ZAF-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, South Africa
CAB-PWR-C7-JPN-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, Japan
CAB-PWR-C7-DNK-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, Denmark
CAB-PWR-C7-TWN-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, Taiwan
CAB-PWR-C7-ISR-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, Israel
CAB-PWR-C7-ITA-A	Power Cord, C7-Right Angled, Grey, 4.5m, 10A, Italy

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

CS-ROOM70DG2-K9  
 CS-ROOM70DG2-NR-K9  
 CS-ROOM70DG2-NR-K7

Room 70 G2 Dual Screen w/Quad Cam

**NOTE:**

This Item is still orderable

EOL14602

ORDERABILITY HAS BEEN EXTENDED!



The Room 70 Dual has two 70" UHD (4K) LCD/LED screens and a Quad Camera. Speaker tracking is built into the camera. The Room 70 supports SIP, H.323 and Webex calling. It registers to CUCM, VCS, Webex in the cloud, and third party devices.

Cisco Product ID (PID)

Description

**CS-ROOM70DG2-K9**

**Cisco Room 70 G2 Dual**

Codec: **CS-RCODPRO-K9**

**CS-ROOM70DG2-NR-K9**

**Cisco Room 70 G2 Dual - no radio**

Codec: **CS-RCODPRO-NR-K9**

**CS-ROOM70DG2-NR-K7**

**Cisco Room 70 G2 Dual - no radio, no encryption**

Codec: **CS-RCODPRO-NR-K7**

Product Desc: Dual 70" UHD (4K) LED/LCD, Quad Camera with tracking, Navigator, 2 mics  
*The Quad Camera has 5.4X digital zoom and 83 degree field of view*

Main Components and Cables

*automatically included with Top Level PID*

CS-RCODPRO-xx

Cisco Codec Pro for Room 70 G2 as indicated above

CS-ROOM70D-MON-L

Left monitor for Room 70 Dual UHD (4K)

CS-ROOM70D-MON-R

Right monitor for Room 70 Dual UHD (4K)

CS-RQUADCAM

Speaker tracking camera for Room 55 Dual and Room 70

CS-MIC-TABLE-E

Qty 2

Cisco Table Microphone w/9m Euroblock cable

CS-T10-TS

Cisco Room Navigator - Table stand version

CAB-ETH-5M-GR

Ethernet cable 5m/16.4 ft, grey

CAB-DV10-12.5M

12.5 meter flat grey Ethernet cable for Touch 10

CAB-DV10-4M

4 meter flat grey Ethernet cable for Touch 10

CAB-PRES-2HDMI-GR

Qty 2

Presentation cable 8m, HDMI, gray, 4kp30, directional

CS-CPRO-ADPT

Full set of Phoenix-style Euroblock connectors

Software Feature Options

MultiSite

LIC-ROOM70-MS

*optional*

Room 70 MultiSite - internal bridge (four other sites)

Remote Monitoring

L-TP-RM

L-ROOM-RM

*order separately*

Remote Monitoring Option to enable Web Snapshots

Cisco Product ID (PID)	Description
<b>Mounting Kit Options (<i>must select one</i>)</b>	
CS-ROOM70D-FSK	<i>no-cost option</i> Room 70 Dual Screen Floor Stand Kit, freestanding or secured to the wall
CS-ROOM70D-WMK	<i>no-cost option</i> Room 70 Dual Screen Wall Mount Kit - hangs on wall (requires reinforcement)
<b>Control Options</b>	
	<i>Optional extra controllers</i>
CS-T10-TS-L-K9=	<i>order separately</i> Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i> Room Navigator -Wall Mount, First Light
<b>Microphone Options</b>	
	<i>Up to eight microphones can be used. Two table mics are included.</i>
CS-MIC-TABLE-E	<i>(2) included</i> Cisco Table Microphone - 9m Euroblock cable included
CAB-MIC-EXT-E	<i>optional</i> 9 meter extension cable for Cisco Table Microphone (Euroblock connectors)
CTS-MIC-CLNG-G2	<i>optional</i> Cisco TelePresence Ceiling Microphone Generation 2
CAB-ETHRSHLD-10M	<i>optional</i> Shielded cable for Ceiling Mic (10m), not plenum rated
CS-MIC-ARRAY-T	<i>order separately</i> Cisco Table Microphone Pro - 4 element array
<b>Additional Camera Options</b>	
	<i>For PresenterTrack or other applications</i>
CS-CAM-PTZ4K=	<i>order separately</i> PTZ4K Camera
CS-PTZ4K-BRKT=	<i>order separately</i> Bracket for wall mounting of PTZ 4K camera
CS-PTZ4K-CLNGMNT=	<i>order separately</i> Bracket for ceiling mounting of PTZ 4K camera
CTS-CAM-P60=	<i>order separately</i> Precision 60 Camera
CTS-CAM60-BRKT=	<i>order separately</i> Wall and ceiling bracket for Precision 60 Camera
PSU-12VDC-40W2=	<i>order separately</i> Power Supply for camera - 12VDC 40W
<b>Cable Options</b>	
CAB-HDMI-MUL4K-9M	<i>optional</i> Presentation cable 9m, 4K30, with HDMI, Mini DP, USB-C
<b>Post-Sale Licensing</b>	
<b>MultiSite</b>	
L-ROOM70-MS	<i>order separately</i> E-delivery of Room 70 MultiSite option
<b>Remote Monitoring</b>	
L-ROOM-RM	L-TP-RM Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>	
<a href="#">All Spares</a>	
<b>Documentation</b>	
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>	
<b>Power Cords</b>	
PWR-CORD-ARG-F	Power Cord for Argentina 5m 10A
PWR-CORD-AUS-F	Power Cord for Australia 5m 10A
PWR-CORD-BRA-F	Power Cord for Brazil 5m 10A
PWR-CORD-CHE-F	Power Cord for Switzerland 5m 10A
PWR-CORD-CHN-F	Power Cord for China 5m 10A
PWR-CORD-EUR-F	Power Cord for Europe 5m 10A
PWR-CORD-GBR-F	Power Cord for United Kingdom 5m 10A
PWR-CORD-IND-F	Power Cord for India 5m 10A
PWR-CORD-JPN-F	Power Cord for Japan 5m 10A
PWR-CORD-KOR-F	Power Cord for South Korea 5m 10A
PWR-CORD-USA-F	Power Cord for United States of America 4.5m 10A
PWR-CORD-ZAF-F	Power Cord for South Africa 5m 10A
© 2024 Cisco and/or its affiliates. All rights reserved.	

[Index](#)

CS-ROOM55D-K9  
 CS-ROOM55D-NR-K9  
 CS-ROOM55D-NR-K7

Room 55 Dual Screen w/Quad Cam

**NOTE:**

This Item is still orderable

EOL14649

ORDERABILITY HAS BEEN EXTENDED!



The Room 55 Dual has two 55" UHD (4K) LED screens, and a Quad Camera. Speaker tracking is built into the camera. The Room 55 supports SIP, H.323 and Webex calling. It registers to CUCM, VCS, Webex in the cloud, and third party devices.

Cisco Product ID (PID)

Description

**CS-ROOM55D-K9**

**Cisco Room 55 Dual**

Codec: *CS-RCODPLUS-K9*

**CS-ROOM55D-NR-K9**

**Cisco Room 55 Dual - no radio**

Codec: *CS-RCODPLUS-NR-K9*

**CS-ROOM55D-NR-K7**

**Cisco Room 55 Dual - no radio, no encryption**

Codec: *CS-RCODPLUS-NR-K7*

Product Desc: Dual 55" UHD (4K) LED/LCD, Quad Camera with tracking, Navigator, 2 mics  
*The Quad Camera has 5.4X digital zoom and 83 degree field of view*

Main Components and Cables

*automatically included with Top Level PID*

CS-RCODPLUS-xx

Cisco Codec Plus for Room 55 Dual as indicated above

CS-ROOM55D-MON2-L-

Left Monitor for Room 55 Dual

CS-ROOM55D-MON2-R-

Right Monitor for Room 55 Dual

CS-RQUADCAM

Speaker tracking camera for Room 55 Dual and Room 70

LIC-ROOM55D

Cisco Room 55 Product ID

CS-MIC-TABLE-J

Qty 2

Cisco Table Microphone - 7.5m mini cable included

CS-T10-TS

Cisco Room Navigator - Table stand version

CAB-ETH-5M-GR

Ethernet cable 5m/16.4 ft, grey

CAB-DV10-12.5M

12.5 meter flat grey Ethernet cable for Navigator

CAB-DV10-4M

4 meter flat grey Ethernet cable for Navigator

CAB-PRES-2HDMI-GR

Presentation cable 8m, HDMI, gray, 4kp30, directional

Software Feature Options

MultiSite

LIC-ROOM55-MS

*optional*

Room 55 MultiSite - internal bridge (three other sites)

Remote Monitoring

L-TP-RM

L-ROOM-RM

*order separately*

Remote Monitoring Option to enable Web Snapshots

Cisco Product ID (PID)	Description	
<b>Mounting Kit Options</b> ( <i>must select one</i> )		
CS-ROOM55D-FSK	<i>no-cost option</i>	Room 55 Dual Screen Floor Stand Kit, freestanding or secured to the wall
CS-ROOM55D-WMK	<i>no-cost option</i>	Room 55 Dual Screen Wall Mount Kit - hangs on wall (requires reinforcement)
	<b>NOTE:</b>	Mounting Kits can be ordered as spares. If a different mount is needed post-sale, make sure to also a new lower grill kit. See "All Spares", Form Factor section.
<b>Control Options</b> <i>Optional extra controllers</i>		
CS-T10-TS-L-K9=	<i>order separately</i>	Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i>	Room Navigator -Wall Mount, First Light
<b>Microphone Options</b> <i>Up to three microphones can be used</i>		
CS-MIC-TABLE-J	<i>(2) included</i>	Cisco Table Microphone - 7.5m mini cable included
CAB-MIC-EXT-J	<i>optional</i>	9 meter extension cable for Table Microphone (mini connectors)
CTS-MIC-CLNG-G2	<i>optional</i>	Cisco Ceiling Microphone Gen 2
CAB-ETHRSHLD-10M	<i>optional</i>	Shielded cable for Ceiling Mic (10m), not plenum rated
<b>Additional Camera Options</b> <i>For PresenterTrack or other applications - maximum three cameras</i>		
CS-CAM-PTZ4K=	<i>order separately</i>	PTZ4K Camera
CS-PTZ4K-BRKT=	<i>order separately</i>	Bracket for wall mounting of PTZ 4K camera
CS-PTZ4K-CLNGMNT=	<i>order separately</i>	Bracket for ceiling mounting of PTZ 4K camera
CTS-CAM-P60=	<i>order separately</i>	Precision 60 Camera
CTS-CAM60-BRKT=	<i>order separately</i>	Wall and ceiling bracket for Precision 60 Camera
PSU-12VDC-40W2=	<i>order separately</i>	Power Supply for camera - 12VDC 40W
CS-PTZ4K-CLNGMNT=	<i>order separately</i>	Bracket for ceiling mounting of PTZ 4K camera
<b>Cable Options</b>		
CAB-HDMI-MUL4K-9M	<i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
<b>Post-Sale Licensing</b>		
MultiSite	L-ROOM-PAK	
L-ROOM55-MS	<i>optional</i>	E-delivery of Room 70 MultiSite option
Remote Monitoring	L-TP-RM	
L-ROOM-RM	<i>order separately</i>	Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>		
<a href="#">All Spares</a>		

**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

PWR-CORD-ARG-F	Power Cord for Argentina 5m 1mm2
PWR-CORD-AUS-F	Power Cord for Australia 5m 1mm2
PWR-CORD-BRA-F	Power Cord for Brazil 5m 1mm2
PWR-CORD-CHE-F	Power Cord for Switzerland 5m 1mm2
PWR-CORD-CHN-F	Power Cord for China 5m 1mm2
PWR-CORD-DNK-F	Power Cord for Denmark 5m 10A
PWR-CORD-EUR-F	Power Cord for Europe 5m 1mm2
PWR-CORD-GBR-F	Power Cord for United Kingdom 5m 1mm2
PWR-CORD-IND-F	Power Cord for India 5m 1mm2
PWR-CORD-ISR-F	Power Cord for Israel 5m 10A
PWR-CORD-ITA-F	Power Cord for Italy 5m 10A
PWR-CORD-JPN-F	Power Cord for Japan 5m 10A
PWR-CORD-KOR-BF	Power Cord for South Korea 5m 1mm2
PWR-CORD-TWN-F	Power Cord for Taiwan 5m 10A
PWR-CORD-USA-F	Power Cord for United States of America 4.5m 18AWG
PWR-CORD-ZAF-F	Power Cord for South Africa 5m 1mm2

© 2024 Cisco and/or its affiliates. All rights reserved.



[Index](#)

CS-ROOM55-K9  
 CS-ROOM55-NR-K9  
 CS-ROOM55-NR-K7

Room 55 (single screen)

**NOTE:**

This Item is still orderable

EOL14647

ORDERABILITY HAS BEEN EXTENDED!



UHD (4K) 55" LED screen with 3-way speakers, (2) HDMI presentation inputs, HDMI out. Speaker tracking is built into the camera. The Room 55 supports SIP, H.323 and Webex calling. It registers to CUCM, VCS, Webex cloud, and third party devices.

Cisco Product ID (PID)

Description

**CS-ROOM55-K9**

**Cisco Room 55**

Screen Unit: *CS-R55-UNI2-K9*

**CS-ROOM55-NR-K9**

**Cisco Room 55 - no radio**

Screen Unit: *CS-R55-UNI2-NR-K9+*

**CS-ROOM55-NR-K7**

**Cisco Room 55 - no radio**

Screen Unit: *CS-R55-UNI2-NR-K7+*

Product Desc: 55" UHD (4K) LED/LCD, integrated camera and speakers, Navigator, 2 mics

Main Components and Cables

*automatically included with Top Level PID*

CS-R55-UNI2-xx

55" LED/LCD screen, integrated codec, camera, speakers, bezel mic

CS-T10-TS

Cisco Room Navigator - Table stand version

CAB-DV10-8M

8m flat grey Ethernet cable for Navigator

CS-MIC-TABLE-J

Qty 2

Cisco Table Microphone - 7.5m mini cable included

CAB-ETH-5M-GR

5m Ethernet cable

CAB-PRES-2HDMI-GR

Presentation cable 8m, HDMI, gray, 4kp30, directional

Software Feature Options

MultiSite

LIC-ROOM55-MS

*optional*

Room 55 MultiSite - internal bridge (three other sites)

Remote Monitoring

L-TP-RM

L-ROOM-RM

*order separately*


Remote Monitoring Option to enable Web Snapshots

Cisco Product ID (PID)	Description	
<b>Mounting Kit Options (<i>must select one</i>)</b>		
CS-ROOM55-FSK	no-cost option	Room 55 Floor Stand Kit
CS-ROOM55-WMK	no-cost option	Room 55 Wall Mount Kit
CS-ROOM55-WBK	no-cost option	Room 55 Wheel Base
	<b>NOTE:</b>	Mounting Kits can be ordered as spares, if a different mount is needed post-sale.
<b>Control Options</b> <i>Optional extra controllers</i>		
CS-T10-TS-L-K9=	<i>order separately</i>	Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i>	Room Navigator -Wall Mount, First Light
<b>Microphone Options</b> <i>Up to two external microphones can be used. There is one integrated mic.</i>		
CAB-MIC-EXT-J	<i>optional</i>	9 meter extension cable for Table Microphone (mini connectors)
CTS-MIC-CLNG-G2=	<i>order separately</i>	Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M=	<i>order separately</i>	Shielded audio cable 10m, for Ceiling Microphone, not plenum rated
<b>Cable Options</b>		
CAB-HDMI-MUL4K-2M	<i>optional</i>	Cisco Multi-head Cable 2.5 meters (4K, USB-C, HDMI, miniDP)
CAB-HDMI-MUL4K-9M	<i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
<b>Post-Sale Licensing</b>		
MultiSite	L-ROOM-PAK	
L-ROOM55-MS		E-delivery of Room 55 MultiSite option
Remote Monitoring	L-TP-RM	
L-ROOM-RM		Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>		
<a href="#">All Spares</a>		
<b>Documentation</b>		
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>		
<b>Power Cords</b>		
PWR-CORD-ARG-F		Power Cord for Argentina 5m 1mm2
PWR-CORD-AUS-F		Power Cord for Australia 5m 1mm2
PWR-CORD-BRA-F		Power Cord for Brazil 5m 1mm2
PWR-CORD-CHE-F		Power Cord for Switzerland 5m 1mm2
PWR-CORD-CHN-F		Power Cord for China 5m 1mm2
PWR-CORD-DNK-F		Power Cord for Denmark 5m 10A
PWR-CORD-EUR-F		Power Cord for Europe 5m 1mm2
PWR-CORD-GBR-F		Power Cord for United Kingdom 5m 1mm2
PWR-CORD-IND-F		Power Cord for India 5m 1mm2
PWR-CORD-ISR-F		Power Cord for Israel 5m 10A
PWR-CORD-ITA-F		Power Cord for Italy 5m 10A
PWR-CORD-JPN-F		Power Cord for Japan 5m 10A
PWR-CORD-KOR-BF		Power Cord for South Korea 5m 1mm2
PWR-CORD-TWN-F		Power Cord for Taiwan 5m 10A
PWR-CORD-USA-F		Power Cord for United States of America 4.5m 18AWG
PWR-CORD-ZAF-F		Power Cord for South Africa 5m 1mm2
© 2024 Cisco and/or its affiliates. All rights reserved.		

[Index](#)

CS-KITPRO-ST60

Room Kit Pro with SpeakerTrack 60  
(Bundled SKU)



The Codec Pro supports (3) 4K monitors. In-call resolutions of up to 1080p60 Main and 4Kp15 Content.  
The Room Kit Pro is multi-platform: SIP, H.323, Webex, or MS Teams

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-KITPRO-ST60</b>	<b>Cisco Room Kit Pro SpeakerTrack 60</b>
	Product Desc: Codec Pro with SpeakerTrack 60 and Navigator User Interface <i>SpeakerTrack 60 has a range of up to 9 meters; max field of view 80 degrees</i>
Main Components and Cables	<i>automatically included with Top Level PID</i>
CS-CODEC-PRO	Codec Pro Unit with encryption
CTS-SPKER-TRACK60	SpeakerTrack 60, complete, includes (2) P60 cameras
PWR-12VDC-84W	Power supply for SpeakerTrack 60 - 12VDC 84W
CS-CPRO-ANT	Pair of antennas for Codec Pro
CS-CPRO-ADPT	Full set of Phoenix-style Euroblock connectors
<b>Software Feature Options</b>	
MultiSite	Top level PID: L-ROOM-PAK
L-KITPRO-MS	<i>order separately</i> Codec Pro MultiSite - internal bridge (four other sites)
Remote Monitoring	Top Level PID: L-TP-RM
L-KIT-RM	<i>order separately</i> Remote Monitoring Option for Web Snapshots
<b>Mounting Option</b>	
CS-CPRO-WMK	<i>optional</i> Wallmount Kit for Codec Pro
CS-CPRO-RACKEARS	<i>no-cost option</i> Codec Pro Rack Ears
<b>Control Options</b>	
CS-T10-TS-L-K9	Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i> Room Navigator -Wall Mount, First Light

Cisco Product ID (PID)	Description
Microphone Options	<i>Up to eight Table-E microphones can be used</i> <i>Microphones are not included and must be chosen as options</i>
CS-MIC-TABLE-E <i>optional</i>	Cisco Table Microphone - 9m Euroblock cable included
CAB-MIC-EXT-E <i>optional</i>	9 meter extension cable for Table Microphone (Euroblock connectors)
CTS-MIC-CLNG-G2= <i>optional</i>	Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M <i>optional</i>	Shielded audio cable 10m, for Ceiling Microphone, not plenum rated
CS-MIC-ARRAY-T <i>optional</i>	Cisco Table Microphone Pro - 4 element array
<i>Other Supported Cameras: Precision 60, PTZ-12, PTZ 4K</i>	
Additional Camera Options	<i>For PresenterTrack or other applications</i>
CS-CAM-PTZ4K= <i>order separately</i>	PTZ4K Camera
PSU-12VDC-40W2= <i>order separately</i>	Power Supply for camera - 12VDC 40W
CS-PTZ4K-BRKT= <i>order separately</i>	Bracket for wall mounting of PTZ 4K camera
CS-PTZ4K-CLNGMNT= <i>order separately</i>	Bracket for ceiling mounting of PTZ 4K camera
Cable Options	
CAB-PRES-2HDMI-GR <i>optional</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional
CAB-2HDMI-1.5M-GR <i>optional</i>	HDMI 2.0 cable 1.5 m/5 ft, grey
CAB-2HDMI-3M-GR <i>optional</i>	HDMI 2.0 cable 3 m/10 ft, grey
CAB-ETH-1.5M-GR <i>optional</i>	Ethernet cable 1.5 m/5 ft, grey
CAB-ETH-3M-GR <i>optional</i>	Ethernet cable 3 m/10 ft, grey
CAB-ETH-5M-GR <i>optional</i>	Ethernet cable 5 m/16.4 ft, grey
CAB-HDMI-MUL4K-2M= <i>order separately</i>	Cisco Multi-head Cable 2.5 meters (4K, USB-C, HDMI, miniDP)
CAB-HDMI-MUL4K-9M <i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
Post-Sale Licensing	
MultiSite      L-ROOM-PAK	
L-KITPRO-MS <i>order separately</i>	Order L-ROOM-PAK for e-delivery of MultiSite sw option
Remote Monitoring      L-TP-RM	
L-KIT-RM	Remote Monitoring Option to enable Web Snapshots
Spares and Spare Parts	
<a href="#">All Spares</a>	

**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

PWR-CORD-ARG-B=	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B=	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B=	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B=	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B=	Power Cord for China 2m 10A
PWR-CORD-DNK-B=	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B=	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B=	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B=	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B=	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B=	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B=	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B=	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B=	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B=	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B=	Power Cord for South Africa 2m 10A
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

CS-KITPRO-K9

Room Kit Pro  
 Codec Pro, Quad Camera, Table Navigator



The Codec Pro supports (3) 4K monitors. In-call resolutions of up to 1080p60 Main and 4Kp15 Content.

The Room Kit Pro is multi-platform: SIP, H.323, Webex, or MS Teams

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-KITPRO-K9</b>	<b>Cisco Room Kit Pro</b>
	Product Desc: <b>Codec Pro with Quad Camera and Navigator User Interface</b> <i>The Quad Camera has 5X digital zoom and 83 degree field of view</i>

Main Components and Cables	automatically included with Top Level PID
CS-CODEC-PRO	Codec Pro Unit with encryption
CS-QUADCAM	Cisco Quad Camera
BRKT-QCAM-WMK	Wall mount for Quad Camera
PSU-12VDC-70W-GR	PSU Room Kit/Plus/Mini/Quad Camera/Desk - 12VDC 5.83A
CS-T10-TS-L	Room Navigator - Table Stand, First Light
CAB-DV10-8M	8m flat grey Ethernet cable for Navigator
CS-CPRO-ANT	Pair of antennas for Codec Pro
CS-CPRO-ADPT	Full set of Phoenix-style Euroblock connectors

Software Feature Options

MultiSite	Top level PID: L-ROOM-PAK
L-KITPRO-MS	<i>order separately</i> Codec Pro MultiSite - internal bridge (four other sites)
Remote Monitoring	Top Level PID: L-TP-RM
L-KIT-RM	<i>order separately</i> Remote Monitoring Option for Web Snapshots

Mounting Option

CS-CPRO-WMK	<i>optional</i>	Wallmount Kit for Codec Pro
CS-CPRO-RACKEARS	<i>no-cost option</i>	Codec Pro Rack Ears



Cisco Product ID (PID)		Description
<b>Control Options</b>		
CS-T10-TS-L-K9=	<i>order separately</i>	Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i>	Room Navigator -Wall Mount, First Light
<b>Microphone Options</b>		
<i>Up to eight Table-E microphones can be used</i>		
<i>Microphones are not included and must be chosen as options</i>		
CS-MIC-TABLE-E	<i>optional</i>	Cisco Table Microphone - 9m Euroblock cable included
CAB-MIC-EXT-E	<i>optional</i>	9 meter extension cable for Table Microphone (Euroblock connectors)
CTS-MIC-CLNG-G2=	<i>optional</i>	Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M	<i>optional</i>	Shielded audio cable 10m, for Ceiling Microphone, not plenum rated
CS-MIC-ARRAY-T	<i>optional</i>	Cisco Table Microphone Pro - 4 element array
<i>Codec Pro Supported Cameras: SpeakerTrack 60, Quad Camera, Precision 60, PTZ 4k</i>		
<b>Camera Options</b>		
CS-CAM-PTZ4K	<i>optional</i>	PTZ 4K Camera - Qty 2 additional can be ordered Power Supply PSU-12VDC-40W2 automatically included
CS-CAM-PTZ4K-IND	<i>optional</i>	PTZ 4K camera for India
CS-PTZ4K-BRKT	<i>optional</i>	Bracket for wall mounting of PTZ 4K camera
CS-PTZ4K-CLNGMNT	<i>optional</i>	Bracket for ceiling mounting of PTZ 4K camera
<b>Cable Options</b>		
CAB-PRES-2HDMI-GR	<i>optional</i>	Presentation cable 8m, HDMI, gray, 4k30, directional
CAB-2HDMI-1.5M-GR	<i>optional</i>	HDMI 2.0 cable 1.5 m/5 ft, grey
CAB-2HDMI-3M-GR	<i>optional</i>	HDMI 2.0 cable 3 m/10 ft, grey
CAB-ETH-1.5M-GR	<i>optional</i>	Ethernet cable 1.5 m/5 ft, grey
CAB-ETH-3M-GR	<i>optional</i>	Ethernet cable 3 m/10 ft, grey
CAB-ETH-5M-GR	<i>optional</i>	Ethernet cable 5 m/16.4 ft, grey
CAB-HDMI-MUL4K-2M=	<i>order separately</i>	Cisco Multi-head Cable 2.5 meters (4K, USB-C, HDMI, miniDP)
CAB-HDMI-MUL4K-9M=	<i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
<b>Post-Sale Licensing</b>		
<b>MultiSite</b>		
L-KITPRO-MS	<i>order separately</i>	Order L-ROOM-PAK for e-delivery of MultiSite sw option
<b>Remote Monitoring</b>		
L-KIT-RM	<i>order separately</i>	Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>		
<a href="#">All Spares</a>		

**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

PWR-CORD-ARG-B=	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B=	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B=	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B=	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B=	Power Cord for China 2m 10A
PWR-CORD-DNK-B=	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B=	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B=	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B=	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B=	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B=	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B=	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B=	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B=	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B=	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B=	Power Cord for South Africa 2m 10A
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

CS-KITPRO-PTZ4K-K9

Cisco Room Kit Pro PTZ 4K  
 Codec Pro, PTZ4K Camera, Table Navigator



The Codec Pro supports (3) 4K monitors. In-call resolutions of up to 1080p60 Main and 4Kp15 Content.  
 The Room Kit Pro is multi-platform: SIP, H.323, Webex, or MS Teams

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-KITPRO-P60-K9</b>	<b>Cisco Room Kit Pro Precision 60</b>
Product Desc:	Codec Pro with PTZ 4K Camera and Table Navigator User Interface <i>The PTZ 4K has 20X optical and 12X digital zoom; total zoom 240X</i>

Main Components and Cables	automatically included with Top Level PID
CS-CODEC-PRO	Codec Pro Unit with encryption
CS-CAM-PTZ4K	PTZ 4K Camera
CS-T10-TS-L	Room Navigator - Table Stand, First Light
CAB-DV10-8M	8m flat grey Ethernet cable for Navigator
PSU-12VDC-40W2	Power Supply 12VDC 40W (for camera)
CS-CPRO-ANT	Pair of antennas for Codec Pro
CS-CPRO-ADPT	Full set of Phoenix-style Euroblock connectors

Software Feature Options

MultiSite	Top level PID: L-ROOM-PAK
L-KITPRO-MS	<i>order separately</i> Codec Pro MultiSite - internal bridge (four other sites)
Remote Monitoring	Top Level PID: L-TP-RM
L-KIT-RM	<i>order separately</i> Remote Monitoring Option for Web Snapshots

Mounting Option

CS-PTZ4K-BRKT	<i>optional</i>	Bracket for wall mounting of PTZ 4K camera
CS-PTZ4K-CLNGMNT	<i>optional</i>	Bracket for ceiling mounting of PTZ 4K camera
CS-CPRO-WMK	<i>optional</i>	Wallmount Kit for Codec Pro
CS-CPRO-RACKEARS	<i>no-cost option</i>	Codec Pro Rack Ears

Cisco Product ID (PID)		Description
<b>Control Options</b>		
CS-T10-TS-L-K9=	<i>order separately</i>	Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i>	Room Navigator -Wall Mount, First Light
<b>Microphone Options</b>		
<i>Up to eight Table-E microphones can be used</i>		
<i>Microphones are not included and must be chosen as options</i>		
CS-MIC-TABLE-E	<i>optional</i>	Cisco Table Microphone - 9m Euroblock cable included
CAB-MIC-EXT-E	<i>optional</i>	9 meter extension cable for Table Microphone (Euroblock connectors)
CTS-MIC-CLNG-G2=	<i>optional</i>	Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M	<i>optional</i>	Shielded audio cable 10m, for Ceiling Microphone, not plenum rated
CS-MIC-ARRAY-T	<i>optional</i>	Cisco Table Microphone Pro - 4 element array
<i>Codec Pro Supported Cameras: SpeakerTrack 60, Quad Camera, Precision 60, PTZ 4k</i>		
<b>Camera Options</b>		
CS-CAM-PTZ4K	<i>optional</i>	PTZ 4K Camera - Qty 2 additional can be ordered Power Supply PSU-12VDC-40W2 automatically included
CS-CAM-PTZ4K-IND	<i>optional</i>	PTZ 4K camera for India
CS-PTZ4K-BRKT	<i>optional</i>	Bracket for wall mounting of PTZ 4K camera
CS-PTZ4K-CLNGMNT	<i>optional</i>	Bracket for ceiling mounting of PTZ 4K camera
<b>Cable Options</b>		
CAB-PRES-2HDMI-GR	<i>optional</i>	Presentation cable 8m, HDMI, gray, 4k30, directional
CAB-2HDMI-1.5M-GR	<i>optional</i>	HDMI 2.0 cable 1.5 m/5 ft, grey
CAB-2HDMI-3M-GR	<i>optional</i>	HDMI 2.0 cable 3 m/10 ft, grey
CAB-ETH-1.5M-GR	<i>optional</i>	Ethernet cable 1.5 m/5 ft, grey
CAB-ETH-3M-GR	<i>optional</i>	Ethernet cable 3 m/10 ft, grey
CAB-ETH-5M-GR	<i>optional</i>	Ethernet cable 5 m/16.4 ft, grey
CAB-HDMI-MUL4K-2M=	<i>order separately</i>	Cisco Multi-head Cable 2.5 meters (4K, USB-C, HDMI, miniDP)
CAB-HDMI-MUL4K-9M	<i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
<b>Post-Sale Licensing</b>		
MultiSite	L-ROOM-PAK	
L-KITPRO-MS	<i>order separately</i>	Order L-ROOM-PAK for e-delivery of MultiSite sw option
Remote Monitoring	L-TP-RM	
L-KIT-RM	<i>order separately</i>	Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>		
<a href="#">All Spares</a>		

**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

PWR-CORD-ARG-B=	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B=	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B=	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B=	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B=	Power Cord for China 2m 10A
PWR-CORD-DNK-B=	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B=	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B=	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B=	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B=	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B=	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B=	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B=	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B=	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B=	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B=	Power Cord for South Africa 2m 10A
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

CS-KITPRO-P60-K9

Room Kit Pro w/Precision 60 Camera

EOL14444  
ORDERABILITY HAS BEEN EXTENDED!



The Codec Pro supports (3) 4K monitors. In-call resolutions of up to 1080p60 Main and 4Kp15 Content.

The Room Kit Pro is multi-platform: SIP, H.323, Webex, or MS Teams

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-KITPRO-P60-K9</b>	<b>Cisco Room Kit Pro Precision 60</b>
Product Desc:	Codec Pro with Precision 60 Camera and Touch 10 User Interface <i>The Precision 60 has 10X optical and 2X digital zoom; total zoom 20X</i>

Main Components and Cables	automatically included with Top Level PID
CS-CODEC-PRO	Codec Pro Unit with encryption
CTS-CAM-P60	Precision 60 Camera
PSU-12VDC-40W2	Power Supply 12VDC 40W (for camera)
CS-T10-TS	Cisco Room Navigator - Table stand version
CAB-DV10-8M	8 meter flat grey Ethernet cable for Touch 10
CS-CPRO-ANT	Pair of antennas for Codec Pro
CS-CPRO-ADPT	Full set of Phoenix-style Euroblock connectors

Software Feature Options

MultiSite	Top level PID: L-ROOM-PAK
L-KITPRO-MS	<i>order separately</i> Codec Pro MultiSite - internal bridge (four other sites)
Remote Monitoring	Top Level PID: L-TP-RM
L-KIT-RM	<i>order separately</i> Remote Monitoring Option for Web Snapshots

Mounting Option

CTS-CAM60-BRKT	<i>optional</i>	Wall and ceiling bracket for Precision 60 Camera
CS-CPRO-WMK	<i>optional</i>	Wallmount Kit for Codec Pro
CS-CPRO-RACKEARS	<i>no-cost option</i>	Codec Pro Rack Ears

Control Options

		Optional extra controllers
CS-T10-TS-L-K9=	<i>order separately</i>	Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i>	Room Navigator -Wall Mount, First Light



Cisco Product ID (PID)	Description
Microphone Options	<i>Up to eight Table-E microphones can be used</i> <i>Microphones are not included and must be chosen as options</i>
CS-MIC-TABLE-E <i>optional</i>	Cisco Table Microphone - 9m Euroblock cable included
CAB-MIC-EXT-E <i>optional</i>	9 meter extension cable for Table Microphone (Euroblock connectors)
CTS-MIC-CLNG-G2= <i>optional</i>	Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M <i>optional</i>	Shielded audio cable 10m, for Ceiling Microphone, not plenum rated
CS-MIC-ARRAY-T <i>optional</i>	Cisco Table Microphone Pro - 4 element array
<i>Codec Pro Supported Cameras: SpeakerTrack 60, Quad Camera, Precision 60, PTZ-12, Sony SRG-120DH</i>	
Camera Options	<i>For PresenterTrack or other applications</i>
CTS-CAM-P60 <i>optional</i>	Precision 60 Camera - additional Qty 2 can be ordered Power Supply PSU-12VDC-40W2 automatically included
CTS-CAM60-BRKT <i>optional</i>	Wall and ceiling bracket for Precision 60 Camera
Cable Options	
CAB-PRES-2HDMI-GR <i>optional</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional
CAB-2HDMI-1.5M-GR <i>optional</i>	HDMI 2.0 cable 1.5 m/5 ft, grey
CAB-2HDMI-3M-GR <i>optional</i>	HDMI 2.0 cable 3 m/10 ft, grey
CAB-ETH-1.5M-GR <i>optional</i>	Ethernet cable 1.5 m/5 ft, grey
CAB-ETH-3M-GR <i>optional</i>	Ethernet cable 3 m/10 ft, grey
CAB-ETH-5M-GR <i>optional</i>	Ethernet cable 5 m/16.4 ft, grey
CAB-HDMI-MUL4K-2M= <i>order separately</i>	Presentation cable 2m, 4K30, with HDMI, Mini DP, USB-C
CAB-HDMI-MUL4K-9M <i>optional</i>	Presentation cable 9m, 4K30, with HDMI, Mini DP, USB-C
Post-Sale Licensing	
MultiSite      L-ROOM-PAK	
L-KITPRO-MS <i>order separately</i>	Order L-ROOM-PAK for e-delivery of MultiSite sw option
Remote Monitoring      L-TP-RM	
L-KIT-RM <i>order separately</i>	Remote Monitoring Option to enable Web Snapshots
Spares and Spare Parts	
<a href="#">All Spares</a>	
Documentation	
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>	
Power Cords	
PWR-CORD-EUR-B	Power Cord for Europe 2m 10A
PWR-CORD-ARG-B	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B	Power Cord for Australia 2m 10A
PWR-CORD-CHE-B	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B	Power Cord for China 2m 10A
PWR-CORD-JPN-B	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B	Power Cord for South Korea 2m 10A
PWR-CORD-GBR-B	Power Cord for United Kingdom 2m 10A
PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
PWR-CORD-BRA-B	Power Cord for Brazil 2m 10A
PWR-CORD-IND-B	Power Cord for India 2m 10A
PWR-CORD-ZAF-B	Power Cord for South Africa 2m 10A
© 2024 Cisco and/or its affiliates. All rights reserved.	

[Index](#)

- CS-CODEC-PRO-K9
- CS-CODEC-PRO-NR-K9
- CS-CODEC-PRO-K9++
- CS-CODEC-PRO-K7
- CS-CODEC-PRO-NR-K7

Standalone Codec Pro

Includes power cable and optional components



The Codec Pro supports (3) 4K monitors. In-call resolutions of up to 1080p60 Main and 4Kp15 Content.

The Codec Pro is multi-platform: SIP, H.323, Webex, or MS Teams

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-CODEC-PRO-K9</b>	<b>Cisco Codec Pro</b> Codec: <b>CS-CODEC-PRO</b>
<b>CS-CODEC-PRO-NR-K9</b>	<b>Cisco Room Kit Pro Codec, no radio</b> Codec: <b>CS-CODEC-PRO-NR</b>
<b>CS-CODEC-PRO-K9++</b>	<b>Cisco Room Kit Pro Codec - TAA - choice of radio or no radio</b> Codec: <b>CS-CODEC-PRO++ or CS-CODEC-PRO-NR++</b>
<b>CS-CODEC-PRO-K7</b>	<b>Cisco Room Kit Pro Codec, no encryption, Russia Price List</b> Codec: <b>CS-CODEC-PRO-NR-K7</b>
<b>CS-CODEC-PRO-NR-K7</b>	<b>Cisco Room Kit Pro Codec, no radio, no encryption, Russia price list</b> Codec: <b>CS-CODEC-PRO-NR-K7</b>
<b>Product Desc: Standalone Codec Pro</b>	
<b>Main Components and Cables</b>	
CS-CODEC-PRO-xx	automatically included with Top Level PID Codec Pro Unit as indicated above
CS-C-PRO-ANT	Pair of antennas for Codec Pro (for radio versions only)
CS-C-PRO-ADPT	Full set of Phoenix-style Euroblock connectors
<b>Software Feature Options</b>	
MultiSite	Top level PID: L-ROOM-PAK
L-KITPRO-MS	<i>order separately</i> Codec Pro MultiSite - internal bridge (four other sites)
Remote Monitoring	Top Level PID: L-TP-RM
L-KIT-RM	<i>order separately</i> Remote Monitoring Option for Web Snapshots
<b>Mounting Option</b>	
CS-C-PRO-WMK	<i>optional</i> Wallmount Kit for Codec Pro
CS-C-PRO-RACKEARS	<i>no-cost option</i> Codec Pro Rack Ears
<b>Control Options</b>	
CS-T10-TS-L-K9=	<i>order separately</i> Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i> Room Navigator -Wall Mount, First Light

Cisco Product ID (PID)		Description
Microphone Options		<i>Up to eight Table-E microphones can be used Microphones are not included and must be chosen as options</i>
CS-MIC-TABLE-E	<i>optional</i>	Cisco Table Microphone - 9m Euroblock cable included
CAB-MIC-EXT-E	<i>optional</i>	9 meter extension cable for Table Microphone (Euroblock connectors)
CTS-MIC-CLNG-G2=	<i>optional</i>	Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M	<i>optional</i>	Shielded audio cable 10m, for Ceiling Microphone, not plenum rated
CS-MIC-ARRAY-T	<i>optional</i>	Cisco Table Microphone Pro - 4 element array
<i>Codec Pro Supported Cameras: SpeakerTrack 60, Quad Camera, Precision 60, PTZ 4k</i>		
Cameras	Cameras are not included with this SKU	
Cable Options		
CAB-PRES-2HDMI-GR	<i>optional</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional
CAB-2HDMI-1.5M-GR	<i>optional</i>	HDMI 2.0 cable 1.5 m/5 ft, grey
CAB-2HDMI-3M-GR	<i>optional</i>	HDMI 2.0 cable 3 m/10 ft, grey
CAB-ETH-1.5M-GR	<i>optional</i>	Ethernet cable 1.5 m/5 ft, grey
CAB-ETH-3M-GR	<i>optional</i>	Ethernet cable 3 m/10 ft, grey
CAB-ETH-5M-GR	<i>optional</i>	Ethernet cable 5 m/16.4 ft, grey
CAB-HDMI-MUL4K-2M=	<i>order separately</i>	Cisco Multi-head Cable 2.5 meters (4K, USB-C, HDMI, miniDP)
CAB-HDMI-MUL4K-9M=	<i>order separately</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
Post-Sale Licensing		
MultiSite	Top level PID:L-ROOM-PAK	
L-KITPRO-MS	<i>order separately</i> Order L-ROOM-PAK for e-delivery of MultiSite sw option	
Remote Monitoring	Top level PID:L-TP-RM	
L-KIT-RM	<i>order separately</i> Remote Monitoring Option to enable Web Snapshots	
Spares and Spare Parts		
<a href="#">All Spares</a>		

**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

PWR-CORD-ARG-B=	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B=	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B=	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B=	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B=	Power Cord for China 2m 10A
PWR-CORD-DNK-B=	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B=	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B=	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B=	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B=	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B=	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B=	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B=	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B=	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B=	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B=	Power Cord for South Africa 2m 10A
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped


© 2024 Cisco and/or its affiliates. All rights reserved.

Cisco Room Kit EQX

[Index](#)

- 1 CS-KIT-EQX-C-K9
- 2 CS-KIT-EQX-C-K9++
- 3 CS-KIT-EQX-C-NR-K9
- 4 CS-KIT-EQX-CNRK9++
- 5 CS-EQX-NOCODEC-C

**NOTE:**  
SCREENS ARE NOT INCLUDED



The Room Kit EQX is an all-in-one system based on the Room Kit EQ. The Customer can provide two displays from 65 to 75 inch diagonal, with an optional 3rd display mounted elsewhere in the room

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>1 CS-KIT-EQX-C-K9</b>	<b>Cisco Room Kit EQX, Carbon Black</b>
	Product Desc: Integrated Quad Cam, Speaker System, and Frame
CS-CODEC-EQ-K9	Codec EQ w/encryption
CS-RQUADCAM	Quad Cam for Room Kit EQX
CS-PANO-DNAM4	Digital Natural Audio Module IV - amplifier
CS-EQX-SPK	Room Kit EQX top speaker unit
CS-EQX-BASS	Room Kit EQX Bass unit
CS-EQX-VESA	Room Kit EQX VESA bracket for 75" and 65" screens
CS-T10-TS-L	Room Navigator - Table Stand, First Light
CAB-CAT5E-12M	Ethernet CAT5E Round Cable - 12 meter - Gray
PSU-12VDC-120W	Powersupply - AC/DC, 12V, 120W
PSU-24VDC-270W	Powersupply - AC/DC, 24V, 270W
<b>2 CS-KIT-EQX-C-K9++</b>	<b>Cisco Room Kit EQX, Carbon Black for TAA</b>
	Product Desc: Integrated Quad Cam, Speaker System, and Frame
CS-CODEC-EQ++	Codec EQ w/encryption - for TAA
CS-RQUADCAM	Quad Cam for Room Kit EQX
CS-PANO-DNAM4	Digital Natural Audio Module IV - amplifier
CS-EQX-SPK	Room Kit EQX top speaker unit
CS-EQX-BASS	Room Kit EQX Bass unit
CS-EQX-VESA	Room Kit EQX VESA bracket for 75" and 65" screens
CS-T10-TS-L	Room Navigator - Table Stand, First Light
CAB-CAT5E-12M	Ethernet CAT5E Round Cable - 12 meter - Gray
PSU-12VDC-120W	Powersupply - AC/DC, 12V, 120W
PSU-24VDC-270W	Powersupply - AC/DC, 24V, 270W

Cisco Product ID (PID)	Description
<b>3 CS-KIT-EQX-C-NR-K9</b>	<b>Cisco Room Kit EQX, Carbon Black - Non-Radio</b>
	Product Desc: Integrated Quad Cam, Speaker System, and Frame
CS-CODEC-EQ-NRK9	Codec EQ w/encryption - Non-Radio
CS-RQUADCAM	Quad Cam for Room Kit EQX
CS-PANO-DNAM4	Digital Natural Audio Module IV - amplifier
CS-EQX-SPK	Room Kit EQX top speaker unit
CS-EQX-BASS	Room Kit EQX Bass unit
CS-EQX-VESA	Room Kit EQX VESA bracket for 75" and 65" screens
CS-T10-TS-L	Room Navigator - Table Stand, First Light
CAB-CAT5E-12M	Ethernet CAT5E Round Cable - 12 meter - Gray
PSU-12VDC-120W	Powersupply - AC/DC, 12V, 120W
PSU-24VDC-270W	Powersupply - AC/DC, 24V, 270W
<b>4 CS-KIT-EQX-CNRK9++</b>	<b>Cisco Room Kit EQX, Carbon Black - Non-Radio for TAA</b>
	Product Desc: Integrated Quad Cam, Speaker System, and Frame
CS-CODEC-EQ-NR++	Codec EQ w/encryption - Non-Radio for TAA
CS-RQUADCAM	Quad Cam for Room Kit EQX
CS-PANO-DNAM4	Digital Natural Audio Module IV - amplifier
CS-EQX-SPK	Room Kit EQX top speaker unit
CS-EQX-BASS	Room Kit EQX Bass unit
CS-EQX-VESA	Room Kit EQX VESA bracket for 75" and 65" screens
CS-T10-TS-L	Room Navigator - Table Stand, First Light
CAB-CAT5E-12M	Ethernet CAT5E Round Cable - 12 meter - Gray
PSU-12VDC-120W	Powersupply - AC/DC, 12V, 120W
PSU-24VDC-270W	Powersupply - AC/DC, 24V, 270W
<b>5 CS-EQX-NOCODEC-C</b>	<b>Cisco Room Kit EQX - No Codec</b>
	Product Desc: Integrated Quad Cam, Speaker System, and Frame
CS-RQUADCAM	Quad Cam for Room Kit EQX
CS-PANO-DNAM4	Digital Natural Audio Module IV - amplifier
CS-EQX-SPK	Room Kit EQX top speaker unit
CS-EQX-BASS	Room Kit EQX Bass unit
CS-EQX-VESA	Room Kit EQX VESA bracket for 75" and 65" screens
CS-T10-TS-L	Room Navigator - Table Stand, First Light
CAB-CAT5E-12M	Ethernet CAT5E Round Cable - 12 meter - Gray
PSU-12VDC-120W	Powersupply - AC/DC, 12V, 120W
PSU-24VDC-270W	Powersupply - AC/DC, 24V, 270W

Cisco Product ID (PID)	Description
<b>Software Feature Options</b>	
MultiSite / AV L-KITEQ-MS L-KITEQ-AV	L-ROOM-PAK <i>order separately</i> Room Kit EQ MultiSite - internal bridge <i>order separately</i> Room Kit EQ AV Integrator Pack - Audio Console, up to 8 Array mics
Remote Monitoring L-KIT-RM	L-TP-RM <i>order separately</i> Remote Monitoring Option to enable Web Snapshots
<b>Mounting Options</b>	
CS-KIT-EQX-WMK-C CS-KIT-EQX-WSK-C CS-KIT-EQX-FSK-C	<i>Some mounting options are not yet available as of December 10, 2023</i> Cisco Room Kit EQX, Wall Mount, Carbon Black (Default) Cisco Room Kit EQX, Wall Stand, Carbon Black Cisco Room Kit EQX Floor Stand, Carbon Black
<b>Control Options</b>	
CS-T10-TS-L-K9= CS-T10-WM-L-K9=	<i>Optional extra controllers</i> <i>order separately</i> Room Navigator - Table Stand, First Light <i>order separately</i> Room Navigator -Wall Mount, First Light
<b>Microphone Options</b>	
CS-MIC-TABLE-J CAB-MIC-EXT-J CTS-MIC-CLNG-G2 CAB-ETHRSHLD-10M CS-MIC-ARRAY-T	<i>Microphones are not included and must be selected at time of order</i> Cisco Table Microphone - 7.5m mini cable included 9 meter extension cable for Table Microphone (mini connectors) <i>order separately</i> Cisco Ceiling Microphone Gen 2 (see Microphones) <i>order separately</i> Shielded audio cable 10m, for Ceiling Microphone, not plenum rated Cisco Table Microphone Pro - 4 element array
<b>Camera Options</b>	
CS-CAM-PTZ4K CS-CAM-PTZ4K-IND PSU-12VDC-40W2 CS-PTZ4K-BRKT CS-PTZ4K-CLNGMNT	<i>order separately</i> 4K Pan/Tilt/Zoom Camera w/20X Optical and 12X Digital Zoom <i>order separately</i> PTZ 4K camera for India <i>order separately</i> Power Supply for camera - 12VDC 40W <i>order separately</i> Bracket for wall mounting of PTZ 4K camera <i>order separately</i> Bracket for ceiling mounting of PTZ 4K camera
<b>Cable Options</b>	
CAB-EQX-SCREENS CAB-PRES-2HDMI-GR CAB-HDMI-MUL4K-9M= CAB-USBC-AC-9M	<i>Selectable at time of order</i> HDMI to HDMI Cables for EQX screens (2m and 4m) Presentation cable 8m, HDMI, gray, 4kp30 (w/Repeater) Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP) Active Optical Cable, USB-C 3.1, 9M long, USB Charging
<b>Post-Sale Licensing</b>	
MultiSite / AV L-KITEQ-MS L-KITEQ-AV Remote Monitoring L-KIT-RM	L-ROOM-PAK <i>order separately</i> Room Kit EQ MultiSite - internal bridge <i>order separately</i> Room Kit EQ AV Integrator Pack L-TP-RM <i>order separately</i> Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>	
<a href="#">All Spares</a>	



**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

NO-POWER-CORD	ECO friendly green option, no power cable will be shipped
PWR-CORD-EUR-F	Power Cord for Europe 5m 10A
PWR-CORD-ARG-F	Power Cord for Argentina 5m 10A
PWR-CORD-AUS-F	Power Cord for Australia 5m 10A
PWR-CORD-CHE-F	Power Cord for Switzerland 5m 10A
PWR-CORD-CHN-F	Power Cord for China 5m 10A
PWR-CORD-KOR-F	Power Cord for South Korea 5m 10A
PWR-CORD-GBR-F	Power Cord for United Kingdom 5m 10A
PWR-CORD-USA-F	Power Cord for United States of America 4.5m 10A
PWR-CORD-BRA-F	Power Cord for Brazil 5m 10A
PWR-CORD-IND-F	Power Cord for India 5m 10A
PWR-CORD-ZAF-F	Power Cord for South Africa 5m 10A
PWR-CORD-JPN-F	Power Cord for Japan 5m 10A
PWR-CORD-DNK-F	Power Cord for Denmark 5m 10A
PWR-CORD-TWN-F	Power Cord for Taiwan 5m 10A
PWR-CORD-ISR-F	Power Cord for Israel 5m 10A
PWR-CORD-ITA-F	Power Cord for Italy 5m 10A

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

Cisco Room Kit EQ



Speakertracking and loudspeakers are built into the Quad Camera  
The Room Kit EQ is multi-platform: SIP, H.323, Webex, or MS Teams

[Click here for the Datasheet](#)

- 1 CS-KIT-EQ-K9
- 2 CS-KIT-EQ-C-K9
- 3 CS-KIT-EQ-NR-K9
- 4 CS-KIT-EQ-C-NR-K9
- 5 CS-CODEC-EQ-NRK9++
- 6 CS-CODEC-EQ-C-NRK9++
- 7 CS-KIT-EQ-K9++
- 8 CS-KIT-EQ-C-K9++
- 9 CS-KIT-EQ-4K-K9
- 10 CS-KIT-EQ-4K-NRK9
- 11 CS-KIT-EQ-4KNRK9++
- 12 CS-KIT-EQ-4K-K9++
- 13 CS-CODEC-EQ-K9
- 14 CS-CODEC-EQ-K9++
- 15 CS-CODEC-EQ-NRK9
- 16 CS-CODEC-EQ-NRK9++
- 17 CS-CODEC-EQ-NC-K9

Cisco Product ID (PID)	Description
<b>1 CS-KIT-EQ-K9</b>	<b>Cisco Room Kit EQ</b>
	<b>Product Desc:</b> Quad Cam First Light, Codec EQ w/encryption, Table Navigator
CS-CODEC-EQ-K9	Codec EQ w/encryption
CS-QUADCAM2	Quad Cam, First Light
BRKT-QCAM2-WMK	Wall mount for Quad Camera
CS-T10-TS-L	Room Navigator - Table Stand, First Light
CS-CODEC-EQ-ANT	Codec EQ Antennas
PSU-12VDC-70W-GR	Power Supply 12VDC 6.25A
<b>2 CS-KIT-EQ-C-K9</b>	<b>Cisco Room Kit EQ</b>
	<b>Product Desc:</b> Quad Cam Carbon Black, Codec EQ w/encryption, Table Navigator
CS-CODEC-EQ-K9	Codec EQ w/encryption
CS-QUADCAM2-C	Quad Cam, Carbon Black
BRKT-QCAM2-WMK	Wall mount for Quad Camera
CS-T10-TS-L	Room Navigator - Table Stand, First Light
CS-CODEC-EQ-ANT	Codec EQ Antennas
PSU-12VDC-70W-GR	Power Supply 12VDC 6.25A
<b>3 CS-KIT-EQ-NR-K9</b>	<b>Cisco Room Kit EQ - Non-Radio</b>
	<b>Product Desc:</b> Quad Cam First Light, Codec EQ w/encryption, Table Navigator
CS-CODEC-EQ-NRK9	Codec EQ w/encryption - Non-Radio
CS-QUADCAM2	Quad Cam, First Light
BRKT-QCAM2-WMK	Wall mount for Quad Camera
CS-T10-TS-L	Room Navigator - Table Stand, First Light
PSU-12VDC-70W-GR	Power Supply 12VDC 6.25A

Cisco Product ID (PID)	Description
<b>4 CS-KIT-EQ-C-NR-K9</b> CS-CODEC-EQ-NRK9 CS-QUADCAM2-C BRKT-QCAM2-WMK CS-T10-TS-L PSU-12VDC-70W-GR	<b>Cisco Room Kit EQ - Non-Radio</b> Product Desc: Quad Cam Carbon Black, Codec EQ w/encryption, Table Navigator Codec EQ w/encryption - Non-Radio Quad Cam, Carbon Black Wall mount for Quad Camera Room Navigator - Table Stand, First Light Power Supply 12VDC 6.25A
<b>5 CS-KIT-EQ-NRK9++</b> CS-CODEC-EQ-NR++ CS-QUADCAM2 BRKT-QCAM2-WMK CS-T10-TS-L PSU-12VDC-70W-GR	<b>Cisco Room Kit EQ - Non-Radio for TAA</b> Product Desc: Quad Cam First Light, Codec EQ w/encryption, Table Navigator Codec EQ w/encryption - Non-Radio for TAA Quad Cam, First Light Wall mount for Quad Camera Room Navigator - Table Stand, First Light Power Supply 12VDC 6.25A
<b>6 CS-KIT-EQ-C-NRK9++</b> CS-CODEC-EQ-NR++ CS-QUADCAM2-C BRKT-QCAM2-WMK CS-T10-TS-L PSU-12VDC-70W-GR	<b>Cisco Room Kit EQ - Non-Radio for TAA</b> Product Desc: Quad Cam Carbon Black, Codec EQ w/encryption, Table Navigator Codec EQ w/encryption - Non-Radio for TAA Quad Cam, Carbon Black Wall mount for Quad Camera Room Navigator - Table Stand, First Light Power Supply 12VDC 6.25A
<b>7 CS-KIT-EQ-K9++</b> CS-CODEC-EQ++ CS-QUADCAM2 BRKT-QCAM2-WMK CS-T10-TS-L CS-CODEC-EQ-ANT PSU-12VDC-70W-GR	<b>Cisco Room Kit EQ - for TAA</b> Product Desc: Quad Cam First Light, Codec EQ w/encryption, Table Navigator Codec EQ w/encryption - for TAA Quad Cam, First Light Wall mount for Quad Camera Room Navigator - Table Stand, First Light Codec EQ Antennas Power Supply 12VDC 6.25A
<b>8 CS-KIT-EQ-C-K9++</b> CS-CODEC-EQ-NR++ CS-QUADCAM2-C BRKT-QCAM2-WMK CS-T10-TS-L CS-CODEC-EQ-ANT PSU-12VDC-70W-GR	<b>Cisco Room Kit EQ - for TAA</b> Product Desc: Quad Cam Carbon Black, Codec EQ w/encryption, Table Navigator Codec EQ w/encryption - Non-Radio for TAA Quad Cam, Carbon Black Wall mount for Quad Camera Room Navigator - Table Stand, First Light Codec EQ Antennas Power Supply 12VDC 6.25A
<b>9 CS-KIT-EQ-4K-K9</b> CS-CODEC-EQ-K9 CS-CAM-PTZ4K CS-T10-TS-L CS-CODEC-EQ-ANT	<b>Cisco Room Kit EQ PTZ 4K</b> Product Desc: PTZ 4K Camera, Codec EQ w/encryption, Table Navigator Codec EQ w/encryption 4K Pan/Tilt/Zoom Camera w/20X Optical and 12X Digital Zoom Room Navigator - Table Stand, First Light Codec EQ Antennas

Cisco Product ID (PID)		Description
<b>10</b>	<b>CS-KIT-EQ-4K-NRK9</b>	<b>Cisco Room Kit EQ PTZ 4K - Non-Radio</b>
	Product Desc:	PTZ 4K Camera, Codec EQ w/encryption, Table Navigator
	CS-CODEC-EQ-NRK9	Codec EQ w/encryption - Non-Radio
	CS-CAM-PTZ4K	4K Pan/Tilt/Zoom Camera w/20X Optical and 12X Digital Zoom
	CS-T10-TS-L	Room Navigator - Table Stand, First Light
<b>11</b>	<b>CS-KIT-EQ-4KNRK9++</b>	<b>Cisco Room Kit EQ PTZ 4K - Non-Radio for TAA</b>
	Product Desc:	PTZ 4K Camera, Codec EQ w/encryption, Table Navigator
	CS-CODEC-EQ-NR++	Codec EQ w/encryption - Non-Radio for TAA
	CS-CAM-PTZ4K	4K Pan/Tilt/Zoom Camera w/20X Optical and 12X Digital Zoom
	CS-T10-TS-L	Room Navigator - Table Stand, First Light
<b>12</b>	<b>CS-KIT-EQ-4K-K9++</b>	<b>Cisco Room Kit EQ PTZ 4K - for TAA</b>
	Product Desc:	PTZ 4K Camera, Codec EQ w/encryption, Table Navigator
	CS-CODEC-EQ++	Codec EQ w/encryption - for TAA
	CS-CAM-PTZ4K	4K Pan/Tilt/Zoom Camera w/20X Optical and 12X Digital Zoom
	CS-T10-TS-L	Room Navigator - Table Stand, First Light
	CS-CODEC-EQ-ANT	Codec EQ Antennas
<b>13</b>	<b>CS-CODEC-EQ-K9</b>	<b>Cisco Codec EQ Standalone</b>
	Product Desc:	Codec EQ w/encryption, Table Navigator
	CS-CODEC-EQ-K9	Codec EQ w/encryption
	CS-T10-TS-L	Room Navigator - Table Stand, First Light
	CS-CODEC-EQ-ANT	Codec EQ Antennas
<b>14</b>	<b>CS-CODEC-EQ-K9++</b>	<b>Cisco Codec EQ Standalone - for TAA</b>
	Product Desc:	Codec EQ w/encryption, Table Navigator
	CS-CODEC-EQ++	Codec EQ w/encryption - for TAA
	CS-T10-TS-L	Room Navigator - Table Stand, First Light
	CS-CODEC-EQ-ANT	Codec EQ Antennas
<b>15</b>	<b>CS-CODEC-EQ-NRK9</b>	<b>Cisco Codec EQ Standalone - Non-Radio</b>
	Product Desc:	Codec EQ w/encryption, Table Navigator
	CS-CODEC-EQ-K9	Codec EQ w/encryption
	CS-T10-TS-L	Room Navigator - Table Stand, First Light
<b>16</b>	<b>CS-CODEC-EQ-NRK9++</b>	<b>Cisco Codec EQ Standalone - Non-Radio for TAA</b>
	Product Desc:	Codec EQ w/encryption, Table Navigator
	CS-CODEC-EQ++	Codec EQ w/encryption - for TAA
	CS-T10-TS-L	Room Navigator - Table Stand, First Light
<b>17</b>	<b>CS-CODEC-EQ-NC-K9</b>	<b>Cisco Codec EQ Standalone - Made in a Neutral Country</b>
	<i>Not available yet</i>	Product Desc: Codec EQ w/encryption, Table Navigator
	CS-CODEC-EQ++	Codec EQ w/encryption - Made in a Neutral Country
	CS-T10-TS-L	Room Navigator - Table Stand, First Light
	CS-CODEC-EQ-ANT	Codec EQ Antennas

Cisco Product ID (PID)	Description
<b>Software Feature Options</b>	
MultiSite / AV L-KITEQ-MS L-KITEQ-AV	L-ROOM-PAK <i>order separately</i> Room Kit EQ MultiSite - internal bridge - up to four sites <i>order separately</i> Room Kit EQ AV Integrator Pack - Audio Console, up to 8 Array mics
Remote Monitoring L-KIT-RM	L-TP-RM <i>order separately</i> Remote Monitoring Option to enable Web Snapshots
<b>Mounting Options</b>	
CS-CODEC-EQ-RCK CS-CODEC-EQ-WMK	Rack ears for the Codec EQ Wall Mount Kit for Codec EQ
<b>Control Options</b> <i>Optional extra controllers</i>	
CS-T10-TS-L-K9= CS-T10-WM-L-K9=	<i>order separately</i> Room Navigator - Table Stand, First Light <i>order separately</i> Room Navigator -Wall Mount, First Light
<b>Microphone Options</b> <i>Microphones are not included and must be selected at time of order</i>	
CS-MIC-TABLE-J CAB-MIC-EXT-J CTS-MIC-CLNG-G2 CAB-ETHRSHLD-10M CS-MIC-ARRAY-T	<i>Cisco Table Microphone - 7.5m mini cable included</i> 9 meter extension cable for Table Microphone (mini connectors) Cisco Ceiling Microphone Gen 2 (see Microphones) Shielded audio cable 10m, for Ceiling Microphone, not plenum rated Cisco Table Microphone Pro - 4 element array
<i>SpeakerTrack 60 is compatible but not officially supported</i>	
<b>Camera Options</b>	
CS-CAM-PTZ4K CS-CAM-PTZ4K-IND CS-QCAM-CAB-COV PSU-12VDC-40W2 CS-PTZ4K-BRKT CS-PTZ4K-CLNGMNT	4K Pan/Tilt/Zoom Camera w/20X Optical and 12X Digital Zoom PTZ 4K camera for India Cable Cover for QuadCam Power Supply for camera - 12VDC 40W Bracket for wall mounting of PTZ 4K camera Bracket for ceiling mounting of PTZ 4K camera
<b>Cable Options</b> <i>Selectable at time of order</i>	
CAB-2HDMI-1.5M-GR CAB-2HDMI-3M-GR CAB-ETH-1.5M-GR CAB-ETH-3M-GR CAB-ETH-5M-GR CAB-CAT5E-4M CAB-CAT5E-8M CAB-CAT5E-12M CAB-PRES-2HDMI-GR CAB-HDMI-MUL4K-9M= CAB-HDMI-MUL4K-2M= CAB-USBC-1.8M CAB-USBC-AC-9M	HDMI 2.0 cable 1.5m, grey, 4k HDMI 2.0 cable 3m/10 ft, grey, 4k Ethernet cable 1.5m/5 ft, grey Ethernet cable 3m/10 ft, grey Ethernet cable 5m/16.4 ft, grey Ethernet CAT5E Round Cable - 4 meter - Gray Ethernet CAT5E Round Cable - 8 meter - Gray Ethernet CAT5E Round Cable - 12 meter - Gray Presentation cable 8m, HDMI, gray, 4kp30 (w/Repeater) Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP) Cisco Multi-head Cable 2.5 meters (4K, USB-C, HDMI, miniDP) USB-C 3.1, 1,8M long, USB Charging Active Optical Cable, USB-C 3.1, 9M long, USB Charging

Cisco Product ID (PID)	Description
<b>Post-Sale Licensing</b>	
MultiSite / AV	L-ROOM-PAK
L-KITEQ-MS	order separately Room Kit EQ MultiSite - internal bridge
L-KITEQ-AV	order separately Room Kit EQ AV Integrator Pack
Remote Monitoring	L-TP-RM
L-KIT-RM	order separately Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>	
<a href="#">All Spares</a>	
<b>Documentation</b>	
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>	
<b>Power Cords</b>	
PWR-CORD-EUR-B	Power Cord for Europe 2m 10A
PWR-CORD-ARG-B	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B	Power Cord for Australia 2m 10A
PWR-CORD-CHE-B	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B	Power Cord for China 2m 10A
PWR-CORD-JPN-B	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B	Power Cord for South Korea 2m 10A
PWR-CORD-GBR-B	Power Cord for United Kingdom 2m 10A
PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
PWR-CORD-BRA-B	Power Cord for Brazil 2m 10A
PWR-CORD-IND-B	Power Cord for India 2m 10A
PWR-CORD-ZAF-B	Power Cord for South Africa 2m 10A
PWR-CORD-DNK-B	Power Cord for Denmark 2m 10A
PWR-CORD-TWN-B	Power Cord for Taiwan 2m 10A
PWR-CORD-ISR-B	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B	Power Cord for Italy 2m 10A
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped
© 2024 Cisco and/or its affiliates. All rights reserved.	

[Index](#)

CS-KITPLUS-BUN-K9  
 CS-KITPLUS-K9  
 CS-KITPLUS-K9++

Room Kit Plus  
 Codec Plus, Quad Camera, Table Navigator

**EOL15223 Non-Radio versions**



Speaker tracking is built into the camera. Loudspeakers are built in. The Room Kit Plus supports SIP, H.323 and Webex calling. It registers to CUCM, VCS, Webex in the cloud, and third party devices. [Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-KITPLUS-BUN-K9</b>	<b>Cisco Room Kit Plus, Bundle</b>
	Product Desc: Quad Cam, Codec Plus w/encryption, Table Navigator
	Codec: <b>CS-CODEC-PLUS</b>
	This bundle allows convenient selection of licensing and feature options, such as SMP - Shared Multiparty Conferencing license VCS / CUCM TP-Room License L-ROOM-PAK for MultiSite software option L-TP-RM for Remote Monitoring software option
<b>CS-KITPLUS-K9</b>	<b>Cisco Room Kit Plus</b>
	Codec: <b>CS-CODEC-PLUS</b>
<b>CS-KITPLUS-K9++</b>	<b>Cisco Room Kit Plus - for TAA</b>
	Codec: <b>CS-CODEC-PLUS++</b>

Product Desc: Quad Cam, Codec Plus, Table Navigator  
*The Quad Camera has 5.4X digital zoom and 83 degree field of view*

Main Components and Cables	Qty	automatically included with Top Level PID
CS-CODEC-xx		Codec Plus as indicated above
CS-QUADCAM		Quad Camera
BRKT-QCAM-WMK		Wall mount for Quad Camera
CS-T10-TS		Room Navigator - Table Stand, First Light
CAB-DV10-8M		8m flat grey Ethernet cable for Navigator
PSU-12VDC-70W-GR	Qty 2	PSU Room Kit/Plus/Mini/Quad Camera/Desk - 12VDC 5.83A



Cisco Product ID (PID)	Description	
<b>Software Feature Options</b>		
MultiSite	L-ROOM-PAK	<i>Use this SKU when not ordering the bundle</i>
L-KITPLUS-MS	<i>order separately</i>	Room Kit Plus MultiSite - internal bridge (three other sites)
Remote Monitoring	L-TP-RM	<i>Use this SKU when not ordering the bundle</i>
L-KIT-RM	<i>order separately</i>	Remote Monitoring Option to enable Web Snapshots
<b>Mounting Option</b>		
CS-QCAM-CAB-COV=	<i>order separately</i>	Cable Cover for QuadCam
CS-KITPLUS-WMK	<i>optional</i>	Wall Mount Kit for Codec Plus
<b>Control Options</b> <i>Optional extra controllers</i>		
CS-T10-TS-L-K9=	<i>order separately</i>	Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i>	Room Navigator -Wall Mount, First Light
<b>Microphone Options</b> <i>Up to three microphones can be used</i> <i>Microphones are not included and must be chosen as options</i>		
CS-MIC-TABLE-J	<i>optional</i>	Cisco Table Microphone - 7.5m mini cable included
CAB-MIC-EXT-J	<i>optional</i>	9 meter extension cable for Table Microphone (mini connectors)
CTS-MIC-CLNG-G2	<i>optional</i>	Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M	<i>optional</i>	Shielded audio cable 10m, for Ceiling Microphone, not plenum rated
<i>Codec Plus Supported Cameras: SpeakerTrack 60, Quad Camera, Precision 60, PTZ 4K</i>		
<b>Additional Camera Options</b> <i>For PresenterTrack or other applications - maximum three cameras</i>		
CS-CAM-PTZ4K=	<i>order separately</i>	PTZ4K Camera
PSU-12VDC-40W2=	<i>order separately</i>	Power Supply for camera - 12VDC 40W
CS-PTZ4K-BRKT=	<i>order separately</i>	Bracket for wall mounting of PTZ 4K camera
CS-PTZ4K-CLNGMNT=	<i>order separately</i>	Bracket for ceiling mounting of PTZ 4K camera
<b>Cable Options</b> <i>Selectable at time of order</i>		
CAB-ETH-1.5M-GR	<i>optional</i>	Ethernet cable 1.5m/5 ft, grey
CAB-ETH-3M-GR	<i>optional</i>	Ethernet cable 3m/10 ft, grey
CAB-ETH-5M-GR	<i>optional</i>	Ethernet cable 5m/16.4 ft, grey
CAB-2HDMI-1.5M-GR	<i>optional</i>	HDMI 2.0 cable 1.5m, grey, 4k
CAB-2HDMI-3M-GR	<i>optional</i>	HDMI 2.0 cable 3m/10 ft, grey, 4k
CAB-PRES-2HDMI-GR	<i>optional</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional
CAB-HDMI-MUL4K-2M=	<i>order separately</i>	Cisco Multi-head Cable 2.5 meters (4K, USB-C, HDMI, miniDP)
CAB-HDMI-MUL4K-9M=	<i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
<b>Post-Sale Licensing</b>		
MultiSite	L-ROOM-PAK	
L-KITPLUS-MS		Order L-ROOM-PAK for e-delivery of MultiSite sw option
Remote Monitoring	L-TP-RM	
L-KIT-RM		Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b> <a href="#">All Spares</a>		

**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

PWR-CORD-EUR-B	Power Cord for Europe 2m 10A
PWR-CORD-ARG-B	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B	Power Cord for Australia 2m 10A
PWR-CORD-CHE-B	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B	Power Cord for China 2m 10A
PWR-CORD-JPN-B	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B	Power Cord for South Korea 2m 10A
PWR-CORD-GBR-B	Power Cord for United Kingdom 2m 10A
PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
PWR-CORD-BRA-B	Power Cord for Brazil 2m 10A
PWR-CORD-IND-B	Power Cord for India 2m 10A
PWR-CORD-ZAF-B	Power Cord for South Africa 2m 10A
PWR-CORD-DNK-B	Power Cord for Denmark 2m 10A
PWR-CORD-TWN-B	Power Cord for Taiwan 2m 10A
PWR-CORD-ISR-B	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B	Power Cord for Italy 2m 10A
NA-PWR-CORD	Power Cord for TAA Version
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

- CS-KITPLPTZ4K-K9
- CS-KITPLPTZ4K-K9++
- CS-KITPLPTZ4K-MMK9

Room Kit Plus w/PTZ 4K Camera  
 Codec Plus, PTZ4K Camera, Table Navigator

**EOL15223 Non-Radio versions**



The PTZ 4K Camera has 240X total zoom - 20X optical and 12X digital - and it supports PresenterTrack and inverted mounting. The Room Kit Plus supports SIP, H.323 and Webex calling. It registers to CUCM, VCS, Webex in the cloud, and third party devices. [Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-KITPLPTZ4K-K9</b>	<b>Room Kit Plus PTZ 4K - PTZ 4K Camera, Navigator</b> Codec: <b>CS-CODEC-PLUS</b>
<b>CS-KITPLPTZ4K-K9++</b>	<b>Room Kit Plus PTZ 4K - PTZ 4K cam, Navigator for TAA</b> Codec: <b>CS-CODEC-PLUS++</b>
<b>CS-KITPLPTZ4K-MMK9</b>	<b>Room Kit Plus PTZ 4K - PTZ 4K cam and Navigator - Neutral Country</b> Codec: <b>CS-CODEC-PLUS (MM)</b>

**Product Desc: PTZ 4K Camera, Codec Plus, Table Navigator**

Main Components and Cables	automatically included with Top Level PID
CS-CODEC-xx	Codec Plus as indicated above
CS-CAM-PTZ4K	PTZ 4K Camera
CS-T10-TS	Room Navigator - Table version
CAB-DV10-8M	8m flat grey Ethernet cable for Navigator
PSU-12VDC-40W2	Power Supply 12VDC 40W (for camera)
PSU-12VDC-70W-GR	PSU Room Kit/Plus/Mini/Quad Camera/Desk - 12VDC 5.83A

Software Feature Options

MultiSite	L-ROOM-PAK
L-KITPLUS-MS	<i>order separately</i> Room Kit Plus MultiSite - internal bridge (three other sites)
Remote Monitoring	L-TP-RM
L-KIT-RM	<i>order separately</i> Remote Monitoring Option to enable Web Snapshots

Cisco Product ID (PID)		Description
<b>Mounting Option</b>		
CS-PTZ4K-BRKT	<i>optional</i>	Bracket for wall mounting of PTZ 4K camera
CS-PTZ4K-CLNGMNT	<i>optional</i>	Bracket for ceiling mounting of PTZ 4K camera
CS-KITPLUS-WMK	<i>optional</i>	Wall Mount Kit for Codec Plus
<b>Control Options</b>		
		<i>Optional extra controllers</i>
CS-T10-TS-L-K9=	<i>order separately</i>	Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i>	Room Navigator -Wall Mount, First Light
<b>Microphone Options</b>		
		<i>Up to three microphones can be used</i>
		<i>Microphones are not included and must be chosen as options</i>
CS-MIC-TABLE-J	<i>optional</i>	Cisco Table Microphone - 7.5m mini cable included
CAB-MIC-EXT-J	<i>optional</i>	9 meter extension cable for Table Microphone (mini connectors)
CTS-MIC-CLNG-G2	<i>optional</i>	Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M	<i>optional</i>	Shielded audio cable 10m, for Ceiling Microphone, not plenum rated
<i>Codec Plus Supported Cameras: SpeakerTrack 60, Quad Camera, Precision 60, PTZ-12, PTZ 4K</i>		
<b>Additional Camera Options</b>		
		<i>For PresenterTrack or other applications - maximum three cameras</i>
CS-CAM-PTZ4K=	<i>order separately</i>	PTZ4K Camera
PSU-12VDC-40W2=	<i>order separately</i>	Power Supply for camera - 12VDC 40W
CS-PTZ4K-BRKT=	<i>order separately</i>	Bracket for wall mounting of PTZ 4K camera
CS-PTZ4K-CLNGMNT=	<i>order separately</i>	Bracket for ceiling mounting of PTZ 4K camera
<b>Cable Options</b>		
		<i>Selectable at time of order</i>
CAB-ETH-1.5M-GR	<i>optional</i>	Ethernet cable 1.5m/5 ft, grey
CAB-ETH-3M-GR	<i>optional</i>	Ethernet cable 3m/10 ft, grey
CAB-ETH-5M-GR	<i>optional</i>	Ethernet cable 5m/16.4 ft, grey
CAB-2HDMI-1.5M-GR	<i>optional</i>	HDMI 2.0 cable 1.5m, grey, 4k
CAB-2HDMI-3M-GR	<i>optional</i>	HDMI 2.0 cable 3m/10 ft, grey, 4k
CAB-PRES-2HDMI-GR	<i>optional</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional
CAB-HDMI-MUL4K-9M=	<i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
<b>Post-Sale Licensing</b>		
MultiSite	L-ROOM-PAK	
L-KITPLUS-MS		Order L-ROOM-PAK for e-delivery of MultiSite sw option
Remote Monitoring	L-TP-RM	
L-KIT-RM		Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>		
<a href="#">All Spares</a>		

**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

PWR-CORD-ARG-B	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B	Power Cord for China 2m 10A
PWR-CORD-DNK-B	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B	Power Cord for South Africa 2m 10A
NA-PWR-CORD	Power Cord for TAA Version
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

- CS-KITP60-K9
- CS-KITP60-NR-K9
- CS-KITP60-K9++
- CS-KITP60-K7

Room Kit Plus w/Precision 60 Camera

**EOL14444**  
**ORDERABILITY HAS BEEN EXTENDED!**



Precision 60 Camera has 20X total zoom. This integrator kit does not include Speaker tracking, nor does it have loudspeakers built in. The Room Kit P60 supports SIP, H.323 and Webex calling. It registers to CUCM, VCS, Webex in the cloud, and third party devices.

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-KITP60-K9</b>	<b>Cisco Room Kit Plus P60 Int Package</b> Codec: <b>CS-CODEC-PLUS</b>
<b>CS-KITP60-NR-K9</b>	<b>Cisco Room Kit Plus P60 Int Package - no radio</b> Codec: <b>CS-CODEC-PLUS-NR</b>
<b>CS-KITP60-K9++</b>	<b>Cisco Room Kit Plus P60 Int Package - TAA</b> Codec: <b>CS-CODEC-PLUS++ or CS-CODEC-PLUS-NR++ (must choose)</b>
<b>CS-KITP60-K7</b>	<b>Cisco Room Kit Plus P60 Int Package- no radio, no encryption</b> Codec: <b>CS-CODEC-PL-NR-K7</b>

Product Desc: Precision 60 Camera, Codec Plus, Touch 10

Main Components and Cables	automatically included with Top Level PID
CS-CODEC-xx	Codec Plus as indicated above
CTS-CAM-P60	Precision 60 Camera
CS-T10-TS	Cisco Room Navigator - Table stand version
CAB-DV10-8M	8m flat grey Ethernet cable for Touch 10
PSU-12VDC-40W2	Power Supply 12VDC 40W (for camera)
PSU-12VDC-70W-GR	PSU Room Kit/Plus/Mini and Quad Camera - 12VDC 5.83A

Software Feature Options

MultiSite	L-ROOM-PAK	
L-KITPLUS-MS	<i>order separately</i>	Room Kit Plus MultiSite - internal bridge (three other sites)
Remote Monitoring	L-TP-RM	
L-KIT-RM	<i>order separately</i>	Remote Monitoring Option to enable Web Snapshots

Mounting Option

CTS-CAM60-BRKT	<i>optional</i>	Wall and ceiling bracket for Precision 60 Camera
CS-KITPLUS-WMK	<i>optional</i>	Wall Mount Kit for Codec Plus

Cisco Product ID (PID)		Description
<b>Control Options</b>		<i>Optional extra controllers</i>
CS-T10-TS-L-K9=	<i>order separately</i>	Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=	<i>order separately</i>	Room Navigator -Wall Mount, First Light
<b>Microphone Options</b>		<i>Up to three microphones can be used</i> <i>Microphones are not included and must be chosen as options</i>
CS-MIC-TABLE-J	<i>optional</i>	Cisco Table Microphone - 7.5m mini cable included
CAB-MIC-EXT-J	<i>optional</i>	9 meter extension cable for Table Microphone (mini connectors)
CTS-MIC-CLNG-G2	<i>optional</i>	Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M	<i>optional</i>	Shielded audio cable 10m, for Ceiling Microphone, not plenum rated
<i>Codec Plus Supported Cameras: SpeakerTrack 60, Quad Camera, Precision 60, PTZ-12, Sony SRG-120DH</i>		
<b>Additional Camera Options</b>		<i>For PresenterTrack or other applications - maximum three cameras</i>
CTS-CAM-P60=	<i>order separately</i>	Precision 60 Camera
PSU-12VDC-40W2=	<i>order separately</i>	Power Supply for camera - 12VDC 40W
CTS-CAM60-BRKT=	<i>order separately</i>	Wall and ceiling bracket for Precision 60 Camera
<b>Cable Options</b>		<i>Selectable at time of order</i>
CAB-ETH-1.5M-GR	<i>optional</i>	Ethernet cable 1.5m/5 ft, grey
CAB-ETH-3M-GR	<i>optional</i>	Ethernet cable 3m/10 ft, grey
CAB-ETH-5M-GR	<i>optional</i>	Ethernet cable 5m/16.4 ft, grey
CAB-2HDMI-1.5M-GR	<i>optional</i>	HDMI 2.0 cable 1.5m, grey, 4k
CAB-2HDMI-3M-GR	<i>optional</i>	HDMI 2.0 cable 3m/10 ft, grey, 4k
CAB-PRES-2HDMI-GR	<i>optional</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional
CAB-HDMI-MUL4K-9M=	<i>order separately</i>	Presentation cable 9m, 4K30, with HDMI, Mini DP, USB-C
<b>Post-Sale Licensing</b>		
<b>MultiSite</b>	L-ROOM-PAK	
L-KITPLUS-MS		Order L-ROOM-PAK for e-delivery of MultiSite sw option
<b>Remote Monitoring</b>	L-TP-RM	
L-KIT-RM		Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>		
<a href="#">All Spares</a>		
<b>Documentation</b>		
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>		
<b>Power Cords</b>		
PWR-CORD-EUR-B		Power Cord for Europe 2m 10A
PWR-CORD-ARG-B		Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B		Power Cord for Australia 2m 10A
PWR-CORD-CHE-B		Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B		Power Cord for China 2m 10A
PWR-CORD-JPN-B		Power Cord for Japan 2m 10A
PWR-CORD-KOR-B		Power Cord for South Korea 2m 10A
PWR-CORD-GBR-B		Power Cord for United Kingdom 2m 10A
PWR-CORD-USA-B		Power Cord for United States of America 2m 10A
PWR-CORD-BRA-B		Power Cord for Brazil 2m 10A
PWR-CORD-IND-B		Power Cord for India 2m 10A
PWR-CORD-ZAF-B		Power Cord for South Africa 2m 10A
© 2024 Cisco and/or its affiliates. All rights reserved.		



[Index](#)

CS-CODEC-PLUS-K9

Standalone Codec Plus

Includes power cable and optional components

**EOL15223 Non-Radio versions**



The Codec Plus supports SIP, H.323 and Webex calling. It registers to CUCM, VCS, Webex in the cloud, and third party devices.

Cisco Product ID (PID)	Description
<b>CS-CODEC-PLUS-K9</b>	<b>Cisco Codec Plus</b> Codec: <b>CS-CODEC-PLUS</b>
Main Components and Cables	<i>automatically included with Top Level PID</i>
CS-CODEC-PLUS	Codec Plus as indicated above
PSU-12VDC-70W-GR	PSU Room Kit/Plus/Mini/Quad Camera/Desk - 12VDC 5.83A
<b>Software Feature Options</b>	
MultiSite	L-ROOM-PAK
L-KITPLUS-MS	<i>order separately</i> Room Kit Plus MultiSite - internal bridge (three other sites)
Remote Monitoring	L-TP-RM
L-KIT-RM	<i>order separately</i> Remote Monitoring Option to enable Web Snapshots
<b>Mounting Option</b>	
CS-KITPLUS-WMK	<i>optional</i> Wall Mount Kit for Codec Plus
<b>Navigator Option</b>	
CS-T10-TS-K9	<i>optional</i> Room Navigator - Table Stand, First Light
CAB-DV10-8M	<i>included with Nav option</i> 8m flat grey Ethernet cable for Navigator
CS-T10-WM-L-K9=	<i>order separately</i> Room Navigator -Wall Mount, First Light
<b>Microphone Options</b>	
	<i>Up to three microphones can be used</i> <i>Microphones are not included and must be chosen as options</i>
CS-MIC-TABLE-J	<i>optional</i> Cisco Table Microphone - 7.5m mini cable included
CAB-MIC-EXT-J	<i>optional</i> 9 meter extension cable for Table Microphone (mini connectors)
CTS-MIC-CLNG-G2	<i>optional</i> Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M	<i>optional</i> Shielded audio cable 10m, for Ceiling Microphone, not plenum rated

Cisco Product ID (PID)	Description	
<i>Codec Plus Supported Cameras:</i> SpeakerTrack 60, Quad Camera, Precision 60, PTZ 4K		
Cameras	Cameras are not included with this SKU	
Cable Options	<i>Selectable at time of order</i>	
CAB-ETH-1.5M-GR	<i>optional</i>	Ethernet cable 1.5m/5 ft, grey
CAB-ETH-3M-GR	<i>optional</i>	Ethernet cable 3m/10 ft, grey
CAB-ETH-5M-GR	<i>optional</i>	Ethernet cable 5m/16.4 ft, grey
CAB-2HDMI-1.5M-GR	<i>optional</i>	HDMI 2.0 cable 1.5m, grey, 4k
CAB-2HDMI-3M-GR	<i>optional</i>	HDMI 2.0 cable 3m/10 ft, grey, 4k
CAB-PRES-2HDMI-GR	<i>optional</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional
CAB-HDMI-MUL4K-9M=	<i>order separately</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
Post-Sale Licensing		
MultiSite	L-ROOM-PAK	
L-KITPLUS-MS		Order L-ROOM-PAK for e-delivery of MultiSite sw option
Remote Monitoring	L-TP-RM	
L-KIT-RM		Remote Monitoring Option to enable Web Snapshots
Spares and Spare Parts		<a href="#">All Spares</a>
Documentation		
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>		
Power Cords		
PWR-CORD-ARG-B=		Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B=		Power Cord for Australia 2m 10A
PWR-CORD-BRA-B=		Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B=		Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B=		Power Cord for China 2m 10A
PWR-CORD-DNK-B=		Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B=		Power Cord for Europe 2m 10A
PWR-CORD-GBR-B=		Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B=		Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B=		Power Cord for Israel 2m 10A
PWR-CORD-ITA-B=		Power Cord for Italy 2m 10A
PWR-CORD-JPN-B=		Power Cord for Japan 2m 10A
PWR-CORD-KOR-B=		Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B=		Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B=		Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B=		Power Cord for South Africa 2m 10A
NO-PWR-CORD		ECO friendly green option, no power cable will be shipped
© 2024 Cisco and/or its affiliates. All rights reserved.		

[Index](#)

- CS-KIT-BUN-K9
- CS-KIT-K9
- CS-KIT-K9++
- CS-KIT-K7

Room Kit

Includes power supply and optional components

**EOL15223 Non-Radio versions**



Speaker tracking is built into the camera. Loudspeakers are built in. The Room Kit supports SIP, H.323 and Webex calling. It registers to CUCM, VCS, Webex in the cloud, and third party devices.

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-KIT-BUN-K9</b>	<b>Cisco Room Kit, Bundle</b>
	Codec: <b>CS-KIT-S-UNIT</b>
	This bundle allows convenient selection of licensing and feature options, such as <b>SMP - Shared Multiparty Conferencing license</b> <b>VCS / CUCM TP-Room License</b> <b>L-ROOM-PAK for MultiSite software option</b> <b>L-TP-RM for Remote Monitoring software option</b>
	Product Desc: Codec, beam-forming mic array, Navigator, w/encryption <i>The Room Kit camera has 5X manual zoom and 83 degree field of view</i>
<b>CS-KIT-K9</b>	<b>Cisco Room Kit</b>
	Codec: <b>CS-KIT-S-UNIT</b>
<b>CS-KIT-K9++</b>	<b>Cisco Room Kit - TAA</b>
	Codec: <b>CS-KIT-S-UNIT++</b>
<b>CS-KIT-K7</b>	<b>Cisco Room Kit - no radio, no encryption, Russia Price List</b>
	Codec: <b>CS-KIT-S-UNIT-K7</b>
	Product Desc: Codec, beam-forming mic array, Navigator <i>The Room Kit camera has 5X manual zoom and 83 degree field of view</i>

Cisco Product ID (PID)		Description
<b>Main Components and Cables</b>		
CS-KIT-S-xx		<i>automatically included with Top Level PID</i> Codec w/embedded camera and speakers as indicated above
CS-T10-TS		Room Navigator - Table Stand, First Light
CS-POE-INJ		PoE injector for Navigator
CAB-2HDMI-1.5M-GR		HDMI 2.0 cable 1.5m, grey, 4k
CAB-DV10-8M		8m flat grey Ethernet cable for Navigator
CAB-ETH-5M-GR		5m Ethernet cable, Qty 2
CS-KIT-WMK		Wall mount for Room Kit
CS-KIT-SMK		Screen mount for Room Kit
PSU-12VDC-70W-GR		PSU Room Kit/Plus/Mini/Quad Camera/Desk - 12VDC 5.83A
<b>Software Feature Options</b>		
MultiSite	L-ROOM-PAK	<i>Use this SKU when not ordering the bundle</i>
L-KIT-MS		<i>order separately</i> Room Kit MultiSite - internal bridge (three other sites)
Remote Monitoring	L-TP-RM	<i>Use this SKU when not ordering the bundle</i>
L-KIT-RM		<i>order separately</i> Remote Monitoring Option to enable Web Snapshots
<b>Mounting Option</b>		
CS-KIT-CAB-COV=		<i>order separately</i> Cable cover for Room Kit
<b>Control Options</b>		
CS-T10-TS-L-K9=		<i>Optional extra controllers</i> <i>order separately</i> Room Navigator - Table Stand, First Light
CS-T10-WM-L-K9=		<i>order separately</i> Room Navigator -Wall Mount, First Light
<b>Microphone Options</b>		
		<i>Up to two external microphones can be used. There is one integrated mic</i> Exxternal microphones are not included and must be chosen as options
CS-MIC-TABLE-J	<i>optional</i>	Cisco Table Microphone - 7.5m mini cable included
CAB-MIC-EXT-J	<i>optional</i>	9 meter extension cable for Table Microphone (mini connectors)
CTS-MIC-CLNG-G2	<i>order separately</i>	Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M=	<i>order separately</i>	Shielded audio cable 10m, for Ceiling Microphone, not plenum rated
<b>Cable Options</b>		
CAB-2HDMI-1.5M-GR	<i>optional</i>	<i>Selectable at time of order</i> HDMI 2.0 cable 1.5m, grey, 4k
CAB-PRES-2HDMI-GR	<i>optional</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional
CAB-HDMI-MUL4K-2M	<i>optional</i>	Cisco Multi-head Cable 2.5 meters (4K, USB-C, HDMI, miniDP)
CAB-HDMI-MUL4K-9M	<i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
<b>Post-Sale Licensing</b>		
MultiSite	L-ROOM-PAK	
L-KIT-MS		Order L-ROOM-PAK for e-delivery of MultiSite sw option
Remote Monitoring	L-TP-RM	
L-KIT-RM		Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>		
<a href="#">All Spares</a>		

**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

PWR-CORD-ARG-B	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B	Power Cord for China 2m 10A
PWR-CORD-DNK-B	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B	Power Cord for South Africa 2m 10A
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped

© 2024 Cisco and/or its affiliates. All rights reserved.

Cisco Room Bar  
Includes choice of Navigator



Speakertracking and loudspeakers are built into the Room Bar  
The Room Bar is multi-platform: SIP, H.323, Webex, or MS Teams

[Click here for the Datasheet](#)

Cisco Product ID (PID)

Description

1	<b>CS-BAR</b>	<b>Cisco Room Bar, Bundle</b>
2	<b>CS-BAR-TAA</b>	<b>Cisco Room Bar, Bundle - TAA</b>
3	<b>CS-BAR-MM</b>	<b>Cisco Room Bar, Bundle - Made in a Neutral Country</b>
Product Desc:		Beam-forming mic array, Table or Wallmount Navigator This bundle allows convenient selection of hardware options, such as Five Room Bar versions, Table Microphone, Cables, addl Navigators
4	<b>CS-BAR-T-K9</b>	<b>Cisco Room Bar</b> <i>First Light Color w/Speaker Grille</i>
5	<b>CS-BAR-T-C-K9</b>	<b>Cisco Room Bar</b> <i>Carbon Black w/Speaker Grille</i>
6	<b>CS-BAR-W-K9</b>	<b>Cisco Room Bar w/Wall Mounted Navigator</b> <i>First Light Color w/Speaker Grille</i>
7	<b>CS-BAR-W-C-K9</b>	<b>Cisco Room Bar w/Wall Mounted Navigator</b> <i>Carbon Black w/Speaker Grille</i>
8	<b>CS-BAR-NR-K9</b>	<b>Cisco Room Bar w/Table Navigator - NO RADIO</b> <i>First Light Grey w/Speaker Grille</i>
9	<b>CS-BAR-NR-K7</b>	<b>Cisco Room Bar w/Table Navigator - NO RADIO, non crypto</b> <i>First Light Grey w/Speaker Grille</i>
10	<b>CS-BAR-K9++</b>	<b>Cisco Room Bar w/Table Navigator - TAA</b> <i>First Light Grey w/Speaker Grille</i>
11	<b>CS-BAR-NR-K9++</b>	<b>Cisco Room Bar w/Table Navigator - NO RADIO, TAA</b> <i>First Light Grey w/Speaker Grille</i>
12	<b>CS-BAR-MM-K9</b>	<b>Cisco Room Bar w/Table Navigator - Made in a Neutral Country</b> <i>First Light Grey w/Speaker Grille</i>
13	<b>CS-BAR-MM-NR-K9</b>	<b>Cisco Room Bar w/Table Nav - Made in a Neutral Country, NO RADIO</b> <i>First Light Grey w/Speaker Grille</i>

Product Desc: Beam-forming mic array, Table or Wallmount Navigator  
*The Room Bar camera has 5X manual zoom and 120 degree field of view*

Cisco Product ID (PID)	Description	
Main Components and Cables	<i>automatically included with Top Level PID</i>	
CS-BAR-xx	Codec w/embedded microphones, camera and speakers	
CS-T10-TS-L or CS-T10-WM-L	Table Stand <b>or</b> Wall Mounted Navigator	
CAB-DV10-8M	8m flat grey Ethernet cable for Navigator	
CAB-2HDMI-1.5M-GR	HDMI 2.0 cable 1.5m, grey, 4k	
CAB-ETH-5M-GR	5m Ethernet cable, Qty 2	
CS-BAR-MOUNT-KIT	Mounting Kit for Cisco Room Bar	
CS-KITMIN-CAM-COV	Privacy camera cover for Room Bar and Room Kit Mini	
PSU-12VDC-86W	Power Supply - AC/DC, 12V, 7.0A, 86.1W Grey	
<b>Software Feature Options</b>		
MultiSite	L-ROOM-PAK	
L-KITMINI-MS	<i>order separately</i>	Room Kit MultiSite - internal bridge (three other sites)
Remote Monitoring	L-TP-RM	
L-KIT-RM	<i>order separately</i>	Remote Monitoring Option to enable Web Snapshots
<b>Control Options</b>		
		<i>Optional extra controllers</i>
CS-T10-TS-L-K9=	<i>order separately</i>	Cisco Room Navigator for Table (First Light)
CS-T10-WM-L-K9=	<i>order separately</i>	Cisco Room Navigator for Wall - First Light
<b>Microphone</b>		
		<i>Includes an integrated beam-forming mic array</i>
CS-MIC-TABLE-J	<i>order separately</i>	Cisco Table Microphone - 7.5m mini cable included
CAB-MIC-EXT-J	<i>order separately</i>	9 meter extension cable for Table Microphone (mini connectors)
<b>Cable Options</b>		
		<i>Selectable at time of order</i>
CAB-USBC-AC-9M=	<i>optional</i>	Active Optical Cable, USB-C 3.1, 9M long, USB Charging
CAB-2HDMI-1.5M-GR=	<i>optional</i>	CAB 1.5m GREY HDMI 2.0 (Spare)
CAB-HDMI-MUL4K-9M=	<i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
<b>Post-Sale Licensing</b>		
MultiSite	L-ROOM-PAK	
L-KIT-MINI-MS		Order L-ROOM-PAK for e-delivery of MultiSite sw option
Remote Monitoring	L-TP-RM	
L-KIT-RM		Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>		
<a href="#">All Spares</a>		



**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

PWR-CORD-ARG-B=	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B=	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B=	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B=	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B=	Power Cord for China 2m 10A
PWR-CORD-DNK-B=	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B=	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B=	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B=	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B=	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B=	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B=	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B=	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B=	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B=	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B=	Power Cord for South Africa 2m 10A

© 2024 Cisco and/or its affiliates. All rights reserved.

## Cisco Room Bar Pro

Includes Table Navigator

### [Index](#)

- 1 CS-BARPRO-K9
- 2 CS-BARPRO-C-K9
- 3 CS-BARPRO-NR-K9
- 4 CS-BARPRO-K9++
- 5 CS-BARPRO-NR-K9++
- 6 CS-BARPRO-NC-K9
- 7 CS-BARPRO-NC-NR-K9
- 8 CS-BARPRO-K9=
- 9 CS-BARPRO-C-K9=
- 10 CS-BARPRO-NR-K9=



Speakertracking and loudspeakers are built into the Room Bar Pro  
 The Room Bar Pro is multi-platform: SIP, H.323, Webex, or MS Teams

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
1 CS-BARPRO-K9	<b>Cisco Room Bar Pro</b> <i>First Light w/Speaker Grille</i>
2 CS-BARPRO-C-K9	<b>Cisco Room Bar Pro</b> <i>Carbon Black w/Speaker Grille</i>
3 CS-BARPRO-NR-K9	<b>Cisco Room Bar Pro - Non-Radio</b> <i>First Light w/Speaker Grille</i>
4 CS-BARPRO-K9++	<b>Cisco Room Bar Pro - for TAA</b> <i>First Light w/Speaker Grille</i>
5 CS-BARPRO-NR-K9++	<b>Cisco Room Bar Pro - Non-Radio</b> <i>First Light w/Speaker Grille</i>
6 CS-BARPRO-NC-K9	<b>Cisco Room Bar Pro - Made in a Neutral Country</b> <i>First Light w/Speaker Grille</i>
7 CS-BARPRO-NC-NR-K9	<b>Cisco Room Bar Pro - Non-Radio - Made in a Neutral Country</b> <i>First Light w/Speaker Grille</i>

**Product Desc:** 16 element beam-forming mic array, Dual Camera 112° and 70°  
*Both camera lenses have 5X digital zoom*

Main Components and Cables	<i>automatically included with Top Level PID</i>
CS-T10-TS-L	Cisco Room Navigator-Table Stand, First Light
CS-BARPRO-MOUNT	Mounting Kit for Cisco Room Bar Pro
CAB-CAT5E-8M	Ethernet CAT5E Round Cable - 8 meter - Gray
CAB-ETH-5M-GR	CAB (16,4 feet / 5m) GREY ETHERNET
CAB-2HDMI-1.5M-GR	1.5m GREY HDMI 2.0

Cisco Product ID (PID)	Description
8 CS-BARPRO-K9=	Cisco Room Bar Pro - Spare <i>First Light w/Speaker Grille</i>
9 CS-BARPRO-C-K9=	Cisco Room Bar Pro - Spare <i>Carbon Black w/Speaker Grille</i>
10 CS-BARPRO-NR-K9=	Cisco Room Bar Pro - Spare - Non-Radio <i>First Light w/Speaker Grille</i>
<b>Product Desc:</b> 16 element beam-forming mic array, Dual Camera 112° and 70° <i>Both camera lenses have 5X digital zoom</i>	
<b>NOTE:</b> <b>THESE ARE COLD SPARES - NO CABLES, NO SERVICE CONTRACTS</b>	
<b>Software Feature Options</b>	
MultiSite / AV L-KIT-MS L-BARPRO-AV	L-ROOM-PAK <i>order separately</i> Room Bar Pro MultiSite License <i>order separately</i> Room Bar Pro AV Integrator License - up to 8 Array mics
Remote Monitoring L-KIT-RM	L-TP-RM <i>order separately</i> Remote Monitoring Option to enable Web Snapshots
<b>Spare Navigator Options</b> <i>"NC" availability depends on the price list used</i>	
CS-T10-TS-L-K9=	<i>order separately</i> Cisco Room Navigator-Table Stand, First Light, SPARE
CS-T10-WM-L-K9=	<i>order separately</i> Cisco Room Navigator-Wall Mount, First Light, SPARE
CS-T10-TS-L-NC-K9=	<i>order separately</i> Cisco Room Navigator-Table stand, First Light, NC, SPARE
CS-T10-WM-L-NC-K9=	<i>order separately</i> Cisco Room Navigator-Wall Mount, First Light, NC, SPARE
CS-T10-TS-L-K9++=	<i>order separately</i> Cisco Room Navigator-Table stand, First Light, TAA SPARE
CS-T10-WM-L-K9++=	<i>order separately</i> Cisco Room Navigator-Wall Mount, First Light, TAA SPARE
<b>Microphone Options</b> <i>There is a 16-element mic array built into the front of the Room Bar Pro</i>	
CS-MIC-TABLE-J	<i>order separately</i> Cisco Table Microphone - 7.5m mini cable included
CAB-MIC-EXT-J	<i>order separately</i> 9 meter extension cable for Table Microphone (mini connectors)
CTS-MIC-CLNG-G2	<i>order separately</i> Cisco Ceiling Microphone Gen 2 (see Microphones)
CAB-ETHRSHLD-10M	<i>order separately</i> Shielded audio cable 10m, for Ceiling Microphone, not plenum rated
CS-MIC-ARRAY-T	<i>order separately</i> Cisco Table Microphone Pro - 4 element array
<b>Privacy Cover Option</b> <i>Selectable at time of order</i>	
CS-BARPRO-CAMCOV	<i>optional</i> Camera Cover for Room Bar Pro
<b>Cable Options</b>	
CAB-2HDMI-1.5M-GR=	<i>order separately</i> CAB 1.5m GREY HDMI 2.0
CAB-CAT5E-8M=	<i>order separately</i> 8 meter round grey Ethernet cable for Cisco Devices - Spare
CAB-CAT5E-12M=	<i>order separately</i> 12 meter round grey Ethernet cable for Cisco Devices
CAB-ETH-5M-GR=	<i>order separately</i> CAB (16,4 feet / 5m) GREY ETHERNET
CAB-HDMI-MUL4K-2M=	<i>order separately</i> Cisco Multi-head Cable 2.5 meters (4K, USB-C, HDMI, miniDP)
CAB-PRES-2HDMI-GR=	<i>order separately</i> Presentation cable 8m GREY HDMI 1.4b (W/ REPEATER)
CAB-USBC-4M-GR=	<i>order separately</i> USB C - USB A Cable, 4 meters long
CAB-USBC-AC-9M=	<i>order separately</i> Active Optical Cable, USB-C 3.1, 9M long


Cisco Product ID (PID)	Description
<b>Post-Sale Licensing</b>	
MultiSite / AV	L-ROOM-PAK
L-KIT-MS	order separately Room Bar Pro MultiSite License
L-BARPRO-AV	order separately Room Bar Pro AV Integrator License
Remote Monitoring	L-TP-RM
L-KIT-RM	order separately Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>	
<a href="#">All Spares</a>	
<b>Documentation</b>	
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>	
<b>Power Cords</b>	
PWR-CORD-ARG-F=	Power Cord for Argentina 5m 10A
PWR-CORD-AUS-F=	Power Cord for Australia 5m 10A
PWR-CORD-BRA-F=	Power Cord for Brazil 5m 10A
PWR-CORD-CHE-F=	Power Cord for Switzerland 5m 10A
PWR-CORD-CHN-F=	Power Cord for China 5m 10A
PWR-CORD-DNK-F=	Power Cord for Denmark 5m 10A
PWR-CORD-EUR-F=	Power Cord for Europe 5m 10A
PWR-CORD-GBR-F=	Power Cord for United Kingdom 5m 10A
PWR-CORD-IND-F=	Power Cord for India 5m 10A
PWR-CORD-ISR-F=	Power Cord for Israel 5m 10A
PWR-CORD-ITA-F=	Power Cord for Italy 5m 10A
PWR-CORD-JPN-F=	Power Cord for Japan 5m 10A
PWR-CORD-KOR-F=	Power Cord for South Korea 5m 10A
PWR-CORD-TWN-F=	Power Cord for Taiwan 5m 10A
PWR-CORD-USA-F=	Power Cord for United States of America 5m 10A
PWR-CORD-ZAF-F=	Power Cord for South Africa 5m 10A
© 2024 Cisco and/or its affiliates. All rights reserved.	

[Index](#)

CS-KIT-MINI-K9  
 CS-KIT-MINI-K9++  
 CS-KIT-MINI-NT-K9

Room Kit Mini  
 Includes power supply

EOL15223 Non-Radio versions  
 EOL14730, EOL14732  
**ORDERABILITY HAS BEEN EXTENDED!**



A beam-forming mic array (with 4 mics) is built in. The Room Kit Mini supports all the same calling protocols as the Room Kit. In addition, it can be used with a laptop as a USB device for camera, microphones and speakers.

[Click here for the Datasheet](#)

Cisco Product ID (PID)

Description

<b>CS-KIT-MINI-K9</b>	<b>Cisco Room Kit Mini</b> Codec: <i>CS-KIT-MINI</i>
<b>CS-KIT-MINI-K9++</b>	<b>Cisco Room Kit Mini - for TAA</b> Codec: <i>CS-KIT-MINI-UNIT++</i>
<b>CS-KIT-MINI-NT-K9</b>	<b>Cisco Room Kit Mini, without Navigator</b> Codec: <i>CS-KIT-MINI</i>

Product Desc: Codec, beam-forming mic array, Navigator  
*The Mini's camera has 5X manual zoom and 120° nominal field of view*  
*The actual horizontal field of view is 110°*

Main Components and Cables	
CS-KIT-MINI-xx	automatically included with Top Level PID
CS-T10-TS-L	Codec w/embedded microphones, camera and speakers
CAB-DV10-8M	<i>except MINI-NT-K9</i> Cisco Room Navigator-Table Stand, First Light
CAB-2HDMI-1.5M-GR	8m flat grey Ethernet cable for Navigator
CAB-ETH-5M-GR	HDMI 2.0 cable 1.5m, grey, 4k
CS-KIT-MINI-WMK	5m Ethernet cable, Qty 2
CS-KITMIN-CAM-COV	Wall Mount for Room Kit Mini
PSU-12VDC-70W-GR	Privacy camera cover for Room Kit Mini and Room Bar
	PSU Room Kit/Plus/Mini/Quad Camera/Desk - 12VDC 5.83A

Software Feature Options

MultiSite	L-ROOM-PAK
L-KITMINI-MS	<i>order separately</i> Room Kit MultiSite - internal bridge (three other sites)
Remote Monitoring	L-TP-RM
L-KIT-RM	<i>order separately</i> Remote Monitoring Option to enable Web Snapshots

Cisco Product ID (PID)		Description
<b>Mounting Option</b>		
CS-KIT-MINI-FMK=	<i>order separately</i>	Screen Mount Kit for Room Kit Mini on Samsung Flip
CS-KIT-MINI-SMK	<i>optional</i>	Screen Mount Kit for Room Kit Mini
<b>Control Options</b>		
		<i>Optional extra controllers</i>
CS-T10-TS-L-K9=	<i>order separately</i>	Cisco Room Navigator-Table Stand, First Light, SPARE
CS-T10-WM-L-K9=	<i>order separately</i>	Cisco Room Navigator-Wall Mount, First Light, SPARE
<b>Microphone</b>		
<i>Includes an integrated beam-forming mic array</i>		
<i>Certain non-Cisco USB microphones can be used</i>		
<b>Cable Options</b>		
		<i>Selectable at time of order</i>
CAB-PRES-2HDMI-GR	<i>optional</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional
CAB-USBC-4M-GR	<i>optional</i>	USB C - USB A Cable, 4 meters long
CAB-HDMI-MUL4K-2M	<i>optional</i>	Cisco Multi-head Cable 2.5 meters (4K, USB-C, HDMI, miniDP)
CAB-HDMI-MUL4K-9M=	<i>order separately</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
<b>Post-Sale Licensing</b>		
MultiSite	L-ROOM-PAK	
L-KIT-MINI-MS		Order L-ROOM-PAK for e-delivery of MultiSite sw option
Remote Monitoring	L-TP-RM	
L-KIT-RM		Remote Monitoring Option to enable Web Snapshots
<b>Spares and Spare Parts</b>		
<a href="#">All Spares</a>		
<b>Documentation</b>		
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>		
<b>Power Cords</b>		
PWR-CORD-ARG-B		Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B		Power Cord for Australia 2m 10A
PWR-CORD-BRA-B		Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B		Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B		Power Cord for China 2m 10A
PWR-CORD-DNK-B		Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B		Power Cord for Europe 2m 10A
PWR-CORD-GBR-B		Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B		Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B		Power Cord for Israel 2m 10A
PWR-CORD-ITA-B		Power Cord for Italy 2m 10A
PWR-CORD-JPN-B		Power Cord for Japan 2m 10A
PWR-CORD-KOR-B		Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B		Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B		Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B		Power Cord for South Africa 2m 10A
© 2024 Cisco and/or its affiliates. All rights reserved.		

[Index](#)

CS-ROOM-USB-K9  
 CS-R-USB-UPG-BUN

Room USB  
 Includes power supply



A beam-forming mic array (with 4 mics) is built in. This device is used as USB camera, USB microphone, and USB speakers. [Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-ROOM-USB-K9</b>	<b>Cisco Room USB</b>
	Product Desc: Codec, camera, beam-forming mic array, TRC6 remote control
<b>CS-R-USB-UPG-BUN</b>	<b>Upgrade Kit from Room USB to Room Kit Mini</b>
	Product Desc: Includes Table Navigator, license, and Product Keyu
	<b>NOTE:</b> <i>This is a bundle package</i>

Main Components and Cables	<i>automatically included with Top Level PID</i>
CS-KIT-MINI	Codec w/embedded microphones, camera and speakers
CTS-RMT-TRC6	TRC6 Remote Control
CAB-2HDMI-4M-GR	4 meter HDMI presentation cable
CAB-2HDMI-1.5M-GR	HDMI 2.0 cable 1.5m, grey, 4k
CAB-ETH-5M-GR	5m Ethernet cable, Qty 2
CS-KIT-MINI-WMK	Wall Mount for Room Kit Mini
CS-KIT-MINI-SMK	Screen Mount Kit for Room Kit Mini
CAB-USBC-4M-GR	USB-C Cable, 4 meters long
PSU-12VDC-70W-GR	PSU Room Kit/Plus/Mini/Quad Camera/Desk - 12VDC 5.83A

Spares and Spare Parts  
[All Spares](#)



**Cisco Product ID (PID)****Description**

## Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

## Power Cords

PWR-CORD-ARG-B	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B	Power Cord for China 2m 10A
PWR-CORD-DNK-B	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B	Power Cord for South Africa 2m 10A

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

SPARE PARTS  
FOR ALL SYSTEMS

**HINT:** *SOMETIMES it is necessary to enter the entire PID, and then hit ENTER, even tho the SKU does not appear in the search field.*

Cisco Product ID (PID)	Description
<b>Spare Codecs</b>	
<b>Room Kit, Kit Mini, Kit Plus</b>	
CS-KIT-UNIT=	Cisco Room Kit unit (spare)
CS-KIT-MINI=	Room Kit Mini (spare)
CS-KIT-MINI-NR=	Room Kit Mini (spare) - no radio
CS-KIT-MINI-K7=	Room Kit Mini (spare) - no encryption - Russia price list
CS-ROOM-USB-K9=	Room USB spare - includes all normal accessories
CS-CODEC-PLUS=	Cisco Room Codec Plus (spare)
CS-CODEC-PLUS-NR=	Cisco Room Codec Plus (spare) - no radio
CS-CODEC-PL-NR-K7=	Cisco Room Codec Plus (spare) - no radio, no encryption
<b>Room Bar</b>	
CS-BAR-K9=	Cisco Room Bar SPARE UNIT - First Light Color
CS-BAR-C-K9=	Cisco Room Bar SPARE UNIT - Carbon Color
CS-BAR-NR-K9=	Cisco Room Bar - No Radio UNIT ONLY
CS-BAR-NR-K7=	Cisco Room Bar - SPARE UNIT - No Radio/No Encryption
<b>Room Kit Pro</b>	
CS-CODEC-PRO=	Cisco Codec Pro Spare - encrypted
CS-CODEC-PRO-NR-K7=	Cisco Codec Pro Spare - Non encrypted
CS-CODEC-PRO-NR=	Cisco Codec Pro Spare - Non Radio
<b>Room Kit EX</b>	
CS-CODEC-EQ=	Cisco Codec EQ unit
CS-CODEC-EQ-NR=	Cisco Codec EQ unit No Radio
<b>Room 55 Single</b>	
CS-R55-UNI2-K9=	Room 55 Main Unit
CS-R55-UNI2-NR-K9=	Room 55 Main Unit - no radio
CS-R55-UNI2-NR-K7=	Room 55 Main Unit - no radio, no encryption
<b>Room 55 Dual, Room 70 and 70 G2</b>	
CS-RCODPLUS-K9=	Codec Plus for Room 55 Dual, Room 70 Gen 1
CS-RCODPLUS-NR-K7=	Codec Plus for Room 55 Dual, Room 70 Gen 1 - no radio, no encryption
CS-RCODPRO-K9=	Codec Pro for Room 70G2
CS-RCODPRO-NR-K9=	Codec Pro for Room 70G2 - no radio
CS-RCODPRO-NR-K7=	Codec Pro for Room 70G2 - no radio, no encryption
<b>Room Panorama</b>	
CS-CODEC-PRO=	Cisco Codec Pro Spare
CS-CODEC-PRO-NR-K7=	Cisco Codec Pro Spare - Non encrypted
CS-CODEC-PRO-NR=	Cisco Codec Pro Spare - Non Radio

SPARE CODECS

Cisco Product ID (PID)	Description
<b>Desk Pro</b>	
CS-DESKPRO-K9=	Cisco Desk Pro - SPARE UNIT (NO ACCESSORIES)
CS-DESKPRO-NR-K9=	Cisco Desk Pro - NO RADIO SPARE UNIT (NO ACCESSORIES)
CS-DESKPRO-NR-K7=	Cisco Desk Pro - NO RADIO Non-Encrypt SPARE (no Accessories)
<b>Desk</b>	
CS-DESK-K9=	Cisco Desk - SPARE UNIT, First Light (NO ACCESSORIES)
CS-DESK-C-K9=	Cisco Desk - SPARE UNIT, Carbon (NO ACCESSORIES)
CS-DESK-NR-K9=	Cisco Desk - NO RADIO SPARE, First Light (NO ACCESSORIES)
CS-DESK-NR-K7=	Cisco Desk - NO RADIO Non-Encrypt First Light SPARE (no Acc.)
<b>Desk Mini</b>	
CS-DESKMINI-K9=	Desk Mini spare First Light
CS-DESKMINI-C-K9=	Desk Mini spare Carbon
CS-DESKMINI-NR-K9=	Desk Mini spare First Light NO RADIO
CS-DESKMINI-NR-K7=	Desk Mini spare First Light NO RADIO, non-crypto

### Spare Navigator / T10

*"NC" availability depends on the price list used*

TOUCH	CS-T10-TS-L-K9=	Cisco Room Navigator for Table (First Light)
	CS-T10-TS-L-NC-K9=	Cisco Room Navigator-Table stand, First Light, NC, SPARE
	CS-T10-TS-L-K9+++	Cisco Room Navigator-Table stand, First Light, TAA SPARE
	CS-T10-TS-FT2=	Foot stand spare (First Light) <i>Revised hardware version with better strain relief</i>
	CS-T10-TS-FT2-G=	Foot stand spare (First Light) <i>Revised hardware version with better strain relief</i>
	CS-T10-WM-L-K9=	Cisco Room Navigator-Wall Mount, First Light, SPARE
	CS-T10-WM-L-NC-K9=	Cisco Room Navigator-Wall Mount, First Light, NC, SPARE
	CS-T10-WM-L-K9+++	Cisco Room Navigator-Wall Mount, First Light, TAA SPARE
	CS-T10-WM-BR=	Wall bracket, adhesive and plugs spare
	CS-TOUCH10=RF	Touch 10 control unit, REMANUFACTURED
	CS-POE-INJ=	PoE power injector for Navigator and Touch 10
	CAB-DV10-12.5=	12.5 meter flat grey Ethernet cable for Touch 10
	CAB-DV10-8M=	8m flat grey Ethernet cable for Touch device
CAB-DV10-4M=	4m flat grey Ethernet cable for Touch device	

### Spare Microphones

[Link to Microphones](#)

*See the Microphones page for detailed information*

MICROPHONES	CS-MIC-TABLE-J=	Cisco Table Microphone - 7.5m mini cable included
	CS-MIC-TABLE-PLA=	Cisco Table Microphone Adhesive Plate (set of 3)
	CAB-MIC-EXT-J=	9 meter extension cable for Table Microphone (mini connectors)
	CAB-MIC-TABLE-J=	7.5m spare cable for CS-MIC-TABLE-J=
	CS-MIC-TABLE-E=	Cisco Table Microphone - 9m Euroblock cable included
	CAB-MIC-EXT-E=	9 meter extension cable for Table Microphone (Euroblock connectors)
	CAB-MIC-TABLE-E=	9m Euroblock spare cable for CS-MIC-TABLE-E=
	CS-MIC-ARRAY-T=	Cisco Table Microphone Pro Spare - 4 element array
	CTS-MIC-CLNG-G2=	Cisco Ceiling Microphone Gen 2
	CTS-MIC-CLNG-PLT=	Ceiling Microphone parts - Top and Back plates
	CTS-MIC-CLNG-ELM=	Microphone element for Ceiling Microphone
	CTS-MIC-CLNG-DNG=	Ceiling Mic. dongles, RJ45-Euroblock and RJ45-MiniJack
	CTS-MIC-CLNG-WRK=	Ceiling Microphone parts - Ceiling mounting wire kit
CAB-ETHRSHLD-10M=	Shielded audio cable 10m, for Ceiling Microphone, not plenum rated	

Cisco Product ID (PID)	Description	
<b>Euroblock</b>		
CS-CPRO-ADPT=	Full set of Euroblock connectors for Codec Pro and Room 70 G2	
<b>Spare Cameras</b> <i>Spare cameras do not ship with power supplies or cables</i>		
<b>CAMERAS</b>	CTS-CAM-P60=	Precision 60 Camera spare
	CS-QUADCAM=	Quad Camera spare
	CS-QCAM-CAB-COV=	Cable cover for QuadCam
	CS-RQUADCAM=	Quad Camera spare for Room 55D, Room 70 Gen 1, Kit EQX
	CS-RPQUADCAM=	Fully automatic quad camera for Room Panorama
	CS-CAM-PTZ4K=	PTZ 4K Camera spare
	CTS-CAM60-BRKT=	Wall and ceiling bracket for Precision 60 Camera
	BRKT-QCAM-WMK=	Wall mount for Quad Camera
	CS-PTZ4K-BRKT=	Wall mount bracket for PTZ 4K Camera
	CS-PTZ4K-CLNGMNT=	Ceiling mount bracket for PTZ 4K Camera
	CD-CBL-USBC-USBA=	Desk Cam 4K USB 3.0 Spare Cable (USBC - USBA) 1.5m
	CD-CBL-USBC-USBC=	Deck Cam 4K USB 3.0 Spare Cable (USBC - USBC) 1.5m
PSU-12VDC-40W2=	Power Supply for camera - 12VDC 40W	
PSU-12VDC-70W-GR=	PSU Room Kit/Plus/Mini/Quad Camera/Desk - 12VDC 5.83A	
<b>All SpeakerTrack Orderable Spares</b>		
<b>SPEAKER TRACK</b>	CTS-SPKER-TRACK60	SpeakerTrack 60, complete kit
	CTS-CAM-P60=	Precision 60 Camera Qty 2
	CTS-ST-ARRAY60=	SpeakerTrack 60 Microphone Array and Base Unit
	CTS-ST-ARR60-WMK=	Wall Mount Kit for Speaker Track 60 Microphone Array
	CAB-ETH-ST-SHORT=	Qty (2) Ethernet cables (0.35m&0.2m) for SpeakerTrack 60
	CAB-PWR-ST-SHORT=	Qty (2) 12V power cables (0.45m&0.2m) for SpeakerTrack 60
	CTS-ST-INT-PLATE=	Interface plate CAM-P60 to Speaker Track 60
	PWR-12VDC-84W=	Power supply for SpeakerTrack 60 - 12VDC 84W
<b>Video and Network Cables</b>		
<b>VIDEO</b>	<b>4k</b>	
	CAB-PRES-2HDMI-GR=	Presentation cable 8m, HDMI, gray, 4kp30, directional
	CAB-HDMI-MUL4K-2M=	Cisco Multi-head Cable 2.5 meters (4K, USB-C, HDMI, miniDP)
	CAB-HDMI-MUL4K-9M=	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
	CAB-2HDMI-3M-GR=	HDMI 2.0 cable 3m/10 ft, grey, 4k
	CAB-2HDMI-1.5M-GR=	HDMI 2.0 cable 1.5m, grey, 4k
	<b>1080p</b>	
	CAB-2HDMI-5M=	HDMI to HDMI Cable 5m
	CAB-2HDMI-3M-GR=	HDMI to HDMI cable 3m
	<b>USB</b>	
CAB-USBC-4M-GR=	USB C - USB A Cable, 4 meters long	
CAB-USBC-1.8M=	USB-C Cable 1.8m	
CAB-USBC-AC-9M=	Cisco USB-C active optical cable, 9 meter - Gray - <i>NEW</i>	
CS-BRD75P-WUK=	Active Optical Cable, USB-C 3.1, 9M long, USB Charging	
CD-CBL-USBC-USBA=	USB 3.0 Spare Cable (USBC - USBA) 1.5m	
CD-CBL-USBC-USBC=	USB 3.0 Spare Cable (USBC - USBC) 1.5m	
<b>NETWORK</b>	<b>Ethernet</b>	
	CAB-ETH-5M-GR=	Ethernet cable 5m, grey
	CAB-ETH-3M-GR=	Ethernet cable 3m/10 ft, grey
	CAB-ETH-1.5M-GR=	Ethernet cable 1.5m/5 ft, grey
	CAB-ETHRSHLD-10M=	Shielded Ethernet/microphone cable (10 m) - (Not plenum rated)

Cisco Product ID (PID)		Description	
<b>Form Factor</b>			
<b>FORM FACTOR</b>	<b>Room 70 Dual and Room 70 Dual G2</b>		<i>Most spare parts are not available</i>
	CS-ROOM70D-WM-GRK=	Room 70 Dual Wallmount Grill Kit <a href="#">Spare Parts List from Cisco.com</a>	
	<b>Room Panorama</b>		
	CS-PANO-SPKR=	Top speaker for Room Panorama and Room Kit EQX	
	CS-PANO-MON65=	Samsung 65" presentation screen for Room Panorama / Room 70 Panorama	
	CS-PANO-MON85=	Samsung 85" 8K professional monitor for Room Panorama	
	<b>Room 55 Dual</b>		
	CS-ROOM55D-MON2-L=	Left screen for Room 55 Dual	
	CS-ROOM55D-MON2-R=	Right screen for Room 55 Dual	
	<i>Postsale: to change from a Wall Mount Kit to Floor Stand, order the following:</i>		
CS-ROOM55D-FSK=	Room 55D floor stand kit, freestanding / wall-secured (both included)		
CS-ROOM55D-FS-GRK=	Room 55D floor stand grille kit (both speaker grille and lower grille)		
<i>Postsale: to change from a Floor Stand Kit to a Wall Mount, order the following:</i>			
CS-ROOM55D-WMK=	Room 55D wall mount kit, hangs on wall		
CS-ROOM55D-WM-GRK=	Room 55D wall mount grille kit (both speaker grille and lower grille) <a href="#">Spare Parts List from Cisco.com</a>		
<b>Room 55</b>			
CS-ROOM55-FSK=	Floor Stand Kit		
CS-ROOM55-WMK=	Wall Mount Kit		
CS-ROOM55-WBK=	Wheel Base Kit		
CS-ROOM55-WUK=	Wheels Upgrade Kit (With cable hook)		
CS-ROOM55-RC=	Spare Rear Cover		
<b>Room Kit, Kit Plus, and Kit Mini</b>			
CS-KIT-WMK=	Wall mount for Room Kit		
CS-KIT-SMK=	Screen mount for Room Kit		
CS-KIT-MINI-WMK=	Wall mount for Room Kit Mini		
CS-KIT-MINI-SMK=	Screen mount for Room Kit Mini		
CS-KITMIN-CAM-COV=	Privacy camera cover for Room Kit Mini and Room Bar		
CS-KITPLUS-WMK=	Wall Mount Kit for Codec Plus		
<b>Room Bar Pro</b>			
CS-BARPRO-CAMCOV=	Privacy Camera Cover for Room Bar Pro		
CS-BARPRO-MOUNT=	Mounting Kit (Wall and Screen) for Cisco Room Bar Pro		
<b>Room Bar</b>			
CS-BAR-MOUNT=	Wall Mount for Cisco Room Bar		
CS-KITMIN-CAM-COV=	Privacy camera cover for Room Kit Mini and Room Bar		
<b>Room Kit Pro</b>			
CS-CPRO-ANT=	Codec Pro Antennas Spare		
CS-CPRO-RACKEARS=	Codec Pro Rack Ears Spare		
CS-CPRO-WMK=	Wall Mount Kit for Codec Pro		

Cisco Product ID (PID)	Description
<b>Room Kit EQX</b>	
CS-PANO-SPKR=	Top speaker for Room Panorama and Room Kit EQX
CS-PANO-BASS=	Bass unit for Room Panorama and Room Kit EQX
CS-EQX-FAN=	Room Kit EQX 2 fan pack
CS-EQX-ANT=	Room Kit EQX antenna kit (includes 3x antennae + cables)
CS-EQX-CENTER-MOD=	Room Kit EQX center module
CS-EQX-SIDE-MOD=	Room Kit EQX side module
CS-EQX-FRAME-C=	Room Kit EQX front frame module - Carbon Black
CS-EQX-VESA=	Room Kit EQX VESA bracket for screens between 65" and 75"
CS-KIT-EQX-WMK-C=	Cisco Room Kit EQX Wall Mount Carbon Black
CS-KIT-EQX-FSK-C=	Cisco Room Kit EQX Floor Stand Carbon Black
CS-KIT-EQX-WSK-C=	Cisco Room Kit EQX Wall Stand Carbon Black
<b>Room Kit EQ</b>	
CS-CODEC-EQ-RCK=	Rack ears for Codec EQ
CS-CODEC-EQ-WMK=	Wall-mount kit for Codec EQ
CS-CODEC-EQ-ANT=	Codec EQ Antennas
<b>Cisco Board Pro 75</b>	
CS-BRD75P-K9=	Cisco Board 75 G2 -Spare
CS-BRD75P-NR-K9=	Cisco Board 75 G2 -Non Radio -Spare
CS-BRD75P-NR-K7=	Cisco Board 75 G2 -Non Radio -Non Encryption -Spare
CS-BRD75P-ND-K9=	Cisco Board 75 G2 -Non Radar -Spare
CS-BRD75P-FS=	Cisco Board 75 G2 Floor stand - Spare
CS-BRD75P-WMK=	Cisco Board 75 G2 Wall Mount Kit - Spare
CS-BRD75P-WUK=	Cisco Board 75 G2 Wheel Upgrade Kit - Spare
CS-BRDP-ACTSTYL=	Cisco Board G2 Active Stylus
CAB-USBC-AC-9M	Active Optical Cable, USB-C 3.1, 9M long, USB Charging
<b>Cisco Board Pro 55</b>	
CS-BRD55P-K9=	Cisco Board 55 G2 -Spare
CS-BRD55P-NR-K9=	Cisco Board 55 G2 -Non Radio -Spare
CS-BRD55P-NR-K7=	Cisco Board 55 G2 -Non Radio -Non Encryption -Spare
CS-BRD55P-ND-K9=	Cisco Board 55 G2 -Non Radar -Spare
CS-BRD55P-FS=	Cisco Board 55 G2 Floor stand - Spare
CS-BRD55P-WMK=	Cisco Board 55 G2 Wall Mount Kit - Spare
CS-BRD55P-WUK=	Cisco Board 55 G2 Wheel Upgrade Kit - Spare
CS-BRDP-ACTSTYL=	Cisco Board G2 Active Stylus
CAB-USBC-AC-9M	Active Optical Cable, USB-C 3.1, 9M long, USB Charging
<b>Cisco Board 85S, 70S, 55S</b>	
CS-BRD-PENKIT=	Cisco Board Pen Kit - 2 pens and 6 extra tips
<i>Most spare parts are not available</i>	
<b>Desk Pro</b>	
CS-DESKPRO-VESA=	VESA Adapter and Wall Mount Kit for Cisco Desk Pro series
CS-DESKPRO-STAND=	Replacement Desk Stand for Cisco Desk Pro series
CS-DESK-STYLUSKIT=	Cisco Desk Series Stylus Kit (2 stylus, 4 tips)
CS-DESKPRO-FG=	Replacement Fabric Speaker Grill for Cisco Desk Pro series
CS-DESKPRO-MG=	Metal Speaker Grill for Cisco Desk Pro series
CS-PWR-CUBE-7=	Power supply for Desk Pro - 20VDC 11.5A



	Cisco Product ID (PID)	Description
FORM FACTOR	<b>Desk</b>	
	CS-DESK-STAND=	Replacement Desk Stand, First Light for Cisco Desk
	CS-DESK-C-STAND=	Replacement Desk Stand, Carbon for Cisco Desk
	CS-DESK-K9=	Cisco Desk - SPARE UNIT, First Light (no accessories)
	CS-DESK-C-K9=	Cisco Desk - SPARE UNIT, Carbon (no accessories)
	CS-DESK-NR-K9=	Cisco Desk - NO RADIO SPARE UNIT, First Light (no accessories)
	CS-DESK-NR-K7=	Cisco Desk - NO RADIO, non-encrypt, First Light (no accessories)
	CS-DESK-FG=	Replacement Fabric Speaker Grille for Cisco Desk series, First Light
	CS-DESK-C-FG=	Replacement Fabric Speaker Grille for Cisco Desk series, Carbon
	PSU-12VDC-70W-GR=	Power supply - AC/DC, 12V, 6.25A, grey
	CS-DESK-STYLUSKIT=	Cisco Desk Series Stylus Kit
	<b>Desk Mini</b>	
	CS-DESKMINI-K9=	Desk Mini spare First Light
	CS-DESKMINI-C-K9=	Desk Mini spare Carbon
	CS-DESKMINI-NR-K9=	Desk Mini spare First Light NO RADIO
CS-DESKMINI-NR-K7=	Desk Mini spare First Light NO RADIO, non-crypto	
<b>Desk Hub</b>		
CD-DSK-PSU100=	Cisco Desk Hub Power Adapter	
CD-CBL-USBC-USBC=	USB 3.0 Spare Cable (USBC - USBC) 1.5m	
<b>DX70 and DX80</b>		<i>Most spare parts are not available</i>
CP-DX80-FS=	Replacement foot stand for DX80	
<b>SX10, SX20 and Room USB</b>		<i>Most spare parts are not available</i>
CTS-RMT-TRC6=	Remote Control TRC 6	

## Power

POWER	<b>Power Supplies</b>	
	PSU-12VDC-70W-GR=	PSU Room Kit/Plus/Mini/Quad Camera/Desk - 12VDC 5.83A
	PSU-12VDC-40W2=	Power Supply for camera - 12VDC 40W
	PWR-12VDC-84W=	Power supply for SpeakerTrack 60 - 12VDC 84W
	CS-PWR-CUBE-7=	Power supply for Desk Pro - 20VDC 11.5A
	PSU-12VDC-86W=	Power Supply for Room Bar - AC/DC, 12V, 7.0A, 86.1W grey
	<b>Power Cords</b>	<i>These are sample power cords from many different PIDs. Most are very similar, with a YC-12 connector at the codec and a 15amp rating. Basically they are standard computer equipment power cords. The ones listed here can be ordered as spares.</i>
	PWR-CORD-ARG-B	Power Cord for Argentina 2m 10A
	PWR-CORD-AUS-B	Power Cord for Australia 2m 10A
	PWR-CORD-BRA-B	Power Cord for Brazil 2m 10A
	PWR-CORD-CHE-B	Power Cord for Switzerland 2m 10A
	PWR-CORD-CHN-B	Power Cord for China 2m 10A
	PWR-CORD-DNK-B	Power Cord for Denmark 2m 10A
	PWR-CORD-EUR-B	Power Cord for Europe 2m 10A
	PWR-CORD-GBR-B	Power Cord for United Kingdom 2m 10A
	PWR-CORD-IND-B	Power Cord for India 2m 10A ('M' Plug 16A)
	PWR-CORD-ISR-B	Power Cord for Israel 2m 10A
	PWR-CORD-ITA-B	Power Cord for Italy 2m 10A
	PWR-CORD-JPN-B	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B	Power Cord for South Korea 2m 10A	
PWR-CORD-TWN-B	Power Cord for Taiwan 2m 10A	
PWR-CORD-USA-B	Power Cord for United States of America 2m 10A	
PWR-CORD-ZAF-B	Power Cord for South Africa 2m 10A	



[Index](#)

## REFURBISHED PRODUCTS

**Disclaimer:** Product availability is subject to change and will be validated at time of order.

Quantities are limited. There may be other products in CCW that are not listed here.

Resources: [RefreshQuestions@cisco.com](mailto:RefreshQuestions@cisco.com)

Operations Manager: Sucheta Verma


Item	Cisco Product ID (PID)	Description
CTS LAPCONN	CTS-LAPCONN-NA-RF	TelePresenceLaptopConnectivityForKneeKnockersNAREMANUFACTURED
	CTS-LAPCONN-UK-RF	TelePresenceLaptopConnectivity-United Kingdom REMANUFACTURED
DESKPRO	CS-DESKPRO-K9-RF	Cisco Desk Pro - unit REMANUFACTURED
	PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
DESKPRO NR	CS-DESKPRO-NRK9-RF	Cisco Desk Pro - No radio REMANUFACTURED
DESK	CS-DESK-K9-RF	CiscoDeskunit/standonlyFirstLight(White) REMANUFACTURED
DESK MINI	CS-DESKMINI-K9-RF	Cisco Desk Mini unit only REMANUFACTURED
DSKCAM	CD-DSKCAM-C-WW-RF	Cisco DeskCameraCarbonBlack - WorldWide REMANUFACTURED
DSKCAM	CD-DSKCAM-C-US-RF	Cisco Desk Camera, Carbon Black - US REMANUFACTURED
DSKCAM	CD-DSKCAM-P-US-RF	Cisco Desk Camera 4K, Platinum - shiptoUSONLY REMANUFACTURED
DX70	CP-DX70-W-K9-RF	Cisco DX70 (White) REMANUFACTURED
	CP-PWR-CORD-NA	Power Cord, North America
	CP-DX70-W-NR-K9-RF	CiscoDX70NoRadio-GPL(forregistrationtoVCS,UCM)REMANUFACTURED
	CP-PWR-CORD-NA	Power Cord, North America
	CP-DX70-VESA-RF	VESA Adapter and Wall Mount Kit for DX70 REMANUFACTURED
	CP-PWR-CUBE-5-RF	Power transformer for the DX70and DX80 series REMANUFACTURED
DX80	CP-DX80-K9-RF	Cisco DX80 REMANUFACTURED
	CP-PWR-CORD-NA	Power Cord, North America
	CP-DX80-NR-K9-RF	DX80 NoRadio -GPL(forregistrationtoVCSandUCM) REMANUFACTURED
	NO-POWER-CORD	ECO friendly green option, no power cable will be shipped
	CP-DX80-VESA-RF	VESA Adapter and Wall Mount Kit for DX80 REMANUFACTURED
	CP-PWR-CUBE-5-RF	Power transformer for the DX70and DX80 series REMANUFACTURED
ISDNLINK	CTS-ISDNLINK-RF	Cisco TelePresence ISDN Link REMANUFACTURED
IX5000	CTS-IX5000-RF	Cisco TelePresence IX5000 REMANUFACTURED
MIC-20	CTS-QSC20-MIC-RF	Performance Microphone 20 REMANUFACTURED
MIC-TABL20	CTS-MIC-TABL20-RF	Cisco TelePresence Table Microphone 20v REMANUFACTURED
MIC-TABL60	CTS-MIC-TABL60-RF	Cisco TelePresence Table Microphone 60 Spare REMANUFACTURED
MIC-TBL-E	CS-MIC-TABLE-E-RF	Cisco Table Microphone with Euroblock plug REMANUFACTURED
MIC-TBL-J	CS-MIC-TABLE-J-RF	Cisco Table Microphone with Jack plug REMANUFACTURED
	CS-MIC-TABLE-J-RF	Cisco Table Microphone with Jack plug REMANUFACTURED
MX700D1	CTSMX700D1CAMK9-RF	Cisco MX700, Dual 55, Single Cam REMANUFACTURED
	NO-POWER-CORD	ECO friendly green option, no power cable will be shipped
MX700D2	CS-DESKPRO-K9-RF	Cisco MX700, Dual 55, Dual Cam REMANUFACTURED
	PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
MX800D2	CTSMX800D2CAMK9-RF	Cisco MX800, Dual 70 REMANUFACTURED
	NO-POWER-CORD	ECO friendly green option, no power cable will be shipped
POE INJECTOR	CS-POE-INJ-RF	Touch PoE power injector REMANUFACTURED
PRECISION 12X CAMERA	CTSPHD1080P12XS2RF	PrecisionHD Camera 1080p 12x Gen 2 REMANUFACTURED
PRECISION 60 CAMERA	CTS-CAM60-BRKT-RF	Bracket for wall mountng of Precision60Camera REMANUFACTURED
ROOM 55	CS-ROOM55-WBK-RF	Spark Room 55, Wheel Base Kit REMANUFACTURED
	CS-ROOM55-WMK-RF	Spark Room 55, Wall Mount REMANUFACTURED
ROOM 55D	CS-ROOM55D-K9-RF	Cisco Room 55D, Dual 55" Screens REMANUFACTURED
	PWR-CORD-USA-F	Power Cord for United States of America 4.5m 10A
ROOM 70D G2	CS-ROOM70DG2-K9-RF	Cisco Room70G2Dual w/CodecPro and Touch10 REMANUFACTURED
	PWR-CORD-USA-F	Power Cord for United States of America 4.5m 10A
	CSROOM70DG2NRK9-RF	Cisco Room70DualG2 w/CodecPro and Touch, Non-Radio REMANUFACTURED
	PWR-CORD-USA-F	Power Cord for United States of America 4.5m 10A
ROOM 70S G2	CS-ROOM70SG2-K9-RF	Cisco Room70SingleG2 w/CodecPro and Touch10 REMANUFACTURED
	PWR-CORD-USA-F	Power Cord for United States of America 4.5m 10A
	CSROOM70SG2NRK9-RF	CiscoWbxRoom70 Single w/CodecPro and Touch10, Non-Radio REMANUFACTURED
	PWR-CORD-USA-F	Power Cord for United States of America 4.5m 10A
ROOM 70D GEN1	CS-ROOM70D-K9-RF	Cisco Room 70 Dual with Touch10 REMANUFACTURED
	NO-POWER-CORD	ECO friendly green option, no power cable will be shipped
	CS-ROOM70D-NRK9-RF	Cisco Room70Dualw/Touch10NonRadio REMANUFACTURED
ROOM 70S GEN1	CS-ROOM70S-K9-RF	Cisco Room 70 Single with Touch10 REMANUFACTURED
	PWR-CORD-USA-F	Power Cord for United States of America 4.5m 10A
	CS-ROOM70S-NRK9-RF	Cisco Room70Singlew/Touch10NonRadio REMANUFACTURED
BOARD PRO 75	CS-BRD75P-K9-RF	Cisco Board Pro 75 REMANUFACTURED

Item	Cisco Product ID (PID)	Description
BOARD PRO 75 NR	CS-BRD75P-NR-K9-RF	Cisco Board Pro 75 -Non Radio REMANUFACTURED
BOARD PRO 55	CS-BRD55P-K9-RF	Board Pro 55 REMANUFACTURED
ROOM KIT	CS-KIT-K9-RF	RoomKitwithintegratedmicrphne,spekrsandTuch10REMANUFACTURED
	PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
ROOM BAR	CS-BAR-K9-RF	Cisco Room Bar UNIT - First Light Color REMANUFACTURED
ROOM BAR NR	CS-BAR-NR-K9-RF	Cisco Room Bar in First Light - NO RADIO REMANUFACTURED
ROOM BAR W/NAV	CS-BAR-T-K9-RF	Cisco Room Bar w/Table Stand Navigator REMANUFACTURED
ROOM KIT PLUS	CS-KITP60-K9-RF	RoomKitPlusP60-CodecPlus,P60camandTouch10 REMANUFACTURED
	PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
	CS-KIT-PTZ12-K9-RF	CiscoWbxRomKitPlusPTZ12x-CodcPTZ12x,Touch10 REMANUFACTURED
	PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
	CS-KITP60-K9+-RF	RoomKitPlusP60-CodecPlus,P60camandTuch10forTAAREMANUFACTURED
	PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
	CS-KITP60-K9-RF	RoomKitPlusP60-CodecPlus,P60camandTouch10 REMANUFACTURED
	PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
ROOM KIT PRO	CS-CODECPR0K9+-RF	Cisco Codec Pro - TAA compliant REMANUFACTURED
	PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
	CS-KITPRO-P60K9-RF	Cisco RoomKitProP60-CdcPro,P60,Touch10-GPLREMANUFACTURED
	PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
SPEAKERTRACK 60	CTSSPKERTRACK60-RF	Cisco TelePresence Speaker Track 60 Kit REMANUFACTURED
	PWR-CORD-US-A	Pwr Cord US 1.8m Black YP-12 To YC-12
SX10	CTS-SX10-K9-RF	SX10 HD w/ wall mount, int 5x cam and mic REMANUFACTURED
	CTS-SX10N-K9-RF	SX10 HD w/wall mount,int5x cam & PWR SPLY REMANUFACTURED
	PWR-CORD-US-A	Pwr Cord US 1.8m Black YP-12 To YC-12
	BRKT-SX10-SMK-RF	SX10 Screen Mount Kit REMANUFACTURED
SX20	CTS-SX20CODECK9-RF	SPARE SX20 Codec encrypted REMANUFACTURED
	CTS-SX20CODEC-RF	SX20 Codec - no encription REMANUFACTURED
	CTS-SX20N-K9-RF	SX20 codec with optional accessories REMANUFACTURED
	PWR-CORD-US-A	Pwr Cord US 1.8m Black YP-12 To YC-12
	CTS-SX20-QS-WMK-RF	Wall Mount Kit for SX20 REMANUFACTURED
	CTS-SX20N-K9-RF	SX20 codec with optional accessories REMANUFACTURED
	PWR-CORD-US-A	Pwr Cord US 1.8m Black YP-12 To YC-12
SX80	CTS-SX80CODEC-RF	SX80 CODEC REMANUFACTURED
	CTS-SX80-K9-RF	Cisco SX80 Codec kit REMANUFACTURED
	PWR-CORD-US-A	Pwr Cord US 1.8m Black YP-12 To YC-12
	CTS-SX80-IP60K9-RF	Cisco SX80 Codec, Precision 60 Cam, Touch 10 REMANUFACTURED
	PWR-CORD-US-A	Pwr Cord US 1.8m Black YP-12 To YC-12
	CTS-SX80-IPQCK9-RF	Cisco SX80 Codec, Quad Camera, Touch 10 REMANUFACTURED
	PWR-CORD-US-A	Pwr Cord US 1.8m Black YP-12 To YC-12
	CTSSX80IPST60K9-RF	Cisco SX80 Codec, Speaker Track 60, Touch 10 REMANUFACTURED
	PWR-CORD-US-A	Pwr Cord US 1.8m Black YP-12 To YC-12
TOUCH 10	CTS-CTRL-DVX-10-RF	Touch 10 Control Device - selectable option REMANUFACTURED
	CTS-CTRL-DV10-RF	Touch 10 Spare REMANUFACTURED
	CS-TOUCH10-RF	Cisco Touch 10 controller for endpoints REMANUFACTURED
NAVIGATOR	CS-T10-TS-K9-RF	Cisco Room Navigator-Table stand version REMANUFACTURED
TRC5	CTS-RMT-TRC5-RF	Remote Control TRC 5 REMANUFACTURED

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

- CS-BRD75P-K9
- CS-BRD75P-NR-K9
- CS-BRD75P-NR-K7
- CS-BRD75P-MM-K9
- CS-BRD75P-MM-NR-K9
- CS-BRD75P-K9++
- CS-BRD75P-NR-K9++
- CS-BRD75P-ND-K9



Board Pro 75

UHD (4K) 77" multitouch LED screen with 12-element mic array, 3.1 sound system, dual 4K cameras, HDMI I/O, USB-C

The Board Pro is multi-platform: SIP, H.323, Webex, or MS Teams

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
CS-BRD75P-K9	Cisco Board Pro 75
CS-BRD75P-NR-K9	Cisco Board Pro 75, no radio
CS-BRD75P-NR-K7	Cisco Board Pro 75, no radio, non-crypto
CS-BRD75P-MM-K9	Cisco Board Pro 75, Made in a Neutral Country
CS-BRD75P-MM-NR-K9	Cisco Board Pro 75, Made in a Neutral Country, no radio
CS-BRD75P-K9++	Cisco Board Pro 75, TAA
CS-BRD75P-NR-K9++	Cisco Board Pro 75, TAA, no radio
CS-BRD75P-ND-K9	Cisco Board 75, non radar

**Product Desc:** 75 inch 4K Touch Screen, In-built camera and microphone array  
*The camera features SpeakerTrack and 5X manual zoom*  
 "TAA" SKUs are intended for US customers requiring non-China assembly  
 "MM" SKUs are intended for non-US customers requiring non-China assembly

Main Components	<i>automatically included with Top Level PID</i>
CS-BRDP-ACTSTYL	Cisco Board Pro Active Stylus

Software Feature Options

MultiSite	Top level PID: L-ROOM-PAK
L-BOARD-MS	<i>order separately</i> Cisco Board MultiSite - internal bridge (up to 4 other sites)
Remote Monitoring	Top Level PID: L-TP-RM
L-BOARD-RM	<i>order separately</i> Remote Monitoring Option for Web Snapshots


Mounting Kit Options (*must select one*)

CS-BRD75P-WMK	<i>no-cost option</i>	Cisco Board 75 P Wall Mount Kit - Secure mount to wall (GPL)
CS-BRD75P-FS	<i>optional</i>	Cisco Board 75 P Floor Stand - Freestanding (GPL)
CS-BRD75P-WSA	<i>optional</i>	Cisco Board Pro 75 Wall Stand Adapter
CS-BRD75P-WUK	<i>optional</i>	Cisco Board 75 P Wheel Upgrade Kit

Cisco Product ID (PID)		Description
Control Options	<b>NOTE:</b>	Navigator is supported starting with RoomOS 11
CS-T10-TS-L-K9	<i>optional</i>	Cisco Room Navigator-Table Stand, First Light
CS-T10-WM-L-K9	<i>optional</i>	Cisco Room Navigator-Wall Mount, First Light
Microphone Options		<i>Includes an integrated beam-forming mic array</i>
CS-MIC-ARRAY-T	order separately	Cisco Table Microphone Pro - <i>future software release (up to 3)</i>
CS-MIC-TABLE-J	<i>optional</i>	Cisco Table Microphone - 7.5m mini cable included
Cable Options		<i>Selectable at time of order</i>
CAB-PRES-2HDMI-GR	<i>optional</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional
CAB-HDMI-MUL4K-9M	<i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)
CAB-USBC-AC-9M	<i>optional</i>	Active Optical Cable, USB-C 3.1, 9M long, USB Charging
Accessory Options		<i>Selectable at time of order</i>
CS-BRDP-ACTSTYL	<i>optional</i>	Additional Cisco Board Pro Active Stylus
Spares and Spare Parts		
<a href="#">All Spares</a>		
Documentation		
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>		
Power Cords		
PWR-CORD-ARG-F		Power Cord for Argentina 5m 1mm2
PWR-CORD-AUS-F		Power Cord for Australia 5m 1mm2
PWR-CORD-BRA-F		Power Cord for Brazil 5m 1mm2
PWR-CORD-CHE-F		Power Cord for Switzerland 5m 1mm2
PWR-CORD-CHN-F		Power Cord for China 5m 1mm2
PWR-CORD-DNK-F		Power Cord for Denmark 5m 10A
PWR-CORD-EUR-F		Power Cord for Europe 5m 1mm2
PWR-CORD-GBR-F		Power Cord for United Kingdom 5m 1mm2
PWR-CORD-IND-F		Power Cord for India 5m 1mm2
PWR-CORD-ISR-F		Power Cord for Israel 5m 10A
PWR-CORD-ITA-F		Power Cord for Italy 5m 10A
PWR-CORD-JPN-F		Power Cord for Japan 5m 10A
PWR-CORD-KOR-BF		Power Cord for South Korea 5m 1mm2
PWR-CORD-TWN-F		Power Cord for Taiwan 5m 10A
PWR-CORD-USA-F		Power Cord for United States of America 4.5m 18AWG
PWR-CORD-ZAF-F		Power Cord for South Africa 5m 1mm2
© 2024 Cisco and/or its affiliates. All rights reserved.		

[Index](#)

- CS-BRD55P-K9
- CS-BRD55P-NR-K9
- CS-BRD55P-NR-K7
- CS-BRD55P-MM-K9
- CS-BRD55P-MM-NR-K9
- CS-BRD55P-K9++
- CS-BRD55P-NR-K9++
- CS-BRD55P-ND-K9



Board Pro 55

UHD (4K) 55" multitouch LED screen with 12-element mic array, 3.1 sound system, dual 4K cameras, HDMI I/O, USB-C

The Board Pro is multi-platform: SIP, H.323, Webex, or MS Teams

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
CS-BRD55P-K9	Cisco Board Pro 55
CS-BRD55P-NR-K9	Cisco Board Pro 55, no radio
CS-BRD55P-NR-K7	Cisco Board Pro 55, no radio, non-crypto
CS-BRD55P-MM-K9	Cisco Board Pro 55, Made in a Neutral Country
CS-BRD55P-MM-NR-K9	Cisco Board Pro 55, Made in a Neutral Country, no radio
CS-BRD55P-K9++	Cisco Board Pro 55, TAA
CS-BRD55P-NR-K9++	Cisco Board Pro 55, TAA, no radio
CS-BRD55P-ND-K9	Cisco Board 55, non radar

Product Desc: 55 inch 4K Touch Screen, In-built camera and microphone array  
*The camera features SpeakerTrack and 5X manual zoom*  
 "TAA" SKUs are intended for US customers requiring non-China assembly  
 "MM" SKUs are intended for non-US customers requiring non-China assembly

Main Components	automatically included with Top Level PID
CS-BRDP-ACTSTYL	Cisco Board Pro Active Stylus

Software Feature Options

MultiSite	Top level PID: L-ROOM-PAK
L-BOARD-MS	order separately Cisco Board MultiSite - internal bridge (up to 4 other sites)
Remote Monitoring	Top Level PID: L-TP-RM
L-BOARD-RM	order separately Remote Monitoring Option for Web Snapshots



Cisco Product ID (PID)		Description																																
<b>Mounting Kit Options (must select one)</b>																																		
CS-BRD55P-WMK	<i>no-cost option</i>	Cisco Board 55 P Wall Mount Kit - Secure mount to wall (GPL)																																
CS-BRD55P-FS	<i>optional</i>	Cisco Board 55 P Floor Stand - Freestanding (GPL)																																
CS-BRD55P-WS	<i>optional</i>	Cisco Board Pro 55 Wall Stand - Adaptor + Board 55S Wall Stand																																
CS-BRD55P-WUK	<i>optional</i>	Cisco Board 55 G2 Wheel Upgrade Kit																																
<b>Control Options</b>																																		
	<b>NOTE:</b>	Navigator is supported starting with RoomOS 11																																
CS-T10-TS-L-K9	<i>optional</i>	Cisco Room Navigator-Table Stand, First Light																																
CS-T10-WM-L-K9	<i>optional</i>	Cisco Room Navigator-Wall Mount, First Light																																
<b>Microphone Options</b>																																		
		<i>Includes an integrated beam-forming mic array</i>																																
CS-MIC-ARRAY-T	order separately	Cisco Table Microphone Pro - <i>future software release (up to 3)</i>																																
CS-MIC-TABLE-J	<i>optional</i>	Cisco Table Microphone - 7.5m mini cable included																																
<b>Cable Options</b>																																		
		<i>Selectable at time of order</i>																																
CAB-PRES-2HDMI-GR	<i>optional</i>	Presentation cable 8m, HDMI, gray, 4kp30, directional																																
CAB-HDMI-MUL4K-9M	<i>optional</i>	Cisco Multi-head Cable 9 meters (4K, USB-C, HDMI, miniDP)																																
CAB-USBC-AC-9M	<i>optional</i>	Active Optical Cable, USB-C 3.1, 9M long, USB Charging																																
<b>Accessory Options</b>																																		
		<i>Selectable at time of order</i>																																
CS-BRDP-ACTSTYL	<i>optional</i>	Additional Cisco Board Pro Active Stylus																																
<p>Spares and Spare Parts</p> <p><a href="#">All Spares</a></p> <p>Documentation</p> <p><a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a></p> <p>Power Cords</p> <table> <tr> <td>PWR-CORD-ARG-F</td> <td>Power Cord for Argentina 5m 1mm2</td> </tr> <tr> <td>PWR-CORD-AUS-F</td> <td>Power Cord for Australia 5m 1mm2</td> </tr> <tr> <td>PWR-CORD-BRA-F</td> <td>Power Cord for Brazil 5m 1mm2</td> </tr> <tr> <td>PWR-CORD-CHE-F</td> <td>Power Cord for Switzerland 5m 1mm2</td> </tr> <tr> <td>PWR-CORD-CHN-F</td> <td>Power Cord for China 5m 1mm2</td> </tr> <tr> <td>PWR-CORD-DNK-F</td> <td>Power Cord for Denmark 5m 10A</td> </tr> <tr> <td>PWR-CORD-EUR-F</td> <td>Power Cord for Europe 5m 1mm2</td> </tr> <tr> <td>PWR-CORD-GBR-F</td> <td>Power Cord for United Kingdom 5m 1mm2</td> </tr> <tr> <td>PWR-CORD-IND-F</td> <td>Power Cord for India 5m 1mm2</td> </tr> <tr> <td>PWR-CORD-ISR-F</td> <td>Power Cord for Israel 5m 10A</td> </tr> <tr> <td>PWR-CORD-ITA-F</td> <td>Power Cord for Italy 5m 10A</td> </tr> <tr> <td>PWR-CORD-JPN-F</td> <td>Power Cord for Japan 5m 10A</td> </tr> <tr> <td>PWR-CORD-KOR-BF</td> <td>Power Cord for South Korea 5m 1mm2</td> </tr> <tr> <td>PWR-CORD-TWN-F</td> <td>Power Cord for Taiwan 5m 10A</td> </tr> <tr> <td>PWR-CORD-USA-F</td> <td>Power Cord for United States of America 4.5m 18AWG</td> </tr> <tr> <td>PWR-CORD-ZAF-F</td> <td>Power Cord for South Africa 5m 1mm2</td> </tr> </table>			PWR-CORD-ARG-F	Power Cord for Argentina 5m 1mm2	PWR-CORD-AUS-F	Power Cord for Australia 5m 1mm2	PWR-CORD-BRA-F	Power Cord for Brazil 5m 1mm2	PWR-CORD-CHE-F	Power Cord for Switzerland 5m 1mm2	PWR-CORD-CHN-F	Power Cord for China 5m 1mm2	PWR-CORD-DNK-F	Power Cord for Denmark 5m 10A	PWR-CORD-EUR-F	Power Cord for Europe 5m 1mm2	PWR-CORD-GBR-F	Power Cord for United Kingdom 5m 1mm2	PWR-CORD-IND-F	Power Cord for India 5m 1mm2	PWR-CORD-ISR-F	Power Cord for Israel 5m 10A	PWR-CORD-ITA-F	Power Cord for Italy 5m 10A	PWR-CORD-JPN-F	Power Cord for Japan 5m 10A	PWR-CORD-KOR-BF	Power Cord for South Korea 5m 1mm2	PWR-CORD-TWN-F	Power Cord for Taiwan 5m 10A	PWR-CORD-USA-F	Power Cord for United States of America 4.5m 18AWG	PWR-CORD-ZAF-F	Power Cord for South Africa 5m 1mm2
PWR-CORD-ARG-F	Power Cord for Argentina 5m 1mm2																																	
PWR-CORD-AUS-F	Power Cord for Australia 5m 1mm2																																	
PWR-CORD-BRA-F	Power Cord for Brazil 5m 1mm2																																	
PWR-CORD-CHE-F	Power Cord for Switzerland 5m 1mm2																																	
PWR-CORD-CHN-F	Power Cord for China 5m 1mm2																																	
PWR-CORD-DNK-F	Power Cord for Denmark 5m 10A																																	
PWR-CORD-EUR-F	Power Cord for Europe 5m 1mm2																																	
PWR-CORD-GBR-F	Power Cord for United Kingdom 5m 1mm2																																	
PWR-CORD-IND-F	Power Cord for India 5m 1mm2																																	
PWR-CORD-ISR-F	Power Cord for Israel 5m 10A																																	
PWR-CORD-ITA-F	Power Cord for Italy 5m 10A																																	
PWR-CORD-JPN-F	Power Cord for Japan 5m 10A																																	
PWR-CORD-KOR-BF	Power Cord for South Korea 5m 1mm2																																	
PWR-CORD-TWN-F	Power Cord for Taiwan 5m 10A																																	
PWR-CORD-USA-F	Power Cord for United States of America 4.5m 18AWG																																	
PWR-CORD-ZAF-F	Power Cord for South Africa 5m 1mm2																																	
© 2024 Cisco and/or its affiliates. All rights reserved.																																		

[Index](#)

- 1 CS-DESKPRO-K9
- 2 CS-DESKPRO-NR-K9
- 3 CS-DESKPRO-K9++
- 4 CS-DESKPRO-NR-K9++
- 5 CS-DSKPRO-MM-K9
- 6 CS-DSKPRO-MM-NR-K9
- 7 CS-DESKPRO-NR-K7

Desk Pro

Includes stylus kit and power supply



The Desk Pro has a 27" 4K touch screen, and supports in-call resolutions of up to 1080p60 Main and 4Kp15 Content.

The Room Bar is multi-platform: SIP, H.323, Webex, or MS Teams

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description		
1 CS-DESKPRO-K9	Cisco Desk Pro		
2 CS-DESKPRO-NR-K9	Cisco Desk Pro - Non-Radio		
3 CS-DESKPRO-K9++	Cisco Desk Pro - for TAA		
4 CS-DESKPRO-NR-K9++	Cisco Desk Pro - Non-Radio, for TAA		
5 CS-DSKPRO-MM-K9	Cisco Desk Pro, Made in a Neutral Country		
6 CS-DSKPRO-MM-NR-K9	Cisco Desk Pro - Non-Radio, Made in a Neutral Country		
<b>Product Desc: 27" multi-touch 4K LCD with integrated camera, mics, sensors, speakers</b>			
<table border="0"> <tr> <td style="vertical-align: top;"> <b>Main Components and Cables</b>                      CS-DESKPRO-STAND                      CS-DESKPRO-FG                      CAB-USBC-1.8M                      CAB-2HDMI-1.5M-GR                      CS-DESKPRO-STYLUS                      CAB-ETH-3M-GR                      CS-PWR-CUBE-7                 </td> <td style="vertical-align: top;"> <i>automatically included with Top Level PID</i>                      Desk Stand for Cisco Desk Pro series                      Fabric Speaker Grill for Cisco Desk Pro series                      USB-C Cable 1.8m                      CAB 1.5m GREY HDMI 2.0                      Cisco Desk Pro Single Stylus + 2 Spare Tips                      CAB 3m GREY ETHERNET                      Power supply for Desk Pro - 20VDC 11.5A                 </td> </tr> </table>		<b>Main Components and Cables</b> CS-DESKPRO-STAND CS-DESKPRO-FG CAB-USBC-1.8M CAB-2HDMI-1.5M-GR CS-DESKPRO-STYLUS CAB-ETH-3M-GR CS-PWR-CUBE-7	<i>automatically included with Top Level PID</i> Desk Stand for Cisco Desk Pro series Fabric Speaker Grill for Cisco Desk Pro series USB-C Cable 1.8m CAB 1.5m GREY HDMI 2.0 Cisco Desk Pro Single Stylus + 2 Spare Tips CAB 3m GREY ETHERNET Power supply for Desk Pro - 20VDC 11.5A
<b>Main Components and Cables</b> CS-DESKPRO-STAND CS-DESKPRO-FG CAB-USBC-1.8M CAB-2HDMI-1.5M-GR CS-DESKPRO-STYLUS CAB-ETH-3M-GR CS-PWR-CUBE-7	<i>automatically included with Top Level PID</i> Desk Stand for Cisco Desk Pro series Fabric Speaker Grill for Cisco Desk Pro series USB-C Cable 1.8m CAB 1.5m GREY HDMI 2.0 Cisco Desk Pro Single Stylus + 2 Spare Tips CAB 3m GREY ETHERNET Power supply for Desk Pro - 20VDC 11.5A		
7 CS-DESKPRO-NR-K7	Cisco Desk Pro-NonEncryption-NonRadio-SPARE(ServiceUnitOnly)		
<b>Product Desc: SPARE unit - no cables, no power supply</b>			
<b>Software Feature Options</b>			
MultiSite	Top level PID: L-ROOM-PAK		
LIC-DESKPRO-MS	<i>order separately</i> Desk Pro MultiSite - internal bridge (four other sites)		
Remote Monitoring	Top Level PID: L-TP-RM		
L-DESK-SERIES-RM	<i>order separately</i> Remote Monitoring Option for Web Snapshots		



Cisco Product ID (PID)	Description
<b>Mounting Options</b> CS-DESKPRO-VESA= <i>order separately</i>	VESA Adapter and Wall Mount Kit for Desk Pro series
<b>Accessory Options</b> CS-DESKPRO-MG= <i>order separately</i>	Metal Speaker Grill for Desk Pro series
<b>Headset Ordering Guide</b>	Click here: <a href="#">Link to Headset Ordering Guide</a>
<b>Spares and Spare Parts</b> <a href="#">All Spares</a>	
<b>Documentation</b> <a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>	
<b>Power Cords</b>	
PWR-CORD-ARG-B	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B	Power Cord for China 2m 10A
PWR-CORD-DNK-B	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B	Power Cord for South Africa 2m 10A
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped
© 2024 Cisco and/or its affiliates. All rights reserved.	

[Index](#)

- 1 CS-DESK-K9
- 2 CS-DESK-C-K9
- 3 CS-DESK-NR-K9
- 4 CS-DESK-K9++
- 5 CS-DESK-NR-K9++
- 6 CS-DESK-MM-K9
- 7 CS-DESK-MM-NR-K9
- 8 CS-DESK-NR-K7=

**Desk**

Includes power supply



The Desk has a 24" 1080p touch screen, an 8MP, 64 degree camera, two dual-mic arrays and a full-range speaker. The Desk supports SIP, H.323 and Webex calling. It registers to CUCM, VCS, Webex cloud, and third party devices.

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
1 CS-DESK-K9	Cisco Desk - <i>First Light</i>
2 CS-DESK-C-K9	Cisco Desk - <i>Carbon Black</i>
3 CS-DESK-NR-K9	Cisco Desk - <i>First Light</i> - Non-Radio
4 CS-DESK-K9++	Cisco Desk - <i>First Light</i> - for TAA
5 CS-DESK-NR-K9++	Cisco Desk - <i>First Light</i> - Non-Radio, for TAA
6 CS-DESK-MM-K9	Cisco Desk - <i>First Light</i> - Made in a Neutral Country
7 CS-DESK-MM-NR-K9	Cisco Desk - <i>First Light</i> - Non-Radio - Made in a Neutral Country
Product Desc: 24" multi-touch 1080p LCD, integrated camera, mic arrays, sensors, speaker	
Main Components and Cables	<i>automatically included with Top Level PID</i>
CS-DESK-STAND	Desk Stand for Cisco Desk (First Light)
CS-DESK-FG	Fabric Speaker Grille for Cisco Desk (First Light)
<i>VARIANTS</i>	
CS-DESK-C-STAND	Desk Stand for Cisco Desk (Carbon Black)
CS-DESK-C-FG	Fabric Speaker Grille for Cisco Desk (Carbon Black)
CAB-ETH-3M-GR	CAB 3m GREY ETHERNET
CAB-USBC-1.8M	USB-C Cable 1.8m
CAB-2HDMI-1.5M-GR	CAB 1.5m GREY HDMI 2.0
PSU-12VDC-70W-GR	PSU Room Kit/Plus/Mini/Quad Camera/Desk - 12VDC 5.83A
8 CS-DESK-NR-K7=	<b>Cisco Desk -Non-Encryption, Non-Radio-SPARE (ServiceUnitOnly)</b>
Product Desc: SPARE unit - no cables, no power supply	

Cisco Product ID (PID)	Description
<b>Software Feature Options</b>	
MultiSite	Top level PID: L-ROOM-PAK
LIC-DESK-MS	<i>order separately</i> Desk MultiSite - internal bridge (three other sites)
Remote Monitoring	Top Level PID: L-TP-RM
L-DESK-SERIES-RM	<i>order separately</i> Remote Monitoring Option for Web Snapshots
<b>Mounting Options</b>	
CS-DESK-WALL=	<i>order separately</i> Wall Mount Kit for Cisco Desk
<b>Accessory Options</b>	
CS-DESK-STYLUSKIT=	<i>order separately</i> Cisco Desk Series Stylus Kit (2 stylus, 4 tips)
<b>Headset Ordering Guide</b>	
	<i>Click here:</i> <a href="#">Link to Headset Ordering Guide</a>
<b>Selected Spares</b>	
CS-DESK-STAND=	<i>Order separately</i> Replacement Desk Stand, First Light for Cisco Desk
CS-DESK-C-STAND=	<i>Order separately</i> Replacement Desk Stand, Carbon for Cisco Desk
<b>Spares and Spare Parts</b>	
<a href="#">All Spares</a>	
<b>Documentation</b>	
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>	
<b>Power Cords</b>	
PWR-CORD-ARG-B	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B	Power Cord for China 2m 10A
PWR-CORD-DNK-B	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B	Power Cord for South Africa 2m 10A
NO-PWR-CORD	ECO friendly green option, no power cable will be shipped
© 2024 Cisco and/or its affiliates. All rights reserved.	

[Index](#)

- 1 CS-DESKMINI-K9
- 2 CS-DESKMINI-C-K9
- 3 CS-DESKMINI-NR-K9
- 4 CS-DESKMI-K9++
- 5 CS-DESKMI-NR-K9++
- 6 CS-DESKMI-MM-K9
- 7 CS-DESKMI-NR-MM-K9
- 8 CS-DESKMINI-NR-K7

Desk Mini

Includes power cable



The Desk Mini has a 15.6" 1080p touch screen, 8 MegaPixel 64 degree camera, 3-element mic system and a full-range speaker. The Desk Pro supports SIP, H.323 and Webex calling. It registers to CUCM, VCS, Webex cloud, and third party devices.

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
1 CS-DESKMINI-K9	Cisco Desk Mini - <i>First Light</i>
2 CS-DESKMINI-C-K9	Cisco Desk Mini - <i>Carbon Black</i>
3 CS-DESKMINI-NR-K9	Cisco Desk Mini - <i>First Light</i> - Non-Radio
4 CS-DESKMI-K9++	Cisco Desk Mini - <i>First Light</i> - for TAA
5 CS-DESKMI-NR-K9++	Cisco Desk Mini - <i>First Light</i> - Non-Radio, for TAA
6 CS-DESKMI-MM-K9	Cisco Desk Mini - <i>First Light</i> - Made in a Neutral Country
7 CS-DESKMI-NR-MM-K9	Cisco Desk Mini - <i>First Light</i> - Non-Radio, Made in a Neutral Country
8 CS-DESKMINI-NR-K7	Cisco Desk Mini - <i>First Light</i> - Non-Radio, Non-Crypto

Product Desc: 15.6" multi-touch 4K LCD with integrated camera, mics, sensors, speakers

Main Components and Cables *automatically included with Top Level PID*  
 CAB-USBC-1.8M USB-C Cable 1.8m

Software Feature Options

Remote Monitoring Top Level PID: L-TP-RM  
 L-DESK-SERIES-RM *order separately* Remote Monitoring Option for Web Snapshots

Accessory Options

CS-DESK-STYLUSKIT= *order separately* Cisco Desk Series Stylus Kit (2 stylus, 4 tips)

Cable Options

CAB-ETH-3M-GR= *order separately* Ethernet cable 3m/10 ft, grey

## Cisco Product ID (PID)

## Description

### Headset Ordering Guide

Click here: [Link to Headset Ordering Guide](#)

### Spares and Spare Parts

[All Spares](#)

### Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

### Power Cords

PWR-CORD-ARG-B	Power Cord for Argentina 2m 10A
PWR-CORD-AUS-B	Power Cord for Australia 2m 10A
PWR-CORD-BRA-B	Power Cord for Brazil 2m 10A
PWR-CORD-CHE-B	Power Cord for Switzerland 2m 10A
PWR-CORD-CHN-B	Power Cord for China 2m 10A
PWR-CORD-DNK-B	Power Cord for Denmark 2m 10A
PWR-CORD-EUR-B	Power Cord for Europe 2m 10A
PWR-CORD-GBR-B	Power Cord for United Kingdom 2m 10A
PWR-CORD-IND-B	Power Cord for India 2m 10A ('M' Plug 16A)
PWR-CORD-ISR-B	Power Cord for Israel 2m 10A
PWR-CORD-ITA-B	Power Cord for Italy 2m 10A
PWR-CORD-JPN-B	Power Cord for Japan 2m 10A
PWR-CORD-KOR-B	Power Cord for South Korea 2m 10A
PWR-CORD-TWN-B	Power Cord for Taiwan 2m 10A
PWR-CORD-USA-B	Power Cord for United States of America 2m 10A
PWR-CORD-ZAF-B	Power Cord for South Africa 2m 10A

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

- 1 CS-DESKMINI-K9
- 2 CS-DESKMINI-C-K9
- 3 CS-DESKMINI-NR-K9
- 4 CS-DESKMI-K9++
- 5 CS-DESKMI-NR-K9++
- 6 CS-DESKMI-MM-K9

Desk Camera 4K and 1080p



The Desk Cameras are USB cameras for a laptop or PC; mounted onto an external monitor, laptop, or tripod  
Can be managed via Control Hub or with a Cisco Desk Camera app for Windows or MacOS

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
1 CD-DSKCAM-C-US	Cisco Desk Camera 4K in Carbon Black for United States
2 CD-DSKCAM-C-WW	Cisco Desk Camera 4K in Carbon Black for worldwide
3 CD-DSKCAM-P-US	Cisco Desk Camera 4K in Platinum for United States
4 CD-DSKCAM-P-WW	Cisco Desk Camera 4K in Platinum for worldwide
5 CD-DSKCAMD-C-US	Cisco Desk Camera 1080p in Carbon Black for United States
6 CD-DSKCAMD-C-WW	Cisco Desk Camera 1080p in Carbon Black for worldwide

Product Desc: Premium USB web camera - can be used with any conferencing application

Main Components and Cables	automatically included with Top Level PID
CD-CBL-USBC-USBA	USB-C to USB-A 3.0 Cable
CD-CBL-USBC-USBC	USB-C to USB-C 3.0 Cable

Selected Spares	Order separately
CD-CBL-USBC-USBA=	USB 3.0 Spare Cable (USBC - USBA) 1.5m
CD-CBL-USBC-USBC=	USB 3.0 Spare Cable (USBC - USBC) 1.5m

Spares and Spare Parts

[All Spares](#)

Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

CS-QUADCAM=

Quad Camera spare  
Complete kit except as noted



The Quad Camera uses Ethernet for camera control. This camera cannot be mounted upside down. Speaker tracking is built in. Recommended lens height is 48-72 inches AFF. Field of view is 83 degrees horizontal.


Cisco Product ID (PID)	Description
<b>CS-QUADCAM=</b>	<b>Cisco Quad Camera spare</b> Can be used with SX80, Codec Plus, Codec EQ, and Codec Pro Effective zoom is 5x
<b>NOTE:</b>	<i>This spare does not include wall bracket, power supply, or cables</i>
Suggested Items BRKT-QCAM-WMK= CS-QCAM-CAB-COV= PSU-12VDC-70W-GR=	<i>Order separately</i> Wall mount for Quad Camera Cable cover for QuadCam PSU Room Kit/Plus/Mini/Quad Camera/Desk - 12VDC 5.83A <i>Also order a power cord for the power supply</i>
<b>Spares and Spare Parts</b>	
<a href="#">All Spares</a>	
<b>Documentation</b>	
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>	
© 2024 Cisco and/or its affiliates. All rights reserved.	



[Index](#)

CTS-SPKER-TRACK60

SpeakerTrack 60



**THIS IS A COMPLETE SPEAKERTRACK 60.** Requires two HDMI and one Ethernet cable(s). SpeakerTrack 60 should be wall-mounted. Recommended lens height is 48-72 inches AFF. Field of view is 80 degrees horizontal.

[Click here for the Datasheet](#)

Cisco Product ID (PID)

Description

**CTS-SPKER-TRACK60**

**Cisco SpeakerTrack 60**

*Incl wall-mount bracket, electronics base, mic array, two cameras, power supply  
Can be used Codec Plus, Codec EQ, and Codec Pro  
SpeakerTrack 60 has a range of up to 13 meters; max field of view 80 degrees*

Main Components

Component ID	Qty	Description
CTS-CAM-P60	Qty 2	Precision 60 Camera
CTS-ST-ARRAY60		SpeakerTrack 60 Microphone Array and Base Unit
CTS-ST-ARR60-WMK		Wall Mount Kit for Speaker Track 60 Microphone Array
CAB-ETH-ST-SHORT	Qty 2	Ethernet cables (0.35m&0.2m) for SpeakerTrack 60
CAB-PWR-ST-SHORT	Qty 2	12V power cables (0.45m&0.2m) for SpeakerTrack 60
CTS-ST-INT-PLATE		Interface plate CAM-P60 to Speaker Track 60
PWR-12VDC-84W		Power supply for SpeakerTrack 60 - 12VDC 84W

Suggested Items

Item ID	Description
CAB-2HDMI-5M=	HDMI cable 5 meter
CAB-ETH-5M-GR=	Ethernet cable 5 m/16.4 ft, grey

Spares and Spare Parts

[All Spares](#)

Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

CS-CAM-PTZ4K=  
PTZ 4K Camera



The PTZ 4K Camera has 240X total zoom - 20X optical and 12X digital - and it supports PresenterTrack and inverted mounting. The horizontal field of view is 70 degrees, and uses VISCA over IP. It can use a PSU or be powered by PoE Plus.

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-CAM-PTZ4K=</b>	<b>Cisco PTZ 4K Camera</b> <i>Can be used Codec Plus, Codec EQ, and Codec Pro</i>
	This camera supports PresenterTrack <i>20X optical, 12X digital, total zoom 240X</i>
<b>NOTE:</b>	This spare does not include power supply or cables.

Main Components and Cables

**Camera only.** Be sure to order a PSU below (or use PoE+).

Suggested Items	Order separately
CAB-2HDMI-3M-GR=	HDMI 2.0 cable 3 m/10 ft, grey
CAB-ETH-3M-GR=	Ethernet cable 3 m/10 ft, grey
PSU-12VDC-40W2	Power Supply for Camera - 12VDC 40W
VARIOUS PIDs	Power Cable (use power cables from Room Kit Plus PTZ 4K)

Mounting Option

CS-PTZ4K-BRKT	<i>order separately</i>	Bracket for wall mounting of PTZ 4K camera
CS-PTZ4K-CLNGMNT	<i>order separately</i>	Bracket for ceiling mounting of PTZ 4K camera

Spares and Spare Parts

[All Spares](#)

Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

CTS-CAM-P60=

Precision 60 Camera Spare



The Precision 60 uses Ethernet for camera control. This camera can be mounted upside down. When used as main camera, recommended lens height is 48-72 inches AFF. Field of view is 80 degrees horizontal.

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CTS-CAM-P60=</b>	<b>Precision 60 Camera Spare</b> <i>Supported on SX80, MX700, MX800, Codec Plus, Codec EQ, and Codec Pro</i> This camera supports PresenterTrack <i>10X optical, 2X digital, total zoom 20X</i>
<b>NOTE:</b>	This spare does not include power supply or cables.
<b>Suggested Items</b>	<i>Order separately</i>
PSU-12VDC-40W2=	Power Supply for Camera - 12VDC 40W
VARIOUS PIDs	Power Cable (use power cables from Room Kit Plus PTZ 4K)
CTS-CAM60-BRKT=	Wall and ceiling bracket for Precision 60 and Precision 40 Camera
CAB-2HDMI-5M=	HDMI cable 5 meter
CAB-ETH-5M-GR=	Ethernet cable 5 m/16.4 ft, grey

**Spares and Spare Parts**

[All Spares](#)

**Documentation**

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

CS-MIC-TABLE-E=	Cisco Table Microphone with Euroblock plug
CS-MIC-TABLE-J=	Cisco Table Microphone with 3.5mm plug
CTS-MIC-CLNG-G2=	Cisco Ceiling Microphone G2
CS-MIC-ARRAY-T	Cisco Table Microphone Pro - 4 element array

Cisco Microphones

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-MIC-TABLE-E=</b>	<b>Cisco Table Microphone - 9m detachable cable with Euroblock plug</b>
<b>CS-MIC-TABLE-J=</b>	<b>Cisco Table Microphone - 7.5m detachable cable with 3.5mm plug</b>

**Product Desc:** Omnidirectional boundary layer table mic, with mute button. Replaces Mic 20/60  
*Can be used with all SX, MX, and Room Series*  
*Includes magnet plate for securing to tabletop*



Diameter: 2 inches/ 51mm



**Cable Options**

CAB-MIC-TABLE-J=	<i>order separately</i> 7.5m spare cable for CS-MIC-TABLE-J=
CAB-MIC-EXT-J=	<i>order separately</i> 9 meter extension cable for Table Microphone (mini connectors)
CAB-MIC-TABLE-E=	<i>order separately</i> 9m Euroblock spare cable for CS-MIC-TABLE-E=
CAB-MIC-EXT-E=	<i>order separately</i> Euroblock (Phoenix) to female XLR adapter, 20 cm

**CTS-MIC-CLNG-G2=****Cisco Ceiling Microphone G2**

**Product Desc:** Boundary layer microphone mounted on acrylic panels. 180 degrees directional  
*Can be used with all SX, MX, and Room Series*  
*Shielded CAT 5 or 6 cable is used to carry the audio signal up to 100 meters.*

**Main Components**

CTS-MIC-CLNG-PLT

Ceiling Microphone parts - Top and Back plates

CTS-MIC-CLNG-ELM

Microphone element for Ceiling Microphone

CTS-MIC-CLNG-DNG

Ceiling Mic. dongles, RJ45-Euroblock and RJ45-MiniJack

CTS-MIC-CLNG-WRK


Ceiling Microphone parts - Ceiling mounting wire kit

**Cable Options**CAB-ETHRSHLD-10M *optional*

Shielded Ethernet/microphone cable (10 m) - (Not plenum rated)

**CS-MIC-ARRAY-T****Cisco Microphone Array**

**Product Desc:** Directional microphone array providing spatial audio for Panorama products.  
*For Panorama, Room 70 Panorama, Room 70 Panorama Upgrade, Kit EQ(X),*  
*Codec Pro and Room Bar Pro. Uses Ethernet cable and PoE*

**Spare Parts**

CS-MIC-ARRAY-T=


Cisco Table Microphone Pro Spare - 4 element array

**Spares and Spare Parts**[All Spares](#)**Documentation**<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

- CS-T10-TS-L-K9=
- CS-T10-TS-L-NC-K9=
- CS-T10-TS-L-K9++=
- CS-T10-TS-FT2=
- CS-T10-TS-FT2-G=
- CS-T10-WM-L-K9=
- CS-T10-WM-L-NC-K9=
- CS-T10-WM-L-K9++=
- CS-T10-WM-BR=



Navigator Spares

Navigator touch panels - like the Touch 10 - are powered using PoE.

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
CS-T10-TS-L-K9=	Cisco Room Navigator for Table (First Light)
CS-T10-TS-L-NC-K9=	Cisco Room Navigator-Table stand, First Light, NC, SPARE
CS-T10-TS-L-K9++=	Cisco Room Navigator-Table stand, First Light, TAA SPARE
CS-T10-TS-FT2=	Foot stand spare (First Light) <i>Revised with better strain relief</i>
CS-T10-TS-FT2-G=	Foot stand spare (First Light) <i>Revised with better strain relief</i>
CS-T10-WM-L-K9=	Cisco Room Navigator-Wall Mount, First Light, SPARE
CS-T10-WM-L-NC-K9=	Cisco Room Navigator-Wall Mount, First Light, NC, SPARE
CS-T10-WM-L-K9++=	Cisco Room Navigator-Wall Mount, First Light, TAA SPARE
CS-T10-WM-BR=	Wall bracket, adhesive and plugs spare

Product Desc: Cisco Room Navigator - Table and Wall mount versions

**NOTE:** An Ethernet cable is required for each device.  
 "NC" availability depends on the price list used

Spares and Spare Parts

[All Spares](#)

Documentation

<https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html>

© 2024 Cisco and/or its affiliates. All rights reserved.

[Index](#)

CS-TOUCH10-RF

Cisco Touch 10

**Refurb only**



The Touch 10 requires power over Ethernet.

[Click here for the Datasheet](#)

Cisco Product ID (PID)	Description
<b>CS-TOUCH10-RF</b>	<b>Touch 10 Spare Only - no cables or power injector</b>
Product Desc: Touch control device for Room Kits, Room Series and many other devices	
Selected Spares CAB-DV10-12.5= CAB-DV10-8M= CAB-DV10-4M= CS-POE-INJ=	Order separately 12.5 meter flat grey Ethernet cable for Touch 10 8m flat grey Ethernet cable for Touch device 4m flat grey Ethernet cable for Touch device Touch PoE power injector (if needed)
You <b>must</b> order a power cable for the power injector. In CCW, enter the entire PID for the cable you want, and then press Enter. Many PIDs will only appear if you type the entire SKU - including the equal sign - and then press enter.	
<b>Spares and Spare Parts</b>	
<a href="#">All Spares</a>	
Documentation	
<a href="https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html">https://www.cisco.com/c/en/us/products/collaboration-endpoints/index.html</a>	
© 2024 Cisco and/or its affiliates. All rights reserved.	

© 2024 Cisco and/or its affiliates. All rights reserved. Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: [www.cisco.com/go/trademarks](http://www.cisco.com/go/trademarks). Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)