

Release Notes for Cisco RV Series Multi-WAN VPN Routers Firmware Version 4.0.4.02

July 29, 2011

Contents

This document includes the following topics:

- [Changes Since Cisco RV Series Multi-WAN VPN Routers Firmware Version 4.0.3.03](#)
- [Related Information](#)

Changes Since Cisco RV Series Multi-WAN VPN Routers Firmware Version 4.0.3.03

Problems were fixed.

Resolved Issues


The following problems were fixed:

- ProtectLink service does not function correctly after the router is rebooted. This occurs on routers running firmware version 4.0.2.08-tm or 4.0.3.03-tm.

Known Issues

Multiple subnets on LAN issue.

- Description**—The RV0xx version 3 routers handle multiple subnets on the LAN side differently than the RV0xx version 2 routers. For example, the illustration below shows a sample network where the RV082 v3 (running in Gateway Mode, with NAT enabled) is the internet gateway and the RV042 v3 running in Router Mode is connected to the RV082 v3. To allow the computers in the LAN of the RV042 v3 to access the Internet, you need to add an Access Rule.



- **Workaround**—Add an access rule; for example, in the previous network example, the access rule would be configured as shown below:

Access Rules

Services

Action :

Service :

Log :

Source Interface :

Source IP : to

Destination IP :

NOTE If the router connected to the Internet is an RV0xx v2 model, you need to enable the Multiple Subnet option in the **Setup > Network** page of the Management Interface, and enter the LAN subnet of the RV042 v3 into the multiple subnet list of the RV082 v2, as shown below:

LAN Setting

MAC Address : 68:EF:BD:D8:A8:1E

Device IP Address :

Subnet Mask :

Multiple Subnet : Enable

Subnet 1 : 172.168.42.1/255.255.255.0

Packet logging issue.

- **Description**—When the logging option “Deny Policies” is checked, all TCP/UDP packets are logged as “Policy Violation” in the system log, although the packets are not dropped in error.
- **Workaround**—None.

Hostname conflict resolution generates conflict between the Bonjour hostname and Cisco RV0xx hostname.

- **Description**—If the Cisco RV0xx hostname is modified using the **Setup > Network > Hostname** page to a name that already exists in the local network, a new Bonjour hostname is generated, but the hostname is not changed.
- **Workaround**—Add a unique MAC extension to the hostname to avoid conflict.

Management interface display problems in Mozilla Firefox Version 4.

- **Description**—The router management interface does not display properly if the Mozilla Firefox web browser version 4 is used to access it.
- **Workaround**—Use the Microsoft Internet Explorer web browser to access the router management interface.

Universal Plug and Play (UPnP) issue.

- **Description**—Device description is shown as “Linux Gateway Device” when UPnP is enabled.
- **Workaround**—None.

Related Information

Support	
Cisco Small Business Support Community	www.cisco.com/go/smallbizsupport
Cisco Small Business Support and Resources	www.cisco.com/go/smallbizhelp
Phone Support Contacts	www.cisco.com/en/US/support/tsd_cisco_small_business_support_center_contacts.html
Cisco Small Business Firmware Downloads	www.cisco.com/go/software Select a link to download firmware for Cisco Small Business Products. No login is required.
Product Documentation	
Cisco Small Business RV Series Routers	www.cisco.com/go/smallbizrouters
Cisco Small Business	
Cisco Partner Central for Small Business (Partner Login Required)	www.cisco.com/web/partners/sell/smb
Cisco Small Business Home	www.cisco.com/smb

Cisco and the Cisco Logo are trademarks of Cisco Systems, Inc. and/or its affiliates in the U.S. and other countries. A listing of Cisco's trademarks can be found at www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1005R)

© 2011 Cisco Systems, Inc. All rights reserved.

OL-25562-01