

Release Notes for the Cisco PVC2300 and WVC2300 Internet Cameras with 2-Way Audio

Contents

- “Cisco PVC2300 and WVC2300 Firmware Version 1.1.2.6” on page 1
- “Cisco PVC2300 and WVC2300 Firmware Version 1.1.1.4” on page 2
- “Cisco PVC2300 and WVC2300 Firmware Version 1.1.0” on page 2
- “Related Information” on page 6

Cisco PVC2300 and WVC2300 Firmware Version 1.1.2.6

Version 1.1.2.6

April, 2010

This section describes the resolved issues and updates for the Cisco PVC2300 and WVC2300 Network Camera, firmware version 1.1.2.6.

Resolved Issues

- In the web-based configuration utility, CDP was listed as an option you could enable for the cameras. It has been removed as an option in the configuration utility as CDP is not supported on the cameras.
- The Cisco PVC2300 and WVC2300 cameras have been updated to include a lifetime digital key. In prior releases of the camera, the digital key expired every three years.

Cisco PVC2300 and WVC2300 Firmware Version 1.1.1.4

Version 1.1.1.4

December, 2009

This section describes the resolved issues and updates for the Cisco PVC2300 and WVC2300 Network Camera, firmware version 1.1.1.4.

Resolved Issues

- The Cisco PVC2300 and WVC2300 network cameras now work with the Cisco Small Business Pro SPA 525G IP Phone. The camera works with the phone if the phone is in SPCP mode and is connected to a Cisco UC500. See www.cisco.com and the Cisco SPA 500 Series Administration Guide for more information.
- Ad-hoc mode as described in the PVC2300 and WVC2300 Administration Guide is not supported. The PVC2300 and WVC2300 Administration Guide will be corrected in a future revision.

Known Issues

- CSCtd70370—CDP is not a supported feature.

Cisco PVC2300 and WVC2300 Firmware Version 1.1.0

Version 1.1.0

August, 2009

This section describes the resolved issues and updates for the Cisco PVC2300 and WVC2300 Internet Camera, firmware version 1.1.0.

Compatibility

- Accessing the Cisco PVC2300 and WVC2300 cameras from an Apple Macintosh computer has limited support. When using the interactive icons on the main/home page your control is limited due to ActiveX components that do not function with Apple computers.

- Accessing the Cisco PVC2300 and WVC2300 cameras from a Safari or a Firefox browser has limited support. When using the interactive icons on the main/home page your control is limited due to ActiveX components that do not function with these browsers.
- CSCta99016

This issue impacts only Cisco WVC2300 cameras configured with a WPA-Enterprise wireless setup. The time it takes for the wireless connection to become active is dependent on the type of router in the network. The time ranges from 2-5 minutes.

Resolved Issues

Refer to PVC2300 and WVC2300 Administration Guide for full information on the following resolved issues:

- Camera interface changed to standard Cisco user interface
- Camera SSID changed to Cisco standard SSID
- Instant recording allowed from the home page of the camera user interface to your local drive
- Recording allowed from the camera directly to a NAS
- Test button to validate SMTP servers

Open Caveats

These are the open caveats for this release. These caveats apply to both the Cisco PVC2300 and the Cisco WVC2300 Internet Cameras, unless otherwise specified.

- CSCta70413

The first time a user accesses the Cisco PVC2300 and WVC2300 cameras using a Microsoft Internet Explorer browser, ActiveX components are installed to control the operation of the cameras. However, in the Active X popup, the filename and publisher name are not displayed correctly.

These display errors will be corrected in the next maintenance release.

- CSCta99291

Background images are not scaled to the resolution of the computer screen monitor. The images are only supported up to 1280 X 1040. If the monitor screen is set higher than the supported resolution, the background images will be displayed as tiled.

These image display errors will be corrected in the next maintenance release.

- **VLAN ID Range**

In the Setup > Advance window the VLAN ID range is 1 to 4095.

The above corrects a documentation error that appears in the PVC2300 and WVC2300 Administration Guide found on the CD. The CD will be corrected in the next release.

- **User Name and Password Length**

In the Administration > Users window, the User Name cannot exceed 32 characters and the password cannot exceed 64 characters.

The above corrects a documentation error that appears in the PVC2300 and WVC2300 Administration Guide found on the CD. The CD will be corrected in the next release.

- **WVC2300 Camera Bandwidth Test**

In the WVC2300 Camera Bandwidth Test documentation, the Resolution should be 160 x 120 instead of 160-128 as documented.

The above corrects a documentation error that appears in the PVC2300 and WVC2300 Administration Guide found on the CD. The CD will be corrected in the next release.

- **The icons for Audio On/Off and Speaker On/Off were misidentified in the PVC2300 and WVC2300 Administration Guide included on the CD. The following are the correct icon identifiers:**

Enable Audio—Enable audio by checking the check box found in the Audio/Video > Audio window. When audio is enabled, an icon is displayed on the Home window and audio is picked up through the camera. You can then use the icons to turn audio on and off.

Audio On



Audio Off



Enable Speaker—Check the Enable Speaker box to activate an optional external speaker. When the speaker is enabled, an icon is displayed on the Home window. You can then use the icons to turn the speaker on and off.

Speaker On



Speaker Off



Related Information

Support	
Cisco Small Business Support Community	www.cisco.com/go/smallbizsupport
Cisco Small Business Support and Resources	www.cisco.com/go/smallbizhelp
Phone Support Contacts	www.cisco.com/en/US/support/tsd_cisco_small_business_support_center_contacts.html
Cisco Small Business Firmware Downloads	www.cisco.com/go/smallbizfirmware Select a link to download firmware for Cisco Small Business Products. No login is required. Downloads for all other Cisco Small Business products, including Network Storage Systems, are available in the Download area on Cisco.com at www.cisco.com/go/software (registration/login required).
Product Documentation	
Cisco PVC2300 and WVC2300 Internet Camera	www.cisco.com/go/smallbizcameras www.cisco.com/go/smallbizaccessories
Cisco Small Business	
Cisco Partner Central for Small Business (Partner Login Required)	www.cisco.com/web/partners/sell/smb
Cisco Small Business Home	www.cisco.com/smb

Cisco, Cisco Systems, the Cisco logo, and the Cisco Systems logo are registered trademarks or trademarks of Cisco and/or its affiliates in the United States and certain other countries. All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1002R)

© 2009 Cisco Systems, Inc. All rights reserved.

OL-20333-03