



Release Notes for AsyncOS 10.0.3 for Cisco Email Security Appliances

Published: July 17, 2017
Revised: July 12, 2018

Contents

- [What's New In This Release, page 1](#)
- [Changes in Behavior, page 7](#)
- [Upgrade Paths, page 11](#)
- [Installation and Upgrade Notes, page 13](#)
- [Known and Fixed Issues, page 18](#)
- [Documentation Updates, page 19](#)
- [Related Documentation, page 20](#)
- [Service and Support, page 20](#)

What's New In This Release

- [What's New in AsyncOS 10.0.3, page 2](#)
- [What's New in AsyncOS 10.0.2, page 2](#)
- [What's New in AsyncOS 10.0.1, page 2](#)
- [What's New in AsyncOS 10.0, page 4](#)



What's New in AsyncOS 10.0.3

Feature	Description
New datacenter added in European region for File Reputation and File Analysis services	<p>Cisco has added a new datacenter in the European region for the File Reputation and File Analysis services:</p> <ul style="list-style-type: none"> • <i>EUROPE</i> (<i>cloud-sa.eu.amp.cisco.com</i>) for File Reputation server • <i>EUROPE</i> (<i>https://panacea.threatgrid.eu</i>) for File Analysis server <p>You can configure your Email Security appliance to use the new File Reputation and File Analysis services. For more information, see the “File Reputation Filtering and File Analysis” chapter in the user guide.</p>
New datacenter added in APJC region for File Reputation service	<p>Cisco has added the following new datacenter in the APJC region for the File Reputation service:</p> <p><i>APJC</i> (<i>cloud-sa.apjc.amp.cisco.com</i>)</p> <p>You can configure your Email Security appliances to use the new File Reputation service. For more information, see the “File Reputation Filtering and File Analysis” chapter in the user guide or the online help.</p>

What's New in AsyncOS 10.0.2

Feature	Description
New datacenter added in European region for File Reputation and File Analysis services	<p>Cisco has added a new datacenter in the European region for the File Reputation and File Analysis services:</p> <ul style="list-style-type: none"> • <i>EUROPE</i> (<i>cloud-sa.eu.amp.cisco.com</i>) for File Reputation server • <i>EUROPE</i> (<i>https://panacea.threatgrid.eu</i>) for File Analysis server <p>You can configure your Email Security appliance to use the new File Reputation and File Analysis services. For more information, see the “File Reputation Filtering and File Analysis” chapter in the user guide.</p>
Detection Enhancement	<p>You can now detect macros in the following files:</p> <ul style="list-style-type: none"> • Javascript macros in Adobe Acrobat Portable Document Format (PDF) files. • Visual Basic for Applications (VBA) macros in Microsoft Office Files (Open XML) and OLE files.

What's New in AsyncOS 10.0.1

Feature	Description
Viewing the status and CPU usage of various engines enabled on the appliance.	<p>You can now use the <code>enginestatus</code> command in CLI to view the status and CPU usage of various engines enabled on the appliance.</p> <p>See the “Managing and Monitoring Using the CLI” chapter in the user guide or online help.</p>

Support for Syslog Push feature in AMP Engine Logs	<p>You can now use the Syslog Push feature to send AMP Engine Log messages to a remote syslog server.</p> <p>After you upgrade to this release, the Syslog Push option is available for AMP Engine Logs in System Administration > Log Subscriptions page of the web interface and in the <code>logconfig</code> command in CLI.</p>
	<ul style="list-style-type: none"> • You can now create a content or message filter to detect macro-enabled attachments in incoming and outgoing messages and perform appropriate actions on such messages. Content and message filters include the following new options to handle macro-enabled attachments: <ul style="list-style-type: none"> – A new content filter condition - Macro Detection and message filter rule - <code>macro-detection-rule()</code> – A new content filter action - Strip Attachment with Macro and message filter action - <code>drop-macro-enabled-attachments()</code> <p>Using the content or message filter, you can handle macros within a file, an archive file, or an embedded file. The following are the supported file types:</p> <ul style="list-style-type: none"> – Adobe Acrobat Portable Document Format (PDF) – Microsoft Office Files (Open XML) – OLE Files <p>See the “Content Filters” or “Using Message Filters to Enforce Email Policies” chapter in the user guide or online help.</p> • You can view the details of macro-enabled attachments that are detected by the content or message filter in the following reports: <ul style="list-style-type: none"> – A new report page - Macro Detection – Content Filters and Message Filters report pages <p>See the “Using Email Security Monitor” chapter in the user guide or online help.</p> • You can use Message Tracking to search for messages that contain macro-enabled attachments detected by the content or message filter. Use Macro File Types Detected for the Message Event option in the Advanced section of Message Tracking.
Watchdog Alerts	<p>Cisco Email Security appliance uses a watchdog service to monitor the health of the following engines:</p> <ul style="list-style-type: none"> • Anti-Spam • Anti-Virus • Advanced Malware Protection • Graymail <p>If any of the above engines does not respond to the watchdog service for a certain duration, the watchdog service restarts the engine(s) and sends an alert to the administrator.</p> <p>See the “System Alerts” chapter in the user guide or online help.</p>

Sophos Engine Enhancement	The efficacy of Sophos Engine has improved with the addition of CXMail package in AsyncOS 10.0.1. The appliance now uses stringent rules to scan and block embedded malicious attachments (documents or executables) in incoming messages.
Virtual Appliance Enhancement	Cisco Email Security virtual appliances can now be deployed on VMware vSphere Hypervisor (ESXi) 6.0 and KVM. For more information, see the <i>Cisco Content Security Virtual Appliance Installation Guide</i> , available from: http://www.cisco.com/c/en/us/support/security/email-security-appliance/products-installation-guides-list.html .

What's New in AsyncOS 10.0

Feature	Description
Office 365 Mailbox Auto Remediation	A file can turn malicious anytime, even after it has reached user's mailbox. AMP can identify this as new information emerges and push retrospective alerts to your appliance. With this release you get more than just alerting. If your organization is using Office 365 to manage mailboxes, you can configure your appliance to perform auto-remedial actions on the messages in user mailbox when the threat verdict changes. See the "Automatically Remediating Messages in Office 365 Mailboxes" chapter in the user guide or online help.
Detecting Forged Messages (also known as spoofing, CEO fraud, or business email compromise)	Cisco Email Security appliance can detect fraudulent messages with forged sender address (From: header) and perform actions on such messages. See the "Email Authentication" chapter in the user guide or online help.
Support for On-Premises File Reputation Server	If you have deployed a Cisco AMP Virtual Private Cloud appliance on your network, you can now query the file reputation of message attachments without sending them to the public reputation cloud. To configure your appliance to use an on-premises file reputation server, see the "File Reputation Filtering and File Analysis" chapter in the user guide or online help.
Cloud Updatable Advanced Malware Protection Engine	<ul style="list-style-type: none"> The Advanced Malware Protection engine is now cloud updatable. You can use the <code>ampstatus</code> command in CLI to view the version of various Advanced Malware Protection components. See the <i>CLI Reference Guide for AsyncOS for Cisco Email Security Appliances</i>.
Virtual Appliance Enhancement	Cisco Email Security virtual appliances can now be deployed on VMware vSphere Hypervisor (ESXi) 6.0. For more information, see the <i>Cisco Content Security Virtual Appliance Installation Guide</i> , available from: http://www.cisco.com/c/en/us/support/security/email-security-appliance/products-installation-guides-list.html .

Duplicate Boundaries Verification	<p>Cisco Email Security appliance can now detect messages with duplicate MIME boundaries and perform actions on them.</p> <p>Use the Duplicate Boundaries Verification content filter condition or the <code>duplicate_boundaries</code> message filter rule to detect messages with duplicate MIME boundaries.</p> <p>See the “Content Filters” chapter or the “Using Message Filters to Enforce Email Policies” chapter in the user guide or online help.</p>
Cisco Email Submission and Tracking Portal Registration	<p>Cisco Email Submission and Tracking Portal is a web-based tool that allows email administrators to track the spam submissions from their organization and to report new misclassified messages to Cisco. This portal requires all your appliances to have a common registration ID.</p> <p>Use the System Administration > Email Submission and Tracking Portal Registration page in web interface or the <code>portalregistrationconfig</code> command in CLI to set the registration ID. If your appliances are not part of a cluster, you must set a common registration ID on all your appliances.</p> <p>See the “Anti-Spam” chapter in the user guide or online help.</p>

<p>Enhanced AMP Reports</p>	<p>Advanced Malware Protection page includes the following enhancements:</p> <ul style="list-style-type: none"> • A new graph that shows the incoming files handled by AMP in percentage based on the verdicts (Clean, Malicious, Unknown, Unscannable). • A new graph that shows the top incoming malware files based on the file types. • A new table that shows the number of incoming files handled by AMP based on the verdicts (Clean, Malicious, Unknown, Unscannable). Click on the file count to view the related messages in Message Tracking. • Incoming Malware Threat Files Report <ul style="list-style-type: none"> – Incoming Malware Threat Files report now shows the name of the file(s) associated with a SHA-256 hash. – If you click on a SHA-256 hash, a new page that shows file reputation and analysis summary for the specified SHA-256 hash is displayed. – Click on the number of infected messages to view the related messages in Message Tracking. <p>File Analysis page includes the following enhancements:</p> <ul style="list-style-type: none"> • Completed Analysis Requests from This Appliance and Pending Analysis Requests from This Appliance reports include the following enhancements: <ul style="list-style-type: none"> – Reports now show the name of the file(s) associated with a SHA-256 hash. – Click on Details to view the related messages in Message Tracking. • A new report that shows the number of files uploaded for file analysis. <p>AMP Verdict Updates page includes the following enhancements:</p> <ul style="list-style-type: none"> • Files with Retrospective Verdict Changes report now shows the name of the file(s) associated with a SHA-256 hash. • Files with Retrospective Verdict Changes report now shows the old disposition for a given SHA-256 hash. • If you click on a SHA-256 hash, a new page that shows file analysis summary for the specified SHA-256 hash is displayed. • Click on Details to view the related messages in Message Tracking.
<p>Spam Quarantine Enhancement</p>	<p>You can now send notifications to end users that list new quarantined messages without displaying the message subject. To view the message subject, end users must click the link and view the message in the spam quarantine.</p> <p>You can achieve this using the new notification variable New Message Table without Subject. See the “Spam Quarantine” chapter in the user guide or online help.</p>

Message Tracking Details for URLs in Messages	<p>Users can now view finer details about URLs caught by content and outbreak filters. Administrators can configure which users can see this information.</p> <p>See the “Message Tracking” chapter in the user guide or online help.</p>
Content Filter Condition and Message Filter Rule to Detect Message Language	<p>You can now use the content and message filters to detect the language of the message (subject and body) and take different actions based on the message language.</p> <p>See the “Content Filters” chapter or the “Using Message Filters to Enforce Email Policies” chapter in the user guide or online help.</p>
Custom Bounce and Delay Warning Messages Based on Language of the Message	<p>While configuring a bounce profile (Network > Bounce Profiles), you can now configure custom bounce and delay warning messages based on the language of the original message.</p> <p>See the “Configuring Routing and Delivery Features” chapter in the user guide or online help.</p>
Support for 90-Series Hardware	<p>Support for new appliance models:</p> <ul style="list-style-type: none"> • C190 • C390 • C690
Enhanced Verdict Update Alert	<p>Alert for file reputation verdict changes is now enhanced to include additional details such as details of the message, spyname, and so on.</p>
Using From Header for DKIM Signing	<p>You can now use the DKIM Global Settings (Mail Policies > Signing Profiles) to choose whether to use From header for DKIM signing. For DMARC verification of DKIM signed messages, you must use the From header during DKIM signing.</p> <p>See the “Email Authentication” chapter in the user guide or online help.</p>
Message Filter Rule to Detect Malformed MIME Headers	<p>You can now take actions on messages with malformed MIME headers using the new message filter rule: “<code>malformed-header</code>.”</p> <p>See the “Using Message Filters to Enforce Email Policies” chapter in the user guide or online help.</p>

Changes in Behavior

- [Changes in Behavior in AsyncOS 10.0.3, page 8](#)
- [Changes in Behavior in AsyncOS 10.0.2, page 8](#)
- [Changes in Behavior in AsyncOS 10.0.1, page 9](#)
- [Changes in Behavior in AsyncOS 10.0, page 10](#)

Changes in Behavior in AsyncOS 10.0.3

Content Scanning Changes	<p>The Content Scanner in your appliance now performs partial scanning of Microsoft Excel attachments when the Content Scanner exceeds the memory usage allocated for full content scan. A partial scan skips the scanning of numbers, dates, and duplicate contents in Microsoft Excel attachments.</p> <p>A <code>X-Attachment-Scan = Partial</code> header is added to the scanned message to indicate the partial scan. To perform appropriate actions on such messages, use a message filter or a content filter that detects the <code>X-Attachment-Scan = Partial</code> header.</p> <p>The following example shows how a message filter is used to detect and quarantine partially scanned messages.</p> <pre>PartialContentScan: if (header("X-Attachment-Scan") == "^partial\$") {quarantine("Policy");}</pre>
Forged Email Detection Changes	<p>Prior to this release, the name of the user and the user ID in the From: header of the message was used to detect forged messages.</p> <p>After you upgrade to this release, only the name of the user in the From: header of the message is used to detect forged messages.</p> <p>In the following example, only the name of the user (Jim Ross) is used to detect forged messages:</p> <p>Jim Ross <jimr@example.com></p> <p>If the message contains only the email address (jimr@example.com) in the From: header, the user ID (jimr) is used to detect forged messages.</p>

Changes in Behavior in AsyncOS 10.0.2

Malformed-Header Message Filter Rule Changes	<p>The <code>malformed-header</code> message filter rule now also checks for the value of the Content-Transfer-Encoding header.</p>
Cloud Domain Parameter Changes	<p>Prior to this release, you could configure the Cloud Domain parameter through the web interface or the CLI.</p> <p>After you upgrade to this release, you cannot configure the Cloud Domain parameter through the web interface or the CLI.</p>
Email Notification Changes	<p>Prior to this release, email notifications displayed the “TO” and “CC” header recipient addresses in the “TO” section of the message.</p> <p>After you upgrade to this release, email notifications only display the envelope recipient addresses in the “TO” section of the message.</p>

Changes in Behavior in AsyncOS 10.0.1

<p>SSL Configuration Changes</p>	<p>Prior to this release, the supported methods were TLS v1/TLS v1.2, SSL v3, and SSL v2. After upgrading to this release, the supported methods are:</p> <ul style="list-style-type: none"> • TLS v1.1 • TLS v1.2 • TLS v1.0 • SSL v3 • SSL v2 <p>Keep in mind that,</p> <ul style="list-style-type: none"> • You cannot enable SSL v2 and TLS v1 methods simultaneously. However, you can enable these methods in conjunction with SSL v3 method. • You cannot enable TLS v1.0 and v1.1 methods simultaneously. However, you can enable these methods in conjunction with TLS v1.2 method.
<p>Changes in Graymail Updates</p>	<p>After you upgrade to this release, the Rule Updates section of the Graymail Detection and Safe Unsubscribing page in the web interface or the <code>graymailstatus</code> command in CLI shows three components.</p> <p>The Graymail Library component has been split into the following components:</p> <ul style="list-style-type: none"> • Graymail Engine • Graymail Rules
<p>Logging Connection Time-Out details in AMP Engine Logs</p>	<p>Prior to this release, when the appliance failed to connect to the File Reputation Server, the time-out connection details were not logged in the AMP Engine logs.</p> <p>After upgrading to this release, when the appliance fails to connect to the File Reputation Server, the time-out connection details will be logged in the AMP Engine logs.</p>

Changes in Behavior in AsyncOS 10.0

Advanced Malware Protection Behavior Changes	<ul style="list-style-type: none"> If a message has malformed headers, the appliance will attempt to extract the attachments from the message. If the extracted messages are found to be malicious, the file reputation verdict is set to “malicious.” If the appliance is unable to extract the attachments, the file reputation verdict is set to “unscannable.” The file reputation verdict for a message without any attachments is set to “skipped.”
Advanced Malware Protection and File Analysis Reports Prior to the Upgrade	Advanced Malware Protection, File Analysis, and Verdict Updates reports are enhanced to display additional fields, graphs, and so on. The reports displayed after the upgrade do not include the reporting data prior to the upgrade. To view the reports prior to the upgrade, click on the hyperlink (Click here to view reports prior to AsyncOS 10.0) at the top of the report page.
Change in Report Page Name	File Analysis report page is renamed to Advanced Malware Protection File Analysis.
DKIM Signing of System Generated Messages	DKIM Signing of System Generated Messages option is now available under Mail Policies > Signing Profiles > DKIM Global Settings.
Graymail Changes	<p>Prior to this release, if a message is graymail and outbreak filter positive, the actions configured for graymail are not applied after the message is released from the outbreak quarantine. The safe unsubscribe banner (if configured) is not added in this scenario.</p> <p>After upgrading to this release, the actions configured for graymail are applied after the message is released from the outbreak quarantine. The safe unsubscribe banner (if configured) is added in this scenario.</p>
Advanced Malware Protection File Detail - Report Changes	<ul style="list-style-type: none"> The content of Matching Signatures report on the Advanced Malware Protection File Analysis > File Detail page is merged with the Classification / Threat Score report. The Classification / Threat Score report on the Advanced Malware Protection File Analysis > File Detail page is renamed to Behavioral Indicators. Also, this report now includes only the following details: <ul style="list-style-type: none"> Indicators (formerly shown as Matching Signatures) Category (formerly shown as Factor) Threat Level
Change in SPF Verification Content and Message Filter Behavior	If you have configured an SPF verification content or message filter rule without an SPF identity and if a message contains different SPF identities with different verdicts, the rule is triggered if one of the verdicts in the message matches the rule.

Mail Policy Matching Logic Changes	<p>Prior to this release, while matching a message to a mail policy, the envelope sender (RFC821 MAIL FROM address) and the sender header (address found in the RFC822 From and Reply-To) had the same priority. As a result, if you had configured a mail policy to match a specific user, the messages were classified into that mail policy based on the sender header.</p> <p>After upgrading to this release, when you match a message to a mail policy, the envelope sender and the envelope recipient have a higher priority over the sender header. If you configure a mail policy to match a specific user, then the messages are automatically classified into the mail policy based on the envelope sender and the envelope recipient.</p>
Miscellaneous Disk Usage	<p>After upgrading to this release, when Miscellaneous disk usage reaches 75 percent of the quota, the appliance immediately recalculates the disk usage to ensure that the usage has actually reached 75 percent and adds the following entry to the Mail Logs at Debug level: <code>Disk quota for Miscellaneous services (logs, configuration file, and so on) is reaching its limit. Recomputing disk usage to double-check disk quota.</code> After the recalculation, if the disk usage has reached 75 percent, an alert is sent.</p> <p>This process is repeated when Miscellaneous disk usage reaches 100 percent of the quota.</p>
New Alert for Message Filter Crashes	<p>When a message filter crashes, the appliance sends a system alert with a critical severity.</p>
Password to Passphrase Change	<p>The term “password” is changed to “passphrase” in web interface and command line interface.</p>

Upgrade Paths

- [Upgrading to Release 10.0.3-004 - MD \(Maintenance Deployment\) Refresh, page 11](#)
- [Upgrading to Release 10.0.3-003 - MD \(Maintenance Deployment\), page 12](#)
- [Upgrading to Release 10.0.2-020 - MD \(Maintenance Deployment\), page 12](#)
- [Upgrading to Release 10.0.1-103 - MD \(Maintenance Deployment\), page 12](#)
- [Upgrading to Release 10.0.1-087 - MD \(Maintenance Deployment\), page 12](#)
- [Upgrading to Release 10.0.0-203 - GD \(General Deployment\), page 13](#)

Upgrading to Release 10.0.3-004 - MD (Maintenance Deployment) Refresh

You can upgrade to release 10.0.3-004 from the following versions:

- 9.7.2-124
- 9.7.2-131
- 9.7.2-145
- 10.0.2-020
- 10.0.2-107

- 10.0.3-003

Upgrading to Release 10.0.3-003 - MD (Maintenance Deployment)

You can upgrade to release 10.0.3-003 from the following versions:

- 10.0.1-103
- 10.0.2-020
- 10.0.2-107

Upgrading to Release 10.0.2-020 - MD (Maintenance Deployment)

You can upgrade to release 10.0.2-020 from the following versions:

- 9.1.2-041
- 9.7.2-065
- 9.7.2-131
- 9.7.2-146
- 9.7.2-148
- 10.0.0-203
- 10.0.0-217
- 10.0.1-087
- 10.0.1-102
- 10.0.1-103

Upgrading to Release 10.0.1-103 - MD (Maintenance Deployment)

You can upgrade to release 10.0.1-103 from the following versions:

- 9.1.2-036
- 9.7.2-065
- 9.7.2-131
- 9.7.2-146
- 9.7.2-148
- 10.0.1-087
- 10.0.1-102

Upgrading to Release 10.0.1-087 - MD (Maintenance Deployment)

You can upgrade to release 10.0.1-087 from the following versions:

- 9.7.2-065
- 9.7.2-131

- 10.0.0-203
- 10.0.1-083

Upgrading to Release 10.0.0-203 - GD (General Deployment)

You can upgrade to release 10.0.0-203 from the following versions:

- 9.1.0-032
- 9.1.1-023
- 9.1.2-028
- 9.1.2-036
- 9.1.2-041
- 9.6.0-042
- 9.6.0-051
- 9.7.0-125
- 9.7.1-066
- 9.7.1-102
- 9.7.1-207
- 9.7.2-047
- 9.7.2-065
- 10.0.0-082
- 10.0.0-125
- 10.0.0-199



Caution

If you plan to upgrade to AsyncOS 10.0.0-203, review the [Reverting to Previous AsyncOS Versions](#), page 15.

Installation and Upgrade Notes

Read through and consider the installation and upgrade impacts listed in this section.

When you upgrade AsyncOS from the web interface or Command Line Interface (CLI), the configuration is saved to file in the /configuration/upgrade directory. You can access the upgrade directory using an FTP client. Each configuration file name is appended with the version number, and passwords in the configuration file are masked so they are not human readable.

You must be logged in as the admin to upgrade. Also, you must reboot the appliance after upgrading.

Supported Hardware for This Release

- All virtual appliance models.
- The following hardware models:

- C380, C390, C680, or C690
- C170 or C190
- Some C370, C370D, C670 or X1070 appliances

To determine whether your appliance is supported, and to remedy the situation if it is not currently compatible, see

<http://www.cisco.com/c/en/us/support/docs/field-notices/638/fn63931.html>.

The following hardware is NOT supported for this release:

C160, C360, C660, and X1060

Deploying or Upgrading a Virtual Appliance

If you are deploying or upgrading a virtual appliance, see the *Cisco Content Security Virtual Appliance Installation Guide*, available from

<http://www.cisco.com/c/en/us/support/security/email-security-appliance/products-installation-guides-list.html>.

Upgrading a Virtual Appliance

If your current Virtual Appliance release does not support more than 2TB of disk space, and you want to use more than 2 TB of disk space with this release, you cannot simply upgrade your virtual appliance.

Instead, you must deploy a new virtual machine instance for this release.

When you upgrade a virtual appliance, the existing licenses remain unchanged.

Migrating from a Hardware Appliance to a Virtual Appliance

-
- Step 1** Set up your virtual appliance with this AsyncOS release using the documentation described in [Deploying or Upgrading a Virtual Appliance, page 14](#).
 - Step 2** Upgrade your hardware appliance to this AsyncOS release.
 - Step 3** Save the configuration file from your upgraded hardware appliance
 - Step 4** Load the configuration file from the hardware appliance onto the virtual appliance.
Be sure to select an appropriate option related to network settings.
-

Getting Technical Support for Virtual Appliances

Requirements for obtaining technical support for your virtual appliance are described in the *Cisco Content Security Virtual Appliance Installation Guide* available from

<http://www.cisco.com/c/en/us/support/security/email-security-appliance/products-installation-guides-list.html>.

See also [Service and Support, page 20](#), below.

Provisioning and Activating Cisco Registered Envelope Service Administrator from Virtual Appliances

Please contact Cisco TAC for information required to provision your virtual appliance.

Pre-upgrade Notes

Before upgrading, review the following:

- [Reverting to Previous AsyncOS Versions, page 15](#)
- [FIPS Compliance, page 15](#)
- [Upgrading Deployments with Centralized Management \(Clustered Appliances\), page 15](#)
- [Upgrading From a Release Other Than the Immediate Previous Release, page 16](#)
- [Configuration Files, page 16](#)
- [IPMI Messages During Upgrade, page 16](#)

Reverting to Previous AsyncOS Versions

The following AsyncOS versions are affected by the Internal Testing Interface Vulnerability (<http://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-20160922-esa>):

- 9.1.2-023
- 9.1.2-028
- 9.1.2-036
- 9.7.2-046
- 9.7.2-047
- 9.7-2-054
- 10.0.0-124
- 10.0.0-125

If you upgrade to AsyncOS 10.0.0-203 from one of the above versions, you cannot revert to any of the previous versions.

FIPS Compliance

AsyncOS 10.0 release is not a FIPS compliant release. If you have enabled FIPS mode on your appliance, you must disable it before upgrading to AsyncOS 10.0.

Upgrading Deployments with Centralized Management (Clustered Appliances)

If a cluster includes C160, C360, C660, or X1060 hardware appliances, remove these appliances from the cluster before upgrading.

All machines in a cluster must be running the same version of AsyncOS, and x60 hardware cannot be upgraded to this release. If necessary, create a separate cluster for your x60 appliances.

Upgrading From a Release Other Than the Immediate Previous Release

If you are upgrading from a major (AsyncOS X.0) or minor (AsyncOS X.x) release other than the release immediately preceding this release, you should review the Release Notes for major and minor releases between your current release and this release.

Maintenance releases (AsyncOS X.x.x) include only bug fixes.

Configuration Files

Cisco does not generally support the backward compatibility of configuration files with previous major releases. Minor release support is provided. Configuration files from previous versions may work with later releases; however, they may require modification to load. Check with Cisco Customer Support if you have any questions about configuration file support.

IPMI Messages During Upgrade

If you are upgrading your appliance using CLI, you may observe messages related to IPMI. You can ignore these messages. This is a known issue.

Defect ID: CSCuz28415

Upgrading to This Release

Before You Begin

- Review the [Known and Fixed Issues, page 18](#) and [Installation and Upgrade Notes, page 13](#).
- If you are upgrading a virtual appliance, see [Upgrading a Virtual Appliance, page 14](#).

Procedure

Use the following instructions to upgrade your Email Security appliance.

-
- Step 1** Save the XML configuration file off the appliance.
 - Step 2** If you are using the Safelist/Blocklist feature, export the Safelist/Blocklist database off the appliance.
 - Step 3** Suspend all listeners.
 - Step 4** Wait for the queue to empty.
 - Step 5** From the System Administration tab, select the System Upgrade page.
 - Step 6** Click the **Available Upgrades** button. The page refreshes with a list of available AsyncOS upgrade versions.
 - Step 7** Click the **Begin Upgrade** button and your upgrade will begin. Answer the questions as they appear.
 - Step 8** When the upgrade is complete, click the **Reboot Now** button to reboot your appliance.
 - Step 9** Resume all listeners.
-

What To Do Next

- After the upgrade, review your SSL configuration to ensure that you have selected the correct GUI HTTPS, Inbound SMTP, and Outbound SMTP methods to use. Use the **System Administration > SSL Configuration** page or the `sslconfig` command in CLI. For instructions, see the “System Administration” chapter in the User Guide or the online help.
- Review the [Performance Advisory, page 17](#).

Performance Advisory

RSA Email DLP

- Enabling RSA Email DLP for outbound messages on an appliance that is already having anti-spam and anti-virus scanning running on inbound messages can cause a performance degradation of less than 10%.
- Enabling RSA Email DLP on an appliance that is only running outbound messages and is not running anti-spam and anti-virus can cause higher performance degradation as compared to the previous scenario.

SBNP

SenderBase Network Participation now uses the Context Adaptive Scanning Engine (CASE) to collect data to power IronPort Information Services. In some configurations customers may experience a moderate performance decline.

Outbreak Filters

Outbreak Filters uses the Context Adaptive Scanning Engine to determine the threat level of a message and scores messages based on a combination of Adaptive Rules and Outbreak Rules. In some configurations, you may experience a moderate performance decline.

IronPort Spam Quarantine

Enabling the IronPort Spam Quarantine on-box for a C-Series or X-Series appliance causes a minimal reduction in system throughput for nominally loaded appliances. For appliances that are running near or at peak throughput, the additional load from an active quarantine may cause a throughput reduction of 10-20%. If your system is at or near capacity, and you desire to use the IronPort Spam Quarantine, consider migrating to a larger C-Series appliance or an M-Series appliance.

If you change your anti-spam policy from dropping spam to quarantining it (either on-box or off-box), then your system load will increase due to the need to scan additional spam messages for virus and content security. For assistance in properly sizing your installation please contact your authorized support provider.

Post-upgrade Notes

After upgrading, review the following:

- [Important! Changes Needed in File Analysis Settings, page 17](#)

Important! Changes Needed in File Analysis Settings

If you plan to use the new European public cloud File Analysis service, make sure you read the following instructions to maintain datacenter isolation:

- The existing appliance grouping information is not preserved in the new File Analysis server. You must regroup your appliances on the new File Analysis server.
- Messages that are quarantined to the File Analysis Quarantine are retained until the retention period. After the quarantine retention period, the messages are released from the File Analysis Quarantine, and re-scanned by the AMP engine. The file is then uploaded to the new File Analysis server for analysis but the message is not sent to the File Analysis Quarantine again.

For more details, refer to the Cisco AMP Thread Grid documentation from <https://www.cisco.com/c/en/us/support/security/amp-threat-grid-appliances/products-installation-guide-s-list.html>

Known and Fixed Issues

Use the Cisco Bug Search Tool to find information about known and fixed defects in this release.

- [Bug Search Tool Requirements](#), page 18
- [Lists of Known and Fixed Issues](#), page 18
- [Finding Information about Known and Resolved Issues](#), page 19

Bug Search Tool Requirements

Register for a Cisco account if you do not have one. Go to <https://tools.cisco.com/RPF/register/register.do>.

Lists of Known and Fixed Issues

Known Issues	AsyncOS 10.0.3-004	https://bst.cloudapps.cisco.com/bugsearch/search?kw=&pf=prdNm&pfVal=282509130&rls=10.0.3-004&sb=af&bt=empCustV
	AsyncOS 10.0.3-003	https://bst.cloudapps.cisco.com/bugsearch/search?kw=&pf=prdNm&pfVal=282509130&rls=10.0.3-003&sb=af&bt=empCustV
	AsyncOS 10.0.2	https://bst.cloudapps.cisco.com/bugsearch/search?kw=&pf=prdNm&pfVal=282509130&rls=10.0.2-020&sb=af&bt=custV
	AsyncOS 10.0.1	https://bst.cloudapps.cisco.com/bugsearch/search?kw=&pf=prdNm&pfVal=282509130&rls=10.0.1&sb=af&bt=custV
	AsyncOS 10.0	https://bst.cloudapps.cisco.com/bugsearch/search?kw=&pf=prdNm&pfVal=282509130&rls=10.0.0&sb=af&bt=custV

Fixed Issues	AsyncOS 10.0.3-004	https://bst.cloudapps.cisco.com/bugsearch/search?kw=*&pf=prdNm&pfVal=282509130&rls=10.0.3-004&sb=fr&bt=custV
	AsyncOS 10.0.3-003	https://bst.cloudapps.cisco.com/bugsearch/search?kw=*&pf=prdNm&pfVal=282509130&rls=10.0.3-003&sb=fr&bt=custV
	AsyncOS 10.0.2	https://bst.cloudapps.cisco.com/bugsearch/search?kw=*&pf=prdNm&pfVal=282509130&rls=10.0.2-020&sb=fr&bt=custV
	AsyncOS 10.0.1	https://bst.cloudapps.cisco.com/bugsearch/search?kw=*&pf=prdNm&pfVal=282509130&rls=10.0.1&sb=fr&bt=custV
	AsyncOS 10.0	https://bst.cloudapps.cisco.com/bugsearch/search?kw=*&pf=prdNm&pfVal=282509130&rls=10.0.0&sb=fr&bt=custV

Finding Information about Known and Resolved Issues

Use the Cisco Bug Search Tool to find the most current information about known and resolved defects.

Before You Begin

Register for a Cisco account if you do not have one. Go to <https://tools.cisco.com/RPF/register/register.do>.

Procedure

-
- Step 1** Go to <https://tools.cisco.com/bugsearch/>.
- Step 2** Log in with your Cisco account credentials.
- Step 3** Click **Select from list > Security > Email Security > Cisco Email Security Appliance**, and click **OK**.
- Step 4** In Releases field, enter the version of the release, for example, 10.0
- Step 5** Depending on your requirements, do one of the following:
- To view the list of resolved issues, select **Fixed in these Releases** from the Show Bugs drop down.
 - To view the list of known issues, select **Affecting these Releases** from the Show Bugs drop down and select **Open** from the Status drop down.
-



Note

If you have questions or problems, click the **Help** or **Feedback** links at the top right side of the tool. There is also an interactive tour; to view it, click the link in the orange bar above the search fields.

Documentation Updates

The context sensitive help will not work for the Macro Detection Report page. You can manually access the help page by clicking Using Email Security Monitor > Email Security Monitor Pages > Macro Detection Page in the online help.

Related Documentation

Documentation For Cisco Content Security Products	Location
Hardware and virtual appliances	See the applicable product in this table.
Cisco Content Security Management	http://www.cisco.com/c/en/us/support/security/content-security-management-appliance/tsd-products-support-series-home.html
Cisco Web Security	http://www.cisco.com/c/en/us/support/security/web-security-appliance/tsd-products-support-series-home.html
Cisco Email Security	http://www.cisco.com/c/en/us/support/security/email-security-appliance/tsd-products-support-series-home.html
CLI reference guide for Cisco Content Security appliances	http://www.cisco.com/c/en/us/support/security/email-security-appliance/products-command-reference-list.html
Cisco IronPort Encryption	http://www.cisco.com/c/en/us/support/security/email-encryption/tsd-products-support-series-home.html

Service and Support



Note

To get support for virtual appliances, have your Virtual License Number (VLN) number ready when you call Cisco TAC.

Cisco TAC: http://www.cisco.com/en/US/support/tsd_cisco_worldwide_contacts.html

Support Site for legacy IronPort: <http://www.cisco.com/web/services/acquisitions/ironport.html>

For non-critical issues, you can also access customer support from the appliance. For instructions, see the User Guide or online help.

This document is to be used in conjunction with the documents listed in the “Related Documentation” section.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

© 2017-2018 Cisco Systems, Inc. All rights reserved.