



Release Notes for Hot Patch 5 for AsyncOS 8.5.6 for Cisco Email Security Appliances

Published: March 11, 2015

Contents

- [Changes in Behavior in Previous Hot Patches, page 1](#)
- [Upgrade Path, page 2](#)
- [Resolved Issues, page 2](#)
- [Additional Information, page 2](#)
- [Service and Support, page 2](#)

Changes in Behavior in Previous Hot Patches

Change in Behavior for Hot Patch 4

While configuring listeners, you can now specify whether to accept or reject a message based on the subject size. If you configure this parameter, any messages having subject size within the specified limit are accepted and any other messages are rejected.



Note

By default, messages having subject size greater than 1 MB are rejected. If you do not want this behavior, set the value to zero.

You can configure this parameter by:

- (Web interface) Editing **Global Settings** on Listener page.
- (CLI) Using `setup` option under `listenerconfig` command.



Change in Behavior for Hot Patch 3

While configuring the behavior of body and attachment scanning (**Security Services > Scan Behavior**), you can specify whether to consider a ZIP file unscannable if the files in the archive are unreadable. For more information, see *Cisco AsyncOS for Email User Guide*.

Upgrade Path

You can upgrade to release 8.5.6-116 from the following version:

- 8.5.6-113
- 8.5.6-106

Resolved Issues

Click a Defect ID in the table for more information about the defect.

Defect ID	Description
CSCuq71053	OOXML files with non-standard file order are mis-detected as zip files

Additional Information

For additional information about AsyncOS for Cisco Email Security Appliances, see the Release Notes for your release at

<http://www.cisco.com/c/en/us/support/security/email-security-appliance/products-release-notes-list.html>.

Service and Support

For service and support information for Cisco Content Security appliances, see:

- http://www.cisco.com/en/US/support/tsd_cisco_worldwide_contacts.html
- <http://www.cisco.com/web/services/acquisitions/ironport.html>

If you purchased support through a reseller or another supplier, please contact that supplier directly with your product support issues.

For noncritical questions and issues, you can also submit a customer support request from the appliance. For instructions, see the User Guide or online help.

This document is to be used in conjunction with the documents listed in the “[Additional Information](#)” section.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

© 2015 Cisco Systems, Inc. All rights reserved.