



Hardware and System Software Specification for Cisco Unified Web and E-Mail Interaction Manager

For Unified Contact Center Enterprise

Release 11.0(1)
August, 2015

Americas Headquarters
Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
<http://www.cisco.com>
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to <http://www.cisco.com/go/trademarks>

CCVP, the Cisco logo, and Welcome to the Human Network are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networkers, Networking Academy, Network Registrar, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries. Any Internet Protocol (IP) addresses used in this document are not intended to be actual addresses. Any examples, command display output, and figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses in illustrative content is unintentional and coincidental.

Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

Hardware and System Software Specification for Cisco Unified Web and E-Mail Interaction Manager: For Unified Contact Center Enterprise. August 20, 2015

Copyright © 2015, Cisco Systems, Inc. All rights reserved.

Contents

- About This Guide 4
- Obtaining Documentation and Submitting a Service Request 4
- Documentation Feedback 5
- Field Alerts and Field Notices 5
- Server Components 5
 - Virtual Server Support for Server Components 5
 - Hardware for Server Components 5
 - Software for Server Components 5
 - File Server 6
 - Application Servers 6
 - Messaging Server 6
 - Web Servers 7
 - Services Server 7
 - Database Server 8
- User Desktops 8
 - Bandwidth for User Desktops 8
 - Hardware for User Desktops 9
 - Software for User Desktops 10
- Customer Desktops 11
 - Hardware for Customer Desktops 11
 - Software for Customer Desktops 11
 - Mobile Devices for Customers 11

Welcome to Cisco® Unified EIM and WIM, multichannel interaction software used by businesses all over the world to build and sustain customer relationships. A unified suite of the industry's best applications for web and email interaction management, it is the backbone of many innovative contact centers and customer service organizations.

Cisco Unified EIM and WIM includes a common platform and one or both of the following applications:

- ▶ Cisco Unified Web Interaction Manager (Unified WIM)
- ▶ Cisco Unified E-Mail Interaction Manager (Unified EIM)

About This Guide

This document outlines the recommended hardware and software specification for Unified Web and E-Mail Interaction Manager. It provides details about compatible third party software requirements and contains links to other documents that provide hardware and bandwidth specifications.

Document Conventions

This guide uses the following typographical conventions.

Convention	Indicates
<i>Italic</i>	Emphasis, or the title of a published document.
Bold	Labels of items on the user interface, such as buttons, boxes, and lists.
Monospace	The name of a file or folder, a database table column or value, or a command.
<i>Variable</i>	User-specific text, provided by the user. Or, text that must be typed by the user.

Document conventions

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information, see *What's New in Cisco Product Documentation*, at: <http://www.cisco.com/c/en/us/td/docs/general/whatsnew/whatsnew.html>.

Subscribe to *What's New in Cisco Product Documentation*, which lists all new and revised Cisco technical documentation as an RSS feed and delivers content directly to your desktop using a reader application. The RSS feeds are a free service.

Documentation Feedback

To provide comments about this document, send an email message to the following address:
contactcenterproducts_docfeedback@cisco.com

We appreciate your comments.

Field Alerts and Field Notices

Cisco products may be modified or key processes may be determined to be important. These are announced through use of the Cisco Field Alerts and Cisco Field Notices. You can register to receive Field Alerts and Field Notices through the Product Alert Tool on Cisco.com. This tool enables you to create a profile to receive announcements by selecting all products of interest.

Log into www.cisco.com and then access the tool at <http://www.cisco.com/cisco/support/notifications.html>

Server Components

Virtual Server Support for Server Components

Unified EIM and WIM is certified with the following versions of VMWare:

- ▶ VMWare ESXi 5.1 and higher
- ▶ VMWare ESXi 6.x

Virtualized deployments must utilize the OVA templates available on the DocWiki for proper sizing and resource utilization. For more information, see the *Virtualization for Unified CCE DocWiki* at http://docwiki.cisco.com/wiki/Virtualization_for_Unified_CCE

Hardware for Server Components

To determine hardware requirements for servers, use the following document:

- ▶ *Cisco Unified Web and E-Mail Interaction Manager Solutions Reference Network Design Guide*.

Software for Server Components

- ▶ These are the requirements for Unified Web and E-Mail Interaction Manager server components. For more information about each server component, refer to *Cisco Unified Web and E-Mail Interaction Manager Solutions Reference Network Design Guide* (for Cisco Unified Contact Center Enterprise).

File Server

Item	Requirements
Operating system (OS)	Microsoft® Windows Server® 2012 R2 Edition: Standard or Datacenter Version: 64-bit Language: English

Software requirements for the file server

Application Servers

Item	Requirements
Operating system (OS)	Microsoft® Windows Server® 2012 R2 Edition: Standard or Datacenter Version: 64-bit Language: English
Application server	JBoss 7.2 (included on the product CD)
Java	Oracle JDK 1.7 (Update 2 or higher) (JDK 1.7 Update 71 included on the product CD) Version: 64-bit
Anti-virus	▶ McAfee® VirusScan® Enterprise version 8.8i or higher or ▶ Symantec® AntiVirus® Endpoint Protection 12.1

Software requirements for application servers

Messaging Server

Item	Requirements
Operating system (OS)	Microsoft® Windows Server® 2012 R2 Edition: Standard or Datacenter Version: 64-bit Language: English
Application server and servlet engine	JBoss 7.2 (included on the product CD)
Java	Oracle JDK 1.7 (Update 2 or higher) (JDK 1.7 Update 71 included on the product CD) Version: 64-bit
Anti-virus	▶ McAfee® VirusScan® Enterprise version 8.8i or ▶ Symantec® AntiVirus® Endpoint Protection 12.1

Software requirements for the messaging server

Web Servers

Item	Requirements
Operating system (OS)	Microsoft® Windows Server® 2012 R2 Edition: Standard or Datacenter Version: 64-bit Language: English
Web server	Microsoft® IIS® 8.5
Anti-virus	▶ McAfee® VirusScan® Enterprise version 8.8i or higher or ▶ Symantec® AntiVirus® Endpoint Protection 12.1

Software requirements for web servers

Services Server

Item	Requirements
Operating system (OS)	Microsoft® Windows Server® 2012 R2 Edition: Standard or Datacenter Version: 64-bit Language: English
Java	Oracle JDK 1.7 (Update 2 or higher) (JDK 1.7 Update 71 included on the product CD) Version: 64-bit
Anti-virus	▶ McAfee® VirusScan® Enterprise version 8.8i or higher or ▶ Symantec® AntiVirus® Endpoint Protection 12.1

Software requirements for the services server

Database Server

Item	Requirements
Operating system (OS)	<ul style="list-style-type: none">▶ Microsoft® Windows Server® 2012 R2 Edition: Standard or Datacenter Version: 64-bit Language: English
Database	<ul style="list-style-type: none">▶ Microsoft® SQL Server® 2012 Edition: Standard, Business Intelligence, or Enterprise Version: 64-bit
Collation	ASCII (case insensitive)
Clustering for failover (optional)	A cluster of database servers can be configured to achieve failover.
Anti-virus	<ul style="list-style-type: none">▶ McAfee® VirusScan® Enterprise version 8.8ior▶ Symantec® AntiVirus® Endpoint Protection 12.1

Software requirements for the database server

User Desktops

Bandwidth for User Desktops

This section describes the bandwidth required between the user desktops and the web servers in the Unified Web and E-Mail Interaction Manager deployment.

- ▶ **At login:** Average bandwidth requirement at login is 384 kilobits/second per user.
- ▶ **At steady state:** Average bandwidth requirement after login, working at a steady state, is 40 kilobits/second per user.

These values are based on load tests run in our labs.

Hardware for User Desktops

While determining hardware needs, in addition to the minimum requirements mentioned here, consider the resources required for other applications that will be running on the desktop at the same time as Unified Web and E-Mail Interaction Manager.

Item	Minimum requirements
CPU	Intel® or AMD® Version: 32-bit or 64-bit Processor: 1.4 GHz or higher
RAM	<ul style="list-style-type: none">▶ For Microsoft® Windows® Vista: 4 GB 2 GB available physical memory for Unified EIM & WIM▶ For Microsoft® Windows® 7: 4 GB 2 GB available physical memory for Unified EIM & WIM▶ For Microsoft® Windows® 8: 4 GB 2 GB available physical memory for Unified EIM & WIM
Hard disk	512 MB for the Temporary Internet Files folder used by Internet Explorer
Screen resolution	1024 x 768 pixels (minimum as well as recommended setting)

Minimum hardware requirements for user desktops

Software for User Desktops

Item	Requirements
Operating system (OS)	<ul style="list-style-type: none"> ▶ Microsoft® Windows® Vista (SP2 or higher) <p style="text-align: center;"><i>or</i></p> <ul style="list-style-type: none"> ▶ Microsoft® Windows® 7 <p style="text-align: center;"><i>or</i></p> <ul style="list-style-type: none"> ▶ Microsoft® Windows® 8 (Desktop mode) <p>Note: See <i>Cisco Finesse Installation Guide</i> to identify the OS that will work with both Unified Web and E-Mail Interaction Manager and Cisco Finesse.</p>
Operating system (OS) language	Chinese (Simplified), Danish, Dutch, English, French, French Canadian, German, Italian, Japanese, Korean, Spanish, Swedish, Brazilian Portuguese, Portuguese, and Russian
Java runtime environment	<ul style="list-style-type: none"> ▶ Oracle JRE 1.7.0 (most recent update) <p>This is required only to administer workflows from the Administration Console.</p>
Web browser	<ul style="list-style-type: none"> ▶ Microsoft® Internet Explorer® 8.0 ▶ Microsoft® Internet Explorer® 9.0 ▶ Microsoft® Internet Explorer® 10.0 ▶ Microsoft® Internet Explorer® 11.0 <p>Internet Explorer runs in compatibility mode in all versions.</p> <p>Note: See <i>Cisco Finesse Installation Guide</i> to identify the IE version that will work with both Unified Web and E-Mail Interaction Manager and Cisco Finesse.</p> <p>For the most current information on supported browsers, see the Unified CCE Software Compatibility Matrix: http://docwiki.cisco.com/wiki/Compatibility_Matrix_for_Unified_CCE</p>
Cisco Finesse	<ul style="list-style-type: none"> ▶ Cisco Finesse 10.0(1) SU1 ES1 (with Internet Explorer in compatibility mode only) ▶ Cisco Finesse 10.5(1) ES 1 (with Internet Explorer in compatibility mode only) ▶ Cisco Finesse 11.0(1) (with Internet Explorer in compatibility mode only) <p>Note: For the most current information on supported Internet Explorer versions for Finesse, see the appropriate Finesse Release Notes.</p>
Optional item for web collaboration	MeadCo Security Manager 6,4,440,40
Anti-virus	<ul style="list-style-type: none"> ▶ McAfee® VirusScan® Enterprise version 8.8i or higher <p style="text-align: center;"><i>or</i></p> <ul style="list-style-type: none"> ▶ Symantec® AntiVirus® Endpoint Protection 12.1
Native xmlHTTP	Native xmlhttp must be enabled. This is required for Ajax.
Popup blockers	Popup blockers need to be disabled.
Localized user interface	Chinese (Simplified), Danish, Dutch, English, French, French Canadian, German, Italian, Japanese, Korean, Spanish, Swedish, Brazilian Portuguese, Portuguese, and Russian. NOTE: Chinese (Simplified), Japanese, and Korean user interfaces require operating systems in corresponding languages.

Software requirements for user desktops

Customer Desktops

Hardware for Customer Desktops

We do not mandate any minimum requirements for customer desktops used in chat interactions.

Software for Customer Desktops

These software requirements are for customer desktops used in chat interactions. There are no specific software requirements for desktops used for emails.

Item	Requirements
Browsers	One of the following: <ul style="list-style-type: none">▶ Microsoft® Internet Explorer® 7 or higher▶ Mozilla® Firefox® 3 or higher▶ Safari 4 or higher▶ Google Chrome 5 or higher▶ Opera 9 or higher
JavaScript	JavaScript must be enabled.
Cookies	Cookies must be enabled.
Popup blockers	Popup blockers need to be disabled for web collaboration.

Browsers supported for chat interactions

Mobile Devices for Customers

- ▶ Apple iOS (3.3 or higher) and Android (2.1 or higher) devices are supported for chat.