

# Release Notes for StarOS Software Version 21.23.31

First Published: March 31, 2023 Last Updated: March 31, 2023

## Introduction

This Release Note identifies changes and issues related to this software release. This emergency release is based on release 21.23.30. These release notes are applicable to the ASR5500, VPC-SI, VPC-DI platforms.

# Release Package Version Information

Table 1 - Release Package Version Information

Software Packages	Version
StarOS packages	21.23.31, build 89288
star os packages	21.23.31, build 03200

# Feature and Behavior Changes

Refer to the Release Change Reference for a complete list of feature and behavior changes associated with this software release.

## **Related Documentation**

For a complete list of documentation available for this release, go to <a href="http://www.cisco.com/c/en/us/support/wireless/asr-5000-series/products-installation-and-configuration-guides-list.html">http://www.cisco.com/c/en/us/support/wireless/asr-5000-series/products-installation-and-configuration-guides-list.html</a>.

# Installation and Upgrade Notes

This Release Note does not contain general installation and upgrade instructions. Refer to the existing installation documentation for specific installation and upgrade considerations.

## Firmware Updates

There are no firmware upgrades required for this release.


## Software Integrity Verification

To verify the integrity of the software image you have from Cisco, you can validate the SHA512 checksum information against the checksum identified by Cisco for the software.

Image checksum information is available through **Cisco.com Software Download Details.** To find the checksum, hover the mouse pointer over the software image you have downloaded.

Cisco Systems, Inc. www.cisco.com

Installation and Upgrade Notes



At the bottom you find the SHA512 checksum, if you do not see the whole checksum you can expand it by pressing the "..." at the end.

To validate the information, calculate a SHA512 checksum using the information in <u>Table 2</u> and verify that it matches either the one provided on the software download page.

To calculate a SHA512 checksum on your local desktop see <u>Table 2</u>.

Table 2 - Checksum Calculations per Operating System

Operating System	SHA512 checksum calculation command examples	
Microsoft Windows	Open a command line window and type the following command  > certutil.exe -hashfile <filename>. <extension> SHA512</extension></filename>	
Apple MAC	Open a terminal window and type the following command	
	<pre>\$ shasum -a 512 <filename>. <extension></extension></filename></pre>	
Linux	Open a terminal window and type the following command	
	<pre>\$ sha512sum <filename>.<extension></extension></filename></pre>	
	Or	
	<pre>\$ shasum -a 512 <filename>. <extension></extension></filename></pre>	
NOTES:		
<filename> is the name of the file.</filename>		
<pre><extension> is the file extension (e.gzip or .tgz).</extension></pre>		

If the SHA512 checksum matches, you can be sure that no one has tampered with the software image or the image has not been corrupted during download.

If the SHA512 checksum does not match, we advise you to not attempt upgrading any systems with the corrupted software image. Download the software again and verify the SHA512 checksum again. If there is a constant mismatch, please open a case with the Cisco Technical Assistance Center.

## **Certificate Validation**

In 21.12.0 and later releases, software images for StarOS, VPC-DI, and VPC-SI, and the companion software packages for StarOS and VPC are signed via x509 certificates. In pre-21.12.0 releases, image signing is not supported for VPC-DI and VPC-SI images, and for StarOS and VPC companion software packages.

USP ISO images are signed with a GPG key.

For more information and instructions on how to validate the certificates, refer to the README file available with the respective software packages.

# Open Bugs in this Release

The following table lists the known bugs that were found in, and remain open in this software release.

**NOTE:** This software release may contain open bugs first identified in other releases. Additional information for all open bugs for this release are available in the <u>Cisco Bug Search Tool</u>.

Table 3 - Open Bugs in this Release

Bug ID	Headline	Product Found*
CSCwa83375	[BP-CUPS] Observed sessmgr restart : snx_sgw_driver_handle_modify_rsp on CP in Longevity cup setup	
CSCvz44140	[BP-CPUS] mostly all aaamgr goes in warn state while running call model	cups-cp
CSCvz46195	sessmgr restart seein in Function: sessmgr_pgw_handle_pcc_intf_evt_modify_rsp()	cups-cp
CSCwd60402	CUPS-CP: Low Throughput - CRBN=Fallback. [project: auto-fallback to local policy]	cups-cp
CSCwe27712	Behavioural difference between CUPS and NON-CUPS in terms of handling Gy response code 4011	cups-cp
CSCvx73208	[BP-CUPS] SessMgr restart at acs_cups_fill_bucket_id_type() while recovering null variable	cups-cp
CSCwc34314	[CUPS UP] Firewall NAT port release behaviour change between legacy and CUPS	cups-cp
CSCwd76879	Sessmgr process restarted at function sessmgr_compress_call_info()	cups-cp
CSCwc00980	[CUPS-CP] Task restart at acs_bb_req_cache_alloc()	cups-cp
CSCwb26190	session manager crash at sess/smgr/sessmgr_snx.c	cups-cp
CSCwd27672	[BP-CUPS]:Assertion failure at Function: sn_memblock_memcache_alloc()	cups-cp
CSCwe11497	CDR written is coming as negative (-) value	cups-cp
CSCwb52197	"[CUPS UP] VPP/hatsystem restart clib_memcpy_fast() during IP routes consolidation in BGP, "	cups-up
CSCwb78943	[CUPS] Fatal signal 11 - sess_get_next_pdr_info() - smgr_match_pdr	cups-up
CSCwc54584	[CUPS][npumgr-drv 185001 error vpp_tcp_conn_bind_cb_v6_v4: VPP-LI: Fail to add socket with dhost	cups-up
CSCwe73712	sessmgr process restart during ICMP NAT process	cups-up

Bug ID	Headline	Product Found*
CSCvy80968	[BP-CUPS]:[N-1][N-2]Downgraded new standBy UP leads to all call loss once performed UP switchover	cups-up
CSCwe83354	GTPU Test Echoes Received but not Reported to CLI	cups-up
CSCwb07879	LCI/OCI changes CUPS-UP	cups-up
CSCwc17339	show ssd npu-vpn in UP leaves cli session in unusable state	cups-up
CSCwe28217	[CUPS UP] sessmgr restart is seen at uplane_free_icmp_session()	cups-up
CSCwc30206	[BP-CUPS] Smgr restart sn_memblock_cache_get_mcblock_by_addr & sessmgr_uplane_cleanup_gxalias_lists	cups-up
CSCwd40057	"After all sessmgr restart, sx-peer-node info is lost on standby chassis"	cups-up
CSCwe85093	UP core files generated after removing ruledefs	cups-up
CSCvz41620	Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync	cups-up
CSCwc17829	[BP-CUPS] Observed smgr crash while connecting a call with gx-alias feature enabled	cups-up
CSCwd72712	[CUPS UP] gtpumgr shows memory warn in standby UP	cups-up
CSCwd16366	LI IPSec tunnel flaps intermittently due to SA Collision	epdg
CSCwc69907	ePDG sessmgr crash on Assertion failure at sess/egtp/egtpc/egtpc_evt_handler_func.c:7048	epdg
CSCwe42649	MME using IPv6 address wrongly during TAU triggered inter-SGW change.	mme
CSCvy33441	sessmgr restart is seen in Function: mme_x2_ho_process_path_sw_req_msg()	mme
CSCwb53675	[MME] release-due-to-pre-emption (39) S1AP radio network cause not implemented	mme
CSCwc80299	Cwc80299 "CBC , MME send Write Replace Warning Indication before Write Replace Warning Response"	
CSCwa92153	SCwa92153 Corruption in vpnmgr when large amount of data gets dumped	
CSCwc51275	Cwc51275 Assertion failure at snutil/sn_memblock.c:310 on vMME	
CSCwc59471	sessmgr in warn/over state due to mme_app_allocate_s1nas_msg and SN_cmAlloc()	
CSCvy67528	[MME Admin guide] Typo in SRVCC config	mme
CSCwc43059	sessmgr restart at mme_hss_get_user_data	mme
CSCwc66208	Assertion failure at sess/egtp/egtpc/egtpc_validate_evt.c:1907 m	
CSCwa36635	MME crashes after upgrade to v21.23.6_21_mme_fsm_event_handler()	mme
CSCwc83863	Assertion failure at sess/mme/mme-app/app/mme_app_util.c:18558	mme

Bug ID	Headline	Product Found*
CSCwa93249	MME sessmgr restart seen in Function: mme_app_egtpc_abort_low_priority_trans()	mme
CSCwd73793	Assertion failure at sess/mme/mme-app/app/mme_pdn_fsm.c:829	mme
CSCwa31319	sessmgr restart mme_app_fill_delete_sess_req()	mme
CSCwc65963	sessmgr restart is seen when configuring and unconfiguring Lawful intercept CLIs multiple times	mme
CSCvz90152	SessMgr restart during X2 Handover	mme
CSCwb58470	Clear subscriber not working with service still running	mme
CSCwe54541	[MME] mmedemux recovery is not supported for ENDC SON feature	mme
CSCwd97399	Observing mmemgr crash:: cmPAsnDecChExt	mme
CSCwb34009	Fatal Signal 11 in acsmgr_destroy_recorded_adc_flows_list()	pdn-gw
CSCvx61024	sessmgr restart observed at "sn_ext_process_packet"	pdn-gw
CSCvz02641	Card migration causing BGP failure	pdn-gw
CSCwa52782	Node reloaded after LAG group port reconfiguration	pdn-gw
CSCwc53423	Sessmgr task restart on sess/egtp/egtpc/egtpc_evt_handler_func	pdn-gw
CSCwa50873	Many session disconnect reasons are not documented	pdn-gw
CSCwb23785	Corrupted values of total/output octets displayed in CDR for Ga interface	pdn-gw
CSCwb42809	Nat call object list length going wrong when Insertion failed on NAT call obj list	pdn-gw
CSCwd67200	Incomplete MSISDN in servedMSISDN CDR field	pdn-gw
CSCwe35187	SessMgr restart seen during the collision scenario for 3g handover	
CSCwe44935	CSCwe44935 multiple config lines merged in to single line in qci-qos-mapping table in legacy and CUPS	
CSCwa36871	SCwa36871 ADC detection degraded for Youtube	
CSCwa39302	sessmgr crashes sessmgr_rf_fill_service() Assertion failure at sess/smgr/sessmgr_rf.c	pdn-gw
CSCwb81718	CCR-U/CCR-T for Non-WPS session going through WPS channel	pdn-gw
CSCwa69995	"Duplicated CLI logs with 'user unknown' when CLI is level debug, and grep is being used"	pdn-gw
CSCvz36326	qci arp-priority-level not updated in config	pdn-gw
CSCwa52583	ICUPS : Session Manager restarts on PGW	pdn-gw
CSCwa59860	Sessmgr crashes after p2p plugin update v2.67.1490	pdn-gw

Bug ID	Headline	Product Found*
CSCwc26728	Final cdr with wrong timeOfFirst/LastUsage when "egcdr final-record include-content-ids all"	pdn-gw
CSCwd32146	"Update Bearer Request" is send PGW <sgw 3gpp"<="" aligned="" bearer="" eps="" is="" not="" qos,="" td="" which="" with="" without=""><td>pdn-gw</td></sgw>	pdn-gw
CSCwb06949	sessmgr restart on sessmgr_clp_filter function	pdn-gw
CSCwd44164	sessmgr task unexpected restarted occurred on PGW acs_http_accel_check	pdn-gw
CSCvz70919	RCM OVF deployment for 21.25.x image is not succeeding	rcm
CSCvy05622	Missing documenation on RCM - host-id	rcm
CSCvy86141	Add timeout for NSOSim HTTP POST notification [BEMS01305755]	rcm
CSCwa49484	RCM workaround for unreliable alert-forwarder	rcm
CSCwb12055	CLI to prevent multiple config push notifications towards NSO	rcm
CSCwa58920	sessmgr process restarted at egtpc_handle_user_sap_event	sae-gw
CSCwd64943	[SAEGW] - ASR5500 21.23. 12 ICSR Standby sessmgr in Memory over state	sae-gw
CSCwb58018	Description of IDFT-support in sgw-service configuration document missing	sae-gw
CSCwd17939	"In sGWRecord, changeTime appearing as before time from recordOpeningTime and duration showing zero"	
CSCwd55745	Facility Mpls_sig is in over state continously	
CSCwa54898	Sessmgr restart - Fatal Signal 6: PC: [09ed1233/X] acsmgr_adc_dispatch_event()	
CSCwb55423	[VPC-DI] Sessmgr process restart at sessmgr_pgw_fill_event_record_csr	
CSCwa99907	99907 sessmgr process restarted at acsmgr_dcca_send_ccr_terminate()	
CSCvy78942	CSCvy78942 With WPS3B configuration GW use secondary PAS during mid-session	
cscwa23914 sessmgr restart due Fatal Sig PC: [09fd165b/X] acsmgr_sess_sr_uchkpt_delete_all_accnt_mscc_bucket()		sae-gw
CSCwb58656	SCwb58656 sessmgr restart due to Assertion failure at sess/smgr/sessmgr_hlcom.c:467	
CSCwe04165	[SGSN] Handle gracefully collision on messages coming on two different IUs	
CSCvz16012	GMPC event not triggering with reporting action for 3g Detach	
CSCwc42261	SGW is rejecting the attach even it is emergency apn/subscriber.	
CSCvw48686	k8s-ss-mismatch	smi
CSCwc95110	[RCM-VM]: Nessus scan vulnerabilities on RCM-VM build 21.23.27 (20220825-090648Z)	smi

#### Resolved Bugs in this Release

Bug ID	Headline	Product Found*
CSCwb90690	Doc for "show subscribers summary apn 'apn-name' connected-time " to be added	staros
CSCwe36928	[ares] AFIO - by default disable fabric device register dump collection when DCH FIFOs overflow	staros
CSCwd08112	CPVM hanged in context initializing state after CF changeover by DI Internal fluctuation	staros
CSCvz94977	Maximum number of NTP servers	staros
CSCwa37867	GRE Tunnel with KA not coming up after Card Migration	staros
CSCwb41992	MACs algorithm configuration does not operate as expected	staros
CSCwd07968	aaamgr going to warn/over state again and again	staros
CSCvy44932	DPC2 card may be marked offline following DDF2 FPGA reporting an error	staros
CSCwa40585	Vpnmgr restart @ vpnmgr_check_addr_conflict()	staros
CSCwb21297	Sx TX HB Request count not increasing on CNDP DATA UPFs	upf
* Information in	the "Product Found" column identifies the product in which the bug was initially identified.	

## Resolved Bugs in this Release

The following table lists the known bugs that are resolved in this specific software release.

**NOTE:** This software release may contain bug fixes first introduced in other releases. Additional information for all resolved bugs for this release are available in the <u>Cisco Bug Search Tool</u>.

Table 4 - Resolved Bugs in this Release

dline	Product Found*		
tional logging to find reason for S6a notify req with wrong realm	mme		
* Information in the "Product Found" column identifies the product in which the bug was initially identified.			

# **Operator Notes**


## StarOS Version Numbering System

The output of the **show version** command displays detailed information about the version of StarOS currently running on the ASR 5x00 or Cisco Virtualized Packet Core platform.


Prior to release 16.1, the *Image Version* field displayed a branch of software including the build number, for example "16.0 (55435)". Subsequent releases of software for the major release differed only in build number. Lab Quality/EFT releases versus deployment releases also differed only in build number.

From release 16.1 onwards, the output of the **show version** command, as well as the terminology used to describe the Build Version Number fields, has changed. Additionally, **show version** will display slightly different information depending on whether or not a build is suitable for deployment.

The Version Build Number for releases between 16.1 and 21.0 include a major, maintenance, and emergency release number, for example "16.1.2".



The Version Build Number for releases 21.1 and later include a major and emergency release number, for example, "21.1.1".



In either scenario, the appropriate version number field increments after a version has been released. The new version numbering format is a contiguous sequential number that represents incremental changes between releases. This format will facilitate identifying the changes between releases when using Bug Search Tool to research software releases.

# **Release Package Descriptions**

<u>Table 5</u> provides descriptions for the packages that are available with this release.

Table 5 - Release Package Information

In 21.12.0 and later	In pre-21.12.0 Releases	Description	
Releases			
ASR 5500			
asr5500- <release>.zip</release>	asr5500- <release>.bin</release>	Contains the signed ASR 5500 software image, the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
asr5500_T- <release>.zip</release>	asr5500_T- <release>.bin</release>	Contains the signed, trusted ASR 5500 software image, the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
StarOS Companion Packa	ge		
companion- <release>.zip</release>	companion- <release>.tgz</release>	Contains numerous files pertaining to this version of the StarOS including SNMP MIBs, RADIUS dictionaries, ORBEM clients. These files pertain to both trusted and non-trusted build variants.	
		In 21.12.0 and later releases, the StarOS companion package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
VPC-DI			
qvpc-di- <release>.bin.zip</release>	qvpc-di- <release>.bin</release>	Contains the VPC-DI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.	
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
qvpc-di_T- <release>.bin.zip</release>	qvpc-di_T- <release>.bin</release>	Contains the trusted VPC-DI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.	
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
qvpc-di- <release>.iso.zip</release>	qvpc-di- <release>.iso</release>	Contains the VPC-DI ISO used for new deployments, a new virtual machine is manually created and configured to boot from a CD image.	
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
qvpc-di_T- <release>.iso.zip</release>	qvpc-di_T- <release>.iso</release>	Contains the trusted VPC-DI ISO used for new deployments, a new virtual machine is manually created and configured to boot from a CD image.	
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	

In 21.12.0 and later	In nro 21 12 0 Poloscos	Description	
Releases	In pre-21.12.0 Releases	Description	
qvpc-di-template- vmware- <release>.zip</release>	qvpc-di-template- vmware- <release>.tgz</release>	Contains the VPC-DI binary software image that is used to on-board the software directly into VMware.	
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
qvpc-di-template- vmware_T- <release>.zip</release>	qvpc-di-template- vmware_T- <release>.tgz</release>	Contains the trusted VPC-DI binary software image that is used to onboard the software directly into VMware.	
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
qvpc-di-template-libvirt- kvm- <release>.zip</release>	qvpc-di-template-libvirt- kvm- <release>.tgz</release>	Contains the same VPC-DI ISO identified above and additional installation files for using it on KVM.	
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
qvpc-di-template-libvirt- kvm_T- <release>.zip</release>	qvpc-di-template-libvirt- kvm_T- <release>.tgz</release>	Contains the same trusted VPC-DI ISO identified above and additional installation files for using it on KVM.	
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
qvpc-di- <release>.qcow2.zip</release>	qvpc-di- <release>.qcow2.tgz</release>	Contains the VPC-DI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack.	
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
qvpc-di_T- <release>.qcow2.zip</release>	qvpc-di_T- <release>.qcow2.tgz</release>	Contains the trusted VPC-DI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack.	
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	
VPC-SI	VPC-SI		
qvpc-si- <release>.bin.zip</release>	qvpc-si- <release>.bin</release>	Contains the VPC-SI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.	
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.	

In 21.12.0 and later Releases	In pre-21.12.0 Releases	Description
qvpc-si_T- <release>.bin.zip</release>	qvpc-si_T- <release>.bin</release>	Contains the trusted VPC-SI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si- <release>.iso.zip</release>	qvpc-si- <release>.iso</release>	Contains the VPC-SI ISO used for new deployments, a new virtual machine is manually created and configured to boot from a CD image.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si_T- <release>.iso.zip</release>	qvpc-si_T- <release>.iso</release>	Contains the trusted VPC-SI ISO used for new deployments a new virtual machine is manually created and configured to boot from a CD image.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template- vmware- <release>.zip</release>	qvpc-si-template- vmware- <release>.ova</release>	Contains the VPC-SI binary software image that is used to on-board the software directly into VMware.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template- vmware_T- <release>.zip</release>	qvpc-si-template- vmware_T-	Contains the trusted VPC-SI binary software image that is used to onboard the software directly into VMware.
	<release>.ova</release>	In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template-libvirt- kvm- <release>.zip</release>	qvpc-si-template-libvirt- kvm- <release>.tgz</release>	Contains the same VPC-SI ISO identified above and additional installation files for using it on KVM.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template-libvirt- kvm_T- <release>.zip</release>	qvpc-si-template-libvirt- kvm_T- <release>.tgz</release>	Contains the same trusted VPC-SI ISO identified above and additional installation files for using it on KVM.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si- <release>.qcow2.zip</release>	qvpc-si- <release>.qcow2.gz</release>	Contains the VPC-SI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.

In 21.12.0 and later Releases	In pre-21.12.0 Releases	Description
qvpc-si_T- <release>.qcow2.zip</release>	qvpc-si_T- <release>.qcow2.gz</release>	Contains the trusted VPC-SI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack.  In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
VPC Companion Package		
companion-vpc- <release>.zip</release>	companion-vpc- <release>.tgz</release>	Contains numerous files pertaining to this version of the VPC including SNMP MIBs, RADIUS dictionaries, ORBEM clients. These files pertain to both VPC-DI and VPC-SI, and for trusted and non-trusted build variants.  In 21.12.0 and later releases, the VPC companion package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
Ultra Service Platform		
usp- <version>.iso</version>		The USP software package containing component RPMs (bundles).  Refer to Table 6 for descriptions of the specific bundles.
usp_T- <version>.iso</version>		The USP software package containing component RPMs (bundles). This bundle contains trusted images.  Refer to Table 6 for descriptions of the specific bundles.
usp_rpm_verify_utils- <version>.tar</version>		Contains information and utilities for verifying USP RPM integrity.

## Table 6 - USP ISO Bundles

USP Bundle Name	Description
usp-em-bundle- <version>-1.x86_64.rpm*</version>	The Element Manager (EM) Bundle RPM containing images and metadata for the Ultra Element Manager (UEM) module.
usp-ugp-bundle- <version>-1.x86_64.rpm*</version>	The Ultra Gateway Platform (UGP) Bundle RPM containing images for Ultra Packet core (VPC-DI). There are trusted and non-trusted image variants of this bundle.
usp-yang-bundle- <version>-1.x86_64.rpm</version>	The Yang Bundle RPM containing YANG data models including the VNFD and VNFR.
usp-uas-bundle- <version>-1.x86_64.rpm</version>	The Ultra Automation Services Bundle RPM containing AutoVNF, Ultra Web Services (UWS), and other automation packages.
usp-auto-it-bundle- <version>-1.x86_64.rpm</version>	The bundle containing the AutoIT packages required to deploy the UAS.
usp-vnfm-bundle- <version>-1.x86_64.rpm</version>	The VNFM Bundle RPM containing an image and a boot-up script for ESC (Elastic Service Controller).
ultram-manager- <version>-1.x86_64.rpm*</version>	This package contains the script and relevant files needed to deploy the Ultra M Manager Service.

Obtaining Documentation and Submitting a Service Request

\* These bundles are also distributed separately from the ISO.

# Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information, see *What's New in Cisco Product Documentation*, at: <a href="http://www.cisco.com/c/en/us/td/docs/general/whatsnew/whatsnew.html">http://www.cisco.com/c/en/us/td/docs/general/whatsnew/whatsnew.html</a>.

Subscribe to What's New in Cisco Product Documentation, which lists all new and revised Cisco technical documentation, as an RSS feed and deliver content directly to your desktop using a reader application. The RSS feeds are a free service.

Obtaining Documentation and Submitting a Service Request

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <a href="www.cisco.com/go/trademarks">www.cisco.com/go/trademarks</a>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2023 Cisco Systems, Inc. All rights reserved.