

# Release Notes for StarOS™ Software Version 21.28.7

First Published: August 31, 2023 Last Updated: August 31, 2023

#### Introduction

This Release Note identifies changes and issues related to this software release. This emergency release is based on release 21.28.6. These release notes are applicable to CUPS products.

## Release Package Version Information

Table 1 - Release Package Version Information

Software Packages	Version
StarOS packages	21.28.7 build 91059

## Feature and Behavior Changes

Refer to the Release Change Reference for a complete list of feature and behavior changes associated with this software release.

#### **Related Documentation**

For a complete list of documentation available for this release, go to <a href="http://www.cisco.com/c/en/us/support/wireless/asr-5000-series/products-installation-and-configuration-guides-list.html">http://www.cisco.com/c/en/us/support/wireless/asr-5000-series/products-installation-and-configuration-guides-list.html</a>.

## Installation and Upgrade Notes

This Release Note does not contain general installation and upgrade instructions. Refer to the existing installation documentation for specific installation and upgrade considerations.

## Firmware Updates

There are no firmware upgrades required for this release.


## Software Integrity Verification

To verify the integrity of the software image you have from Cisco, you can validate the SHA512 checksum information against the checksum identified by Cisco for the software.

Image checksum information is available through **Cisco.com Software Download Details.** To find the checksum, hover the mouse pointer over the software image you have downloaded.

Cisco Systems, Inc. www.cisco.com

Installation and Upgrade Notes



At the bottom you find the SHA512 checksum, if you do not see the whole checksum you can expand it by pressing the "..." at the end.

To validate the information, calculate a SHA512 checksum using the information in <u>Table 2</u> and verify that it matches either the one provided on the software download page.

To calculate a SHA512 checksum on your local desktop see Table 2.

Table 2 - Checksum Calculations per Operating System

Operating System	SHA512 checksum calculation command examples		
Microsoft Windows	Open a command line window and type the following command		
	> certutil.exe -hashfile <filename>. <extension> SHA512</extension></filename>		
Apple MAC	Open a terminal window and type the following command		
	\$ shasum -a 512 <filename>.<extension></extension></filename>		
Linux	Open a terminal window and type the following command		
	\$ sha512sum <filename>.<extension></extension></filename>		
	Or		
	<pre>\$ shasum -a 512 <filename>. <extension></extension></filename></pre>		
NOTES:			
<filename> is the name of the file.</filename>			
<pre><extension> is the file extension (e.gzip or .tgz).</extension></pre>			

If the SHA512 checksum matches, you can be sure that no one has tampered with the software image or the image has not been corrupted during download.

If the SHA512 checksum does not match, we advise you to not attempt upgrading any systems with the corrupted software image. Download the software again and verify the SHA512 checksum again. If there is a constant mismatch, please open a case with the Cisco Technical Assistance Center.

Open Bugs in this Release

### **Certificate Validation**

In 21.12.0 and later releases, software images for StarOS, VPC-DI, and VPC-SI, and the companion software packages for StarOS and VPC are signed via x509 certificates. In pre-21.12.0 releases, image signing is not supported for VPC-DI and VPC-SI images, and for StarOS and VPC companion software packages.

USP ISO images are signed with a GPG key.

For more information and instructions on how to validate the certificates, refer to the README file available with the respective software packages.

## Open Bugs in this Release

The following table lists the known bugs that were found in, and remain open in this software release.

**NOTE:** This software release may contain open bugs first identified in other releases. Additional information for all open bugs for this release are available in the <u>Cisco Bug Search Tool</u>.

Table 3 - Open Bugs in this Release

CSCwf26675 [BP-CUPS] Abnormal Release record closure for 3g call with custom38 dictionary cups-cp  CSCwf51104 [LI] Wrong timestamp format on event delivery interface cups-cp  CSCwf42495 [CUPS-CP] [LI] Third target interception for the same subscriber NOT working as expected cups-cp  CSCwe86265 Behavior of command documentation in CUPS-CP User Guide cups-cp  CSCw76574 [BP-CUPS] recovery-invalid-crr-clp-uplane-gtpu-session checkpoint error cups-up  CSCwh34447 No IMS Signaling is received on LMISF side cups-up  CSCwh3670 [CUPS-UP] Downlink total fp packets not shown correctly in case of http out of order packet cups-up  CSCwh20389 EGTPUPathFail not generated in CP node cups-up  CSCwh17135 Intermittent Mute call issue on 21.28.m10(90398) cups-up  CSCw73243 [BP-CUPS] Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23721 cups-up  CSCw673462 [BP-CUPS] Issessmgr 10396 error smgr_recovery.c:13989]Sessmgr-10Recover call from CRR failed post sR  CSCw683398 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up  CSCw29508 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up  CSCw673605 [BP-CUPS] Sessmgr 12341 error][essmgr_uplane.c:36574][SXAB] UE IP Address is different in Traffic cups-up  CSCw7704 StarOs add an un-expected gtpu-service ggsn  CSCw787704 StarOs add an un-expected gtpu-service ggsn  CSCw765963 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCw665963 sessmgr restart is seen when configuring and unconfiguring Lawful intercept CLIs multiple times mme	Bug ID	Headline	Product Found*
CSCwf42495 [CUPS-CP] [LI] Third target interception for the same subscriber NOT working as expected cups-cp CSCwe86265 Behavior of command documentation in CUPS-CP User Guide cups-up CSCw176574 [BP-CUPS] recovery-invalid-crr-clp-uplane-gtpu-session checkpoint error cups-up CSCwh43447 No IMS Signaling is received on LMISF side cups-up CSCwh03670 [CUPS-UP] Downlink total fp packets not shown correctly in case of http out of order packet cups-up CSCwh20389 EGTPUPathFail not generated in CP node cups-up CSCwh17135 Intermittent Mute call issue on 21.28.m10(90398) cups-up CSCwc73243 [BP-CUPS] Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23721 cups-up CSCwc73462 [BP-CUPS][sessmgr 10396 error]smgr_recovery.c:13989]Sessmgr-10Recover call from CRR failed post SR CSCwb83398 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up CSCwc29508 [BP-CUPS][sessmgr 12341 error][essmgr_uplane.c:36574][SXAB] UE IP Address is different in Traffic cups-up CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg CSCwf87704 StarOs add an un-expected gtpu-service ggsn CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwf26675	[BP-CUPS] Abnormal Release record closure for 3g call with custom38 dictionary	cups-cp
CSCwe86265 Behavior of command documentation in CUPS-CP User Guide cups-cp  CSCvu76574 [BP-CUPS] recovery-invalid-crr-clp-uplane-gtpu-session checkpoint error cups-up  CSCwh43447 No IMS Signaling is received on LMISF side cups-up  CSCwh03670 [CUPS-UP] Downlink total fp packets not shown correctly in case of http out of order packet cups-up  CSCwh20389 EGTPUPathFail not generated in CP node cups-up  CSCwh17135 Intermittent Mute call issue on 21.28.m10(90398) cups-up  CSCwc73243 [BP-CUPS] Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23721 cups-up  CSCwc73462 [BP-CUPS][sessmgr 10396 error]smgr_recovery.c:13989]Sessmgr-10Recover call from CRR failed post SR  CSCwb83398 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up  CSCwc29508 [BP-CUPS][sessmgr 12341 error][essmgr_uplane.c:36574][SXAB] UE IP Address is different in Traffic cups-up  CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up  CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwf51104	[LI] Wrong timestamp format on event delivery interface	cups-cp
CSCvu76574 [BP-CUPS] recovery-invalid-crr-clp-uplane-gtpu-session checkpoint error cups-up  CSCwh43447 No IMS Signaling is received on LMISF side cups-up  CSCwh03670 [CUPS-UP] Downlink total fp packets not shown correctly in case of http out of order packet cups-up  CSCwh20389 EGTPUPathFail not generated in CP node cups-up  CSCwh17135 Intermittent Mute call issue on 21.28.m10(90398)  CSCwc73243 [BP-CUPS] Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23721 cups-up  CSCwe73462 [BP-CUPS][sessmgr 10396 error]smgr_recovery.c:13989]Sessmgr-10Recover call from CRR failed post SR  CSCwb83398 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up  CSCwc29508 [BP-CUPS][sessmgr 12341 error][essmgr_uplane.c:36574][SXAB] UE IP Address is different in Traffic cups-up  CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up  CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwf42495	[CUPS-CP] [LI] Third target interception for the same subscriber NOT working as expected	cups-cp
CSCwh03670 [CUPS-UP] Downlink total fp packets not shown correctly in case of http out of order packet cups-up  CSCwh20389 EGTPUPathFail not generated in CP node cups-up  CSCwh17135 Intermittent Mute call issue on 21.28.m10(90398)  CSCwc73243 [BP-CUPS] Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23721 cups-up  CSCwc73462 [BP-CUPS] [sessmgr 10396 error]smgr_recovery.c:13989]Sessmgr-10Recover call from CRR failed post SR  CSCwb83398 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up  CSCwc29508 [BP-CUPS] [sessmgr 12341 error] [essmgr_uplane.c:36574] [SXAB] UE IP Address is different in Traffic cups-up  CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up  CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwe86265	Behavior of command documentation in CUPS-CP User Guide	cups-cp
CSCwh03670 [CUPS-UP] Downlink total fp packets not shown correctly in case of http out of order packet cups-up  CSCwh20389 EGTPUPathFail not generated in CP node  CSCwh17135 Intermittent Mute call issue on 21.28.m10(90398)  CSCwc73243 [BP-CUPS] Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23721 cups-up  CSCwe73462 [BP-CUPS][sessmgr 10396 error]smgr_recovery.c:13989]Sessmgr-10Recover call from CRR failed post SR  CSCwb83398 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up  CSCwc29508 [BP-CUPS][sessmgr 12341 error][essmgr_uplane.c:36574][SXAB] UE IP Address is different in Traffic cups-up  CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up  CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCvu76574	[BP-CUPS] recovery-invalid-crr-clp-uplane-gtpu-session checkpoint error	cups-up
CSCwh20389 EGTPUPathFail not generated in CP node cups-up  CSCwh17135 Intermittent Mute call issue on 21.28.m10(90398) cups-up  CSCwc73243 [BP-CUPS] Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23721 cups-up  CSCwe73462 [BP-CUPS][sessmgr 10396 error]smgr_recovery.c:13989]Sessmgr-10Recover call from CRR failed post SR  CSCwb83398 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up  CSCwc29508 [BP-CUPS][sessmgr 12341 error][essmgr_uplane.c:36574][SXAB] UE IP Address is different in Traffic cups-up  CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up  CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwh43447	No IMS Signaling is received on LMISF side	cups-up
CSCwh17135 Intermittent Mute call issue on 21.28.m10(90398) cups-up  CSCwc73243 [BP-CUPS] Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23721 cups-up  CSCwe73462 [BP-CUPS][sessmgr 10396 error]smgr_recovery.c:13989]Sessmgr-10Recover call from CRR failed post SR  CSCwb83398 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up  CSCwc29508 [BP-CUPS][sessmgr 12341 error][essmgr_uplane.c:36574][SXAB] UE IP Address is different in Traffic cups-up  CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up  CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwh03670	[CUPS-UP] Downlink total fp packets not shown correctly in case of http out of order packet	cups-up
CSCwc73243 [BP-CUPS] Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23721 cups-up  CSCwe73462 [BP-CUPS][sessmgr 10396 error]smgr_recovery.c:13989]Sessmgr-10Recover call from CRR failed post SR  CSCwb83398 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up  CSCwc29508 [BP-CUPS][sessmgr 12341 error][essmgr_uplane.c:36574][SXAB] UE IP Address is different in Traffic cups-up  CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up  CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwh20389	EGTPUPathFail not generated in CP node	cups-up
CSCwe73462 [BP-CUPS][sessmgr 10396 error]smgr_recovery.c:13989]Sessmgr-10Recover call from CRR failed post cups-up  CSCwb83398 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up  CSCwc29508 [BP-CUPS][sessmgr 12341 error][essmgr_uplane.c:36574][SXAB] UE IP Address is different in Traffic cups-up  CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up  CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwh17135	Intermittent Mute call issue on 21.28.m10(90398)	cups-up
CSCwb83398 [BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP cups-up  CSCwc29508 [BP-CUPS] [sessmgr 12341 error] [essmgr_uplane.c:36574] [SXAB] UE IP Address is different in Traffic cups-up  CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up  CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwc73243	[BP-CUPS] Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23721	cups-up
CSCwc29508 [BP-CUPS][sessmgr 12341 error][essmgr_uplane.c:36574][SXAB] UE IP Address is different in Traffic cups-up  CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up  CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwe73462	1 2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	cups-up
CSCwh01131 "Mon sub feature cases are not working for Pures, Purep and Collapsed call model" cups-up  CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwb83398	[BP-CUPS] Lots of error logs GTPU Recover Session Failed for GTP-u Peer on standby UP	cups-up
CSCwf13605 ipsecdemux crash on asr5500 during crypto call model longevity epdg  CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwc29508	[BP-CUPS][sessmgr 12341 error][essmgr_uplane.c:36574][SXAB] UE IP Address is different in Traffic	cups-up
CSCwf87704 StarOs add an un-expected gtpu-service ggsn  CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwh01131	"Mon sub feature cases are not working for Pures, Purep and Collapsed call model"	cups-up
CSCwf92141 [MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283() mme  CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwf13605	ipsecdemux crash on asr5500 during crypto call model longevity	epdg
CSCwh04501 mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function mme	CSCwf87704	StarOs add an un-expected gtpu-service	ggsn
	CSCwf92141	[MME] SessMgr restart at mme_egptc_set_pdn_state.isra.283()	mme
CSCwc65963 sessmgr restart is seen when configuring and unconfiguring Lawful intercept CLIs multiple times mme	CSCwh04501	mmemgr crash in mmemgr_rx_sctp_pdu_from_mmedemux() function	mme
	CSCwc65963	sessmgr restart is seen when configuring and unconfiguring Lawful intercept CLIs multiple times	mme

## Open Bugs in this Release

	T	1
Bug ID	Headline	Product Found*
CSCwh25258	[MFP] mobility-library used to upgrade p2p does not handle properly p2p with 4 sets of digits (w ER)	nso-mob-fp
CSCwd29108	[NSO-MOB-FP] error with nfv-vim package with NSO 5.7.6.2 or 5.8.4 or 5.6.8 and MFP 3.4	nso-mob-fp
CSCwf87596	"On qvpc, MPLS/VPN - Staros is reversing the bottom/top labels"	pdn-gw
CSCwh39018	Need CLI user guide support for new CLI as part of CSCwf90908	pdn-gw
CSCwe62325	Ubuntu 16.04 ESM/18.04LTS/20.04LTS/22.04LTS/22.10 : systemd vulnerability seen in RCM VM Nessus Scan	rcm
CSCwf75570	ApacheTomcat 9.0.71 <9.0.74 DoS and ApacheTomcat 9.0.0 > 9.0.75 vulnerabilities in 21.28.mx/x RCMVM	rcm
CSCwb74230	Switchover statistics info is missing in Switchover verbose statistics.	rcm
CSCwd91543	IKE notify packets are not responded after pod reload	rcm
CSCwc10141	keepalived to controller notification fails but no retry	rcm
CSCwc53741	Checkpointed information lost after checkpointmgr pod restart	rcm
CSCwf93799	session manager Assertion failure at sess/snx/drivers/sgw/sgw_epsb_fsm.c	sgw
CSCwd27711	[UPF-SVI] : Uplane received invalid far id in PDU	smf
CSCwf08000	[SVI-UPF] Error logs Remove PDR PDR with ID observed	smf
CSCwf98183	[UPF-ST] Continuous error logs on active RCM UPF "Active and Inactive RAT pdr CH validation failed"	smf
CSCwe74835	[SMF-MONSUB]CLI instance id should be same in START/STOP of Trace.	smf
CSCwf01246	[UPF-ST] : Sessmgr error logs "[N4] UE IP Address is different in PDR with PDR ID "	smf
CSCwc67766	[UPF_SVI] N4 Session Report request is getting assigned wrong peer IP addr ::ffff:192.10.25.23	
CSCwf86536	[UPF-ST]: rx missed obsrerved in vpp show hardware interfaces discarding the flows	smi
CSCwd51484	Apache Tomcat 9.0.0-M1 Req Smuggling and Azul Zulu java (2022-10-18) Mulitple Vulnerabilities	
CSCwe79529	opscenter 2 container are crashing (confd & confd-notifications)	smi
CSCwd81548	[5GaaS] Edge proxy NFs rely on NF restarts to apply config changes	smi
CSCwf26822	push config-to-up all takes longer than 5mins to finish	staros
CSCwe51959	v21.28.mx as the upstream branch :: RHEL-8 Build Issues fix in downstream Dev Branch v21.28.ZVx	staros
CSCwf00180	[UPF-SVI]: Seen Error logs "[CDR 1966 - URR ID -2147435417]" with ICSR SW	upf
CSCwf62665	[UPF-MONSUB]:uplink data pkts going via slowpath are not captured in FP trace	upf
CSCwf96687	[UPF-ST] sm restart observed on stdby HUPF at sessmgr_recover_uplane_pdr_info() post sessmr recovery	upf
CSCwd99519	[UPF-ST] Error logs seen on UPF PDR not found with PDR ID 0x149 and Remove PDR PDR with ID 0x2ce	upf
CSCwf04131	[UPF-MONSUB]Extra Sx report for MONSUB report.	upf

#### Resolved Bugs in this Release

Bug ID	Headline	Product Found*			
CSCwf08057	7 [UPF-SVI] : Seen Update FAR not found with FAR ID 0x11e with RCM planned/Unplanned SW upf				
CSCwf11828 [UPF-ST]: Error logs Invalid FAR with id 5 received in PDU. IMSI: 311480071230621 Interface: N4 upf					
CSCwe80795 [UPF-MONSUB]GTPU end marker is not captured in slowpath pcap. upf					
CSCwh02919	CSCwh02919 [UPF-ST]: 4g converged and non converged calls getting drop with echo req/res on MPLS over N9 upf				
* Information i	* Information in the "Product Found" column identifies the product in which the bug was initially identified.				

# Resolved Bugs in this Release

The following table lists the known bugs that are resolved in this specific software release.

**NOTE:** This software release may contain bug fixes first introduced in other releases. Additional information for all resolved bugs for this release are available in the <u>Cisco Bug Search Tool</u>.

Table 4 - Resolved Bugs in this Release

Bug ID	Headline	Product Found*		
CSCwh16710	CUPS - GX monitoring: overcharging when 4g>3g HO occurs cups-			
CSCwf96709	CLI "event-update send-usage-report reset-usage" sending huge CCR-U msg towards PCRF with 0 usage	cups-cp		
CSCwf99858	SessMgr snap due to race condition	cups-cp		
CSCwe06468	CUPS CP: sessmgr restart seen in Function: sgwdrv_pdn_fsm_st_connected_evt_modify_bearer_ind()	cups-cp		
CSCwf86398	"After WLAN>LTE handover, CP is updating non-existing FAR, leading to handover failure."	cups-cp		
CSCwd70361	Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23427	cups-up		
CSCwf12887	Fatal Signal 11: smgr_uplane_rule_compare_icmp_type()			
CSCwc44211	CUPS UP - Upgrade from 21.23.n9 to 21.23.n10 observed higher RTT/delay between S1U/SGi	cups-up		
CSCwf83239	[S8HR-CUPS] Keepalives information not displayed correctly on UP			
CSCwe00049	sessmgr memory usage is increasing while number of subscribers remains mostly the same cups-up			
CSCwf90908	[SAEGW] PGW send EGTP_CAUSE_CONTEXT_NOT_FOUND the 3G > 4G when handover delay is 2.5 sec or less	pdn-gw		
CSCwd17939	Cwd17939 "In sGWRecord, changeTime appearing as before time from recordOpeningTime and duration sae-gw showing zero"			
CSCwf58771	[S8HR-Legacy] Observed junk values when switch-over to new active chassis and perform SM Recovery			
CSCwf84990	[S8HR-Legacy] - Sessmgr memory not recovered back once after Buffered packets flushed out	sgw		
* Information in	the "Product Found" column identifies the product in which the bug was initially identified.	1		

<sup>5</sup> 

## **Operator Notes**


#### StarOS Version Numbering System

The output of the **show version** command displays detailed information about the version of StarOS currently running on the ASR 5x00 or Cisco Virtualized Packet Core platform.


Prior to release 16.1, the *Image Version* field displayed a branch of software including the build number, for example "16.0 (55435)". Subsequent releases of software for the major release differed only in build number. Lab Quality/EFT releases versus deployment releases also differed only in build number.

From release 16.1 onwards, the output of the **show version** command, as well as the terminology used to describe the Build Version Number fields, has changed. Additionally, **show version** will display slightly different information depending on whether or not a build is suitable for deployment.

The Version Build Number for releases between 16.1 and 21.0 include a major, maintenance, and emergency release number, for example "16.1.2".



The Version Build Number for releases 21.1 and later include a major and emergency release number, for example, "21.1.1".



In either scenario, the appropriate version number field increments after a version has been released. The new version numbering format is a contiguous sequential number that represents incremental changes between releases. This format will facilitate identifying the changes between releases when using Bug Search Tool to research software releases.

# **Release Package Descriptions**

<u>Table 5</u> provides descriptions for the packages that are available with this release.

Table 5 - Release Package Information

In 21.12.0 and later	In pre-21.12.0 Releases	Description
Releases		
ASR 5500		
asr5500- <release>.zip</release>	asr5500- <release>.bin</release>	Contains the signed ASR 5500 software image, the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
asr5500_T- <release>.zip</release>	asr5500_T- <release>.bin</release>	Contains the signed, trusted ASR 5500 software image, the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
StarOS Companion Packa	ge	
companion- <release>.zip</release>	companion- <release>.tgz</release>	Contains numerous files pertaining to this version of the StarOS including SNMP MIBs, RADIUS dictionaries, ORBEM clients. These files pertain to
·	Ü	both trusted and non-trusted build variants.
		In 21.12.0 and later releases, the StarOS companion package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
VPC-DI		
qvpc-di- <release>.bin.zip</release>	qvpc-di- <release>.bin</release>	Contains the VPC-DI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di_T- <release>.bin.zip</release>	qvpc-di_T- <release>.bin</release>	Contains the trusted VPC-DI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di- <release>.iso.zip</release>	qvpc-di- <release>.iso</release>	Contains the VPC-DI ISO used for new deployments, a new virtual machine is manually created and configured to boot from a CD image.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di_T- <release>.iso.zip</release>	qvpc-di_T- <release>.iso</release>	Contains the trusted VPC-DI ISO used for new deployments, a new virtual machine is manually created and configured to boot from a CD image.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.

In 21 12 0 and later	In nro 21 12 0 Poloscos	Description
In 21.12.0 and later Releases	In pre-21.12.0 Releases	Description
qvpc-di-template- vmware- <release>.zip</release>	qvpc-di-template- vmware- <release>.tgz</release>	Contains the VPC-DI binary software image that is used to on-board the software directly into VMware.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di-template- vmware_T- <release>.zip</release>	qvpc-di-template- vmware_T- <release>.tgz</release>	Contains the trusted VPC-DI binary software image that is used to onboard the software directly into VMware.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di-template-libvirt- kvm- <release>.zip</release>	qvpc-di-template-libvirt- kvm- <release>.tgz</release>	Contains the same VPC-DI ISO identified above and additional installation files for using it on KVM.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di-template-libvirt- kvm_T- <release>.zip</release>	qvpc-di-template-libvirt- kvm_T- <release>.tgz</release>	Contains the same trusted VPC-DI ISO identified above and additional installation files for using it on KVM.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di- <release>.qcow2.zip</release>	qvpc-di- <release>.qcow2.tgz</release>	Contains the VPC-DI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di_T- <release>.qcow2.zip</release>	qvpc-di_T- <release>.qcow2.tgz</release>	Contains the trusted VPC-DI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
VPC-SI		
qvpc-si- <release>.bin.zip</release>	qvpc-si- <release>.bin</release>	Contains the VPC-SI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.

In 21.12.0 and later Releases	In pre-21.12.0 Releases	Description
qvpc-si_T- <release>.bin.zip</release>	qvpc-si_T- <release>.bin</release>	Contains the trusted VPC-SI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.  In 21.12.0 and later releases, this package also includes the signature file,
muno si gralanno ina sin	muna si aralangan isa	a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.  Contains the VPC-SI ISO used for new deployments, a new virtual
qvpc-si- <release>.iso.zip</release>	qvpc-si- <release>.iso</release>	machine is manually created and configured to boot from a CD image.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si_T- <release>.iso.zip</release>	qvpc-si_T- <release>.iso</release>	Contains the trusted VPC-SI ISO used for new deployments a new virtual machine is manually created and configured to boot from a CD image.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template- vmware- <release>.zip</release>	qvpc-si-template- vmware- <release>.ova</release>	Contains the VPC-SI binary software image that is used to on-board the software directly into VMware.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template- vmware_T- <release>.zip</release>	qvpc-si-template- vmware_T- <release>.ova</release>	Contains the trusted VPC-SI binary software image that is used to onboard the software directly into VMware.
	Neleasez.ova	In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template-libvirt- kvm- <release>.zip</release>	qvpc-si-template-libvirt- kvm- <release>.tgz</release>	Contains the same VPC-SI ISO identified above and additional installation files for using it on KVM.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template-libvirt- kvm_T- <release>.zip</release>	qvpc-si-template-libvirt- kvm_T- <release>.tgz</release>	Contains the same trusted VPC-SI ISO identified above and additional installation files for using it on KVM.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si- <release>.qcow2.zip</release>	qvpc-si- <release>.qcow2.gz</release>	Contains the VPC-SI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.

In pre-21.12.0 Releases	Description
qvpc-si_T- <release>.qcow2.gz</release>	Contains the trusted VPC-SI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack.
	In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
companion-vpc- <release>.tgz</release>	Contains numerous files pertaining to this version of the VPC including SNMP MIBs, RADIUS dictionaries, ORBEM clients. These files pertain to both VPC-DI and VPC-SI, and for trusted and non-trusted build variants.  In 21.12.0 and later releases, the VPC companion package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
	The USP software package containing component RPMs (bundles).  Refer to Table 6 for descriptions of the specific bundles.
	The USP software package containing component RPMs (bundles). This bundle contains trusted images.
sion>.tar	Refer to <u>Table 6</u> for descriptions of the specific bundles.  Contains information and utilities for verifying USP RPM integrity.
	qvpc-si_T- <release>.qcow2.gz  companion-vpc- <release>.tgz</release></release>

#### Table 6 - USP ISO Bundles

USP Bundle Name	Description
usp-em-bundle- <version>-1.x86_64.rpm*</version>	The Element Manager (EM) Bundle RPM containing images and metadata for the Ultra Element Manager (UEM) module.
usp-ugp-bundle- <version>-1.x86_64.rpm*</version>	The Ultra Gateway Platform (UGP) Bundle RPM containing images for Ultra Packet core (VPC-DI). There are trusted and non-trusted image variants of this bundle.
usp-yang-bundle- <version>-1.x86_64.rpm</version>	The Yang Bundle RPM containing YANG data models including the VNFD and VNFR.
usp-uas-bundle- <version>-1.x86_64.rpm</version>	The Ultra Automation Services Bundle RPM containing AutoVNF, Ultra Web Services (UWS), and other automation packages.
usp-auto-it-bundle- <version>-1.x86_64.rpm</version>	The bundle containing the AutoIT packages required to deploy the UAS.
usp-vnfm-bundle- <version>-1.x86_64.rpm</version>	The VNFM Bundle RPM containing an image and a boot-up script for ESC (Elastic Service Controller).
ultram-manager- <version>-1.x86_64.rpm*</version>	This package contains the script and relevant files needed to deploy the Ultra M Manager Service.

Obtaining Documentation and Submitting a Service Request

\* These bundles are also distributed separately from the ISO.

# Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information, see *What's New in Cisco Product Documentation*, at: <a href="http://www.cisco.com/c/en/us/td/docs/general/whatsnew/whatsnew.html">http://www.cisco.com/c/en/us/td/docs/general/whatsnew/whatsnew.html</a>.

Subscribe to What's New in Cisco Product Documentation, which lists all new and revised Cisco technical documentation, as an RSS feed and deliver content directly to your desktop using a reader application. The RSS feeds are a free service.

Obtaining Documentation and Submitting a Service Request

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <a href="www.cisco.com/go/trademarks">www.cisco.com/go/trademarks</a>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2023 Cisco Systems, Inc. All rights reserved.