



Service Description: Advanced Services – Fixed Price

Cisco QuickStart Implementation Service for Tetration Analytics – Medium

(ASF-DCV1-TA-QS-M)

This document describes Advanced Services Fixed Price: Cisco QuickStart Implementation Service for Tetration Analytics – Medium.

Related Documents: This document should be read in conjunction with the following documents also posted at www.cisco.com/go/servicedescriptions/: (1) Glossary of Terms; (2) List of Services Not Covered. All capitalized terms in this description have the meaning ascribed to them in the Glossary of Terms.

Direct Sale from Cisco. If you have purchased these Services directly from Cisco for your own internal use, this document is incorporated into your Master Services Agreement, Advanced Services Agreement, or other services agreement covering the purchase of Advanced Services-based services with Cisco ("Master Agreement"). If no such Master Agreement exists, then this Service Description will be governed by the terms and conditions set forth in the Terms & Conditions Agreement posted at http://www.cisco.com/web/about/doing_business/legal/terms_conditions.html. If you have purchased these Services directly from Cisco for resale purposes, this document is incorporated into your System Integrator Agreement or other services agreement covering the resale of Advanced Services ("Master Resale Agreement"). If the Master Resale Agreement does not contain the terms for the Purchase and Resale of Cisco Advanced Services or equivalent terms and conditions, then this Service Description will be governed by the terms and conditions of the Master Resale Agreement and those terms and conditions set forth in the SOW Resale Terms & Conditions Agreement posted at: http://www.cisco.com/web/about/doing_business/legal/terms_conditions.html. For purposes of the SOW Resale Terms and Conditions this Service Description shall be deemed as a Statement of Work ("SOW"). In the event of a conflict between this Service Description and the Master Agreement or equivalent services exhibit or agreement, this Service Description shall govern.

Sale via Cisco Authorized Reseller. If you have purchased these Services through a Cisco Authorized Reseller, this document is for description purposes only; is not a contract between you and Cisco. The contract, if

any, governing the provision of this Service will be the one between you and your Cisco Authorized Reseller. Your Cisco Authorized Reseller should provide this document to you, or you can obtain a copy of this and other Cisco service descriptions at www.cisco.com/go/servicedescriptions/.

Cisco QuickStart Implementation Service for Tetration Analytics - Medium

Service Summary

This service covers the following areas:

- Project Management
- Tetration Analytics Solution:
 - Cluster Bring up
 - Sensor Install
 - Application Dependency Mapping
 - Dashboard Creation
 - Knowledge Transfer

Deliverables

- 1) Project Management Plan ("PMP")
- 2) Tetration Analytic As-Built document

Location of Services

Services shall be performed as a combination of remote from Cisco Site(s) and onsite at Customer premises. This is limited to a single Customer site or stretched fabric deployment.

Project Management

Project management will be provided in conjunction with and is limited to the management of the Services and Deliverables as described herein.

Cisco Responsibilities

- Provide the Customer with a list of designated Cisco personnel roles and responsibilities under this Service.

- Provide a Project Management Plan (“PMP”). PMP is a baseline document from which the Cisco PM can manage deliverables, assess progress, and manage change management issues and any on-going questions.
- Work with Customer to identify and document dependencies, risks and issues associated with the successful completion of the project.
- Provide Customer with the Integration Pre-Requisite Checklist. The Integration Pre-Requisite Checklist is a Cisco provided document that provides a detailed specification of the physical, electrical and environmental requirements that have to be met at the installation Site(s) to enable the Cisco Products to be installed.
- Participate in scheduled project review meetings or conference calls, if required.
- Provide Customer with the identity of personnel requiring access to Customer premises, at least five (5) Business Days prior to the scheduled date such personnel requires access.
- Deliver a weekly project status to the Customer.
- Identify and manage project team members.
- Define the communication flow with the project sponsor and key stakeholders and document it in the Project Plan.
- Work with Customer to identify and document dependencies, risks and issues associated with the successful completion of the project.
- Provide the following:
 - Kick-off Meeting
 - Scheduling of Cisco Resources
 - Project Plan
 - Change Management
 - Manage the project to the agreed upon Project Plan.
- Schedule the necessary facilities for On Site meetings (such as: conference rooms, projectors and conference bridges).
- Participate in regularly scheduled project review meetings or conference calls.
- On site meetings. When Cisco consultants travel on site, all required Customer responsible parties will attend in person, as necessary whenever possible.
- Work with Cisco to identify specific objectives and critical success factors for the project.
- Coordinate any third party activities (such as in country carrier/telco activities), deliverables or schedules as required for Cisco’s completion of the services.
- Notify Cisco of any scheduling changes related to this project at least five (5) Business Days ahead of the scheduled activity.

Tetration Cluster Bring-Up

Cisco Responsibilities:

- Conduct one (1) on site workshop for a maximum of ten (10) Customer stakeholders to review business requirements and set expectations
- Cisco to provide the Customer with a Pre-Requisite Site Preparation Document, ten (10) days prior to Cisco arriving on site.
- Cisco to provide the Customer with a Cluster Parameter Definition Document – document to be completed by Customer and returned to Cisco five (5) days prior to Cisco arriving on site.
- Cisco to perform relevant checks on one Tetration cluster, after the Customer has powered it on.
- Cisco to set up the Tetration Analytics software using the workstation provided by Customer, using the site-info information provided by the Customer
- Cisco will create an As-Built report containing the following:
 - Site information with Tetration Cluster

Customer Responsibilities

- Provide Cisco with completed responses to the Pre-Installation Checklist within ten (10) Business Days of receipt
- Identify Customer’s project sponsor and key stakeholders and define their role in supporting this project.
- Work with the Cisco Project Manager to ensure the Customer’s project sponsor, key stakeholders and all project team members receive project communications and are included in regularly scheduled communications sessions.
- Work with Cisco to schedule the kick off meeting, and communicate the meeting schedule to the Customer-identified stakeholders.
- Review the project schedule, objectives, Services, Deliverables and roles and responsibilities with Cisco.

Customer Responsibilities:

- Customer responsible for ensuring that the Tetration rack(s) are powered on and have the right environmental conditions available, as dictated by the environment checklist provided by Cisco
- Customer responsible for providing connectivity between the Tetration racks as per Cisco specifications (Inter-rack cabling and Tetration-to-customer network infrastructure connectivity)
- Customer responsible for obtaining the Tetration Analytics package installer from CCO and making it available for Cisco

- Customer to provide an email alias that may be created specifically for admin emails for Tetration Analytics
- Customer responsible for providing site info, via the template provided during kick-off.
- Customer to provide facilities for needed interviews
- Customer responsible for ensuring that Tetration rack can connect to the customer network over network ports (TCP/UDP) specified by Cisco.
- Customer to provide Cisco representative physical access to the cluster.
- Customer to provide a workstation with physical access to the cluster. The workstation should be:
 - Have physical wired access to the cluster
 - Have access to UI in the cluster over Chrome browser, version **Version 49.0.2623.110 (64-bit)** or higher
 - Host the installer RPM package that will be used for setup
- Customer to allow Cisco set up the Tetration analytics software onto the cluster
- Customer to provide any assistance, as required by Cisco to troubleshoot any environmental or other issues, to bring up the cluster. The list of issues that Cisco may require assistance may be the following, but not limited to:
 - Cable issues
 - Power issues
 - RMA
 - Workstation issues
 - Corrupted Tetration Analytics software RPM due to improper download mechanisms, etc.
- Customer to provide an email address for Cisco to provide login credentials
- Customer to provide network access to Cisco personnel to login to the cluster with 'support-role' credentials:
 - For the duration of the service, local to the data center where the cluster is located
 - Allow access through a site-to-site VPN, as decided between the Customer and Cisco, wherever applicable
- Customer is responsible for providing a total of two layer 3 connectivity as required by Cisco, from the cluster to the network where the sensors will reside.
- Customer is responsible for providing the routing necessary to for the sensors to reach the cluster.
- Customer is responsible for providing the routing necessary to for the users to reach the cluster.
- Customer understands that only operating systems that are supported by Cisco's software sensors, as per the release notes, will be considered for deployment.

Sensor Support for Installation

Cisco Responsibilities:

- Cisco to provide access to sample scripts that Customer may use to install supported sensors. The format of the scripts will be decided by Cisco and could include one or more of:
 - Ansible
 - Chef
 - Puppet
 - Bash
 - Python
 - Powershell
- Cisco to use data from sensors for analysis of applications. The sensors will be deployed on hosts and/or switches that will provide flow data for the chosen applications.
- Cisco to assist customers during sensor deployment for up to 16 hours
- Cisco will include following in As-Built report, if applicable:
 - Number of sensors
 - Operating Systems deployed
 - Sensor profile information
 - Applicable automation scripts

Customer Responsibilities:

- Customer is responsible for requisitioning the change management windows needed for the agreed upon number of sensors to be deployed with Cisco support.
- Customer is responsible for installing the remainder of the total number of sensors on their hosts determined during the kick-off call between customer and Cisco
- Customer understands that Cisco will not assume any support responsibility for scripts provided to the customer during the course of the deployment
- Unless required by applicable law or agreed to in writing, the scripts are provided on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

Application Dependency Mapping (ADM) Run and Compliance

Cisco Responsibilities:

- Cisco to provide analysis of no more than two applications. Not to exceed 150 endpoints per application discovered with live sensors for example any IPv4/IPv6 address is an end point - as an input to the ADM run.
- Cisco to provide templates in Tetration Analytics canonical formats of SLB configurations, DNS and Route Tag configurations to customer.
- Cisco to provide recommendations pertaining to clusters/groupings for endpoints being analyzed.
- Cisco will conduct up to three (3) application reviews with customer per application.
- Cisco to create no more than two ADM workspaces per application being analyzed.
- Cisco to provide no more than three application views per ADM workspace, total number of views not to exceed six (6) for the two applications.
- Cisco to provide no more than 50 ADM runs/versions in total for the two applications being analyzed.
- Cisco to run no more than three live compliance analyses for published policies, per application.
- Cisco will provide an As-Built report containing the following, if applicable:
 - ADM Policy Export Report inclusive of following:
 - Whitelist policies between clusters
 - Microsegmented policies
 - Endpoints within an EPG
 - Compliance analyses and recommendations based on them
 - Application Views

Customer Responsibilities:

- Customer is responsible for providing application stakeholders to participate in up to three checkpoints/reviews per application being analyzed.
- Customer to provide stakeholder to review every ADM run results and 'approve EPGs/clusters' provided in results of every ADM iteration.
- Customer to provide stakeholders to participate in analysis of live and experimental compliance view results, as requested by Cisco
- Customer to provide stakeholders to participate in any discussions of creation of whitelist policies, as requested by Cisco
- Customer to use Tetration Analytics templates for DNS/SLB/Route-tags provided by Cisco to generate their configurations for providing them as input to the ADM analysis

Dashboard Creation

Cisco Responsibilities:

- Dashboard Creation – Cisco to configure one (1) dashboard view per customer requirements

Customer Responsibilities:

- Discuss Dashboard view requirements with Cisco.
- Customer understands that Cisco services would create these dashboard views using existing Cisco Tetration Software and scope of work does not include any custom software development.

Knowledge Transfer

Cisco Responsibilities:

- Cisco to provide remote knowledge transfer to no more than 15 customer representatives
- Knowledge transfer to last no more than 8 hours and shall include the following, but not limited to:
 - GUI walkthrough
 - ADM Analysis
 - Compliance Analysis
 - Exploring and Searching flows
 - Operationalizing Tetration Cluster

Customer Responsibilities:

- Customer to provide a list of up to 15 individuals that will be part of the knowledge transfer exercise

Project Assumptions and Exclusions

- Cisco to assist Customer in upgrading the cluster, assuming an upgrade is available to the Customer during the delivery of the Service.
- Cisco to assist Customer in operational activities limited to:
 - Creation of no more than ten (10) user accounts on the cluster.
 - Validate condition of cluster before and after upgrade through snapshots.
 - Validate that sensors that have been marked for auto-upgrade have been upgraded.
- No work can start on cluster initiation until Customer has returned all site information to Cisco project manager.
- Cisco will make commercially reasonable efforts to create a design capable of being automated by a third party or Cisco orchestration systems. However, Cisco cannot be responsible for any current or future third party software or implementations.
- Cisco will make every effort to align to Customer's third party hardware product vendors however Cisco Services will not be responsible for schedule impacts due to third party deliverables or dependencies.

- Customer is responsible for determination and implementation of Customer design requirements and implementation of any recommendations provided by Cisco. Cisco recommendations are based upon information provided to Cisco at the time of the services. In no event shall Cisco be liable for the accuracy or completeness of the information contained in the Cisco recommendations.
- Customer is responsible for system level and application end to end solution testing, acceptance and certification. Cisco to collaborate and provide architectural design and sub-system level testing for components in the data center.
- Customer will be responsible for migrating and testing all server based applications.
- Implementation/Migration Plan Execution Support does not include physical installation, racking and stacking of equipment, or physical cable installation.
- Customer shall supply the workplace policies, conditions and environment in effect at Customer Site(s). All data (designs, topologies, and requirements) provided by Customer are assumed to be current and valid.
- Customer shall integrate and validate any network monitoring solutions.
- IPv6 is excluded from this Service.
- Multicast configuration is excluded from this Service.
- All method of procedures (MOP) / detail migration plans regarding servers and applications are excluded from this Service. The MoP mentioned above is related to network elements only.
- This Service does not include any tool-based discovery and recording of network communication.
- Developing server, network devices and application inventories are not part of this Service.

Invoicing and Completion

Invoicing

Services will be invoiced upon completion of the Services.

Completion of Services

Cisco will provide written notification upon completion of the Services to Customer. Customer shall within five (5) Business Days of receipt of such notification provide written acknowledgement of Cisco's completion of the Services. Customer's failure to acknowledge completion of the Services or to provide reasons for rejection of the Services within the five (5) Business Day period signifies Customer's acceptance of completion of the Services in accordance with this Service Description.

Customer expressly understands and agrees that the Services shall take place and complete within ninety (90) calendar days from issuing a Purchase Order to Cisco for the Services herein.