



Open Source Used In AppDynamics Python Agent 25.10.0-rc1

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-2693667137

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-2693667137

Contents

1.1 libjpeg 6b

1.1.1 Notifications

1.1.2 Available under license

1.2 commons-math 2.2

1.2.1 Available under license

1.3 protobuf-java-format 1.2

1.3.1 Available under license

1.4 xerces-j 2.12.2

1.4.1 Available under license

1.5 httpcomponents-client 4.5.13

1.5.1 Available under license

1.6 httpcomponents-core 4.4.13

1.6.1 Available under license

1.7 httpcore-nio 4.4.13

1.7.1 Available under license

1.8 httpclient-cache 4.5.13

1.8.1 Available under license

1.9 error_prone_annotations 2.3.3

1.9.1 Available under license

1.10 opentelemetry-proto 0.11.0

1.10.1 Available under license

1.11 servlet-api 4.0.1

1.11.1 Available under license

1.12 zeromq 4.3.4

1.12.1 Available under license

1.13 log4j-api 2.17.1

- 1.13.1 Available under license
- 1.14 apache-log4j 2.17.1**
 - 1.14.1 Available under license
- 1.15 log4j-jcl 2.17.1**
 - 1.15.1 Available under license
- 1.16 jzmq-jni 3.1.1-SNAPSHOT**
 - 1.16.1 Available under license
- 1.17 jzmq-devices 3.1.1-SNAPSHOT**
 - 1.17.1 Available under license
- 1.18 jzmq 3.1.1-SNAPSHOT**
 - 1.18.1 Available under license
- 1.19 jzmq-core 3.1.1-SNAPSHOT**
 - 1.19.1 Available under license
- 1.20 xerces-j 2.12.2**
 - 1.20.1 Available under license
- 1.21 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**
 - 1.21.1 Available under license
- 1.22 httpcomponents-mime 4.5.14**
 - 1.22.1 Available under license
- 1.23 jctools-core 4.0.1**
 - 1.23.1 Available under license
- 1.24 error_prone_annotations 2.18.0**
 - 1.24.1 Available under license
- 1.25 gson 2.10.1**
 - 1.25.1 Available under license
- 1.26 okhttp 4.11.0**
 - 1.26.1 Available under license
- 1.27 guava 32.0.1-jre**
 - 1.27.1 Available under license
- 1.28 free-type 2.13.2**
 - 1.28.1 Available under license
- 1.29 j2objc-annotations 2.8**
 - 1.29.1 Available under license
- 1.30 animal-sniffer-annotation 1.23**
 - 1.30.1 Available under license
- 1.31 kotlin 1.9.10**
 - 1.31.1 Available under license
- 1.32 okio 3.6.0**
 - 1.32.1 Available under license

1.33 guava 32.1.3-jre

1.33.1 Available under license

1.34 jline 3.22.0

1.34.1 Available under license

1.35 lcms 2.16

1.35.1 Available under license

1.36 zt 1.16

1.36.1 Available under license

1.37 giflib 5.2.2

1.37.1 Available under license

1.38 libpng 1.6.43

1.38.1 Available under license

1.39 libcap-ng 0.8.5-r0

1.39.1 Available under license

1.40 libeconf 0.6.3-r0

1.40.1 Available under license

1.41 jsr305 3.0.2

1.41.1 Available under license

1.42 disruptor 2.11.2.3

1.42.1 Available under license

1.43 perfmark-api 0.17.0

1.43.1 Available under license

1.44 jline 3.26.1

1.44.1 Available under license

1.45 commons-codec 1.17.1

1.45.1 Available under license

1.46 alpine-keys 2.5-r0

1.46.1 Available under license

1.47 free-type 2.13.3

1.47.1 Available under license

1.48 slf4j 2.0.16

1.48.1 Available under license

1.49 opentelemetry-exporter-otlp 1.29.0

1.49.1 Available under license

1.50 zlib 1.3.1-r2

1.50.1 Available under license

1.51 commons-io 2.17.0

1.51.1 Available under license

1.52 pax-utils 1.3.8-r1

1.52.1 Available under license

1.53 asm 9.7.1

1.53.1 Available under license

1.54 jackson 2.17.3

1.54.1 Available under license

1.55 jackson-databind 2.17.3

1.55.1 Available under license

1.56 annotations 13.0

1.56.1 Available under license

1.57 jackson-dataformat-yaml 2.17.3

1.57.1 Available under license

1.58 error_prone_annotations 2.23.0

1.58.1 Available under license

1.59 opentelemetry-semconv 1.29.0-alpha

1.59.1 Available under license

1.60 opentelemetry-sdk-extension-autoconfigure-spi 1.29.0

1.60.1 Available under license

1.61 dagger 2.4

1.61.1 Available under license

1.62 musl 1.2.5-r10

1.62.1 Available under license

1.63 lcms 2.17

1.63.1 Available under license

1.64 alpine-baselayout 3.7.0-r0

1.64.1 Available under license

1.65 commons-codec 1.14

1.65.1 Available under license

1.66 openjdk-jre 11.0.27u6

1.66.1 Available under license

1.67 openjdk 11.0.27u6

1.67.1 Available under license

1.68 skalibs 2.14.4.0-r0

1.68.1 Available under license

1.69 ncurses 6.5_p20250503-r0

1.69.1 Available under license

1.70 cpp 14.2.0-r6

1.70.1 Available under license

1.71 utmps 0.1.3.1-r0

1.71.1 Available under license

1.72 util-linux 2.41-r9

1.72.1 Available under license

1.73 fdisk 2.41.0

1.73.1 Available under license

1.74 pam 1.7.0-r4

1.74.1 Available under license

1.75 apk-tools 2.14.9-r3

1.75.1 Available under license

1.76 protobuf-java 3.25.8

1.76.1 Available under license

1.77 commons-fileupload 1.6.0

1.77.1 Available under license

1.78 busybox 1.37.0-r19

1.78.1 Available under license

1.79 openjdk 11.0.28

1.79.1 Available under license

1.80 asm 6.0

1.80.1 Available under license

1.81 openjdk 11.0.28u6

1.81.1 Available under license

1.82 openjdk-jre 11.0.28u6

1.82.1 Available under license

1.83 commons-logging 1.3.4

1.83.1 Available under license

1.84 jackson-annotations 2.17.3

1.84.1 Available under license

1.85 annotations 4.1.1.4

1.85.1 Available under license

1.86 openssl 3.5.4-r0

1.86.1 Available under license

1.87 ca-certificates 20250911-r0

1.87.1 Available under license

1.88 failureaccess 1.0.1

1.88.1 Available under license

1.89 alpine-base 3.22.2-r0

1.89.1 Available under license

1.1 libjpeg 6b

1.1.1 Notifications :

This software is based in part on the work of the Independent JPEG Group.

1.1.2 Available under license :

The Independent JPEG Group's JPEG software

=====

README for release 6b of 27-Mar-1998

=====

This distribution contains the sixth public release of the Independent JPEG Group's free JPEG software. You are welcome to redistribute this software and to use it for any purpose, subject to the conditions under LEGAL ISSUES, below.

Serious users of this software (particularly those incorporating it into larger programs) should contact IJG at jpeg-info@uunet.uu.net to be added to our electronic mailing list. Mailing list members are notified of updates and have a chance to participate in technical discussions, etc.

This software is the work of Tom Lane, Philip Gladstone, Jim Boucher, Lee Crocker, Julian Minguillon, Luis Ortiz, George Phillips, Davide Rossi, Guido Vollbeding, Ge' Weijers, and other members of the Independent JPEG Group.

IJG is not affiliated with the official ISO JPEG standards committee.

DOCUMENTATION

ROADMAP

=====

This file contains the following sections:

OVERVIEW	General description of JPEG and the IJG software.
LEGAL ISSUES	Copyright, lack of warranty, terms of distribution.
REFERENCES	Where to learn more about JPEG.
ARCHIVE LOCATIONS	Where to find newer versions of this software.
RELATED SOFTWARE	Other stuff you should get.
FILE FORMAT WARS	Software *not* to get.
TO DO	Plans for future IJG releases.

Other documentation files in the distribution are:

User documentation:

install.doc	How to configure and install the IJG software.
usage.doc	Usage instructions for cjpeg, djpeg, jpegtran,

rdjpgcom, and wrjpgcom.

*.1 Unix-style man pages for programs (same info as usage.doc).

wizard.doc Advanced usage instructions for JPEG wizards only.

change.log Version-to-version change highlights.

Programmer and internal

documentation:

libjpeg.doc How to use the JPEG library in your own programs.

example.c Sample code for calling the JPEG library.

structure.doc Overview of the JPEG library's internal structure.

filelist.doc Road map of IJG files.

coderules.doc Coding style rules --- please read if you contribute code.

Please read at least the files install.doc and usage.doc. Useful information can also be found in the JPEG FAQ (Frequently Asked Questions) article. See ARCHIVE LOCATIONS below to find out where to obtain the FAQ article.

If you want to understand how the JPEG code works, we suggest reading one or more of the REFERENCES, then looking at the documentation files (in roughly the order listed) before diving into the code.

OVERVIEW

=====

This package contains C software to implement JPEG image compression and decompression. JPEG (pronounced "jay-peg") is a standardized compression method for full-color and gray-scale images.

JPEG is intended for compressing "real-world" scenes; line drawings, cartoons and other non-realistic images are not its strong suit. JPEG is lossy, meaning that the output image is not exactly identical to the input image. Hence you must not use JPEG if you have to have identical output bits. However, on typical photographic images, very good compression levels can be obtained with no visible change, and remarkably high compression levels are possible if you can tolerate a low-quality image. For more details, see the references, or just experiment with various compression settings.

This software implements JPEG baseline, extended-sequential, and progressive compression processes. Provision is made for supporting all variants of these processes, although some uncommon parameter settings aren't implemented yet. For legal reasons, we are not distributing code for the arithmetic-coding variants of JPEG; see LEGAL ISSUES. We have made no provision for supporting the hierarchical or lossless processes defined in the standard.

We provide a set of library routines for reading and writing JPEG image files, plus two sample applications "cjpeg" and "djpeg", which use the library to perform conversion between JPEG and some other popular image file formats.

The library is intended to be reused in other applications.

In order to support file conversion and viewing software, we have included considerable functionality beyond the bare JPEG coding/decoding capability; for example, the color quantization modules are not strictly part of JPEG decoding, but they are essential for output to colormapped file formats or colormapped displays. These extra functions can be compiled out of the library if not required for a particular application. We have also included "jpegtran", a utility for lossless transcoding between different JPEG processes, and "rdjpgcom" and "wrjpgcom", two simple applications for inserting and extracting textual comments in JFIF files.

The emphasis in designing this software has been on achieving portability and flexibility, while also making it fast enough to be useful. In particular, the software is not intended to be read as a tutorial on JPEG. (See the REFERENCES section for introductory material.) Rather, it is intended to be reliable, portable, industrial-strength code. We do not claim to have achieved that goal in every aspect of the software, but we strive for it.

We welcome the use of this software as a component of commercial products. No royalty is required, but we do ask for an acknowledgement in product documentation, as described under LEGAL ISSUES.

LEGAL ISSUES

=====

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi. Hence arithmetic

coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

REFERENCES

=====

We

highly recommend reading one or more of these references before trying to understand the innards of the JPEG software.

The best short technical introduction to the JPEG compression algorithm is Wallace, Gregory K. "The JPEG Still Picture Compression Standard", Communications of the ACM, April 1991 (vol. 34 no. 4), pp. 30-44. (Adjacent articles in that issue discuss MPEG motion picture compression, applications of JPEG, and related topics.) If you don't have the CACM issue handy, a PostScript file containing a revised version of Wallace's article is available at <ftp://ftp.uu.net/graphics/jpeg/wallace.ps.gz>. The file (actually a preprint for an article that appeared in IEEE Trans. Consumer Electronics) omits the sample images that appeared in CACM, but it includes corrections and some added material. Note: the Wallace article is copyright ACM and IEEE, and it may not be used for commercial purposes.

A somewhat less technical, more

leisurely introduction to JPEG can be found in

"The Data Compression Book" by Mark Nelson and Jean-loup Gailly, published by M&T Books (New York), 2nd ed. 1996, ISBN 1-55851-434-1. This book provides good explanations and example C code for a multitude of compression methods including JPEG. It is an excellent source if you are comfortable reading C code but don't know much about data compression in general. The book's JPEG sample code is far from industrial-strength, but when you are ready to look

at a full implementation, you've got one here...

The best full description of JPEG is the textbook "JPEG Still Image Data Compression Standard" by William B. Pennebaker and Joan L. Mitchell, published by Van Nostrand Reinhold, 1993, ISBN 0-442-01272-1. Price US\$59.95, 638 pp. The book includes the complete text of the ISO JPEG standards (DIS 10918-1 and draft DIS 10918-2). This is by far the most complete exposition of JPEG in existence, and we highly recommend it.

The

JPEG standard itself is not available electronically; you must order a paper copy through ISO or ITU. (Unless you feel a need to own a certified official copy, we recommend buying the Pennebaker and Mitchell book instead; it's much cheaper and includes a great deal of useful explanatory material.) In the USA, copies of the standard may be ordered from ANSI Sales at (212) 642-4900, or from Global Engineering Documents at (800) 854-7179. (ANSI doesn't take credit card orders, but Global does.) It's not cheap: as of 1992, ANSI was charging \$95 for Part 1 and \$47 for Part 2, plus 7% shipping/handling. The standard is divided into two parts, Part 1 being the actual specification, while Part 2 covers compliance testing methods. Part 1 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 1: Requirements and guidelines" and has document numbers ISO/IEC IS 10918-1, ITU-T T.81. Part 2 is titled "Digital Compression and Coding of Continuous-tone Still Images, Part 2: Compliance testing" and has document numbers ISO/IEC IS 10918-2, ITU-T T.83.

Some extensions to the original JPEG standard are defined in JPEG Part 3, a newer ISO standard numbered ISO/IEC IS 10918-3 and ITU-T T.84. IJG currently does not support any Part 3 extensions.

The JPEG standard does not specify all details of an interchangeable file format. For the omitted details we follow the "JFIF" conventions, revision 1.02. A copy of the JFIF spec is available from:

Literature Department

C-Cube Microsystems, Inc.

1778 McCarthy Blvd.

Milpitas, CA 95035

phone (408) 944-6300, fax (408) 944-6314

A PostScript version of this document is available by FTP at <ftp://ftp.uu.net/graphics/jpeg/jfif.ps.gz>. There is also a plain text version at <ftp://ftp.uu.net/graphics/jpeg/jfif.txt.gz>, but it is missing the figures.

The TIFF 6.0 file format specification can be obtained by FTP from <ftp://ftp.sgi.com/graphics/tiff/TIFF6.ps.gz>. The JPEG incorporation scheme found in the TIFF 6.0 spec of 3-June-92 has a number of serious problems.

IJG does not recommend use of the TIFF 6.0 design (TIFF Compression tag 6). Instead, we recommend the JPEG design proposed by TIFF Technical Note #2 (Compression tag 7). Copies of this Note can be obtained from [ftp.sgi.com](ftp://ftp.sgi.com) or from <ftp://ftp.uu.net/graphics/jpeg/>. It is expected that the next revision of the TIFF spec will replace the 6.0 JPEG design with the Note's design. Although IJG's own code does not support TIFF/JPEG, the free libtiff library uses our library to implement TIFF/JPEG per the Note. libtiff is available from <ftp://ftp.sgi.com/graphics/tiff/>.

ARCHIVE LOCATIONS

=====

The "official" archive site for this software is [ftp.uu.net](ftp://ftp.uu.net) (Internet address 192.48.96.9). The most recent released version can always be found there in directory [graphics/jpeg](ftp://ftp.uu.net/graphics/jpeg/). This particular version will be archived as <ftp://ftp.uu.net/graphics/jpeg/jpegsrc.v6b.tar.gz>. If you don't have direct Internet access, UUNET's archives are also available via UUCP; contact help@uunet.uu.net for information on retrieving files that way.

Numerous Internet sites maintain copies of the UUNET files. However, only [ftp.uu.net](ftp://ftp.uu.net) is guaranteed to have the latest official version.

You can also obtain this software in DOS-compatible "zip" archive format from the SimTel archives (<ftp://ftp.simtel.net/pub/simtelnet/msdos/graphics/>), or on CompuServe in the Graphics Support forum (GO CIS:GRAPHSUP), library 12 "JPEG Tools". Again, these versions may sometimes lag behind the [ftp.uu.net](ftp://ftp.uu.net) release.

The JPEG FAQ (Frequently Asked Questions) article is a useful source of general information about JPEG. It is updated constantly and therefore is not included in this distribution. The FAQ is posted every two weeks to Usenet newsgroups comp.graphics.misc, news.answers, and other groups. It is available on the World Wide Web at <http://www.faqs.org/faqs/jpeg-faq/> and other news.answers archive sites, including the official news.answers archive at [rtfm.mit.edu: ftp://rtfm.mit.edu/pub/usenet/news.answers/jpeg-faq/](http://rtfm.mit.edu/pub/usenet/news.answers/jpeg-faq/). If you don't have Web or FTP access, send e-mail to mail-server@rtfm.mit.edu with body
send usenet/news.answers/jpeg-faq/part1
send usenet/news.answers/jpeg-faq/part2

RELATED SOFTWARE

=====

Numerous viewing and image manipulation programs now support JPEG. (Quite a

few of them use this library to do so.) The JPEG FAQ described above lists some of the more popular free and shareware viewers, and tells where to obtain them on Internet.

If you are on a Unix machine, we highly recommend Jef Poskanzer's free PBPLUS software, which provides many useful operations on PPM-format image files. In particular, it can convert PPM images to and from a wide range of other formats, thus making cjpeg/djpeg considerably more useful. The latest version is distributed by the NetPBM group, and is available from numerous sites,

notably <ftp://wuarchive.wustl.edu/graphics/packages/NetPBM/>.

Unfortunately PBPLUS/NETPBM is not nearly as portable as the IJG software is; you are likely to have difficulty making it work on any non-Unix machine.

A different free JPEG implementation, written by the PVRG group at Stanford, is available from <ftp://havefun.stanford.edu/pub/jpeg/>. This program is designed for research and experimentation rather than production use; it is slower, harder to use, and less portable than the IJG code, but it is easier to read and modify. Also, the PVRG code supports lossless JPEG, which we do not. (On the other hand, it doesn't do progressive JPEG.)

FILE FORMAT WARS

=====

Some JPEG programs produce files that are not compatible with our library. The root of the problem is that the ISO JPEG committee failed to specify a concrete file format. Some vendors "filled in the blanks" on their own, creating proprietary formats that no one else could read.

(For example, none of the early commercial JPEG implementations for the Macintosh were able to exchange compressed files.)

The file format we have adopted is called JFIF (see REFERENCES). This format has been agreed to by a number of major commercial JPEG vendors, and it has become the de facto standard. JFIF is a minimal or "low end" representation. We recommend the use of TIFF/JPEG (TIFF revision 6.0 as modified by TIFF Technical Note #2) for "high end" applications that need to record a lot of additional data about an image. TIFF/JPEG is fairly new and not yet widely supported, unfortunately.

The upcoming JPEG Part 3 standard defines a file format called SPIFF. SPIFF is interoperable with JFIF, in the sense that most JFIF decoders should be able to read the most common variant of SPIFF. SPIFF has some technical advantages over JFIF, but its major claim to fame is simply that it is an official standard rather than an informal one. At this point it is unclear whether

SPIFF will supersede JFIF or whether JFIF will remain the de-facto standard. IJG intends to support SPIFF once the standard is frozen, but we have not decided whether it should become our default output format or not. (In any case, our decoder will remain capable of reading JFIF indefinitely.)

Various proprietary file formats incorporating JPEG compression also exist. We have little or no sympathy for the existence of these formats. Indeed, one of the original reasons for developing this free software was to help force convergence on common, open format standards for JPEG files. Don't use a proprietary file format!

TO DO
=====

The major thrust for v7 will probably be improvement of visual quality. The current method for scaling the quantization tables is known not to be very good at low Q values. We also intend to investigate block boundary smoothing, "poor man's variable quantization", and other means of improving quality-vs-file-size performance without sacrificing compatibility.

In future versions, we are considering supporting some of the upcoming JPEG Part 3 extensions --- principally, variable quantization and the SPIFF file format.

As always, speeding things up is of great interest.

Please send bug reports, offers of help, etc. to jpeg-info@uunet.uu.net.

1.2 commons-math 2.2

1.2.1 Available under license :

Apache Commons Math
Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

=====

The BracketFinder (package `org.apache.commons.math.optimization.univariate`) and PowellOptimizer (package `org.apache.commons.math.optimization.general`) classes are based on the Python code in module "optimize.py" (version 0.5) developed by Travis E. Oliphant for the SciPy library (<http://www.scipy.org/>)
Copyright © 2003-2009 SciPy Developers.

=====

The LinearConstraint, LinearObjectiveFunction, LinearOptimizer, Relationship, SimplexSolver and SimplexTableau classes in package org.apache.commons.math.optimization.linear include software developed by Benjamin McCann (<http://www.benmccann.com>) and distributed with the following copyright: Copyright 2009 Google Inc.

=====

This product includes software developed by the University of Chicago, as Operator of Argonne National Laboratory.

The LevenbergMarquardtOptimizer class in package org.apache.commons.math.optimization.general includes software translated from the lmdcr, lmdcr and qrsolv Fortran routines from the Minpack package
Minpack Copyright Notice (1999) University of Chicago. All rights reserved

=====

The GraggBulirschStoerIntegrator class in package org.apache.commons.math.ode.nonstiff includes software translated from the odex Fortran routine developed by E. Hairer and G. Wanner.
Original source copyright:
Copyright (c) 2004, Ernst Hairer

=====

The EigenDecompositionImpl class in package org.apache.commons.math.linear includes software translated from some LAPACK Fortran routines. Original source copyright:
Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

=====

The MersenneTwister class in package org.apache.commons.math.random includes software translated from the 2002-01-26 version of the Mersenne-Twister generator written in C by Makoto Matsumoto and Takuji Nishimura. Original source copyright:
Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved

=====

The complete text of licenses and disclaimers associated with the the original sources enumerated above at the time of code translation are in the LICENSE.txt file.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names

of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

APACHE COMMONS MATH DERIVATIVE WORKS:

The Apache commons-math library includes a number of subcomponents
whose implementation is derived from original sources written
in C or Fortran. License terms of the original sources
are reproduced below.

=====
For the lmdcr, lmpar and qrsolv Fortran routine from minpack and translated in
the LevenbergMarquardtOptimizer
class in package
org.apache.commons.math.optimization.general
Original source copyright and license statement:

Minpack Copyright Notice (1999) University of Chicago. All rights reserved

Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the
following conditions are met:

1. Redistributions of source code must retain the above
copyright notice, this list of conditions and the following
disclaimer.
2. Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials
provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by the University of Chicago, as Operator of Argonne National Laboratory.

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. WARRANTY DISCLAIMER. THE SOFTWARE IS SUPPLIED "AS IS" WITHOUT WARRANTY OF ANY KIND. THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, AND THEIR EMPLOYEES: (1) DISCLAIM ANY WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NON-INFRINGEMENT, (2) DO NOT ASSUME ANY LEGAL LIABILITY OR RESPONSIBILITY FOR THE ACCURACY, COMPLETENESS, OR USEFULNESS OF THE SOFTWARE, (3) DO NOT REPRESENT THAT USE OF THE SOFTWARE WOULD NOT INFRINGE PRIVATELY OWNED RIGHTS, (4) DO NOT WARRANT THAT THE SOFTWARE WILL FUNCTION UNINTERRUPTED, THAT IT IS ERROR-FREE OR THAT ANY ERRORS WILL BE CORRECTED.

5. LIMITATION OF LIABILITY. IN NO EVENT WILL THE COPYRIGHT HOLDER, THE UNITED STATES, THE UNITED STATES DEPARTMENT OF ENERGY, OR THEIR EMPLOYEES: BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES OF ANY KIND OR NATURE, INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS OR LOSS OF DATA, FOR ANY REASON WHATSOEVER, WHETHER SUCH LIABILITY IS ASSERTED ON THE BASIS OF CONTRACT, TORT (INCLUDING NEGLIGENCE OR STRICT LIABILITY), OR OTHERWISE, EVEN IF ANY OF SAID PARTIES HAS BEEN WARNED OF THE POSSIBILITY OF SUCH LOSS OR DAMAGES.

=====

Copyright and license statement for the odex Fortran routine developed by E. Hairer and G. Wanner and translated in GraggBulirschStoerIntegrator class in package org.apache.commons.math.ode.nonstiff:

Copyright (c) 2004, Ernst Hairer

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
Copyright
and license statement for the original lapack fortran routines
translated in EigenDecompositionImpl class in package
org.apache.commons.math.linear:

Copyright (c) 1992-2008 The University of Tennessee. All rights reserved.

\$COPYRIGHT\$

Additional copyrights may follow

\$HEADERS\$

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer listed in this license in the documentation and/or other materials

provided with the distribution.

- Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Copyright and license statement for the original Mersenne twister C routines
translated in MersenneTwister class in package
org.apache.commons.math.random:

Copyright (C) 1997 - 2002, Makoto Matsumoto and Takuji Nishimura,
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of its contributors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,

EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.3 protobuf-java-format 1.2

1.3.1 Available under license :

Copyright (c) 2009, Orbitz World Wide
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Orbitz World Wide nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.4 xerces-j 2.12.2

1.4.1 Available under license :

Apache XML Commons Resolver
Copyright 2006 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the
public domain by Arbortext on 10 Apr 2000. See:
http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication
on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work, but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
copyright license to reproduce, prepare Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant
of Patent License. Subject to the terms and conditions of
this License, each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable
(except as stated in this section) patent license to make, have made,
use, offer to sell, sell, import, and otherwise transfer the Work,
where such license applies only to those patent claims licensable
by such Contributor that are necessarily infringed by their
Contribution(s) alone or by combination of their Contribution(s)
with the Work to which such Contribution(s) was submitted. If You
institute patent litigation against any entity (including a
cross-claim or counterclaim in a lawsuit) alleging that the Work
or a Contribution incorporated within the Work constitutes direct
or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
=====

Apache Xalan (Xalan serializer)
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems.,
<http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation.,
<http://www.ibm.com>.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable

by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own

copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed
under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.5 httpcomponents-client 4.5.13

1.5.1 Available under license :

Apache HttpClient
Copyright 1999-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or
Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices
stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works
that You distribute, all copyright, patent, trademark, and
attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.
- You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions
for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the

same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.6 httpcomponents-core 4.4.13

1.6.1 Available under license :

Apache HttpCore
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.7 httpcore-nio 4.4.13

1.7.1 Available under license :

Apache HttpCore NIO
Copyright 2005-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.8 httpclient-cache 4.5.13

1.8.1 Available under license :

Apache HttpClient Cache
Copyright 2010-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.9 error_prone_annotations 2.3.3

1.9.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/NoAllocation.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/concurrent/UnlockMethod.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/concurrent/LockMethod.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Error Prone Authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *

```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/FormatString.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/FormatMethod.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/MustBeClosed.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/RestrictedApi.java
*
/error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/CompatibleWith.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2015 The Error Prone Authors.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/CanIgnoreReturnValue.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/RequiredModifiers.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/SuppressPackageLocation.java
*
/error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/CompileTimeConstant.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/Immutable.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/Var.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/IncompatibleModifiers.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/concurrent/LazyInit.java
* /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/ForOverride.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The Error Prone Authors.
*
*/

- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/DoNotCall.java
- * /error-prone-annotations-2-3-3-sources-5-
- jar/com/google/errorprone/annotations/OverridingMethodsMustInvokeSuper.java
- * /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/CheckReturnValue.java
- *
- /error-prone-annotations-2-3-3-sources-5-jar/com/google/errorprone/annotations/concurrent/GuardedBy.java

1.10 opentelemetry-proto 0.11.0

1.10.1 Available under license :

```
/*
 * Copyright The OpenTelemetry Authors
 * SPDX-License-Identifier: Apache-2.0
 */

    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,
each Contributor hereby grants to You a perpetual,
worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the
Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding
those notices that do not
pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.11 servlet-api 4.0.1

1.11.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8.

Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12.

Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or

otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or

such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the

License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES

THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS

DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts

located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software,

we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to

surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you

also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code

for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus

the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted

interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These
Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but

you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.12 zeromq 4.3.4

1.12.1 Available under license :

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Fox
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gitfoxi", with
commit author "gitfoxi", are copyright of Michael Fox.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michael Fox

2017/03/20

Permission to Relicense under MPLv2

This is a statement by Google, Inc.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tkoepp", with

commit author "Thomas Kppe", are copyright of Google, Inc.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Thomas Kppe
2017/09/13
Permission to Relicense under MPLv2

This is a statement by Victor Luchits
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "vicious", with
commit author "Victor Luchits", are copyright of Victor Luchits.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Victor Luchits
2019/11/12
Permission to Relicense under MPLv2

This is a statement by Nikita Kozlov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "KLNikita", with
commit author "nikita kozlov <nikita@elyzion.net>", are copyright of Nikita Kozlov .
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Nikita Kozlov
6 February 2020
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by {{ name of company / name of individual }}
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "{{github username}}", with
commit author "{{github commit author}}", are copyright of {{ name }} .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

{{ Full Name }}

{{ creation date of document (format: yyyy/mm/dd) }}

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "chugga_fan"
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chuggafan", with
commit author "chugga_fan chuggafans@gmail.com", are copyright of "chugga_fan".
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

"chugga_fan"

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Roy Lenferink
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rlenferink", with
commit author "Roy Lenferink <lenferinkroy@gmail.com>" or "Roy Lenferink <rlenferink@apache.org>", are
copyright of Roy Lenferink.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Roy Lenferink

2017/03/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jakub Kaczmarzyk
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kaczmarj", with
commit author "Jakub Kaczmarzyk jakub.kaczmarzyk@gmail.com", are copyright of Jakub Kaczmarzyk.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jakub Kaczmarzyk

2020/07/29

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Serghei Novac
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "carbofos", with
commit author "Serghei Novac <serghei.novac@epyd.com>", are copyright of Serghei Novac.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Serghei Novac
2019/03/05

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anton Dimitrov that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "antonrd", with
commit author "Anton Dimitrov <dimitrov.anton@gmail.com>", are
copyright of Anton Dimitrov. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Anton Dimitrov

2018/10/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Henri Gourvest that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "hgourvest", with
commit author "Henri Gourvest <hgourvest@prodigy.com>", are
copyright of Henri Gourvest. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Henri Gourvest
2018/12/8

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christophe Juniet
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cjuniet", with
commit author "Christophe Juniet <c.juniet@gmail.com>", are copyright of Christophe Juniet.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Christophe Juniet
2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthew Connolly
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mattconnolly", with
commit author "Matt Connolly <matt.connolly@me.com>", are copyright of Matthew Connolly.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Matthew Connolly
2017/06/28

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current
ZeroMQ BDFL

This is a statement by xqcool
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
share-alike Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "xqcool", with
commit author "xqcool <xuquan316@live.com>", are copyright of xqcool .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

xqcool
2020/01/01

Permission to Relicense under MPLv2

This is a statement by Manuel Segura
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mesegura", with
commit author "Manuel Segura", are copyright of Manuel Segura .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Manuel Eduardo Segura

2019/08/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alex Grnholm
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "agronholm", with
commit author "Alex Grnholm <alex.grnholm+git@nextday.fi>", are copyright of Alex Grnholm.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Alex Grnholm

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Aaron Linville
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "linville", with
commit author "Aaron Linville <aaron@linville.org>", are copyright of Aaron Linville.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Aaron Linville

2017/03/27

Permission to Relicense under MPLv2

This is a statement by Dylan Cali
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "calid", with

commit author "Dylan Cali <calid1984@gmail.com>", are copyright of Dylan Cali.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dylan Cali

2019/02/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Attila Mark Sz that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ambitslix", with commit author "gougolith@gmail.com", are copyright of Attila Mark. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Attila Mark Sz 2020/11/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mark Jan van Kampen that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mjvk", with commit author "Mark Jan van Kampen <markjanvankampen@gmail.com>", are copyright of Mark Jan van Kampen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mark Jan van Kampen

2020/02/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ivan Pechorin that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ipechorin", with commit author "Ivan Pechorin <ivan.pechorin@gmail.com>", are copyright of Ivan Pechorin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ivan Pechorin

2019/09/25

Permission to Relicense under MPLv2

This is a statement by Sven Liedtke
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "liedtkeInTUM", with
commit author "Sven Liedtke", are copyright of Sven Liedtke.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Sven Liedtke

2019/11/27

Permission to Relicense under MPLv2

This is a statement by Ericsson
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "hugne", with
commit author "Erik Hugne erik.hugne@ericsson.com", are copyright of Ericsson.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jon Maloy <jon.maloy@ericsson.com>

2019/03/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Isaac Poulton
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Omegastick", with
commit author "Omegastick", are copyright of Isaac Poulton.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Isaac Poulton

2019/04/14

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by JaeSang Yoo
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JSYoo5B", with commit author "JaeSang Yoo <jsyoo5b@gmail.com>", are copyright of JaeSang Yoo. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

JaeSang Yoo
2020.02.29

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Volodymyr Korniiichuk that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ezhikus", with commit author "VolodymyrKorn@gmail.com", are copyright of Volodymyr Korniiichuk. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Volodymyr Korniiichuk
2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Davit Kalantaryan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made with commit author "Davit Kalantaryan <davit.kalantaryan@desy.de>", are copyright of Davit Kalantaryan. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Davit Kalantaryan
2020/08/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Elliot Saba that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "staticfloat", with commit author "Elliot Saba <staticfloat@gmail.com>", are copyright of Elliot Saba. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Elliot Saba

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Brian Silverman that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "brian-peloton", with commit author "brian@peloton-tech.com", are copyright of Brian Silverman . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Silverman

2019/08/14

Permission to Relicense under MPLv2

This is a statement by KIU Shueng Chuan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "pijyoi", with commit author "KIU Shueng Chuan <nixchuan@gmail.com>", are copyright of KIU Shueng Chuan. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

KIU Shueng Chuan

2017/03/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jim Hague that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "banburybill", with commit author "Jim Hague <jim.hague@acm.org>", are copyright of Jim Hague. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jim Hague

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eelis van der Weegen that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Eelis", with commit author "Eelis van der Weegen <eelis@eelis.net>", are copyright of Eelis van der Weegen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Eelis van der Weegen

2019/02/22

Permission to Relicense under MPLv2

This is a statement by Chris Staite that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "chrisstaite", with commit author "Chris <chris@yourdreamnet.co.uk>", are copyright of Chris Staite. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chris Staite

2017/03/28

Permission to Relicense under MPLv2

This is a statement by Goswin von Brederlow that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mrvn", with commit author "Goswin von Brederlow <goswin-v-b@web.de>" or "Goswin von Brederlow <brederlo@q-leap.de>", are copyright of Goswin von Brederlow. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Goswin von Brederlow

2020/12/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by William P Strang
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "willstrang", with
commit author "Will Strang <william.p.strang@gmail.com>", are copyright of William P Strang.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

William P Strang

2017/03/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Brian Buchanan
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bwbuchanan", with
commit author "Brian Buchanan <bwb@holo.org>" or "Brian Buchanan <brian@tiogalake.com>", are
copyright of Brian Buchanan.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Brian Buchanan

2017/03/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rik van der Heijden
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rikvdh", with
commit author "Rik van der Heijden <mail@rikvanderheijden.com>" and "Rik van der Heijden
<rik.vanderheijden@dualinventive.com>", are copyright of Rik van der Heijden.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Rik van der Heijden

2017/04/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Axel Nennker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AxelNennker", with commit author "Axel Nennker <axel@nennker.de>", are copyright of Axel Nennker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Axel Nennker

2019/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

I happily grant permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

The portion of the commits made by the Github handle "chymanfx", are not copyrighted in any way.

Chyman

2019/08/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Robert Beaty that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drbobbeaty", with commit author "Bob Beaty <drbob@themanfromspud.com>", are copyright of Robert Beaty . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Robert Beaty

2019/08/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthias Kluwe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mkluwe", with commit author "Matthias Kluwe <mkluwe@gmail.com>", are copyright of Matthias Kluwe. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthias Kluwe

2017/03/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lionel Orry that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chickenkiller", with commit author "Lionel Orry <lionel.orry@gmail.com>", are copyright of Lionel Orry. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lionel Orry

2017/03/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andreas Hasenack that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "panlinux", with commit author "Andreas Hasenack <andreas@canonical.com>", are copyright of Andreas Hasenack. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andreas Hasenack

2019/03/18

wepoll - epoll for Windows

<https://github.com/piscisaureus/wepoll>

Copyright 2012-2018, Bert Belder <bertbelder@gmail.com>

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission to Relicense under MPLv2

This is a statement by Hewlett Packard Enterprise that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "brc859844", with commit author "Brett Cameron <Brett.Cameron@hp.com>", are copyright of Hewlett Packard Enterprise. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Hewlett Packard Enterprise
2019/03/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Denis Collette that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "colletted", with commit author "Denis Collette denisncollette@gmail.com", are copyright of Denis Collette. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Denis Collette 2020/01/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Erik Hugne
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Hugne", with
commit author "erik.hugne@gmail.com", are copyright of Erik Hugne.
Commits made by author "erik.hugne@ericsson.com" are NOT covered by this
statement.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Erik Hugne

2017/03/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Fabrice Fontaine
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ffontaine", with
commit author "Fabrice Fontaine <fontaine.fabrice@gmail.com>", are copyright of Fabrice Fontaine.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Fabrice Fontaine

2018-09-13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rickard Hallerbck that grants permission to relicense its copyrights in the libzmq C++ library
(ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Ricardicus", with commit author "Rickard Hallerbck", are
copyright of Rickard Hallerbck. This document hereby grants the libzmq project team to relicense libzmq, including
all past, present and future contributions of the author listed above.

Rickard Hallerbck 2020/02/28

Permission to Relicense under MPLV2

This directory collects grants from individuals and firms that hold
copyrights in ZeroMQ to permit licensing the ZeroMQ code under
the [Mozilla Public License, version
2](<https://www.mozilla.org/en-US/MPL/2.0/>). See [GitHub Pull
Request #1917](<https://github.com/zeromq/libzmq/pull/1917>),
the [0MQ Licensing Page](<http://zeromq.org/area:licensing>) and

[original iMatix zeromq-dev license
grant](<http://lists.zeromq.org/pipermail/zeromq-dev/2016-April/030288.html>)
for some background information.

Please create a separate file in this directory for each individual
or firm holding copyright in ZeroMQ, named after the individual or
firm holding the copyright.

Each patch must be made with a GitHub handle that is clearly
associated with the copyright owner, to guarantee the identity of
the signatory. Please avoid changing the files created by other
individuals or firms granting a copyright license over their
copyrights (if rewording is required contact them
and ask them to
submit an updated version). This makes it easier to verify that
the license grant was made by an authorized GitHub account.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Leonardo J. Consoni
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AnCaPepe", with
commit author "Leonardo Jos Consoni <consoni_2519@hotmail.com>", are copyright of Leonardo J. Consoni.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Leonardo Jos Consoni
2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Caleb Epstein
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Bklyn", with
commit author "Caleb Epstein <cae@bklyn.org>", are copyright of Caleb Epstein.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Caleb Epstein
2017/03/21

Permission to Relicense under MPLv2

This is a statement by Steven McCoy
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "steve-o", with
commit author "Steven McCoy <steven.mccoy@miru.hk>" and "Steve-o
<fnjordy@gmail.com>", are copyright of Steven McCoy.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Steven McCoy

2019/02/24

Permission to Relicense under MPLv2

This is a statement by Maurizio Melato
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mauri-melato", with
commit author "Maurizio Melato", are copyright of Maurizio Melato.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Maurizio Melato

2017-04-04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by G. Evan Burkitt
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "eburkitt", with
commit author "Evan Burkitt <evanb@edulinksys.com>", are copyright of G. Evan Burkitt.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

G. Evan Burkitt

2017/04/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gavin McNiff
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gavinmcniff", with commit author "Gavin McNiff <gavin@mcniff.ie>", are copyright of Gavin McNiff . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gavin McNiff

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Ford that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fanquake", with commit author "Michael Ford <fanquake@gmail.com>", are copyright of Michael Ford. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Ford

2019/08/10

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: ZeroMQ

Source: <http://zeromq.org>

Files: *

Copyright: 2009-2011, 250bpm s.r.o

2007-2013, iMatix Corporation

2007-2011, Other contributors as noted in the AUTHORS file

License: LGPL-3.0+

Files: src/xreq.cpp

src/xpub.cpp

src/xsub.cpp

tests/test_reqrep_device.cpp

tests/test_invalid_rep.cpp

Copyright: 2010-2011, 250bpm s.r.o

2011, VMware, Inc

2010-2011, Other contributors as noted in the AUTHORS file

License: LGPL-3.0+

Files: src/msg.hpp

src/xrep.*

src/options.*

src/req.*

src/socket_base.*

src/pipe.*
src/encoder.cpp
src/lb.cpp
src/session_base.*
src/fq.cpp
include/zmq.h
Copyright: 2009-2011, 250bpm s.r.o
2007-2013, iMatix Corporation
2011, VMware, Inc
2007-2011, Other contributors as noted in the AUTHORS file
License: LGPL-3.0+

Files: src/pgm_receiver.*
src/pgm_sender.*
src/pgm_socket.*
Copyright: 2009-2011, 250bpm s.r.o
2007-2013, iMatix Corporation
2010-2011, Miru Limited
2007-2011, Other contributors as noted in the AUTHORS file
License: LGPL-3.0+

Files: external/unity/*
Copyright: 2007-2014 Mike Karlesky
2007-2014 Mark VanderVoord
2007-2014 Greg Williams

License: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: debian/*
Copyright: 2014- , Laszlo Boszormenyi (GCS) <gcs@debian.org>
2012-2014, Alessandro Ghedini <ghedo@debian.org>

2010-2012, Martin Lucina <martin@lucina.net>
2009-2010, Adrian von Bidder <cmot@debian.org>
2009-2010, Peter Busser <peter@mirabilix.nl>
2012, Alessandro Ghedini <ghedo@debian.org>
License: LGPL-2.0+

License: LGPL-2.0+

This package is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.

This package is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in "/usr/share/common-licenses/LGPL-2".

License: LGPL-3.0+

This package is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

.

This package is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in "/usr/share/common-licenses/LGPL-3". BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates
the terms and conditions of version 3 of the GNU General Public
License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser
General Public License, and the "GNU GPL" refers to version 3 of the GNU
General Public License.

"The Library" refers to a covered work governed by this License,
other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided
by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library
is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an
Application with the Library. The particular version of the Library
with which the Combined Work was made is also called the "Linked
Version".

The "Minimal Corresponding Source" for a Combined Work means the
Corresponding Source for the Combined Work, excluding any source code
for portions of the Combined Work that, considered in isolation, are
based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the
object code and/or source code for the Application, including any data
and utility programs needed for reproducing the Combined Work from the
Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License
without being bound by section 3 of the GNU GPL.

2. Conveying

Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

SPECIAL EXCEPTION GRANTED BY COPYRIGHT HOLDERS

As a special exception, copyright holders give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the

resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Note: this exception relieves you of any obligations under sections 4 and 5 of this license, and section 6 of the GNU General Public License.

Permission to Relicense under MPLv2

This is a statement by Cameron Smith

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "cwsmith", with commit author "Cameron Smith <smithc11@rpi.edu>", are copyright of Cameron Smith. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Cameron Smith

2020/02/05

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Claudio Biagi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "emtr", with commit author "Claudio Biagi <retmt@gmx.com>", are copyright of Claudio Biagi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Claudio Biagi

2019/03/07

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Lutz that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "michicc", with commit author "Michael Lutz <michi@icosahedron.de>", are copyright of Michael Lutz. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Lutz

2017/05/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Juha Reunanen, Tomaattinen Ltd, and Outotec (Finland) Oy that grants permission to relicense their copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the GitHub handle "reunanen", with commit author "Juha Reunanen <juha.reunanen@tomaattinen.com>", are copyright of Juha Reunanen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Juha Reunanen

2017/04/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bjrn Tpel that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bjoto", with commit author "Bjorn Topel <bjorn.topel@gmail.com>", are copyright of Bjrn Tpel. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bjrn Tpel

2017/03/26

Permission to Relicense under MPLv2

This is a statement by Dave Meehan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dmeehan1968", with commit author "Dave Meehan dave_meehan@replicated.co.uk", are copyright of Dave Meehan. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dave Meehan

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Paul Colomiets that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tailhook", with commit author "Paul Colomiets <paul@colomiets.name>" or "Paul Colomiets <pc@gafol.net>", are copyright of Paul Colomiets. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and

future contributions of the author listed above.

Paul Colomiets

2017/03/19

Permission to Relicense under MPLv2

This is a statement by Brett Cameron
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "brc859844", with
commit author "Brett Cameron <brett.r.cameron@gmail.com>" or
"Brett Cameron <brett.cameron@vmssoftware.com>", are copyright of Brett Cameron.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Brett Russell Cameron

2019/02/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Egomotion Limited
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "robertcastle", with
commit author "Robert Castle <robert@egomotion.co.uk>", are copyright of Egomotion Limited.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Robert Castle,

Director, Egomotion Limited

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Franco Fichtner that grants permission to relicense
its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public
License v2 (MPLv2) or any other Open Source Initiative approved license
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fichtner", with
commit author "Franco Fichtner <franco@lastsummer.de>", are copyright
of Franco Fichtner. This document hereby grants the libzmq project
team to relicense libzmq, including all past, present and future
contributions of the author listed above.

Franco Fichtner

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Pawel Kurdybacha
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kurdybacha", with
commit author "Pawel Kurdybacha pawel.kurdybacha@gmail.com", are copyright of Pawel Kurdybacha .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Pawel Kurdybacha

2017/04/13

Permission to Relicense under MPLv2

This is a statement by Brian Knox
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "taotetek", with
commit author "Brian Knox", are copyright of Brian Knox.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Brian Knox

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Lloyd
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "CommanderBubble", with
commit author "Michael Lloyd <commander.bubble@gmail.com>", are copyright of Michael Lloyd.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Michael Lloyd

2019/02/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bill Torpey that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the

Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "wallstprog", with commit author "Bill Torpey <wallstprog@gmail.com>", are copyright of Bill Torpey. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bill Torpey

2018/11/02

Permission to Relicense under MPLv2

This is a statement by Brian Adamson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bebopagogo", with commit author "bebopagogo <bebopagogo@users.noreply.github.com>" and "Brian Adamson <badamson@gmail.com>", are copyright of Brian Adamson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Brian Adamson 2019/08/11 s

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Yuval Langer that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "yuvallanger", with commit author "Yuval Langer <yuvall.langer@gmail.com>", are copyright of Yuval Langer. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Yuval Langer

2017-03-19

Permission to Relicense under MPLv2

This is a statement by Laurent Stacul that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "stac47", with commit author "Laurent Stacul <laurent.stacul@gmail.com>", are copyright of

Laurent Stacul .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Laurent Stacul

2020/02/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Min Ragan-Kelley that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the GitHub handle "minrk", with commit author "Min RK benjaminrk@gmail.com", are copyright of Min Ragan-Kelley. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Min Ragan-Kelley

2017/07/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Phillip Mienk that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "pmienk", with commit author "Phillip Mienk <mienkphi@gmail.com>", are copyright of Phillip Mienk. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Phillip Mienk

2019/02/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ian Barber that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commit made by the Github handle "ianbarber", with commit author "Ian Barber <ianbarber@gmail.com>", are copyright of Ian Barber. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ian Barber

2017/03/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Pacific Northwest National Laboratory (Battelle Memorial Institute, Pacific Northwest Division)

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license (at least as permissive as the MPLv2) chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hashstat", with commit author "Brandon Carpenter <brandon.carpenter@pnnl.gov>", are copyright of Pacific Northwest National Laboratory (Battelle Memorial Institute, Pacific Northwest Division).

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jereme Haack on behalf of Brandon Carpenter

2019/02/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Benjamin HENRION

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "zoobab", with commit author "Benjamin HENRION", are copyright of Benjamin HENRION .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Benjamin HENRION (zoobab)

Done in Brussels on the 2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Arthur O'Dwyer

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Quuxplusone", with commit author "Arthur O'Dwyer <arthur@push.am>", are copyright of Arthur O'Dwyer.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Arthur O'Dwyer

2019/02/17

Permission to Relicense under MPLv2

This is a statement by Bernd Prager

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bprager", with commit author "Bernd Prager <bernd@prager.ws>", are copyright of Bernd Prager. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bernd Prager

2017/03/22

Permission to Relicense under MPLv2

This is a statement by Asaf Kahlon

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "asafkahlon", with commit author "Asaf Kahlon asafka7@gmail.com", are copyright of Asaf Kahlon. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Asaf Kahlon

2020/02/05

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christophe Guillon

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "guillon", with commit author "Christophe Guillon <christophe.guillon.perso@gmail.com>", are copyright of Christophe Guillon. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christophe Guillon

2019/06/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Reza Ebrahimi

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "reza-ebrahimi", with commit author "Reza Ebrahimi <reza.ebrahimi.dev@gmail.com>", are copyright of Reza Ebrahimi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Reza Ebrahimi

2017/03/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Matthew Arsenault that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "arsenm", with commit author "Matt Arsenault <arsenm2@gmail.com>", are copyright of Matthew Arsenault. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthew Arsenault

2017/10/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jon Dyte that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JonDyte", with commit author "Jon Dyte <jon@totient.co.uk>", are copyright of Jon Dyte. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jon Dyte

2019/10/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jan Kryl that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jkryl", with commit author "Jan Kryl jan.kryl@nexenta.com", are copyright of Jan Kryl. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jan Kryl

2017/03/19

Permission to Relicense under MPLv2

This is a statement by Dr. Stefan Kaes that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "skaes", with commit author "Stefan Kaes <stefan.kaes@xing.com>", are copyright of New Work SE. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dr. Stefan Kaes

2021/01/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tom Whittock that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "twhittock", with commit author "Tom Whittock", are copyright of Tom Whittock. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tom Whittock

2017/04/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Luca Boccassi (bluca) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bluca", with commit author "Luca Boccassi <luca.boccassi@gmail.com>" or "Luca Boccassi <bluca@debian.org>", are copyright of Luca Boccassi.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Luca Boccassi

2019/02/16

Permission to Relicense under MPLv2

This is a statement by Dhammika Pathirana that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dhammika", with commit author "Dhammika Pathirana <dhammika@gmail.com>", are copyright of Dhammika Pathirana . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dhammika Pathirana

2019/08/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jonathan Reams (of MongoDB, Inc.) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jbrearms", with commit author "Jonathan Reams jbrearms@mongodb.com" (specifically the commits merged in pull requests #1451, #1449, #1448, and #1174), are copyright of MongoDB, Inc.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jonathan Reams

2019/10/1

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Norman Oveneri that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "normano", with commit author "normano", are copyright of Norman Oveneri. This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

This is a statement by Norman Ovenseri

2019/05/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Natano

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "natano", with commit author "Martin Natano", are copyright of Martin Natano.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Martin Natano

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John Murphy

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "murphybytes", with commit author "John Murphy <murphybytes@gmail.com>", are copyright of John Murphy .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

John Murphy

2019/08/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by skicc

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "skicc", with commit author "skicc <skicc@fastmail.com>", are copyright of skicc.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

skicc

2019/06/15

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wang Yunlai
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hnwyllmm", with
commit author "hnwyllmm hnwyllmm@126.com", are copyright of Wang Yunlai .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Wang Yunlai

2019/08/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Zoe Faltib
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "zoedberg", with
commit author "Zoe Faltib zoefaltiba@gmail.com", are copyright of Zoe Faltib.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Zoe Faltib

2020/11/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrij Abyzov
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drolevar", with
commit author "Andrij Abyzov <drolevar@gmail.com>", are copyright of Andrij Abyzov.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Andrij Abyzov

2019/11/19

Permission to Relicense under MPLv2

This is a statement by Laszlo Boszormenyi (GCS) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gcsideal", with commit author "Laszlo Boszormenyi (GCS) <gcs@debian.org>", are copyright of Laszlo Boszormenyi (GCS) .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Laszlo Boszormenyi (GCS)

2020/02/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alain Kalker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ackalker", with commit author "Alain Kalker <a.c.kalker@gmail.com>", are copyright of Alain Kalker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Alain Kalker

2019/05/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Piotr Trojanek that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ptroja", with commit author "Piotr Trojanek <piotr.trojanek@gmail.com>", are copyright of Piotr Trojanek. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Piotr Trojanek

2017/03/19

Copyright (C) 1995, 1996, 1997, and 1998 WIDE Project.

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE PROJECT AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

IN NO EVENT SHALL THE PROJECT OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Dolan that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cdolan", with commit author "Christopher Dolan <chris@codingstream.org>", are copyright of Christopher Dolan. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christopher Dolan
2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jack Pimbert that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jackpimbert", with commit author "jackpimbert <jack.pimbert@gmail.com>", are

copyright of Jack Pimbert. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jack Pimbert

2019/05/24

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the

earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This

License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the

written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object

code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above

requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or

otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
```

```
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
```

```
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John T. Conklin
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ

BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "johntconklin", with commit author "J.T. Conklin <jtc@acorntoolworks.com>", are copyright of John T. Conklin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

John T. Conklin

2017-03-19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tobias Schlter that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "TobiSchluter", with commit author "TobiSchluter", are copyright of Tobias Schlter . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tobias Schlter

2019/09/13

Permission to Relicense under MPLv2

This is a statement by Ricardo Catalinas Jimenez that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jimenezrick", with commit author "Ricardo Catalinas Jimenez", are copyright of Ricardo Catalinas Jimenez.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ricardo Catalinas Jimenez

2020/02/03

Permission to Relicense under MPLv2

This is a statement by Connamara Systems llc that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "cbusbey", with commit author "chris busbey", are copyright of Connamara Systems, llc.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chris Busbey

2019/09/03

Permission to Relicense under MPLv2

This is a statement by Fredrick Paul Eisele that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle phreed, with commit author "Fred Eisele", are copyright of Fred Eisele .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Fredrick Paul Eisele

2020/01/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jonathan Reams that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jbreams", with commit author "Jonathan Reams <jbreams@gmail.com>", are copyright of Jonathan Reams.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jonathan Reams

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sergey KHripchenko that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "shripchenko", with commit author "Sergey KHripchenko <shripchenko@intermedia.net>", are copyright of Sergey KHripchenko. This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Sergey KHripchenko

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Joe Eli McIlvain

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jemc", with commit author "Joe Eli McIlvain", are copyright of Joe Eli McIlvain.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Joe Eli McIlvain

2017/03/28

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Thomas Braun

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "t-b", with commit author "thomas.braun@virtuell-zuhause.de" and "thomas.braun@byte-physics.de", are copyright of Thomas Braun.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Thomas Braun

2017/03/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chuck Remes

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "chuckremes", with commit author "Chuck Remes", are copyright of Chuck Remes.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chuck Remes

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jovan Bunjevacki that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bjovke", with commit author "Jovan Bunjevacki <bjovan@gmail.com>", are copyright of Jovan Bunjevacki. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jovan Bunjevacki

2017/04/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Vilim that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mvilim", with commit author "Michael Vilim <697a9b924bfa6f06a81e82975ddca4785b90a7b40d91044ce76f68d3bd65a9b8@697a9b924bfa6f06a81e82975ddca4785b90a7b40d91044ce76f68d3bd65a9b8.com>", are copyright of Michael Vilim. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Vilim

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andre Caron that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "AndreLouisCaron", with commit author "Andre Caron <andre.l.caron@gmail.com>", are copyright of Andre Caron. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andre Caron

2017/03/19

Permission to Relicense under MPLv2

This is a statement by Matthias Loy

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mloy", with commit author "Matthias Loy", are copyright of Matthias Loy.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Matthias Loy

2020/01/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christoph Schulz

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "schulzch", with

commit author "Christoph Schulz <schulzchs@gmail.com>", are copyright of Christoph Schulz.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christoph Schulz

2018/09/10

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andreas Rottmann that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rotty", with commit author "Andreas Rottmann <a.rottmann@gmx.at>", are copyright of Andreas Rottmann. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andreas Rottmann

2017/05/07

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Timothy Mossbarger
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Prarrot", with
commit author "Prarrot", are copyright of Timothy Mossbarger .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Timothy Mossbarger
18 Feb 2019

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Simon Giesecke that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "sigiesec", with
commit author "Simon Giesecke <simon.giesecke@btc-ag.com>", are
copyright of Simon Giesecke. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Simon Giesecke
2017/08/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Labsch on behalf of KST innovations GmbH that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "martin-ksti", with
commit author "Martin Labsch <martin.labsch@ksti.de>", are
copyright of Martin Labsch on behalf of KST innovations GmbH. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Martin Labsch
2020/10/09

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anthony Scemama
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "scemama", with
commit author "Anthony Scemama <scemama@irsamc.ups-tlse.fr>", are copyright of Anthony Scemama.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Anthony Scemama

2017/03/21

Permission to Relicense under MPLv2

This is a statement by Joerg Kreuzberger
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "kreuzberger", with
commit author "Joerg Kreuzberger", are copyright of Joerg Kreuzberger .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Joerg Kreuzberger

2019/09/02

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego Fons
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dfons", with
commit author "Diego Fons <diego.fons@gmail.com>" or "Diego Fons <diego.fons@intraway.com>", are
copyright of Diego Fons.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Diego Fons

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Guido Vranken that grants permission to

relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "guidovranken", with commit author "Guido Vranken <guidovranken@gmail.com>", are copyright of Guido Vranken. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Guido Vranken

2019/01/08

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Byron Mallett that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mystfit", with commit author "Byron Mallett <byronated@gmail.com>", are copyright of Byron Mallett . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Byron Mallett

2018/9/1

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gudmundur Adalsteinsson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gummif", with commit author "Gudmundur Adalsteinsson <ofpgummi@yahoo.com>", are copyright of Gudmundur Adalsteinsson. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gudmundur Adalsteinsson

2020/02/04

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by {{ name of company / name of individual }}

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "{{github username}}", with commit author "{{github commit author}}", are copyright of {{ name }} . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

{{ Full Name }}
{{ creation date of document (format: yyyy/mm/dd) }}
Permission to Relicense under MPLv2

This is a statement by Rosen Penev
that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "flub", with commit author "Rosen Penev <rosenp@gmail.com>", are copyright of Rosen Penev . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rosen Penev
2019/04/19
Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by niXman (github.nixman@pm.me)
that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "niXman", with commit author "niXman", are copyright of nixMan . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

niXman (github.nixman@pm.me)
2019/10/03
Permission to Relicense under MPLv2

This is a statement by Pavel Pimenov
that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle pavel-pimenov, with

commit author Pavel Pimenov pavel.pimenov@gmail.com, are copyright of Pavel Pimenov .
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Pavel Pimenov
2020/02/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Vincent Tellier
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "vtellier", with
commit author "Vincent Tellier", are copyright of Vincent Tellier .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Vincent Louis Thophile Tellier
2017/03/20

Permission to Relicense under MPLv2

This is a statement by Spotify AB that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2).

A portion of the commits made by the Github handle "gimaker", with commit author
"Staffan Gimker", the commits made by the Github handle "danielnorberg", with
commit author "Daniel Norberg", and the commits made by the Github handle
"caipre", with commit author "Nick Platt", are copyright of Spotify AB. This
document hereby grants the libzmq project team to relicense libzmq, including
all past, present and future contributions of the authors listed above.

Nick Platt <nickplatt@spotify.com>
2019/08/21
Permission to Relicense under MPLv2

This is a statement by Thomas M. DuBuisson
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tommd", with
commit author "Thomas M. DuBuisson", are copyright of Thomas M. DuBuisson.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Thomas M. DuBuisson

2019/04/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dmitrii (Dima) Pasechnik
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dimpase", with
commit author "Dima Pasechnik dimpase@gmail.com", are copyright of Dmitrii Pasechnik.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Dmitrii Pasechnik 2019/09/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stefan Radomski
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sradomski", with
commit author "Stefan Radomski <radomski@tk.informatik.tu-darmstadt.de>", are copyright of Stefan Radomski .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Stefan Radomski

2020/12/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jean Airolde that grants permission to relicense its copyrights in the libzmq C++ library
(ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jean-airolde", with commit author "jean-airolde
<25088801+jean-airolde@users.noreply.github.com>", are copyright of Jean Airolde. This document hereby
grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author
listed above.

Jean Airolde 2019/04/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stephane Vales
that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "StephaneVales", with commit author "Stephane Vales <7755128+stvales@users.noreply.github.com>", are copyright of Stephane Vales. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stephane Vales

2020/08/06

Permission to Relicense under MPLv2

This is a statement by Nokia that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "aheroff1", with commit author "Andy Heroff", are copyright of Nokia. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andy Heroff

2021/01/05

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Johan Mabilie that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "JohanMabilie", with commit author "Johan Mabilie johan.mabilie@gmail.com", are copyright of Johan Mabilie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Johan Mabilie

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Maarten Ditzel that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mditzel", with

commit author "Maarten Ditzel <maarten.ditzel@gmail.com>", are copyright of Maarten Ditzel.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Maarten Ditzel

2017/03/24

Brocade Communications Systems Inc.

This is a statement by Brocade Communications Systems Inc. (Brocade)
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bluca", with
commit author "Luca Boccassi <luca.boccassi@gmail.com>" or
"Luca Boccassi <lboccass@brocade.com>", are copyright of Brocade.
This permission to relicense includes all past, present and future
contributions of Brocade employees.

Luca Boccassi

Software Engineer, Brocade Communications Systems Inc.

2016-05-16

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ming Ji
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "answeroo", with
commit author "answeroo <jiming@yafco.com>", are copyright of Ming Ji.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Ming Ji

2018/08/20

Permission to Relicense under MPLv2

This is a statement by Liquid Instruments
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "acsearle", with
commit author "Antony Searle", are copyright of Liquid Instruments .
This document hereby grants the libzmq project team to relicense
libzmq, including all past, present and future contributions of the author
listed above.

Antony Searle

2020/02/03

Permission to Relicense under MPLv2

This is a statement by Olaf Mandel

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "olafmandel", with

commit author "Olaf Mandel <o.mandel@menlosystems.com>", are copyright of Olaf Mandel.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Olaf Mandel

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "Michal Vyskocil" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "vyskocilm", with commit author "Michal Vyskocil

michal.vyskocil@gmail.com", are copyright of "Michal Vyskocil". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michal Vyskocil 2017/03/24

Permission to Relicense under MPLv2

This is a statement by Jrmie Courrges-Anglas

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jcourreges", with

commit author "Jrmie Courrges-Anglas", are copyright of Jrmie Courrges-Anglas.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jrmie Courrges-Anglas

2018/12/07

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jens Auer

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jens.auer", with

commit author "Jens Auer", are copyright of Jens Auer.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jens Auer

2019/11/08

Permission to Relicense under MPLv2

This is a statement by Benjamin Deroche

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "benjdero", with commit author "Benjamin Deroche", are copyright of Benjamin Deroche.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Benjamin Deroche

2019/10/26

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diorcet Yann

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "diorcety", with commit author "yann.diorcet@xenocs.com", are copyright of Diorcet Yann.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diorcet Yann

2019/09/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Justin.Hung

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "loachfish", with commit author "Justin.Hung fronront@qq.com", are copyright of Justin.Hung .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Justin.Hung

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrew Thompson
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "thompsa", with
commit author "Andew Thompson <andy@fud.org.nz>", are copyright of Andrew Thompson.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Andrew Thompson

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mikko Koppanen that grants permission to relicense his
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2) or any other Open Source Initiative approved license chosen by the
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mkoppanen", with commit
author "Mikko Koppanen <mikko@kuut.io>", are copyright of Mikko Koppanen.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Mikko Koppanen

2018/02/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Martin Grigorov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "martin-g", with
commit author "Martin Grigorov", are copyright of Martin Grigorov.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Martin Grigorov

2021/01/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by "Osiris Pedroso" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "opedroso", with commit author "Osiris Pedroso <opedroso@gmail.com>", are copyright of "Osiris Pedroso". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Osiris Pedroso
2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christoph Kahl that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kanonet", with commit author "Christoph Kahl", are copyright of Christoph Kahl. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christoph Kahl
2020/01/09

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Philippe Leite that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "philippeleite", with commit author "Philippe Leite <philippe.leite@gmail.com>", are copyright of Philippe Leite. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Philippe Leite
2019/06/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wenbin Hou that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "WenbinHou", with commit author "Wenbin Hou <houwenbin@pku.edu.cn>", are copyright of Wenbin Hou. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Wenbin Hou

2018/05/16

Permission to Relicense under MPLV2

This document collects grants from firms that hold copyrights in ZeroMQ. Please add new firms at the start. Each patch must be made with a GitHub handle that guarantees identity of the signatory.

iMatix Corporation

This is a statement by iMatix Corporation sprl (iMatix) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

1. The original ZeroMQ codebase was developed from 2007-2009 by FastMQ Inc. (FastMQ) in Slovakia, which held all copyrights in code written by its staff.

2. On 2009-11-01, iMatix exercised an option to acquire FastMQ and its assets, including ZeroMQ. On or before 2010-01-05 the FastMQ copyrights in ZeroMQ were transferred to iMatix

([commit](https://github.com/zeromq/libzmq/commit/4f6baf4dde627656b63cc4e2acdb78a8577ba640)). The FastMQ legal entity was subsequently liquidated.

3. Between 2009 and 2016, iMatix has continued to add contributions to ZeroMQ under the GitHub handle 'hintjens'.

4. This grant therefore covers what remains of the original FastMQ codebase plus all later contributions.

5. iMatix hereby grants an irrevocable, global, and fully paid-up license on all its copyrights that exist in ZeroMQ, under the MPLv2.

-Pieter Hintjens

CEO, iMatix Corporation sprl

23 April 2016

Permission to Relicense under MPLv2

This is a statement by Floris Bruynooghe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "flub", with commit author "Floris Bruynooghe <flub@devork.be>", are copyright of Floris Bruynooghe .

This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Floris Bruynooghe

2017/05/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Conrad Parker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kfish", with commit author "Conrad Parker <conrad@metadecks.org>", are copyright of Conrad Parker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Conrad Parker

2018/10/30

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jeff Brubaker that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "brubakerjeff", with commit author "Jeff Brubaker <brubaker.jeff@gmail.com>", are copyright of Jeff Brubaker. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jeff Brubaker

2018/11/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Daniel Shih that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "danielhtshih", with commit author "Daniel Shih <hotingwow@gmail.com>", are copyright of Daniel Shih. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Daniel Shih

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bastian Lher that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "bl0x", with commit author "Bastian Lher <me@l-dot.de>", are copyright of Bastian Lher. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bastian Lher

2019/08/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego R.Losada that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drodri", with commit author "drodri <diego.rlosada@gmail.com>", are copyright of Diego Rodriguez-Losada. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Diego Rodriguez-Losada

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gian Lorenzo Meocci that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "meox", with commit author "Gian Lorenzo Meocci <glmeocci@gmail.com>", are copyright of Gian Lorenzo Meocci. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gian Lorenzo Meocci

2017/04/09

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Giuseppe Corbelli
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "cowo78" with
commit author "Giuseppe Corbelli <cowo78@gmail.com>", are copyright of Giuseppe Corbelli.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Giuseppe Corbelli

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Wouter Overmeire that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License
v2 (MPLv2) or any other Open Source Initiative approved license chosen by the
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "lodagro", with commit
author "lodagro <lodagro@gmail.com>", are copyright of Wouter Overmeire. This
document hereby grants the libzmq project team to relicense libzmq, including
all past, present and future contributions of the author listed above.

Wouter Overmeire

2017/04/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Roberto Santacroce Martins that grants permission to relicense its copyrights in the libzmq
C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved
license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mileschet", with commit author "Roberto Santacroce Martins
miles.chet@gmail.com", are copyright of Roberto Santacroce Martins. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Roberto Santacroce Martins 2020/07/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ilya Kulakov
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kentzo", with commit author "Ilya Kulakov <kulakov.ilya@gmail.com>", are copyright of Ilya Kulakov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ilya Kulakov

2017/05/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Florian Ebeling that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "febeling", with commit author "Florian Ebeling <florian.ebeling@gmail.com>", are copyright of Florian Ebeling. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Florian Ebeling

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Robert Gagnon that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rgagnon24", with commit author "Robert Gagnon rgagnon24+zmq@gmail.com", are copyright of Robert Gagnon. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Robert Gagnon

2017/03/19

Permission to Relicense under MPLv2

This is a statement by Kapp Arnaud that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "xaqq", with commit author "Kapp Arnaud", are copyright of Kapp Arnaud. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Kapp Arnaud

2017/03/30

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Weidmueller Interface GmbH & Co KG that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "herbrechtsmeier", with commit author "Stefan Herbrechtsmeier", are copyright of Weidmueller Interface GmbH & Co KG. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stefan Herbrechtsmeier

2019/09/09

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mike Gatny (mgatny) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mgatny", with commit author "Mike Gatny <mgatny@gmail.com>" or "Mike Gatny <mgatny@connamara.com>", are copyright of Mike Gatny. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Mike Gatny

2019/02/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Evgeny (Jim) Klimov that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jimklimov", with commit author "Jim Klimov <jim@jimklimov.com>" or "Jim Klimov <jimklimov@gmail.com>", are copyright of Evgeny (Jim) Klimov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Evgeny (Jim) Klimov

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by C-Sir
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "C-Sir", with
commit author "C-Sir <942510829@qq.com>", are copyright of C-Sir.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

C-Sir

2020/09/28

Permission to Relicense under MPLv2

This is a statement by Antonio Vanegas that grants permission to relicense its copyrights in the libzmq C++ library
(ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "hpsaturn", with commit author "Antonio Vanegas", are
copyright of Antonio Vanegas.
This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future
contributions of the author listed above.

Antonio Vanegas

2018/10/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Latchmoor Services, LLC
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "drbitboy", with
commit author "Brian Carcich <drbitboy@gmail.com>", are copyright of Latchmoor
Services, LLC.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Latchmoor Services, LLC

2019/07/26

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dongmin Yu
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "miniway", with commit author "Dongmin Yu <miniway@gmail.com>", are copyright of Dongmin Yu. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dongmin Yu
2019/08/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Kymeta Corporation that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "opensource-kymetacorp", with commit author "opensource-kymetacorp", are copyright of Kymeta Corporation. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Kymeta Corporation
2018/11/21

Permission to Relicense under MPLv2

This is a statement by Hendrik Beskow that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Asmod4n", with commit author "Asmod4n Asmod4n@users.noreply.github.com", are copyright of Hendrik Beskow. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Hendrik Beskow
2017/04/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stoian Ivanov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "sdrsdrr", with commit author "Stoian Ivanov sdr@mail.bg", are copyright of Stoian Ivanov. This document hereby grants the libzmq project team to relicense libzmq,

including all past, present and future contributions of the author listed above.

Stoian Ivanov

2017-03-23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dan Riegsecker
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "danriegsecker", with
commit author "Dan Riegsecker 1baldgeek@gmail.com", are copyright of
Dan Riegsecker. This document hereby grants the libzmq project team to
relicense libzmq, including all past, present and future contributions of
the author listed above.

Dan Riegsecker

2017/03/20

Permission to Relicense under MPLv2

This is a statement by Juraj Oruli that grants permission to relicense its copyrights in the libzmq C++ library
(ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ojura", with commit author "Juraj Oruli", are copyright of
Juraj Oruli.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future
contributions of the author listed above.

Juraj Oruli

2018/10/26

Permission to Relicense under MPLv2

This is a statement by Telford Berkey
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tberkey", with
commit author "Telford Berkey <tberkey@gmail.com>", are copyright of Telford Berkey.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Telford Berkey

03 Feb 2020

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gennady Makovetski
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gena-moscow", with
commit author "Gennady Makovetski <makovetski@gmail.com>", are copyright of Gennady Makovetski.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Gennady Makovetski
2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Samuel Martin
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tSed", with
commit author "Samuel Martin <s.martin49@gmail.com>", are copyright of Samuel Martin.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Samuel Martin
2017/03/25

Permission to Relicense under MPLv2

This is a statement by Daniel Krikun
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "dkrikun", with
commit author "Daniel Krikun", are copyright of Daniel Krikun .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Daniel Krikun
2019/08/17

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrei Tomashpolskiy
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "atomashpolskiy", with commit author "Andrei Tomashpolskiy <nordmann89@gmail.com>", are copyright of Andrei Tomashpolskiy . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andrei Tomashpolskiy

2019/08/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tarmo Tnav that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tarmo", with commit author "Tarmo Tnav <tarmo@itech.ee>", are copyright of Tarmo Tnav. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tarmo Tnav

2020/08/29

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dries Harnie that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Botje", with commit author "Dries Harnie <dries@harnie.be>", are copyright of Dries Harnie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dries Harnie

2019/10/31

Permission to Relicense under MPLv2

This is a statement by Quantum Corporation that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "vortechs2000", with commit author "AJ Lewis aj.lewis@quantum.com", are copyright of Quantum Corporation. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

AJ Lewis

2019/02/21

Permission to Relicense under MPLv2

This is a statement by Frdric Trgon
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "FredTreg", with
commit author "Frederic Tregon <frederic.tregon@gmail.com>", are copyright of Frdric Trgon.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Frdric Trgon

2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Mrio Kauba
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "soulik", with
commit author "Mrio Kauba mario.kasuba@it-academy.sk", are copyright of Mrio Kauba.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Mrio Kauba

2017/03/20

Permission to Relicense under MPLv2

This is a statement by IVU Traffic Technologies AG
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jruffin", with
commit author "Julien Ruffin <jur@ivu.de>", are copyright of IVU Traffic Technologies AG.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Henrik Benner

Head of Department Ticketing Development, IVU Traffic Technologies AG

2017/05/10

Permission to Relicense under MPLv2

This is a statement by Roal Zanazzi that grants permission to relicense its

copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "roalz", with commit author "roalz <roal.zanazzi@gmail.com>", are copyright of Roal Zanazzi.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Roal Zanazzi

2017/03/21

Permission to Relicense under MPLv2

This is a statement by Chih-Hsuan Yen

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "yan12125", with

commit author "Chih-Hsuan Yen <yan12125@gmail.com>", are copyright of Chih-Hsuan Yen.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chih-Hsuan Yen

2019/10/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Adam Seering

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commit made by the Github handle "aseering", with

commit author "Adam Seering <aseering@gmail.com>", are copyright of Adam Seering.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Adam Seering

2017/03/20

Permission to Relicense under MPLv2

This is a statement by Aleksander Melnikov

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "malexxz", with

commit author "Aleksander Melnikov", are copyright of Aleksander Melnikov.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Aleksander Melnikov

2019/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by H. Eduardo Montoya Snchez
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "montoyaedu", with
commit author "Montoya Edu <montoya.edu@gmail.com>", are copyright of H. Eduardo Montoya Snchez.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

H. Eduardo Montoya Snchez

2017/03/20

Permission to Relicense under MPLv2

This is a statement by trya.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "trya", with
commit author "trya", are copyright of trya.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

trya

2019/09/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Arkadiusz Drabczyk (ardrabczyk) that grants
permission to relicense his copyrights in the libzmq C++ library
(ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open
Source Initiative approved license chosen by the current ZeroMQ BDFL
(Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ardrabczyk", with
commit author "Arkadiusz Drabczyk <arkadiusz@drabczyk.org>", are
copyright of Arkadiusz Drabczyk. This document hereby grants the
libzmq project team to relicense libzmq, including all past, present
and future contributions of the author listed above.

Arkadiusz Drabczyk

2020/11/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jacques Germishuys that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jacquesg", with commit author "Jacques Germishuys <jacquesg@striata.com>", are copyright of Jacques Germishuys. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jacques Germishuys

2018/12/14

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Manca George that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mancasg", with commit author "Manca George <mancas.f.george@gmail.com>", are copyright of Manca George . This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Manca George

2019/07/24

Permission to Relicense under MPLV2 or any Open Source Initiative (OSI) approved license chosen by the current ZeroMQ BDFL

This is a statement by Nick Guiffrida that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

The commits made by the Github handle "goodfella", with commit author "Nick Guiffrida goodfella005@gmail.com" are copyright of Nick Guiffrida. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by aixxe (aixxe)

that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "aixxe", with commit author "aixxe <me@aixxe.net>" are copyright of aixxe.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

aixxe

2019/07/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lonard Michelet that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "leonarf", with commit author "Lonard Michelet <leonard.michelet@openwide.fr>", are copyright of Lonard Michelet.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michelet Lonard 2017/03/29

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by crocket that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "crocket", with commit author "crocket <748856+crocket@users.noreply.github.com>", are copyright of crocket.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

crocket

2018/11/10

Permission to Relicense under MPLv2

This is a statement by Ricardo Catalinas Jimenez that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "xantares", with

commit author "Michel Zou <xantares09@hotmail.com>", are copyright of Michel Zou.
This document hereby grants the libzmq project team to relicense
libzmq,
including all past, present and future contributions of the author
listed above.

Michel Zou
2020/02/03

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eric Voskuil
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "evoskuil", with
commit author "Eric Voskuil <eric@voskuil.org>", are copyright of Eric Voskuil.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Eric Voskuil
2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Trevor Bernard (trevorbernard) that grants
permission to relicense his copyrights in the libzmq C++ library
(ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open
Source Initiative approved license chosen by the current ZeroMQ BDFL
(Benevolent Dictator for Life).

A portion of the commits made by the Github handle "trevorbernard",
with commit author "Trevor Bernard <trevor.bernard@gmail.com>", are
copyright of Trevor Bernard. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Trevor Bernard
2019/02/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Dennis Klein
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "dennisklein", with

commit author "Dennis Klein <d.klein@gsi.de>", are copyright of Dennis Klein.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Dennis Klein

2019/08/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Constantin Rack

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "c-rack", with

commit author "Constantin Rack <constantin.rack@gmail.com>", are copyright of Constantin Rack.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Constantin Rack

2017/03/20

Permission to Relicense under MPLv2

This is a statement by {{ name of company / name of individual }}

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "{{github username}}", with

commit author "{{github commit author}}", are copyright of {{ name }} .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

{{ Full Name }}

{{ creation date of document (format: yyyy/mm/dd) }}

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by serg06 (serg06)

that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "serg06", with commit author

"serg06 <serkhas@hotmail.com>" are copyright of serg06.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

serg06

2020/05/25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Marc Su Clos (msune)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "msune", with
commit author "Marc Sune <marcdevel@gmail.com>" or
"Marc Sune <marc@voltanet.io>", are copyright of Marc Su.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Marc Su Clos

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Thomas Rodgers
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "rodgert", with
commit author "Thomas Rodgers <rodgert@twrogers.com>", are copyright
of Thomas Rodgers.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Thomas W Rodgers

2017/04/08

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Uli Khler.
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

All commits made by the Github handle "ulikoehler", with
commit author "Uli Khler", are copyright of Uli Khler.

This document hereby grants the libzmq project team to relicense libzmq and / or CZMQ,
including all past, present and future contributions of the author listed above.

Uli Khler

2017/03/25

Permission to Relicense under MPLv2

This is a statement by Mark Barbisan
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mbarbisan", with
commit author "Mark Barbisan <mark@barbisan.ca>", are copyright of Mark Barbisan.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Mark Barbisan

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anonymous Maarten
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "madebr", with
commit author "Anonymous Maarten <anonymous.maarten@gmail.com>", are copyright of Anonymous Maarten.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Anonymous Maarten

2017/03/27

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Doron Somech (somedoron)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "somedoron", with
commit author "Doron Somech <somedoron@gmail.com>", are copyright of Doron Somech.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Doron Somech

2019/02/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Felipe Goron Farinon (psl-felipefarinon) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "psl-felipefarinon", with commit author "Felipe Goron Farinon", are copyright of Felipe Goron Farinon. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Felipe Goron Farinon

2019/09/02

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Rishi Theivendran (inuik) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "inuik", with commit author "Rishi Theivendran <29522253+inuik@users.noreply.github.com>" or "Rishi Theivendran <rishi.theivendran@rohde-schwarz.com>", are copyright of Rishi Theivendran. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Rishi Theivendran

2019/07/18

The MIT License (MIT)

Copyright (c) <year> 2007-14 Mike Karlesky, Mark VanderVoord, Greg Williams

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Permission to Relicense under MPLv2

This is a statement by Matthias Gabriel
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "gabm", with
commit author "Matthias Gabriel <matthias.gabriel@etit.tu-chemnitz.de>", are copyright of Matthias Gabriel.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Matthias Gabriel

2018/10/8

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Alexander Straub
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "straubar", with
commit author "Alexander Straub <alexander.straub@visus.uni-stuttgart.de>", are copyright of Alexander Straub.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Alexander Straub

2019/09/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christian Kamm
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ckamm", with
commit author "Christian Kamm kamm@incasoftware.de", are copyright of Christian Kamm.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Christian Kamm

2017/03/20

Permission to Relicense under MPLv2

This is a statement by grmt.

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "grmt", with commit author "grmt", are copyright of grmt.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

grmt (garmt.noname@gmail.com)

2020/05/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by David Jelenc

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "djelenc", with commit author "David Jelenc <david.jelenc@fri.uni-lj.si>", are copyright of David Jelenc.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

David Jelenc

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sbastien Rombauts

that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "SRombauts", with commit author "Sbastien Rombauts", are copyright of Sbastien Rombauts.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sbastien Rombauts

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Nikolay Amiantov that grants permission to relicense his

copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "abbradar", with commit author "Nikolay Amiantov <ab@fmap.me>", are copyright of Nikolay Amiantov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Nikolay Amiantov

2017/03/24

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Jim Garlick (garlick) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "garlick", with commit author "Jim Garlick <garlick.jim@gmail.com>", are copyright of Jim Garlick. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jim Garlick

2019/08/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ivo Danihelka that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "fidlej", with commit author "Ivo Danihelka <ivo@danihelka.net>", are copyright of Ivo Danihelka. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ivo Danihelka

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Gonzalo Diethelm that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "gonzus", with
commit author "Gonzalo Diethelm <gonzalo.diethelm@diethelm.org>" or "Gonzalo Diethelm
<gdiethelm@dcv.cl>", are copyright of Gonzalo Diethelm .

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Gonzalo Diethelm

2017/03/20

Permission to Relicense under MPLv2

This is a statement by Robert G. Jakabosky
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "Neopallium", with
commit author "Robert G. Jakabosky <bobby@sharedrealm.com>", are copyright of Robert G. Jakabosky.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Robert Gabriel Jakabosky

2019/08/17

Permission to Relicense under MPLv2

This is a statement by Thomas Chiantia
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "tomzbench", with
commit author "Thomas<Thomas@Altronix.com>", are copyright of
Thomas Chiantia.

This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Thomas Chiantia

2019/08/10

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by William Swanson
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "swansontec", with
commit author " William Swanson <swansontec@gmail.com>", are copyright of William Swanson.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

William Swanson

2017/04/10

Permission to Relicense under MPLv2

This is a statement by Kevin Sapper that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "sappo", with commit author "Kevin Sapper <mail@kevinsapper.de>", are copyright of Kevin Sapper. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Kevin Sapper

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Takeshi Abe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "tabe", with commit author "Takeshi Abe <tabe@fixedpoint.jp>", are copyright of Takeshi Abe. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Takeshi Abe

2017/03/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Romain Moret that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "moretomain", with commit author "Romain Moret <moretomain@gmail.com>", are copyright of Romain Moret. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Romain Moret

2019/05/06

Permission to Relicense under MPLv2

This is a statement by Pierre Yager
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "zedalaye", with
commit author "Pierre Yager <pierre.y@gmail.com>" or
"Pierre Yager <pierre.yager@crisalid.com", are copyright of Pierre Yager.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Pierre Yager

2021/01/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Diego Barrios Romero
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "eldruin", with
commit author "Diego Barrios Romero <eldruin@gmail.com>", are copyright of Diego Barrios Romero.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Diego Barrios Romero

2019/11/13

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current
ZeroMQ BDFL

This is a statement by Joel Lauener
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
share-alike Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "jlauenercern", with
commit author "Joel Lauener <Joel.Lauener@cern.ch>", are copyright of Joel Lauener .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Joel Lauener

2019/08/12

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Micromass UK Limited
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ricnewton", with
commit author "Richard Newton" are copyright of Micromass UK Limited.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Steve Smith

Director Micromass UK Limited

2017/04/26

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Nathan Toone that grants permission to
relicense its copyrights in the libzmq C++ library (ZeroMQ) under the
Mozilla Public License v2 (MPLv2) or any other Open Source Initiative
approved license chosen by the current ZeroMQ BDFL (Benevolent
Dictator for Life).

A portion of the commits made by the Github handle "toonetown", with
commit author "Nathan Toone <nathan@toonetown.com>", are
copyright of Nathan Toone. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and
future contributions of the author listed above.

Nathan Toone

2018/11/05

Permission to Relicense under MPLv2

This is a statement by Bruno Bodin
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "bbdb68", with
commit author "Bruno Bodin <brunobodin@gmail.com>", are copyright of Bruno Bodin .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Bruno Bodin

2017/04/04

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current
ZeroMQ BDFL

This is a statement by Lourens Naud
that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "methodmissing", with commit author "Lourens Naud <lourens@methodmissing.com>", are copyright of Lourens Naud. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lourens Naud

2019/07/01

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Anton Dimitrov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "glemercier", with commit author "Gregory Lemerrier <greglemercier@free.fr>", are copyright of Gregory Lemerrier. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Gregory Lemerrier

2018/10/07

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Sylvain Corlay that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "SylvainCorlay", with commit author "Sylvain Corlay sylvain.corlay@gmail.com", are copyright of Sylvain Corlay. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Sylvain Corlay

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Stanisaw Macia that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other

Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "stanpl", with commit author "Stanisaw Macia", are copyright of Stanisaw Macia. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Stanisaw Macia

2020/12/23

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Shubham Lagwankar that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ssbl", with commit author "Shubham Lagwankar <shubhu105@gmail.com>", are copyright of Shubham Lagwankar. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Shubham Lagwankar

2018/10/30

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Ghislain PUTOIS that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ghpu", with commit author "Ghislain PUTOIS", are copyright of Ghislain PUTOIS. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Ghislain PUTOIS

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Daiyu Hurst that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "daiyuhurst", with commit author "Daiyu Hurst <daiyu.hurst@gmail.com>", are copyright of Daiyu Hurst. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Daiyu Hurst

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Tore Halvorsen that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "demozon", with commit author "Tore Halvorsen <tore.halvorsen@gmail.com>", are copyright of Tore Halvorsen. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Tore Halvorsen

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Iwan Paolucci that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ipa", with commit author "Iwan Paolucci <iwan.paolucci@gmail.com>", are copyright of Iwan Paolucci. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Iwan Paolucci

2019/04/18

Permission to Relicense under MPLv2

This is a statement by Shannen Saez that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "shancat", with commit author "Shannen Saez <shannenlaptop@gmail.com>", are copyright of Shannen Saez.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Shannen Saez

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Timothee Besset that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "TTimo", with commit author "Timothee Besset <timo@ttimo.net>", are copyright of Timothee Besset. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Timothee Besset

2017/03/19

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Bryan Gillespie (RPGillespie6) that grants permission to relicense his copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "RPGillespie6", with commit author "Bryan Gillespie <rgillespie6@gmail.com>", are copyright of Bryan Gillespie. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Bryan Gillespie

2019/09/06

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Frank R. Dana Jr. that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "ferdnyc", with commit author "FeRD (Frank Dana)", are copyright of Frank R. Dana, Jr. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Frank Richard Dana, Jr.

2020-03-16

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Harald Achitz
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "a4z", with
commit author "Harald Achitz <harald.achitz@gmail.com>" or
"Harald Achitz <harald.achitz@tritech.se>" or
"Harald Achitz <harald.achitz@getinge.com>", are copyright of Harald Achitz.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Harald Achitz

2017/03/21

Permission to Relicense under MPLv2

This is a statement by Douglas Young
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "rcxdude", with
commit author "Douglas Young <rcxdude@gmail.com>", are copyright of Douglas Young .
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Douglas Young

2019/08/31

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by boxkey that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ)
under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the
current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "boxkey", with commit author "boxkey
289844900@qq.com", are copyright of boxkey. This document hereby grants the libzmq
project team to relicense libzmq, including all past, present and future contributions of the author listed above.

boxkey 2020/11/30

This is a statement by Peter LaDow that grants permission to relicense its
copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public
License v2 (MPLv2) or any other Open Source Initiative approved license
chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "Suudy", with commit author "Suudy <pladow@gmail.com>", are copyright of Peter LaDow. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Peter LaDow

14 August 2019

Permission to Relicense under MPLv2

This is a statement by Jake Cobb
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jakecobb", with
commit author "Jake Cobb <jake.cobb@gmail.com>", are copyright of Jake Cobb.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jake Cobb

2017/04/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Laws
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "claws", with
commit author "Chris Laws <clawsicus@gmail.com>", are copyright of Christopher Laws.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Christopher Laws

2019/08/11

Permission to Relicense under MPLv2

This is a statement by Jean-Christophe Fillion-Robin
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "jcfr", with
commit author "Jean-Christophe Fillion-Robin <jchris.fillionr@kitware.com>", are copyright of Kitware Inc.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Jean-Christophe Fillion-Robin

2019/09/03

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by the Github user "std-any-emplace" that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other share-alike Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "std-any-emplace", with commit author "std-any-emplace", are copyright of the Github user "std-any-emplace". This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

"std-any-emplace"

2020/01/19

Permission to Relicense under MPLv2

This is a statement by Thomas M. DuBuisson that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "mdionisio", with commit author "Michele Dionisio", are copyright of Michele Dionisio. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michele Dionisio

2019/07/09

Permission to Relicense under MPLv2

This is a statement by Fedor Sheremetyev that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "sheremetyev", with commit author "Fedor Sheremetyev <sheremetyev@gmail.com>", are copyright of Fedor Sheremetyev. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Fedor Sheremetyev

2017/03/20

Permission to Relicense under MPLv2

This is a statement by Jesse Gorzinski that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ThePrez", with commit author "ThePrez <jgorzinski@gmail.com>", are copyright of Jesse Gorzinski. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Jesse Gorzinski

2019/10/02

Permission to Relicense under MPLv2

This is a statement by sonoware GmbH that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "sonoware", with commit author "Stephan Senkbeil" are copyright of sonoware GmbH.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the authors listed above.

Stephan Senkbeil <stephan.senkbeil@sonoware.de>

2019/12/13

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by John Skallwe that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "skaller", with commit author "skaller", are copyright of John Skaller .

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

John Skaller

2019/09/01

Naos Ltd (a New Zealand company)

This is a statement by Naos Ltd (Naos) that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

The port of libzmq to run on the z/OS Mainframe ([GitHub Pull request #1136](https://github.com/zeromq/libzmq/pull/1136), [GitHub Pull request #1138](https://github.com/zeromq/libzmq/pull/1138), and [GitHub Pull request #1139](https://github.com/zeromq/libzmq/pull/1139)) was performed as work for hire under contract to iMatix Corporation sprl, itself under contract to a client. Thus copyright in that

portability work does not belong to Naos Ltd, and Naos Ltd hereby releases any claim to the copyright in the z/OS Mainframe portability work identified by the above three GitHub pull requests.

Ewen McNeill

Managing Director, Naos Ltd

2016-04-25

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Adrian Muraru that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "amuraru", with commit author "Adrian Muraru <adi.muraru@gmail.com>", are copyright of Adrian Muraru. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Adrian Muraru

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Christopher Hall that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hwx", with commit author "Christopher Hall <hsw@ms2.hinet.net>", are copyright of Christopher Hall. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Christopher Hall

2019/08/07

Permission to Relicense under MPLv2

This is a statement by Patrik Wenger that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "paddor", with commit author "Patrik Wenger", are copyright of Patrik Wenger. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Patrik Wenger

2019/08/31

Permission to Relicense under MPLv2 or any other share-alike OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chia-liang Kao
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
share-alike Open Source Initiative approved license chosen by the current
ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "clkao", with
commit author "Chia-liang Kao clkao@clkao.org", are copyright of Chia-liang Kao.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Chia-liang Kao

2017/03/20

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Xujing Yang (laplaceyang)
that grants permission to relicense his copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "laplaceyang", with
commit author "laplaceyang <laplace2013@outlook.com>", are copyright of Xujing Yang.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed
above.

Xujing Yang

2020/04/22

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Szekely Gyorgy
that grants permission to relicense its copyrights in the libzmq C++
library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other
Open Source Initiative approved license chosen by the current ZeroMQ
BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "hoditohod", with
commit author "Szekely Gyorgy <hoditohod@gmail.com>", are copyright of Szekely Gyorgy.
This document hereby grants the libzmq project team to relicense libzmq,
including all past, present and future contributions of the author listed above.

Szekely Gyorgy

2018/08/15

Permission to Relicense under MPLv2

This is a statement by Fabien Ninoles that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2).

A portion of the commits made by the Github handle "ninoles", with commit author "Fabien Ninoles", are copyright of Fabien Ninoles.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Fabien Ninoles

2020/02/11

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Michael Hand that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "mipaaa", with commit author "Michael Hand <mipaaa@gmail.com>", are copyright of Michael Hand.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Michael Hand

2017/03/21

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Chengye Ke that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "imkcy9", with commit author "Chengye Ke <imkcy9@icloud.com>" or

"Chengye Ke <imkcy9@gmail.com>", are copyright of Chengye Ke.

This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Chengye Ke

2019/05/18

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Francesco Montorsi that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "f18m", with commit author "Francesco Montorsi <francesco.montorsi@gmail.com>", are copyright of Francesco Montorsi. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Francesco Montorsi

2018/09/14

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Eric Camachat that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "camachat", with commit author "Eric Camachat <eric@camachat.org>", are copyright of Eric Camachat. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Eric L. Camachat

March 20, 2017

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Andrey Sibiriyov that grants permission to relicense its copyrights in the libzmq C++ library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "kobolog", with commit author "Andrey Sibiriyov <me@kobology.ru>", are copyright of Andrey Sibiriyov. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Andrey Sibiriyov

2017/04/04

Permission to Relicense under MPLv2 or any other OSI approved license chosen by the current ZeroMQ BDFL

This is a statement by Lionel Flandrin that grants permission to relicense its copyrights in the libzmq C++

library (ZeroMQ) under the Mozilla Public License v2 (MPLv2) or any other Open Source Initiative approved license chosen by the current ZeroMQ BDFL (Benevolent Dictator for Life).

A portion of the commits made by the Github handle "simias", with commit author "Lionel Flandrin lflandrin@ereca.fr", are copyright of Lionel Flandrin. This document hereby grants the libzmq project team to relicense libzmq, including all past, present and future contributions of the author listed above.

Lionel Flandrin
2018/05/02

1.13 log4j-api 2.17.1

1.13.1 Available under license :

Apache Log4j 1.x Compatibility API
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and

do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.14 apache-log4j 2.17.1

1.14.1 Available under license :

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache license, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the license for the specific language governing permissions and
* limitations under the license.
*/

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership
of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution

notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor

has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.15 log4j-jcl 2.17.1

1.15.1 Available under license :

Apache Log4j Commons Logging Bridge
Copyright 1999-1969 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute

copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.16 jzmq-jni 3.1.1-SNAPSHOT

1.16.1 Available under license :

This package was debianized by
Alois Belaska <alois.belaska@google.com>

The packaging scripts are 2009-2010 by these authors and are distributed
under the same terms as the zeromq library (LGPL 2 or later.)

Licensing information for OMQ

Project homepage, with original source code:
<http://www.zeromq.org/>

Copyright and Upstream Authors:

Copyright 2007-2010 iMatix Corporation

License:

This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public

License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General Public License can be found in `/usr/share/common-licenses/LGPL`.

iMatix also offers commercial licenses for 0MQ.

Licensing information for the included OpenPGM library

Project homepage, with original source code:
<http://code.google.com/p/openpgm/>

Copyright and Upstream Authors:
Copyright 2006-2010 Miru Limited.
Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.
Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:
Most of OpenPGM is licensed under the terms of the GNU Lesser Public License, the LGPL, see the file COPYING for details.

The ultra-high performance partial checksum & folding routines that are taken from the Linux kernel and licensed under the terms of the GNU General Public License, the GPL, see the file COPYING.GPL for details.

Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of OpenPGM as being LGPL licensed and the library libpgmplus as being GPL licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ doesn't use those files during build or runtime, so it is not relevant for the license of zeromq itself.)

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in ``usr/share/common-licenses/LGPL'`.

On Debian systems, the complete text of the GNU General Public License can be found in ``usr/share/common-licenses/GPL-2'`.

Licensing information for the included XMLParser library

From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen
All rights reserved.

The following license terms apply to projects that are in some way related to the "ZeroMQ project", including applications using "ZeroMQ project" and tools developed for enhancing "ZeroMQ project". All other projects (not related to "ZeroMQ project") have to use this code under the Aladdin Free Public License (AFPL). See the file "AFPL-license.txt" for more informations about the AFPL license. (see <http://www.artifex.com/downloads/doc/Public.htm> for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Frank Vanden Berghen

nor the

names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for

software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those

products. If such problems arise substantially in other domains,
we
stand ready to extend this provision to those domains in future versions
of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents.
States should not allow patents to restrict development and use of
software on general-purpose computers, but in those that do, we wish to
avoid the special danger that patents applied to a free program could
make it effectively proprietary. To prevent this, the GPL assures that
patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and
modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of
works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this
License. Each licensee is addressed as "you". "Licensees"
and
"recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work
in a fashion requiring copyright permission, other than the making of an
exact copy. The resulting work is called a "modified version" of the
earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based
on the Program.

To "propagate" a work means to do anything with it that, without
permission, would make you directly or secondarily liable for
infringement under applicable copyright law, except executing it on a
computer or modifying a private copy. Propagation includes copying,
distribution (with or without modification), making available to the
public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other
parties to make or receive copies. Mere interaction with a user through
a computer network, with no transfer of a copy,

is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is

covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of

technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution

medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the

Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation

(including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this

License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided

by the Library, but which is not otherwise based on the Library.
Defining a subclass of a class defined by the Library
is deemed a mode
of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters,

data structure

layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:
 - 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.
 - 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible

with the Linked
Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser

General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.17 jzmq-devices 3.1.1-SNAPSHOT

1.17.1 Available under license :

This package was debianized by
Alois Belaska <alois.belaska@google.com>

The packaging scripts are 2009-2010 by these authors and are distributed
under the same terms as the zeromq library (LGPL 2 or later.)

Licensing information for OMQ

Project homepage, with original source code:
<http://www.zeromq.org/>

Copyright and Upstream Authors:

Copyright 2007-2010 iMatix Corporation

License:

This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy
of the GNU Lesser General Public
License along with this package; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in `/usr/share/common-licenses/LGPL'.

iMatix also offers commercial licenses for OMQ.

Licensing information for the included OpenPGM library

Project homepage, with original source code:

<http://code.google.com/p/openpgm/>

Copyright and Upstream Authors:

Copyright 2006-2010 Miru Limited.

Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.

Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:

Most of OpenPGM is licensed under the terms of the GNU Lesser Public License, the LGPL, see the file COPYING for details.

The ultra-high performance partial checksum & folding routines that are taken from the Linux kernel and licensed under the terms of the GNU General Public License, the GPL, see the file COPYING.GPL for details.

Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of OpenPGM as being LGPL licensed and the library libpgmplus as being GPL licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ doesn't use those files during build or runtime, so it is not relevant for the license of zeromq itself.))

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in `/usr/share/common-licenses/LGPL`.

On Debian systems, the complete text of the GNU General Public License can be found in `/usr/share/common-licenses/GPL-2`.

Licensing information for the included XMLParser library

From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen
All rights reserved.

The following license terms apply to projects that are in some way related to the "ZeroMQ project", including applications using "ZeroMQ project" and tools developed for enhancing "ZeroMQ project". All other projects

(not related to "ZeroMQ project") have to use this code under the Aladdin Free Public License (AFPL)
See the file "AFPL-license.txt" for more informations about the AFPL license.
(see <http://www.artifex.com/downloads/doc/Public.htm> for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Frank Vanden Berghen

nor the

names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if

you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of

works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with

the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified

it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source

in the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user

actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions

apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does

not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free

patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that

arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with

the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable

under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.18 jzmq 3.1.1-SNAPSHOT

1.18.1 Available under license :

This package was debianized by
Alois Belaska <alois.belaska@google.com>

The packaging scripts are 2009-2010 by these authors and are distributed under the same terms as the zeromq library (LGPL 2 or later.)

Licensing information for 0MQ

Project homepage, with original source code:
<http://www.zeromq.org/>

Copyright and Upstream Authors:

Copyright 2007-2010 iMatix Corporation

License:

This package is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this package; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General Public License can be found in ``usr/share/common-licenses/LGPL'`.

iMatix also offers commercial licenses for 0MQ.

Licensing information for the included OpenPGM library

Project homepage, with original source code:
<http://code.google.com/p/openpgm/>

Copyright and Upstream Authors:
Copyright 2006-2010 Miru Limited.
Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.
Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:
Most of OpenPGM is licensed under the terms of the GNU Lesser Public License, the LGPL, see the file COPYING for details.

The ultra-high performance partial checksum & folding routines that are taken from the Linux kernel and licensed under the terms of the GNU General Public License, the GPL, see the file COPYING.GPL for details.

Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of OpenPGM as being LGPL licensed and the library libpgmplus as being GPL licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ doesn't use those files during build or runtime, so it is not relevant for the

license of zeromq itself.))

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in ``usr/share/common-licenses/LGPL'`.

On Debian systems, the complete text of the GNU General Public License can be found in ``usr/share/common-licenses/GPL-2'`.

Licensing information for the included XMLParser library

From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen
All rights reserved.

The following license terms apply to
projects that are in some way related to
the "ZeroMQ project", including applications
using "ZeroMQ project" and tools developed
for enhancing "ZeroMQ project". All other projects
(not related to "ZeroMQ project") have to use this
code under the Aladdin Free Public License (AFPL)
See the file "AFPL-license.txt" for more informations about the AFPL license.
(see <http://www.artifex.com/downloads/doc/Public.htm> for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
- * Neither the name of Frank Vanden Berghen

nor the

names of its contributors may be used to endorse or promote products
derived from this software without specific prior written permission.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic

pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other

parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free

programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those

subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or

modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

- publish on each copy an appropriate copyright notice;
- keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code;
- keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work,

and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source

in the same way through the same place at no

further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party)

that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed

in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or

requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright

holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights

granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work

in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have

permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License,

other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library.

Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from

a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the Combined Work with a copy of the GNU GPL and this license document.
- c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.
- d) Do one of the following:

- 0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

- 1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer

system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you

received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable

under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

1.19 jzmq-core 3.1.1-SNAPSHOT

1.19.1 Available under license :

This package was debianized by
Alois Belaska <alois.belaska@google.com>

The packaging scripts are 2009-2010 by these authors and are distributed
under the same terms as the zeromq library (LGPL 2 or later.)

Licensing information for OMQ

Project homepage, with original source code:
<http://www.zeromq.org/>

Copyright and Upstream Authors:

Copyright 2007-2010 iMatix Corporation

License:

This package is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2 of the License, or (at your option) any later version.

This package is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy
of the GNU Lesser General Public
License along with this package; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

On Debian systems, the complete text of the GNU Lesser General
Public License can be found in `/usr/share/common-licenses/LGPL'.

iMatix also offers commercial licenses for OMQ.

Licensing information for the included OpenPGM library

Project homepage, with original source code:

<http://code.google.com/p/openpgm/>

Copyright and Upstream Authors:

Copyright 2006-2010 Miru Limited.

Copyright 1995, 1996, 2001, 2003 Free Software Foundation, Inc.

Copyright 2002, 2003 Andi Kleen, SuSE Labs.

License:

Most of OpenPGM is licensed under the terms of the GNU Lesser Public License, the LGPL, see the file COPYING for details.

The ultra-high performance partial checksum & folding routines that are taken from the Linux kernel and licensed under the terms of the GNU General Public License, the GPL, see the file COPYING.GPL for details.

Hence you should treat the libraries libpgm, libpgmsnmp, and libpgmhttp of OpenPGM as being LGPL licensed and the library libpgmplus as being GPL licensed.

(Packager's note: "GPL" in the context of the Linux kernel means GPL 2. 0MQ doesn't use those files during build or runtime, so it is not relevant for the license of zeromq itself.))

Commercial licenses are also offered.

On Debian systems, the complete text of the GNU Lesser General Public License can be found in ``usr/share/common-licenses/LGPL'`.

On Debian systems, the complete text of the GNU General Public License can be found in ``usr/share/common-licenses/GPL-2'`.

Licensing information for the included XMLParser library

From xmlParser.hpp:

Copyright (c) 2002, Frank Vanden Berghen
All rights reserved.

The following license terms apply to
projects that are in some way related to
the "ZeroMQ project", including applications

using "ZeroMQ project" and tools developed for enhancing "ZeroMQ project". All other projects (not related to "ZeroMQ project") have to use this code under the Aladdin Free Public License (AFPL). See the file "AFPL-license.txt" for more informations about the AFPL license. (see <http://www.artifex.com/downloads/doc/Public.htm> for detailed AFPL terms)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Frank Vanden Berghen

nor the

names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you

these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose

of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a

written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status

of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent

that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms

of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However,

nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that

contain the covered work, unless you entered into that arrangement,
or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <http://fsf.org/>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License without being bound by section 3 of the GNU GPL.

2. Conveying

Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are

covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library

under terms of your
choice, if you do both of the following:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.
- b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

SPECIAL EXCEPTION GRANTED BY IMATIX

As a special exception, iMatix gives you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable

under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you must extend this exception to your version of the library.

Parts of the software are licensed under the MIT (X11) license as follows:

Copyright (c) 2007-2010 Contributors as listed in AUTHORS

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.20 xerces-j 2.12.2

1.20.1 Available under license :

Apache XML Commons Resolver
Copyright 2006 The Apache Software Foundation.

This product includes software developed at
The Apache Software Foundation <http://www.apache.org/>

Portions of this code are derived from classes placed in the public domain by Arbortext on 10 Apr 2000. See:
http://www.arbortext.com/customer_support/updates_and_technical_notes/catalogs/docs/README.htm

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or
(iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from)
the Work and for which the
editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as

of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law

(such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your

sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
=====

Apache Xalan (Xalan serializer)
Copyright 1999-2012 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems.,
<http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation.,

<http://www.ibm.com>.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication

on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant

of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed

under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.21 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

1.21.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.22 httpcomponents-mime 4.5.14

1.22.1 Available under license :

Apache HttpComponents Client

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

=====

This project includes Public Suffix List copied from
<https://publicsuffix.org/list/effective_tld_names.dat>
licensed under the terms of the Mozilla Public License, v. 2.0

Full license text: <<http://mozilla.org/MPL/2.0/>>

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to
the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used
by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code

Form to which the initial Contributor has attached
the notice in Exhibit A, the Executable Form of such Source Code
Form, and Modifications of such Source Code Form, in each case
including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described
in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of
version 1.1 or earlier of the License, but not also under the
terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial

ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks,

or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source

Code

Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

```
*
*
* 6. Disclaimer of Warranty
* -----
*
* Covered Software is provided under this License on an "as is"
* basis, without warranty of any kind, either expressed, implied, or
```

* statutory, including, without limitation, warranties that the *

* Covered Software is

free of defects, merchantable, fit for a *

* particular purpose or non-infringing. The entire risk as to the *

* quality and performance of the Covered Software is with You. *

* Should any Covered Software prove defective in any respect, You *

* (not any Contributor) assume the cost of any necessary servicing, *

* repair, or correction. This disclaimer of warranty constitutes an *

* essential part of this License. No use of any Covered Software is *

* authorized under this License except under this disclaimer. *

* *

* *

* 7. Limitation of Liability *

* ----- *

* *

* *

* Under no circumstances and under no legal theory, whether tort *

* (including negligence), contract, or otherwise, shall any *

* Contributor, or anyone who distributes Covered Software as *

* permitted above, be liable to You for any direct, indirect, *

* special, incidental, or consequential damages of any character *

* including, without limitation, damages for lost profits, loss of *

* goodwill, work stoppage, computer failure or malfunction, or any *

* and all other commercial damages or losses, even if such party *

* shall have been informed of the possibility of such damages. This *

* limitation of liability shall not apply to liability for death or *

* personal injury resulting from such party's negligence to the *

* extent applicable law prohibits such limitation. Some *

* jurisdictions do not allow the exclusion or limitation

of *

* incidental or consequential damages, so this exclusion and *

* limitation may not apply to You. *

* *

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public

License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary
Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

1.23 jctools-core 4.0.1

1.23.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /jctools-core-4-0-1-1-jar/META-INF/maven/org.jctools/jctools-core/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bnd-LastModified: 1662622707903

Build-Jdk-Spec: 11

Bundle-Description: Java Concurrency Tools Core Library

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-ManifestVersion: 2

Bundle-Name: Java Concurrency Tools Core Library

Bundle-SymbolicName: org.jctools.core

Bundle-Version: 4.0.1

Created-By: Apache Maven Bundle Plugin 5.1.6

Export-Package: org.jctools.maps;version="4.0.1",org.jctools.util;uses
:="sun.misc";version="4.0.1",org.jctools.queues;version="4.0.1",org.j
ctools.queues.atomic;uses:="org.jctools.queues";version="4.0.1",org.j
ctools.queues.unpadded;uses:="org.jctools.queues";version="4.0.1",org
.jctools.counters;version="4.0.1"

Import-Package: sun.misc;resolution:=optional

Require-Capability: osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"

Tool: Bnd-6.2.0.202202251641

Found in path(s):

* /jctools-core-4-0-1-1-jar/META-INF/MANIFEST.MF

1.24 error_prone_annotations 2.18.0

1.24.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

-->

Found in path(s):

* /error-prone-annotations-2-18-0-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

1.25 gson 2.10.1

1.25.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Created-By: 11.0.16.1 (Azul Systems, Inc.)

Build-Jdk-Spec: 11

Bnd-LastModified: 1673019830620

Bundle-ContactAddress: <https://github.com/google/gson>

Bundle-Description: Gson JSON library

Bundle-Developers: google;organization=Google;organizationUrl="https://www.google.com"

Bundle-DocURL: <https://github.com/google/gson/gson>

Bundle-License: "Apache-2.0";link="https://www.apache.org/licenses/LICENSE-2.0.txt"

Bundle-ManifestVersion: 2

Bundle-Name: Gson

Bundle-RequiredExecutionEnvironment: JavaSE-1.7, JavaSE-1.8
Bundle-SCM: url="https://github.com/google/gson/gson/",connection="scm:git:https://github.com/google/gson.git/gson",developer-connection="scm:git:git@github.com:google/gson.git/gson",tag="gson-parent-2.10.1"
Bundle-SymbolicName: com.google.gson
Bundle-Vendor: Google Gson Project
Bundle-Version: 2.10.1
Export-Package: com.google.gson;uses:="com.google.gson.reflect,com.google.gson.stream";version="2.10.1",com.google.gson.annotations;version="2.10.1",com.google.gson.reflect;version="2.10.1",com.google.gson.stream;version="2.10.1"
Import-Package: sun.misc;resolution:=optional,com.google.gson.annotations
Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.7))"
Tool: Bnd-6.4.0.202211291949
Multi-Release: true

Found in path(s):

* /gson-2-10-1-jar/META-INF/MANIFEST.MF

1.26 okhttp 4.11.0

1.26.1 Available under license :

Note that publicsuffices.gz is compiled from The Public Suffix List:
https://publicsuffix.org/list/public_suffix_list.dat

It is subject to the terms of the Mozilla Public License, v. 2.0:
<https://mozilla.org/MPL/2.0/>

1.27 guava 32.0.1-jre

1.27.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.28 free-type 2.13.2

1.28.1 Available under license :

```
# Files that don't get a copyright, or which are taken from elsewhere.
#
# All lines in this file are patterns (relative to the top-level directory),
# including the comment lines; this means that e.g. `FTL.TXT' matches all
# files that have this string in the file name (including the path relative
# to the current directory, always starting with `./').
#
# Don't put empty lines into this file!
#
builds/unix/pkg.m4
#
docs/FTL.TXT
docs/GPLv2.TXT
#
include/freetype/internal/fthash.h
#
src/base/fthash.c
src/base/md5.c
src/base/md5.h
#
src/bdf/bdf.c
src/bdf/bdf.h
src/bdf/bdfdrivr.c
src/bdf/bdfdrivr.h
src/bdf/bdferror.h
src/bdf/bdfplib.c
src/bdf/module.mk
src/bdf/README
src/bdf/rules.mk
#
src/pcf/module.mk
src/pcf/pcf.c
src/pcf/pcf.h
src/pcf/pcfdrivr.c
src/pcf/pcfdrivr.h
src/pcf/pcferror.h
src/pcf/pcfread.c
src/pcf/pcfread.h
```

```
src/pcf/pcfutil.c
src/pcf/pcfutil.h
src/pcf/README
src/pcf/rules.mk
#
src/gzip/adler32.c
src/gzip/ftzconf.c
src/gzip/infblock.c
src/gzip/infblock.h
src/gzip/infcodes.c
src/gzip/infcodes.h
src/gzip/inffixed.h
src/gzip/inflate.c
src/gzip/inftrees.c
src/gzip/inftrees.h
src/gzip/infutil.c
src/gzip/infutil.h
src/gzip/zconf.h
src/gzip/zlib.h
src/gzip/zutil.c
src/gzip/zutil.h
#
src/tools/apinames.c
src/tools/ftrandom/ftrandom.c
#
subprojects/dlg
#
#
EOF
```

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and

which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions
of this software are copyright <year> The FreeType
Project (www.freetype.org). All rights reserved.
""""

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

=====

0. Definitions

Throughout this license, the terms 'package', 'FreeType Project',

and 'FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the 'FreeType Project', be they named as alpha, beta or final release.

'You' refers to the licensee, or person using the project, where 'using' is a generic term including compiling the project's source code as well as linking it to form a 'program' or 'executable'. This program is referred to as 'a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED 'AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying

documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

- o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution. If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

--- end of FTL.TXT ---

FREETYPE LICENSES

The FreeType 2 font engine is copyrighted work and cannot be used legally without a software license. In order to make this project usable to a vast majority of developers, we distribute it under two mutually exclusive open-source licenses.

This means that **you** must choose **one** of the two licenses described below, then obey all its terms and conditions when using FreeType 2 in any of your projects or products.

- The FreeType License, found in the file ``docs/FTL.TXT``, which is similar to the original BSD license **with** an advertising clause that forces you to explicitly cite the FreeType project in your product's documentation. All details are in the license file. This license is suited to products which don't use the GNU General Public License.

Note that this license is compatible to the GNU General Public License version 3, but not version 2.

- The GNU General Public License version 2, found in ``docs/GPLv2.TXT`` (any later version can be used also), for programs which already use the GPL. Note that the FTL is incompatible with GPLv2 due to its advertisement clause.

The contributed BDF and PCF drivers come with a license similar to that of the X Window System. It is compatible to the above two licenses (see files ``src/bdf/README`` and ``src/pcf/README``). The same holds for the source code files ``src/base/fthash.c`` and ``include/freetype/internal/fthash.h``; they were part of the BDF driver in earlier FreeType versions.

The gzip module uses the zlib license (see ``src/gzip/zlib.h``) which too is compatible to the above two licenses.

The files `src/autofit/ft-hb.c` and `src/autofit/ft-hb.h` contain code taken almost verbatim from the HarfBuzz file `hb-ft.cc`, which uses the 'Old MIT' license, compatible to the above two licenses.

The MD5 checksum support (only used for debugging in development builds)
is in the public domain.

--- end of LICENSE.TXT ---

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their

rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate

copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program

except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is

implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED

OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.29 j2objc-annotations 2.8

1.29.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 Google Inc. All Rights Reserved.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
```

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /j2objc-annotations-2-8-sources-2-jar/com/google/j2objc/annotations/Weak.java
- * /j2objc-annotations-2-8-sources-2-jar/com/google/j2objc/annotations/AutoreleasePool.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

- * /j2objc-annotations-2-8-sources-2-jar/com/google/j2objc/annotations/ReflectionSupport.java
- * /j2objc-annotations-2-8-sources-2-jar/com/google/j2objc/annotations/J2ObjCIncompatible.java
- * /j2objc-annotations-2-8-sources-2-jar/com/google/j2objc/annotations/RetainedWith.java
- * /j2objc-annotations-2-8-sources-2-jar/com/google/j2objc/annotations/WeakOuter.java
- *
- * /j2objc-annotations-2-8-sources-2-jar/com/google/j2objc/annotations/ObjectiveCName.java
- * /j2objc-annotations-2-8-sources-2-jar/com/google/j2objc/annotations/Property.java
- * /j2objc-annotations-2-8-sources-2-jar/com/google/j2objc/annotations/LoopTranslation.java
- * /j2objc-annotations-2-8-sources-2-jar/com/google/j2objc/annotations/OnDealloc.java
- * /j2objc-annotations-2-8-sources-2-jar/com/google/j2objc/annotations/RetainedLocalRef.java

1.30 animal-sniffer-annotation 1.23

1.30.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
```

The MIT License

Copyright (c) 2009 codehaus.org.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

-->

Found in path(s):

* /animal-sniffer-annotations-1-23-1-jar/META-INF/maven/org.codehaus.mojo/animal-sniffer-annotations/pom.xml

1.31 kotlin 1.9.10

1.31.1 Available under license :

Apache License 2.0

1.32 okio 3.6.0

1.32.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /okio-3-6-0-sources-jar/nativeMain/okio/SizetVariant.kt

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /okio-3-6-0-sources-jar/hashFunctions/okio/internal/Sha512.kt

* /okio-3-6-0-sources-jar/hashFunctions/okio/internal/Md5.kt

* /okio-3-6-0-sources-jar/hashFunctions/okio/internal/Sha1.kt

* /okio-3-6-0-sources-jar/hashFunctions/okio/internal/Sha256.kt

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2021 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /okio-3-6-0-sources-jar/commonMain/okio/internal/FileSystem.kt
* /okio-3-6-0-sources-jar/commonMain/okio/FileHandle.kt
* /okio-3-6-0-sources-jar/unixMain/okio/UnixFileHandle.kt
* /okio-3-6-0-sources-jar/nativeMain/okio/FileSystem.kt
No license file was found, but licenses were detected in source scan.

```
/*  
 * Copyright (C) 2020 Square, Inc. and others.  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 *   http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS,  
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 * See the License for the specific language governing permissions and  
 * limitations under the License.  
*/
```

Found in path(s):

* /okio-3-6-0-sources-jar/hashFunctions/okio/internal/HashFunction.kt
No license file was found, but licenses were detected in source scan.

```
/*  
 * Licensed to the Apache Software Foundation (ASF) under one or more  
 * contributor license agreements. See the NOTICE file distributed with  
 * this work for additional information regarding copyright ownership.  
 * The ASF licenses this file to You under the Apache License, Version 2.0  
 * (the "License"); you may not use this file except in compliance with  
 * the License. You may obtain a copy of the License at  
 *  
 *   http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS,  
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 * See the License for the specific language governing permissions and  
 * limitations under the License.  
*/
```

Found in path(s):

* /okio-3-6-0-sources-jar/commonMain/okio/Base64.kt
No license file was found, but licenses were detected in source scan.

```
/*
```

```

* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /okio-3-6-0-sources-jar/commonMain/okio/PeekSource.kt
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*   http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /okio-3-6-0-sources-jar/commonMain/okio/Okio.kt
* /okio-3-6-0-sources-jar/commonMain/okio/Timeout.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/RealBufferedSink.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/Buffer.kt
* /okio-3-6-0-sources-jar/commonMain/okio/BufferedSink.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/Timeout.kt
*
* /okio-3-6-0-sources-jar/commonMain/okio/Buffer.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/BufferedSink.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/Sink.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/BufferedSource.kt
* /okio-3-6-0-sources-jar/commonMain/okio/internal/Buffer.kt

```


* /okio-3-6-0-sources-jar/commonMain/okio/RealBufferedSource.kt
* /okio-3-6-0-sources-jar/commonMain/okio/Sink.kt
* /okio-3-6-0-sources-jar/commonMain/okio/Source.kt
* /okio-3-6-0-sources-jar/commonMain/okio/BufferedSource.kt
* /okio-3-6-0-sources-jar/commonMain/okio/RealBufferedSink.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /okio-3-6-0-sources-jar/commonMain/okio/Options.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2018 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /okio-3-6-0-sources-jar/commonMain/okio/internal/-Utf8.kt
* /okio-3-6-0-sources-jar/nonAppleMain/okio/ByteString.kt
* /okio-3-6-0-sources-jar/commonMain/okio/Util.kt
* /okio-3-6-0-sources-jar/commonMain/okio/CommonPlatform.kt

```
* /okio-3-6-0-sources-jar/commonMain/okio/internal/ByteString.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/NonJvmPlatform.kt
*
/okio-3-6-0-sources-jar/commonMain/okio/ByteString.kt
* /okio-3-6-0-sources-jar/appleMain/okio/ByteString.kt
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /okio-3-6-0-sources-jar/commonMain/okio/internal/RealBufferedSource.kt
* /okio-3-6-0-sources-jar/commonMain/okio/internal/SegmentedByteString.kt
* /okio-3-6-0-sources-jar/commonMain/okio/internal/RealBufferedSink.kt
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2014 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /okio-3-6-0-sources-jar/nonJvmMain/okio/RealBufferedSource.kt
* /okio-3-6-0-sources-jar/commonMain/okio/Segment.kt
```

* /okio-3-6-0-sources-jar/commonMain/okio/SegmentPool.kt
* /okio-3-6-0-sources-jar/commonMain/okio/ForwardingSource.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/SegmentPool.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/ForwardingSource.kt
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2015 Square, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
*   http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /okio-3-6-0-sources-jar/appleMain/okio/SegmentedByteString.kt
* /okio-3-6-0-sources-jar/nonAppleMain/okio/SegmentedByteString.kt
* /okio-3-6-0-sources-jar/commonMain/okio/SegmentedByteString.kt
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2017 Square, Inc.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
*   http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /okio-3-6-0-sources-jar/commonMain/okio/Utf8.kt
No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (C) 2020 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

```

Found in path(s):

```

* /okio-3-6-0-sources-jar/nativeMain/okio/Cinterop.kt
* /okio-3-6-0-sources-jar/unixMain/okio/UnixPosixVariant.kt
* /okio-3-6-0-sources-jar/commonMain/okio/internal/Path.kt
* /okio-3-6-0-sources-jar/linuxMain/okio/LinuxPosixVariant.kt
* /okio-3-6-0-sources-jar/nativeMain/okio/PosixFileSystem.kt
* /okio-3-6-0-sources-jar/hashFunctions/okio/internal/Hmac.kt
*
* /okio-3-6-0-sources-jar/nativeMain/okio/PosixVariant.kt
* /okio-3-6-0-sources-jar/commonMain/okio/HashingSource.kt
* /okio-3-6-0-sources-jar/nativeMain/okio/FileSource.kt
* /okio-3-6-0-sources-jar/appleMain/okio/ApplePosixVariant.kt
* /okio-3-6-0-sources-jar/nativeMain/okio/FileSink.kt
* /okio-3-6-0-sources-jar/commonMain/okio/FileSystem.kt
* /okio-3-6-0-sources-jar/commonMain/okio/HashingSink.kt
* /okio-3-6-0-sources-jar/commonMain/okio/FileMetadata.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/Path.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/HashingSink.kt
* /okio-3-6-0-sources-jar/commonMain/okio/ForwardingFileSystem.kt
* /okio-3-6-0-sources-jar/commonMain/okio/ExperimentalFileSystem.kt
* /okio-3-6-0-sources-jar/nonJvmMain/okio/HashingSource.kt
* /okio-3-6-0-sources-jar/commonMain/okio/Path.kt

```

1.33 guava 32.1.3-jre

1.33.1 Available under license :

Apache License
 Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.
- You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the

content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.34 jline 3.22.0

1.34.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2002-2018, the original author or authors.
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
 */
/*
 * Java TelnetD library (embeddable telnet daemon)
 * Copyright (c) 2000-2005 Dieter Wimberger
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * Redistributions of source code must retain the above copyright notice,
 * this list of conditions and the following disclaimer.
 *
 * Redistributions in binary form must reproduce the above copyright notice,
 * this list of conditions and the following disclaimer in the documentation
 * and/or other materials provided with the distribution.
 *
 * Neither the name of the author
 * nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 */
```

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.

***/

Found in path(s):

* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionManager.java

*

/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/TelnetIO.java

* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionData.java

* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/PortListener.java

* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionEvent.java

* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/Connection.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2016, the original author or authors.

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

* /jline-3-22-0-sources-8-jar/org/jline/utils/ExecHelper.java

* /jline-3-22-0-sources-8-jar/org/jline/terminal/Attributes.java

* /jline-3-22-0-sources-8-jar/org/jline/utils/ShutdownHooks.java

* /jline-3-22-0-sources-8-jar/org/jline/reader/UserInterruptException.java

* /jline-3-22-0-sources-8-jar/org/jline/utils/DiffHelper.java

* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/win/WindowsAnsiWriter.java

* /jline-3-22-0-sources-8-jar/org/jline/utils/AttributedString.java

* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/AggregateCompleter.java

* /jline-3-22-0-sources-8-jar/org/jline/utils/OSUtils.java

* /jline-3-22-0-sources-8-jar/org/jline/reader/Binding.java

*

/jline-3-22-0-sources-8-jar/org/jline/terminal/MouseEvent.java

* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/MouseSupport.java

* /jline-3-22-0-sources-8-jar/org/jline/reader/Widget.java

* /jline-3-22-0-sources-8-jar/org/jline/terminal/spi/Pty.java

```

* /jline-3-22-0-sources-8-jar/org/jline/Utils/package-info.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/package-info.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/NativeSignalHandler.java
* /jline-3-22-0-sources-8-jar/org/jline/Utils/ClosedException.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/Reference.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/package-info.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/package-info.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/EnumCompleter.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/ExecPty.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/NullCompleter.java
*
/jline-3-22-0-sources-8-jar/org/jline/reader/Macro.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/Cursor.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractPosixTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/Expander.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/DefaultExpander.java
* /jline-3-22-0-sources-8-jar/org/jline/Utils/InputStreamReader.java
* /jline-3-22-0-sources-8-jar/org/jline/Utils/Levenshtein.java
* /jline-3-22-0-sources-8-jar/org/jline/keymap/KeyMap.java
* /jline-3-22-0-sources-8-jar/org/jline/Utils/WCWidth.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/UndoTree.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/CursorSupport.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/history/package-info.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (c) 2002-2022, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

```

```

Found in path(s):
* /jline-3-22-0-sources-8-jar/org/jline/console/impl/DefaultPrinter.java
* /jline-3-22-0-sources-8-jar/org/jline/console/Printer.java
* /jline-3-22-0-sources-8-jar/org/jline/console/impl/SystemHighlighter.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/Source.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/Commands.java
* /jline-3-22-0-sources-8-jar/org/jline/console/impl/SystemRegistryImpl.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/Less.java
* /jline-3-22-0-sources-8-jar/org/jline/console/impl/Builtins.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/LineReaderImpl.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/SyntaxHighlighter.java
No license file was found, but licenses were detected in source scan.

```

```

/*

```

* Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * <http://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 */

Found in path(s):

* /jline-3-22-0-sources-8-jar/org/jline/reader/SyntaxError.java
 * /jline-3-22-0-sources-8-jar/org/jline/reader/EOFError.java
 No license file was found, but licenses were detected in source scan.

 # Copyright (c) 2002-2016, the original author or authors.
 #
 # This software is distributable under the BSD license. See the terms of the
 # BSD license in the documentation provided with this software.
 #
 # <https://opensource.org/licenses/BSD-3-Clause>
 #

auto_left_margin, bw, bw
 auto_right_margin, am, am
 back_color_erase, bce, ut
 can_change, ccc, cc
 ceol_standout_glitch, xhp, xs
 col_addr_glitch, xhpa, YA
 cpi_changes_res, cpix, YF
 cr_cancels_micro_mode, crxm, YB
 dest_tabs_magic_smso, xt, xt
 eat_newline_glitch, xenl, xn
 erase_overstrike, eo, eo
 generic_type, gn, gn
 hard_copy, hc, hc
 hard_cursor, chts, HC
 has_meta_key, km, km
 has_print_wheel, daisy, YC

has_status_line, hs, hs
hue_lightness_saturation, hls, hl
insert_null_glitch, in, in
lpi_changes_res, lpix, YG
memory_above, da, da
memory_below, db, db
move_insert_mode, mir, mi
move_standout_mode, msgr, ms
needs_xon_xoff, nxon, nx
no_esc_ctlc, xsb, xb
no_pad_char, npc,
NP
non_dest_scroll_region, ndscr, ND
non_rev_rmcup, nrrmc, NR
over_strike, os, os
prtr_silent, mc5i, 5i
row_addr_glitch, xvpa, YD
semi_auto_right_margin, sam, YE
status_line_esc_ok, eslok, es
tilde_glitch, hz, hz
transparent_underline, ul, ul
xon_xoff, xon, xo
columns, cols, co
init_tabs, it, it
label_height, lh, lh
label_width, lw, lw
lines, lines, li
lines_of_memory, lm, lm
magic_cookie_glitch, xmc, sg
max_attributes, ma, ma
max_colors, colors, Co
max_pairs, pairs, pa
maximum_windows, wnum, MW
no_color_video, ncv, NC
num_labels, nlab, Nl
padding_baud_rate, pb, pb
virtual_terminal, vt, vt
width_status_line, wsl, ws
bit_image_entwining, bitwin, Yo
bit_image_type, bitype, Yp
buffer_capacity, bufsz, Ya
buttons, btns, BT
dot_horz_spacing, spinh, Yc
dot_vert_spacing, spinv, Yb
max_micro_address, maddr, Yd
max_micro_jump, mjump, Ye
micro_col_size, mcs, Yf
micro_line_size, mls, Yg

number_of_pins, npins, Yh
output_res_char, orc, Yi
output_res_horz_inch, orhi, Yk
output_res_line, orl, Yj
output_res_vert_inch,
orvi, Yl
print_rate, cps, Ym
wide_char_size, widcs, Yn
acs_chars, acsc, ac
back_tab, cbt, bt
bell, bel, bl
carriage_return, cr, cr
change_char_pitch, cpi, ZA
change_line_pitch, lpi, ZB
change_res_horz, chr, ZC
change_res_vert, cvr, ZD
change_scroll_region, csr, cs
char_padding, rmp, rP
clear_all_tabs, tbc, ct
clear_margins, mgc, MC
clear_screen, clear, cl
clr_bol, el1, cb
clr_eol, el, ce
clr_eos, ed, cd
column_address, hpa, ch
command_character, cmdch, CC
create_window, cwin, CW
cursor_address, cup, cm
cursor_down, cud1, do
cursor_home, home, ho
cursor_invisible, civis, vi
cursor_left, cub1, le
cursor_mem_address, mrcup, CM
cursor_normal, cnorm, ve
cursor_right, cuf1, nd
cursor_to_ll, ll, ll
cursor_up, cuu1, up
cursor_visible, cvvis, vs
define_char, defc, ZE
delete_character, dch1, dc
delete_line, dl1, dl
dial_phone, dial, DI
dis_status_line, dsl, ds
display_clock, dclk, DK
down_half_line, hd, hd
ena_acs, enacs, eA
enter_alt_charset_mode, smacs, as
enter_am_mode, smam,

SA

enter_blink_mode, blink, mb
enter_bold_mode, bold, md
enter_ca_mode, smcup, ti
enter_delete_mode, smdc, dm
enter_dim_mode, dim, mh
enter_doublewide_mode, swidm, ZF
enter_draft_quality, sdrfq, ZG
enter_insert_mode, smir, im
enter_italics_mode, sitm, ZH
enter_leftward_mode, slm, ZI
enter_micro_mode, smicm, ZJ
enter_near_letter_quality, snlq, ZK
enter_normal_quality, snrmq, ZL
enter_protected_mode, prot, mp
enter_reverse_mode, rev, mr
enter_secure_mode, invis, mk
enter_shadow_mode, sshm, ZM
enter_standout_mode, smso, so
enter_subscript_mode, ssubm, ZN
enter_superscript_mode, ssupm, ZO
enter_underline_mode, smul, us
enter_upward_mode, sum, ZP
enter_xon_mode, smxon, SX
erase_chars, ech, ec
exit_alt_charset_mode, rmacs, ae
exit_am_mode, rmam, RA
exit_attribute_mode, sgr0, me
exit_ca_mode, rmcup, te
exit_delete_mode, rmdc, ed
exit_doublewide_mode, rwidm, ZQ
exit_insert_mode, rmir, ei
exit_italics_mode, ritm, ZR
exit_leftward_mode, rlm, ZS
exit_micro_mode, rmicm, ZT
exit_shadow_mode, rshm,
ZU
exit_standout_mode, rmso, se
exit_subscript_mode, rsubm, ZV
exit_superscript_mode, rsupm, ZW
exit_underline_mode, rmul, ue
exit_upward_mode, rum, ZX
exit_xon_mode, rmxon, RX
fixed_pause, pause, PA
flash_hook, hook, fh
flash_screen, flash, vb
form_feed, ff, ff
from_status_line, fsl, fs

goto_window, wingo, WG
hangup, hup, HU
init_1string, is1, i1
init_2string, is2, is
init_3string, is3, i3
init_file, if, if
init_prog, iprog, iP
initialize_color, initc, Ic
initialize_pair, initp, Ip
insert_character, ich1, ic
insert_line, il1, al
insert_padding, ip, ip
key_a1, ka1, K1
key_a3, ka3, K3
key_b2, kb2, K2
key_backspace, kbs, kb
key_beg, kbeg, @1
key_btab, kcbt, kB
key_c1, kc1, K4
key_c3, kc3, K5
key_cancel, kcan, @2
key_catab, ktbc, ka
key_clear, kclr, kC
key_close, kclo, @3
key_command, kcmd, @4
key_copy, kcpy, @5
key_create, kcrt, @6
key_ctab, kctab, kt
key_dc, kdch1, kD
key_dl, kdl1, kL
key_down, kcud1, kd
key_eic, krmir, kM
key_end, kend, @7
key_enter, kent, @8
key_eol, kel, kE
key_eos,
ked, kS
key_exit, kext, @9
key_f0, kf0, k0
key_f1, kf1, k1
key_f10, kf10, k;
key_f11, kf11, F1
key_f12, kf12, F2
key_f13, kf13, F3
key_f14, kf14, F4
key_f15, kf15, F5
key_f16, kf16, F6
key_f17, kf17, F7

key_f18, kf18, F8
key_f19, kf19, F9
key_f2, kf2, k2
key_f20, kf20, FA
key_f21, kf21, FB
key_f22, kf22, FC
key_f23, kf23, FD
key_f24, kf24, FE
key_f25, kf25, FF
key_f26, kf26, FG
key_f27, kf27, FH
key_f28, kf28, FI
key_f29, kf29, FJ
key_f3, kf3, k3
key_f30, kf30, FK
key_f31, kf31, FL
key_f32, kf32, FM
key_f33, kf33, FN
key_f34, kf34, FO
key_f35, kf35, FP
key_f36, kf36, FQ
key_f37, kf37, FR
key_f38, kf38, FS
key_f39, kf39, FT
key_f4, kf4, k4
key_f40, kf40, FU
key_f41, kf41, FV
key_f42, kf42, FW
key_f43, kf43, FX
key_f44, kf44, FY
key_f45, kf45, FZ
key_f46, kf46, Fa
key_f47, kf47, Fb
key_f48, kf48, Fc
key_f49, kf49, Fd
key_f5, kf5, k5
key_f50, kf50, Fe
key_f51, kf51, Ff
key_f52, kf52, Fg
key_f53, kf53, Fh
key_f54, kf54, Fi
key_f55, kf55, Fj
key_f56, kf56, Fk
key_f57, kf57, Fl
key_f58, kf58,
Fm
key_f59, kf59, Fn
key_f6, kf6, k6

key_f60, kf60, Fo
key_f61, kf61, Fp
key_f62, kf62, Fq
key_f63, kf63, Fr
key_f7, kf7, k7
key_f8, kf8, k8
key_f9, kf9, k9
key_find, kfnd, @0
key_help, khlp, %1
key_home, khome, kh
key_ic, kich1, kI
key_il, kil1, kA
key_left, kcub1, kl
key_ll, kll, kH
key_mark, kmrk, %2
key_message, kmsg, %3
key_move, kmov, %4
key_next, knxt, %5
key_npage, knp, kN
key_open, kopn, %6
key_options, kopt, %7
key_ppage, kpp, kP
key_previous, kprv, %8
key_print, kpri, %9
key_redo, krdo, %0
key_reference, kref, &1
key_refresh, krfr, &2
key_replace, krpl, &3
key_restart, krst, &4
key_resume, kres, &5
key_right, kcuf1, kr
key_save, ksav, &6
key_sbeg, kBEG, &9
key_scancel, kCAN, &0
key_scommand, kCMD, *1
key_scopy, kCPY, *2
key_screate, kCRT, *3
key_sdc, kDC, *4
key_sdl, kDL, *5
key_select, kslt, *6
key_send, kEND, *7
key_seol, kEOL, *8
key_sexit, kEXT, *9
key_sf, kind, kF
key_sfind, kFND, *0
key_shelp, kHLP, #1
key_shome, kHOM, #2
key_sic, kIC, #3

key_sleft, kLFT, #4
key_smessage,
kMSG, %a
key_smove, kMOV, %b
key_snext, kNXT, %c
key_soptions, kOPT, %d
key_sprevious, kPRV, %e
key_sprint, kPRT, %f
key_sr, kri, kR
key_sredo, kRDO, %g
key_sreplace, kRPL, %h
key_sright, kRIT, %i
key_sresume, kRES, %j
key_ssave, kSAV, !1
key_ssuspend, kSPD, !2
key_stab, khts, kT
key_sundo, kUND, !3
key_suspend, kspd, &7
key_undo, kund, &8
key_up, kcuu1, ku
keypad_local, rmkx, ke
keypad_xmit, smkx, ks
lab_f0, lf0, l0
lab_f1, lf1, l1
lab_f10, lf10, la
lab_f2, lf2, l2
lab_f3, lf3, l3
lab_f4, lf4, l4
lab_f5, lf5, l5
lab_f6, lf6, l6
lab_f7, lf7, l7
lab_f8, lf8, l8
lab_f9, lf9, l9
label_format, fln, Lf
label_off, rmln, LF
label_on, smln, LO
meta_off, rmm, mo
meta_on, smm, mm
micro_column_address, mhpa, ZY
micro_down, mcud1, ZZ
micro_left, mcub1, Za
micro_right, mcuf1, Zb
micro_row_address, mvpa, Zc
micro_up, mcuu1, Zd
newline, nel, nw
order_of_pins, porder, Ze
orig_colors, oc, oc
orig_pair, op, op

pad_char, pad, pc
parm_dch, dch, DC
parm_delete_line, dl, DL
parm_down_cursor, cud, DO
parm_down_micro,
 mcud, Zf
parm_ich, ich, IC
parm_index, indn, SF
parm_insert_line, il, AL
parm_left_cursor, cub, LE
parm_left_micro, mcub, Zg
parm_right_cursor, cuf, RI
parm_right_micro, mcuf, Zh
parm_rindex, rin, SR
parm_up_cursor, cuu, UP
parm_up_micro, mcuu, Zi
pkey_key, pkey, pk
pkey_local, pfloc, pl
pkey_xmit, pfx, px
plab_norm, pln, pn
print_screen, mc0, ps
prtr_non, mc5p, pO
prtr_off, mc4, pf
prtr_on, mc5, po
pulse, pulse, PU
quick_dial, qdial, QD
remove_clock, rmclk, RC
repeat_char, rep, rp
req_for_input, rfi, RF
reset_1string, rs1, r1
reset_2string, rs2, r2
reset_3string, rs3, r3
reset_file, rf, rf
restore_cursor, rc, rc
row_address, vpa, cv
save_cursor, sc, sc
scroll_forward, ind, sf
scroll_reverse, ri, sr
select_char_set, scs, Zj
set_attributes, sgr, sa
set_background, setb, Sb
set_bottom_margin, smgb, Zk
set_bottom_margin_parm, smgbp, Zl
set_clock, sclk, SC
set_color_pair, scp, sp
set_foreground, setf, Sf
set_left_margin, smgl, ML
set_left_margin_parm, smglp, Zm

set_right_margin,
smgr, MR
set_right_margin_parm, smgrp, Zn
set_tab, hts, st
set_top_margin, smgt, Zo
set_top_margin_parm, smgtp, Zp
set_window, wind, wi
start_bit_image, sbim, Zq
start_char_set_def, scsd, Zr
stop_bit_image, rbim, Zs
stop_char_set_def, rcsd, Zt
subscript_characters, subcs, Zu
superscript_characters, supcs, Zv
tab, ht, ta
these_cause_cr, docr, Zw
to_status_line, tsl, ts
tone, tone, TO
underline_char, uc, uc
up_half_line, hu, hu
user0, u0, u0
user1, u1, u1
user2, u2, u2
user3, u3, u3
user4, u4, u4
user5, u5, u5
user6, u6, u6
user7, u7, u7
user8, u8, u8
user9, u9, u9
wait_tone, wait, WA
xoff_character, xoffc, XF
xon_character, xonc, XN
zero_motion, zerom, Zx
alt_scancode_esc, scesa, S8
bit_image_carriage_return, bicr, Yv
bit_image_newline, binel, Zz
bit_image_repeat, birep, Xy
char_set_names, csnm, Zy
code_set_init, csin, ci
color_names, colorm, Yw
define_bit_image_region, defbi, Yx
device_type, devt, dv
display_pc_char, dispch, S1
end_bit_image_region, endbi, Yy
enter_pc_charset_mode,
smpch, S2
enter_scanmode, smsc, S4
exit_pc_charset_mode, rmpch, S3

exit_scancode_mode, rmsc, S5
get_mouse, getm, Gm
key_mouse, kmous, Km
mouse_info, minfo, Mi
pc_term_options, pctrm, S6
pkey_plab, pfxl, xl
req_mouse_pos, reqmp, RQ
scancode_escape, scesc, S7
set0_des_seq, s0ds, s0
set1_des_seq, s1ds, s1
set2_des_seq, s2ds, s2
set3_des_seq, s3ds, s3
set_a_background, setab, AB
set_a_foreground, setaf, AF
set_color_band, setcolor, Yz
set_lr_margin, smglr, ML
set_page_length, slines, YZ
set_tb_margin, smgtb, MT
enter_horizontal_hl_mode, ehhl, Xh
enter_left_hl_mode, elhl, Xl
enter_low_hl_mode, elohlm, Xo
enter_right_hl_mode, erhl, Xr
enter_top_hl_mode, ethlm, Xt
enter_vertical_hl_mode, evhl, Xv
set_a_attributes, sgr1, sA
set_pglen_inch, slength, sL

Found in path(s):

* /jline-3-22-0-sources-8-jar/org/jline/Utils/capabilities.txt

No license file was found, but licenses were detected in source scan.

#

Copyright (c) 2002-2018, the original author or authors.

#

This software is distributable under the BSD license. See the terms of the

BSD license in the documentation provided with this software.

#

<https://opensource.org/licenses/BSD-3-Clause>

#

black

maroon

green

olive

navy

purple

teal

silver

grey
red
lime
yellow
blue
fuchsia
aqua
white
grey0
navyblue
darkblue
blue3
blue3a
blue1
darkgreen
deepskyblue4
deepskyblue4a
deepskyblue4b
dodgerblue3
dodgerblue2
green4
springgreen4
turquoise4
deepskyblue3
deepskyblue3a
dodgerblue1
green3
springgreen3
darkcyan
lightseagreen
deepskyblue2
deepskyblue1
green3a
springgreen3a
springgreen2
cyan3
darkturquoise
turquoise2
green1
springgreen2a
springgreen1
mediumspringgreen
cyan2
cyan1
darkred
deeppink4
purple4
purple4a

purple3
blueviolet
orange4
grey37
mediumpurple4
slateblue3
slateblue3a
royalblue1
chartreuse4
darkseagreen4
paleturquoise4
steelblue
steelblue3
cornflowerblue
chartreuse3
darkseagreen4a
cadetblue
cadetbluea
skyblue3
steelblue1
chartreuse3a
palegreen3
seagreen3
aquamarine3
mediumturquoise
steelblue1a
chartreuse2
seagreen2
seagreen1
seagreen1a
aquamarine1
darkslategray2
darkreda
deeppink4a
darkmagenta
darkmagentaa
darkviolet
purplea
orange4a
lightpink4
plum4
mediumpurple3
mediumpurple3a
slateblue1
yellow4
wheat4
grey53
lightslategrey

mediumpurple
lightslateblue
yellow4a
darkolivegreen3
darkseagreen
lightskyblue3
lightskyblue3a
skyblue2
chartreuse2a
darkolivegreen3a
palegreen3a
darkseagreen3
darkslategray3
skyblue1
chartreuse1
lightgreen
lightgreena
palegreen1
aquamarine1a
darkslategray1
red3
deeppink4b
mediumvioletred
magenta3
darkvioleta
purpleb
darkorange3
indianred
hotpink3
mediumorchid3
mediumorchid
mediumpurple2
darkgoldenrod
lightsalmon3
rosybrown
grey63
mediumpurple2a
mediumpurple1
gold3
darkkhaki
navajowhite3
grey69
lightsteelblue3
lightsteelblue
yellow3
darkolivegreen3b
darkseagreen3a
darkseagreen2

lightcyan3
lightskyblue1
greenyellow
darkolivegreen2
palegreen1a
darkseagreen2a
darkseagreen1
paleturquoise1
red3a
deeppink3
deeppink3a
magenta3a
magenta3b
magenta2
darkorange3a
indianreda
hotpink3a
hotpink2
orchid
mediumorchid1
orange3
lightsalmon3a
lightpink3
pink3
plum3
violet
gold3a
lightgoldenrod3
tan
mistyrose3
thistle3
plum2
yellow3a
khaki3
lightgoldenrod2
lightyellow3
grey84
lightsteelblue1
yellow2
darkolivegreen1
darkolivegreen1a
darkseagreen1a
honeydew2
lightcyan1
red1
deeppink2
deeppink1
deeppink1a

magenta2a
magenta1
orangered1
indianred1
indianred1a
hotpink
hotpinka
mediumorchid1a
darkorange
salmon1
lightcoral
palevioletred1
orchid2
orchid1
orange1
sandybrown
lightsalmon1
lightpink1
pink1
plum1
gold1
lightgoldenrod2a
lightgoldenrod2b
navajowhite1
mistyrose1
thistle1
yellow1
lightgoldenrod1
khaki1
wheat1
cornsilk1
grey100
grey3
grey7
grey11
grey15
grey19
grey23
grey27
grey30
grey35
grey39
grey42
grey46
grey50
grey54
grey58
grey62

grey66
grey70
grey74
grey78
grey82
grey85
grey89
grey93

Found

in path(s):

* /jline-3-22-0-sources-8-jar/org/jline/Utils/colors.txt

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2016, the original author or authors.

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

/*

* Licensed to the Apache Software Foundation (ASF) under one or more

* contributor license agreements. See the NOTICE file distributed with

* this work for additional information regarding copyright ownership.

* The ASF licenses this file to You under the Apache License, Version 2.0

* (the "License"); you may not use this file except in compliance with

* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,

either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/**

* Based on <http://antony.lesuisse.org/software/ajaxterm/>

* Public Domain License

*/

Found in path(s):

* /jline-3-22-0-sources-8-jar/org/jline/builtins/ScreenTerminal.java

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright (c) 2022, the original author or authors.
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
 */

```

Found in path(s):

```

* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/exec/ExecTerminalProvider.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/spi/TerminalProvider.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/Diag.java
No license file was found, but licenses were detected in source scan.

```

```

/*
 * Copyright (c) 2002-2017, the original author or authors.
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
 */

```

```

/*
 * Java TelnetD library (embeddable telnet daemon)
 * Copyright (c) 2000-2005 Dieter Wimberger
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions are
 * met:
 *
 * Redistributions of source code must retain the above copyright notice,
 * this list of conditions and the following disclaimer.
 *
 * Redistributions in binary form must reproduce the above copyright notice,
 * this list of conditions and the following disclaimer in the documentation
 * and/or other materials provided with the distribution.
 *
 * Neither the name of the author
 * nor the names of its contributors
 * may be used to endorse or promote products derived from this software
 * without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS
 * IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
 * THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE
 * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

```

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.

***/*

Found in path(s):

* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionFilter.java

*

/jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/ConnectionListener.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2020, the original author or authors.

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

/*

* Licensed to the Apache Software Foundation (ASF) under one

* or more contributor license agreements. See the NOTICE file

* distributed with this work for additional information

* regarding copyright ownership. The ASF licenses this file

* to you under the Apache License, Version 2.0 (the

* "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing,

* software distributed under the License is distributed on an

* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

* KIND,

either express or implied. See the License for the

* specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /jline-3-22-0-sources-8-jar/org/jline/builtins/Options.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2020, the original author or authors.

*

*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* <https://opensource.org/licenses/BSD-3-Clause>
*/

Found in path(s):

* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/KillRing.java
* /jline-3-22-0-sources-8-jar/org/jline/style/StyleExpression.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingInputStream.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/NonBlocking.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/Curses.java
* /jline-3-22-0-sources-8-jar/org/jline/keymap/BindingReader.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingReaderImpl.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/ExternalTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/style/StyleSource.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/StyleResolver.java
*
/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/win/Kernel32.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/PosixSysTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/PosixPtyTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/AttributedStringBuilder.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/Completer.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/MaskingCallback.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingReader.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/CompletingParsedLine.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/InputRC.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/Colors.java
* /jline-3-22-0-sources-8-jar/org/jline/utils/NonBlockingInputStreamImpl.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/Size.java
* /jline-3-22-0-sources-8-jar/org/jline/style/StyleFactory.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/FileNameCompleter.java
*
/jline-3-22-0-sources-8-jar/org/jline/utils/Timeout.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/ParsedLine.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/Terminal.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/LineDisciplineTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/History.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/DumbTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/style/Styler.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/NfaMatcher.java
No license file was found, but licenses were detected in source scan.

Copyright (C) 2022 the original author(s).

Licensed under the Apache License, Version 2.0 (the "License");


```
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#
class = org.jline.terminal.impl.exec.ExecTerminalProvider
```

Found in path(s):

```
* /jline-3-22-0-sources-8-jar/META-INF/services/org/jline/terminal/provider/exec
```

No license file was found, but licenses were detected in source scan.

```
#
# Copyright (C) 2022 the original author(s).
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#
class = org.jline.terminal.impl.jansi.JansiTerminalProvider
```

Found in path(s):

```
* /jline-3-22-0-sources-8-jar/META-INF/services/org/jline/terminal/provider/jansi
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2002-2017, the original author or authors.
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
```

Found in path(s):

```

* /jline-3-22-0-sources-8-jar/org/jline/style/NopStyleSource.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/solaris/SolarisNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/style/StyleResolver.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractWindowsConsoleWriter.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/BufferImpl.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/style/InterpolationHelper.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/SimpleMaskingCallback.java
*
/jline-3-22-0-sources-8-jar/org/jline/builtins/ssh/Ssh.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/linux/LinuxNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/style/StyledWriter.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/telnet/Telnet.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/osx/OsXNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/osx/OsXNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/ssh/ShellFactoryImpl.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/osx/OsXNativePty.java
* /jline-3-22-0-sources-8-jar/org/jline/builtins/ssh/ShellCommand.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/osx/OsXNativePty.java
*
/jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jna/win/JnaWinConsoleWriter.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java
* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java
No license file was found, but licenses were detected in source scan.

```

```

#
# Copyright (C) 2022 the original author(s).
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#
class = org.jline.terminal.impl.jna.JnaTerminalProvider

```

Found in path(s):

* /jline-3-22-0-sources-8-jar/META-INF/services/org/jline/terminal/provider/jna

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2021, the original author or authors.

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/CompletionMatcherImpl.java

* /jline-3-22-0-sources-8-jar/org/jline/builtins/ConsoleOptionGetter.java

* /jline-3-22-0-sources-8-jar/org/jline/builtins/Completers.java

* /jline-3-22-0-sources-8-jar/org/jline/builtins/Nano.java

* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/DefaultHighlighter.java

* /jline-3-22-0-sources-8-jar/org/jline/widget/TailTipWidgets.java

* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/history/DefaultHistory.java

* /jline-3-22-0-sources-8-jar/org/jline/reader/PrintAboveWriter.java

* /jline-3-22-0-sources-8-jar/org/jline/builtins/TTop.java

* /jline-3-22-0-sources-8-jar/org/jline/builtins/Styles.java

*

/jline-3-22-0-sources-8-jar/org/jline/console/impl/ConsoleEngineImpl.java

* /jline-3-22-0-sources-8-jar/org/jline/utils/AttributedStyle.java

* /jline-3-22-0-sources-8-jar/org/jline/reader/LineReader.java

* /jline-3-22-0-sources-8-jar/org/jline/console/ConsoleEngine.java

* /jline-3-22-0-sources-8-jar/org/jline/reader/Parser.java

* /jline-3-22-0-sources-8-jar/org/jline/terminal/TerminalBuilder.java

* /jline-3-22-0-sources-8-jar/org/jline/console/SystemRegistry.java

* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractTerminal.java

* /jline-3-22-0-sources-8-jar/org/jline/console/ArgDesc.java

* /jline-3-22-0-sources-8-jar/org/jline/utils/AttributedCharSequence.java

* /jline-3-22-0-sources-8-jar/org/jline/reader/Highlighter.java

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2002-2020, the original author or authors.

This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.

<https://opensource.org/licenses/BSD-3-Clause>

-->

Found in path(s):

- * /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-terminal-jansi/pom.xml
- * /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-remote-ssh/pom.xml
- * /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-remote-telnet/pom.xml
- * /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-reader/pom.xml
- * /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-terminal-jna/pom.xml
- * /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-terminal/pom.xml
- * /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-builtins/pom.xml
- * /jline-3-22-0-sources-8-jar/META-INF/maven/org.jline/jline-style/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009-2018 the original author(s).

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/win/WindowsAnsiWriter.java
- * /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/jansi/win/WindowsAnsiWriter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2019, the original author or authors.

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

- * /jline-3-22-0-sources-8-jar/org/jline/builtins/Tmux.java
- * /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractPty.java
- * /jline-3-22-0-sources-8-jar/org/jline/reader/Editor.java
- * /jline-3-22-0-sources-8-jar/org/jline/reader/Candidate.java
- * /jline-3-22-0-sources-8-jar/org/jline/builtins/ConfigurationPath.java
- * /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/ArgumentCompleter.java

* /jline-3-22-0-sources-8-jar/org/jline/terminal/impl/AbstractWindowsTerminal.java
* /jline-3-22-0-sources-8-jar/org/jline/Utils/InfoCmp.java
* /jline-3-22-0-sources-8-jar/org/jline/Utils/Status.java
* /jline-3-22-0-sources-8-jar/org/jline/reader/impl/completer/StringsCompleter.java

1.35 Icms 2.16

1.35.1 Available under license :

THIS LICENSE APPLIES ONLY TO iccjpeg.c file

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2013, Thomas G. Lane, Guido Vollbeding. All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1)

If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to

acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltmain.sh). Another support script, install-sh, is copyright by X Consortium but is also freely distributable.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

MIT License

Copyright (c) 2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the

earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This

License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the

written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object

code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above

requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible

for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a

patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
```

```
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
```

```
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

1.36 zt 1.16

1.36.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/ZipConstants.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/AsiExtraField.java
*
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/ZipShort.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/ZipExtraField.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/ExtraFieldUtils.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/UnrecognizedExtraField.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/extra/ZipLong.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (C) 2012 ZeroTurnaround LLC <support@zeroturnaround.com>
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/timestamps/TimestampStrategy.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/Zips.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/timestamps/Java8TimestampStrategy.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/timestamps/PreJava8TimestampStrategy.java
*
/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZipEntryUtil.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/IdentityNameMapper.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/FileSource.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/NameMapper.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZipEntrySource.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ByteSource.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZipInfoCallback.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZipUtil.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZTFileUtil.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/timestamps/TimestampStrategyFactory.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/ZipEntryCallback.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/commons/StringBuilderWriter.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/commons/FilenameUtils.java
*
/zt-zip-1-16-sources-jar/org/zeroturnaround/zip/commons/FileUtilsV2_2.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/commons/FileExistsException.java
* /zt-zip-1-16-sources-jar/org/zeroturnaround/zip/commons/IOUtils.java
```

1.37 giflib 5.2.2

1.37.1 Available under license :

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.38 libpng 1.6.43

1.38.1 Available under license :

Copyright (c) 1998-2008 Greg Roelofs. All rights reserved.

This software is provided "as is," without warranty of any kind, express or implied. In no event shall the author or contributors be held liable for any damages arising in any way from the use of this software.

The contents of this file are DUAL-LICENSED. You may modify and/or redistribute this software according to the terms of one of the following two licenses (at your option):

LICENSE 1 ("BSD-like with advertising clause"):

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. Redistributions of source code must retain the above copyright notice, disclaimer, and this list of conditions.

2. Redistributions in binary form must reproduce the above copyright notice, disclaimer, and this list of conditions in the documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software must display the following acknowledgment:

This product includes software developed by Greg Roelofs and contributors for the book, "PNG: The Definitive Guide," published by O'Reilly and Associates.

LICENSE 2 (GNU GPL v2 or later):

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to

your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below,

refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but

does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source

code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this

License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software

Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE,
THERE IS NO WARRANTY

FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU

OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is

what you want to do, use the GNU Library General
Public License instead of this License.
COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
=====

PNG Reference Library License version 2

- * Copyright (c) 1995-2024 The PNG Reference Library Authors.
- * Copyright (c) 2018-2024 Cosmin Truta.
- * Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- * Copyright (c) 1996-1997 Andreas Dilger.
- * Copyright (c) 1995-1996 Guy Eric Schlnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted
to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer

and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs

Tom Tanner

Some files in the "scripts" directory have other copyright owners,
but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are
Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors"
is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing
Authors and Group 42, Inc. disclaim all warranties, expressed or
implied, including, without limitation, the warranties of
merchantability and of fitness for any purpose. The Contributing
Authors and Group 42, Inc. assume no liability for direct, indirect,
incidental, special, exemplary, or consequential damages, which may
result from the use of the PNG Reference Library, even if advised of
the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this
source code, or portions hereof, for any purpose, without fee, subject
to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not
be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from
any
source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit,
without fee, and encourage the use of this source code as a component
to supporting the PNG file format in commercial products. If you use
this source code in a product, acknowledgment is not required but would
be appreciated.

pnm2png / png2pnm --- conversion from PBM/PGM/PPM-file to PNG-file

copyright (C) 1999-2019 by Willem van Schaik <willem at schaik dot com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The software is provided "as is", without warranty of any kind, express or implied, including but not limited to the warranties of merchantability, fitness for a particular purpose and noninfringement. In no event shall the authors or copyright holders be liable for any claim, damages or other liability, whether in an action of contract, tort or otherwise, arising from, out of or in connection with the software or the use or other dealings in the software.

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.39 libcap-ng 0.8.5-r0

1.39.1 Available under license :

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the

library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

^L

Finally,
software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this

case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

^L

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated

interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has

a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

^L

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany

it with the

complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute

the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

^L

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit

modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2)

will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception,

the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

^L

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined

with any other library

facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited

by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

^L

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates

the limitation as if written in the body of this License.

13. The Free Software Foundation

may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

^L

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our

decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH

DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library.

It is safest to attach them to the start of each source

file to most

effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the

library `Frob' (a library for tweaking knobs) written by James
Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy,

distribute
and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains
a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies
of the Program's
source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under

the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under

this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through
any other system and a licensee cannot
impose that choice.

This section is intended to make thoroughly clear what is believed to
be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in
certain countries either by patents or by copyrighted interfaces, the
original copyright holder who places the Program under this License
may add an explicit geographical distribution limitation excluding
those countries, so that distribution is permitted only in or among
countries not thus excluded. In such case, this License incorporates
the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions
of the General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the Program
specifies a version number
of this License which applies to it and "any
later version", you have the option of following the terms and conditions
either of that version or of any later version published by the Free
Software Foundation. If the Program does not specify a version number of
this License, you may choose any version ever published by the Free Software
Foundation.

10. If you wish to incorporate parts of the Program into other free
programs whose distribution conditions are different, write to the author
to ask for permission. For software which is copyrighted by the Free
Software Foundation, write to the Free Software Foundation; we sometimes
make exceptions for this. Our decision will be guided by the two goals
of preserving the free status of all derivatives of our free software and
of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY
FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN

OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES
PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED
OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS
TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE
PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN

IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License,
or

(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this

when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and
`show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.40 libeconf 0.6.3-r0

1.40.1 Available under license :

Copyright (c) 2019 SUSE LLC

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.41 jsr305 3.0.2

1.41.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
 * Copyright (c) 2005 Brian Goetz  
 * Released under the Creative Commons Attribution License  
 * (http://creativecommons.org/licenses/by/2.5)  
 * Official home: http://www.jcip.net  
 */
```

Found in path(s):

```
* /jsr305-3-0-2-sources-12-jar/javax/annotation/concurrent/Immutable.java  
* /jsr305-3-0-2-sources-12-jar/javax/annotation/concurrent/GuardedBy.java  
* /jsr305-3-0-2-sources-12-jar/javax/annotation/concurrent/NotThreadSafe.java  
* /jsr305-3-0-2-sources-12-jar/javax/annotation/concurrent/ThreadSafe.java
```

1.42 disruptor 2.11.2.3

1.42.1 Available under license :

Apache Log4j Core
Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java
Copyright 2005-2006 Tim Fennell

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.43 perfmark-api 0.17.0

1.43.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019 Carl Mastrangelo
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *    http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /perfmark-api-0-17-0-sources-3-jar/io/perfmark/PerfMark.java
* /perfmark-api-0-17-0-sources-3-jar/io/perfmark/Tag.java
* /perfmark-api-0-17-0-sources-3-jar/io/perfmark/Link.java
* /perfmark-api-0-17-0-sources-3-jar/io/perfmark/package-info.java
* /perfmark-api-0-17-0-sources-3-jar/io/perfmark/Impl.java
```

1.44 jline 3.26.1

1.44.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2002-2020, the original author(s).
 *
 * This software is distributable under the BSD license. See the terms of the
```

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/solaris/SolarisNativePty.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/JnaTerminalProvider.java

* /jline-3-26-1-sources-jar/org/jline/reader/impl/completer/SystemCompleter.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/linux/LinuxNativePty.java

* /jline-3-26-1-sources-jar/org/jline/console/CommandMethods.java

* /jline-3-26-1-sources-jar/org/jline/console/ScriptEngine.java

* /jline-3-26-1-sources-jar/org/jline/console/CommandRegistry.java

* /jline-3-26-1-sources-jar/org/jline/widget/AutosuggestionWidgets.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/freebsd/FreeBsdNativePty.java

*

/jline-3-26-1-sources-jar/org/jline/console/impl/JlineCommandRegistry.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jansi/win/JansiWinSysTerminal.java

* /jline-3-26-1-sources-jar/org/jline/console/CommandInput.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jni/JniNativePty.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/freebsd/CLibrary.java

* /jline-3-26-1-sources-jar/org/jline/utils/ColorPalette.java

* /jline-3-26-1-sources-jar/org/jline/console/impl/AbstractCommandRegistry.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/JnaNativePty.java

* /jline-3-26-1-sources-jar/org/jline/console/CmdDesc.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/osx/OsXNativePty.java

* /jline-3-26-1-sources-jar/org/jline/reader/EndOfFileException.java

* /jline-3-26-1-sources-jar/org/jline/reader/LineReaderBuilder.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jansi/JansiTerminalProvider.java

* /jline-3-26-1-sources-jar/org/jline/console/CmdLine.java

*

/jline-3-26-1-sources-jar/org/jline/widget/AutopairWidgets.java

* /jline-3-26-1-sources-jar/org/jline/utils/Log.java

* /jline-3-26-1-sources-jar/org/jline/reader/impl/DefaultParser.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jni/win/NativeWinSysTerminal.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/osx/CLibrary.java

* /jline-3-26-1-sources-jar/org/jline/utils/Display.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jni/JniTerminalProvider.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/linux/CLibrary.java

* /jline-3-26-1-sources-jar/org/jline/reader/CompletionMatcher.java

* /jline-3-26-1-sources-jar/org/jline/reader/impl/ReaderUtils.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/solaris/CLibrary.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/win/JnaWinSysTerminal.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jansi/JansiNativePty.java

* /jline-3-26-1-sources-jar/org/jline/utils/Signals.java

No license file was found, but licenses were detected in source scan.

/*

```

* Copyright (c) 2002-2020, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either
* express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

```

Found in path(s):

```
* /jline-3-26-1-sources-jar/org/jline/builtins/Options.java
```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (c) 2002-2016, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

```

Found in path(s):

```

* /jline-3-26-1-sources-jar/org/jline/reader/Expander.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/AbstractPosixTerminal.java
* /jline-3-26-1-sources-jar/org/jline/reader/impl/completer/AggregateCompleter.java
* /jline-3-26-1-sources-jar/org/jline/reader/impl/DefaultExpander.java
* /jline-3-26-1-sources-jar/org/jline/reader/Binding.java
* /jline-3-26-1-sources-jar/org/jline/reader/Macro.java
* /jline-3-26-1-sources-jar/org/jline/Utils/ExecHelper.java

```

```

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/exec/ExecPty.java
* /jline-3-26-1-sources-jar/org/jline/utils/Levenshtein.java
* /jline-3-26-1-sources-jar/org/jline/reader/Widget.java
*
/jline-3-26-1-sources-jar/org/jline/terminal/impl/MouseSupport.java
* /jline-3-26-1-sources-jar/org/jline/utils/DiffHelper.java
* /jline-3-26-1-sources-jar/org/jline/reader/impl/UndoTree.java
* /jline-3-26-1-sources-jar/org/jline/terminal/Attributes.java
* /jline-3-26-1-sources-jar/org/jline/utils/ClosedException.java
* /jline-3-26-1-sources-jar/org/jline/reader/impl/completer/NullCompleter.java
* /jline-3-26-1-sources-jar/org/jline/utils/ShutdownHooks.java
* /jline-3-26-1-sources-jar/org/jline/reader/impl/completer/EnumCompleter.java
* /jline-3-26-1-sources-jar/org/jline/keymap/KeyMap.java
* /jline-3-26-1-sources-jar/org/jline/utils/InputStreamReader.java
* /jline-3-26-1-sources-jar/org/jline/terminal/MouseEvent.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/CursorSupport.java
* /jline-3-26-1-sources-jar/org/jline/reader/UserInterruptException.java
* /jline-3-26-1-sources-jar/org/jline/utils/WCWidth.java
* /jline-3-26-1-sources-jar/org/jline/terminal/Cursor.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/win/WindowsAnsiWriter.java
*
/jline-3-26-1-sources-jar/org/jline/reader/Reference.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/NativeSignalHandler.java
* /jline-3-26-1-sources-jar/org/jline/terminal/spi/Pty.java
* /jline-3-26-1-sources-jar/org/jline/utils/AttributedString.java
* /jline-3-26-1-sources-jar/org/jline/utils/OSUtils.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (c) 2009-2018, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

```

```

Found in path(s):
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jansi/win/WindowsAnsiWriter.java
* /jline-3-26-1-sources-jar/org/jline/utils/AnsiWriter.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jni/win/WindowsAnsiWriter.java
No license file was found, but licenses were detected in source scan.

```

```

#
# Copyright (C) 2022 the original author(s).
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.

```



```
# You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#
class = org.jline.terminal.impl.jni.JniTerminalProvider
```

Found in path(s):

```
* /jline-3-26-1-sources-jar/META-INF/services/org/jline/terminal/provider/jni
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2023, the original author(s).
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
 */
```

Found in path(s):

```
* /jline-3-26-1-sources-jar/org/jline/nativ/JLineLibrary.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/DumbTerminalProvider.java
* /jline-3-26-1-sources-jar/org/jline/terminal/spi/TerminalExt.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jansi/win/WindowsSupport.java
* /jline-3-26-1-sources-jar/org/jline/reader/EOFError.java
* /jline-3-26-1-sources-jar/org/jline/reader/SyntaxError.java
* /jline-3-26-1-sources-jar/org/jline/terminal/spi/SystemStream.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2022-2023, the original author(s).
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
 */
```

Found in path(s):

```
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/ffm/WindowsAnsiWriter.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/ffm/CLibrary.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/ffm/FfmTerminalProvider.java
```

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/ffm/NativeWinSysTerminal.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/ffm/NativeWinConsoleWriter.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/ffm/FfmNativePty.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2002-2018, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* <https://opensource.org/licenses/BSD-3-Clause>
*/

Found in path(s):

* /jline-3-26-1-sources-jar/org/jline/terminal/Terminal.java
* /jline-3-26-1-sources-jar/org/jline/utils/StyleResolver.java
* /jline-3-26-1-sources-jar/org/jline/style/Styler.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/ExternalTerminal.java
* /jline-3-26-1-sources-jar/org/jline/builtins/NfaMatcher.java
* /jline-3-26-1-sources-jar/org/jline/builtins/InputRC.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/DumbTerminal.java
* /jline-3-26-1-sources-jar/org/jline/reader/impl/completer/FileNameCompleter.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/PosixSysTerminal.java
* /jline-3-26-1-sources-jar/org/jline/utils/Colors.java
*
/jline-3-26-1-sources-jar/org/jline/utils/Timeout.java
* /jline-3-26-1-sources-jar/org/jline/reader/ParsedLine.java
* /jline-3-26-1-sources-jar/org/jline/reader/CompletingParsedLine.java
* /jline-3-26-1-sources-jar/org/jline/style/StyleFactory.java
* /jline-3-26-1-sources-jar/org/jline/utils/NonBlocking.java
* /jline-3-26-1-sources-jar/org/jline/keymap/BindingReader.java
* /jline-3-26-1-sources-jar/org/jline/terminal/Size.java
* /jline-3-26-1-sources-jar/org/jline/utils/AttributedStringBuilder.java
* /jline-3-26-1-sources-jar/org/jline/reader/impl/KillRing.java
* /jline-3-26-1-sources-jar/org/jline/utils/NonBlockingInputStream.java
* /jline-3-26-1-sources-jar/org/jline/reader/MaskingCallback.java
* /jline-3-26-1-sources-jar/org/jline/utils/Curses.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/LineDisciplineTerminal.java
* /jline-3-26-1-sources-jar/org/jline/reader/History.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/PosixPtyTerminal.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/win/Kernel32.java
*
/jline-3-26-1-sources-jar/org/jline/reader/Completer.java
* /jline-3-26-1-sources-jar/org/jline/style/StyleExpression.java
* /jline-3-26-1-sources-jar/org/jline/utils/NonBlockingReader.java
* /jline-3-26-1-sources-jar/org/jline/utils/NonBlockingReaderImpl.java
* /jline-3-26-1-sources-jar/org/jline/style/StyleSource.java

* /jline-3-26-1-sources-jar/org/jline/Utils/NonBlockingInputStreamImpl.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2019, the original author(s).

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

* /jline-3-26-1-sources-jar/org/jline/reader/impl/completer/ArgumentCompleter.java

* /jline-3-26-1-sources-jar/org/jline/Utils/InfoCmp.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/AbstractPty.java

* /jline-3-26-1-sources-jar/org/jline/reader/impl/completer/StringsCompleter.java

* /jline-3-26-1-sources-jar/org/jline/builtins/Tmux.java

* /jline-3-26-1-sources-jar/org/jline/builtins/ConfigurationPath.java

* /jline-3-26-1-sources-jar/org/jline/reader/Candidate.java

* /jline-3-26-1-sources-jar/org/jline/Utils/Status.java

* /jline-3-26-1-sources-jar/org/jline/reader/Editor.java

No license file was found, but licenses were detected in source scan.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

distributed under the License is distributed on an "AS IS" BASIS,

Found in path(s):

* /jline-3-26-1-sources-jar/org/jline/nativ/jlinenative.properties

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2017, the original author(s).

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

/*

* Java TelnetD library (embeddable telnet daemon)

* Copyright (c) 2000-2005 Dieter Wimberger

* All rights reserved.

* <p/>

* Redistribution and use in source and binary forms, with or without

- * modification, are permitted provided that the following conditions are
- * met:
- * Redistributions of source code must retain the above copyright notice,
- * this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
- * this list of conditions and the following disclaimer in the documentation
- * and/or other materials provided with the distribution.
- * <p/>
- * Neither the name of the author nor the
- names of its contributors
- * may be used to endorse or promote products derived from this software
- * without specific prior written permission.
- * <p/>
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS
- * IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
- * THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
- * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
- * POSSIBILITY OF SUCH DAMAGE.
- ***/

Found in path(s):

- * /jline-3-26-1-sources-jar/org/jline/builtins/telnet/ConnectionListener.java
- *

/jline-3-26-1-sources-jar/org/jline/builtins/telnet/ConnectionFilter.java

No license file was found, but licenses were detected in source scan.

```
#
# Copyright (C) 2022 the original author(s).
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#
class = org.jline.terminal.impl ffm.FfmTerminalProvider
```

Found in path(s):

* /jline-3-26-1-sources-jar/META-INF/services/org/jline/terminal/provider/ffm

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2023, the original author(s).

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

* /jline-3-26-1-sources-jar/org/jline/reader/impl/InputRC.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/AbstractWindowsTerminal.java

* /jline-3-26-1-sources-jar/org/jline/builtins/Commands.java

* /jline-3-26-1-sources-jar/org/jline/widget/TailTipWidgets.java

* /jline-3-26-1-sources-jar/org/jline/widget/Widgets.java

* /jline-3-26-1-sources-jar/org/jline/console/ConsoleEngine.java

* /jline-3-26-1-sources-jar/org/jline/reader/LineReader.java

* /jline-3-26-1-sources-jar/org/jline/reader/impl/LineReaderImpl.java

* /jline-3-26-1-sources-jar/org/jline/builtins/Less.java

* /jline-3-26-1-sources-jar/org/jline/console/impl/SystemRegistryImpl.java

*

/jline-3-26-1-sources-jar/org/jline/builtins/SyntaxHighlighter.java

No license file was found, but licenses were detected in source scan.

#

Copyright (C) 2022 the original author(s).

#

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

#

<http://www.apache.org/licenses/LICENSE-2.0>

#

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

#

class = org.jline.terminal.impl.exec.ExecTerminalProvider

Found in path(s):

* /jline-3-26-1-sources-jar/META-INF/services/org/jline/terminal/provider/exec

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (c) 2002-2018, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/
/*
* Java TelnetD library (embeddable telnet daemon)
* Copyright (c) 2000-2005 Dieter Wimberger
* All rights reserved.
* <p/>
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions are
* met:
* Redistributions of source code must retain the above copyright notice,
* this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright notice,
* this list of conditions and the following disclaimer in the documentation
* and/or other materials provided with the distribution.
* <p/>
* Neither the name of the author nor the
  names of its contributors
* may be used to endorse or promote products derived from this software
* without specific prior written permission.
* <p/>
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER AND CONTRIBUTORS ``AS
* IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
* THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
* POSSIBILITY OF SUCH DAMAGE.
***/*
```

Found in path(s):

```
* /jline-3-26-1-sources-jar/org/jline/builtins/telnet/ConnectionData.java
*
  /jline-3-26-1-sources-jar/org/jline/builtins/telnet/TelnetIO.java
* /jline-3-26-1-sources-jar/org/jline/builtins/telnet/ConnectionEvent.java
* /jline-3-26-1-sources-jar/org/jline/builtins/telnet/ConnectionManager.java
```

* /jline-3-26-1-sources-jar/org/jline/builtins/telnet/Connection.java
* /jline-3-26-1-sources-jar/org/jline/builtins/telnet/PortListener.java
No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2023, the original author or authors.

This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.

<https://opensource.org/licenses/BSD-3-Clause>

-->

Found in path(s):

* /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline-native/pom.xml
No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2016, the original author(s).

*

* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.

*/

/**

* Based on <http://antony.lesuisse.org/software/ajaxterm/>

* Public Domain License

*/

Found in path(s):

- * /jline-3-26-1-sources-jar/org/jline/builtins/ScreenTerminal.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (c) 2002-2021, the original author(s).

- *

- * This software is distributable under the BSD license. See the terms of the

- * BSD license in the documentation provided with this software.

- *

- * <https://opensource.org/licenses/BSD-3-Clause>

- */

Found in path(s):

- * /jline-3-26-1-sources-jar/org/jline/reader/impl/history/DefaultHistory.java

- * /jline-3-26-1-sources-jar/org/jline/reader/impl/CompletionMatcherImpl.java

- * /jline-3-26-1-sources-jar/org/jline/builtins/Completers.java

- * /jline-3-26-1-sources-jar/org/jline/reader/impl/DefaultHighlighter.java

- * /jline-3-26-1-sources-jar/org/jline/terminal/impl/AbstractTerminal.java

- * /jline-3-26-1-sources-jar/org/jline/reader/Parser.java

- * /jline-3-26-1-sources-jar/org/jline/terminal/TerminalBuilder.java

- * /jline-3-26-1-sources-jar/org/jline/builtins/Nano.java

- * /jline-3-26-1-sources-jar/org/jline/utils/AttributedCharSequence.java

- * /jline-3-26-1-sources-jar/org/jline/reader/Highlighter.java

- *

- /*

- * /jline-3-26-1-sources-jar/org/jline/builtins/ConsoleOptionGetter.java

- * /jline-3-26-1-sources-jar/org/jline/builtins/TTop.java

- * /jline-3-26-1-sources-jar/org/jline/console/impl/ConsoleEngineImpl.java

- * /jline-3-26-1-sources-jar/org/jline/reader/PrintAboveWriter.java

- * /jline-3-26-1-sources-jar/org/jline/console/ArgDesc.java

- * /jline-3-26-1-sources-jar/org/jline/console/SystemRegistry.java

- * /jline-3-26-1-sources-jar/org/jline/utils/AttributedStyle.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (c) 2009-2023, the original author(s).

- *

- * This software is distributable under the BSD license. See the terms of the

- * BSD license in the documentation provided with this software.

- *

- * <https://opensource.org/licenses/BSD-3-Clause>

- */

Found in path(s):

- * /jline-3-26-1-sources-jar/org/jline/jansi/AnsiMode.java

- * /jline-3-26-1-sources-jar/org/jline/jansi/AnsiColors.java

- * /jline-3-26-1-sources-jar/org/jline/jansi/AnsiRenderer.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/AnsiType.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/io/WindowsAnsiProcessor.java
- * /jline-3-26-1-sources-jar/org/jline/nativ/Kernel32.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/io/ColorsAnsiProcessor.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/io/FastBufferedOutputStream.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/AnsiPrintStream.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/Ansi.java
- * /jline-3-26-1-sources-jar/org/jline/nativ/CLibrary.java

- *
- /jline-3-26-1-sources-jar/org/jline/utils/FastBufferedOutputStream.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/AnsiMain.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/io/AnsiProcessor.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/WindowsSupport.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/io/Colors.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/io/AnsiOutputStream.java
- * /jline-3-26-1-sources-jar/org/jline/terminal/impl/ffm/Kernel32.java
- * /jline-3-26-1-sources-jar/org/jline/jansi/AnsiConsole.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2002-2017, the original author(s).
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
 */
```

Found in path(s):

- * /jline-3-26-1-sources-jar/org/jline/reader/Buffer.java
- * /jline-3-26-1-sources-jar/org/jline/style/NopStyleSource.java
- * /jline-3-26-1-sources-jar/org/jline/builtins/ssh/ShellFactoryImpl.java
- * /jline-3-26-1-sources-jar/org/jline/style/StyleColor.java
- * /jline-3-26-1-sources-jar/org/jline/terminal/impl/jansi/win/JansiWinConsoleWriter.java
- * /jline-3-26-1-sources-jar/org/jline/style/StyleResolver.java
- * /jline-3-26-1-sources-jar/org/jline/builtins/ssh/ShellCommand.java
- * /jline-3-26-1-sources-jar/org/jline/terminal/impl/jni/freebsd/FreeBsdNativePty.java
- * /jline-3-26-1-sources-jar/org/jline/utils/WriterOutputStream.java
- * /jline-3-26-1-sources-jar/org/jline/builtins/telnet/Telnet.java
- *
- /jline-3-26-1-sources-jar/org/jline/terminal/impl/jansi/osx/OsXNativePty.java
- * /jline-3-26-1-sources-jar/org/jline/terminal/impl/jna/win/JnaWinConsoleWriter.java
- * /jline-3-26-1-sources-jar/org/jline/style/StyleBundleInvocationHandler.java
- * /jline-3-26-1-sources-jar/org/jline/style/MemoryStyleSource.java
- * /jline-3-26-1-sources-jar/org/jline/terminal/impl/jansi/linux/LinuxNativePty.java
- * /jline-3-26-1-sources-jar/org/jline/builtins/ssh/Ssh.java
- * /jline-3-26-1-sources-jar/org/jline/terminal/impl/jansi/solaris/SolarisNativePty.java

```

* /jline-3-26-1-sources-jar/org/jline/style/StyleBundle.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jni/linux/LinuxNativePty.java
* /jline-3-26-1-sources-jar/org/jline/reader/impl/SimpleMaskingCallback.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jni/solaris/SolarisNativePty.java
* /jline-3-26-1-sources-jar/org/jline/reader/impl/BufferImpl.java
* /jline-3-26-1-sources-jar/org/jline/utils/NonBlockingPumpReader.java
*
/jline-3-26-1-sources-jar/org/jline/utils/NonBlockingPumpInputStream.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jansi/freebsd/FreeBsdNativePty.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/AbstractWindowsConsoleWriter.java
* /jline-3-26-1-sources-jar/org/jline/style/StyledWriter.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jni/win/NativeWinConsoleWriter.java
* /jline-3-26-1-sources-jar/org/jline/style/InterpolationHelper.java
* /jline-3-26-1-sources-jar/org/jline/utils/PumpReader.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/jni/osx/OsXNativePty.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (c) 2002-2024, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

```

```

Found in path(s):
* /jline-3-26-1-sources-jar/org/jline/console/impl/DefaultPrinter.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* Copyright (c) 2002-2022, the original author(s).
*
* This software is distributable under the BSD license. See the terms of the
* BSD license in the documentation provided with this software.
*
* https://opensource.org/licenses/BSD-3-Clause
*/

```

```

Found in path(s):
* /jline-3-26-1-sources-jar/org/jline/console/impl/Builtins.java
* /jline-3-26-1-sources-jar/org/jline/console/Printer.java
* /jline-3-26-1-sources-jar/org/jline/console/impl/SystemHighlighter.java
* /jline-3-26-1-sources-jar/org/jline/builtins/Source.java
No license file was found, but licenses were detected in source scan.

```

```

#
# Copyright (c) 2002-2016, the original author or authors.

```

```

#
# This software is distributable under the BSD license. See the terms of the
# BSD license in the documentation provided with this software.
#
# https://opensource.org/licenses/BSD-3-Clause
#

auto_left_margin, bw, bw
auto_right_margin, am, am
back_color_erase, bce, ut
can_change, ccc, cc
ceol_standout_glitch, xhp, xs
col_addr_glitch, xhpa, YA
cpi_changes_res, cpix, YF
cr_cancels_micro_mode, crxm, YB
dest_tabs_magic_smo, xt, xt
eat_newline_glitch, xenl, xn
erase_overstrike, eo, eo
generic_type, gn, gn
hard_copy, hc, hc
hard_cursor, chts, HC
has_meta_key, km, km
has_print_wheel, daisy, YC
has_status_line, hs, hs
hue_lightness_saturation, hls, hl
insert_null_glitch, in, in
lpi_changes_res, lpix, YG
memory_above, da, da
memory_below, db, db
move_insert_mode, mir, mi
move_standout_mode, msgr, ms
needs_xon_xoff, nxon, nx
no_esc_ctlc, xsb, xb
no_pad_char, npc,
NP
non_dest_scroll_region, ndscr, ND
non_rev_rmcup, nrrmc, NR
over_strike, os, os
prtr_silent, mc5i, 5i
row_addr_glitch, xvpa, YD
semi_auto_right_margin, sam, YE
status_line_esc_ok, eslok, es
tilde_glitch, hz, hz
transparent_underline, ul, ul
xon_xoff, xon, xo
columns, cols, co
init_tabs, it, it
label_height, lh, lh

```

label_width, lw, lw
lines, lines, li
lines_of_memory, lm, lm
magic_cookie_glitch, xmc, sg
max_attributes, ma, ma
max_colors, colors, Co
max_pairs, pairs, pa
maximum_windows, wnum, MW
no_color_video, ncv, NC
num_labels, nlab, Nl
padding_baud_rate, pb, pb
virtual_terminal, vt, vt
width_status_line, wsl, ws
bit_image_entwining, bitwin, Yo
bit_image_type, bitype, Yp
buffer_capacity, bufsz, Ya
buttons, btns, BT
dot_horz_spacing, spinh, Yc
dot_vert_spacing, spinv, Yb
max_micro_address, maddr, Yd
max_micro_jump, mjump, Ye
micro_col_size, mcs, Yf
micro_line_size, mls, Yg
number_of_pins, npins, Yh
output_res_char, orc, Yi
output_res_horz_inch, orhi, Yk
output_res_line, orl, Yj
output_res_vert_inch,
orvi, Yl
print_rate, cps, Ym
wide_char_size, widcs, Yn
acs_chars, acsc, ac
back_tab, cbt, bt
bell, bel, bl
carriage_return, cr, cr
change_char_pitch, cpi, ZA
change_line_pitch, lpi, ZB
change_res_horz, chr, ZC
change_res_vert, cvr, ZD
change_scroll_region, csr, cs
char_padding, rmp, rP
clear_all_tabs, tbc, ct
clear_margins, mgc, MC
clear_screen, clear, cl
clr_bol, el1, cb
clr_eol, el, ce
clr_eos, ed, cd
column_address, hpa, ch

command_character, cmdch, CC
create_window, cwin, CW
cursor_address, cup, cm
cursor_down, cud1, do
cursor_home, home, ho
cursor_invisible, civis, vi
cursor_left, cub1, le
cursor_mem_address, mrcup, CM
cursor_normal, cnorm, ve
cursor_right, cuf1, nd
cursor_to_ll, ll, ll
cursor_up, cuu1, up
cursor_visible, cvvis, vs
define_char, defc, ZE
delete_character, dch1, dc
delete_line, dl1, dl
dial_phone, dial, DI
dis_status_line, dsl, ds
display_clock, dclk, DK
down_half_line, hd, hd
ena_acs, enacs, eA
enter_alt_charset_mode, smacs, as
enter_am_mode, smam,
SA
enter_blink_mode, blink, mb
enter_bold_mode, bold, md
enter_ca_mode, smcup, ti
enter_delete_mode, smdc, dm
enter_dim_mode, dim, mh
enter_doublewide_mode, swidm, ZF
enter_draft_quality, sdrfq, ZG
enter_insert_mode, smir, im
enter_italics_mode, sitm, ZH
enter_leftward_mode, slm, ZI
enter_micro_mode, smicm, ZJ
enter_near_letter_quality, snlq, ZK
enter_normal_quality, snrmq, ZL
enter_protected_mode, prot, mp
enter_reverse_mode, rev, mr
enter_secure_mode, invis, mk
enter_shadow_mode, sshm, ZM
enter_standout_mode, smso, so
enter_subscript_mode, ssubm, ZN
enter_superscript_mode, ssupm, ZO
enter_underline_mode, smul, us
enter_upward_mode, sum, ZP
enter_xon_mode, smxon, SX
erase_chars, ech, ec

exit_alt_charset_mode, rmacs, ae
exit_am_mode, rmam, RA
exit_attribute_mode, sgr0, me
exit_ca_mode, rmcup, te
exit_delete_mode, rmdc, ed
exit_doublewide_mode, rwidm, ZQ
exit_insert_mode, rmir, ei
exit_italics_mode, ritm, ZR
exit_leftward_mode, rlm, ZS
exit_micro_mode, rmicm, ZT
exit_shadow_mode, rshm,
ZU
exit_standout_mode, rmso, se
exit_subscript_mode, rsubm, ZV
exit_superscript_mode, rsupm, ZW
exit_underline_mode, rmul, ue
exit_upward_mode, rum, ZX
exit_xon_mode, rmxon, RX
fixed_pause, pause, PA
flash_hook, hook, fh
flash_screen, flash, vb
form_feed, ff, ff
from_status_line, fsl, fs
goto_window, wingo, WG
hangup, hup, HU
init_1string, is1, i1
init_2string, is2, is
init_3string, is3, i3
init_file, if, if
init_prog, iprog, iP
initialize_color, initc, Ic
initialize_pair, initp, Ip
insert_character, ich1, ic
insert_line, il1, al
insert_padding, ip, ip
key_a1, ka1, K1
key_a3, ka3, K3
key_b2, kb2, K2
key_backspace, kbs, kb
key_beg, kbeg, @1
key_btab, kcbt, kB
key_c1, kc1, K4
key_c3, kc3, K5
key_cancel, kcan, @2
key_catab, ktbc, ka
key_clear, kclr, kC
key_close, kclo, @3
key_command, kcmd, @4

key_copy, kcpy, @5
key_create, kcrt, @6
key_ctab, kctab, kt
key_dc, kdch1, kD
key_dl, kdl1, kL
key_down, kcud1, kd
key_eic, krmir, kM
key_end, kend, @7
key_enter, kent, @8
key_eol, kel, kE
key_eos,
ked, kS
key_exit, kext, @9
key_f0, kf0, k0
key_f1, kf1, k1
key_f10, kf10, k;
key_f11, kf11, F1
key_f12, kf12, F2
key_f13, kf13, F3
key_f14, kf14, F4
key_f15, kf15, F5
key_f16, kf16, F6
key_f17, kf17, F7
key_f18, kf18, F8
key_f19, kf19, F9
key_f2, kf2, k2
key_f20, kf20, FA
key_f21, kf21, FB
key_f22, kf22, FC
key_f23, kf23, FD
key_f24, kf24, FE
key_f25, kf25, FF
key_f26, kf26, FG
key_f27, kf27, FH
key_f28, kf28, FI
key_f29, kf29, FJ
key_f3, kf3, k3
key_f30, kf30, FK
key_f31, kf31, FL
key_f32, kf32, FM
key_f33, kf33, FN
key_f34, kf34, FO
key_f35, kf35, FP
key_f36, kf36, FQ
key_f37, kf37, FR
key_f38, kf38, FS
key_f39, kf39, FT
key_f4, kf4, k4

key_f40, kf40, FU
key_f41, kf41, FV
key_f42, kf42, FW
key_f43, kf43, FX
key_f44, kf44, FY
key_f45, kf45, FZ
key_f46, kf46, Fa
key_f47, kf47, Fb
key_f48, kf48, Fc
key_f49, kf49, Fd
key_f5, kf5, k5
key_f50, kf50, Fe
key_f51, kf51, Ff
key_f52, kf52, Fg
key_f53, kf53, Fh
key_f54, kf54, Fi
key_f55, kf55, Fj
key_f56, kf56, Fk
key_f57, kf57, Fl
key_f58, kf58,
Fm
key_f59, kf59, Fn
key_f6, kf6, k6
key_f60, kf60, Fo
key_f61, kf61, Fp
key_f62, kf62, Fq
key_f63, kf63, Fr
key_f7, kf7, k7
key_f8, kf8, k8
key_f9, kf9, k9
key_find, kfnd, @0
key_help, khlp, %1
key_home, khome, kh
key_ic, kich1, kI
key_il, kil1, kA
key_left, kcub1, kl
key_ll, kill, kH
key_mark, kmrk, %2
key_message, kmsg, %3
key_move, kmov, %4
key_next, knxt, %5
key_npage, knp, kN
key_open, kopn, %6
key_options, kopt, %7
key_ppage, kpp, kP
key_previous, kprv, %8
key_print, kpri, %9
key_redo, krdo, %0

key_reference, kref, &1
key_refresh, krfr, &2
key_replace, krpl, &3
key_restart, krst, &4
key_resume, kres, &5
key_right, kcuf1, kr
key_save, ksav, &6
key_sbeg, kBEG, &9
key_scancel, kCAN, &0
key_scommand, kCMD, *1
key_scopy, kCPY, *2
key_screate, kCRT, *3
key_sdc, kDC, *4
key_sdl, kDL, *5
key_select, kslt, *6
key_send, kEND, *7
key_seol, kEOL, *8
key_sexit, kEXT, *9
key_sf, kind, kF
key_sfind, kFND, *0
key_shelp, kHLP, #1
key_shome, kHOM, #2
key_sic, kIC, #3
key_sleft, kLFT, #4
key_smessage,
kMSG, %a
key_smove, kMOV, %b
key_snext, kNXT, %c
key_soptions, kOPT, %d
key_sprevious, kPRV, %e
key_sprint, kPRT, %f
key_sr, kri, kR
key_sredo, kRDO, %g
key_sreplace, kRPL, %h
key_sright, kRIT, %i
key_srsume, kRES, %j
key_ssav, kSAV, !1
key_ssuspend, kSPD, !2
key_stab, khts, kT
key_sundo, kUND, !3
key_suspend, kspd, &7
key_undo, kund, &8
key_up, kcuu1, ku
keypad_local, rmkx, ke
keypad_xmit, smkx, ks
lab_f0, lf0, l0
lab_f1, lf1, l1
lab_f10, lf10, la

lab_f2, lf2, l2
lab_f3, lf3, l3
lab_f4, lf4, l4
lab_f5, lf5, l5
lab_f6, lf6, l6
lab_f7, lf7, l7
lab_f8, lf8, l8
lab_f9, lf9, l9
label_format, fln, Lf
label_off, rmln, LF
label_on, smln, LO
meta_off, rmm, mo
meta_on, smm, mm
micro_column_address, mhpa, ZY
micro_down, mcud1, ZZ
micro_left, mcub1, Za
micro_right, mcuf1, Zb
micro_row_address, mvpa, Zc
micro_up, mcuu1, Zd
newline, nel, nw
order_of_pins, porder, Ze
orig_colors, oc, oc
orig_pair, op, op
pad_char, pad, pc
parm_dch, dch, DC
parm_delete_line, dl, DL
parm_down_cursor, cud, DO
parm_down_micro,
 mcud, Zf
parm_ich, ich, IC
parm_index, indn, SF
parm_insert_line, il, AL
parm_left_cursor, cub, LE
parm_left_micro, mcub, Zg
parm_right_cursor, cuf, RI
parm_right_micro, mcuf, Zh
parm_rindex, rin, SR
parm_up_cursor, cuu, UP
parm_up_micro, mcuu, Zi
pkey_key, pfkey, pk
pkey_local, pfloc, pl
pkey_xmit, pfx, px
plab_norm, pln, pn
print_screen, mc0, ps
prtr_non, mc5p, pO
prtr_off, mc4, pf
prtr_on, mc5, po
pulse, pulse, PU

quick_dial, qdial, QD
remove_clock, rmclk, RC
repeat_char, rep, rp
req_for_input, rfi, RF
reset_1string, rs1, r1
reset_2string, rs2, r2
reset_3string, rs3, r3
reset_file, rf, rf
restore_cursor, rc, rc
row_address, vpa, cv
save_cursor, sc, sc
scroll_forward, ind, sf
scroll_reverse, ri, sr
select_char_set, scs, Zj
set_attributes, sgr, sa
set_background, setb, Sb
set_bottom_margin, smgb, Zk
set_bottom_margin_parm, smgbp, Zl
set_clock, sclk, SC
set_color_pair, scp, sp
set_foreground, setf, Sf
set_left_margin, smgl, ML
set_left_margin_parm, smglp, Zm
set_right_margin,
smgr, MR
set_right_margin_parm, smgrp, Zn
set_tab, hts, st
set_top_margin, smgt, Zo
set_top_margin_parm, smgtp, Zp
set_window, wind, wi
start_bit_image, sbim, Zq
start_char_set_def, scsd, Zr
stop_bit_image, rbim, Zs
stop_char_set_def, rcsd, Zt
subscript_characters, subcs, Zu
superscript_characters, supcs, Zv
tab, ht, ta
these_cause_cr, docr, Zw
to_status_line, tsl, ts
tone, tone, TO
underline_char, uc, uc
up_half_line, hu, hu
user0, u0, u0
user1, u1, u1
user2, u2, u2
user3, u3, u3
user4, u4, u4
user5, u5, u5

user6, u6, u6
user7, u7, u7
user8, u8, u8
user9, u9, u9
wait_tone, wait, WA
xoff_character, xoffc, XF
xon_character, xonc, XN
zero_motion, zerom, Zx
alt_scancode_esc, scesa, S8
bit_image_carriage_return, bicr, Yv
bit_image_newline, binel, Zz
bit_image_repeat, birep, Xy
char_set_names, csnm, Zy
code_set_init, csin, ci
color_names, colorm, Yw
define_bit_image_region, defbi, Yx
device_type, devt, dv
display_pc_char, disp, S1
end_bit_image_region, endbi, Yy
enter_pc_charset_mode,
smpch, S2
enter_scancode_mode, smsc, S4
exit_pc_charset_mode, rmpch, S3
exit_scancode_mode, rmisc, S5
get_mouse, getm, Gm
key_mouse, kmous, Km
mouse_info, minfo, Mi
pc_term_options, pctrm, S6
pkey_plab, pfxl, xl
req_mouse_pos, reqmp, RQ
scancode_escape, scesc, S7
set0_des_seq, s0ds, s0
set1_des_seq, s1ds, s1
set2_des_seq, s2ds, s2
set3_des_seq, s3ds, s3
set_a_background, setab, AB
set_a_foreground, setaf, AF
set_color_band, setcolor, Yz
set_lr_margin, smglr, ML
set_page_length, slines, YZ
set_tb_margin, smgtb, MT
enter_horizontal_hl_mode, ehhl, Xh
enter_left_hl_mode, elhl, Xl
enter_low_hl_mode, elohl, Xo
enter_right_hl_mode, erhl, Xr
enter_top_hl_mode, ethl, Xt
enter_vertical_hl_mode, evhl, Xv
set_a_attributes, sgr1, sA

set_pglen_inch, slength, sL

Found in path(s):

* /jline-3-26-1-sources-jar/org/jline/utils/capabilities.txt

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2002-2016, the original author or authors.

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

Found in path(s):

* /jline-3-26-1-sources-jar/org/jline/reader/impl/completer/package-info.java

* /jline-3-26-1-sources-jar/org/jline/utils/package-info.java

* /jline-3-26-1-sources-jar/org/jline/reader/impl/history/package-info.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/package-info.java

* /jline-3-26-1-sources-jar/org/jline/reader/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2023, the original author(s).

*

* This software is distributable under the BSD license. See the terms of the

* BSD license in the documentation provided with this software.

*

* <https://opensource.org/licenses/BSD-3-Clause>

*/

/*

* Licensed to the Apache Software Foundation (ASF) under one

* or more contributor license agreements. See the NOTICE file

* distributed with this work for additional information

* regarding copyright ownership. The ASF licenses this file

* to you under the Apache License, Version 2.0 (the

* "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing,

* software distributed under the License is distributed on an

* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

* KIND, either express

or implied. See the License for the

* specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /jline-3-26-1-sources-jar/org/jline/nativ/JLineNativeLoader.java

* /jline-3-26-1-sources-jar/org/jline/nativ/OSInfo.java

No license file was found, but licenses were detected in source scan.

#

Copyright (c) 2002-2018, the original author or authors.

#

This software is distributable under the BSD license. See the terms of the

BSD license in the documentation provided with this software.

#

<https://opensource.org/licenses/BSD-3-Clause>

#

black

maroon

green

olive

navy

purple

teal

silver

grey

red

lime

yellow

blue

fuchsia

aqua

white

grey0

navyblue

darkblue

blue3

blue3a

blue1

darkgreen

deepskyblue4

deepskyblue4a

deepskyblue4b

dodgerblue3

dodgerblue2

green4

springgreen4

turquoise4

deepskyblue3
deepskyblue3a
dodgerblue1
green3
springgreen3
darkcyan
lightseagreen
deepskyblue2
deepskyblue1
green3a
springgreen3a
springgreen2
cyan3
darkturquoise
turquoise2
green1
springgreen2a
springgreen1
mediumspringgreen
cyan2
cyan1
darkred
deeppink4
purple4
purple4a
purple3
blueviolet
orange4
grey37
mediumpurple4
slateblue3
slateblue3a
royalblue1
chartreuse4
darkseagreen4
paleturquoise4
steelblue
steelblue3
cornflowerblue
chartreuse3
darkseagreen4a
cadetblue
cadetbluea
skyblue3
steelblue1
chartreuse3a
palegreen3
seagreen3

aquamarine3
mediumturquoise
steelblue1a
chartreuse2
seagreen2
seagreen1
seagreen1a
aquamarine1
darkslategray2
darkreda
deeppink4a
darkmagenta
darkmagentaa
darkviolet
purplea
orange4a
lightpink4
plum4
mediumpurple3
mediumpurple3a
slateblue1
yellow4
wheat4
grey53
lightslategrey
mediumpurple
lightslateblue
yellow4a
darkolivegreen3
darkseagreen
lightskyblue3
lightskyblue3a
skyblue2
chartreuse2a
darkolivegreen3a
palegreen3a
darkseagreen3
darkslategray3
skyblue1
chartreuse1
lightgreen
lightgreena
palegreen1
aquamarine1a
darkslategray1
red3
deeppink4b
mediumvioletred

magenta3
darkvioleta
purpleb
darkorange3
indianred
hotpink3
mediumorchid3
mediumorchid
mediumpurple2
darkgoldenrod
lightsalmon3
rosybrown
grey63
mediumpurple2a
mediumpurple1
gold3
darkkhaki
navajowhite3
grey69
lightsteelblue3
lightsteelblue
yellow3
darkolivegreen3b
darkseagreen3a
darkseagreen2
lightcyan3
lightskyblue1
greenyellow
darkolivegreen2
palegreen1a
darkseagreen2a
darkseagreen1
paleturquoise1
red3a
deeppink3
deeppink3a
magenta3a
magenta3b
magenta2
darkorange3a
indianreda
hotpink3a
hotpink2
orchid
mediumorchid1
orange3
lightsalmon3a
lightpink3

pink3
plum3
violet
gold3a
lightgoldenrod3
tan
mistyrose3
thistle3
plum2
yellow3a
khaki3
lightgoldenrod2
lightyellow3
grey84
lightsteelblue1
yellow2
darkolivegreen1
darkolivegreen1a
darkseagreen1a
honeydew2
lightcyan1
red1
deeppink2
deeppink1
deeppink1a
magenta2a
magenta1
orangered1
indianred1
indianred1a
hotpink
hotpinka
mediumorchid1a
darkorange
salmon1
lightcoral
palevioletred1
orchid2
orchid1
orange1
sandybrown
lightsalmon1
lightpink1
pink1
plum1
gold1
lightgoldenrod2a
lightgoldenrod2b

navajowhite1
mistyrose1
thistle1
yellow1
lightgoldenrod1
khaki1
wheat1
cornsilk1
grey100
grey3
grey7
grey11
grey15
grey19
grey23
grey27
grey30
grey35
grey39
grey42
grey46
grey50
grey54
grey58
grey62
grey66
grey70
grey74
grey78
grey82
grey85
grey89
grey93

Found

in path(s):

* /jline-3-26-1-sources-jar/org/jline/utils/colors.txt

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2002-2020, the original author or authors.

This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.

<https://opensource.org/licenses/BSD-3-Clause>

-->

Found in path(s):

- * /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline-terminal/pom.xml
- * /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline-remote-ssh/pom.xml
- * /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline-terminal-jni/pom.xml
- * /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline-reader/pom.xml
- * /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline-terminal-ffmpeg/pom.xml
- * /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline-terminal-jna/pom.xml
- * /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline-builtins/pom.xml
- * /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline-terminal-jansi/pom.xml
- * /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline-remote-telnet/pom.xml
- *
- /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline-style/pom.xml

No license file was found, but licenses were detected in source scan.

```
#
# Copyright (C) 2022 the original author(s).
#
# Licensed under the Apache License, Version 2.0 (the "License");
# you may not use this file except in compliance with the License.
# You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
#
class = org.jline.terminal.impl.jna.JnaTerminalProvider
```

Found in path(s):

- * /jline-3-26-1-sources-jar/META-INF/services/org.jline/terminal/provider/jna

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (c) 2022, the original author(s).
 *
 * This software is distributable under the BSD license. See the terms of the
 * BSD license in the documentation provided with this software.
 *
 * https://opensource.org/licenses/BSD-3-Clause
 */
```

Found in path(s):

- * /jline-3-26-1-sources-jar/org/jline/terminal/spi/TerminalProvider.java

* /jline-3-26-1-sources-jar/org/jline/terminal/impl/Diag.java
* /jline-3-26-1-sources-jar/org/jline/terminal/impl/exec/ExecTerminalProvider.java

No license file was found, but licenses were detected in source scan.

```
#  
# Copyright (C) 2022 the original author(s).  
#  
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
#  
# http://www.apache.org/licenses/LICENSE-2.0  
#  
# Unless required by applicable law or agreed to in writing, software  
# distributed under the License is distributed on an "AS IS" BASIS,  
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
# See the License for the specific language governing permissions and  
# limitations under the License.  
#  
class = org.jline.terminal.impl.jansi.JansiTerminalProvider
```

Found in path(s):

* /jline-3-26-1-sources-jar/META-INF/services/org/jline/terminal/provider/jansi

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2002-2021, the original author or authors.

This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.

<https://opensource.org/licenses/BSD-3-Clause>

-->

Found in path(s):

* /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jline/pom.xml

No license file was found, but licenses were detected in source scan.

<!--

Copyright (c) 2002-2022, the original author or authors.

This software is distributable under the BSD license. See the terms of the
BSD license in the documentation provided with this software.

<https://opensource.org/licenses/BSD-3-Clause>

-->

Found in path(s):

* /jline-3-26-1-sources-jar/META-INF/maven/org.jline/jansi-core/pom.xml

1.45 commons-codec 1.17.1

1.45.1 Available under license :

Apache Commons Codec

Copyright 2002-2024 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work,

where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.46 alpine-keys 2.5-r0

1.46.1 Available under license :

MIT License

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE

OR OTHER DEALINGS IN THE SOFTWARE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=alpine-keys

pkgver=2.5

pkgrel=0

pkgdesc="Public keys for Alpine Linux packages"

url="https://alpinelinux.org"

we install arch specific keys to /etc so we cannot do arch=noarch

arch="all"

license="MIT"

replaces="alpine-base"

1.47 free-type 2.13.3

1.47.1 Available under license :

No license file was found, but licenses were detected in source scan.

FREETYPE LICENSES

The FreeType 2 font engine is copyrighted work and cannot be used legally without a software license. In order to make this project usable to a vast majority of developers, we distribute it under two mutually exclusive open-source licenses.

This means that **you** must choose **one** of the two licenses described below, then obey all its terms and conditions when using FreeType 2 in any of your projects or products.

- The FreeType License, found in the file `docs/FTL.TXT`, which is similar to the original BSD license **with** an advertising clause that forces you to explicitly cite the FreeType project in your product's documentation. All details are in the license file. This license is suited to products which don't use the GNU General Public License.

Note that this license is compatible to the GNU General Public License version 3, but not version 2.

- The GNU General Public License version 2, found in

`docs/GPLv2.TXT` (any later version can be used also), for programs which already use the GPL. Note that the FTL is incompatible with GPLv2 due to its advertisement clause.

The contributed BDF and PCF drivers come with a license similar to that of the X Window System. It is compatible to the above two licenses (see files `src/bdf/README` and `src/pcf/README`). The same holds for the source code files `src/base/fthash.c` and `include/freetype/internal/fthash.h`; they were part of the BDF driver in earlier FreeType versions.

The gzip module uses the zlib license (see `src/gzip/zlib.h`) which too is compatible to the above two licenses.

The files `src/autofit/ft-hb.c` and `src/autofit/ft-hb.h` contain code taken almost verbatim from the HarfBuzz file `hb-ft.cc`, which uses the 'Old MIT' license, compatible to the above two licenses.

The MD5 checksum support (only used for debugging in development builds) is in the public domain.

--- end of LICENSE.TXT ---

Found in path(s):

* /freetype-279-tar/freetype.TXT

1.48 slf4j 2.0.16

1.48.1 Available under license :

Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.49 opentelemetry-exporter-otlp 1.29.0

1.49.1 Available under license :

Apache-2.0

1.50 zlib 1.3.1-r2

1.50.1 Available under license :

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.51 commons-io 2.17.0

1.51.1 Available under license :

Apache Commons IO

Copyright 2002-2024 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership

of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.52 pax-utils 1.3.8-r1

1.52.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program

(or a work based on it,
under Section 2) in object code or executable form under the terms of
Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies
a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical

commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

1.53 asm 9.7.1

1.53.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2011 INRIA, France Telecom
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.

*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
-->

Found in path(s):

* /asm-9-7-1-sources-1-jar/org/objectweb/asm/package.html
* /asm-9-7-1-sources-1-jar/org/objectweb/asm/signature/package.html
No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.

Found in path(s):

* /asm-9-7-1-sources-1-jar/org/objectweb/asm/signature/SignatureVisitor.java
No license file was found, but licenses were detected in source scan.

// All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions
// are met:
// 1. Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// 2. Redistributions in binary form must reproduce the above copyright
// notice, this list of conditions and the following disclaimer in the
// documentation and/or other materials provided with the distribution.
// 3. Neither the name of the copyright holders nor the names of its
// this software without specific prior written permission.

Found in path(s):

- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/Edge.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/RecordComponentVisitor.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/CurrentFrame.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/TypePath.java
- *
- /asm-9-7-1-sources-1-jar/org/objectweb/asm/ModuleWriter.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/ByteVector.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/ModuleVisitor.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/Attribute.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/Frame.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/MethodVisitor.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/MethodTooLargeException.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/Handle.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/ClassReader.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/AnnotationVisitor.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/Type.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/FieldWriter.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/SymbolTable.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/Label.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/RecordComponentWriter.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/FieldVisitor.java
- *
- /asm-9-7-1-sources-1-jar/org/objectweb/asm/TypeReference.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/MethodWriter.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/Symbol.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/ClassWriter.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/ClassVisitor.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/Context.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/signature/SignatureReader.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/AnnotationWriter.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/Constants.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/signature/SignatureWriter.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/ClassTooLargeException.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/Opcodes.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/Handler.java
- * /asm-9-7-1-sources-1-jar/org/objectweb/asm/ConstantDynamic.java

1.54 jackson 2.17.3

1.54.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices

stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has
been in development since 2007.
It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included
in some artifacts (usually source distributions); but is always available
from the source code management (SCM) system project uses.

1.55 jackson-databind 2.17.3

1.55.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution notices contained
within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the
content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.56 annotations 13.0

1.56.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2000-2013 JetBrains s.r.o.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /annotations-13-0-sources-6-jar/org/jetbrains/annotations/Contract.java
* /annotations-13-0-sources-6-jar/org/intellij/lang/annotations/Flow.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2000-2009 JetBrains s.r.o.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /annotations-13-0-sources-6-jar/org/jetbrains/annotations/Nullable.java
* /annotations-13-0-sources-6-jar/org/jetbrains/annotations/Nls.java
* /annotations-13-0-sources-6-jar/org/jetbrains/annotations/PropertyKey.java
* /annotations-13-0-sources-6-jar/org/jetbrains/annotations/NonNls.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2006 Sascha Weinreuter

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /annotations-13-0-sources-6-jar/org/intellij/lang/annotations/Pattern.java
- * /annotations-13-0-sources-6-jar/org/intellij/lang/annotations/PrintFormat.java
- * /annotations-13-0-sources-6-jar/org/intellij/lang/annotations/RegExp.java
- * /annotations-13-0-sources-6-jar/org/intellij/lang/annotations/Subst.java
- *

- /annotations-13-0-sources-6-jar/org/intellij/lang/annotations/Identifier.java
- * /annotations-13-0-sources-6-jar/org/intellij/lang/annotations/Language.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright 2000-2012 JetBrains s.r.o.

*

- * Licensed under the Apache License, Version 2.0 (the "License");

- * you may not use this file except in compliance with the License.

- * You may obtain a copy of the License at

*

- * <http://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS,

- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- * See the License for the specific language governing permissions and

- * limitations under the License.

*/

Found in path(s):

- * /annotations-13-0-sources-6-jar/org/jetbrains/annotations/NotNull.java
- * /annotations-13-0-sources-6-jar/org/jetbrains/annotations/TestOnly.java
- * /annotations-13-0-sources-6-jar/org/intellij/lang/annotations/MagicConstant.java
- * /annotations-13-0-sources-6-jar/org/intellij/lang/annotations/JdkConstants.java

1.57 jackson-dataformat-yaml 2.17.3

1.57.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has

been in development since 2007.

It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.58 error_prone_annotations 2.23.0

1.58.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Created-By: Maven JAR Plugin 3.2.2

Build-Jdk-Spec: 17

Automatic-Module-Name: com.google.errorprone.annotations

Bundle-Description: Error Prone is a static analysis tool for Java that catches common programming mistakes at compile-time.

Bundle-DocURL: https://errorprone.info/error_prone_annotations

Bundle-License: "Apache 2.0";link="http://www.apache.org/licenses/LICENSE-2.0.txt"

Bundle-ManifestVersion: 2

Bundle-Name: error-prone annotations

Bundle-SCM: url="https://github.com/google/error-prone/error_prone_annotations",connection="scm:git:https://github.com/google/error-prone.git/error_prone_annotations",developer-connection="scm:git:git@github.com:google/error-prone.git/error_prone_annotations",tag=HEAD

Bundle-SymbolicName: com.google.errorprone.annotations

Bundle-Vendor: Google LLC

Bundle-Version: 2.23.0

Export-Package: com.google.errorprone.annotations;uses:="javax.lang.model.element";version="2.23.0",com.google.errorprone.annotations.concurrent;version="2.23.0"

Import-Package: javax.lang.model.element

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Found in path(s):

* /error-prone-annotations-2-23-0-4-jar/META-INF/MANIFEST.MF

No license file was found, but licenses were detected in source scan.

<!--

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

-->

Found in path(s):

* /error-prone-annotations-2-23-0-4-jar/META-

INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

1.59 opentelemetry-semconv 1.29.0-alpha

1.59.1 Available under license :

Apache-2.0

1.60 opentelemetry-sdk-extension-autoconfigure-spi 1.29.0

1.60.1 Available under license :

Apache-2.0

1.61 dagger 2.4

1.61.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2007 Google Inc.

* Copyright (C) 2012 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /dagger-2-4-sources-2-jar/dagger/Provides.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2012 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /dagger-2-4-sources-2-jar/dagger/Module.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /dagger-2-4-sources-2-jar/dagger/Binds.java
* /dagger-2-4-sources-2-jar/dagger/multibindings/IntoMap.java
* /dagger-2-4-sources-2-jar/dagger/internal/DoubleCheck.java
* /dagger-2-4-sources-2-jar/dagger/Reusable.java
* /dagger-2-4-sources-2-jar/dagger/internal/Preconditions.java
* /dagger-2-4-sources-2-jar/dagger/internal/ProviderOfLazy.java
*
/dagger-2-4-sources-2-jar/dagger/multibindings/package-info.java
* /dagger-2-4-sources-2-jar/dagger/multibindings/IntoSet.java
* /dagger-2-4-sources-2-jar/dagger/multibindings/ElementsIntoSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /dagger-2-4-sources-2-jar/dagger/internal/MembersInjectors.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2014 Google, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

- * /dagger-2-4-sources-2-jar/dagger/internal/Factory.java
- * /dagger-2-4-sources-2-jar/dagger/MapKey.java
- * /dagger-2-4-sources-2-jar/dagger/internal/MapFactory.java
- * /dagger-2-4-sources-2-jar/dagger/internal/SingleCheck.java
- * /dagger-2-4-sources-2-jar/dagger/internal/MapProviderFactory.java
- * /dagger-2-4-sources-2-jar/dagger/internal/InstanceFactory.java
- *
- * /dagger-2-4-sources-2-jar/dagger/internal/SetFactory.java
- * /dagger-2-4-sources-2-jar/dagger/internal/Collections.java
- * /dagger-2-4-sources-2-jar/dagger/Component.java
- * /dagger-2-4-sources-2-jar/dagger/internal/DelegateFactory.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (C) 2012 Google, Inc.
- * Copyright (C) 2012 Square, Inc.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

- * /dagger-2-4-sources-2-jar/dagger/Lazy.java

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (C) 2015 Google, Inc.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *

```

* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /dagger-2-4-sources-2-jar/dagger/Multibindings.java
* /dagger-2-4-sources-2-jar/dagger/internal/Beta.java
* /dagger-2-4-sources-2-jar/dagger/multibindings/StringKey.java
* /dagger-2-4-sources-2-jar/dagger/package-info.java
* /dagger-2-4-sources-2-jar/dagger/Subcomponent.java
* /dagger-2-4-sources-2-jar/dagger/multibindings/ClassKey.java
*

```

```

/dagger-2-4-sources-2-jar/dagger/multibindings/IntKey.java

```

```

* /dagger-2-4-sources-2-jar/dagger/multibindings/LongKey.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2012 Square, Inc.
* Copyright (C) 2009 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

Found in path(s):

```

* /dagger-2-4-sources-2-jar/dagger/MembersInjector.java

```

1.62 musl 1.2.5-r10

1.62.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*

```

* iconv.c
* Implementation of SUSv4 XCU iconv utility
* Copyright © 2011 Rich Felker
* Licensed under the terms of the GNU General Public License, v2 or later
*/

Found in path(s):

* /aports-master-main-musl-zip/aports-master-main-musl/main/musl/iconv.c

No license file was found, but licenses were detected in source scan.

/*-

* Copyright (c) 1996, 1998 The NetBSD Foundation, Inc.

* All rights reserved.

*

* This code is derived from software contributed to The NetBSD Foundation

* by J.T. Conklin.

*

* Mostly rewritten to be used in Alpine Linux (with musl c-library)

* by Timo Teräs.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS

* ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT

NOT LIMITED

* TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR

* PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS

* BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE

* POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /aports-master-main-musl-zip/aports-master-main-musl/main/musl/getconf.c

No license file was found, but licenses were detected in source scan.

/*-

* Copyright (c) 2004-2006 The NetBSD Foundation, Inc.
 * All rights reserved.
 *
 * This code is derived from software contributed to The NetBSD Foundation
 * by Luke Mewburn.
 * Timo Teräs cleaned up the code for use in Alpine Linux with musl libc.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS
 * ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED
 *
 * TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS
 * BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
 * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
 * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
 * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
 * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
 * POSSIBILITY OF SUCH DAMAGE.
 */

Found in path(s):

* /aports-master-main-musl-zip/aports-master-main-musl/main/musl/getent.c

1.63 lcms 2.17

1.63.1 Available under license :

THIS LICENSE APPLIES ONLY TO iccjpeg.c file

In plain English:

1. We don't promise that this software works. (But if you find any bugs, please let us know!)
2. You can use this software for whatever you want. You don't have to pay us.
3. You may not pretend that you wrote this software. If you use it in a program, you must acknowledge somewhere in your documentation that you've used the IJG code.

In legalese:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-2013, Thomas G. Lane, Guido Vollbeding. All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1)

If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2) If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltmain.sh). Another support script, install-sh, is copyright by X Consortium but is also freely distributable.

The IJG distribution formerly included code to read and write GIF files.

To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that

"The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

MIT License

Copyright (c) 2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to

share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the

extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and

appropriately
publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey,
and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to
produce it from the Program, in the form of source code under the
terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified
it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is
released under this License and any conditions added under section
7. This requirement modifies the requirement in section
4 to
"keep intact all notices".
- c) You must license the entire work, as a whole, under this
License to anyone who comes into possession of a copy. This
License will therefore apply, along with any applicable section 7
additional terms, to the whole of the work, and all its parts,
regardless of how they are packaged. This License gives no
permission to license the work in any other way, but it does not
invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display
Appropriate Legal Notices; however, if the Program has interactive
interfaces that do not display Appropriate Legal Notices, your
work need not make them do so.

A compilation of a covered work with other separate and independent
works, which are not by their nature extensions of the covered work,
and which are not combined with it such as to form a larger program,
in or on a volume of a storage or distribution
medium, is called an
"aggregate" if the compilation and its resulting copyright are not
used to limit the access or legal rights of the compilation's users
beyond what the individual works permit. Inclusion of a covered work
in an aggregate does not cause this License to apply to the other
parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding

Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and

protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright

holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered

work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF

SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary.
For more information on this, and how to apply and follow the GNU GPL, see
<<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read
<<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

1.64 alpine-baselayout 3.7.0-r0

1.64.1 Available under license :

```
# Automatically generated by apkbuild-cpan, template 1
# Contributor: Francesco Colista <francesco.colista@gmail.com>
# Maintainer: Francesco Colista <francesco.colista@gmail.com>
pkgname=perl-software-license
_pkgreal=Software-License
pkgver=0.103004
pkgrel=0
pkgdesc="packages that provide templated software licenses"
url="http://search.cpan.org/dist/Software-License/"
arch="noarch"
license="GPL PerlArtistic"
cpandepends="perl-text-template perl-data-section perl-sub-install"
cpanmakedepends=""
depends="$cpandepends"
makedepends="perl-dev $cpanmakedepends"
subpackages="$pkgname-doc"
source="http://search.cpan.org/CPAN/authors/id/R/RJ/RJBS/${_pkgreal}-${pkgver}.tar.gz"

_buildddir="$srcdir/${_pkgreal}-${pkgver}"

prepare() {
    cd "$_buildddir"
```

```

export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`
PERL_MM_USE_DEFAULT=1 perl Makefile.PL INSTALLDIRS=vendor
}

build() {
    cd "$_builddir"
    export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`
    make && make test
}

package() {
    cd "$_builddir"
    make
    DESTDIR="$pkgdir" install || return 1
    find "$pkgdir" \( -name perllocal.pod -o -name .packlist \) -delete
}

md5sums="0c5fd53d93818566234578b27d667b35 Software-License-0.103004.tar.gz"
# Maintainer: Natanael Copa <ncopa@alpinelinux.org>
pkgname=libart-lgpl
pkgver=2.3.21
pkgrel=5
pkgdesc="A library for high-performance 2D graphics"
url="http://www.levien.com/libart/"
arch="all"
license="LGPL"
depends=
makedepends=
subpackages="$pkgname-dev"
source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-$pkgver.tar.bz2"
"

_buildddir="$srcdir"/libart-lgpl-$pkgver

prepare() {
    cd "$_builddir"
    update_config_sub || return 1
}

build() {
    cd "$_builddir"
    ./configure \
        --build=$CBUILD \
        --host=$CHOST \
        --prefix=/usr \
        || return 1
    make || return 1
}

```

```
package() {  
  cd "$_builddir"  
  make DESTDIR="$pkgdir" install || return 1  
}
```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"

IMPORTANT - READ BEFORE COPYING, INSTALLING OR USING.

Do not use or load this software and any associated materials (collectively, the "Software") until you have carefully read the following terms and conditions. By loading or using the Software, you agree to the terms of this Agreement. If you do not wish to so agree, do not install or use the Software.

1. COPYRIGHT NOTICE

Some or all of this work - Copyright 1999-2011, Intel Corp. All rights reserved.

2. LICENSE

2.1. This is your license from Intel Corp. under its intellectual property rights. You may have additional license terms from the party that provided you this software, covering your right to use that party's intellectual property rights.

2.2. Intel grants, free of charge, to any person ("Licensee") obtaining a copy of the source code appearing in this file ("Covered Code") an irrevocable, perpetual, worldwide license under Intel's copyrights in the base code distributed originally by Intel ("Original Intel Code") to copy, make derivatives, distribute, use and display any portion of the Covered Code in any form, with the right to sublicense such rights; and

2.3. Intel grants Licensee a non-exclusive and non-transferable patent license (with the right to sublicense), under only those claims of Intel patents that are infringed by the Original Intel Code, to make, use, sell, offer to sell, and import the Covered Code and derivative works thereof solely to the minimum extent necessary to exercise the above copyright license, and in no event shall the patent license extend to any additions to or modifications of the Original Intel Code. No other license or right is granted directly or by implication, estoppel or otherwise; The above copyright and patent license is granted only if the following conditions are met:

3. CONDITIONS

3.1. Redistribution of Source with Rights to Further Distribute

Source. Redistribution of source code of any substantial portion of the Covered Code or modification with rights to further distribute source must include the above Copyright Notice, the above License, this list of Conditions, and the following Disclaimer and Export Compliance provision. In addition, Licensee must cause all Covered Code to which Licensee contributes to contain a file documenting the changes Licensee made to create that Covered Code and the date of any change. Licensee must include in that file the documentation of any changes made by any predecessor Licensee. Licensee must include a prominent statement that the modification is derived, directly or indirectly, from Original Intel Code.

3.2. Redistribution of Source with no Rights to Further Distribute

Source. Redistribution of source code of any substantial portion of the Covered Code or modification without rights to further distribute source must include the following Disclaimer and Export Compliance provision in the documentation and/or other materials provided with distribution. In addition,

Licensee may not authorize further sublicense of source of any portion of the Covered Code, and must include terms to the effect that the license from Licensee to its licensee is limited to the intellectual property embodied in the software Licensee provides to its licensee, and not to intellectual property embodied in modifications its licensee may make.

3.3. Redistribution of Executable. Redistribution in executable form of any substantial portion of the Covered Code or modification must reproduce the above Copyright Notice, and the following Disclaimer and Export Compliance provision in the documentation and/or other materials provided with the distribution.

3.4. Intel retains all right, title, and interest in and to the Original Intel Code.

3.5. Neither the name Intel nor any other trademark owned or controlled by Intel shall be used in advertising or otherwise to promote the sale, use or other dealings in products derived from or relating to the Covered Code without prior written authorization from Intel.

4. DISCLAIMER AND EXPORT COMPLIANCE

4.1. INTEL MAKES NO WARRANTY OF ANY KIND REGARDING ANY SOFTWARE PROVIDED HERE. ANY SOFTWARE ORIGINATING FROM INTEL OR DERIVED FROM INTEL SOFTWARE IS PROVIDED "AS IS," AND INTEL WILL NOT PROVIDE ANY SUPPORT, ASSISTANCE, INSTALLATION, TRAINING OR OTHER SERVICES. INTEL

WILL NOT PROVIDE ANY UPDATES, ENHANCEMENTS OR EXTENSIONS. INTEL SPECIFICALLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY, NONINFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE.

4.2. IN NO EVENT SHALL INTEL HAVE ANY LIABILITY TO LICENSEE, ITS LICENSEES OR ANY OTHER THIRD PARTY, FOR ANY LOST PROFITS, LOST DATA, LOSS OF USE OR COSTS OF PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES, OR FOR ANY INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THIS AGREEMENT, UNDER ANY CAUSE OF ACTION OR THEORY OF LIABILITY, AND IRRESPECTIVE OF WHETHER INTEL HAS ADVANCE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES. THESE LIMITATIONS SHALL APPLY NOTWITHSTANDING THE FAILURE OF THE ESSENTIAL PURPOSE OF ANY LIMITED REMEDY.

4.3. Licensee shall not export, either directly or indirectly, any of this software or system incorporating such software without first obtaining any required license or other approval from the U. S. Department of Commerce or any other agency or department of the United States Government. In the event Licensee exports any such software from the United States or re-exports any such software from a foreign destination, Licensee shall ensure that the distribution and export/re-export of the software is in compliance with all laws, regulations, orders, or other restrictions of the U.S. Export Administration Regulations. Licensee agrees that neither it nor any of its subsidiaries will export/re-export any technical data, process, software, or service, directly or indirectly, to any country for which the United States government or any agency thereof requires an export license, other governmental approval, or letter of assurance, without first obtaining such license, approval or letter.

/*

* Copyright (c) 1983, 1988 Regents of the University of California.

* All rights reserved.

*

* Redistribution and use in source and binary forms are permitted

* provided that the above copyright notice and this paragraph are

* duplicated in all such forms and that any documentation,

* advertising materials, and other materials related to such

* distribution and use acknowledge that the software was developed

* by the University of California, Berkeley. The name of the

* University may not be used to endorse or promote products derived

* from this software without specific prior written permission.

* THIS SOFTWARE IS PROVIDED ``AS IS" AND WITHOUT ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED

* WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

*/

INTEL SOFTWARE LICENSE AGREEMENT

IMPORTANT - READ BEFORE COPYING, INSTALLING OR USING.

Do not use or load this software and any associated materials (collectively, the "Software") until you have carefully read the following terms and conditions. By loading or using the Software, you agree to the terms of this Agreement. If you do not wish to so agree, do not install or use the Software.

LICENSES: Please Note:

- If you are a network administrator, the "Site License" below shall apply to you.
- If you are an end user, the "Single User License" shall apply to you.
- If you are an original equipment manufacturer (OEM), the "OEM License" shall apply to you.

SITE LICENSE. You may copy the Software onto your organization's computers for your organization's use, and you may make a reasonable number of back-up copies of the Software, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may not sublicense or permit simultaneous use of the Software by more than one user.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

SINGLE USER LICENSE. You may copy the Software onto a single computer for your personal, noncommercial use, and you may make one back-up copy of the Software, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may not sublicense or permit simultaneous use of the Software by more than one user.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

OEM LICENSE: You may reproduce and distribute the Software only as an

integral part of or incorporated in Your product or as a standalone Software maintenance update for existing end users of Your products, excluding any other standalone products, subject to these conditions:

1. This Software is licensed for use only in conjunction with Intel component products. Use of the Software in conjunction with non-Intel component products is not licensed hereunder.
2. You may not copy, modify, rent, sell, distribute or transfer any part of the Software except as provided in this Agreement, and you agree to prevent unauthorized copying of the Software.
3. You may not reverse engineer, decompile, or disassemble the Software.
4. You may only distribute the Software to your customers pursuant to a written license agreement. Such license agreement may be a "break-the-seal" license agreement. At a minimum such license shall safeguard Intel's ownership rights to the Software.
5. The Software may include portions offered on terms in addition to those set out here, as set out in a license accompanying those portions.

NO OTHER RIGHTS. No rights or licenses are granted by Intel to You, expressly or by implication, with respect to any proprietary information or patent, copyright, mask work, trademark, trade secret, or other intellectual property right owned or controlled by Intel, except as expressly provided in this Agreement.

OWNERSHIP OF SOFTWARE AND COPYRIGHTS. Title to all copies of the Software remains with Intel or its suppliers. The Software is copyrighted and protected by the laws of the United States and other countries, and international treaty provisions. You may not remove any copyright notices from the Software. Intel may make changes to the Software, or to items referenced therein, at any time without notice, but is not obligated to support or update the Software. Except as otherwise expressly provided, Intel grants no express or implied right under Intel patents, copyrights, trademarks, or other intellectual property rights. You may transfer the Software only if the recipient agrees to be fully bound by these terms and if you retain no copies of the Software.

LIMITED MEDIA WARRANTY. If the Software has been delivered by Intel on physical media, Intel warrants the media to be free from material physical defects for a period of ninety days after delivery by Intel. If such a defect is found, return the media to Intel for replacement or alternate delivery of the Software as Intel may select.

EXCLUSION OF OTHER WARRANTIES. EXCEPT AS PROVIDED ABOVE, THE SOFTWARE IS PROVIDED "AS IS" WITHOUT ANY EXPRESS OR IMPLIED WARRANTY OF ANY KIND INCLUDING WARRANTIES OF MERCHANTABILITY, NONINFRINGEMENT, OR FITNESS FOR A

PARTICULAR PURPOSE. Intel does not warrant or assume responsibility for the accuracy or completeness of any information, text, graphics, links or other items contained within the Software.

LIMITATION OF LIABILITY. IN NO EVENT SHALL INTEL OR ITS SUPPLIERS BE LIABLE FOR ANY DAMAGES WHATSOEVER (INCLUDING, WITHOUT LIMITATION, LOST PROFITS, BUSINESS INTERRUPTION, OR LOST INFORMATION) ARISING OUT OF THE USE OF OR INABILITY TO USE THE SOFTWARE, EVEN IF INTEL HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. SOME JURISDICTIONS PROHIBIT EXCLUSION OR LIMITATION OF LIABILITY FOR IMPLIED WARRANTIES OR CONSEQUENTIAL OR INCIDENTAL DAMAGES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU. YOU MAY ALSO HAVE OTHER LEGAL RIGHTS THAT VARY FROM JURISDICTION TO JURISDICTION.

TERMINATION OF THIS AGREEMENT. Intel may terminate this Agreement at any time if you violate its terms. Upon termination, you will immediately destroy the Software or return all copies of the Software to Intel.

APPLICABLE LAWS. Claims arising under this Agreement shall be governed by the laws of California, excluding its principles of conflict of laws and the United Nations Convention on Contracts for the Sale of Goods. You may not export the Software in violation of applicable export laws and regulations. Intel is not obligated under any other agreements unless they are in writing and signed by an authorized representative of Intel.

GOVERNMENT RESTRICTED RIGHTS. The Software is provided with "RESTRICTED RIGHTS." Use, duplication, or disclosure by the Government is subject to restrictions as set forth in FAR52.227-14 and DFAR252.227-7013 et seq. or its successor. Use of the Software by the Government constitutes acknowledgment of Intel's proprietary rights therein. Contractor or Manufacturer is Intel
2200 Mission College Blvd., Santa Clara, CA
95052.

```
# Automatically generated by apkbuidl-cpan, template 1
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Valery Kartel <valery.kartel@gmail.com>
pkgname=perl-bsd-resource
_pkgreal=BSD-Resource
pkgver=1.2909
pkgrel=2
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="http://search.cpan.org/dist/BSD-Resource/"
arch="all"
license="GPL PerlArtistic"
cpandepends=""
cpanmakedepends=" "
depends="$cpandepends"
makedepends="perl-dev $cpanmakedepends"
subpackages="$pkgname-doc"
```



```
source="http://search.cpan.org/CPAN/authors/id/J/JH/JHI/${_pkgreal}-${pkgver}.tar.gz"
```

```
_builddir="${srcdir}/${_pkgreal}-${pkgver}"
```

```
prepare() {  
  cd "$_builddir"  
  export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`  
  PERL_MM_USE_DEFAULT=1 perl Makefile.PL INSTALLDIRS=vendor  
}
```

```
build() {  
  cd "$_builddir"  
  export CFLAGS=`perl -MConfig -E 'say $Config{ccflags}`  
  make && make test || return 1  
}
```

```
package() {  
  cd "$_builddir"  
  make DESTDIR="$pkgdir" install || return 1  
  find "$pkgdir"  
  \ ( -name perllocal.pod -o -name .packlist ) -delete  
}
```

```
md5sums="3c6dd2fa953088aa87e263f40818d012 BSD-Resource-1.2909.tar.gz"
```

```
sha256sums="c47d460e2bd00d8d049f6ff4a0f1f61957e289e8de45af5fc79e851e2e855e06 BSD-Resource-  
1.2909.tar.gz"
```

```
sha512sums="5f489eaac5089e82081b7cf51d62638750e443751b49415407354da96b17771819b5e6e85529faa41ddd  
85743363750157943c7f7700276cce2bd40a429fa430 BSD-Resource-1.2909.tar.gz"
```

SQLite Copyright

SQLite is in the

Public Domain

All of the deliverable code in SQLite has been dedicated to the public domain by the authors. All code authors, and representatives of the companies they work for, have signed affidavits dedicating their contributions to the public domain and originals of those signed affidavits are stored in a firesafe at the main offices of Hwaci. Anyone is free to copy, modify, publish, use, compile, sell, or distribute the original SQLite code, either in source code form or as a compiled binary, for any purpose, commercial or non-commercial, and by any means.

The previous paragraph applies to the deliverable code in SQLite - those parts of the SQLite library that you actually bundle and ship with a larger application. Portions of the documentation and some code used as part of the build process might fall under other licenses. The details here are unclear. We do not worry about the licensing of the documentation and build code so much because none of these things are part of the core deliverable SQLite library.

All of the deliverable code in SQLite has been written from scratch. No code has been taken from other projects or from the open internet. Every line of code can be traced back to its original author, and all of those authors have public domain dedications on file. So the SQLite code base is clean and is uncontaminated with licensed code from

other projects.

Obtaining An Explicit License To Use SQLite

Even though SQLite is in the public domain and does not require a license, some users want to obtain a license anyway. Some reasons for obtaining a license include:

You are using SQLite in a jurisdiction that does not recognize the public domain.

You are using SQLite in a jurisdiction that does not recognize the right of an author to dedicate their work to the public domain.

You want to hold a tangible legal document as evidence that you have the legal right to use and distribute SQLite.

Your legal department tells

you that you have to purchase a license.

If you feel like you really have to purchase a license for SQLite, Hwaci, the company that employs the architect and principal developers of SQLite, will sell you one.

Contributed Code

In order to keep SQLite completely free and unencumbered by copyright, all new contributors to the SQLite code base are asked to dedicate their contributions to the public domain. If you want to send a patch or enhancement for possible inclusion in the SQLite source tree, please accompany the patch with the following statement:

The author or authors of this code dedicate any and all copyright interest in this code to the public domain. We make this dedication for the benefit of the public at large and to the detriment of our heirs and successors. We intend this dedication to be an overt act of relinquishment in perpetuity of all present and future rights to this code under copyright law.

We are not able to accept patches or changes to SQLite that are not accompanied by a statement such as the above. In addition, if you make changes or enhancements as an employee, then a simple statement such as the above is insufficient. You must also send by surface mail a copyright release signed by a company officer. A signed original of the copyright release should be mailed to:

Hwaci
6200 Maple Cove Lane
Charlotte, NC 28269
USA

A template copyright release is available in PDF or HTML. You can use this release to make future changes.

see <http://www.sqlite.org/copyright.html>

Copyright (c) 2016 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software source and associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, compile, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject the following terms and conditions:

All modifications to the Materials used to create a binary that is distributed to third parties shall be provided to Khronos with an

unrestricted license to use for the purposes of implementing bug fixes and enhancements to the Materials;

If the binary is used as part of an OpenCL(TM) implementation, whether binary is distributed together with or separately to that implementation, then recipient must become an OpenCL Adopter and follow the published OpenCL conformance process for that implementation,

details at:

<http://www.khronos.org/conformance/>;

The above copyright notice, the OpenCL trademark license, and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

OpenCL is a trademark of Apple Inc. used under license by Khronos.

Contributor: Fabian Affolter <fabian@affolter-engineering.ch>

Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>

pkgname=py-flake8-copyright

_pkgname=flake8-copyright

pkgver=0.2.0

pkgrel=1

pkgdesc="Extension for flake8 which checks for copyrights"

url="https://github.com/savoirfairelinux/flake8-copyright"

arch="noarch"

license="MIT"

depends="flake8"

makedepends="python3-dev"

source="https://files.pythonhosted.org/packages/source/\${_pkgname:0:1}/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir"/\${_pkgname}-\${pkgver}

```
build() {  
    cd "$builddir"  
    python3 setup.py build || return 1  
}
```

```
package() {  
    cd "$builddir"  
    python3 setup.py install --prefix=/usr --root="$pkgdir" || return 1  
}
```

```
md5sums="c6348990c6d74933bf5d5f6a55a14bdf flake8-copyright-0.2.0.tar.gz"
sha256sums="aeef26eb4d5223c9cd5b101e68175fcef6d2b353bf36da688fdde62fccfe2b73 flake8-copyright-
0.2.0.tar.gz"
sha512sums="bab1bfaeed3a525ac3c7da12b1f2ec338c204cc69b72d05cd39560e528faff5d586c3b1be9570f4a977a7e
2417b586e543bfba12abce256b2023c8c4993eeb90
flake8-copyright-0.2.0.tar.gz"
mini_sendmail - accept email on behalf of real sendmail
```

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING,
BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

1.65 commons-codec 1.14

1.65.1 Available under license :

Apache Commons Codec
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java
contains test data from <http://aspell.net/test/orig/batch0.tab>.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

=====

The content of package org.apache.commons.codec.language.bm has been translated from the original php source code available at <http://stevemorse.org/phoneticinfo.htm> with permission from the original authors.

Original source copyright:

Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work

by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.66 openjdk-jre 11.0.27u6

1.66.1 Available under license :

The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard
or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU

UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

...

Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>) of the Elliptic Curve Cryptography library in source form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name
- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

LGPL 2.1

<pre>

GNU LESSER GENERAL PUBLIC LICENSE Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change

free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not

price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must

be
consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs

enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any

warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary

GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work

that

uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined

library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent

license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free

programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can
redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public
License along with this library; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the library, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

</pre>

The FreeType Project: Freetype v2.13.2

FreeType Notice

...

FreeType comes with two licenses from which you can choose the one
which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is
a BSD-style license with a credit clause and thus compatible with
the GNU Public License (GPL) version 3, but not with the
GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

FreeType License

...

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2007-2023 by Derek Clegg and Michael Toftdal.
Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and
Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.
Copyright (C) 2007-2023 by Derek Clegg and
Michael Toftdal.
Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rtsches.
Copyright (C) 2007-2023 by David Turner.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2023 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.
Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.
Copyright (C) 2013-2023 by Google, Inc.
Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.
Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Rtsches, and Werner Lemberg.
Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages;
some of them may contain, in addition to the FreeType font engine,
various tools and contributions which rely on, or relate to, the
FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (`as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (`royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (`credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

""""

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

=====

0. Definitions

Throughout this license, the terms `package`, `FreeType Project`, and `FreeType archive` refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project`, be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive. If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file (`FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying

documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.

- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

- o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues,
specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

...

GPL v2

...

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom
to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you
these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You

may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement

including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire

whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent

access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section

as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with
this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program,
if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

...

Additional Freetype Attributions
...

The below license applies to the following files:
libfreetype/src/psaux/psarrst.c

libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrap.c
libfreetype/src/psaux/psintrap.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

Copyright

2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a

perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you

have read and understood the terms and conditions of the
FreeType Project License as well as those provided
in this section,
and you accept them fully.

...

MIT License
...

The below license applies to the following files:
libfreetype/include/freetype/internal/fthash.h
libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University
Copyright 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT
OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR
THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

xwd v1.0.7

xwd utility
<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:

list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.

Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

</pre>

Description: Makes the generated copyright headers reproducible

Author: Emmanuel Bourg <ebourg@apache.org>

Forwarded: no

```
--- a/make/jdk/src/classes/build/tools/cldrconverter/CopyrightHeaders.java
+++ b/make/jdk/src/classes/build/tools/cldrconverter/CopyrightHeaders.java
@@ -26,6 +26,7 @@
package build.tools.cldrconverter;
```

```
import java.util.Calendar;
+import java.util.Date;
import java.util.GregorianCalendar;
import java.util.Locale;
import java.util.TimeZone;
@@ -150,8 +151,14 @@
    }
```

```
    private static int getYear() {
-        return new GregorianCalendar(TimeZone.getTimeZone("America/Los_Angeles"),
-                                     Locale.US).get(Calendar.YEAR);
```

```

+   Date date = new Date();
+   if (System.getenv("SOURCE_DATE_EPOCH") != null) {
+       date = new Date(1000 * Long.valueOf(System.getenv("SOURCE_DATE_EPOCH")));
+   }
+
+   GregorianCalendar calendar = new GregorianCalendar(TimeZone.getTimeZone("UTC"), Locale.ENGLISH);
+   calendar.setTime(date);
+
+   return calendar.get(Calendar.YEAR);
+ }

// no instantiation
--- a/make/jdk/src/classes/build/tools/generatelsrequivmaps/EquivMapsGenerator.java
+++ b/make/jdk/src/classes/build/tools/generatelsrequivmaps/EquivMapsGenerator.java
@@ -34,9 +34,13 @@
import java.time.ZonedDateTime;
import java.util.ArrayList;
import java.util.Arrays;
+import java.util.Calendar;
+import java.util.Date;
+import java.util.GregorianCalendar;
import java.util.List;
import java.util.Locale;
import java.util.Map;
+import java.util.TimeZone;
import java.util.TreeMap;
import java.util.stream.Collectors;
import java.util.regex.Pattern;
@@ -266,8 +270,15 @@
+ "}}";

private static String getOpenJDKCopyright() {
-   int year = ZonedDateTime.now(ZoneId
-       .of("America/Los_Angeles")).getYear();
+   Date date = new Date();
+   if (System.getenv("SOURCE_DATE_EPOCH") != null) {
+       date = new Date(1000 * Long.valueOf(System.getenv("SOURCE_DATE_EPOCH")));
+   }
+
+   GregorianCalendar calendar = new GregorianCalendar(TimeZone.getTimeZone("UTC"), Locale.ENGLISH);
+   calendar.setTime(date);
+
+   int year = calendar.get(Calendar.YEAR);
+   return String.format(Locale.US, COPYRIGHT, year);
+ }
## Mozilla Public Suffix List

```

Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public_suffix_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat.

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

MPL v2.0

...

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under

the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.

Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support,

indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

*
*
*
* 6. Disclaimer of Warranty *
* ----- *
*
* Covered Software is provided under this License on an "as is" *
* basis, without warranty of any kind, either expressed, implied, or *
* statutory, including, without limitation, warranties that the *
* Covered Software is free of defects, merchantable, fit for a *
* particular purpose or non-infringing. The entire risk as to the *
* quality and performance of the Covered Software is with You. *
* Should any Covered Software prove defective in any respect, You *
* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
*
essential part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *
*

*
*
* 7. Limitation of Liability *
* ----- *
*
* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any *
character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that

such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

PC/SC Lite v1.9.5

PC/SC Lite License

<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS

SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](<https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING>) file for details.

</pre>

This is the copyright file

JLine v3.22.0

JLine License

<pre>

Copyright (c) 2002-2018, the original author or authors.

All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Thai Dictionary

Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed

code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications

to this package which may subsequently be redistributed and/or involve the use of third party software.

Files: debian/*

Copyright: Copyright 2007-2023 Canonical Ltd.

License: MIT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION

OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: debian/dbg.py

Copyright: Copyright 2016, Red Hat and individual contributors

License: LGPL

Copyright 2016, Red Hat and individual contributors

by the @authors tag.

#

```
# This is free software; you can redistribute it and/or modify it
# under the terms of the GNU Lesser General Public License as
# published by the Free Software Foundation; either version 2.1 of
# the License, or (at your option) any later version.
#
# This software is distributed in the hope that it will be useful,
# but WITHOUT ANY WARRANTY; without even the implied warranty of
# MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU
# Lesser General Public License for more details.
.
```

On Debian systems a full copy of the GNU General Public License, GPL, can be found in the file /usr/share/common-licenses/GPL-2.

```
# This file contains a list of people who've made non-trivial
# contribution to the Google C++ Testing Framework project. People
# who commit code to the project are encouraged to add their names
# here. Please keep the list sorted by first names.
```

```
Ajay Joshi <jaj@google.com>
Balzs Dn <balazs.dan@gmail.com>
Bharat Mediratta <bharat@menalto.com>
Chandler Carruth <chandlerc@google.com>
Chris Prince <cprince@google.com>
Chris Taylor <taylorc@google.com>
Dan Egnor <egnor@google.com>
Eric Roman <eroman@chromium.org>
Hady Zalek <hady.zalek@gmail.com>
Jeffrey Yasskin <jyasskin@google.com>
Ji Sigursson <joi@google.com>
Keir Mierle <mierle@gmail.com>
Keith Ray <keith.ray@gmail.com>
Kenton Varda <kenton@google.com>
Manuel Klimek <klimek@google.com>
Markus Heule <markus.heule@gmail.com>
Mika Raento <mikie@iki.fi>
Mikls Fazekas <mfazekas@szemafor.com>
Pasi Valminen <pasi.valminen@gmail.com>
Patrick Hanna <phanna@google.com>
Patrick Riley <pfr@google.com>
Peter Kaminski <piotrk@google.com>
Preston
  Jackson <preston.a.jackson@gmail.com>
  Rainer Klaffenboeck <rainer.klaffenboeck@dynatrace.com>
  Russ Cox <rsc@google.com>
  Russ Rufer <russ@pentad.com>
  Sean McAfee <eefacm@gmail.com>
  Sigurur sgeirsson <siggi@google.com>
  Tracy Bialik <tracy@pentad.com>
  Vadim Berman <vadimb@google.com>
```

Vlad Losev <vladl@google.com>
Zhanyong Wan <wan@google.com>
Apache Santuario v3.0.3

Apache 2.0 License
...

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

...

Apache Santuario Notice

...

Apache Santuario - XML Security for Java
Copyright 1999-2023
The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.

...

Little Color Management System (LCMS) v2.16

LCMS License

<pre>

MIT License

Copyright (C) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose providing that this copyright notice is included with it. SoftSurfer makes no warranty for this code, and cannot be held liable for any real or imagined damage resulting from its use. Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information
...

Main Author

Marti Maria

Contributors

Bob Friesenhahn
Kai-Uwe Behrmann
Stuart Nixon
Jordi Vilar
Richard Hughes
Auke Nauta
Chris Evans (Google)
Lorenzo Ridolfi
Robin Watts (Artifex)
Shawn Pedersen
Andrew Brygin
Samuli Suominen
Florian Hch
Aurelien Jarno
Claudiu Cebuc
Michael Vhrel (Artifex)
Michal Cihar
Daniel Kaneider
Mateusz
Jurczyk (Google)
Paul Miller
Sbastien Lon
Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
Philipp Knechtges
Amyspark
Lovell Fuller
Eli Schwartz
Diogo Teles Sant'Anna

Special Thanks

Artifex software
AlienSkin software
libVIPS
Jan Morovic
Jos Vernon (WebSupergoo)

Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman

...

OASIS PKCS #11 Cryptographic Token Interface v3.0

OASIS PKCS #11 Cryptographic Token Interface License
<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations

of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

Cryptix AES v3.2.0

Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

International Components for Unicode (ICU4J) v60.2

ICU4J License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S

DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

...

All images in this directory are copyright 1995 by Jeff Dinkins.
JRuby Joni v2.1.16

MIT License

<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

All images in this directory are copyright 1995 by Jeff Dinkins.
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

Unicode Common Local Data Repository (CLDR) v33

CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

...

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

c-libutl 20160225

c-libutl License

...

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

Apache Commons BCEL Notice

<pre>

Apache Commons BCEL
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special,

incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.


```
</pre>
## Apache Xerces v2.12.2

### Apache Xerces Notice
<pre>
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====

Apache Xerces Java
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (http://www.apache.org/).

Portions of this software were originally based on the following:
- software copyright (c) 1999, IBM Corporation., http://www.ibm.com.
- software copyright (c) 1999, Sun Microsystems., http://www.sun.com.
- voluntary contributions made by Paul Eng on behalf of the
  Apache Software Foundation that were originally developed at iClick, Inc.,
  software copyright (c) 1999.
</pre>
```

```
### Apache 2.0 License
<pre>
```

```

    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the

outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean
an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or
Object form, made available under the License, as indicated by a
copyright notice that is included in or attached to the work
(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object
form, that is based on (or derived from) the Work and for which the
editorial revisions, annotations, elaborations, or other modifications
represent, as a whole, an original work
of authorship. For the purposes
of this License, Derivative Works shall not include works that remain
separable from, or merely link (or bind by name) to the interfaces of,
the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including
the original version of the Work and any modifications or additions
to that Work or Derivative Works thereof, that is intentionally
submitted to Licensor for inclusion in the Work by the copyright owner
or by an individual or Legal Entity authorized to submit on behalf of
the copyright owner. For the purposes of this definition, "submitted"
means any form of electronic, verbal, or written communication sent
to the Licensor or its representatives, including but not limited to
communication on electronic mailing lists, source code control systems,
and issue tracking systems that are managed by, or on behalf of, the
Licensor for the purpose of discussing and improving the Work,
but
excluding communication that is conspicuously marked or otherwise
designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity
on behalf of whom a Contribution has been received by Licensor and
subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
</pre>
## Pako v1.0
```

```
### Pako License
```

```
<pre>
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(C) 1995-2013 Jean-loup Gailly and Mark Adler
(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

```
</pre>
## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1
```

IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other

dealings in these Data Files or Software without prior written authorization of the copyright holder.

JSZip v3.7.1

JSZip is dual licensed. You may use it under the MIT license *or* the GPLv3 license.

The MIT License

...

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS

OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

GPL version 3

...

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast,

the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2)

tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A

"Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that

same work.

2. Basic Permissions.

All rights granted

under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other

parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided

you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and

adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some

trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have

received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties

receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent

license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING

BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

...

Double-conversion v1.1.5

Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
## jQuery v3.7.1

### jQuery License
...

jQuery v 3.7.1
Copyright OpenJS Foundation and other contributors, https://openjsf.org/
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
## libpng v1.6.43
```

```
### libpng License
<pre>
```

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
=====

PNG Reference Library License version 2

Copyright (C) 1995-2024 The PNG Reference Library Authors.
Copyright (C) 2018-2024 Cosmin Truta
Copyright (C) 1998-2018 Glenn Randers-Pehrson
Copyright (C) 1996-1997 Andreas Dilger

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby
granted to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the
same
disclaimer and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schlnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

TRADEMARK
=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

AUTHORS File Information
...

PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

- * Adam Richter
- * Andreas Dilger
- * Chris Blume
- * Cosmin Truta
- * Dave Martindale
- * Eric S. Raymond
- * Gilles Vollant
- * Glenn Randers-Pehrson
- * Greg Roelofs
- * Guy Eric Schalnat
- * James Yu
- * John Bowler
- * Kevin Bracey
- * Magnus Holmgren
- * Mandar Sahastrabudhe
- * Mans Rullgard
- * Matt Sarett
- * Mike Klein
- * Pascal Massimino
- * Paul Schmidt
- * Philippe Antoine
- * Qiang Zhou
- * Sam Bushell
- * Samuel Williams
- * Simon-Pierre Cadieux
- * Tim Wegner
- * Tom Lane
- * Tom Tanner
- * Vadim Barkov
- * Willem van Schaik
- * Zhijie Liang
- * Apple Inc.
 - Zixu Wang ()
- * Arm Holdings
 - Richard Townsend
- * Google Inc.
 - Dan Field
 - Leon Scroggins III
 - Matt Sarett
 - Mike Klein
 - Sami Boukortt
 - Wan-Teh Chang
- * Loongson Technology Corporation Ltd.

- GuXiWei ()
- JinBo ()
- ZhangLixia ()

The build projects, the build scripts, the test scripts, and other files in the "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "ci" and "contrib" directories, as well as some of the tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

Harfbuzz v8.2.2

Harfbuzz License

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow. For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010-2023 Google, Inc.
 Copyright 2018-2020 Ebrahim Byagowi
 Copyright 2004-2013 Red Hat, Inc.
 Copyright 2019 Facebook, Inc.
 Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)
 Copyright 2007 Chris Wilson
 Copyright 2018-2019 Adobe Inc.
 Copyright 2006-2023 Behdad Esfahbod
 Copyright 1998-2004 David Turner and Werner Lemberg
 Copyright 2009 Keith Stribley
 Copyright 2018 Khaled Hosny
 Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>
 Copyright 2016 Igalia S.L.
 Copyright 2015 Mozilla Foundation.
 Copyright 1999 David Turner
 Copyright 2005 Werner Lemberg
 Copyright 2013-2015 Alexei Podtelezhnikov
 Copyright 2022 Matthias Clasen
 Copyright 2011 Codethink Limited

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,
is licensed as above. The one
exception is licensed with a slightly different MIT variant:
The contents of this directory are licensed under the following terms:

The below license applies to the following files:
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The below license applies to the following files:
libharfbuzz/hb-unicode-emoji-table.hh

2023 Unicode, Inc.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc.

in the U.S. and other countries.

For terms of use, see https://www.unicode.org/terms_of_use.html

</pre>

AUTHORS File Information

...

Behdad Esfahbod

David Corbett

David Turner

Ebrahim Byagowi

Garret Rieger

Jonathan Kew

Khaled Hosny

Lars Knoll

Martin Hosken

Owen Taylor

Roderick Sheeter

Roozbeh Pournader

Simon Hausmann

Werner Lemberg

...

Eastman Kodak Company: Portions of color management and imaging software

Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

zlib v1.3.1

zlib License

<pre>

Copyright (C) 1995-2024 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be

appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact

Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any questions.

DOM Level 3 Core Specification v1.0

W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

</pre>

W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided

by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date changes were made.
(We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

```
</pre>
## jopt-simple v5.0.4
```

```
### MIT License
<pre>
```

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
## Independent JPEG Group: JPEG release 6b
```

```
### JPEG License
<pre>
```

Must reproduce following license in documentation and/or other materials provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2)
If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this
distribution by permission of L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead

by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi.

Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

</pre>

Apache Xalan v2.7.2

Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution. The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian
Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both the copyright notice and this permission notice and warranty

disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and

fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

```
</pre>
```

```
## SipHash v1.0-68c8a7c
```

```
### Notice
```

```
SipHash reference C implementation
```

```
...
```

```
Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>
```

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along with

this software. If not, see

```
<http://creativecommons.org/publicdomain/zero/1.0/>.
```

```
...
```

```
### Licenses
```

```
The code is dual-licensed CCO and MIT
```

```
#### MIT License
```

```
...
```

```
Copyright 2012-2024 JP Aumasson
```

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

CC0 1.0 Universal

...

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work

and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);

iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;

iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;

v. rights protecting the extraction, dissemination, use and reuse of data in a Work;

vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and

vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv)

for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or

promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

...

CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both

the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you

can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents

constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute

the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that

choice.

This section is intended to make
thoroughly clear what is believed to be a
consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL

ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free

software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something

other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module

which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

jQuery UI v1.13.2

jQuery UI License

...

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Dynalink v.5

Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Format: <https://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Files-Excluded:

.github/*
.gitattributes
test/jdk/sun/management/windows/revokeall.exe
src/java.base/share/native/libzip/zlib/*
src/java.desktop/share/native/libsplashscreen/giflib/*
src/java.desktop/share/native/libsplashscreen/libpng/*
src/java.smartcardio/unix/native/libj2pcsc/MUSCLE/*
src/java.desktop/share/native/libjavajpeg/jc*
src/java.desktop/share/native/libjavajpeg/jd*
src/java.desktop/share/native/libjavajpeg/je*
src/java.desktop/share/native/libjavajpeg/jf*
src/java.desktop/share/native/libjavajpeg/ji*.c
src/java.desktop/share/native/libjavajpeg/jm*
src/java.desktop/share/native/libjavajpeg/jpegi*
src/java.desktop/share/native/libjavajpeg/jpeglib.h
src/java.desktop/share/native/libjavajpeg/jq*
src/java.desktop/share/native/libjavajpeg/jv*
src/java.desktop/share/native/libjavajpeg/ju*
src/java.desktop/share/native/libjavajpeg/README

Source: <https://github.com/openjdk/jdk11u>

Comment:

Upstream Authors:

OpenJDK:

Oracle and/or its affiliates

Sun Microsystems, Inc

Red Hat, Inc

SAP SE
Azul Systems, Inc
Apache Software Foundation
Microsoft Corporation
Intel Corporation
IBM Corporation
Google LLC
Amazon.com, Inc
Other contributors
See the third party licenses below.
Packaged by:
Matthias Klose <doko\@ubuntu.com>

Files: *

Copyright:

Copyright (c) 1996-2023 Oracle and/or its affiliates.
Copyright (c) 1996-2003 Sun Microsystems, Inc.
Copyright (c) 2009-2012 Red Hat, Inc.
Copyright (c) 2012-2022 SAP SE.
Copyright (c) 2020-2021 Azul Systems, Inc.
Copyright (c) 1999-2022 The Apache Software Foundation.
Copyright (c) 2020-2021 Microsoft Corporation
Copyright (c) 2009-2022 Google LLC
Copyright (c) 2020-2021 Amazon.com, Inc
Copyright (c) 2021 Alibaba Group Holding Limited
Copyright (c) 2019-2021 Huawei Technologies Co. Ltd.
Copyright (c) 2021-2023
BELLSOFT
Copyright (c) 2022-23 THL A29 Limited, a Tencent company.
Copyright (c) 2021-2023, Arm Limited.
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn.
Copyright (c) 2017 Instituto de Pesquisas Eldorado.
Copyright (c) 1999-2007 Brian Paul.
Copyright (c) 2018-2019 Adobe Inc.
Copyright 2006-2014 Adobe Systems Incorporated.
Copyright 1994-2011 Hewlett-Packard Co.
Portions Copyright (c) 2011-2014 IBM Corporation
Portions Copyright (c) 1995 Colin Plumb
Portions Copyright (c) 1997-2003 Eastman Kodak Company
See other third party notices under the License section
License: GPL with Classpath exception

.

--- begin of LICENSE ---

.

The GNU General Public License (GPL)

.

Version 2, June 1991

.

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary.

To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

.

The precise terms and conditions for copying, distribution and modification follow.

.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

.

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any

derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

.

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

.
c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)
.

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate

works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.
.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.
.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.
.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:
.

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
.

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
.

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only

for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

.

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

.

4.

You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the

conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

.
NO WARRANTY

.
11. BECAUSE THE PROGRAM IS
LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR
THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE
STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE
PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND
PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE,
YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

.
12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL
ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE
THE
PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY
GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR
INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA
BEING
RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A
FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER
OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

.
END OF TERMS AND CONDITIONS

.
How to Apply These Terms to Your New Programs

.
If you develop a new program, and you want it to be of the greatest possible
use to the public, the best way to achieve this is to make it free software
which everyone can redistribute and change under these terms.

.
To do so, attach the following notices to the program. It is safest to attach
them to the start of each source file to most effectively convey the exclusion
of warranty; and each file should have at least the "copyright" line and a
pointer to where the full notice is found.

.
 One line to give the program's name and a brief idea of what it does.

.
 Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

.

Also add information on how to contact you by electronic and paper mail.

.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

.

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

.

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

.

signature of Ty Coon, 1 April 1989

.

Ty Coon, President of Vice

.

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.


```

.
.
"CLASSPATH" EXCEPTION TO THE GPL
.
Certain source files distributed by Oracle America and/or its affiliates are
subject to the following clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."
.
    Linking this library statically or dynamically with other modules is making
    a combined work based on this library.  Thus, the terms and conditions of
    the GNU General Public License cover the whole combination.
.
    As a special exception, the copyright holders of
this library give you
    permission to link this library with independent modules to produce an
    executable, regardless of the license terms of these independent modules,
    and to copy and distribute the resulting executable under terms of your
    choice, provided that you also meet, for each linked independent module,
    the terms and conditions of the license of that module.  An independent
    module is a module which is not derived from or based on this library.  If
    you modify this library, you may extend this exception to your version of
    the library, but you are not obligated to do so.  If you do not wish to do
    so, delete this exception statement from your version.
.
--- end of LICENSE ---
.
-----
The following licenses for third party code are taken from 'legal'
directories of modules under src/
-----
.
%% This notice is provided with respect to Cryptix AES v3.2.0,
which may be included with JRE 11, JDK 11 and OpenJDK 11
.
--- begin of LICENSE ---
.
Cryptix General License
.
.
Cryptix General License
.
Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.
.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are

```

met:

- .
- 1. Redistributions of source code must retain the copyright notice,
this list of conditions and the following disclaimer.
- .
- 2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in
the documentation and/or other materials provided with the
distribution.
- .

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND
CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.

.

.

--- end of LICENSE ---

%% This notice is provided with respect to ASM Bytecode Manipulation Framework v6.0,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

ASM License

.

Copyright (c) 2000-2011
France Telecom
All rights reserved.

.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- .
- 1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- .

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

--- end of LICENSE ---

%% This notice is provided with respect to c-libutl 20160225,
which may be included with JRE 11, JDK 11 and OpenJDK 11

--- begin of LICENSE ---

c-libutl License

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.
<http://opensource.org/licenses/bsd-license.php>
.

.
--- end of LICENSE ---
.

%% This notice is provided with respect to Unicode Common Local Data Repository (CLDR) v33, which may be included with JRE 11, JDK 11 and OpenJDK 11

.
--- begin of LICENSE ---
.

CLDR License
.

.
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>,

and

<http://www.unicode.org/utility/trac/browser/>.

.
Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

.
Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

.
NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

.
COPYRIGHT AND PERMISSION NOTICE

.
Copyright 1991-2018 Unicode, Inc. All rights
reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

.
Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission notice appear in associated
Documentation.

.
THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS
FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

.
Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

.
.
.
--- end of LICENSE ---
.

%% This notice is provided with respect to International Components for Unicode (ICU4J) v60.2,
which may be included with JRE 11, JDK 11 and OpenJDK

11

.
--- begin of LICENSE ---

.
ICU4J License

.
.
.
UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

.
Unicode Data Files do not include PDF online code charts under the
directory <http://www.unicode.org/Public/>.

.
Software includes any source code published in the Unicode Standard
or under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

.
NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

.
COPYRIGHT AND PERMISSION NOTICE

.
Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

.
Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either

(a) this copyright and permission notice appear with
all copies
of the Data Files or Software, or
(b) this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization
of the copyright holder.

--- end of LICENSE ---

%% This notice is provided with respect to Mozilla Public Suffix List,
which may be included with JRE 11, JDK 11 and OpenJDK 11

--- begin of LICENSE ---

Public Suffix Notice

You are receiving a copy of the Mozilla Public Suffix List in the following
file: <java-home>/lib/security/public_suffix_list.dat. The terms of the
Oracle license do NOT apply to this file; it is licensed under the
Mozilla Public License 2.0, separately from the Oracle programs you receive.
If you do not wish to use the Public Suffix List, you may remove the
<java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the
Mozilla Public License, v. 2.0 and is located at
[https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_li
st.dat](https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one
at <https://mozilla.org/MPL/2.0/>.

.
Software distributed under the License is distributed on an "AS IS" basis,
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
for the specific language governing rights and limitations under the License.

.
.
MPL v2.0

.
Mozilla Public License Version 2.0

=====

.
1. Definitions

.
1.1. "Contributor"

means each individual or legal entity that creates, contributes to
the creation of, or owns Covered Software.

.
1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used
by a Contributor and that particular Contributor's Contribution.

.
1.3. "Contribution"

means Covered Software of a particular Contributor.

.
1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached
the notice in Exhibit A, the Executable Form of such Source Code
Form, and Modifications of such Source Code Form, in each case
including portions thereof.

.
1.5. "Incompatible With Secondary Licenses"

means

.
(a) that the initial Contributor has attached the notice described
in Exhibit B to the Covered Software; or

.
(b) that the Covered Software was made available under the terms of
version 1.1 or earlier of the License, but not also under the
terms of a Secondary License.

.
1.6. "Executable Form"

means any form of the work other than Source Code Form.

.
1.7. "Larger Work"

means a work that combines Covered Software with other material, in
a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible,
whether at the time of the initial grant

or subsequently, any and

all of the rights conveyed by this License.

.

1.10. "Modifications"

means any of the following:

.

(a) any file in Source Code Form that results from an addition to,
deletion from, or modification of the contents of Covered
Software; or

.

(b) any new file in Source Code Form that contains any Covered
Software.

.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method,
process, and apparatus claims, in any patent Licensable by such
Contributor that would be infringed, but for the grant of the
License, by the making, using, selling, offering for sale, having
made, import, or transfer of either its Contributions or its
Contributor Version.

.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU
Lesser General Public License, Version 2.1, the GNU Affero General

Public License, Version 3.0, or any later versions of those
licenses.

.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this
License. For legal entities, "You" includes any entity that
controls, is controlled by, or is under common control with You. For
purposes of this definition, "control" means (a) the power, direct
or indirect, to cause the direction or management of such entity,
whether by contract or otherwise, or (b) ownership of more than
fifty percent (50%) of the outstanding shares or beneficial
ownership of such entity.

.

2. License Grants and Conditions

.

2.1. Grants

.

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

.

- (a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
 - (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.
- .

2.2. Effective Date

.

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

.

2.3. Limitations on Grant Scope

.

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

.

- (a) for any code that a Contributor has removed from Covered Software;
or
 - (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
 - (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.
- .

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

.

2.4. Subsequent Licenses

.

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

.

2.5. Representation

.

Each Contributor represents that the Contributor believes its

Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

.

2.6. Fair Use

.

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

.

2.7. Conditions

.

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

.

3. Responsibilities

.

3.1. Distribution of Source Form

.

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

.

3.2. Distribution of Executable Form

.

If You distribute Covered Software in Executable Form then:

.

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

.

(b) You may distribute such Executable Form under the terms of this

License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed

in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

.

5. Termination

.

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

.

*

*

* 6. Disclaimer of Warranty

*

* -----

*

*

*

* Covered Software is provided under this License on an "as is" *
* basis, without warranty of any kind, either expressed, implied, or *
* statutory, including, without limitation, warranties that the *
* Covered Software is free of defects, merchantable, fit for a *
* particular purpose or non-infringing. The entire risk as to the *
* quality and performance of the Covered Software is with You. *
* Should any Covered Software prove defective in any respect, You *

* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
* essential part of this License. No use of any Covered Software
is *
* authorized under this License except under this disclaimer. *

*

.

*
* 7. Limitation of Liability *
* ----- *

* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any character *
* including,
without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *

*

8. Litigation

.
Any litigation relating to this License may be brought only in the
courts
of a jurisdiction where the defendant maintains its principal
place of business and such litigation shall be governed by laws of that
jurisdiction, without reference to its conflict-of-law provisions.
Nothing in this Section shall prevent a party's ability to bring
cross-claims or counter-claims.

9. Miscellaneous

.
This License represents the complete agreement concerning the subject
matter hereof. If any provision of this License is held to be

unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

.

10. Versions of the License

.

10.1. New Versions

.

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

.

10.2. Effect of New Versions

.

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

.

10.3. Modified Versions

.

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

.

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

.

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

.

Exhibit A - Source Code Form License Notice

.

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE

file in a relevant directory) where a recipient would be likely to look for such a notice.

.

You may add additional accurate notices of copyright ownership.

.

Exhibit B - "Incompatible With Secondary Licenses" Notice

.

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to SipHash v1.0-68c8a7c, which may be included with JRE 11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

Notice

SipHash reference C implementation

.

.

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

.

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

.

You should have received a copy of the CC0 Public Domain Dedication along with

this software. If not, see

<<http://creativecommons.org/publicdomain/zero/1.0/>>.

.

.

Licenses

The code is dual-licensed CCO and MIT

.

#MIT License

.

Copyright 2012-2024 JP Aumasson

.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation

files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to

whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

.

#CC0 1.0 Universal

.

Statement of Purpose

.

The laws of most jurisdictions

throughout the world automatically confer

exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

.

Certain owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

.

For these and/or other

purposes and motivations, and without any expectation

of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

.

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- .
- ii. moral rights retained by the original author(s) and/or performer(s);
- .
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- .
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- .
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- .
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- .
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.
- .

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise Affirmer's Copyright and Related Rights in

the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

.

4. Limitations and Disclaimers.

.

a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.

.

b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.

.

c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.

.

d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to The Unicode Standard, Unicode Character Database, Version 10.0.0, which may be included with JRE

11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

Unicode Character Database

.

.

.

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES

("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

.

COPYRIGHT AND PERMISSION NOTICE

.

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either
(a) this copyright

and permission notice appear with all copies
of the Data Files or Software, or
(b) this copyright and permission notice appear in associated
Documentation.

.
THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

.
Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software
without prior
written authorization of the copyright holder.

.
.
.
--- end of LICENSE ---

.

%% This notice is provided with respect to Eastman Kodak Company: Portions of color management and imaging
software,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.
--- begin of LICENSE ---
.
Eastman Kodak Notice
.
Portions Copyright Eastman Kodak Company 1991-2003

.
.
.
--- end of LICENSE ---

.

%% This notice is provided with respect to The FreeType Project: Freetype v2.13.2,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.
--- begin of LICENSE ---

.
.

FreeType Notice

.
.

FreeType comes with two licenses from which you can choose the one which fits your needs best.

.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

.
.
.

FreeType License

.
.

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2007-2023 by Derek Clegg and Michael Toftdal.

Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and

Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.

Copyright (C) 2007-2023 by Derek Clegg and Michael Toftdal.

Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Röttsches.

Copyright (C) 2007-2023 by David

Turner.

Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatt.

Copyright (C) 2007-2023 by Rahul Bhalariao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.

Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.

Copyright (C) 2013-2023 by Google, Inc.

Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.

Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Röttsches, and Werner Lemberg.

Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

.
.

The FreeType Project LICENSE

.

2006-Jan-27

.

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

.
.
.
Introduction

=====

.
The FreeType Project is distributed in several archive packages;
some of them may contain, in addition to the FreeType font engine,
various tools and contributions which rely on, or relate to, the
FreeType Project.

.
This license applies to all files found in such packages, and
which do not fall under their own explicit license. The license
affects thus the FreeType font engine, the test programs,
documentation and makefiles, at the very least.

.
This license was inspired by the BSD, Artistic, and IJG
(Independent JPEG Group) licenses, which all encourage inclusion
and use of free software in commercial and freeware products
alike. As a consequence, its main points are that:

.
o We don't promise that this software works. However, we will be
interested in any kind of bug reports. (`as is' distribution)

.
o You can use this software for whatever you want, in parts
or
full form, without having to pay us. (`royalty-free' usage)

.
o You may not pretend that you wrote this software. If you use
it, or only parts of it, in a program, you must acknowledge
somewhere in your documentation that you have used the
FreeType code. (`credits')

.
We specifically permit and encourage the inclusion of this
software, with or without modifications, in commercial products.
We disclaim all warranties covering The FreeType Project and
assume no liability related to The FreeType Project.

.
Finally, many people asked us for a preferred form for a
credit/disclaimer to use in compliance with this license. We thus
encourage you to use the following text:

.
""""
Portions of this software are copyright <year> The FreeType
Project (www.freetype.org). All rights reserved.
""""
.

Please replace <year> with the value from the FreeType
version you
actually use.

.
.

Legal Terms

=====

.

0. Definitions

.

Throughout this license, the terms `package', `FreeType Project',
and `FreeType archive' refer to the set of files originally
distributed by the authors (David Turner, Robert Wilhelm, and
Werner Lemberg) as the `FreeType Project', be they named as alpha,
beta or final release.

.

`You' refers to the licensee, or person using the project, where
`using' is a generic term including compiling the project's source
code as well as linking it to form a `program' or `executable'.
This program is referred to as `a program using the FreeType
engine'.

.

This license applies to all files distributed in the original
FreeType Project, including all source code, binaries and
documentation, unless otherwise stated in the file in its
original, unmodified form as distributed in the original
archive.

If you are unsure whether or not a particular file is covered by
this license, you must contact us to verify this.

.

The FreeType Project is copyright (C) 1996-2000 by David Turner,
Robert Wilhelm, and Werner Lemberg. All rights reserved except as
specified below.

.

1. No Warranty

.

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY
KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO,
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS
BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO
USE, OF THE FREETYPE PROJECT.

.

2. Redistribution

.

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense

the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- .
 - o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- .
 - o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.
- .

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files. If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

- .

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.
- .

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.
- .

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

.

4. Contacts

.

There are two mailing lists related to FreeType:

.

- o freetype@nongnu.org

.

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

.

- o freetype-devel@nongnu.org

.

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

.

Our home page can be found at

.

<https://www.freetype.org>

.

.

.

GPL v2: Refer to the copy under /usr/share/common-licenses

.

Additional Freetype Attributions

.

.

The below license applies to the following files:

libfreetype/src/psaux/psarrst.c

libfreetype/src/psaux/psarrst.h

libfreetype/src/psaux/psblues.c

libfreetype/src/psaux/psblues.h

libfreetype/src/psaux/pserror.c

libfreetype/src/psaux/pserror.h

libfreetype/src/psaux/psfixed.h

libfreetype/src/psaux/psfont.c

libfreetype/src/psaux/psfont.h

libfreetype/src/psaux/psft.c

libfreetype/src/psaux/psft.h

libfreetype/src/psaux/psglue.h

libfreetype/src/psaux/pshints.c

libfreetype/src/psaux/pshints.h

libfreetype/src/psaux/psintrp.c

libfreetype/src/psaux/psintrp.h

libfreetype/src/psaux/psread.c

libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

.

Copyright 2006-2014 Adobe Systems Incorporated.

.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under

the FreeType Project License,

LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes

direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

.

.

.

.

MIT License

.

.

The below license applies to the following files:

libfreetype/include/freetype/internal/fthash.h
libfreetype/src/base/fthash.c

.

Copyright 2000 Computing Research Labs, New Mexico State University

Copyright 2001-2015

.
Francesco Zappa Nardelli

.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.
.
.
.
.
--- end of LICENSE ---

.

%% This notice is provided with respect
to Harfbuzz v8.2.2,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.
--- begin of LICENSE ---

.
Harfbuzz License

.
.
.
HarfBuzz is licensed under the so-called "Old MIT" license. Details follow.
For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

.
Copyright 2010-2023 Google, Inc.
Copyright 2018-2020 Ebrahim Byagowi
Copyright 2004-2013 Red Hat, Inc.
Copyright 2019 Facebook, Inc.
Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)

Copyright 2007 Chris Wilson
Copyright 2018-2019 Adobe Inc.
Copyright 2006-2023 Behdad Esfahbod
Copyright 1998-2004 David Turner and Werner Lemberg
Copyright 2009 Keith Stribley
Copyright 2018 Khaled Hosny
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>
Copyright 2016 Igalia S.L.
Copyright 2015 Mozilla Foundation.
Copyright 1999 David Turner
Copyright 2005 Werner Lemberg
Copyright 2013-2015 Alexei Podtelezhnikov
Copyright 2022 Matthias Clasen
Copyright 2011 Codethink Limited

.
For full copyright notices consult the individual files in the package.

.
Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

.
IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.
THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

.
All source code, except for one section, is licensed as above. The one exception is licensed with a slightly different MIT variant:
The contents of this directory are licensed under the following terms:

.

The below license applies to the following files:
libharfbuzz/hb-ucd.cc

.
Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

.
Permission to use, copy, modify, and/or distribute this software for any

purpose with or without fee is hereby granted, provided that the above
copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
ANY SPECIAL, DIRECT,
INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The below license applies to the following files:
libharfbuzz/hb-unicode-emoji-table.hh

2023 Unicode, Inc.
Unicode and the Unicode Logo are registered trademarks of Unicode, Inc.
in the U.S. and other countries.
For terms of use, see https://www.unicode.org/terms_of_use.html

AUTHORS File Information

Behdad Esfahbod
David Corbett
David Turner
Ebrahim Byagowi
Garret Rieger
Jonathan Kew
Khaled Hosny
Lars Knoll
Martin Hosken
Owen Taylor
Roderick Sheeter
Roozbeh Pournader
Simon Hausmann
Werner Lemberg

--- end of LICENSE ---

%% This notice is provided with respect to Little Color Management System (LCMS) v2.16,
which may be included with JRE 11, JDK 11 and OpenJDK 11

--- begin of LICENSE ---

LCMS License

MIT License

Copyright (C) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the Software
is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO
THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:

liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose
providing that this copyright notice is included with it.
SoftSurfer makes no warranty for this code, and cannot be held
liable for any real or imagined damage resulting from its use.
Users of this code must verify correctness for their application.

AUTHORS File Information

Main Author

Marti Maria

.

.

Contributors

Bob Friesenhahn

Kai-Uwe Behrmann

Stuart Nixon

Jordi

Vilar

Richard Hughes

Auke Nauta

Chris Evans (Google)

Lorenzo Ridolfi

Robin Watts (Artifex)

Shawn Pedersen

Andrew Brygin

Samuli Suominen

Florian Hch

Aurelien Jarno

Claudiu Cebuc

Michael Vhrel (Artifex)

Michal Cihar

Daniel Kaneider

Mateusz Jurczyk (Google)

Paul Miller

Sbastien Lon

Christian Schmitz

XhmikosR

Stanislav Brabec (SuSe)

Leonhard Gruenschloss (Google)

Patrick Noffke

Christopher James Halse Rogers

John Hein

Thomas Weber (Debian)

Mark Allen

Noel Carboni

Sergei Trofimovic

Philipp Knechtges

Amyspark

Lovell Fuller

Eli Schwartz

Diogo Teles Sant'Anna

.

Special Thanks

Artifex software

AlienSkin software

libVIPS

Jan Morovic

Jos Vernon (WebSupergoo)

Harald Schneider (Maxon)

Christian Albrecht

Dimitrios Anastassakis

Lemke Software

Tim Zaman

.

.

.

--- end of LICENSE ---

.

%% This notice is

provided with respect to Mesa 3-D Graphics Library v21.0.3,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

Mesa License

.

.

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR

PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL

THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

.

Attention, Contributors

.

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

```
.
.
.
Component      Location      License
-----
Main Mesa code  src/mesa/      MIT
Device drivers  src/mesa/drivers/*  MIT, generally
.
Gallium code    src/gallium/     MIT
.
Ext headers     GL/glexth.h      Khronos
                GL/glxtxt.h      Khronos
                GL/wglexth.h     Khronos
                KHR/khrplatform.h  Khronos
.
*****
.
----
include/GL/gl.h :
.
.
Mesa 3-D graphics library
.
Copyright (C) 1999-2006 Brian Paul  All Rights Reserved.
Copyright (C) 2009 VMware, Inc.  All Rights Reserved.
.
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS
IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
```

ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

.

.

include/GL/glex.h
include/GL/glxext.h
include/GL/wglxext.h :

.
.

Copyright (c) 2013 - 2018 The Khronos Group Inc.

.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or
sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

.

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

.

.

include/KHR/khrplatform.h :

.

Copyright (c) 2008 - 2018 The Khronos Group Inc.

.

Permission is hereby granted, free of charge,
to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do so, subject to
the following conditions:

.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

.
THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS
OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

.

.
.
.
.
--- end of LICENSE ---

.

%% This notice is provided with respect to xwd v1.0.7,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.
--- begin of LICENSE ---

.
xwd utility

.
.
This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

.
Copyright 1994 Hewlett-Packard Co.
Copyright 1996, 1998 The Open Group

.
Permission to use, copy, modify, distribute, and sell this software and its
documentation for any purpose is hereby granted without fee, provided that
the above copyright notice appear in all copies and that both that
copyright notice and this permission notice appear in supporting
documentation.

.
The above copyright notice and this permission
notice shall be included
in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR

OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.
Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

.
.
.
--- end of LICENSE ---

.

%% This notice is provided with respect to Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.
--- begin of LICENSE ---

.
Apache Commons BCEL Notice

.
.
 Apache Commons BCEL
 Copyright 2004-2022 The Apache Software Foundation

.
 This product includes software developed at
 The Apache Software Foundation (<https://www.apache.org/>).

.
.
.
Apache 2.0 License: Refer to the copy under /usr/share/common-licenses

.
.
--- end of LICENSE ---

.

%% This notice is provided with respect to DOM Level 3 Core Specification v1.0,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.
--- begin of LICENSE ---

.
W3C Software Notice

.
Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

.

The DOM bindings are published under the W3C

Software Copyright Notice and License.

The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

.

W3C License

.

W3C SOFTWARE NOTICE AND LICENSE

.

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

.

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

.

Permission to copy, modify, and distribute this software and its

documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

.

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

.

- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

.

- 3.Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

.

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT

LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

.
COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.
.

.
This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.
.
.
.

end of LICENSE ---
.

%% This notice is provided with respect to CUP Parser Generator for Java v 0.11b, which may be included with JRE 11, JDK 11 and OpenJDK 11
.

--- begin of LICENSE ---
.

CUP Parser Generator License
.

.
Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter
.

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.
.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

.

.

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to Apache Xalan v2.7.2,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

Apache Xalan Notice

.

.

=====
=====

== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==

=====
=====

.

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

.

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
the source from the packages that are part of the XSLTC sources.

.

Portions of this software was originally based on the following:

.

- software copyright (c) 1999-2002, Lotus Development Corporation., <http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.

- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the Apache Software Foundation and was originally developed at Hewlett Packard Company.

.

.

.

Apache 2.0 License: Refer to the copy under /usr/share/common-licenses

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to Apache Xerces v2.12.2,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

Apache Xerces Notice

.

=====

== NOTICE file corresponding to section 4(d) of the Apache License, ==

== Version 2.0, in this case for the Apache Xerces Java distribution. ==

=====

.

Apache Xerces Java

Copyright 1999-2022 The Apache Software Foundation

.

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

.

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

.

.

Apache 2.0 License: Refer to the copy under /usr/share/common-licenses

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to Apache Santuario v3.0.3,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

Apache 2.0 License: Refer to the copy under /usr/share/common-licenses

.

Apache Santuario Notice

.

.

Apache Santuario - XML Security for Java

Copyright 1999-2023 The Apache Software Foundation

.

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

.

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to OASIS PKCS #11 Cryptographic Token Interface v3.0,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

OASIS PKCS #11 Cryptographic Token Interface License

.

.

Copyright OASIS Open 2020. All Rights Reserved.

.

All capitalized terms in the following text have the meanings
assigned to them in the OASIS Intellectual Property Rights Policy (the
"OASIS IPR Policy"). The full Policy may be found
at the OASIS website:

[<http://www.oasis-open.org/policies-guidelines/ipr>]

.

This document and translations of it may be copied and furnished to
others, and derivative works that comment on or otherwise explain it or
assist in its implementation may be prepared, copied, published, and
distributed, in whole or in part, without restriction of any kind,
provided that the above copyright notice and this section are included
on all such copies and derivative works. However, this document itself

may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

.
The limited permissions granted above are perpetual and will not be revoked
by OASIS or its successors or assigns.

.
This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

.
[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

.
[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

.
[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an

attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1, which may be included with JRE 11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

IAIK License

.

.

Copyright (c) 2002 Graz University of Technology. All rights reserved.

.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

.

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

.

"This product includes software developed by IAIK of Graz University of Technology."

.

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.

.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

--- end of LICENSE ---

%% This notice is provided with respect to Mozilla Elliptic Curve Cryptography (ECC), which may be included with JRE 11, JDK 11 and OpenJDK 11

--- begin of LICENSE ---

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>) of the Elliptic Curve Cryptography library in source form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA_HOME)\bin\sunec.dll

.
Written Offer for Source Code
. .

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>
.

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical

media by submitting a written request to:

.
Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065
.

Or, you may send an email to Oracle using the form at:

.
<http://www.oracle.com/goto/opensourcecode/request>
.

Your request should include:

- .
- The name of the component or binary file(s) for which you are requesting the source code
.
- The name and version number of the Oracle product containing the binary
.
- The date you received the Oracle product
.
- Your name
.
- Your company name (if applicable)
.
- Your return mailing address and email and
.
- A telephone number in the event we need to reach you.
.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary

file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

·
·
·
LGPL 2.1
·
·

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

·
Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

·
[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

·
Preamble

·
The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom
to share and change
free software--to make sure the software is free for all its users.

·
This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

·
When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

·
To protect your
rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

·
For example, if you distribute copies of the library, whether gratis

or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

.

To protect each distributor,
we want to make it very clear that
there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages

in certain
special circumstances.

.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

.

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

.

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a

portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

.

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

.

a) The modified work must itself be a software library.

.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility

is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

.
(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

.
These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this

License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

.
Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

.
In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

.
3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

.
Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

.
This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

.
4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

.
If distribution of object code is made by offering access to copy from a designated place,
then offering equivalent access to copy the
source code from the same place satisfies the requirement to
distribute the source code, even though third parties are not
compelled to copy the source along with the object code.

.
5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

.
However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

.
When a "work that uses the Library" uses material from a header file that is part
of the Library, the object code for the work may be a
derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

.
If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

.
Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6,

whether or not they are linked directly with the Library itself.

.
6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

.
You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

.
a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work

(which must be distributed under

Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

.
b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version

is
interface-compatible with the version that the work was made with.

.
c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

.
d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

.
For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

.
It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

.
7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

.
a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities.

This must be distributed under the terms of the Sections above.

.
b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

.
8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

.
9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited

by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

.

12. If the distribution and/or use of the Library is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

.
13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

.
Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

.
14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission.

For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

.
NO WARRANTY

.
15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

.
16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE

LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

```

.
<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice
.
That's all there is to it!
.
.
.
--- end of LICENSE ---
.
-----
%% This notice is provided with respect
to Dynalink v.5,
which may be included with JRE 11, JDK 11 and OpenJDK 11
.
--- begin of LICENSE ---
.
Dynalink License
.
.
Copyright (c) 2009-2013, Attila Szegedi
.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:
* Redistributions of source code must retain the above copyright
  notice, this list of conditions and the following disclaimer.
* Redistributions in binary form must reproduce the above copyright
  notice, this list of conditions and the following disclaimer in the
  documentation and/or other materials provided with the distribution.
* Neither the name of the copyright holder nor the names of
  contributors may be used to endorse or promote products derived from
  this software without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED
TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER
BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR
OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF
ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
.
.

```

```

.
--- end of LICENSE ---
.
-----
%% This notice is provided with respect to JLine v3.22.0,
which may be included with JRE 11, JDK 11 and OpenJDK 11
.
--- begin of LICENSE ---
.
JLine License
.
.
Copyright (c) 2002-2018, the original author or authors.
All rights reserved.
.
https://opensource.org/licenses/BSD-3-Clause
.
Redistribution and use in source and binary forms, with or
without modification, are permitted provided that the following
conditions are met:
.
Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
.
Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer
in the documentation and/or other materials provided with
the distribution.
.
Neither the name of JLine nor the names of its contributors
may be used to endorse or promote products derived from this
software without specific prior written permission.
.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO
EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.
.

```

```

.
.
--- end of LICENSE ---
.
-----

%% This notice is provided with respect to jopt-simple v5.0.4,
which may be included with JRE 11, JDK 11 and OpenJDK 11
.
--- begin of LICENSE ---
.
MIT License
.
.
Copyright (c) 2004-2015 Paul R. Holser, Jr.
.
Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and
associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:
.
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
.
.
.
--- end of LICENSE ---
.
-----

%% This notice is provided with respect to jQuery v3.7.1,
which may be included with JRE 11, JDK 11 and OpenJDK 11
.
--- begin of LICENSE ---
.
jQuery License
.
jQuery v 3.7.1

```

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.
.
--- end of LICENSE ---

.

%% This notice is provided with respect to jQuery UI v1.13.2, which may be included with JRE 11, JDK 11 and OpenJDK 11

.
--- begin of LICENSE ---

.
jQuery UI License

.
Copyright jQuery Foundation and other contributors, <https://jquery.org/>

.
This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

.
The following
license applies to all parts of this software except as documented below:

.
====

.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including

without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

====

.

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

.

====

.

All files located in the node_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to JSZip v3.7.1, which may be included with JRE 11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

JSZip is dual licensed. You may use it under the MIT license *or* the GPLv3 license.

.

The MIT License

.

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.
GPL version 3: Refer to the copy under /usr/share/common-licenses

.
--- end of LICENSE ---

.

%% This notice is provided with respect to Pako v1.0,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.
--- begin of LICENSE ---

.
Pako License

.
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

.
Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.
The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,

FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(C) 1995-2013 Jean-loup Gailly and Mark Adler

(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

.

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

.

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

.

.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to Unicode Common Local Data Repository (CLDR) v33, which may be included with JRE 11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

CLDR License

.

.

.

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

.
Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

.
Software includes any source code published in the Unicode Standard or under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

.
NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

.
COPYRIGHT AND PERMISSION NOTICE

.
Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

.
Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or
(b) this copyright and permission notice appear in associated Documentation.

.
THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to Thai Dictionary,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.

--- begin of LICENSE ---

.

Thai Dictionary License

.

.

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

.

The above copyright notice and this permission
notice shall be included in all
copies or substantial portions of the Software.

.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

.

.

.

--- end of LICENSE ---

.

%% This notice is provided with respect to Double-conversion v1.1.5,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.
--- begin of LICENSE ---

.
Double-conversion License

.
<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

.
Copyright 2006-2011, the V8

project authors. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- .
* Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

.
THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT
SHALL THE COPYRIGHT

OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

.
--- end of LICENSE ---
.

%% This notice is provided with respect to JRuby Joni v2.1.16,
which may be included with JRE 11, JDK 11 and OpenJDK 11

.
--- begin of LICENSE ---
.
MIT License
.
.
Copyright (c) 2017 JRuby Team
.
Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:
.
The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.
.
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS
OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL
THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR
OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.
.
.
.
--- end of LICENSE ---
.

Files:

debian/*

Copyright: Copyright 2007-2023 Canonical Ltd.

License: MIT

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

.
The above copyright notice and this permission notice shall be
included in all copies or substantial portions of the Software.
.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Files: debian/dbg.py

Copyright: Copyright 2016, Red Hat and individual contributors

License: LGPL

Copyright 2016, Red Hat and individual contributors

by the @authors tag.

#

This is free software; you can redistribute it and/or modify it

under the terms of the GNU Lesser General Public License as

published by the Free Software Foundation; either version 2.1 of

the License, or (at your option) any later version.

#

This software is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

Lesser General Public License for more details.

.

On Debian systems a full copy of the GNU General Public License, GPL, can be found in the file /usr/share/common-licenses/GPL-2.

Mesa 3-D Graphics Library v21.0.3

Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN

ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms
of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution
and their respective licenses.

Mesa Component Licenses

Component	Location	License

Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/glxt.h	Khronos
	GL/glxt.h	Khronos
	GL/wglxt.h	Khronos
	KHR/khrplatform.h	Khronos

include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the
Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
include/GL/glex.h
include/GL/glxext.h
include/GL/wglxext.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

```
include/KHR/khrplatform.h :
```

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including

without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do
so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

...

GIFLIB v5.2.2

GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

tree/README

== Authors ==

Gershon Elber <gershon[AT]cs.technion.sc.il>
original giflib code

Toshio Kuratomi <toshio[AT]tiki-lounge.com>
uncompressed gif writing code
former maintainer

Eric Raymond <esr[AT]snark.thyrsus.com>
current as well as long time former maintainer of giflib code

There have been many other contributors; see the attributions in the
version-control history to learn more.

tree/openbsd-reallocarray.c

Copyright (C) 2008 Otto Moerbeek <otto@drijf.net>
SPDX-License-Identifier: MIT

...

ASM Bytecode Manipulation Framework v6.0

ASM License
<pre>

Copyright (c) 2000-2011 France Tlcom
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its
contributors may be used to endorse or promote products derived from
this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
THE POSSIBILITY OF SUCH DAMAGE.

</pre>

1.67 openjdk 11.0.27u6

1.67.1 Available under license :

The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard
or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU

UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Copyright (c) 1999-2003 David Corcoran <corcoran@musclecard.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN

NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are under GNU GPL v3 or any later version

- doc/example/pcsc_demo.c
- the files in src/spy/
- the files in UnitaryTests/

Copyright (C) 2003-2014 Ludovic Rousseau

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Files src/auth.c and src/auth.h are:

- * Copyright (C) 2013 Red Hat
- *
- * All rights reserved.
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- *
- * 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

* "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

* LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS

* FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE

* COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,

* BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS

* OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED

* AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,

* OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF

* THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH

* DAMAGE.

*

* Author: Nikos Mavrogiannopoulos <nmav@redhat.com>

Files src/simclist.c and src/simclist.h are:

* Copyright (c) 2007,2008,2009,2010,2011 Mij <mij@bitchx.it>

*

* Permission to use, copy, modify, and distribute this software for any

* purpose with or without fee is hereby

granted, provided that the above

* copyright notice and this permission notice appear in all copies.

*

* THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES

* WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF

* MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR

* ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES

* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN

* ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF

* OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography,
which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>)

of the Elliptic Curve Cryptography library in source

form with the JDK and OpenJDK source distributions, and as object code in

the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version
number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name

- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

LGPL 2.1

<pre>

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
 Everyone is permitted to copy and distribute verbatim copies
 of this license document,
 but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not

price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using

a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or

other authorized party saying it may be distributed
under the terms of
this Lesser General Public License (also called "this License").
Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data
prepared so as to be conveniently linked with application programs
(which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work
which has been distributed under these terms. A "work based on the
Library" means either the Library or any derivative work under
copyright law: that is to say, a work containing the Library or a
portion of it, either verbatim or with modifications and/or translated
straightforwardly into another language. (Hereinafter, translation is
included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for
making modifications to it. For a library, complete source code means
all the source code for all modules it contains, plus any associated
interface
definition files, plus the scripts used to control compilation
and installation of the library.

Activities other than copying, distribution and modification are not
covered by this License; they are outside its scope. The act of
running a program using the Library is not restricted, and output from
such a program is covered only if its contents constitute a work based
on the Library (independent of the use of the Library in a tool for
writing it). Whether that is true depends on what the Library does
and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's
complete source code as you receive it, in any medium, provided that
you conspicuously and appropriately publish on each copy an
appropriate copyright notice and disclaimer of warranty; keep intact
all the notices that refer to this License and to the absence of any
warranty; and distribute a copy of this License along with the
Library.

You may charge a
fee for the physical act of transferring a copy,
and you may at your option offer warranty protection in exchange for a
fee.

2. You may modify your copy or copies of the Library or any portion
of it, thus forming a work based on the Library, and copy and
distribute such modifications or work under the terms of Section 1

above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary

GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be

linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2)

will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any

such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT

PERMITTED BY APPLICABLE LAW.

EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

</pre>
The FreeType Project: Freetype v2.13.2

FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

FreeType License

...

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2007-2023 by Dereg Clegg and Michael Toftdal.
Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and
Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.
Copyright (C) 2007-2023 by Derek Clegg and
Michael Toftdal.
Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rtsches.
Copyright (C) 2007-2023 by David Turner.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2023 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.
Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.
Copyright (C) 2013-2023 by Google, Inc.
Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.
Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Rtsches, and Werner Lemberg.
Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind

of bug reports. ('as is' distribution)

- o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

""""

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

=====

0. Definitions

Throughout this license, the terms 'package', 'FreeType Project', and 'FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the 'FreeType Project', be they named as alpha, beta or final release.

'You' refers to the licensee, or person using the project, where 'using' is a generic term including compiling the project's source code as well as linking it to form a 'program' or 'executable'. This program is referred to as 'a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED 'AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use
our work, you must acknowledge us. However, no fee need be paid
to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use
the name of the other for commercial, advertising, or promotional
purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the
following phrases to refer to this software in your documentation
or advertising materials: `FreeType Project', `FreeType Engine',
`FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to
accept it. However, as the FreeType Project is copyrighted
material, only this license, or another one contracted with the
authors, grants you the right to use, distribute, and modify it.
Therefore, by using, distributing, or modifying the FreeType
Project, you indicate that you understand and accept all the terms
of this
license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as
future and wanted additions to the library and distribution.
If you are looking for support, start in this list if you
haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues,
specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

...

GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain

that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement

including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it,

under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may

add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING

WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program,
if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

...

Additional Freetype Attributions
...

The below license applies to the following files:

libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrp.c

libfreetype/src/psaux/psintrp.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

Copyright

2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a

perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

...

MIT License

...

The below license applies to the following files:

libfreetype/include/freetype/internal/fthash.h

libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University
Copyright 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

xwd v1.0.7

xwd utility

<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

</pre>

Mozilla Public Suffix List

Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public_suffix_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat.

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

...

MPL v2.0

...

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method,

process, and apparatus claims, in any patent Licensable by such

Contributor that would be infringed, but for the grant of the

License, by the making, using, selling, offering for sale, having

made, import, or transfer of either its Contributions or its

Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU

Lesser General Public License, Version 2.1, the GNU Affero General

Public License, Version 3.0, or any later versions of those

licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this

License. For legal entities, "You" includes any entity that

controls, is controlled by, or is under common control with You. For

purposes of this definition, "control" means (a) the power, direct

or indirect,

to cause the direction or management of such entity,

whether by contract or otherwise, or (b) ownership of more than

fifty percent (50%) of the outstanding shares or beneficial

ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark)

Licensable by such Contributor to use, reproduce, make available,

modify, display, perform, distribute, and otherwise exploit its

Contributions, either on an unmodified basis, with Modifications, or

as part of a Larger Work; and

(b) under Patent Claims of such Contributor to make, use, sell, offer

for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.

Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software

under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such

Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

*

*

* 6. Disclaimer of Warranty

*

* -----

*

*

*

* Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an

*

*

*

*

*

*

*

*

*

*

essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

*

*

*

*

*

*

* 7. Limitation of Liability

*

* -----

*

*
 * Under no circumstances and under no legal theory, whether tort *
 * (including negligence), contract, or otherwise, shall any *
 * Contributor, or anyone who distributes Covered Software as *
 * permitted above, be liable to You for any direct, indirect, *
 * special, incidental, or consequential damages of any
 character *
 * including, without limitation, damages for lost profits, loss of *
 * goodwill, work stoppage, computer failure or malfunction, or any *
 * and all other commercial damages or losses, even if such party *
 * shall have been informed of the possibility of such damages. This *
 * limitation of liability shall not apply to liability for death or *
 * personal injury resulting from such party's negligence to the *
 * extent applicable law prohibits such limitation. Some *
 * jurisdictions do not allow the exclusion or limitation of *
 * incidental or consequential damages, so this exclusion and *
 * limitation may not apply to You. *
 *

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or

publish new versions of this License.

Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

PC/SC Lite v1.9.5

PC/SC Lite License

<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS

SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](<https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING>) file for details.

</pre>

This is the copyright file

JLine v3.22.0

JLine License

<pre>

Copyright (c) 2002-2018, the original author or authors.

All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from

this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR

CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Thai Dictionary

Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications

to this package which may subsequently be redistributed and/or involve the use of third party software.

This file contains a list of people who've made non-trivial
contribution to the Google C++ Testing Framework project. People
who commit code to the project are encouraged to add their names
here. Please keep the list sorted by first names.

Ajay Joshi <jaj@google.com>

Balazs Dn <balazs.dan@gmail.com>

Bharat Mediratta <bharat@menalto.com>

Chandler Carruth <chandlerc@google.com>

Chris Prince <cprince@google.com>

Chris Taylor <taylorc@google.com>

Dan Egnor <egnor@google.com>
Eric Roman <eroman@chromium.org>
Hady Zalek <hady.zalek@gmail.com>
Jeffrey Yasskin <jyasskin@google.com>
Ji Sigursson <joi@google.com>
Keir Mierle <mierle@gmail.com>
Keith Ray <keith.ray@gmail.com>
Kenton Varda <kenton@google.com>
Manuel Klimek <klimek@google.com>
Markus Heule <markus.heule@gmail.com>
Mika Raento <mikie@iki.fi>
Mikls Fazekas <mfazekas@szemafor.com>
Pasi Valminen <pasi.valminen@gmail.com>
Patrick Hanna <phanna@google.com>
Patrick Riley <pfr@google.com>
Peter Kaminski <piotrk@google.com>
Preston
Jackson <preston.a.jackson@gmail.com>
Rainer Klaffenboeck <rainer.klaffenboeck@dynatrace.com>
Russ Cox <rsc@google.com>
Russ Rufer <russ@pentad.com>
Sean McAfee <eefacm@gmail.com>
Sigurur sgeirsson <siggi@google.com>
Tracy Bialik <tracy@pentad.com>
Vadim Berman <vadimb@google.com>
Vlad Losev <vladl@google.com>
Zhanyong Wan <wan@google.com>
Apache Santuario v3.0.3

Apache 2.0 License

``

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

...

Apache Santuario Notice

...

Apache Santuario - XML Security for Java

Copyright 1999-2023

The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.

...

Little Color Management System (LCMS) v2.16

LCMS License

<pre>

MIT License

Copyright (C) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the Software
is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO
THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER

IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose
providing that this copyright notice is included with it.
SoftSurfer makes no warranty for this code, and cannot be held
liable for any real or imagined damage resulting from its use.
Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information
...

Main Author

Marti Maria

Contributors

Bob Friesenhahn

Kai-Uwe Behrmann

Stuart Nixon

Jordi Vilar

Richard Hughes

Auke Nauta

Chris Evans (Google)

Lorenzo Ridolfi

Robin Watts (Artifex)

Shawn Pedersen

Andrew Brygin

Samuli Suominen

Florian Hch

Aurelien Jarno

Claudiu Cebuc

Michael Vhrel (Artifex)

Michal Cihar

Daniel Kaneider

Mateusz

Jurczyk (Google)
Paul Miller
Sbastien Lon
Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
Philipp Knechtges
Amyspark
Lovell Fuller
Eli Schwartz
Diogo Teles Sant'Anna

Special Thanks

Artifex software
AlienSkin software
libVIPS
Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman

...

OASIS PKCS #11 Cryptographic Token Interface v3.0

OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or

assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any

document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent

that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

Cryptix AES v3.2.0

Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

International Components for Unicode (ICU4J) v60.2

ICU4J License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT,

AND AGREE TO BE BOUND BY, ALL OF THE

TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies

of the Data Files or Software, or
(b) this copyright and permission
notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

All images in this directory are copyright 1995 by Jeff Dinkins.
JRuby Joni v2.1.16

MIT License
<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

</pre>

All images in this directory are copyright 1995 by Jeff Dinkins.
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

Unicode Common Local Data Repository (CLDR) v33

CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard
or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT,

AND AGREE TO BE BOUND BY, ALL OF THE

TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining

a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

- * Copyright (c) 1995-2024 The PNG Reference Library Authors.
- * Copyright (c) 2018-2024 Cosmin Truta.
- * Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson.
- * Copyright (c) 1996-1997 Andreas Dilger.
- * Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising

from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted
to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the same
disclaimer

and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of
the library or against infringement. There is no warranty that our
efforts or the library will fulfill any of your particular purposes
or needs. This library is provided with all faults, and the entire
risk of satisfactory quality, performance, accuracy, and effort is

with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of

merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

c-libutl 20160225

c-libutl License
...

This software is distributed under the terms of the BSD license.

== BSD LICENSE =====

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification,
are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND
ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

Apache Commons BCEL Notice

<pre>

Apache Commons BCEL
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

Apache 2.0 License

<pre>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution

notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>

Apache Xerces v2.12.2

Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java

Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.

</pre>

Apache 2.0 License

<pre>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of,

the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should
be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>
Pako v1.0

Pako License

<pre>
Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

(C) 1995-2013 Jean-loup Gailly and Mark Adler
(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

</pre>

IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this

software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2016 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the

Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

JSZip v3.7.1

JSZip is dual licensed. You may use it under the MIT license *or* the GPLv3 license.

The MIT License

...

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS

OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

GPL version 3

...

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its

users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A

"Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated

conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License,

in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source

fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be

included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special

password or key for
unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification
of licensors and authors of that
material by anyone who conveys the material (or modified versions of
it) with contractual assumptions of liability to the recipient, for
any liability that these contractual assumptions directly impose on

those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently

reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims

owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is

conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent

license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the

present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

...

Double-conversion v1.1.5

Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

jQuery v3.7.1

jQuery License

...

jQuery v 3.7.1

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

libpng v1.6.43

libpng License

<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

Copyright (C) 1995-2024 The PNG Reference Library Authors.

Copyright (C) 2018-2024 Cosmin Truta

Copyright (C) 1998-2018 Glenn Randers-Pehrson

Copyright (C) 1996-1997 Andreas Dilger

Copyright (C) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or

anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby
granted to use, copy, modify, and distribute
this software, or portions hereof, for any purpose, without fee,
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are
Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are
derived from libpng-1.0.6, and are distributed according to the
same
disclaimer and license as libpng-1.0.6 with the following individuals
added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabudde
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of
the library or against infringement. There is no warranty that our
efforts or the library will fulfill any of your particular purposes

or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing

Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

AUTHORS File Information

...

PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

- * Adam Richter
- * Andreas Dilger

- * Chris Blume
- * Cosmin Truta
- * Dave Martindale
- * Eric S. Raymond
- * Gilles Vollant
- * Glenn Randers-Pehrson
- * Greg Roelofs
- * Guy Eric Schalnat
- * James Yu
- * John Bowler
- * Kevin Bracey
- * Magnus Holmgren
- * Mandar Sahastrabuddhe
- * Mans Rullgard
- * Matt Sarett
- * Mike Klein
- * Pascal Massimino
- * Paul Schmidt
- * Philippe Antoine
- * Qiang Zhou
- * Sam Bushell
- * Samuel Williams
- * Simon-Pierre Cadieux
- * Tim Wegner
- * Tom Lane
- * Tom Tanner
- * Vadim Barkov
- * Willem van Schaik
- * Zhijie Liang
- * Apple Inc.
 - Zixu Wang ()
- * Arm Holdings
 - Richard Townsend
- * Google Inc.
 - Dan Field
 - Leon Scroggins III
 - Matt Sarett
 - Mike Klein
 - Sami Boukortt
 - Wan-Teh Chang
- * Loongson Technology Corporation Ltd.
 - GuXiWei ()
 - JinBo ()
 - ZhangLixia ()

The build projects, the build scripts, the test scripts, and other files in the "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "ci" and "contrib" directories, as well as some of the tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

Harfbuzz v8.2.2

Harfbuzz License

<pre>

HarfBuzz is licensed under the so-called "Old MIT" license. Details follow. For parts of HarfBuzz that are licensed under different licenses see individual files names COPYING in subdirectories where applicable.

Copyright 2010-2023 Google, Inc.
Copyright 2018-2020 Ebrahim Byagowi
Copyright 2004-2013 Red Hat, Inc.
Copyright 2019 Facebook, Inc.
Copyright (C) 2012 Zilong Tan (eric.zltan@gmail.com)
Copyright 2007 Chris Wilson
Copyright 2018-2019 Adobe Inc.
Copyright 2006-2023 Behdad Esfahbod
Copyright 1998-2004 David Turner and Werner Lemberg
Copyright 2009 Keith Stribley
Copyright 2018 Khaled Hosny
Copyright 2016 Elie Roux <elie.roux@telecom-bretagne.eu>
Copyright 2016 Igalia S.L.
Copyright 2015 Mozilla Foundation.
Copyright 1999 David Turner
Copyright 2005 Werner Lemberg
Copyright 2013-2015 Alexei Podtelezhnikov
Copyright 2022 Matthias Clasen
Copyright 2011 Codethink Limited

For full copyright notices consult the individual files in the package.

Permission is hereby granted, without written agreement and without license or royalty fees, to use, copy, modify, and distribute this software and its documentation for any purpose, provided that the above copyright notice and the following two paragraphs appear in all copies of this software.

IN NO EVENT SHALL THE COPYRIGHT HOLDER BE LIABLE TO ANY PARTY FOR

DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OF THIS SOFTWARE AND ITS DOCUMENTATION, EVEN IF THE COPYRIGHT HOLDER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

THE COPYRIGHT HOLDER SPECIFICALLY DISCLAIMS ANY WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE SOFTWARE PROVIDED HEREUNDER IS ON AN "AS IS" BASIS, AND THE COPYRIGHT HOLDER HAS NO OBLIGATION TO PROVIDE MAINTENANCE, SUPPORT, UPDATES, ENHANCEMENTS, OR MODIFICATIONS.

All source code, except for one section,
is licensed as above. The one
exception is licensed with a slightly different MIT variant:
The contents of this directory are licensed under the following terms:

The below license applies to the following files:
libharfbuzz/hb-ucd.cc

Copyright (C) 2012 Grigori Goronzy <greg@kinoho.net>

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

The below license applies to the following files:
libharfbuzz/hb-unicode-emoji-table.hh

2023 Unicode, Inc.
Unicode and the Unicode Logo are registered trademarks of Unicode, Inc. in the U.S. and other countries.
For terms of use, see https://www.unicode.org/terms_of_use.html

</pre>

AUTHORS File Information
...

Behdad Esfahbod
David Corbett
David Turner
Ebrahim Byagowi
Garret Rieger
Jonathan Kew
Khaled Hosny
Lars Knoll
Martin Hosken
Owen Taylor
Roderick Sheeter
Roozbeh Pournader
Simon Hausmann
Werner Lemberg

...

Eastman Kodak Company: Portions of color management and imaging software

Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

zlib v1.3.1

zlib License

<pre>

Copyright (C) 1995-2024 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly	Mark Adler
jloup@gzip.org	madler@alumni.caltech.edu

</pre>

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact

Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any questions.

DOM Level 3 Core Specification v1.0

W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

</pre>

W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided
by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee)
agree that you have read, understood, and will comply with the following terms
and conditions.

Permission to copy, modify, and distribute this software and its
documentation, with or without modification, for any purpose and without fee
or royalty is hereby granted, provided that you include the following on ALL
copies of the software and documentation or portions thereof, including
modifications:

- 1.The full text of this NOTICE in a location viewable to users of the
redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and
conditions. If none exist, the W3C Software Short Notice should be included
(hypertext is preferred, text is permitted) within the body of any
redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date
changes were made.
(We recommend you provide URIs to the location from
which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS
MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT
LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR
PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY
THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL
OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR
DOCUMENTATION. The name and trademarks of copyright holders may NOT be used
in advertising or publicity pertaining to the software without specific,
written prior permission. Title to copyright in this software and any
associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31
2002. This
version removes the copyright ownership notice such that this
license can be used with materials other than those owned by the W3C, reflects
that ERCIM is now a host of the W3C, includes references to this specific
dated version of the license, and removes the ambiguous grant of "use".

Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

```
</pre>
## jopt-simple v5.0.4
```

```
### MIT License
<pre>
```

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
</pre>
## Independent JPEG Group: JPEG release 6b
```

```
### JPEG License
<pre>
```

Must reproduce following license in documentation and/or other materials provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS",

and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2)

If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf.

It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi.

Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

</pre>

Apache Xalan v2.7.2

Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution.                                ==
=====
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution. The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control,
are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,
including but not limited to software source code, documentation
source, and configuration files.

"Object" form shall mean any form resulting from mechanical
transformation or translation of a Source form, including but
not limited to compiled object code, generated documentation,
and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian
Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability

and
fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software. The portions of
JLex output which are hard-coded into the JLex source code are (naturally)
covered by this same license.

</pre>

SipHash v1.0-68c8a7c

Notice

SipHash reference C implementation

...

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright
and related and neighboring rights to this software to the public domain
worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along
with

this software. If not, see

<<http://creativecommons.org/publicdomain/zero/1.0/>>.

...

Licenses

The code is dual-licensed CCO and MIT

MIT License

...

Copyright 2012-2024 JP Aumasson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated
documentation files (the "Software"), to deal in the Software without restriction, including without limitation the
rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit
persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the
Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR
COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN
AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION

WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

CC0 1.0 Universal

...

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work

and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;

v. rights protecting the extraction, dissemination, use and reuse of data in a Work;

vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and

vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv)

for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining

Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer
understands and acknowledges that Creative Commons is not a
party to this document and has no duty or obligation with respect to this
CC0 or use of the Work.

For more information, please see
<<http://creativecommons.org/publicdomain/zero/1.0/>>

...

CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to

this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided

that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and

2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so

long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA

BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How

to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be

called something
other than 'show w' and 'show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,
if any, to sign a "copyright disclaimer" for the program, if necessary. Here
is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General Public
License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are
subject to the following
clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making
a combined work based on this library. Thus, the terms and conditions of
the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent modules,
and to copy and distribute the resulting executable under terms of your
choice, provided that you also meet, for each linked independent module,
the terms and conditions of the license of that module. An independent
module is a module

which is not derived from or based on this library. If
you modify this library, you may extend this exception to your version of
the library, but you are not obligated to do so. If you do not wish to do
so, delete this exception statement from your version.

jQuery UI v1.13.2

jQuery UI License

...

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

Copyright (c) %YEARS% Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Oracle nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Dynalink v.5

Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Mesa 3-D Graphics Library v21.0.3

Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

Component	Location	License

Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/gl.h	Khronos
	GL/glxext.h	Khronos
	GL/wglext.h	Khronos
	KHR/khrplatform.h	Khronos

include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

include/GL/glxext.h

include/GL/glxext.h
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

...

GIFLIB v5.2.2

GIFLIB License

...

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

tree/README

== Authors ==

Gershon Elber <gershon[AT]cs.technion.sc.il>
original giflib code

Toshio Kuratomi <toshio[AT]tiki-lounge.com>
uncompressed gif writing code
former maintainer

Eric Raymond <esr[AT]snark.thyrsus.com>
current as well as long time former maintainer of giflib code

There have been many other contributors; see the attributions in the version-control history to learn more.

tree/openbsd-reallocarray.c

Copyright (C) 2008 Otto Moerbeek <otto@drijf.net>

SPDX-License-Identifier: MIT

...

ASM Bytecode Manipulation Framework v6.0

ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

1.68 skalibs 2.14.4.0-r0

1.68.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute

and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such

parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through

any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),
EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands

`show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

```
# Automatically generated by apkgbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=10
#_pkgreal is used by apkgbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
buildidir="$srcdir/${_pkgreal}-$pkgver"
```

```
build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
```



```

PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
INSTALLDIRS=vendor \
NO_PACKLIST=1 \
NO_PERLLOCAL=1
make
}

check() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
make test
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
  BSD-Resource-1.2911.tar.gz
"

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--sourcedir=/usr/share/$pkgname
make

```

```
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
    install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE  
}
```

```
sha512sums="  
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6  
8d3390143e0e62d5e3d210ccfb61294  
    bsd-games-3.3.tar.gz  
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0  
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch  
"
```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
    --build=$CBUILD \  
    --host=$CHOST \  
    --prefix=/usr  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
}
```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e76654309e001aee9bace727b5b4c8589405256a3c020 libart-lgpl-2.3.21.tar.bz2"

```

# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.26.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"

```

done

```
package() {  
  mkdir -p "$pkgdir"  
}
```

```
_subpkg() {  
  local type=${subpkgname/$pkgname-/  
  pkgdesc="$pkgdesc ($type)"  
  install_if="$pkgname=$pkgver-r$pkgrel"  
  mkdir -p "$subpkgdir"/usr/share/spdx  
  cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/  
}
```

```
list() {  
  pkgdesc="$pkgdesc (licence list)"  
  mkdir -p "$subpkgdir"/usr/share/spdx  
  local i; for i in "$builddir"/text/*.txt;  
  do  
    local license=${i##*/}  
    echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst  
  done  
}
```

```
sha512sums="  
67e618d4642dfe4f366935d9514d6f7941d3711e77c49bc1b340ac572d36015981b8f10c72a9f80f1d83e132ae7e5093c  
0155e0c0e786e4777ee16d1cb7b885a  license-list-data-3.26.0.tar.gz  
"
```

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)
The text rotation code in w_rottext.c was written by Alan Richardson.
The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95

<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.1

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir/\${_pkgname}-\${pkgver}"

build() {

gpep517 build-wheel \

--wheel-dir .dist \

--output-fd 3 3>&1 >&2

}

check() {

python3 -m venv --clear --without-pip --system-site-packages .testenv

.testenv/bin/python3 -m installer .dist/*.whl

.testenv/bin/python3 -m pytest

}

package() {

python3 -m installer -d "\$pkgdir" \

.dist/*.whl

}

sha512sums="

114c630f098939757e49187e35b4e54883266a2ee9ca283724992420ef4c860f9606a8342da0ab74d93627c10805f312

fda3f699cbc7c4fbd47a71e220440fb0

license_expression-30.4.1.tar.gz

"

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

* without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*

* @(#)queue.h 8.5 (Berkeley) 8/20/94

*/

#ifndef _SYS_QUEUE_H_

#define _SYS_QUEUE_H_

/*

* This file defines five types of data structures: singly-linked lists,

* lists, simple queues, tail queues, and circular queues.

*

* A singly-linked list is headed by a single forward pointer. The

* elements are singly linked for minimum space and

pointer manipulation

* overhead at the expense of O(n) removal for arbitrary elements. New

* elements can be added to the list after an existing element or at the

* head of the list. Elements being removed from the head of the list

* should use the explicit macro for this purpose for optimum

- * efficiency. A singly-linked list may only be traversed in the forward
- * direction. Singly-linked lists are ideal for applications with large
- * datasets and few or no removals or for implementing a LIFO queue.
- *
- * A list is headed by a single forward pointer (or an array of forward
- * pointers for a hash table header). The elements are doubly linked
- * so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before
- * or after an existing element or at the head of the list. A list
- * may only be traversed in the forward direction.
- *
- * A simple queue is headed by a pair of pointers, one the head of the
- * list and the
- other to the tail of the list. The elements are singly
- * linked to save space, so elements can only be removed from the
- * head of the list. New elements can be added to the list after
- * an existing element, at the head of the list, or at the end of the
- * list. A simple queue may only be traversed in the forward direction.
- *
- * A tail queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before or
- * after an existing element, at the head of the list, or at the end of
- * the list. A tail queue may be traversed in either direction.
- *
- * A circle queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements
- can be added to the list before or after
- * an existing element, at the head of the list, or at the end of the list.
- * A circle queue may be traversed in either direction, but has a more
- * complex end of list detection.
- *
- * For details on the use of these macros, see the queue(3) manual page.
- */
- /*
- * Include the definition of NULL only on NetBSD because sys/null.h
- * is not available elsewhere. This conditional makes the header
- * portable and it can simply be dropped verbatim into any system.
- * The caveat is that on other systems some other header
- * must provide NULL before the macros can be used.
- */
- #ifdef __NetBSD__
- #include <sys/null.h>
- #endif


```

#if defined(QEUEDEBUG)
# if defined(_KERNEL)
# define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
# include <err.h>
# define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.

```

```

*/
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \

```

```

{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */

#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
    for ((var) = ((head)->lh_first); \
         (var) != LIST_END(head); \
         (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = LIST_FIRST((head)); \
         (var) != LIST_END(head) && \
         ((tvar) = LIST_NEXT((var), field), 1); \
         (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
    if ((head)->lh_first && \
        (head)->lh_first->field.le_prev != &(head)->lh_first) \
        QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
    if ((elm)->field.le_next && \
        (elm)->field.le_next->field.le_prev != \

```

```

    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
    if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
    (listelm)->field.le_next->field.le_prev = \
        &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
    = (head)->lh_first) != LIST_END(head)) \
    (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \

```

```

QUEUEDEBUG_LIST_OP((elm), field) \
if ((elm)->field.le_next != NULL) \
    (elm)->field.le_next->field.le_prev = \
        (elm)->field.le_prev; \
*(elm)->field.le_prev = (elm)->field.le_next; \
QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head); \
    (var) = ((var)->field.sqe_next))

```

```

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head) && \
    ((next = ((var)->field.sqe_next)), 1); \
    (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } \
} while (/*CONSTCOND*/0)

```

```

} else { \
    struct type *curelm = (head)->sqh_first; \
    while (curelm->field.sqe_next != (elm)) \
        curelm = curelm->field.sqe_next; \
    if ((curelm->field.sqe_next = \
        curelm->field.sqe_next->field.sqe_next) == NULL) \
        (head)->sqh_last = &(curelm)->field.sqe_next; \
} \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
    NULL : \
    ((struct type \
    *) (void *) \
    ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */

#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }

#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
    struct { \
        qual type *tqe_next; /* next element */ \
        qual type *qual *tqe_prev; /* address of previous next element */ \
    }

#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */

```

```

#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head); \
        (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head) && \
        ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head); \
        (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head) && \
        ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#ifdef QUEUEDEBUG
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
    if ((head)->tqh_first && \
        (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
    if (*(head)->tqh_last != NULL) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
    if ((elm)->field.tqe_next && \
        (elm)->field.tqe_next->field.tqe_prev != \

```



```

    &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
    if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
    if ((elm)->field.tqe_next == NULL && \
        (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
    (elm)->field.tqe_next = (void *)1L; \
    (elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
    (head)->tqh_first->field.tqe_prev = \
        &(elm)->field.tqe_next; \
    else \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

```

```
#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
        (listelm)->field.tqe_next = (elm); \
        (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
    } while (/*CONSTCOND*/0)
```

```
#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
    } while (/*CONSTCOND*/0)
```

```
#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
        *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBDEBUG_TAILQ_POSTREMOVE((elm), field); \
    } while (/*CONSTCOND*/0)
```

```
#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBDEBUG_TAILQ_POSTREMOVE((elm), \
        field); \
    } while (/*CONSTCOND*/0)
```

```
#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
```

```

*(head1)->tqh_last = (head2)->tqh_first; \
(head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
(head1)->tqh_last = (head2)->tqh_last; \
TAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \

```

```

(elm)->field.stqe_next = NULL; \
*(head)->stqh_last = (elm); \
(head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL)\
    (head)->stqh_last = &(elm)->field.stqe_next; \
(listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
    == NULL) \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
if ((head)->stqh_first == (elm)) { \
    STAILQ_REMOVE_HEAD((head), field); \
} else { \
    struct type *curelm = (head)->stqh_first; \
    while (curelm->field.stqe_next != (elm)) \
        curelm = curelm->field.stqe_next; \
    if ((curelm->field.stqe_next = \
        curelm->field.stqe_next->field.stqe_next) == NULL) \
        (head)->stqh_last = &(curelm)->field.stqe_next; \
} \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
for ((var) = ((head)->stqh_first); \
    (var); \
    (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = STAILQ_FIRST((head)); \
    (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
    (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
if (!STAILQ_EMPTY((head2))) { \
    *(head1)->stqh_last \
    = (head2)->stqh_first; \
    (head1)->stqh_last = (head2)->stqh_last; \
    STAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

```

```

#define STAILQ_LAST(head, type, field) \
(STAILQ_EMPTY((head)) ? \
NULL : \
((struct type *)(void *) \
((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifndef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
(head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
    __FILE__, __LINE__); \
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
(head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
    __FILE__, __LINE__);

```

```

#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_last != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ\n\
elm last %p %s:%d", \
            (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
                (elm), __FILE__, __LINE__); \
        } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
        } else { \
            if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
                QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
                    (elm), __FILE__, __LINE__); \
        } \
    }
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
    first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
    { CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */

```

```

#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
    listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

```

```

else    \
    (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm);    \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else    \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else    \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \

```



```

    ? ((head)->cqh_first)  \
    : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field)  \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head))  \
    ? ((head)->cqh_last)  \
    :
    (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#ifdef __GNUC__ && !defined(__cplusplus)
# define __THROW __attribute__ ((__nothrow__))
# define __NTH(fct) __attribute__ ((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"

```

```

options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gp517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=$pkgver-r$pkgrel" # Backwards compatibility

build() {
    gp517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gp517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"

# Maintainer: fossdd <fossdd@pwned.life>
pkgname=cargo-license
pkgver=0.6.1
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen

```

```

}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
36215145e79965be090ae2f5ce6f5eb208465eb67a94c26bed1fe70a131c46c6dc35695e30852759b7366883fbc3caf00
272d796ac634f0a5e1d49232b6b29d5 cargo-license-0.6.1.tar.gz
"

/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */
/* Modified by Void Linux. */
/*
* Copyright 2002 Niels Provos <provos@citi.umich.edu>
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE
* AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

#ifdef _SYS_TREE_H_
#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \

```

```

((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
 (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

```

```

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

```

```

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
    \
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
    \
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
    \
static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \

```

```

name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{
    \
    if (SPLAY_EMPTY(head)) {
        \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else {
        \
        int __comp;
        \
        name##_SPLAY(head, elm);
        \
        __comp = (cmp)(elm, (head)->sph_root);
        \
        if(__comp < 0) {
            \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) {
            \
            SPLAY_RIGHT(elm,
field) = SPLAY_RIGHT((head)->sph_root, field);\
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else
            \
            return ((head)->sph_root);
        \
    }
    \
    (head)->sph_root = (elm);
    \
    return (NULL);
}
\
\
struct type *
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{
    \
    struct type *__tmp;
    \
    if (SPLAY_EMPTY(head))
        \
        return (NULL);
    \
    name##_SPLAY(head, elm);
    \
    if ((cmp)(elm, (head)->sph_root) == 0) {
        \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) {
            \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else {
            \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm);
            \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        }
        \
        return (elm);
        \
    }
    \
    return (NULL);
}
\
\
void
name##_SPLAY(struct

```

```

name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) > 0){ \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \
                if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
    SPLAY_ASSEMBLE(head, \
    &__node, __left, __right, field); \
} \
    \
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \

```



```

if (__tmp == NULL) \
    break; \
if (__comp < 0){ \
    SPLAY_ROTATE_RIGHT(head, __tmp, field); \
    if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
        break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if (__comp > 0) { \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \

```

```

{
NULL }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \

```

```

    RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
else \
    RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
    (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \

```

```

attr struct type *name##_RB_MINMAX(struct name *, int); \
\

/* Main rb operation.
* Moves node close to the key of elm to top
*/
#define RB_GENERATE(name, type, field, cmp) \
RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
attr void \
name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
{ \
    struct type \
    *parent, *gparent, *tmp; \
    while ((parent = RB_PARENT(elm, field)) != NULL && \
        RB_COLOR(parent, field) == RB_RED) { \
        gparent = RB_PARENT(parent, field); \
        if (parent == RB_LEFT(gparent, field)) { \
            tmp = RB_RIGHT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field);\
                elm = gparent; \
                continue; \
            } \
            if (RB_RIGHT(parent, field) == elm) { \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
            RB_SET_BLACKRED(parent, gparent, field); \
            RB_ROTATE_RIGHT(head, gparent, tmp, field); \
        } else { \
            tmp = RB_LEFT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field);\
                elm = gparent; \
                continue; \
            } \
            if (RB_LEFT(parent, field) == elm) \
        } \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp = parent; \
        parent = elm; \

```

```

    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_LEFT(head, gparent, tmp, field); \
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, \
field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK; \
                    RB_COLOR(tmp, field) = RB_RED; \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field); \
                    tmp = RB_RIGHT(parent, field); \
                } \
                RB_COLOR(tmp, field) = RB_COLOR(parent, field); \
                RB_COLOR(parent, field) = RB_BLACK; \
                if (RB_RIGHT(tmp, field)) \
                    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK; \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                elm = RB_ROOT(head); \
                break; \
            }

```

```

    } \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_LEFT(head, tmp, oright, field);\
            tmp = RB_LEFT(parent, field); \
        } \
        RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
        RB_COLOR(parent, field) = RB_BLACK; \
        if (RB_LEFT(tmp, field)) \
            RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        elm = RB_ROOT(head); \
        break; \
    } \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \

```

```

child = RB_RIGHT(elm, field); \
else if (RB_RIGHT(elm, field) == NULL) \
child = RB_LEFT(elm, field); \
else { \
struct type *left; \
elm = RB_RIGHT(elm, field); \
while ((left = RB_LEFT(elm, field)) != NULL) \
elm = left; \
child = RB_RIGHT(elm, field); \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
RB_PARENT(child, field) = parent; \
if (parent) { \
if (RB_LEFT(parent, field) == elm) \
RB_LEFT(parent, field) = child; \
else \
RB_RIGHT(parent, field) = child; \
RB_AUGMENT(parent); \
} else \
RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
if (RB_LEFT(RB_PARENT(old, field), field) == old)\
RB_LEFT(RB_PARENT(old, field), field) = elm;\
else \
RB_RIGHT(RB_PARENT(old, field), field) = elm;\
RB_AUGMENT(RB_PARENT(old, field)); \
} else \
RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
left = parent; \
do { \
RB_AUGMENT(left); \
} while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
RB_PARENT(child, field) = parent; \

```

```

if (parent) {
    if (RB_LEFT(parent, field) == elm)
        RB_LEFT(parent, field) = child;
    else
        RB_RIGHT(parent,
field) = child;
    RB_AUGMENT(parent);
} else
    RB_ROOT(head) = child;
color:
if (color == RB_BLACK)
    name##_RB_REMOVE_COLOR(head, parent, child);
return (old);
}

/* Inserts a node into the RB tree */
attr struct type *
name##_RB_INSERT(struct name *head, struct type *elm)
{
    struct type *tmp;
    struct type *parent = NULL;
    int comp = 0;
    tmp = RB_ROOT(head);
    while (tmp) {
        parent = tmp;
        comp = (cmp)(elm, parent);
        if (comp < 0)
            tmp = RB_LEFT(tmp, field);
        else if (comp > 0)
            tmp = RB_RIGHT(tmp, field);
        else
            return (tmp);
    }
    RB_SET(elm, parent, field);
    if (parent != NULL) {
        if (comp < 0)
            RB_LEFT(parent, field) = elm;
        else
            RB_RIGHT(parent, field) = elm;
        RB_AUGMENT(parent);
    } else
        RB_ROOT(head) = elm;
    name##_RB_INSERT_COLOR(head,
elm);
    return (NULL);
}

/* Finds the node with the same key as elm */

```



```

attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \

/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
} \

/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \

```

```

if (RB_PARENT(elm, field) && \
    (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
    elm = RB_PARENT(elm, field); \
else { \
    while (RB_PARENT(elm, field) && \
        (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
        elm = RB_PARENT(elm, field); \
    elm = RB_PARENT(elm, field); \
} \
} \
return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    } \
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
} \

```

```

return (parent);    \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head)    \
for ((x) = RB_MIN(name, head);    \
(x) != NULL;    \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y)    \
for ((x) = (y);    \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y)    \
for ((x) = RB_MIN(name, head);    \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head)    \
for ((x) = RB_MAX(name, head);    \
(x) != NULL;    \
(x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y)    \
for ((x) = (y);    \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,
head, y)    \
for ((x) = RB_MAX(name, head);    \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#endif /* _SYS_TREE_H_ */

```

```

pkgname=linux-headers
pkgver=6.14.2 # Follow the latest Linux stable
_kernver=${pkgver%.*}
pkgrel=0
pkgdesc="Linux system headers"
url="https://kernel.org/"
arch="all" # Headers are architecture specific
license="GPL-2.0-only"
makedepends="perl"
options="!check !dbg !strip !tracedeps !archcheck"
source="https://kernel.org/pub/linux/kernel/v6.x/linux-${_kernver}.tar.xz
revert-broken-uapi.patch
0003-remove-inclusion-of-sysinfo.h-in-kernel.h.patch

```

1.69 ncurses 6.5_p20250503-r0

1.69.1 Available under license :

```

# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
buildldir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

```

```

# Automatically generated by apkbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=10
#_pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/${_pkgreal}-${pkgver}"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

#ifdef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P

```

```

#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__ ((__nothrow__))
# define __NTH(fct) __attribute__ ((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=${pkgver}-r${pkgrel}" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \

```

```

--output-fd 3 3>&1 >&2
}

package() {
gpep517 install-wheel --destdir "$pkgdir" \
.dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
flake8-copyright-0.2.4.tar.gz
"

# Maintainer: fossdd <fossdd@pwned.life>
pkgname=cargo-license
pkgver=0.6.1
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
default_prepare

cargo fetch --target="$CTARGET" --locked
}

build() {
cargo auditable build --release --frozen
}

check() {
cargo test --frozen
}

package() {
install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
36215145e79965be090ae2f5ce6f5eb208465eb67a94c26bed1fe70a131c46c6dc35695e30852759b7366883fbc3caf00
272d796ac634f0a5e1d49232b6b29d5 cargo-license-0.6.1.tar.gz
"

/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */

```

```

/* Modified by Void Linux. */
/*
 * Copyright 2002 Niels Provos <provos@citi.umich.edu>
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE
 * AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
    ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
     (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 */

```


- * A splay tree is a self-organizing data structure. Every operation
- * on the tree causes a splay to happen. The splay moves the requested
- * node to the root of the tree and partly rebalances it.
- *
- * This has the benefit that request locality causes faster lookups as
- * the requested nodes move to the top of the tree. On the other hand,
- * every lookup causes memory writes.
- *
- * The Balance Theorem bounds the total access time for m operations
- * and n inserts on an initially empty tree as $O((m + n)\lg n)$. The
- * amortized cost for a sequence of m accesses to a splay tree is $O(\lg n)$;
- *
- * A red-black tree is a binary search tree with the node color as an
- * extra attribute. It fulfills a set of conditions:
- * - every search path from the root to a leaf consists of the
- * same number of black nodes,
- * - each red node (except for the root) has a black parent,
- * - each leaf node is black.
- *
- * Every operation on a red-black tree is bounded as $O(\lg n)$.
- * The maximum height of a red-black tree is $2\lg(n+1)$.
- */

```
#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}
```

```
#define SPLAY_INITIALIZER(root) \
{ NULL }
```

```
#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}
```

```
#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)
```

```
/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
```

```
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)
```

```
#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)
```

/* Generates prototypes and inline functions */

```
#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
    \
```

```
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
}
```

```

if ((cmp)(elm, (head)->sph_root) == 0) \
    return (head->sph_root); \
return (NULL); \
} \
\
static __inline __sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
\
static __sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if (__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field); \
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field); \
            SPLAY_LEFT(elm, field) = (head)->sph_root; \

```

```

        SPLAY_RIGHT((head)->sph_root, field) = NULL; \
    } else \
        return ((head)->sph_root); \
} \
(head)->sph_root = (elm); \
return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm); \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        } \
        return (elm); \
    } \
    return (NULL); \
} \
\
void \
name##_SPLAY(struct \
    name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            }

```

```

    } \
    SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if ((cmp)(elm, __tmp) > 0){ \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL; \
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp > 0) { \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \
                if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
                    break; \
            }

```

```

    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL \
    }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
    struct { \
        struct type *rbe_left; /* left element */ \
        struct type *rbe_right; /* right element */ \
        struct type *rbe_parent; /* parent element */ \
        int rbe_color; /* node color */ \
    }

```

```

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
    != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    }

```

```

} \
RB_AUGMENT(elm); \
if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
    if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
        RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
    else \
        RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
    (head)->rbh_root = (tmp); \
RB_RIGHT(tmp, field) = (elm); \
RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        struct type \
        *parent, *gparent, *tmp; \
        while ((parent = RB_PARENT(elm, field)) != NULL && \

```



```

    RB_COLOR(parent, field) == RB_RED) { \
gparent = RB_PARENT(parent, field); \
if (parent == RB_LEFT(gparent, field)) { \
    tmp = RB_RIGHT(gparent, field); \
    if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
        RB_COLOR(tmp, field) = RB_BLACK; \
        RB_SET_BLACKRED(parent, gparent, field);\
        elm = gparent; \
        continue; \
    } \
    if (RB_RIGHT(parent, field) == elm) { \
        RB_ROTATE_LEFT(head, parent, tmp, field);\
        tmp = parent; \
        parent = elm; \
        elm = tmp; \
    } \
    RB_SET_BLACKRED(parent, gparent, field); \
    RB_ROTATE_RIGHT(head, gparent, tmp, field); \
} else { \
    tmp = RB_LEFT(gparent, field); \
    if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
        RB_COLOR(tmp, field) = RB_BLACK; \
        RB_SET_BLACKRED(parent, gparent, field);\
        elm = gparent; \
        continue; \
    } \
    if (RB_LEFT(parent, field) == elm)
{ \
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
    RB_SET_BLACKRED(parent, gparent, field); \
    RB_ROTATE_LEFT(head, gparent, tmp, field); \
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \

```

```

if (RB_COLOR(tmp, field) == RB_RED) { \
    RB_SET_BLACKRED(tmp, parent, field); \
    RB_ROTATE_LEFT(head, parent, tmp, field);\
    tmp = RB_RIGHT(parent, field); \
} \
if ((RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
    (RB_RIGHT(tmp, field) == NULL || \
    RB_COLOR(RB_RIGHT(tmp,
field), field) == RB_BLACK)) {\
    RB_COLOR(tmp, field) = RB_RED; \
    elm = parent; \
    parent = RB_PARENT(elm, field); \
} else { \
    if (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
        struct type *oleft; \
        if ((oleft = RB_LEFT(tmp, field)) \
            != NULL) \
            RB_COLOR(oleft, field) = RB_BLACK;\
        RB_COLOR(tmp, field) = RB_RED; \
        RB_ROTATE_RIGHT(head, tmp, oleft, field);\
        tmp = RB_RIGHT(parent, field); \
    } \
    RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
    RB_COLOR(parent, field) = RB_BLACK; \
    if (RB_RIGHT(tmp, field)) \
        RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_LEFT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \

```

```

if (RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
    struct type *oright; \
    if ((oright = RB_RIGHT(tmp, field)) \
        != NULL) \
        RB_COLOR(oright, field) = RB_BLACK;\
    RB_COLOR(tmp, field) = RB_RED; \
    RB_ROTATE_LEFT(head, tmp, oright, field);\
    tmp = RB_LEFT(parent, field); \
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK; \
if (RB_LEFT(tmp, field)) \
    RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
RB_ROTATE_RIGHT(head, parent, tmp, field);\
elm = RB_ROOT(head); \
break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) { \
            if (RB_LEFT(parent, field) == elm) \
                RB_LEFT(parent, field) = child; \
            else \

```

```

    RB_RIGHT(parent, field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
    parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
    if (RB_LEFT(RB_PARENT(old, field), field) == old)\
        RB_LEFT(RB_PARENT(old, field), field) = elm;\
    else \
        RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\
/* Inserts a node into the RB tree */ \
attr struct type * \

```

```

name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    RB_SET(elm, parent, field); \
    if (parent != NULL) { \
        if (comp < 0) \
            RB_LEFT(parent, field) = elm; \
        else \
            RB_RIGHT(parent, field) = elm; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head) = elm; \
    name##_RB_INSERT_COLOR(head, \
    elm); \
    return (NULL); \
} \
\
/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \
\

```

```

/* Finds the first node greater than or equal to the search key */\
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \

```

```

if (RB_LEFT(elm, field)) { \
    elm = RB_LEFT(elm, field); \
    while (RB_RIGHT(elm, field)) \
        elm = RB_RIGHT(elm, field); \
}
else { \
    if (RB_PARENT(elm, field) && \
        (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
        elm = RB_PARENT(elm, field); \
    else { \
        while (RB_PARENT(elm, field) && \
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        elm = RB_PARENT(elm, field); \
    } \
} \
return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
    return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x, \
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \

```

```

for ((x) = RB_MIN(name, head); \
    (x) != NULL; \
    (x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
for ((x) = (y); \
    ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
    ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
    (x) != NULL; \
    (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name, \
head, y) \
for ((x) = RB_MAX(name, head); \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#endif /* _SYS_TREE_H_ */
# MIT License

```

Copyright 2019-2021 Caleb Porzio and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE

AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MIT

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING,

BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
  update_config_sub  
  default_prepare  
}
```

```
build() {  
  ./configure \  
  --build=$CBUILD \  
  --host=$CHOST \  
  --prefix=/usr  
  make  
}
```

```
package() {  
  make DESTDIR="$pkgdir" install  
}
```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e76654309e001aee9bace727b5b4c8589405256a3c020 libart-lgpl-2.3.21.tar.bz2"

1.70 cpp 14.2.0-r6

1.70.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices

stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying

the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License

may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS),

EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands

`show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may

be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

This program, "bzip2", the associated library "libbzip2", and all documentation, are copyright (C) 1996-2010 Julian R Seward. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@bzip.org
bzip2/libbzip2 version 1.0.6 of 6 September 2010

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide
to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do

these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General

Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices

stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2,

instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline

functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object

code for the work under the terms of Section 6.

Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or

distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made

generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

The libffi source distribution contains certain code that is not part of libffi, and is only used as tooling to assist with the building and testing of libffi. This includes the msvcc.sh script used to wrap the Microsoft compiler with GNU compatible command-line options, make_sunver.pl, and the libffi test code distributed in the testsuite/libffi.bhaible directory. This code is distributed with libffi for the purpose of convenience only, and libffi is in no way derived from this code.

msvcc.sh and testsuite/libffi.bhaible are both distributed under the terms of the GNU GPL version 2, as below.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This

General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program
or a portion of it,
either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program
a copy of this License
along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the

most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is

allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

=====

The LLVM Project is under the Apache License v2.0 with LLVM Exceptions:

=====

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability

incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

---- LLVM Exceptions to the Apache 2.0 License ----

As an exception, if, as a result of your compiling your source code, portions of this Software are embedded into an Object form of such source code, you may redistribute such embedded portions in such Object form without complying with the conditions of Sections 4(a), 4(b) and 4(d) of the License.

In addition, if you combine or link compiled forms of this Software with software that is licensed under the GPLv2 ("Combined Software") and if a court of competent jurisdiction determines that the patent provision (Section 3), the indemnity provision (Section 9) or other Section of the License conflicts with the conditions of the GPLv2, you may retroactively and prospectively choose to deem waived or otherwise exclude such Section(s) of the License, but only in their entirety and only with respect to the Combined Software.

=====

Software from third parties included in the LLVM Project:

=====

The LLVM Project contains third party software which is under different license terms. All such code will be identified clearly using at least one of two mechanisms:

- 1) It will be in a separate directory tree with its own `LICENSE.txt` or `LICENSE` file at the top containing the specific license and restrictions which apply to that software, or
- 2) It will contain specific license and restriction terms at the top of every file.

=====

Legacy LLVM License (<https://llvm.org/docs/DeveloperPolicy.html#legacy>):

=====

The software contained in this directory tree is dual licensed under both the University of Illinois "BSD-Like" license and the MIT license. As a user of this code you may choose to use it under either license. As a contributor, you agree to allow your code to be used under both.

Full text of the relevant licenses is included below.

=====

University of Illinois/NCSA
Open Source License

Copyright (c) 2017-2019 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:
Threading Runtimes Team
Intel Corporation
<http://www.intel.com>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.

* Neither the names of Intel Corporation Threading Runtimes Team nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

=====

Copyright (c) 2017-2019 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts

as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original

author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU

operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does

and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) The modified work must itself be a software library.

b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves,

then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6.

Any

executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot

use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed

under the terms of the
Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying

or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues),

conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute

so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and

conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!
Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including

the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License,

each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2011 University of Illinois at Urbana-Champaign. All rights reserved.

Developed by: Polaris Research Group
University of Illinois at Urbana-Champaign
<http://polaris.cs.uiuc.edu>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal with the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimers.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.

3. Neither the names of Polaris Research Group, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with

the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

libffi - Copyright (c) 1996-2021 Anthony Green, Red Hat, Inc and others.
See source files for details.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the ``Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to

the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED ``AS IS'', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

GNU Free Documentation License

Version 1.2, November 2002

Copyright (C) 2000-2024 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We

have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or

for

automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties; any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the

copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3.

COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the

Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.
- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at

least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties--for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the

terms defined in section 4 above for modified versions, provided that you include in the combination all of the Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided for under this License. Any other attempt to copy, modify, sublicense or distribute the Document is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new

versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME.
Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.2 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.

```
/* Definitions for BSD assembler syntax for Intel 386
   (actually AT&T syntax for insns and operands,
   adapted to BSD conventions for symbol names and debugging.)
   Copyright (C) 1988-2024 Free Software Foundation, Inc.
```

This file is part of GCC.

GCC is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3, or (at your option) any later version.

GCC is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with GCC; see the file COPYING3. If not see <<http://www.gnu.org/licenses/>>. */

/* Use the Sequent Symmetry assembler syntax. */

/* Define the syntax of pseudo-ops, labels and comments. */

/* Prefix for internally generated assembler labels. If we aren't using underscores, we are using prefix `.'s to identify labels that should be ignored, as in `i386/gas.h' --karl@cs.umb.edu */

#define LPREFIX "L"

/* Assembler pseudos to introduce constants of various size. */

#define ASM_BYTE "\t.byte\t"

#define ASM_SHORT "\t.word\t"

#define ASM_LONG "\t.long\t"

#define ASM_QUAD "\t.quad\t" /* Should not be used for 32bit compilation. */

/* This was suggested, but it shouldn't be right for debugger output. -- RMS

#define ASM_OUTPUT_SOURCE_FILENAME(FILE, NAME) */

/* Define the syntax of labels and symbol definitions/declarations. */

/* This is how to output an assembler line that says to advance the location counter by SIZE bytes. */

#define ASM_OUTPUT_SKIP(FILE,SIZE) \nfprintf (FILE, "\t.space " HOST_WIDE_INT_PRINT_UNSIGNED"\n", (SIZE))

/* Define the syntax of labels and symbol definitions/declarations. */


```

/* This says how to output an assembler line
   to define a global common symbol. */

#define
ASM_OUTPUT_COMMON(FILE, NAME, SIZE, ROUNDED) \
( fputs (".comm ", (FILE)), \
assemble_name ((FILE), (NAME)), \
fprintf ((FILE), "%u\n", (int)(ROUNDED)))

/* This says how to output an assembler line
   to define a local common symbol. */

#define ASM_OUTPUT_LOCAL(FILE, NAME, SIZE, ROUNDED) \
( fputs (".lcomm ", (FILE)), \
assemble_name ((FILE), (NAME)), \
fprintf ((FILE), "%u\n", (int)(ROUNDED)))

#ifdef HAVE_GAS_LCOMM_WITH_ALIGNMENT
#define ASM_OUTPUT_ALIGNED_LOCAL(FILE, NAME, SIZE, ALIGNMENT) \
( fputs (".lcomm ", (FILE)), \
assemble_name ((FILE), (NAME)), \
fprintf ((FILE), "%u,%u\n", (int)(SIZE), (int)(ALIGNMENT) / BITS_PER_UNIT))
#endif

/* This is how to output an assembler line
   that says to advance the location counter
   to a multiple of 2**LOG bytes. */

#define ASM_OUTPUT_ALIGN(FILE,LOG) \
if ((LOG)!=0) fprintf ((FILE), "\t.align %d\n", (LOG))

/* This is how to store into the string BUF
   the symbol_ref name of an internal numbered
   label where
   PREFIX is the class of label and NUM is the number within the class.
   This is suitable for output with `assemble_name'. */

#define ASM_GENERATE_INTERNAL_LABEL(BUF,PREFIX,NUMBER) \
sprintf ((BUF), "%s%d", (PREFIX), (long)(NUMBER))

/* The prefix to add to user-visible assembler symbols. */

#define USER_LABEL_PREFIX "_"

/* Copyright (C) 2013-2024 Free Software Foundation, Inc.

```

This file is part of GCC.

modify it under the terms of the GNU Library General Public License as published by the Free Software Foundation; either version 2, or (at your option) any later version.

In addition to the permissions in the GNU Library General Public License, the Free Software Foundation gives you unlimited permission to link the compiled version of this file into combinations with other programs, and to distribute those combinations without any restriction coming from the use of this file. (The Library Public License restrictions do apply in other respects; for example, they cover modification of the file, and distribution when not linked into a combined executable.)

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Library General Public License for more details.

You should have received a copy of the GNU Library General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street - Fifth Floor, Boston, MA 02110-1301, USA. */

```
#ifndef __VTV_H__
#define __VTV_H__

/* We could have used an enumeration here but it just makes it more
   difficult for the compiler to generate a call to this. These are
   used as arguments to the function __VLTChangePermission, declared
   below. */
#define __VLTP_READ_ONLY 0
#define __VLTP_READ_WRITE 1

#ifdef __cplusplus
extern "C" void __VLTChangePermission (int);
#else
extern void __VLTChangePermission (int);
#endif

#ifdef BIG_PAGE_SIZE
/* TODO - Replace '4096' below with correct big page size. */
#define VTV_PAGE_SIZE 4096
#else
#ifdef defined(__sun__) && defined(__svr4__) && defined(__sparc__)
#define VTV_PAGE_SIZE 8192
#elif defined(__loongarch_lp64)
```

```
/* The page size is configurable by the kernel to
be 4, 16 or 64 KiB.
For now, only the default page size of 16KiB is supported. */
#define VTV_PAGE_SIZE 16384
#else
#define VTV_PAGE_SIZE 4096
#endif
#endif
```

```
#endif /* __VTV_H__ */
# This source code was written by the Go contributors.
# The master list of contributors is in the main Go distribution,
# visible at http://tip.golang.org/CONTRIBUTORS.
Copyright (c) 2009 The Go Authors. All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer

can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically

linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered

by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention

is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to

copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install

modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or

- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a)

provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have

actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <http://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>  
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <http://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <http://www.gnu.org/philosophy/why-not-lgpl.html>.
The files gnu.png and gnu.eps are part of GNU Modula-2.

Copyright (C) 2005-2024 Free Software Foundation, Inc.

This file is part of GNU Modula-2.

GNU Modula-2 is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3, or (at your option) any later version.

GNU Modula-2 is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License

along with GNU Modula-2; see the file COPYING. If not, write to the Free Software Foundation, 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA. */

GNU LESSER GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This version of the GNU Lesser General Public License incorporates the terms and conditions of version 3 of the GNU General Public License, supplemented by the additional permissions listed below.

0. Additional Definitions.

As used herein, "this License" refers to version 3 of the GNU Lesser General Public License, and the "GNU GPL" refers to version 3 of the GNU General Public License.

"The Library" refers to a covered work governed by this License, other than an Application or a Combined Work as defined below.

An "Application" is any work that makes use of an interface provided by the Library, but which is not otherwise based on the Library. Defining a subclass of a class defined by the Library is deemed a mode of using an interface provided by the Library.

A "Combined Work" is a work produced by combining or linking an Application with the Library. The particular version of the Library with which the Combined Work was made is also called the "Linked Version".

The "Minimal Corresponding Source" for a Combined Work means the Corresponding Source for the Combined Work, excluding any source code for portions of the Combined Work that, considered in isolation, are based on the Application, and not on the Linked Version.

The "Corresponding Application Code" for a Combined Work means the object code and/or source code for the Application, including any data and utility programs needed for reproducing the Combined Work from the Application, but excluding the System Libraries of the Combined Work.

1. Exception to Section 3 of the GNU GPL.

You may convey a covered work under sections 3 and 4 of this License

without being bound by section 3 of the GNU GPL.

2. Conveying Modified Versions.

If you modify a copy of the Library, and, in your modifications, a facility refers to a function or data to be supplied by an Application that uses the facility (other than as an argument passed when the facility is invoked), then you may convey a copy of the modified version:

- a) under this License, provided that you make a good faith effort to ensure that, in the event an Application does not supply the function or data, the facility still operates, and performs whatever part of its purpose remains meaningful, or
- b) under the GNU GPL, with none of the additional permissions of this License applicable to that copy.

3. Object Code Incorporating Material from Library Header Files.

The object code form of an Application may incorporate material from a header file that is part of the Library. You may convey such object code under terms of your choice, provided that, if the incorporated material is not limited to numerical parameters, data structure layouts and accessors, or small macros, inline functions and templates (ten or fewer lines in length), you do both of the following:

- a) Give prominent notice with each copy of the object code that the Library is used in it and that the Library and its use are covered by this License.
- b) Accompany the object code with a copy of the GNU GPL and this license document.

4. Combined Works.

You may convey a Combined Work under terms of your choice that, taken together, effectively do not restrict modification of the portions of the Library contained in the Combined Work and reverse engineering for debugging such modifications, if you also do each of the following:

- a) Give prominent notice with each copy of the Combined Work that the Library is used in it and that the Library and its use are covered by this License.

b) Accompany the Combined Work with a copy of the GNU GPL and this license document.

c) For a Combined Work that displays copyright notices during execution, include the copyright notice for the Library among these notices, as well as a reference directing the user to the copies of the GNU GPL and this license document.

d) Do one of the following:

0) Convey the Minimal Corresponding Source under the terms of this License, and the Corresponding Application Code in a form suitable for, and under terms that permit, the user to recombine or relink the Application with a modified version of the Linked Version to produce a modified Combined Work, in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.

1) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (a) uses at run time a copy of the Library already present on the user's computer system, and (b) will operate properly with a modified version of the Library that is interface-compatible with the Linked Version.

e) Provide Installation Information, but only if you would otherwise be required to provide such information under section 6 of the GNU GPL, and only to the extent that such information is necessary to install and execute a modified version of the Combined Work produced by recombining or relinking the Application with a modified version of the Linked Version. (If you use option 4d0, the Installation Information must accompany the Minimal Corresponding Source and Corresponding Application Code. If you use option 4d1, you must provide the Installation Information in the manner specified by section 6 of the GNU GPL for conveying Corresponding Source.)

5. Combined Libraries.

You may place library facilities that are a work based on the Library side by side in a single library together with other library facilities that are not Applications and are not covered by this License, and convey such a combined library under terms of your choice, if you do both of the following:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities, conveyed under the terms of this License.

b) Give prominent notice with the combined library that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

6. Revised Versions of the GNU Lesser General Public License.

The Free Software Foundation may publish revised and/or new versions of the GNU Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library as you received it specifies that a certain numbered version of the GNU Lesser General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that published version or of any later version published by the Free Software Foundation. If the Library as you received it does not specify a version number of the GNU Lesser General Public License, you may choose any version of the GNU Lesser General Public License ever published by the Free Software Foundation.

If the Library as you received it specifies that a proxy can decide whether future versions of the GNU Lesser General Public License shall apply, that proxy's public statement of acceptance of any version is permanent authorization for you to choose that version for the Library.

GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (C) 2009-2024 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled

program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that

all Target Code was generated by Eligible Compilation Processes.

You

may then convey such a combination under terms of your choice,
consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general
presumption that third-party software is unaffected by the copyleft
requirements of the license of GCC.

=====
compiler_rt License
=====

The compiler_rt library is dual licensed under both the University of Illinois
"BSD-Like" license and the MIT license. As a user of this code you may choose
to use it under either license. As a contributor, you agree to allow your code
to be used under both.

Full text of the relevant licenses is included below.

=====
University of Illinois/NCSA
Open Source License

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

All rights reserved.

Developed by:

LLVM Team

University of Illinois at Urbana-Champaign

<http://llvm.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of
this software and associated documentation files (the "Software"), to deal with
the Software without restriction,
including without limitation the rights to
use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
of the Software, and to permit persons to whom the Software is furnished to do
so, subject to the following conditions:

* Redistributions of source code must retain the above copyright notice,
this list of conditions and the following disclaimers.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimers in the documentation and/or other materials provided with the distribution.

* Neither the names of the LLVM Team, University of Illinois at Urbana-Champaign, nor the names of its contributors may be used to endorse or promote products derived from this Software without specific prior written permission.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS

FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE CONTRIBUTORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS WITH THE SOFTWARE.

=====

Copyright (c) 2009-2012 by the contributors listed in CREDITS.TXT

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

Copyrights and Licenses for Third Party Software Distributed with LLVM:

=====

The LLVM software contains code written by third parties. Such software will have its own individual LICENSE.TXT file in the directory in which it appears. This file will describe the copyrights, license, and restrictions which apply

to that code.

The disclaimer of

warranty in the University of Illinois Open Source License applies to all code in the LLVM Distribution, and nothing in any of the other licenses gives permission to use the names of the LLVM Team or the University of Illinois to endorse or promote products derived from this Software.

The following pieces of software have additional or alternate copyrights, licenses, and/or restrictions:

Program	Directory

mach_override	lib/interception/mach_override

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2013 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear

notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Copyright (c) 2019 The Go Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER

OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.71 utmps 0.1.3.1-r0

1.71.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute

and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such

parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through

any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands

`show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

```
# Automatically generated by apkgbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=10
#_pkgreal is used by apkgbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
buildid="$srcdir/${_pkgreal}-$pkgver"
```

```
build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
```

```

PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
INSTALLDIRS=vendor \
NO_PACKLIST=1 \
NO_PERLLOCAL=1
make
}

check() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
make test
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
  BSD-Resource-1.2911.tar.gz
"

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--sourcedir=/usr/share/$pkgname
make

```

```
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
    install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE  
}
```

```
sha512sums="  
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6  
8d3390143e0e62d5e3d210ccfb61294  
    bsd-games-3.3.tar.gz  
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0  
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch  
"
```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \  
    --build=$CBUILD \  
    --host=$CHOST \  
    --prefix=/usr  
    make  
}
```

```
package() {  
    make DESTDIR="$pkgdir" install  
}
```

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e76654309e001aee9bace727b5b4c8589405256a3c020 libart-lgpl-2.3.21.tar.bz2"

```

# Contributor: Patrycja Rosa <alpine@ptrcnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"
builddir="$srcdir"
options="!check" # just headers

package() {
    mkdir -p "$pkgdir"
    install -Dm644 -t "$pkgdir"/usr/include/sys \
        cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.26.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"

```

done

```
package() {  
  mkdir -p "$pkgdir"  
}
```

```
_subpkg() {  
  local type=${subpkgname/$pkgname-/  
  pkgdesc="$pkgdesc ($type)"  
  install_if="$pkgname=$pkgver-r$pkgrel"  
  mkdir -p "$subpkgdir"/usr/share/spdx  
  cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/  
}
```

```
list() {  
  pkgdesc="$pkgdesc (licence list)"  
  mkdir -p "$subpkgdir"/usr/share/spdx  
  local i; for i in "$builddir"/text/*.txt;  
  do  
    local license=${i##*/}  
    echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst  
  done  
}
```

```
sha512sums="  
67e618d4642dfe4f366935d9514d6f7941d3711e77c49bc1b340ac572d36015981b8f10c72a9f80f1d83e132ae7e5093c  
0155e0c0e786e4777ee16d1cb7b885a  license-list-data-3.26.0.tar.gz  
"
```

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)
The text rotation code in w_rottext.c was written by Alan Richardson.
The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95

<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.1

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir/\${_pkgname}-\${pkgver}"

```
build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}
```

```
check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}
```

```
package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}
```

```
sha512sums="
114c630f098939757e49187e35b4e54883266a2ee9ca283724992420ef4c860f9606a8342da0ab74d93627c10805f312
fda3f699cbc7c4fbd47a71e220440fb0
    license_expression-30.4.1.tar.gz
"
```

/* \$NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp \$ */

/*

* Copyright (c) 1991, 1993

* The Regents of the University of California. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

* without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,

BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT

* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY

* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF

* SUCH DAMAGE.

*

* @(#)queue.h 8.5 (Berkeley) 8/20/94

*/

#ifndef _SYS_QUEUE_H_

#define _SYS_QUEUE_H_

/*

* This file defines five types of data structures: singly-linked lists,

* lists, simple queues, tail queues, and circular queues.

*

* A singly-linked list is headed by a single forward pointer. The

* elements are singly linked for minimum space and

pointer manipulation

* overhead at the expense of O(n) removal for arbitrary elements. New

* elements can be added to the list after an existing element or at the

* head of the list. Elements being removed from the head of the list

* should use the explicit macro for this purpose for optimum

- * efficiency. A singly-linked list may only be traversed in the forward
- * direction. Singly-linked lists are ideal for applications with large
- * datasets and few or no removals or for implementing a LIFO queue.
- *
- * A list is headed by a single forward pointer (or an array of forward
- * pointers for a hash table header). The elements are doubly linked
- * so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before
- * or after an existing element or at the head of the list. A list
- * may only be traversed in the forward direction.
- *
- * A simple queue is headed by a pair of pointers, one the head of the
- * list and the
- other to the tail of the list. The elements are singly
- * linked to save space, so elements can only be removed from the
- * head of the list. New elements can be added to the list after
- * an existing element, at the head of the list, or at the end of the
- * list. A simple queue may only be traversed in the forward direction.
- *
- * A tail queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements can be added to the list before or
- * after an existing element, at the head of the list, or at the end of
- * the list. A tail queue may be traversed in either direction.
- *
- * A circle queue is headed by a pair of pointers, one to the head of the
- * list and the other to the tail of the list. The elements are doubly
- * linked so that an arbitrary element can be removed without a need to
- * traverse the list. New elements
- can be added to the list before or after
- * an existing element, at the head of the list, or at the end of the list.
- * A circle queue may be traversed in either direction, but has a more
- * complex end of list detection.
- *
- * For details on the use of these macros, see the queue(3) manual page.
- */
- /*
- * Include the definition of NULL only on NetBSD because sys/null.h
- * is not available elsewhere. This conditional makes the header
- * portable and it can simply be dropped verbatim into any system.
- * The caveat is that on other systems some other header
- * must provide NULL before the macros can be used.
- */
- #ifdef __NetBSD__
- #include <sys/null.h>
- #endif

```

#if defined(QueueDEBUG)
# if defined(_KERNEL)
# define QueueDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
# include <err.h>
# define QueueDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

```

```

/*

```

```

 * Singly-linked List definitions.
 */

```

```

#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

```

```

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

```

```

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

```

```

/*

```

```

 * Singly-linked List access methods.
 */

```

```

#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

```

```

#define SLIST_FOREACH(var, head, field) \
for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

```

```

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

```

```

/*

```

```

 * Singly-linked List functions.

```

```

*/
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \

```

```

{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */

#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
    for ((var) = ((head)->lh_first); \
         (var) != LIST_END(head); \
         (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
    for ((var) = LIST_FIRST((head)); \
         (var) != LIST_END(head) && \
         ((tvar) = LIST_NEXT((var), field), 1); \
         (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * List functions.
 */

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
    if ((head)->lh_first && \
        (head)->lh_first->field.le_prev != &(head)->lh_first) \
        QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
    if ((elm)->field.le_next && \
        (elm)->field.le_next->field.le_prev != \

```

```

    &(elm)->field.le_next) \
    QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
    if (*(elm)->field.le_prev != (elm)) \
    QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
    (listelm)->field.le_next->field.le_prev = \
        &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
    = (head)->lh_first) != LIST_END(head)) \
    (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \

```

```

QUEUEDEBUG_LIST_OP((elm), field) \
if ((elm)->field.le_next != NULL) \
    (elm)->field.le_next->field.le_prev = \
        (elm)->field.le_prev; \
*(elm)->field.le_prev = (elm)->field.le_next; \
QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*
 * Simple queue access methods.
 */
#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head); \
    (var) = ((var)->field.sqe_next))

```



```

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
    (var) != SIMPLEQ_END(head) && \
    ((next = ((var)->field.sqe_next)), 1); \
    (var) = (next))

/*
 * Simple queue functions.
 */
#define SIMPLEQ_INIT(head) do { \
    (head)->sqh_first = NULL; \
    (head)->sqh_last \
    = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.sqe_next = NULL; \
    *(head)->sqh_last = (elm); \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
    (listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
    if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
        (head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
        (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
         == NULL) \
        (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } \
} while (/*CONSTCOND*/0)

```

```

} else { \
    struct type *curelm = (head)->sqh_first; \
    while (curelm->field.sqe_next != (elm)) \
        curelm = curelm->field.sqe_next; \
    if ((curelm->field.sqe_next = \
        curelm->field.sqe_next->field.sqe_next) == NULL) \
        (head)->sqh_last = &(curelm->field.sqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
    NULL : \
    ((struct type \
    *)(void *) \
    ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */

#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }

#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \
    { TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
    struct { \
        qual type *tqe_next; /* next element */ \
        qual type *qual *tqe_prev; /* address of previous next element */ \
    }

#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */

```

```

#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head); \
        (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head) && \
        ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head); \
        (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head) && \
        ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */
#ifdef QUEUEDEBUG
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, \
    elm, field) \
    if ((head)->tqh_first && \
        (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
    if (*(head)->tqh_last != NULL) \
        QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
    if ((elm)->field.tqe_next && \
        (elm)->field.tqe_next->field.tqe_prev != \

```

```

    &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
    if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
    if ((elm)->field.tqe_next == NULL && \
        (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
    (elm)->field.tqe_next = (void *)1L; \
    (elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
    (head)->tqh_first->field.tqe_prev = \
        &(elm)->field.tqe_next; \
    else \
    (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
    (elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head, \
    elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

```

```

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
        (listelm)->field.tqe_next = (elm); \
        (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
    } while (/*CONSTCOND*/0)

```

```

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
    } while (/*CONSTCOND*/0)

```

```

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBDEBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBDEBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
        *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBDEBUG_TAILQ_POSTREMOVE((elm), field); \
    } while (/*CONSTCOND*/0)

```

```

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBDEBUG_TAILQ_POSTREMOVE((elm), \
        field); \
    } while (/*CONSTCOND*/0)

```

```

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \

```

```

*(head1)->tqh_last = (head2)->tqh_first; \
(head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
(head1)->tqh_last = (head2)->tqh_last; \
TAILQ_INIT((head2)); \
} \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */
#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \

```

```

(elm)->field.stqe_next = NULL;  \
*(head)->stqh_last = (elm);  \
(head)->stqh_last = &(elm)->field.stqe_next;  \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do {  \
if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL)\
    (head)->stqh_last = &(elm)->field.stqe_next;  \
(listelm)->field.stqe_next = (elm);  \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do {  \
if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
    == NULL) \
    (head)->stqh_last = &(head)->stqh_first;  \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do {  \
if ((head)->stqh_first == (elm)) {  \
    STAILQ_REMOVE_HEAD((head), field);  \
} else {  \
    struct type *curelm = (head)->stqh_first;  \
    while (curelm->field.stqe_next != (elm))  \
        curelm = curelm->field.stqe_next;  \
    if ((curelm->field.stqe_next =  \
        curelm->field.stqe_next->field.stqe_next) == NULL) \
        (head)->stqh_last = &(curelm)->field.stqe_next;  \
}  \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field)  \
for ((var) = ((head)->stqh_first);  \
    (var);  \
    (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar)  \
for ((var) = STAILQ_FIRST((head));  \
    (var) && ((tvar) = STAILQ_NEXT((var), field), 1);  \
    (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do {  \
if (!STAILQ_EMPTY((head2))) {  \
    *(head1)->stqh_last \
    = (head2)->stqh_first;  \
    (head1)->stqh_last = (head2)->stqh_last;  \
    STAILQ_INIT((head2));  \
}  \
} while (/*CONSTCOND*/0)

```

```

#define STAILQ_LAST(head, type, field) \
(STAILQ_EMPTY((head)) ? \
NULL : \
((struct type *)(void *) \
((char *)((head)->stqh_last) - offsetof(struct type, field))))

#ifndef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field) \
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
(head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
    QUEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
        __FILE__, __LINE__); \
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
(head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
    QUEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
        __FILE__, __LINE__);

```



```

#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_last != (elm)) \
        QUEUEDEBUG_ABORT("CIRCLEQ\n\
elm last %p %s:%d", \
            (elm), __FILE__, __LINE__); \
    } else { \
        if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
                (elm), __FILE__, __LINE__); \
        } \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
        if ((head)->cqh_first != (elm)) \
            QUEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
                (elm), __FILE__, __LINE__); \
        } else { \
            if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
                QUEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
                    (elm), __FILE__, __LINE__); \
        } \
    }
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
    (elm)->field.cqe_next = (void *)1L; \
    (elm)->field.cqe_prev = (void *)1L;
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QUEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QUEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#define QUEUEDEBUG_CIRCLEQ_HEAD(head, field)

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
first element */ \
    struct type *cqh_last; /* last element */ \
}

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */

```

```

#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
    listelm, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
} while (/*CONSTCOND*/0)

```

```

else    \
    (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm);    \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else    \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else    \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */

#define CIRCLEQ_FIRST(head) ((head)->cqh_first)
#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__launter_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \

```

```

    ? ((head)->cqh_first) \
    : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
    ? ((head)->cqh_last) \
    :
    (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#ifdef __GNUC__ && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"

```

```

options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gp517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=${pkgver}-r${pkgrel}" # Backwards compatibility

build() {
    gp517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

package() {
    gp517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
    flake8-copyright-0.2.4.tar.gz
"

# Maintainer: fossdd <fossdd@pwned.life>
pkgname=cargo-license
pkgver=0.6.1
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"
license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/${pkgver}/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen

```

```

}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
36215145e79965be090ae2f5ce6f5eb208465eb67a94c26bed1fe70a131c46c6dc35695e30852759b7366883fbc3caf00
272d796ac634f0a5e1d49232b6b29d5 cargo-license-0.6.1.tar.gz
"

/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */
/* Modified by Void Linux. */
/*
* Copyright 2002 Niels Provos <provos@citi.umich.edu>
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE
* AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

#ifdef _SYS_TREE_H_
#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \

```

```

((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
 (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

```

```

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

```



```

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
    \
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
    \
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
    \
static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \

```

```

name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{
    \
    if (SPLAY_EMPTY(head)) {
        \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else {
        \
        int __comp;
        \
        name##_SPLAY(head, elm);
        \
        __comp = (cmp)(elm, (head)->sph_root);
        \
        if(__comp < 0) {
            \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) {
            \
            SPLAY_RIGHT(elm,
field) = SPLAY_RIGHT((head)->sph_root, field);\
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else
            \
            return ((head)->sph_root);
        \
    }
    \
    (head)->sph_root = (elm);
    \
    return (NULL);
    \
}
\
struct type *
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{
    \
    struct type *__tmp;
    \
    if (SPLAY_EMPTY(head))
        \
        return (NULL);
    \
    name##_SPLAY(head, elm);
    \
    if ((cmp)(elm, (head)->sph_root) == 0) {
        \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) {
            \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else {
            \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm);
            \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
        }
        \
        return (elm);
        \
    }
    \
    return (NULL);
    \
}
\
void
name##_SPLAY(struct

```

```

name *head, struct type *elm) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    int __comp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKLEFT(head, __right, field); \
        } else if (__comp > 0) { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if ((cmp)(elm, __tmp) > 0){ \
                SPLAY_ROTATE_LEFT(head, __tmp, field); \
                if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
                    break; \
            } \
            SPLAY_LINKRIGHT(head, __left, field); \
        } \
    } \
    SPLAY_ASSEMBLE(head, \
    &__node, __left, __right, field); \
} \
    \
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \

```

```

if (__tmp == NULL) \
    break; \
if (__comp < 0){ \
    SPLAY_ROTATE_RIGHT(head, __tmp, field); \
    if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
        break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if (__comp > 0) { \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \

```

```

{
NULL }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \

```

```

    RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
else \
    RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
} else \
    (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \

```

```

attr struct type *name##_RB_MINMAX(struct name *, int); \
\

/* Main rb operation.
* Moves node close to the key of elm to top
*/
#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
attr void \
name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
{ \
    struct type \
    *parent, *gparent, *tmp; \
    while ((parent = RB_PARENT(elm, field)) != NULL && \
        RB_COLOR(parent, field) == RB_RED) { \
        gparent = RB_PARENT(parent, field); \
        if (parent == RB_LEFT(gparent, field)) { \
            tmp = RB_RIGHT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field);\
                elm = gparent; \
                continue; \
            } \
            if (RB_RIGHT(parent, field) == elm) { \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
            RB_SET_BLACKRED(parent, gparent, field); \
            RB_ROTATE_RIGHT(head, gparent, tmp, field); \
        } else { \
            tmp = RB_LEFT(gparent, field); \
            if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                RB_COLOR(tmp, field) = RB_BLACK; \
                RB_SET_BLACKRED(parent, gparent, field);\
                elm = gparent; \
                continue; \
            } \
            if (RB_LEFT(parent, field) == elm) \
        { \
            RB_ROTATE_RIGHT(head, parent, tmp, field);\
            tmp = parent; \
            parent = elm; \

```

```

    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_LEFT(head, gparent, tmp, field); \
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, \
field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK; \
                    RB_COLOR(tmp, field) = RB_RED; \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field); \
                    tmp = RB_RIGHT(parent, field); \
                } \
                RB_COLOR(tmp, field) = RB_COLOR(parent, field); \
                RB_COLOR(parent, field) = RB_BLACK; \
                if (RB_RIGHT(tmp, field)) \
                    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK; \
                RB_ROTATE_LEFT(head, parent, tmp, field); \
                elm = RB_ROOT(head); \
                break; \
            }

```



```

    } \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_LEFT(head, tmp, oright, field);\
            tmp = RB_LEFT(parent, field); \
        } \
        RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
        RB_COLOR(parent, field) = RB_BLACK; \
        if (RB_LEFT(tmp, field)) \
            RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        elm = RB_ROOT(head); \
        break; \
    } \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \

```

```

child = RB_RIGHT(elm, field); \
else if (RB_RIGHT(elm, field) == NULL) \
child = RB_LEFT(elm, field); \
else { \
struct type *left; \
elm = RB_RIGHT(elm, field); \
while ((left = RB_LEFT(elm, field)) != NULL) \
elm = left; \
child = RB_RIGHT(elm, field); \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
RB_PARENT(child, field) = parent; \
if (parent) { \
if (RB_LEFT(parent, field) == elm) \
RB_LEFT(parent, field) = child; \
else \
RB_RIGHT(parent, field) = child; \
RB_AUGMENT(parent); \
} else \
RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
if (RB_LEFT(RB_PARENT(old, field), field) == old)\
RB_LEFT(RB_PARENT(old, field), field) = elm;\
else \
RB_RIGHT(RB_PARENT(old, field), field) = elm;\
RB_AUGMENT(RB_PARENT(old, field)); \
} else \
RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
left = parent; \
do { \
RB_AUGMENT(left); \
} while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
RB_PARENT(child, field) = parent; \

```

```

if (parent) {
    if (RB_LEFT(parent, field) == elm)
        RB_LEFT(parent, field) = child;
    else
        RB_RIGHT(parent,
field) = child;
    RB_AUGMENT(parent);
} else
    RB_ROOT(head) = child;
color:
if (color == RB_BLACK)
    name##_RB_REMOVE_COLOR(head, parent, child);
return (old);
}

/* Inserts a node into the RB tree */
attr struct type *
name##_RB_INSERT(struct name *head, struct type *elm)
{
    struct type *tmp;
    struct type *parent = NULL;
    int comp = 0;
    tmp = RB_ROOT(head);
    while (tmp) {
        parent = tmp;
        comp = (cmp)(elm, parent);
        if (comp < 0)
            tmp = RB_LEFT(tmp, field);
        else if (comp > 0)
            tmp = RB_RIGHT(tmp, field);
        else
            return (tmp);
    }
    RB_SET(elm, parent, field);
    if (parent != NULL) {
        if (comp < 0)
            RB_LEFT(parent, field) = elm;
        else
            RB_RIGHT(parent, field) = elm;
        RB_AUGMENT(parent);
    } else
        RB_ROOT(head) = elm;
    name##_RB_INSERT_COLOR(head,
elm);
    return (NULL);
}

/* Finds the node with the same key as elm */

```

```

attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \
\
/* Finds the first node greater than or equal to the search key */ \
attr struct type * \
name##_RB_NFIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) { \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp = \
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_NEXT(struct type *elm) \
{ \
    if (RB_RIGHT(elm, field)) { \
        elm = RB_RIGHT(elm, field); \
        while (RB_LEFT(elm, field)) \
            elm = RB_LEFT(elm, field); \
    } else { \

```

```

if (RB_PARENT(elm, field) && \
    (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
    elm = RB_PARENT(elm, field); \
else { \
    while (RB_PARENT(elm, field) && \
        (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
        elm = RB_PARENT(elm, field); \
    elm = RB_PARENT(elm, field); \
} \
} \
return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    } \
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
} \

```

```

return (parent);    \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head)    \
for ((x) = RB_MIN(name, head);    \
     (x) != NULL;    \
     (x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y)    \
for ((x) = (y);    \
     ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
     (x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y)    \
for ((x) = RB_MIN(name, head);    \
     ((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
     (x) = (y))

#define RB_FOREACH_REVERSE(x, name, head)    \
for ((x) = RB_MAX(name, head);    \
     (x) != NULL;    \
     (x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y)    \
for ((x) = (y);    \
     ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
     (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,
head, y)    \
for ((x) = RB_MAX(name, head);    \
     ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
     (x) = (y))

#endif /* _SYS_TREE_H_ */

```

```

pkgname=linux-headers
pkgver=6.14.2 # Follow the latest Linux stable
_kernver=${pkgver%.*}
pkgrel=0
pkgdesc="Linux system headers"
url="https://kernel.org/"
arch="all" # Headers are architecture specific
license="GPL-2.0-only"
makedepends="perl"
options="!check !dbg !strip !tracedeps !archcheck"
source="https://kernel.org/pub/linux/kernel/v6.x/linux-${_kernver}.tar.xz
revert-broken-uapi.patch
0003-remove-inclusion-of-sysinfo.h-in-kernel.h.patch

```

1.72 util-linux 2.41-r9

1.72.1 Available under license :

```

NR START  END SECTORS SIZE NAME UUID
1  32 7679  7648 3.7M   8f8378c0-01
2 7680 16383  8704 4.3M   8f8378c0-02
5 7936 12799  4864 2.4M
6 12544 16127  3584 1.8M
# Automatically generated by apkbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=10
#_pkgreal is used by apkbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
buildid="$srcdir/${_pkgreal}-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1

```

```
make
}

check() {
export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
make test
}

package() {
make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
BSD-Resource-1.2911.tar.gz
"
```

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to
freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you
these rights or asking you to surrender the rights. Therefore, you have

certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you

with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user

actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions

apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does

not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or

modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free

patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement,

or

that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <<https://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<https://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with

the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read [<https://www.gnu.org/licenses/why-not-lgpl.html>](https://www.gnu.org/licenses/why-not-lgpl.html).

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH

DAMAGE.

Contributor: Maxim Karasev <begs@disroot.org>

Maintainer: mio <miyopan@e.email>

pkgname=bsd-games

pkgver=3.3

pkgrel=2

pkgdesc="traditional text mode games from BSD"

url="https://bsd-games.sourceforge.io/"

arch="all"

license="BSD-3-Clause"

install="\$pkgname.post-install"

makedepends="ncurses-dev coreutils" # configure causes busybox expr error

subpackages="\$pkgname-doc"

source="https://sourceforge.net/projects/bsd-games/files/bsd-games-\$pkgver.tar.gz

0001-bsd-games-scores-dir.patch

"

options="!check" # no tests

build() {

some GNU autoconf options are ignored, but it works

./configure \

--build=\$CBUILD \

--host=\$CHOST \

--prefix=/usr \

--sysconfdir=/etc \

--mandir=/usr/share/man \

--scoredir=/usr/share/\$pkgname

make

}

package() {

make DESTDIR="\$pkgdir" install

install -Dm644 LICENSE "\$pkgdir"/usr/share/licenses/bsd-games/LICENSE

}

sha512sums="

aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6

8d3390143e0e62d5e3d210ccfb61294

bsd-games-3.3.tar.gz

e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0

577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch

"

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

prepare() {

update_config_sub

```
default_prepare
}
```

```
build() {
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr
make
}
```

```
package() {
make DESTDIR="$pkgdir" install
}
```

```
sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"
```

This library is free software; you can redistribute it and/or
modify it under the terms of the GNU Lesser General Public
License as published by the Free Software Foundation; either
version 2.1 of the License, or (at your option) any later
version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later file.

/*

- * Copyright (c) 1989 The Regents of the University of California.
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. All advertising materials mentioning features or use of this software
- * must display the following acknowledgement:
- * This product includes software developed by the University of
- * California, Berkeley and its contributors.
- * 4. Neither the name of the University nor the names of its contributors
- * may be used to endorse or promote products derived from this software
- *

without specific prior written permission.

*

- * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
- * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

*/

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER

CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>

Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>

pkgname=spdx-licenses

pkgver=3.26.0

pkgrel=0

pkgdesc="Various data formats for the SPDX License List"

url="https://spdx.org/"

arch="noarch"

options="!check" # no test suite

license="CC-BY-3.0"

source="license-list-data-\$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v\$pkgver.tar.gz"

builddir="\$srcdir/license-list-data-\$pkgver"

subpackages="\$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in \$_types; do

```
subpackages="$subpackages $pkgname-$type:_subpkg"
```

```
done
```

```
package() {  
    mkdir -p "$pkgdir"  
}
```

```
_subpkg() {  
    local type=${subpkgname/$pkgname-/}  
    pkgdesc="$pkgdesc ($type)"  
    install_if="$pkgname=$pkgver-r$pkgrel"  
    mkdir -p "$subpkgdir"/usr/share/spdx  
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/  
}
```

```
list() {  
    pkgdesc="$pkgdesc (licence list)"  
    mkdir -p "$subpkgdir"/usr/share/spdx  
    local i; for i in "$builddir"/text/*.txt;  
    do  
        local license=${i##*/}  
        echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst  
    done  
}
```

```
sha512sums="
```

```
67e618d4642dfe4f366935d9514d6f7941d3711e77c49bc1b340ac572d36015981b8f10c72a9f80f1d83e132ae7e5093c  
0155e0c0e786e4777ee16d1cb7b885a  license-list-data-3.26.0.tar.gz  
"
```

Original Copyright (c) 1985 by Supoj Sutanthavibul

Parts Copyright (c) 1989-2012 by Brian V. Smith

Parts Copyright (c) 1991 by Paul King

Other Copyrights may be found in various files

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide, paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95

<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.1

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-\$pkgver.tar.gz"

builddir="\$srcdir/\$pkgname-\$pkgver"

```
build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}
```

```
check() {
    python3 -m venv --clear --without-pip --system-site-packages .testenv
    .testenv/bin/python3 -m installer .dist/*.whl
    .testenv/bin/python3 -m pytest
}
```

```
package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}
```

sha512sums="

114c630f098939757e49187e35b4e54883266a2ee9ca283724992420ef4c860f9606a8342da0ab74d93627c10805f312
fda3f699cbc7c4fbd47a71e220440fb0

license_expression-30.4.1.tar.gz

"

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who
decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library,
whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them

with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes

a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or

derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a

work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)
- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the

Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally

distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if

you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying

the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus

excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF

SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free

software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and

distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by

modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED

TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w` and `show c` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this

is what you want to do, use the GNU Lesser General
Public License instead of this License.

Contributor: Fabian Affolter <fabian@affolter-engineering.ch>

Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>

pkgname=py3-flake8-copyright

_pkgname=flake8-copyright

pkgver=0.2.4

pkgrel=3

pkgdesc="Extension for flake8 which checks for copyrights"

options="!check" # No testsuite

url="https://github.com/savoirfairelinux/flake8-copyright"

arch="noarch"

license="MIT"

depends="py3-flake8 py3-setuptools"

makedepends="py3-gpep517 py3-wheel"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/\${_pkgname:0:1}/\${_pkgname}/\${_pkgname}-\${pkgver}.tar.gz"

builddir="\$srcdir"/\$_pkgname-\$pkgver

replaces="py-flake8-copyright" # Backwards compatibility

provides="py-flake8-copyright=\$pkgver-r\$pkgrel" # Backwards compatibility

build() {

gpep517 build-wheel \

--wheel-dir .dist \

--output-fd 3 3>&1 >&2

}

package() {


```

gpep517 install-wheel --destdir "$pkgdir" \
.dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
flake8-copyright-0.2.4.tar.gz
"

/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */
/* Modified by Void Linux. */
/*
* Copyright 2002 Niels Provos <provos@citi.umich.edu>
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE
AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

#ifdef _SYS_TREE_H_
#define _SYS_TREE_H_

#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
 (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif

```

```

#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif

/*
 * This file defines data structures for different types of trees:
 * splay trees and red-black trees.
 *
 * A splay tree is a self-organizing
 * data structure. Every operation
 * on the tree causes a splay to happen. The splay moves the requested
 * node to the root of the tree and partly rebalances it.
 *
 * This has the benefit that request locality causes faster lookups as
 * the requested nodes move to the top of the tree. On the other hand,
 * every lookup causes memory writes.
 *
 * The Balance Theorem bounds the total access time for m operations
 * and n inserts on an initially empty tree as  $O((m + n)\lg n)$ . The
 * amortized cost for a sequence of m accesses to a splay tree is  $O(\lg n)$ ;
 *
 * A red-black tree is a binary search tree with the node color as an
 * extra attribute. It fulfills a set of conditions:
 * - every search path from the root to a leaf consists of the
 *   same number of black nodes,
 * - each red node (except for the root) has a black parent,
 * - each leaf node is black.
 *
 * Every operation on a red-black tree is bounded as  $O(\lg n)$ .
 * The maximum height of a red-black tree is  $2\lg(n+1)$ .
 */

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \

```

```

struct {
    \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \

```

```

void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
\
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
\
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
\
static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \

```

```

int __comp;    \
name##_SPLAY(head, elm);    \
__comp = (cmp)(elm, (head)->sph_root);    \
if(__comp < 0) {    \
    SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field);\
    SPLAY_RIGHT(elm, field) = (head)->sph_root;    \
    SPLAY_LEFT((head)->sph_root, field) = NULL;    \
} else if (__comp > 0) {    \
    SPLAY_RIGHT(elm,
field) = SPLAY_RIGHT((head)->sph_root, field);\
    SPLAY_LEFT(elm, field) = (head)->sph_root;    \
    SPLAY_RIGHT((head)->sph_root, field) = NULL;    \
} else    \
    return ((head)->sph_root);    \
}    \
(head)->sph_root = (elm);    \
return (NULL);    \
}    \
\
struct type *    \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{    \
    struct type *__tmp;    \
    if (SPLAY_EMPTY(head))    \
        return (NULL);    \
    name##_SPLAY(head, elm);    \
    if ((cmp)(elm, (head)->sph_root) == 0) {    \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) {    \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field);\
        } else {    \
            __tmp = SPLAY_RIGHT((head)->sph_root, field);\
            (head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
            name##_SPLAY(head, elm);    \
            SPLAY_RIGHT((head)->sph_root, field) = __tmp;    \
        }    \
        return (elm);    \
    }    \
    return (NULL);    \
}    \
\
void    \
name##_SPLAY(struct
name *head, struct type *elm) \
{    \
    struct type __node, *__left, *__right, *__tmp;    \
    int __comp;    \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\

```

```

__left = __right = &__node; \
\
while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
    if (__comp < 0) { \
        __tmp = SPLAY_LEFT((head)->sph_root, field); \
        if (__tmp == NULL) \
            break; \
        if ((cmp)(elm, __tmp) < 0){ \
            SPLAY_ROTATE_RIGHT(head, __tmp, field); \
            if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                break; \
        } \
        SPLAY_LINKLEFT(head, __right, field); \
    } else if (__comp > 0) { \
        __tmp = SPLAY_RIGHT((head)->sph_root, field); \
        if (__tmp == NULL) \
            break; \
        if ((cmp)(elm, __tmp) > 0){ \
            SPLAY_ROTATE_LEFT(head, __tmp, field); \
            if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
                break; \
        } \
        SPLAY_LINKRIGHT(head, __left, field); \
    } \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \
*/ \
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{ \
    struct type __node, *__left, *__right, *__tmp; \
    \
    SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
    __left = __right = &__node; \
    \
    while (1) { \
        if (__comp < 0) { \
            __tmp = SPLAY_LEFT((head)->sph_root, field); \
            if (__tmp == NULL) \
                break; \
            if (__comp < 0){ \
                SPLAY_ROTATE_RIGHT(head, __tmp, field); \
                if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
                    break; \
            }

```

```

    } \
    SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
    __tmp = SPLAY_RIGHT((head)->sph_root, field); \
    if (__tmp == NULL) \
        break; \
    if (__comp > 0) { \
        SPLAY_ROTATE_LEFT(head, __tmp, field); \
        if (SPLAY_RIGHT((head)->sph_root,
field) == NULL)\
            break; \
    } \
    SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

#define SPLAY_NEGINF -1
#define SPLAY_INF 1

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)
#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)
#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)
#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)
#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))
#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \
    : name##_SPLAY_MIN_MAX(x, SPLAY_INF))

#define SPLAY_FOREACH(x, name, head) \
    for ((x) = SPLAY_MIN(name, head); \
        (x) != NULL; \
        (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
    struct name { \
        struct type *rbh_root; /* root of the tree */ \
    }

#define RB_INITIALIZER(root) \
    { \
        NULL \
    }

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

```

```

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT
#define RB_AUGMENT(x) do {} while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
}

```



```

RB_PARENT(elm, field) = (tmp); \
RB_AUGMENT(tmp); \
if ((RB_PARENT(tmp, field))) \
    RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
    attr void name##_RB_INSERT_COLOR(struct name *, struct \
        type *); \
    attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *); \
    attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
    attr struct type *name##_RB_INSERT(struct name *, struct type *); \
    attr struct type *name##_RB_FIND(struct name *, struct type *); \
    attr struct type *name##_RB_NFIND(struct name *, struct type *); \
    attr struct type *name##_RB_NEXT(struct type *); \
    attr struct type *name##_RB_PREV(struct type *); \
    attr struct type *name##_RB_MINMAX(struct name *, int); \
    \

/* Main rb operation.
 * Moves node close to the key of elm to top
 */

```

```

#define RB_GENERATE(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
    RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
    attr void \
    name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
    { \
        struct type \
        *parent, *gparent, *tmp; \
        while ((parent = RB_PARENT(elm, field)) != NULL && \
            RB_COLOR(parent, field) == RB_RED) { \
            gparent = RB_PARENT(parent, field); \
            if (parent == RB_LEFT(gparent, field)) { \
                tmp = RB_RIGHT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field); \
                    elm = gparent; \
                    continue; \
                } \
                if (RB_RIGHT(parent, field) == elm) { \
                    RB_ROTATE_LEFT(head, parent, tmp, field); \
                    tmp = parent; \
                    parent = elm; \
                    elm = tmp; \
                } \
                RB_SET_BLACKRED(parent, gparent, field); \
                RB_ROTATE_RIGHT(head, gparent, tmp, field); \
            } else { \
                tmp = RB_LEFT(gparent, field); \
                if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
                    RB_COLOR(tmp, field) = RB_BLACK; \
                    RB_SET_BLACKRED(parent, gparent, field); \
                    elm = gparent; \
                    continue; \
                } \
                if (RB_LEFT(parent, field) == elm) \
            { \
                RB_ROTATE_RIGHT(head, parent, tmp, field); \
                tmp = parent; \
                parent = elm; \
                elm = tmp; \
            } \
            RB_SET_BLACKRED(parent, gparent, field); \
            RB_ROTATE_LEFT(head, gparent, tmp, field); \
        } \
    } \
}

```

```

RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, \
field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK;\
                    RB_COLOR(tmp, field) = RB_RED; \
                    RB_ROTATE_RIGHT(head, tmp, oleft, field);\
                    tmp = RB_RIGHT(parent, field); \
                } \
                RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
                RB_COLOR(parent, field) = RB_BLACK; \
                if (RB_RIGHT(tmp, field)) \
                    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                elm = RB_ROOT(head); \
                break; \
            } \
        } else { \
            tmp = RB_LEFT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_RIGHT(head, parent, tmp, field);\

```

```

    tmp
= RB_LEFT(parent, field); \
} \
if ((RB_LEFT(tmp, field) == NULL || \
    RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
    (RB_RIGHT(tmp, field) == NULL || \
    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
    RB_COLOR(tmp, field) = RB_RED; \
    elm = parent; \
    parent = RB_PARENT(elm, field); \
} else { \
    if (RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
        struct type *oright; \
        if ((oright = RB_RIGHT(tmp, field)) \
            != NULL) \
            RB_COLOR(oright, field) = RB_BLACK;\
        RB_COLOR(tmp, field) = RB_RED; \
        RB_ROTATE_LEFT(head, tmp, oright, field);\
        tmp = RB_LEFT(parent, field); \
    } \
    RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
    RB_COLOR(parent, field) = RB_BLACK; \
    if (RB_LEFT(tmp, field)) \
        RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    elm = RB_ROOT(head); \
    break; \
} \
} \
} \
if
(elm) \
    RB_COLOR(elm, field) = RB_BLACK; \
} \
\
attr struct type * \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *child, *parent, *old = elm; \
    int color; \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else { \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \

```

```

while ((left = RB_LEFT(elm, field)) != NULL) \
    elm = left; \
child = RB_RIGHT(elm, field); \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent, field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head)
= child; \
if (RB_PARENT(elm, field) == old) \
    parent = elm; \
(elm)->field = (old)->field; \
if (RB_PARENT(old, field)) { \
    if (RB_LEFT(RB_PARENT(old, field), field) == old)\
        RB_LEFT(RB_PARENT(old, field), field) = elm;\
    else \
        RB_RIGHT(RB_PARENT(old, field), field) = elm;\
    RB_AUGMENT(RB_PARENT(old, field)); \
} else \
    RB_ROOT(head) = elm; \
RB_PARENT(RB_LEFT(old, field), field) = elm; \
if (RB_RIGHT(old, field)) \
    RB_PARENT(RB_RIGHT(old, field), field) = elm; \
if (parent) { \
    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,

```

```

field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\

/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    RB_SET(elm, parent, field); \
    if (parent != NULL) { \
        if (comp < 0) \
            RB_LEFT(parent, field) = elm; \
        else \
            RB_RIGHT(parent, field) = elm; \
        RB_AUGMENT(parent); \
    } else \
        RB_ROOT(head) = elm; \
    name##_RB_INSERT_COLOR(head, \
        elm); \
    return (NULL); \
} \
\

/* Finds the node with the same key as elm */ \
attr struct type * \
name##_RB_FIND(struct name *head, struct type *elm) \
{ \
    struct type *tmp = RB_ROOT(head); \
    int comp; \

```

```

while (tmp) {
    comp = cmp(elm, tmp);
    if (comp < 0)
        tmp = RB_LEFT(tmp, field);
    else if (comp > 0)
        tmp = RB_RIGHT(tmp, field);
    else
        return (tmp);
}
return (NULL);
}

/* Finds the first node greater than or equal to the search key */
attr struct type *
name##_RB_NFIND(struct name *head, struct type *elm)
{
    struct type *tmp = RB_ROOT(head);
    struct type *res = NULL;
    int comp;
    while (tmp) {
        comp = cmp(elm, tmp);
        if (comp < 0) {
            res = tmp;
            tmp = RB_LEFT(tmp, field);
        }
        else if (comp > 0)
            tmp =
RB_RIGHT(tmp, field);
        else
            return (tmp);
    }
    return (res);
}

/* ARGSUSED */
attr struct type *
name##_RB_NEXT(struct type *elm)
{
    if (RB_RIGHT(elm, field)) {
        elm = RB_RIGHT(elm, field);
        while (RB_LEFT(elm, field))
            elm = RB_LEFT(elm, field);
    } else {
        if (RB_PARENT(elm, field) &&
            (elm == RB_LEFT(RB_PARENT(elm, field), field)))
            elm = RB_PARENT(elm, field);
        else {
            while (RB_PARENT(elm, field) &&

```

```

        (elm == RB_RIGHT(RB_PARENT(elm, field), field)))\
    elm = RB_PARENT(elm, field); \
    elm = RB_PARENT(elm, field); \
} \
} \
return (elm); \
} \
\
/* ARGSUSED */ \
attr struct type * \
name##_RB_PREV(struct type *elm) \
{ \
    if (RB_LEFT(elm, field)) { \
        elm = RB_LEFT(elm, field); \
        while (RB_RIGHT(elm, field)) \
            elm = RB_RIGHT(elm, field); \
    }
    else { \
        if (RB_PARENT(elm, field) && \
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field); \
        else { \
            while (RB_PARENT(elm, field) && \
                (elm == RB_LEFT(RB_PARENT(elm, field), field)))\
                elm = RB_PARENT(elm, field); \
            elm = RB_PARENT(elm, field); \
        } \
    } \
    return (elm); \
} \
\
attr struct type * \
name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
    return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

```



```

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x,
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
for ((x) = RB_MIN(name, head); \
(x) != NULL; \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
(x) != NULL; \
(x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,
head, y) \
for ((x) = RB_MAX(name, head); \
((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
(x) = (y))

#endif /* _SYS_TREE_H_ */

```

This library is free software; you can redistribute it and/or modify it under the terms of the Modified BSD License.

The complete text of the license is available in the `../Documentation/licenses/COPYING.BSD-3-Clause` file.

BSD 2-Clause License

Copyright (c) 2023, Thorsten Kukuk

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later
/*

* No copyright is claimed. This code is in the public domain; do with
* it what you wish.

*/

```
#ifndef UTIL_LINUX_PT_BSD_H
#define UTIL_LINUX_PT_BSD_H
```

```
#define BSD_MAXPARTITIONS 16
#define BSD_FS_UNUSED 0
```

```
#ifndef BSD_DISKMAGIC
# define BSD_DISKMAGIC ((uint32_t) 0x82564557)
#endif
```

```
#define BSD_LINUX_BOOTDIR "/usr/ucb/mdec"
```

```

#if defined (__alpha__) || defined (__powerpc__) || \
    defined (__ia64__) || defined (__hppa__)
#define BSD_LABELSECTOR 0
#define BSD_LABELOFFSET 64
#else
#define BSD_LABELSECTOR 1
#define BSD_LABELOFFSET 0
#endif

#define BSD_BBSIZE      8192 /* size of boot area, with label */
#define BSD_SBSIZE      8192 /* max size of fs superblock */

struct bsd_disklabel {
    uint32_t d_magic; /* the magic number */
    int16_t d_type; /* drive type */
    int16_t d_subtype; /* controller/d_type specific */
    char d_typename[16]; /* type name, e.g. "eagle" */
    char d_packname[16]; /* pack identifier */

    /* disk geometry: */
    uint32_t d_sectsize; /*
    # of bytes per sector */
    uint32_t d_nsectors; /* # of data sectors per track */
    uint32_t d_ntracks; /* # of tracks per cylinder */
    uint32_t d_ncylinders; /* # of data cylinders per unit */
    uint32_t d_secp cyl; /* # of data sectors per cylinder */
    uint32_t d_secperunit; /* # of data sectors per unit */

    /*
    * Spares (bad sector replacements) below
    * are not counted in d_nsectors or d_secp cyl.
    * Spare sectors are assumed to be physical sectors
    * which occupy space at the end of each track and/or cylinder.
    */
    uint16_t d_sparepertrack; /* # of spare sectors per track */
    uint16_t d_sparep cyl; /* # of spare sectors per cylinder */

    /*
    * Alternate cylinders include maintenance, replacement,
    * configuration description areas, etc.
    */
    uint32_t d_acylinders; /* # of alt. cylinders per unit */

    /* hardware characteristics: */
    /*
    * d_interleave, d_trackskew and d_cylskew describe perturbations
    * in the media format used to compensate for a slow

```

controller.

- * Interleave is physical sector interleave, set up by the formatter
- * or controller when formatting. When interleaving is in use,
- * logically adjacent sectors are not physically contiguous,
- * but instead are separated by some number of sectors.
- * It is specified as the ratio of physical sectors traversed
- * per logical sector. Thus an interleave of 1:1 implies contiguous
- * layout, while 2:1 implies that logical sector 0 is separated
- * by one sector from logical sector 1.
- * d_trackskew is the offset of sector 0 on track N
- * relative to sector 0 on track N-1 on the same cylinder.
- * Finally, d_cylskew is the offset of sector 0 on cylinder N
- * relative to sector 0 on cylinder N-1.

*/

uint16_t d_rpm; /* rotational speed */

uint16_t d_interleave; /* hardware sector interleave */

uint16_t d_trackskew; /* sector 0 skew, per track */

uint16_t d_cylskew; /* sector 0 skew, per cylinder */

uint32_t d_headswitch; /* head switch time, usec */

uint32_t d_trkseek; /*

track-to-track seek, usec */

uint32_t d_flags; /* generic flags */

uint32_t d_drivedata[5]; /* drive-type specific information */

uint32_t d_spare[5]; /* reserved for future use */

uint32_t d_magic2; /* the magic number (again) */

uint16_t d_checksum; /* xor of data incl. partitions */

/* filesystem and partition information: */

uint16_t d_npartitions; /* number of partitions in following */

uint32_t d_bbsize; /* size of boot area at sn0, bytes */

uint32_t d_sbsize; /* max size of fs superblock, bytes */

struct bsd_partition { /* the partition table */

uint32_t p_size; /* number of sectors in partition */

uint32_t p_offset; /* starting sector */

uint32_t p_fsize; /* filesystem basic fragment size */

uint8_t p_fstype; /* filesystem type, see below */

uint8_t p_frag; /* filesystem fragments per block */

uint16_t p_cpg; /* filesystem cylinders per group */

} __attribute__((packed))

d_partitions[BSD_MAXPARTITIONS]; /* actually may be more */

} __attribute__((packed));

/* d_type values: */

#define BSD_DTYPE_SMD 1 /* SMD, XSMD; VAX hp/up */

#define BSD_DTYPE_MSCP 2 /* MSCP */

#define BSD_DTYPE_DEC 3 /* other DEC (rk, rl) */

```

#define BSD_DTYPE SCSI 4 /* SCSI */
#define BSD_DTYPE_ESDI 5 /* ESDI interface */
#define BSD_DTYPE_ST506 6 /* ST506 etc. */
#define BSD_DTYPE_HPIB 7 /* CS/80 on HP-IB */
#define BSD_DTYPE_HPFL 8 /* HP Fiber-link */
#define BSD_DTYPE_FLOPPY 10 /* floppy */

/* d_subtype values: */
#define BSD_DSTYPE_INDOSPART 0x8 /* is inside dos partition */
#define BSD_DSTYPE_DOSPART(s) ((s) & 3) /* dos partition number */
#define BSD_DSTYPE_GEOMETRY 0x10 /* drive params in label */

/*
 * Filesystem type and version.
 * Used to interpret other filesystem-specific
 * per-partition information.
 */
#define BSD_FS_UNUSED 0 /* unused */
#define BSD_FS_SWAP 1 /* swap */
#define BSD_FS_V6 2 /* Sixth Edition */
#define BSD_FS_V7
    3 /* Seventh Edition */
#define BSD_FS_SYSV 4 /* System V */
#define BSD_FS_V71K 5 /* V7 with 1K blocks (4.1, 2.9) */
#define BSD_FS_V8 6 /* Eighth Edition, 4K blocks */
#define BSD_FS_BSDFFS 7 /* 4.2BSD fast file system */
#define BSD_FS_BSDLFS 9 /* 4.4BSD log-structured file system */
#define BSD_FS_OTHER 10 /* in use, but unknown/unsupported */
#define BSD_FS_HPFS 11 /* OS/2 high-performance file system */
#define BSD_FS_ISO9660 12 /* ISO-9660 filesystem (cdrom) */
#define BSD_FS_ISOFS BSD_FS_ISO9660
#define BSD_FS_BOOT 13 /* partition contains bootstrap */
#define BSD_FS_ADOS 14 /* AmigaDOS fast file system */
#define BSD_FS_HFS 15 /* Macintosh HFS */
#define BSD_FS_ADVFS 16 /* Digital Unix AdvFS */

/* this is annoying, but it's also the way it is :( */
#ifdef __alpha__
#define BSD_FS_EXT2 8 /* ext2 file system */
#else
#define BSD_FS_MSDOS 8 /* MS-DOS file system */
#endif

/*
 * flags shared by various drives:
 */
#define BSD_D_REMOVABLE 0x01 /*

```

```
removable media */
#define BSD_D_ECC    0x02 /* supports ECC */
#define BSD_D_BADSECT 0x04 /* supports bad sector forw. */
#define BSD_D_RAMDISK 0x08 /* disk emulator */
#define BSD_D_CHAIN    0x10 /* can do back-back transfers */
#define BSD_D_DOSPART 0x20 /* within MSDOS partition */

#endif /* UTIL_LINUX_PT_BSD_H */
```

1.73 fdisk 2.41.0

1.73.1 Available under license :

```
NR START  END SECTORS SIZE NAME UUID
1  32 7679   7648 3.7M   8f8378c0-01
2 7680 16383  8704 4.3M   8f8378c0-02
5 7936 12799  4864 2.4M
6 12544 16127  3584 1.8M
```

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<https://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for
software and other kinds of works.

The licenses for most software and other practical works are designed
to take away your freedom to share and change the works. By contrast,
the GNU General Public License is intended to guarantee your freedom to
share and change all versions of a program--to make sure it remains free
software for all its users. We, the Free Software Foundation, use the
GNU General Public License for most of our software; it applies also to
any other work released this way by its authors. You can apply it to
your programs, too.

When we speak of free software, we are referring to
freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
them if you wish), that you receive source code or can get it if you
want it, that you can change the software or use pieces of it in new
free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you

these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps:

(1)

assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand

ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The

"System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose

of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed;

section 10

makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately

publish on each copy an appropriate copyright notice;
keep intact all notices stating that this License and any
non-permissive terms added in accord with section 7 apply to the code;
keep intact all notices of the absence of any warranty; and give all
recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a

written offer, valid for at least three years

and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status

of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent

that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms

of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However,

nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this

License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that

contain the covered work, unless you entered into that arrangement,
or
that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting
any implied license or other defenses to infringement that may
otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or
otherwise) that contradict the conditions of this License, they do not
excuse you from the conditions of this License. If you cannot convey a
covered work so as to satisfy simultaneously your obligations under this
License and any other pertinent obligations, then as a consequence you may
not convey it at all. For example, if you agree to terms that obligate you
to collect a royalty for further conveying from those to whom you convey
the Program, the only way you could satisfy both those terms and this
License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have
permission to link or combine any covered work with a work licensed
under version 3 of the GNU Affero General Public License into a single
combined work, and to convey the resulting work. The terms of this
License will continue to apply to the part which is the covered work,
but the special requirements of the GNU Affero General Public License,
section 13, concerning interaction through a network will apply to the
combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of
the GNU General Public License from time to time. Such new versions will
be similar in spirit to the present version, but may differ in detail to
address new problems or concerns.

Each version is given a distinguishing version number. If the
Program specifies that a certain numbered version of the GNU General
Public License "or any later version" applies to it, you
have the
option of following the terms and conditions either of that numbered
version or of any later version published by the Free Software
Foundation. If the Program does not specify a version number of the
GNU General Public License, you may choose any version ever published
by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17.

Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see <https://www.gnu.org/licenses/>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

```
<program> Copyright (C) <year> <name of author>
This program comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <https://www.gnu.org/licenses/>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read [<https://www.gnu.org/licenses/why-not-lgpl.html>](https://www.gnu.org/licenses/why-not-lgpl.html).

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, and the entire permission notice in its entirety, including the disclaimer of warranties.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OF WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE

USE OF THIS SOFTWARE, EVEN IF NOT ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Permission to use, copy, modify, and/or distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later file.

/*

* Copyright (c) 1989 The Regents of the University of California.

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. All advertising materials mentioning features or use of this software

* must display the following acknowledgement:

* This product includes software developed by the University of

* California, Berkeley and its contributors.

* 4. Neither the name of the University nor the names of its contributors

* may be used to endorse or promote products derived from this software

*

without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE

* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS

* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

*/

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)

HOWEVER

CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY,
OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the

Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the

ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must

be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or

collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary

GNU General Public

License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that

uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood

that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

- b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.
- c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.
- d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.
- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to

refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our

decision

will be guided by the two goals of preserving the free status
of all derivatives of our free software and of promoting the sharing
and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price.

Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law:

that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to

control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For

example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute
it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

This library is free software; you can redistribute it and/or modify it under the terms of the Modified BSD License.

The complete text of the license is available in the
../Documentation/licenses/COPYING.BSD-3-Clause file.
BSD 2-Clause License

Copyright (c) 2023, Thorsten Kukuk

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

The complete text of the license is available in the
../Documentation/licenses/COPYING.LGPL-2.1-or-later
/*

* No copyright is claimed. This code is in the public domain; do with
* it what you wish.

*/

#ifndef UTIL_LINUX_PT_BSD_H
#define UTIL_LINUX_PT_BSD_H

#define BSD_MAXPARTITIONS 16
#define BSD_FS_UNUSED 0

```

#ifndef BSD_DISKMAGIC
#define BSD_DISKMAGIC ((uint32_t) 0x82564557)
#endif

#define BSD_LINUX_BOOTDIR "/usr/ucb/mdec"

#if defined (__alpha__) || defined (__powerpc__) || \
    defined (__ia64__) || defined (__hppa__)
#define BSD_LABELSECTOR 0
#define BSD_LABELOFFSET 64
#else
#define BSD_LABELSECTOR 1
#define BSD_LABELOFFSET 0
#endif

#define BSD_BBSIZE      8192 /* size of boot area, with label */
#define BSD_SBSIZE      8192 /* max size of fs superblock */

struct bsd_disklabel {
    uint32_t d_magic; /* the magic number */
    int16_t d_type; /* drive type */
    int16_t d_subtype; /* controller/d_type specific */
    char d_typename[16]; /* type name, e.g. "eagle" */
    char d_packname[16]; /* pack identifier */

    /* disk geometry: */
    uint32_t d_sectsize; /*
    # of bytes per sector */
    uint32_t d_nsectors; /* # of data sectors per track */
    uint32_t d_ntracks; /* # of tracks per cylinder */
    uint32_t d_ncylinders; /* # of data cylinders per unit */
    uint32_t d_secpercyl; /* # of data sectors per cylinder */
    uint32_t d_secperunit; /* # of data sectors per unit */

    /*
    * Spares (bad sector replacements) below
    * are not counted in d_nsectors or d_secpercyl.
    * Spare sectors are assumed to be physical sectors
    * which occupy space at the end of each track and/or cylinder.
    */
    uint16_t d_sparepertrack; /* # of spare sectors per track */
    uint16_t d_sparepercyl; /* # of spare sectors per cylinder */

    /*
    * Alternate cylinders include maintenance, replacement,
    * configuration description areas, etc.
    */
    uint32_t d_acylinders; /* # of alt. cylinders per unit */

```

```

/* hardware characteristics: */
/*
* d_interleave, d_trackskew and d_cylskew describe perturbations
* in the media format used to compensate for a slow
controller.
* Interleave is physical sector interleave, set up by the formatter
* or controller when formatting. When interleaving is in use,
* logically adjacent sectors are not physically contiguous,
* but instead are separated by some number of sectors.
* It is specified as the ratio of physical sectors traversed
* per logical sector. Thus an interleave of 1:1 implies contiguous
* layout, while 2:1 implies that logical sector 0 is separated
* by one sector from logical sector 1.
* d_trackskew is the offset of sector 0 on track N
* relative to sector 0 on track N-1 on the same cylinder.
* Finally, d_cylskew is the offset of sector 0 on cylinder N
* relative to sector 0 on cylinder N-1.
*/
uint16_t d_rpm; /* rotational speed */
uint16_t d_interleave; /* hardware sector interleave */
uint16_t d_trackskew; /* sector 0 skew, per track */
uint16_t d_cylskew; /* sector 0 skew, per cylinder */
uint32_t d_headswitch; /* head switch time, usec */
uint32_t d_trkseek; /*
track-to-track seek, usec */
uint32_t d_flags; /* generic flags */
uint32_t d_drivedata[5]; /* drive-type specific information */
uint32_t d_spare[5]; /* reserved for future use */
uint32_t d_magic2; /* the magic number (again) */
uint16_t d_checksum; /* xor of data incl. partitions */

/* filesystem and partition information: */
uint16_t d_npartitions; /* number of partitions in following */
uint32_t d_bbsize; /* size of boot area at sn0, bytes */
uint32_t d_sbsize; /* max size of fs superblock, bytes */

struct bsd_partition { /* the partition table */
uint32_t p_size; /* number of sectors in partition */
uint32_t p_offset; /* starting sector */
uint32_t p_fsize; /* filesystem basic fragment size */
uint8_t p_fstype; /* filesystem type, see below */
uint8_t p_frag; /* filesystem fragments per block */
uint16_t p_cpg; /* filesystem cylinders per group */
} __attribute__((packed))
d_partitions[BSD_MAXPARTITIONS]; /* actually may be more */
} __attribute__((packed));

```

```

/* d_type values: */
#define BSD_DTYPE_SMD 1 /* SMD, XSMD; VAX hp/up */
#define BSD_DTYPE_MSCP 2 /* MSCP */
#define BSD_DTYPE_DEC 3 /* other DEC (rk, rl) */
#define BSD_DTYPE_SCSI 4 /* SCSI */
#define BSD_DTYPE_ESDI 5 /* ESDI interface */
#define BSD_DTYPE_ST506 6 /* ST506 etc. */
#define BSD_DTYPE_HPIB 7 /* CS/80 on HP-IB */
#define BSD_DTYPE_HPFL 8 /* HP Fiber-link */
#define BSD_DTYPE_FLOPPY 10 /* floppy */

/* d_subtype values: */
#define BSD_DSTYPE_INDOSPART 0x8 /* is inside dos partition */
#define BSD_DSTYPE_DOSPART(s) ((s) & 3) /* dos partition number */
#define BSD_DSTYPE_GEOMETRY 0x10 /* drive params in label */

/*
 * Filesystem type and version.
 * Used to interpret other filesystem-specific
 * per-partition information.
 */
#define BSD_FS_UNUSED 0 /* unused */
#define BSD_FS_SWAP 1 /* swap */
#define BSD_FS_V6 2 /* Sixth Edition */
#define BSD_FS_V7
    3 /* Seventh Edition */
#define BSD_FS_SYSV 4 /* System V */
#define BSD_FS_V71K 5 /* V7 with 1K blocks (4.1, 2.9) */
#define BSD_FS_V8 6 /* Eighth Edition, 4K blocks */
#define BSD_FS_BSDFFS 7 /* 4.2BSD fast file system */
#define BSD_FS_BSDLFS 9 /* 4.4BSD log-structured file system */
#define BSD_FS_OTHER 10 /* in use, but unknown/unsupported */
#define BSD_FS_HPFS 11 /* OS/2 high-performance file system */
#define BSD_FS_ISO9660 12 /* ISO-9660 filesystem (cdrom) */
#define BSD_FS_ISOFS BSD_FS_ISO9660
#define BSD_FS_BOOT 13 /* partition contains bootstrap */
#define BSD_FS_ADOS 14 /* AmigaDOS fast file system */
#define BSD_FS_HFS 15 /* Macintosh HFS */
#define BSD_FS_ADVFS 16 /* Digital Unix AdvFS */

/* this is annoying, but it's also the way it is :-/ */
#ifdef __alpha__
#define BSD_FS_EXT2 8 /* ext2 file system */
#else
#define BSD_FS_MSDOS 8 /* MS-DOS file system */
#endif

```

```

/*
 * flags shared by various drives:
 */
#define BSD_D_REMOVABLE 0x01 /*
removable media */
#define BSD_D_ECC      0x02 /* supports ECC */
#define BSD_D_BADSECT 0x04 /* supports bad sector forw. */
#define BSD_D_RAMDISK 0x08 /* disk emulator */
#define BSD_D_CHAIN    0x10 /* can do back-back transfers */
#define BSD_D_DOSPART 0x20 /* within MSDOS partition */

#endif /* UTIL_LINUX_PT_BSD_H */

```

1.74 pam 1.7.0-r4

1.74.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you

distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program).

Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's

source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in

whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably

considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the

entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent

access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6.

Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other

circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the

GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands

`show w' and `show c' should show the appropriate
parts of the General Public License. Of course, the commands you use may
be called something other than `show w' and `show c'; they could even be
mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General
Public License instead of this License.

```
# Automatically generated by apkgbuild-cpan, template 4
# Contributor: Valery Kartel <valery.kartel@gmail.com>
# Maintainer: Celeste <cielesti@protonmail.com>
maintainer="Celeste <cielesti@protonmail.com>"
pkgname=perl-bsd-resource
pkgver=1.2911
pkgrel=10
#_pkgreal is used by apkgbuild-cpan to find modules at MetaCpan
_pkgreal=BSD-Resource
pkgdesc="Perl extension implements the BSD process resource limit functions"
```

```

url="https://metacpan.org/release/BSD-Resource/"
arch="all"
license="Artistic-2.0 OR LGPL-2.0"
depends="perl"
makedepends="perl-dev"
subpackages="$pkgname-doc"
source="https://cpan.metacpan.org/authors/id/J/JH/JHI/BSD-Resource-$pkgver.tar.gz"
builddir="$srcdir/$_pkgreal-$pkgver"

build() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    PERL_MM_USE_DEFAULT=1 perl -I. Makefile.PL \
        INSTALLDIRS=vendor \
        NO_PACKLIST=1 \
        NO_PERLLOCAL=1
    make
}

check() {
    export CFLAGS=$(perl -MConfig -E 'say $Config{ccflags}')
    make test
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="
d0032d41c7c0468ed1c6d8f57b885f6cb97a5039d754c8cb60b2067daedaf53bd15fb6561a3d0f828df16dfa5417f663b
8065ba65f4fea16dc9262728b3b6b85
    BSD-Resource-1.2911.tar.gz
"

# Contributor: Maxim Karasev <begs@disroot.org>
# Maintainer: mio <miyopan@e.email>
pkgname=bsd-games
pkgver=3.3
pkgrel=2
pkgdesc="traditional text mode games from BSD"
url="https://bsd-games.sourceforge.io/"
arch="all"
license="BSD-3-Clause"
install="$pkgname.post-install"
makedepends="ncurses-dev coreutils" # configure causes busybox expr error
subpackages="$pkgname-doc"
source="https://sourceforge.net/projects/bsd-games/files/bsd-games-$pkgver.tar.gz
0001-bsd-games-scores-dir.patch
"

options="!check" # no tests

```

```

build() {
# some GNU autoconf options are ignored, but it works
./configure \
--build=$CBUILD \
--host=$CHOST \
--prefix=/usr \
--sysconfdir=/etc \
--mandir=/usr/share/man \
--scoredir=/usr/share/$pkgname
make
}

package() {
make DESTDIR="$pkgdir" install
install -Dm644 LICENSE "$pkgdir"/usr/share/licenses/bsd-games/LICENSE
}

```

```

sha512sums="
aaf36d09d4fe68514a5c279063d7e77a9a9a84c447037cba974b29faa07eb80c2aab2379d0699c196b5c27ffe1b2bb2c6
8d3390143e0e62d5e3d210ccfb61294
bsd-games-3.3.tar.gz
e1def0d4835a877242c4173fae862e278a7858738e0bacacbb045a42bcabec2aa7c72d000bbd2421ce35fe66cdc1f52c0
577b7e278029ca5ed50f7aab22319f6 0001-bsd-games-scores-dir.patch
"

```

MIT License

Copyright (c) 2023 Leaf Corcoran

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

mini_sendmail - accept email on behalf of real sendmail

Copyright 1999,2015 by Jef Poskanzer <jef@mail.acme.com>.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Maintainer: Natanael Copa <ncopa@alpinelinux.org>

pkgname=libart-lgpl

pkgver=2.3.21

pkgrel=8

pkgdesc="A library for high-performance 2D graphics"

url="https://www.levien.com/libart/"

arch="all"

options="!check" # No test suite.

license="LGPL-2.0-or-later"

subpackages="\$pkgname-dev"

source="https://download.gnome.org/sources/libart-lgpl/2.3/libart-lgpl-\$pkgver.tar.bz2"

"

builddir="\$srcdir"/libart-lgpl-\$pkgver

```
prepare() {  
    update_config_sub  
    default_prepare  
}
```

```
build() {  
    ./configure \
```



```

--build=$CBUILD \
--host=$CHOST \
--prefix=/usr
make
}

package() {
    make DESTDIR="$pkgdir" install
}

sha512sums="8a632a6a4da59e5e8c02ec2f5a57e36d182b325b46513765425e5f171ff9ae326af1b133725beba28f7e7
6654309e001aee9bace727b5b4c8589405256a3c020 libart_lgpl-2.3.21.tar.bz2"
# Contributor: Carlo Landmeter <clandmeter@alpinelinux.org>
# Maintainer: Kevin Daudt <kdaudt@alpinelinux.org>
pkgname=spdx-licenses
pkgver=3.26.0
pkgrel=0
pkgdesc="Various data formats for the SPDX License List"
url="https://spdx.org/"
arch="noarch"
options="!check" # no test suite
license="CC-BY-3.0"
source="license-list-data-$pkgver.tar.gz::https://github.com/spdx/license-list-data/archive/v$pkgver.tar.gz"
builddir="$srcdir/license-list-data-$pkgver"
subpackages="$pkgname-list"

_types="html json rdfa rdft rdfturtle rdfxml template text"

for type in $_types; do
    subpackages="$subpackages $pkgname-$type:_subpkg"
done

package() {
    mkdir -p "$pkgdir"
}

_subpkg() {
    local type=${subpkgname/$pkgname-/}
    pkgdesc="$pkgdesc ($type)"
    install_if="$pkgname=$pkgver-r$pkgrel"
    mkdir -p "$subpkgdir"/usr/share/spdx
    cp -r "$builddir"/$type "$subpkgdir"/usr/share/spdx/
}

list() {
    pkgdesc="$pkgdesc (licence list)"
    mkdir -p "$subpkgdir"/usr/share/spdx
    local i; for i in "$builddir"/text/*.txt;

```

```

do
local license=${i##*/}
echo ${license%.*} >> "$subpkgdir"/usr/share/spdx/license.lst
done
}

sha512sums="
67e618d4642dfe4f366935d9514d6f7941d3711e77c49bc1b340ac572d36015981b8f10c72a9f80f1d83e132ae7e5093c
0155e0c0e786e4777ee16d1cb7b885a license-list-data-3.26.0.tar.gz
"

# Contributor: Patrycja Rosa <alpine@ptrcnnull.me>
# Maintainer: Patrycja Rosa <alpine@ptrcnnull.me>
pkgname=bsd-compat-headers
pkgver=0.7.2
pkgrel=6
pkgdesc="BSD compatibility headers (cdefs, queue, tree)"
url="https://gitlab.alpinelinux.org/alpine/aports"
arch="noarch"
license="BSD-2-Clause AND BSD-3-Clause"
source="
cdefs.h
queue.h
tree.h
"

builddir="$srcdir"
options="!check" # just headers

package() {
mkdir -p "$pkgdir"
install -Dm644 -t "$pkgdir"/usr/include/sys \
cdefs.h queue.h tree.h
}
sha512sums="
37c8fc73c7aea7b490f7850927e2bb91d12137c9e59e22c084146d515696dbc7973b5de92f4c987ba080dd2502ba8312
7006442c3f019b6447a620c0cae73178 cdefs.h
2f0d5e6e4dc3350285cf17009265dddcbe12431c111868eea39bc8cb038ab7c1f2acacbb21735c4e9d4a1fd106a8fc0f86
11ea33987d4faba37dde5ce6da0750 queue.h
d9ac210d81feb8ad2655bc80fb065d3fe20ae4417b32b4a1711e6738a4870140005c13373b5d1846ef3ce5ae6da45f2da
cef2092881eded0a2e94f6a07752ef3 tree.h
"

Original Copyright (c) 1985 by Supoj Sutanthavibul
Parts Copyright (c) 1989-2012 by Brian V. Smith
Parts Copyright (c) 1991 by Paul King
Other Copyrights may be found in various files

```

Main Xfig copyright notice:

Any party obtaining a copy of these files is granted, free of charge, a full and unrestricted irrevocable, world-wide,

paid up, royalty-free, nonexclusive right and license to deal in this software and documentation files (the "Software"), including without limitation the rights to use, copy, modify, merge, publish and/or distribute copies of the Software, and to permit persons who receive copies from any such party to do so, with the only requirement being that this copyright notice remain intact.

No representations are made about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

Parts Copyright (C) 1993 by Alan Richardson (mppa3@uk.ac.sussex.syma)

The text rotation code in w_rottext.c was written by Alan Richardson.

The above copyright notice holds for this work as well.

Parts Copyright (c) 1994 by Anthony Dekker

The Kohonen neural network code for color optimization was written by Anthony Dekker.

Parts Copyright (c) 1995 by C. Blanc and C. Schlick

The X-Spline code was written Carole Blanc (blanc@labri.u-bordeaux.fr) and Christophe Schlick (schlick@labri.u-bordeaux.fr) starting from an initial implementation done by C. Feuille, S. Grosbois, L. Maziere and L. Minihot as a student practice (Universite Bordeaux, France). For additional information about X-splines, see:

"X-Splines: A Spline Model Designed for the End User" by C. Blanc and C. Schlick, Proceedings of SIGGRAPH'95

<http://dept-info.labri.u-bordeaux.fr/~schlick/DOC/sig1.html>

Contributor: Dhruvin Gandhi <contact@dhruvin>

Maintainer: Patrycja Rosa <alpine@ptrcnull.me>

pkgname=py3-license-expression

_pkgname=license_expression

pkgver=30.4.1

pkgrel=0

pkgdesc="Library to parse, compare, simplify and normalize license expressions"

url="https://github.com/nexB/license-expression"

arch="noarch"

license="Apache-2.0"

depends="python3 py3-boolean.py"

makedepends="py3-setuptools py3-setuptools_scm py3-gpep517 py3-wheel"

checkdepends="py3-pytest py3-pytest-xdist"

subpackages="\$pkgname-pyc"

source="https://files.pythonhosted.org/packages/source/l/_pkgname/_pkgname-\$pkgver.tar.gz"

builddir="\$srcdir/\$_pkgname-\$pkgver"

build() {

gpep517 build-wheel \

--wheel-dir .dist \

--output-fd 3 3>&1 >&2

}

check() {

python3 -m venv --clear --without-pip --system-site-packages .testenv

.testenv/bin/python3 -m installer .dist/*.whl

.testenv/bin/python3 -m pytest

```

}

package() {
    python3 -m installer -d "$pkgdir" \
        .dist/*.whl
}

sha512sums="
114c630f098939757e49187e35b4e54883266a2ee9ca283724992420ef4c860f9606a8342da0ab74d93627c10805f312
fda3f699cbc7c4fbd47a71e220440fb0
    license_expression-30.4.1.tar.gz
"

/* $NetBSD: queue.h,v 1.70 2015/11/02 15:21:23 christos Exp $ */

/*
 * Copyright (c) 1991, 1993
 * The Regents of the University of California. All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the
 *    documentation and/or other materials provided with the distribution.
 * 3. Neither the name of the University nor the names of its contributors
 *    may be used to endorse or promote products derived from this software
 *    without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
 * BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * @(#)queue.h 8.5 (Berkeley) 8/20/94
 */

#ifdef _SYS_QUEUE_H_
#define _SYS_QUEUE_H_

```

```

/*
* This file defines five types of data structures: singly-linked lists,
* lists, simple queues, tail queues, and circular queues.
*
* A singly-linked list is headed by a single forward pointer. The
* elements are singly linked for minimum space and
* pointer manipulation
* overhead at the expense of O(n) removal for arbitrary elements. New
* elements can be added to the list after an existing element or at the
* head of the list. Elements being removed from the head of the list
* should use the explicit macro for this purpose for optimum
* efficiency. A singly-linked list may only be traversed in the forward
* direction. Singly-linked lists are ideal for applications with large
* datasets and few or no removals or for implementing a LIFO queue.
*
* A list is headed by a single forward pointer (or an array of forward
* pointers for a hash table header). The elements are doubly linked
* so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before
* or after an existing element or at the head of the list. A list
* may only be traversed in the forward direction.
*
* A simple queue is headed by a pair of pointers, one the head of the
* list and the
* other to the tail of the list. The elements are singly
* linked to save space, so elements can only be removed from the
* head of the list. New elements can be added to the list after
* an existing element, at the head of the list, or at the end of the
* list. A simple queue may only be traversed in the forward direction.
*
* A tail queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements can be added to the list before or
* after an existing element, at the head of the list, or at the end of
* the list. A tail queue may be traversed in either direction.
*
* A circle queue is headed by a pair of pointers, one to the head of the
* list and the other to the tail of the list. The elements are doubly
* linked so that an arbitrary element can be removed without a need to
* traverse the list. New elements
* can be added to the list before or after
* an existing element, at the head of the list, or at the end of the list.
* A circle queue may be traversed in either direction, but has a more
* complex end of list detection.
*
* For details on the use of these macros, see the queue(3) manual page.

```

```

*/

/*
 * Include the definition of NULL only on NetBSD because sys/null.h
 * is not available elsewhere. This conditional makes the header
 * portable and it can simply be dropped verbatim into any system.
 * The caveat is that on other systems some other header
 * must provide NULL before the macros can be used.
 */
#ifdef __NetBSD__
#include <sys/null.h>
#endif

#if defined(QUEUEDEBUG)
# if defined(_KERNEL)
#  define QUEUEDEBUG_ABORT(...) panic(__VA_ARGS__)
# else
#  include <err.h>
#  define QUEUEDEBUG_ABORT(...) err(1, __VA_ARGS__)
# endif
#endif

/*
 * Singly-linked List definitions.
 */
#define SLIST_HEAD(name, type) \
struct name { \
    struct type *slh_first; /* first \
    element */ \
}

#define SLIST_HEAD_INITIALIZER(head) \
{ NULL }

#define SLIST_ENTRY(type) \
struct { \
    struct type *sle_next; /* next element */ \
}

/*
 * Singly-linked List access methods.
 */
#define SLIST_FIRST(head) ((head)->slh_first)
#define SLIST_END(head) NULL
#define SLIST_EMPTY(head) ((head)->slh_first == NULL)
#define SLIST_NEXT(elm, field) ((elm)->field.sle_next)

#define SLIST_FOREACH(var, head, field) \

```

```

for((var) = (head)->slh_first; \
    (var) != SLIST_END(head); \
    (var) = (var)->field.sle_next)

#define SLIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = SLIST_FIRST((head)); \
    (var) != SLIST_END(head) && \
    ((tvar) = SLIST_NEXT((var), field), 1); \
    (var) = (tvar))

/*
 * Singly-linked List functions.
 */
#define SLIST_INIT(head) do { \
    (head)->slh_first = SLIST_END(head); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_AFTER(slistelm, elm, field) do { \
    (elm)->field.sle_next = (slistelm)->field.sle_next; \
    (slistelm)->field.sle_next \
    = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_INSERT_HEAD(head, elm, field) do { \
    (elm)->field.sle_next = (head)->slh_first; \
    (head)->slh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_AFTER(slistelm, field) do { \
    (slistelm)->field.sle_next = \
        SLIST_NEXT(SLIST_NEXT((slistelm), field), field); \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE_HEAD(head, field) do { \
    (head)->slh_first = (head)->slh_first->field.sle_next; \
} while (/*CONSTCOND*/0)

#define SLIST_REMOVE(head, elm, type, field) do { \
    if ((head)->slh_first == (elm)) { \
        SLIST_REMOVE_HEAD((head), field); \
    } \
    else { \
        struct type *curelm = (head)->slh_first; \
        while(curelm->field.sle_next != (elm)) \
            curelm = curelm->field.sle_next; \
        curelm->field.sle_next = \
            curelm->field.sle_next->field.sle_next; \
    } \
}

```

```

} while (/*CONSTCOND*/0)

/*
 * List definitions.
 */
#define LIST_HEAD(name, type) \
struct name { \
    struct type *lh_first; /* first element */ \
}

#define LIST_HEAD_INITIALIZER(head) \
{ NULL }

#define LIST_ENTRY(type) \
struct { \
    struct type *le_next; /* next element */ \
    struct type **le_prev; /* address of previous next element */ \
}

/*
 * List access methods.
 */
#define LIST_FIRST(head) ((head)->lh_first)
#define LIST_END(head) NULL
#define LIST_EMPTY(head) ((head)->lh_first == LIST_END(head))
#define LIST_NEXT(elm, field) ((elm)->field.le_next)

#define LIST_FOREACH(var, head, field) \
for ((var) = ((head)->lh_first); \
    (var) != LIST_END(head); \
    (var) = ((var)->field.le_next))

#define LIST_FOREACH_SAFE(var, head, field, tvar) \
for ((var) = LIST_FIRST((head)); \
    (var) != LIST_END(head) && \
    ((tvar) = LIST_NEXT((var), field), 1); \
    (var) = (tvar))

#define LIST_MOVE(head1, head2) do { \
    LIST_INIT((head2)); \
    if (!LIST_EMPTY((head1))) \
    { \
        (head2)->lh_first = (head1)->lh_first; \
        LIST_INIT((head1)); \
    } \
} while (/*CONSTCOND*/0)

```



```

/*
 * List functions.
 */

#if defined(QQUEUEDEBUG)
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field) \
    if ((head)->lh_first && \
        (head)->lh_first->field.le_prev != &(head)->lh_first) \
        QUEUEDEBUG_ABORT("LIST_INSERT_HEAD %p %s:%d", (head), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_OP(elm, field) \
    if ((elm)->field.le_next && \
        (elm)->field.le_next->field.le_prev != \
            &(elm)->field.le_next) \
        QUEUEDEBUG_ABORT("LIST_* forw %p %s:%d", (elm), \
            __FILE__, __LINE__); \
    if (*(elm)->field.le_prev != (elm)) \
        QUEUEDEBUG_ABORT("LIST_* back %p %s:%d", (elm), \
            __FILE__, __LINE__);
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field) \
    (elm)->field.le_next = (void *)1L; \
    (elm)->field.le_prev = (void *)1L;
#else
#define QUEUEDEBUG_LIST_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_LIST_OP(elm,
    field)
#define QUEUEDEBUG_LIST_POSTREMOVE(elm, field)
#endif

#define LIST_INIT(head) do { \
    (head)->lh_first = LIST_END(head); \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_AFTER(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    if (((elm)->field.le_next = (listelm)->field.le_next) != \
        LIST_END(head)) \
        (listelm)->field.le_next->field.le_prev = \
            &(elm)->field.le_next; \
    (listelm)->field.le_next = (elm); \
    (elm)->field.le_prev = &(listelm)->field.le_next; \
} while (/*CONSTCOND*/0)

#define LIST_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBUG_LIST_OP((listelm), field) \
    (elm)->field.le_prev = (listelm)->field.le_prev; \
    (elm)->field.le_next = (listelm); \
    *(listelm)->field.le_prev = (elm); \
    (listelm)->field.le_prev = &(elm)->field.le_next; \
} while (/*CONSTCOND*/0)

```

```

} while (/*CONSTCOND*/0)

#define LIST_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_LIST_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.le_next \
    = (head)->lh_first) != LIST_END(head)) \
        (head)->lh_first->field.le_prev = &(elm)->field.le_next; \
    (head)->lh_first = (elm); \
    (elm)->field.le_prev = &(head)->lh_first; \
} while (/*CONSTCOND*/0)

#define LIST_REMOVE(elm, field) do { \
    QUEUEDEBUG_LIST_OP((elm), field) \
    if ((elm)->field.le_next != NULL) \
        (elm)->field.le_next->field.le_prev = \
            (elm)->field.le_prev; \
    *(elm)->field.le_prev = (elm)->field.le_next; \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define LIST_REPLACE(elm, elm2, field) do { \
    if (((elm2)->field.le_next = (elm)->field.le_next) != NULL) \
        (elm2)->field.le_next->field.le_prev = \
            &(elm2)->field.le_next; \
    (elm2)->field.le_prev = (elm)->field.le_prev; \
    *(elm2)->field.le_prev = (elm2); \
    QUEUEDEBUG_LIST_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

/*
 * Simple queue definitions.
 */
#define SIMPLEQ_HEAD(name, type) \
struct name { \
    struct \
    type *sqh_first; /* first element */ \
    struct type **sqh_last; /* addr of last next element */ \
}

#define SIMPLEQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).sqh_first }

#define SIMPLEQ_ENTRY(type) \
struct { \
    struct type *sqe_next; /* next element */ \
}

/*

```

```

* Simple queue access methods.
*/

#define SIMPLEQ_FIRST(head) ((head)->sqh_first)
#define SIMPLEQ_END(head) NULL
#define SIMPLEQ_EMPTY(head) ((head)->sqh_first == SIMPLEQ_END(head))
#define SIMPLEQ_NEXT(elm, field) ((elm)->field.sqe_next)

#define SIMPLEQ_FOREACH(var, head, field) \
for ((var) = ((head)->sqh_first); \
     (var) != SIMPLEQ_END(head); \
     (var) = ((var)->field.sqe_next))

#define SIMPLEQ_FOREACH_SAFE(var, head, field, next) \
for ((var) = ((head)->sqh_first); \
     (var) != SIMPLEQ_END(head) && \
     ((next = ((var)->field.sqe_next)), 1); \
     (var) = (next))

/*
* Simple queue functions.
*/

#define SIMPLEQ_INIT(head) do { \
(head)->sqh_first = NULL; \
(head)->sqh_last \
= &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_HEAD(head, elm, field) do { \
if (((elm)->field.sqe_next = (head)->sqh_first) == NULL) \
(head)->sqh_last = &(elm)->field.sqe_next; \
(head)->sqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_TAIL(head, elm, field) do { \
(elm)->field.sqe_next = NULL; \
*(head)->sqh_last = (elm); \
(head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
if (((elm)->field.sqe_next = (listelm)->field.sqe_next) == NULL) \
(head)->sqh_last = &(elm)->field.sqe_next; \
(listelm)->field.sqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_HEAD(head, field) do { \
if (((head)->sqh_first = (head)->sqh_first->field.sqe_next) == NULL) \
(head)->sqh_last = &(head)->sqh_first; \
} while (/*CONSTCOND*/0)

```

```

} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE_AFTER(head, elm, field) do { \
    if \
    (((elm)->field.sqe_next = (elm)->field.sqe_next->field.sqe_next) \
     == NULL) \
    (head)->sqh_last = &(elm)->field.sqe_next; \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_REMOVE(head, elm, type, field) do { \
    if ((head)->sqh_first == (elm)) { \
        SIMPLEQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->sqh_first; \
        while (curelm->field.sqe_next != (elm)) \
            curelm = curelm->field.sqe_next; \
        if ((curelm->field.sqe_next = \
            curelm->field.sqe_next->field.sqe_next) == NULL) \
            (head)->sqh_last = &(curelm)->field.sqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_CONCAT(head1, head2) do { \
    if (!SIMPLEQ_EMPTY((head2))) { \
        *(head1)->sqh_last = (head2)->sqh_first; \
        (head1)->sqh_last = (head2)->sqh_last; \
        SIMPLEQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define SIMPLEQ_LAST(head, type, field) \
    (SIMPLEQ_EMPTY((head)) ? \
     NULL : \
     ((struct type \
      *)((void *) \
        ((char *)((head)->sqh_last) - offsetof(struct type, field))))

/*
 * Tail queue definitions.
 */
#define _TAILQ_HEAD(name, type, qual) \
    struct name { \
        qual type *tqh_first; /* first element */ \
        qual type *qual *tqh_last; /* addr of last next element */ \
    }
#define TAILQ_HEAD(name, type) _TAILQ_HEAD(name, struct type,)

#define TAILQ_HEAD_INITIALIZER(head) \

```

```

{ TAILQ_END(head), &(head).tqh_first }

#define _TAILQ_ENTRY(type, qual) \
struct { \
    qual type *tqe_next; /* next element */ \
    qual type *qual *tqe_prev; /* address of previous next element */ \
}

#define TAILQ_ENTRY(type) _TAILQ_ENTRY(struct type,)

/*
 * Tail queue access methods.
 */

#define TAILQ_FIRST(head) ((head)->tqh_first)
#define TAILQ_END(head) (NULL)
#define TAILQ_NEXT(elm, field) ((elm)->field.tqe_next)
#define TAILQ_LAST(head, headname) \
    (((struct headname *) (void *) ((head)->tqh_last))->tqh_last)
#define TAILQ_PREV(elm, headname, field) \
    (((struct headname *) (void *) ((elm)->field.tqe_prev))->tqh_last)
#define TAILQ_EMPTY(head) (TAILQ_FIRST(head) == TAILQ_END(head))

#define TAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head); \
        (var) = ((var)->field.tqe_next))

#define TAILQ_FOREACH_SAFE(var, head, field, next) \
    for ((var) = ((head)->tqh_first); \
        (var) != TAILQ_END(head) && \
        ((next) = TAILQ_NEXT(var, field), 1); (var) = (next))

#define TAILQ_FOREACH_REVERSE(var, head, headname, field) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head); \
        (var) = TAILQ_PREV((var), headname, field))

#define TAILQ_FOREACH_REVERSE_SAFE(var, head, headname, field, prev) \
    for ((var) = TAILQ_LAST((head), headname); \
        (var) != TAILQ_END(head) && \
        ((prev) = TAILQ_PREV((var), headname, field), 1); (var) = (prev))

/*
 * Tail queue functions.
 */

#if defined(QUEUEDEBUG)
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head,

```

```

elm, field) \
if ((head)->tqh_first && \
    (head)->tqh_first->field.tqe_prev != &(head)->tqh_first) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_HEAD %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field) \
if (*(head)->tqh_last != NULL) \
    QUEUEDEBUG_ABORT("TAILQ_INSERT_TAIL %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_OP(elm, field) \
if ((elm)->field.tqe_next && \
    (elm)->field.tqe_next->field.tqe_prev != \
    &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_* forw %p %s:%d", (elm), \
        __FILE__, __LINE__); \
if (*(elm)->field.tqe_prev != (elm)) \
    QUEUEDEBUG_ABORT("TAILQ_* back %p %s:%d", (elm), \
        __FILE__, __LINE__);
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field) \
if ((elm)->field.tqe_next == NULL && \
    (head)->tqh_last != &(elm)->field.tqe_next) \
    QUEUEDEBUG_ABORT("TAILQ_PREREMOVE head %p elm %p %s:%d", \
        (head), (elm), __FILE__, \
        __LINE__);
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field) \
(elm)->field.tqe_next = (void *)1L; \
(elm)->field.tqe_prev = (void *)1L;
#else
#define QUEUEDEBUG_TAILQ_INSERT_HEAD(head, elm, field)
#define QUEUEDEBUG_TAILQ_INSERT_TAIL(head, elm, field)
#define QUEUEDEBUG_TAILQ_OP(elm, field)
#define QUEUEDEBUG_TAILQ_PREREMOVE(head, elm, field)
#define QUEUEDEBUG_TAILQ_POSTREMOVE(elm, field)
#endif

#define TAILQ_INIT(head) do { \
    (head)->tqh_first = TAILQ_END(head); \
    (head)->tqh_last = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBUG_TAILQ_INSERT_HEAD((head), (elm), field) \
    if (((elm)->field.tqe_next = (head)->tqh_first) != TAILQ_END(head)) \
        (head)->tqh_first->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (head)->tqh_first = (elm); \
} while (0)

```

```

(elm)->field.tqe_prev = &(head)->tqh_first; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_TAIL(head,
elm, field) do { \
    QUEUEDEBBUG_TAILQ_INSERT_TAIL((head), (elm), field) \
    (elm)->field.tqe_next = TAILQ_END(head); \
    (elm)->field.tqe_prev = (head)->tqh_last; \
    *(head)->tqh_last = (elm); \
    (head)->tqh_last = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBBUG_TAILQ_OP((listelm), field) \
    if (((elm)->field.tqe_next = (listelm)->field.tqe_next) != \
        TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            &(elm)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm)->field.tqe_next; \
    (listelm)->field.tqe_next = (elm); \
    (elm)->field.tqe_prev = &(listelm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_INSERT_BEFORE(listelm, elm, field) do { \
    QUEUEDEBBUG_TAILQ_OP((listelm), field) \
    (elm)->field.tqe_prev = (listelm)->field.tqe_prev; \
    (elm)->field.tqe_next = (listelm); \
    *(listelm)->field.tqe_prev = (elm); \
    (listelm)->field.tqe_prev \
    = &(elm)->field.tqe_next; \
} while (/*CONSTCOND*/0)

#define TAILQ_REMOVE(head, elm, field) do { \
    QUEUEDEBBUG_TAILQ_PREREMOVE((head), (elm), field) \
    QUEUEDEBBUG_TAILQ_OP((elm), field) \
    if (((elm)->field.tqe_next) != TAILQ_END(head)) \
        (elm)->field.tqe_next->field.tqe_prev = \
            (elm)->field.tqe_prev; \
    else \
        (head)->tqh_last = (elm)->field.tqe_prev; \
    *(elm)->field.tqe_prev = (elm)->field.tqe_next; \
    QUEUEDEBBUG_TAILQ_POSTREMOVE((elm), field); \
} while (/*CONSTCOND*/0)

#define TAILQ_REPLACE(head, elm, elm2, field) do { \
    if (((elm2)->field.tqe_next = (elm)->field.tqe_next) != \
        TAILQ_END(head)) \

```

```

        (elm2)->field.tqe_next->field.tqe_prev = \
            &(elm2)->field.tqe_next; \
    else \
        (head)->tqh_last = &(elm2)->field.tqe_next; \
        (elm2)->field.tqe_prev = (elm)->field.tqe_prev; \
        *(elm2)->field.tqe_prev = (elm2); \
    QUEUEDEBUG_TAILQ_POSTREMOVE((elm),
    field); \
} while (/*CONSTCOND*/0)

#define TAILQ_CONCAT(head1, head2, field) do { \
    if (!TAILQ_EMPTY(head2)) { \
        *(head1)->tqh_last = (head2)->tqh_first; \
        (head2)->tqh_first->field.tqe_prev = (head1)->tqh_last; \
        (head1)->tqh_last = (head2)->tqh_last; \
        TAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

/*
 * Singly-linked Tail queue declarations.
 */
#define STAILQ_HEAD(name, type) \
struct name { \
    struct type *stqh_first; /* first element */ \
    struct type **stqh_last; /* addr of last next element */ \
}

#define STAILQ_HEAD_INITIALIZER(head) \
{ NULL, &(head).stqh_first }

#define STAILQ_ENTRY(type) \
struct { \
    struct type *stqe_next; /* next element */ \
}

/*
 * Singly-linked Tail queue access methods.
 */
#define STAILQ_FIRST(head) ((head)->stqh_first)
#define STAILQ_END(head) NULL
#define STAILQ_NEXT(elm, field) ((elm)->field.stqe_next)
#define STAILQ_EMPTY(head) (STAILQ_FIRST(head) \
    == STAILQ_END(head))

/*
 * Singly-linked Tail queue functions.
 */

```



```

#define STAILQ_INIT(head) do { \
    (head)->stqh_first = NULL; \
    (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_HEAD(head, elm, field) do { \
    if (((elm)->field.stqe_next = (head)->stqh_first) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (head)->stqh_first = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_TAIL(head, elm, field) do { \
    (elm)->field.stqe_next = NULL; \
    *(head)->stqh_last = (elm); \
    (head)->stqh_last = &(elm)->field.stqe_next; \
} while (/*CONSTCOND*/0)

#define STAILQ_INSERT_AFTER(head, listelm, elm, field) do { \
    if (((elm)->field.stqe_next = (listelm)->field.stqe_next) == NULL) \
        (head)->stqh_last = &(elm)->field.stqe_next; \
    (listelm)->field.stqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE_HEAD(head, field) do { \
    if (((head)->stqh_first = (head)->stqh_first->field.stqe_next) \
        == NULL) \
        (head)->stqh_last = &(head)->stqh_first; \
} while (/*CONSTCOND*/0)

#define STAILQ_REMOVE(head, elm, type, field) do { \
    if ((head)->stqh_first == (elm)) { \
        STAILQ_REMOVE_HEAD((head), field); \
    } else { \
        struct type *curelm = (head)->stqh_first; \
        while (curelm->field.stqe_next != (elm)) \
            curelm = curelm->field.stqe_next; \
        if ((curelm->field.stqe_next = \
            curelm->field.stqe_next->field.stqe_next) == NULL) \
            (head)->stqh_last = &(curelm)->field.stqe_next; \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_FOREACH(var, head, field) \
    for ((var) = ((head)->stqh_first); \
        (var); \
        (var) = ((var)->field.stqe_next))

#define STAILQ_FOREACH_SAFE(var, head, field, tvar) \

```

```

for ((var) = STAILQ_FIRST((head)); \
    (var) && ((tvar) = STAILQ_NEXT((var), field), 1); \
    (var) = (tvar))

#define STAILQ_CONCAT(head1, head2) do { \
    if (!STAILQ_EMPTY((head2))) { \
        *(head1)->stqh_last \
        = (head2)->stqh_first; \
        (head1)->stqh_last = (head2)->stqh_last; \
        STAILQ_INIT((head2)); \
    } \
} while (/*CONSTCOND*/0)

#define STAILQ_LAST(head, type, field) \
(STAILQ_EMPTY((head)) ? \
    NULL : \
    ((struct type *) (void *) \
    ((char *) ((head)->stqh_last) - offsetof(struct type, field))))

#ifdef _KERNEL
/*
 * Circular queue definitions. Do not use. We still keep the macros
 * for compatibility but because of pointer aliasing issues their use
 * is discouraged!
 */

/*
 * __launder_type(): We use this ugly hack to work around the the compiler
 * noticing that two types may not alias each other and elide tests in code.
 * We hit this in the CIRCLEQ macros when comparing 'struct name *' and
 * 'struct type *' (see CIRCLEQ_HEAD()). Modern compilers (such as GCC
 * 4.8) declare these comparisons as always false, causing the code to
 * not run as designed.
 *
 * This hack is only to be used for comparisons and thus can be fully const.
 * Do not use for assignment.
 *
 * If we ever choose to change the ABI of the CIRCLEQ macros, we could fix
 * this by changing the head/tail sentinel values, but see the note above
 * this one.
 */
static __inline const void * __launder_type(const void *);
static __inline const void *
__launder_type(const void *__x)
{
    __asm __volatile("" : "+r" (__x));
    return __x;
}

```

```

}

#if defined(QEUEDEBUG)
#define QEUEDEBUG_CIRCLEQ_HEAD(head, field) \
if ((head)->cqh_first != CIRCLEQ_ENDC(head) && \
    (head)->cqh_first->field.cqe_prev != CIRCLEQ_ENDC(head)) \
    QEUEDEBUG_ABORT("CIRCLEQ head forw %p %s:%d", (head), \
        __FILE__, __LINE__); \
if ((head)->cqh_last != CIRCLEQ_ENDC(head) && \
    (head)->cqh_last->field.cqe_next != CIRCLEQ_ENDC(head)) \
    QEUEDEBUG_ABORT("CIRCLEQ head back %p %s:%d", (head), \
        __FILE__, __LINE__);
#define QEUEDEBUG_CIRCLEQ_ELM(head, elm, field) \
if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_last != (elm)) \
        QEUEDEBUG_ABORT("CIRCLEQ \
elm last %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_next->field.cqe_prev != (elm)) \
        QEUEDEBUG_ABORT("CIRCLEQ elm forw %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} \
if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) { \
    if ((head)->cqh_first != (elm)) \
        QEUEDEBUG_ABORT("CIRCLEQ elm first %p %s:%d", \
            (elm), __FILE__, __LINE__); \
} else { \
    if ((elm)->field.cqe_prev->field.cqe_next != (elm)) \
        QEUEDEBUG_ABORT("CIRCLEQ elm prev %p %s:%d", \
            (elm), __FILE__, __LINE__); \
}
#define QEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field) \
(elm)->field.cqe_next = (void *)1L; \
(elm)->field.cqe_prev = (void *)1L;
#else
#define QEUEDEBUG_CIRCLEQ_HEAD(head, field)
#define QEUEDEBUG_CIRCLEQ_ELM(head, elm, field)
#define QEUEDEBUG_CIRCLEQ_POSTREMOVE(elm, field)
#endif

#define CIRCLEQ_HEAD(name, type) \
struct name { \
    struct type *cqh_first; /* \
first element */ \
    struct type *cqh_last; /* last element */ \
}

```

```

#define CIRCLEQ_HEAD_INITIALIZER(head) \
{ CIRCLEQ_END(&head), CIRCLEQ_END(&head) }

#define CIRCLEQ_ENTRY(type) \
struct { \
    struct type *cqe_next; /* next element */ \
    struct type *cqe_prev; /* previous element */ \
}

/*
 * Circular queue functions.
 */
#define CIRCLEQ_INIT(head) do { \
    (head)->cqh_first = CIRCLEQ_END(head); \
    (head)->cqh_last = CIRCLEQ_END(head); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_AFTER(head, listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm)->field.cqe_next; \
    (elm)->field.cqe_prev = (listelm); \
    if ((listelm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
    else \
        (listelm)->field.cqe_next->field.cqe_prev = (elm); \
    (listelm)->field.cqe_next = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_BEFORE(head, \
listelm, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBDEBUG_CIRCLEQ_ELM((head), (listelm), field) \
    (elm)->field.cqe_next = (listelm); \
    (elm)->field.cqe_prev = (listelm)->field.cqe_prev; \
    if ((listelm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else \
        (listelm)->field.cqe_prev->field.cqe_next = (elm); \
    (listelm)->field.cqe_prev = (elm); \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_HEAD(head, elm, field) do { \
    QUEUEDEBDEBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next = (head)->cqh_first; \
    (elm)->field.cqe_prev = CIRCLEQ_END(head); \
    if ((head)->cqh_last == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm); \
} while (/*CONSTCOND*/0)

```

```

else    \
    (head)->cqh_first->field.cqe_prev = (elm); \
    (head)->cqh_first = (elm);    \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_INSERT_TAIL(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    (elm)->field.cqe_next \
    = CIRCLEQ_END(head); \
    (elm)->field.cqe_prev = (head)->cqh_last; \
    if ((head)->cqh_first == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm); \
    else    \
        (head)->cqh_last->field.cqe_next = (elm); \
    (head)->cqh_last = (elm);    \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_REMOVE(head, elm, field) do { \
    QUEUEDEBBUG_CIRCLEQ_HEAD((head), field) \
    QUEUEDEBBUG_CIRCLEQ_ELM((head), (elm), field) \
    if ((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
        (head)->cqh_last = (elm)->field.cqe_prev; \
    else    \
        (elm)->field.cqe_next->field.cqe_prev = \
            (elm)->field.cqe_prev; \
    if ((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
        (head)->cqh_first = (elm)->field.cqe_next; \
    else    \
        (elm)->field.cqe_prev->field.cqe_next = \
            (elm)->field.cqe_next; \
    QUEUEDEBBUG_CIRCLEQ_POSTREMOVE((elm), field) \
} while (/*CONSTCOND*/0)

#define CIRCLEQ_FOREACH(var, head, field) \
    for ((var) = ((head)->cqh_first); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) \
        = ((var)->field.cqe_next))

#define CIRCLEQ_FOREACH_REVERSE(var, head, field) \
    for ((var) = ((head)->cqh_last); \
        (var) != CIRCLEQ_ENDC(head); \
        (var) = ((var)->field.cqe_prev))

/*
 * Circular queue access methods.
 */
#define CIRCLEQ_FIRST(head) ((head)->cqh_first)

```

```

#define CIRCLEQ_LAST(head) ((head)->cqh_last)
/* For comparisons */
#define CIRCLEQ_ENDC(head) (__lauder_type(head))
/* For assignments */
#define CIRCLEQ_END(head) ((void *)(head))
#define CIRCLEQ_NEXT(elm, field) ((elm)->field.cqe_next)
#define CIRCLEQ_PREV(elm, field) ((elm)->field.cqe_prev)
#define CIRCLEQ_EMPTY(head) \
    (CIRCLEQ_FIRST(head) == CIRCLEQ_ENDC(head))

#define CIRCLEQ_LOOP_NEXT(head, elm, field) \
    (((elm)->field.cqe_next == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_first) \
     : (elm->field.cqe_next))
#define CIRCLEQ_LOOP_PREV(head, elm, field) \
    (((elm)->field.cqe_prev == CIRCLEQ_ENDC(head)) \
     ? ((head)->cqh_last) \
     : \
     (elm->field.cqe_prev))
#endif /* !_KERNEL */

#endif /* !_SYS_QUEUE_H_ */
# Contributor: Fabian Affolter <fabian@affolter-engineering.ch>
# Maintainer: Fabian Affolter <fabian@affolter-engineering.ch>
pkgname=py3-flake8-copyright
_pkgname=flake8-copyright
pkgver=0.2.4
pkgrel=3
pkgdesc="Extension for flake8 which checks for copyrights"
options="!check" # No testsuite
url="https://github.com/savoirfairelinux/flake8-copyright"
arch="noarch"
license="MIT"
depends="py3-flake8 py3-setuptools"
makedepends="py3-gpep517 py3-wheel"
subpackages="$pkgname-pyc"
source="https://files.pythonhosted.org/packages/source/${_pkgname:0:1}/${_pkgname}/${_pkgname}-${pkgver}.tar.gz"
builddir="$srcdir"/$_pkgname-$pkgver

replaces="py-flake8-copyright" # Backwards compatibility
provides="py-flake8-copyright=${pkgver}-r${pkgrel}" # Backwards compatibility

build() {
    gpep517 build-wheel \
        --wheel-dir .dist \
        --output-fd 3 3>&1 >&2
}

```

```

package() {
    gpep517 install-wheel --destdir "$pkgdir" \
        .dist/*.whl
}

sha512sums="
a6ab47e1bb715618f075c51f398e18180404871b3b0faf1c2d30701d5203db6bc23771bf22ffb5bafcd8ee856b9b64237
b316bd503ae7dceed6ca284ccd5a74d
flake8-copyright-0.2.4.tar.gz
"

#ifndef _SYS_CDEFS_H_
#define _SYS_CDEFS_H_

#warning usage of non-standard #include <sys/cdefs.h> is deprecated

#undef __P
#undef __PMT

#define __P(args) args
#define __PMT(args) args

#define __CONCAT(x,y) x ## y
#define __STRING(x) #x

#ifdef __cplusplus
# define __BEGIN_DECLS extern "C" {
# define __END_DECLS }
#else
# define __BEGIN_DECLS
# define __END_DECLS
#endif

#if defined(__GNUC__) && !defined(__cplusplus)
# define __THROW __attribute__((__nothrow__))
# define __NTH(fct) __attribute__((__nothrow__)) fct
#else
# define __THROW
# define __NTH(fct) fct
#endif

#endif /* _SYS_CDEFS_H_ */

# Maintainer: fossdd <fossdd@pwned.life>
pkgname=cargo-license
pkgver=0.6.1
pkgrel=1
pkgdesc="Cargo subcommand to see license of dependencies"
url="https://github.com/onur/cargo-license"
arch="all"

```

```

license="MIT"
makedepends="cargo cargo-auditable"
source="$pkgname-$pkgver.tar.gz::https://crates.io/api/v1/crates/cargo-license/$pkgver/download"

prepare() {
    default_prepare

    cargo fetch --target="$CTARGET" --locked
}

build() {
    cargo auditable build --release --frozen
}

check() {
    cargo test --frozen
}

package() {
    install -Dm755 target/release/cargo-license -t "$pkgdir"/usr/bin
}

sha512sums="
36215145e79965be090ae2f5ce6f5eb208465eb67a94c26bed1fe70a131c46c6dc35695e30852759b7366883fbc3caf00
272d796ac634f0a5e1d49232b6b29d5  cargo-license-0.6.1.tar.gz
"

/* $NetBSD: tree.h,v 1.20 2013/09/14 13:20:45 joerg Exp $ */
/* $OpenBSD: tree.h,v 1.13 2011/07/09 00:19:45 pirofti Exp $ */
/* Modified by Void Linux. */
/*
* Copyright 2002 Niels Provos <provos@citi.umich.edu>
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*    notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*    notice, this list of conditions and the following disclaimer in the
*    documentation and/or other materials provided with the distribution.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE
* AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

```


* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```
#ifndef _SYS_TREE_H_
#define _SYS_TREE_H_
```

```
#ifdef __GNUC__
#define __GNUC_PREREQ__(x, y) \
  ((__GNUC__ == (x) && __GNUC_MINOR__ >= (y)) || \
   (__GNUC__ > (x)))
#else
#define __GNUC_PREREQ__(x, y) 0
#endif
```

```
#if __GNUC_PREREQ__(2, 7) || defined(__lint__)
#define _sys_tree_h_unused __attribute__((__unused__))
#else
#define _sys_tree_h_unused /* delete */
#endif
```

/*

* This file defines data structures for different types of trees:

* splay trees and red-black trees.

*

* A splay tree is a self-organizing

data structure. Every operation

* on the tree causes a splay to happen. The splay moves the requested

* node to the root of the tree and partly rebalances it.

*

* This has the benefit that request locality causes faster lookups as

* the requested nodes move to the top of the tree. On the other hand,

* every lookup causes memory writes.

*

* The Balance Theorem bounds the total access time for m operations

* and n inserts on an initially empty tree as $O((m + n)\lg n)$. The

* amortized cost for a sequence of m accesses to a splay tree is $O(\lg n)$;

*

* A red-black tree is a binary search tree with the node color as an

* extra attribute. It fulfills a set of conditions:

* - every search path from the root to a leaf consists of the

* same number of black nodes,

* - each red node (except for the root) has a black parent,

* - each leaf node is black.

*

```

* Every operation on a red-black tree is bounded as  $O(\lg n)$ .
* The maximum height of a red-black tree is  $2\lg(n+1)$ .
*/

#define SPLAY_HEAD(name, type) \
struct name { \
    struct type *sph_root; /* root of the tree */ \
}

#define SPLAY_INITIALIZER(root) \
{ NULL }

#define SPLAY_INIT(root) do { \
    (root)->sph_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ENTRY(type) \
struct { \
    struct type *spe_left; /* left element */ \
    struct type *spe_right; /* right element */ \
}

#define SPLAY_LEFT(elm, field) (elm)->field.spe_left
#define SPLAY_RIGHT(elm, field) (elm)->field.spe_right
#define SPLAY_ROOT(head) (head)->sph_root
#define SPLAY_EMPTY(head) (SPLAY_ROOT(head) == NULL)

/* SPLAY_ROTATE_{LEFT,RIGHT} expect that tmp hold SPLAY_{RIGHT,LEFT} */
#define SPLAY_ROTATE_RIGHT(head, tmp, field) do { \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(tmp, field); \
    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ROTATE_LEFT(head, tmp, field) do { \
    SPLAY_RIGHT((head)->sph_root, \
    field) = SPLAY_LEFT(tmp, field); \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    (head)->sph_root = tmp; \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKLEFT(head, tmp, field) do { \
    SPLAY_LEFT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_LEFT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_LINKRIGHT(head, tmp, field) do { \

```

```

    SPLAY_RIGHT(tmp, field) = (head)->sph_root; \
    tmp = (head)->sph_root; \
    (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
} while (/*CONSTCOND*/ 0)

#define SPLAY_ASSEMBLE(head, node, left, right, field) do { \
    SPLAY_RIGHT(left, field) = SPLAY_LEFT((head)->sph_root, field); \
    SPLAY_LEFT(right, field) = SPLAY_RIGHT((head)->sph_root, field); \
    SPLAY_LEFT((head)->sph_root, field) = SPLAY_RIGHT(node, field); \
    SPLAY_RIGHT((head)->sph_root, field) = SPLAY_LEFT(node, field); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */

#define
    SPLAY_PROTOTYPE(name, type, field, cmp) \
void name##_SPLAY(struct name *, struct type *); \
void name##_SPLAY_MINMAX(struct name *, int); \
struct type *name##_SPLAY_INSERT(struct name *, struct type *); \
struct type *name##_SPLAY_REMOVE(struct name *, struct type *); \
\
/* Finds the node with the same key as elm */ \
static __inline struct type * \
name##_SPLAY_FIND(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) \
        return(NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) \
        return (head->sph_root); \
    return (NULL); \
} \
\
static __inline _sys_tree_h_unused struct type * \
name##_SPLAY_NEXT(struct name *head, struct type *elm) \
{ \
    name##_SPLAY(head, elm); \
    if (SPLAY_RIGHT(elm, field) != NULL) { \
        elm = SPLAY_RIGHT(elm, field); \
        while (SPLAY_LEFT(elm, field) != NULL) { \
            elm = SPLAY_LEFT(elm, field); \
        } \
    } \
    else \
        elm = NULL; \
    return (elm); \
} \
\

```

```

static _sys_tree_h_unused __inline struct type * \
name##_SPLAY_MIN_MAX(struct name *head, int val) \
{ \
    name##_SPLAY_MINMAX(head, val); \
    return (SPLAY_ROOT(head)); \
}

/* Main splay operation.
 * Moves node close to the key of elm to top
 */
#define SPLAY_GENERATE(name, type, field, cmp) \
struct type * \
name##_SPLAY_INSERT(struct name *head, struct type *elm) \
{ \
    if (SPLAY_EMPTY(head)) { \
        SPLAY_LEFT(elm, field) = SPLAY_RIGHT(elm, field) = NULL; \
    } else { \
        int __comp; \
        name##_SPLAY(head, elm); \
        __comp = (cmp)(elm, (head)->sph_root); \
        if (__comp < 0) { \
            SPLAY_LEFT(elm, field) = SPLAY_LEFT((head)->sph_root, field); \
            SPLAY_RIGHT(elm, field) = (head)->sph_root; \
            SPLAY_LEFT((head)->sph_root, field) = NULL; \
        } else if (__comp > 0) { \
            SPLAY_RIGHT(elm, \
field) = SPLAY_RIGHT((head)->sph_root, field); \
            SPLAY_LEFT(elm, field) = (head)->sph_root; \
            SPLAY_RIGHT((head)->sph_root, field) = NULL; \
        } else \
            return ((head)->sph_root); \
    } \
    (head)->sph_root = (elm); \
    return (NULL); \
} \
\
struct type * \
name##_SPLAY_REMOVE(struct name *head, struct type *elm) \
{ \
    struct type *__tmp; \
    if (SPLAY_EMPTY(head)) \
        return (NULL); \
    name##_SPLAY(head, elm); \
    if ((cmp)(elm, (head)->sph_root) == 0) { \
        if (SPLAY_LEFT((head)->sph_root, field) == NULL) { \
            (head)->sph_root = SPLAY_RIGHT((head)->sph_root, field); \
        } else { \
            __tmp = SPLAY_RIGHT((head)->sph_root, field); \

```

```

(head)->sph_root = SPLAY_LEFT((head)->sph_root, field);\
name##_SPLAY(head, elm); \
SPLAY_RIGHT((head)->sph_root, field) = __tmp; \
} \
return (elm); \
} \
return (NULL); \
} \
\
void \
name##_SPLAY(struct
name *head, struct type *elm) \
{ \
struct type __node, *__left, *__right, *__tmp; \
int __comp; \
\
SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
__left = __right = &__node; \
\
while ((__comp = (cmp)(elm, (head)->sph_root)) != 0) { \
if (__comp < 0) { \
__tmp = SPLAY_LEFT((head)->sph_root, field);\
if (__tmp == NULL) \
break; \
if ((cmp)(elm, __tmp) < 0){ \
SPLAY_ROTATE_RIGHT(head, __tmp, field);\
if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
__tmp = SPLAY_RIGHT((head)->sph_root, field);\
if (__tmp == NULL) \
break; \
if ((cmp)(elm, __tmp) > 0){ \
SPLAY_ROTATE_LEFT(head, __tmp, field);\
if (SPLAY_RIGHT((head)->sph_root, field) == NULL)\
break; \
} \
SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head,
&__node, __left, __right, field); \
} \
\
/* Splay with either the minimum or the maximum element \
* Used to find minimum or maximum element in tree. \

```

```

*/
\
void name##_SPLAY_MINMAX(struct name *head, int __comp) \
{
\
struct type __node, *__left, *__right, *__tmp; \
\
SPLAY_LEFT(&__node, field) = SPLAY_RIGHT(&__node, field) = NULL;\
__left = __right = &__node; \
\
while (1) { \
if (__comp < 0) { \
__tmp = SPLAY_LEFT((head)->sph_root, field);\
if (__tmp == NULL) \
break; \
if (__comp < 0){ \
SPLAY_ROTATE_RIGHT(head, __tmp, field);\
if (SPLAY_LEFT((head)->sph_root, field) == NULL)\
break; \
} \
SPLAY_LINKLEFT(head, __right, field); \
} else if (__comp > 0) { \
__tmp = SPLAY_RIGHT((head)->sph_root, field);\
if (__tmp == NULL) \
break; \
if (__comp > 0) { \
SPLAY_ROTATE_LEFT(head, __tmp, field);\
if (SPLAY_RIGHT((head)->sph_root, \
field) == NULL)\
break; \
} \
SPLAY_LINKRIGHT(head, __left, field); \
} \
} \
SPLAY_ASSEMBLE(head, &__node, __left, __right, field); \
}

```

```

#define SPLAY_NEGINF -1

```

```

#define SPLAY_INF 1

```

```

#define SPLAY_INSERT(name, x, y) name##_SPLAY_INSERT(x, y)

```

```

#define SPLAY_REMOVE(name, x, y) name##_SPLAY_REMOVE(x, y)

```

```

#define SPLAY_FIND(name, x, y) name##_SPLAY_FIND(x, y)

```

```

#define SPLAY_NEXT(name, x, y) name##_SPLAY_NEXT(x, y)

```

```

#define SPLAY_MIN(name, x) (SPLAY_EMPTY(x) ? NULL \

```

```

: name##_SPLAY_MIN_MAX(x, SPLAY_NEGINF))

```

```

#define SPLAY_MAX(name, x) (SPLAY_EMPTY(x) ? NULL \

```

```

: name##_SPLAY_MIN_MAX(x, SPLAY_INF))

```

```

#define SPLAY_FOREACH(x, name, head) \

```

```

for ((x) = SPLAY_MIN(name, head); \
    (x) != NULL; \
    (x) = SPLAY_NEXT(name, head, x))

/* Macros that define a red-black tree */
#define RB_HEAD(name, type) \
struct name { \
    struct type *rbh_root; /* root of the tree */ \
}

#define RB_INITIALIZER(root) \
{ \
    NULL \
}

#define RB_INIT(root) do { \
    (root)->rbh_root = NULL; \
} while (/*CONSTCOND*/ 0)

#define RB_BLACK 0
#define RB_RED 1
#define RB_ENTRY(type) \
struct { \
    struct type *rbe_left; /* left element */ \
    struct type *rbe_right; /* right element */ \
    struct type *rbe_parent; /* parent element */ \
    int rbe_color; /* node color */ \
}

#define RB_LEFT(elm, field) (elm)->field.rbe_left
#define RB_RIGHT(elm, field) (elm)->field.rbe_right
#define RB_PARENT(elm, field) (elm)->field.rbe_parent
#define RB_COLOR(elm, field) (elm)->field.rbe_color
#define RB_ROOT(head) (head)->rbh_root
#define RB_EMPTY(head) (RB_ROOT(head) == NULL)

#define RB_SET(elm, parent, field) do { \
    RB_PARENT(elm, field) = parent; \
    RB_LEFT(elm, field) = RB_RIGHT(elm, field) = NULL; \
    RB_COLOR(elm, field) = RB_RED; \
} while (/*CONSTCOND*/ 0)

#define RB_SET_BLACKRED(black, red, field) do { \
    RB_COLOR(black, field) = RB_BLACK; \
    RB_COLOR(red, field) \
    = RB_RED; \
} while (/*CONSTCOND*/ 0)

#ifndef RB_AUGMENT

```

```

#define RB_AUGMENT(x) do { } while (/*CONSTCOND*/ 0)
#endif

#define RB_ROTATE_LEFT(head, elm, tmp, field) do { \
    (tmp) = RB_RIGHT(elm, field); \
    if ((RB_RIGHT(elm, field) = RB_LEFT(tmp, field)) != NULL) { \
        RB_PARENT(RB_LEFT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_LEFT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

#define RB_ROTATE_RIGHT(head, elm, tmp, field) do { \
    (tmp) = RB_LEFT(elm, field); \
    if ((RB_LEFT(elm, field) = RB_RIGHT(tmp, field)) \
        != NULL) { \
        RB_PARENT(RB_RIGHT(tmp, field), field) = (elm); \
    } \
    RB_AUGMENT(elm); \
    if ((RB_PARENT(tmp, field) = RB_PARENT(elm, field)) != NULL) { \
        if ((elm) == RB_LEFT(RB_PARENT(elm, field), field)) \
            RB_LEFT(RB_PARENT(elm, field), field) = (tmp); \
        else \
            RB_RIGHT(RB_PARENT(elm, field), field) = (tmp); \
    } else \
        (head)->rbh_root = (tmp); \
    RB_RIGHT(tmp, field) = (elm); \
    RB_PARENT(elm, field) = (tmp); \
    RB_AUGMENT(tmp); \
    if ((RB_PARENT(tmp, field))) \
        RB_AUGMENT(RB_PARENT(tmp, field)); \
} while (/*CONSTCOND*/ 0)

/* Generates prototypes and inline functions */
#define RB_PROTOTYPE(name, type, field, cmp) \
    RB_PROTOTYPE_INTERNAL(name, type, field, cmp,)
#define RB_PROTOTYPE_STATIC(name, type, field, cmp) \

```



```

RB_PROTOTYPE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_PROTOTYPE_INTERNAL(name, type, field, cmp, attr) \
attr void name##_RB_INSERT_COLOR(struct name *, struct
type *); \
attr void name##_RB_REMOVE_COLOR(struct name *, struct type *, struct type *);\
attr struct type *name##_RB_REMOVE(struct name *, struct type *); \
attr struct type *name##_RB_INSERT(struct name *, struct type *); \
attr struct type *name##_RB_FIND(struct name *, struct type *); \
attr struct type *name##_RB_NFIND(struct name *, struct type *); \
attr struct type *name##_RB_NEXT(struct type *); \
attr struct type *name##_RB_PREV(struct type *); \
attr struct type *name##_RB_MINMAX(struct name *, int); \
\

/* Main rb operation.
* Moves node close to the key of elm to top
*/
#define RB_GENERATE(name, type, field, cmp) \
RB_GENERATE_INTERNAL(name, type, field, cmp,)
#define RB_GENERATE_STATIC(name, type, field, cmp) \
RB_GENERATE_INTERNAL(name, type, field, cmp, _sys_tree_h_unused static)
#define RB_GENERATE_INTERNAL(name, type, field, cmp, attr) \
attr void \
name##_RB_INSERT_COLOR(struct name *head, struct type *elm) \
{ \
struct type
*parent, *gparent, *tmp; \
while ((parent = RB_PARENT(elm, field)) != NULL && \
RB_COLOR(parent, field) == RB_RED) { \
gparent = RB_PARENT(parent, field); \
if (parent == RB_LEFT(gparent, field)) { \
tmp = RB_RIGHT(gparent, field); \
if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
RB_COLOR(tmp, field) = RB_BLACK; \
RB_SET_BLACKRED(parent, gparent, field);\
elm = gparent; \
continue; \
} \
if (RB_RIGHT(parent, field) == elm) { \
RB_ROTATE_LEFT(head, parent, tmp, field);\
tmp = parent; \
parent = elm; \
elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_RIGHT(head, gparent, tmp, field); \
} else { \
tmp = RB_LEFT(gparent, field); \

```

```

if (tmp && RB_COLOR(tmp, field) == RB_RED) { \
    RB_COLOR(tmp, field) = RB_BLACK; \
    RB_SET_BLACKRED(parent, gparent, field);\
    elm = gparent; \
    continue; \
} \
if (RB_LEFT(parent, field) == elm)
{ \
    RB_ROTATE_RIGHT(head, parent, tmp, field);\
    tmp = parent; \
    parent = elm; \
    elm = tmp; \
} \
RB_SET_BLACKRED(parent, gparent, field); \
RB_ROTATE_LEFT(head, gparent, tmp, field);\
} \
} \
RB_COLOR(head->rbh_root, field) = RB_BLACK; \
} \
\
attr void \
name##_RB_REMOVE_COLOR(struct name *head, struct type *parent, struct type *elm) \
{ \
    struct type *tmp; \
    while ((elm == NULL || RB_COLOR(elm, field) == RB_BLACK) && \
        elm != RB_ROOT(head)) { \
        if (RB_LEFT(parent, field) == elm) { \
            tmp = RB_RIGHT(parent, field); \
            if (RB_COLOR(tmp, field) == RB_RED) { \
                RB_SET_BLACKRED(tmp, parent, field); \
                RB_ROTATE_LEFT(head, parent, tmp, field);\
                tmp = RB_RIGHT(parent, field); \
            } \
            if ((RB_LEFT(tmp, field) == NULL || \
                RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) && \
                (RB_RIGHT(tmp, field) == NULL || \
                RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
                RB_COLOR(tmp, field) = RB_RED; \
                elm = parent; \
                parent = RB_PARENT(elm, field); \
            } else { \
                if (RB_RIGHT(tmp, field) == NULL || \
                    RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK) {\
                    struct type *oleft; \
                    if ((oleft = RB_LEFT(tmp, field)) \
                        != NULL) \
                        RB_COLOR(oleft, field) = RB_BLACK;\

```

```

RB_COLOR(tmp, field) = RB_RED; \
RB_ROTATE_RIGHT(head, tmp, oleft, field);\
tmp = RB_RIGHT(parent, field); \
} \
RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
RB_COLOR(parent, field) = RB_BLACK; \
if (RB_RIGHT(tmp, field)) \
    RB_COLOR(RB_RIGHT(tmp, field), field) = RB_BLACK;\
RB_ROTATE_LEFT(head, parent, tmp, field);\
elm = RB_ROOT(head); \
break; \
} \
} else { \
    tmp = RB_LEFT(parent, field); \
    if (RB_COLOR(tmp, field) == RB_RED) { \
        RB_SET_BLACKRED(tmp, parent, field); \
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        tmp
= RB_LEFT(parent, field); \
    } \
    if ((RB_LEFT(tmp, field) == NULL || \
        RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) &&\
        (RB_RIGHT(tmp, field) == NULL || \
        RB_COLOR(RB_RIGHT(tmp, field), field) == RB_BLACK)) {\
        RB_COLOR(tmp, field) = RB_RED; \
        elm = parent; \
        parent = RB_PARENT(elm, field); \
    } else { \
        if (RB_LEFT(tmp, field) == NULL || \
            RB_COLOR(RB_LEFT(tmp, field), field) == RB_BLACK) {\
            struct type *oright; \
            if ((oright = RB_RIGHT(tmp, field)) \
                != NULL) \
                RB_COLOR(oright, field) = RB_BLACK;\
            RB_COLOR(tmp, field) = RB_RED; \
            RB_ROTATE_LEFT(head, tmp, oright, field);\
            tmp = RB_LEFT(parent, field); \
        } \
        RB_COLOR(tmp, field) = RB_COLOR(parent, field);\
        RB_COLOR(parent, field) = RB_BLACK; \
        if (RB_LEFT(tmp, field)) \
            RB_COLOR(RB_LEFT(tmp, field), field) = RB_BLACK;\
        RB_ROTATE_RIGHT(head, parent, tmp, field);\
        elm = RB_ROOT(head); \
        break; \
    } \
} \
} \
} \

```

```

if
(elm)    \
    RB_COLOR(elm, field) = RB_BLACK; \
}      \
    \
attr struct type *    \
name##_RB_REMOVE(struct name *head, struct type *elm) \
{      \
    struct type *child, *parent, *old = elm; \
    int color;    \
    if (RB_LEFT(elm, field) == NULL) \
        child = RB_RIGHT(elm, field); \
    else if (RB_RIGHT(elm, field) == NULL) \
        child = RB_LEFT(elm, field); \
    else {      \
        struct type *left; \
        elm = RB_RIGHT(elm, field); \
        while ((left = RB_LEFT(elm, field)) != NULL) \
            elm = left; \
        child = RB_RIGHT(elm, field); \
        parent = RB_PARENT(elm, field); \
        color = RB_COLOR(elm, field); \
        if (child) \
            RB_PARENT(child, field) = parent; \
        if (parent) { \
            if (RB_LEFT(parent, field) == elm) \
                RB_LEFT(parent, field) = child; \
            else \
                RB_RIGHT(parent, field) = child; \
            RB_AUGMENT(parent); \
        } else \
            RB_ROOT(head)
= child; \
    if (RB_PARENT(elm, field) == old) \
        parent = elm; \
    (elm)->field = (old)->field; \
    if (RB_PARENT(old, field)) { \
        if (RB_LEFT(RB_PARENT(old, field), field) == old)\
            RB_LEFT(RB_PARENT(old, field), field) = elm;\
        else \
            RB_RIGHT(RB_PARENT(old, field), field) = elm;\
        RB_AUGMENT(RB_PARENT(old, field)); \
    } else \
        RB_ROOT(head) = elm; \
    RB_PARENT(RB_LEFT(old, field), field) = elm; \
    if (RB_RIGHT(old, field)) \
        RB_PARENT(RB_RIGHT(old, field), field) = elm; \
    if (parent) { \

```

```

    left = parent; \
    do { \
        RB_AUGMENT(left); \
    } while ((left = RB_PARENT(left, field)) != NULL); \
} \
goto color; \
} \
parent = RB_PARENT(elm, field); \
color = RB_COLOR(elm, field); \
if (child) \
    RB_PARENT(child, field) = parent; \
if (parent) { \
    if (RB_LEFT(parent, field) == elm) \
        RB_LEFT(parent, field) = child; \
    else \
        RB_RIGHT(parent,
field) = child; \
    RB_AUGMENT(parent); \
} else \
    RB_ROOT(head) = child; \
color: \
if (color == RB_BLACK) \
    name##_RB_REMOVE_COLOR(head, parent, child); \
return (old); \
} \
\
/* Inserts a node into the RB tree */ \
attr struct type * \
name##_RB_INSERT(struct name *head, struct type *elm) \
{ \
    struct type *tmp; \
    struct type *parent = NULL; \
    int comp = 0; \
    tmp = RB_ROOT(head); \
    while (tmp) { \
        parent = tmp; \
        comp = (cmp)(elm, parent); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    RB_SET(elm, parent, field); \
    if (parent != NULL) { \
        if (comp < 0) \
            RB_LEFT(parent, field) = elm; \

```

```

else    \
    RB_RIGHT(parent, field) = elm; \
    RB_AUGMENT(parent); \
} else    \
    RB_ROOT(head) = elm; \
name##_RB_INSERT_COLOR(head,
elm); \
return (NULL); \
} \
    \

/* Finds the node with the same key as elm */ \
attr struct type *    \
name##_RB_FIND(struct name *head, struct type *elm) \
{    \
    struct type *tmp = RB_ROOT(head); \
    int comp; \
    while (tmp) {    \
        comp = cmp(elm, tmp); \
        if (comp < 0) \
            tmp = RB_LEFT(tmp, field); \
        else if (comp > 0) \
            tmp = RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (NULL); \
} \
    \

/* Finds the first node greater than or equal to the search key */ \
attr struct type *    \
name##_RB_NFIND(struct name *head, struct type *elm) \
{    \
    struct type *tmp = RB_ROOT(head); \
    struct type *res = NULL; \
    int comp; \
    while (tmp) {    \
        comp = cmp(elm, tmp); \
        if (comp < 0) { \
            res = tmp; \
            tmp = RB_LEFT(tmp, field); \
        } \
        else if (comp > 0) \
            tmp =
RB_RIGHT(tmp, field); \
        else \
            return (tmp); \
    } \
    return (res); \
}

```

```

    }
    \
    \
/* ARGSUSED */
attr struct type *
name##_RB_NEXT(struct type *elm)
{
    \
    if (RB_RIGHT(elm, field)) {
        \
        elm = RB_RIGHT(elm, field);
        \
        while (RB_LEFT(elm, field))
            elm = RB_LEFT(elm, field);
        \
    } else {
        \
        if (RB_PARENT(elm, field) &&
            (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field);
        \
        else {
            \
            while (RB_PARENT(elm, field) &&
                (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field);
            \
            elm = RB_PARENT(elm, field);
            \
        }
        \
    }
    \
    return (elm);
    \
}
    \
    \
/* ARGSUSED */
attr struct type *
name##_RB_PREV(struct type *elm)
{
    \
    if (RB_LEFT(elm, field)) {
        \
        elm = RB_LEFT(elm, field);
        \
        while (RB_RIGHT(elm, field))
            elm = RB_RIGHT(elm, field);
        \
    }
    \
    else {
        \
        if (RB_PARENT(elm, field) &&
            (elm == RB_RIGHT(RB_PARENT(elm, field), field))) \
            elm = RB_PARENT(elm, field);
        \
        else {
            \
            while (RB_PARENT(elm, field) &&
                (elm == RB_LEFT(RB_PARENT(elm, field), field))) \
                elm = RB_PARENT(elm, field);
            \
            elm = RB_PARENT(elm, field);
            \
        }
        \
    }
    \
    return (elm);
    \
}
    \
    \
attr struct type *

```

```

name##_RB_MINMAX(struct name *head, int val) \
{ \
    struct type *tmp = RB_ROOT(head); \
    struct type *parent = NULL; \
    while (tmp) { \
        parent = tmp; \
        if (val < 0) \
            tmp = RB_LEFT(tmp, field); \
        else \
            tmp = RB_RIGHT(tmp, field); \
    } \
    return (parent); \
}

#define RB_NEGINF -1
#define RB_INF 1

#define RB_INSERT(name, x, y) name##_RB_INSERT(x, y)
#define RB_REMOVE(name, x, y) name##_RB_REMOVE(x, y)
#define RB_FIND(name, x, y) name##_RB_FIND(x, y)
#define RB_NFIND(name, x, y) name##_RB_NFIND(x, \
y)
#define RB_NEXT(name, x, y) name##_RB_NEXT(y)
#define RB_PREV(name, x, y) name##_RB_PREV(y)
#define RB_MIN(name, x) name##_RB_MINMAX(x, RB_NEGINF)
#define RB_MAX(name, x) name##_RB_MINMAX(x, RB_INF)

#define RB_FOREACH(x, name, head) \
for ((x) = RB_MIN(name, head); \
(x) != NULL; \
(x) = name##_RB_NEXT(x))

#define RB_FOREACH_FROM(x, name, y) \
for ((x) = (y); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_SAFE(x, name, head, y) \
for ((x) = RB_MIN(name, head); \
((x) != NULL) && ((y) = name##_RB_NEXT(x), (x) != NULL); \
(x) = (y))

#define RB_FOREACH_REVERSE(x, name, head) \
for ((x) = RB_MAX(name, head); \
(x) != NULL; \
(x) = name##_RB_PREV(x))

#define RB_FOREACH_REVERSE_FROM(x, name, y) \

```



```

for ((x) = (y);    \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#define RB_FOREACH_REVERSE_SAFE(x, name,
head, y) \
for ((x) = RB_MAX(name, head);    \
    ((x) != NULL) && ((y) = name##_RB_PREV(x), (x) != NULL); \
    (x) = (y))

#endif /* _SYS_TREE_H_ */
pkgname=linux-headers
pkgver=6.14.2 # Follow the latest Linux stable
_kernver=${pkgver%.*}
pkgrel=0
pkgdesc="Linux system headers"
url="https://kernel.org/"
arch="all" # Headers are architecture specific
license="GPL-2.0-only"
makedepends="perl"
options="!check !dbg !strip !tracedeps !archcheck"
source="https://kernel.org/pub/linux/kernel/v6.x/linux-$_kernver.tar.xz
revert-broken-uapi.patch
0003-remove-inclusion-of-sysinfo.h-in-kernel.h.patch

```

1.75 apk-tools 2.14.9-r3

1.75.1 Available under license :

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software

is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any

derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable

sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works.

But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it

with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all

the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the

operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and

the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE

STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE

THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.
END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best

way to achieve this is to make it free software
which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and an idea of what it does.>

Copyright (C)< yyyy> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a
copy of the GNU General Public License along with
this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon >, 1 April 1989 Ty Coon, President of Vice This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

1.76 protobuf-java 3.25.8

1.76.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
java.util.List<com.google.protobuf.DescriptorProtos.FieldOptions.OptionTargetType> getTargetsList();
getEditionDefaultsList();
public java.util.List<com.google.protobuf.DescriptorProtos.FieldOptions.OptionTargetType> getTargetsList() {
public java.util.List<com.google.protobuf.DescriptorProtos.FieldOptions.EditionDefault> getEditionDefaultsList() {
if (!getEditionDefaultsList()
.equals(other.getEditionDefaultsList())) return false;
hash = (53 * hash) + getEditionDefaultsList().hashCode();
public java.util.List<com.google.protobuf.DescriptorProtos.FieldOptions.OptionTargetType> getTargetsList() {
public java.util.List<com.google.protobuf.DescriptorProtos.FieldOptions.EditionDefault> getEditionDefaultsList() {
getDefaultsList();
public java.util.List<com.google.protobuf.DescriptorProtos.FeatureSetDefaults.FeatureSetEditionDefault>
```



```

getDefaultsList() {
if (!getDefaultsList()
.equals(other.getDefaultsList())) return false;
hash
= (53 * hash) + getDefaultsList().hashCode();
public java.util.List<com.google.protobuf.DescriptorProtos.FeatureSetDefaults.FeatureSetEditionDefault>
getDefaultsList() {
getLeadingDetachedCommentsList();
getLeadingDetachedCommentsList() {
size += 1 * getLeadingDetachedCommentsList().size();
if (!getLeadingDetachedCommentsList()
.equals(other.getLeadingDetachedCommentsList())) return false;
hash = (53 * hash) + getLeadingDetachedCommentsList().hashCode();
getLeadingDetachedCommentsList() {

```

Found in path(s):

* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/DescriptorProtos.java
No license file was found, but licenses were detected in source scan.

// Copyright 2008 Google Inc. All rights reserved.

Found in path(s):

* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ProtocolStringList.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/SingleFieldBuilder.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ProtobufArrayList.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Android.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MessageOrBuilder.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Java8Compatibility.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/TypeRegistry.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/GeneratedMessageLite.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/DynamicMessage.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MapFieldLite.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ByteBufferWriter.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/TextFormat.java
*
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Parser.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MessageLite.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MessageInfoFactory.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/DoubleArrayList.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/IterableByteBufferInputStream.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MapFieldSchemaFull.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/CompileTimeConstant.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/RepeatedFieldBuilder.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/RpcCallback.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ProtoSyntax.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/RopeByteString.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ServiceException.java
* /protobuf-java-3-25-8-sources-jar/com/google/protobuf/CodedInputStream.java

- *
- /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ExtensionRegistryFactory.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Internal.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/UnknownFieldSetLite.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/NewInstanceSchemaLite.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/UnknownFieldSetSchema.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MapFieldSchemaLite.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/OneofInfo.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/StructuralMessageInfo.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/NewInstanceSchemas.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/CodedInputStreamReader.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MessageSetSchema.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/LazyFieldLite.java
- *
- /protobuf-java-3-25-8-sources-jar/com/google/protobuf/TextFormatEscaper.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ManifestSchemaFactory.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/NioByteString.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/RawMessageInfo.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/AbstractMessage.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/GeneratedMessageInfoFactory.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/TextFormatParseLocation.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/TextFormatParseInfoTree.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MessageLiteOrBuilder.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/UnknownFieldSetLiteSchema.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/JavaType.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/BufferAllocator.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/AbstractProtobufList.java
- *
- /protobuf-java-3-25-8-sources-jar/com/google/protobuf/BlockingService.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/RpcController.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ExtensionRegistry.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Schema.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/FloatArrayList.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/FieldSet.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/InlineMe.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/GeneratedMessage.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Utf8.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/FieldInfo.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/BlockingRpcChannel.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Protobuf.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ExtensionLite.java
- *
- /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MapEntry.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/WireFormat.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/UnknownFieldSchema.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/RepeatedFieldBuilderV3.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/IntArrayList.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/BinaryReader.java

- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/UnknownFieldSet.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/LazyField.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Reader.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ExtensionSchemaFull.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/NewInstanceSchemaFull.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/FieldType.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/CheckReturnValue.java
- *
- /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ExtensionSchemaLite.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/LazyStringArrayList.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/NewInstanceSchema.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/CodedOutputStream.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ExtensionSchemas.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/InvalidProtocolBufferException.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/UnsafeUtil.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/SchemaUtil.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/BooleanArrayList.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/DescriptorMessageInfoFactory.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/LegacyDescriptorsUtil.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/RpcUtil.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MessageLiteToString.java
- *
- /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Service.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/AbstractMessageLite.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Extension.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ByteString.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/CodedOutputStreamWriter.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/SmallSortedMap.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ByteOutput.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/PrimitiveNonBoxingCollection.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MutabilityOracle.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ListFieldSchema.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Message.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/GeneratedMessageV3.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/CanIgnoreReturnValue.java
- *
- /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ExtensionSchema.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ExtensionRegistryLite.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/UninitializedMessageException.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MessageReflection.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/UnsafeByteOperations.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MapEntryLite.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MapFieldBuilder.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Descriptors.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/DiscardUnknownFieldsParser.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/UnmodifiableLazyStringList.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ProtocolMessageEnum.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/Writer.java

- *
- /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MapFieldSchemas.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MessageInfo.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/LongArrayList.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ArrayDecoders.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/ExperimentalApi.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/SchemaFactory.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/SingleFieldBuilderV3.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/AbstractParser.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/AllocatedBuffer.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MapFieldReflectionAccessor.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MapFieldSchema.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MapField.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/LazyStringList.java
- *
- /protobuf-java-3-25-8-sources-jar/com/google/protobuf/BinaryWriter.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/RpcChannel.java
- * /protobuf-java-3-25-8-sources-jar/com/google/protobuf/MessageSchema.java

1.77 commons-fileupload 1.6.0

1.77.1 Available under license :

Apache Commons FileUpload

Copyright 2002-2025 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.78 busybox 1.37.0-r19

1.78.1 Available under license :

bzip2 applet in busybox is based on lightly-modified source
of bzip2 version 1.0.4. bzip2 source is distributed
under the following conditions (copied verbatim from LICENSE file)

=====

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2006 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must
not claim that you wrote the original software. If you use this
software in a product, an acknowledgment in the product
documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must
not be misrepresented
as being the original software.
4. The name of the author may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS
OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE
GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING
NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, Cambridge, UK.
jseward@bzip.org

bzip2/libbzip2 version 1.0.4 of 20 December 2006

--- A note on GPL versions

BusyBox is distributed under version 2 of the General Public License (included in its entirety, below). Version 2 is the only version of this license which this version of BusyBox (or modified versions derived from this one) may be distributed under.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's

software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this

License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty;

and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program

with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License.

However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed

through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,

REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice

like this

when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of
Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

1.79 openjdk 11.0.28

1.79.1 Available under license :

```
## c-libutl 20160225
```

```
### c-libutl License
...
```

This software is distributed under the terms of the BSD license.

```
== BSD LICENSE =====
```

```
(C) 2009 by Remo Dentato (rdentato@gmail.com)
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

Apache Commons BCEL Notice

<pre>

Apache Commons BCEL
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work,
excluding those notices that do not pertain to any part of
the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its
distribution, then any Derivative Works that You distribute must
include a readable copy of the attribution

notices contained

within such NOTICE file, excluding those notices that do not
pertain to any part of the Derivative Works, in at least one
of the following places: within a NOTICE text file distributed
as part of the Derivative Works; within the Source form or
documentation, if provided along with the Derivative Works; or,
within a display generated by the Derivative Works, if and
wherever such third-party notices normally appear. The contents
of the NOTICE file are for informational purposes only and
do not modify the License. You may add Your own attribution
notices within Derivative Works that You distribute, alongside
or as an addendum to the NOTICE text from the Work, provided
that such additional attribution notices cannot be construed
as modifying the License.

You may add Your own copyright statement to Your modifications and
may provide additional or different license terms
and conditions

for use, reproduction, or distribution of Your modifications, or
for any such Derivative Works as a whole, provided Your use,
reproduction, and distribution of the Work otherwise complies with
the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,
any Contribution intentionally submitted for inclusion in the Work
by You to the Licensor shall be under the terms and conditions of
this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify
the terms of any separate license agreement you may have executed
with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade
names, trademarks, service marks, or product names of the Licensor,
except as required for reasonable and customary use in describing the
origin of the Work and reproducing the content of the NOTICE
file.

7. Disclaimer of Warranty. Unless required by applicable law or
agreed to in writing, Licensor provides the Work (and each
Contributor provides its Contributions) on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS

IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

</pre>

Apache Xerces v2.12.2

Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java

Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

Apache 2.0 License

<pre>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with

the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any

Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU

UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Pako v1.0

Pako License

<pre>

Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(C) 1995-2013 Jean-loup Gailly and Mark Adler

(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

</pre>

Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>) of the Elliptic Curve Cryptography library in source form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA_HOME)/lib/libsunec.so

- On Mac OSX systems: delete \$(JAVA_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version
number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name
- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent (i) within three (3) years of the date you

received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

LGPL 2.1

<pre>

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not

price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these

rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General

Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that

uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your

school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

</pre>
The FreeType Project: Freetype v2.13.2

FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

FreeType License

...

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2007-2023 by Derek Clegg and Michael Toftdal.
Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and
Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.
Copyright (C) 2007-2023 by Derek Clegg and
Michael Toftdal.
Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rtsches.
Copyright (C) 2007-2023 by David Turner.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2023 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.

Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.
Copyright (C) 2013-2023 by Google, Inc.
Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.
Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Röttsches, and Werner Lemberg.
Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. (‘as is’ distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. (‘royalty-free’ usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. (‘credits’)

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions of this software are copyright <year> The FreeType Project (www.freetype.org). All rights reserved.

""""

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

=====

0. Definitions

Throughout this license, the terms `package', `FreeType Project', and `FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project', be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as

specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED 'AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional

purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: `FreeType Project', `FreeType Engine', `FreeType library', or `FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

...

GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free

program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement

including an appropriate copyright notice and a

notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire

whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany

it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may

add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE

POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be

mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

...

Additional Freetype Attributions

...

The below license applies to the following files:

libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrap.c
libfreetype/src/psaux/psintrap.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/psstyles.h

Copyright
2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a

perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

...

MIT License
...

The below license applies to the following files:
libfreetype/include/freetype/internal/fthash.h
libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University
Copyright 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

xwd v1.0.7

xwd utility

<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.
Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING

FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall
not be used in advertising or otherwise to promote the sale, use or
other dealings in this Software without prior written authorization
from The Open Group.

</pre>

IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this
list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice,
this list of conditions and the following disclaimer in the documentation
and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must
include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of
Technology."

Alternately, this acknowledgment may appear in the software itself, if and
wherever such third-party
acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of
Technology" must not be used to endorse or promote products derived from this
software without prior written permission.
5. Products derived from this software may not be called "IAIK PKCS Wrapper",
nor may "IAIK" appear in their name, without prior written permission of
Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES,
INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND
FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

Eastman Kodak Company: Portions of color management and imaging software

Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

<pre>

/* ****

*** COPYRIGHT (c) Eastman Kodak Company, 1997

*** As an unpublished work pursuant to Title 17 of the United

*** States Code. All rights reserved.

****/

</pre>

Mozilla Public Suffix List

Public Suffix Notice

``

You are receiving a copy of the Mozilla Public Suffix List in the following file: <java-home>/lib/security/public_suffix_list.dat. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the <java-home>/lib/security/public_suffix_list.dat file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat.

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations

under the License.

MPL v2.0

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect,

to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark)
Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for
each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

(a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and

(b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the

license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.

Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

- (a) comply with the terms of this License to the maximum extent possible; and (b)
- describe the limitations and the code they affect. Such description must

be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

*

*

* 6. Disclaimer of Warranty

*

* -----

*

*

*

* Covered Software is provided under this License on an "as is" basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You

*

*

*

*

*

*

*

* (not any Contributor) assume the cost of any necessary servicing, *

* repair, or correction. This disclaimer of warranty constitutes an *

* essential part of this License. No use of any Covered Software is *

* authorized under this License except under this disclaimer. *

* *

* *

* 7. Limitation of Liability *

* ----- *

* *

* Under no circumstances and under no legal theory, whether tort *

* (including negligence), contract, or otherwise, shall any *

* Contributor, or anyone who distributes Covered Software as *

* permitted above, be liable to You for any direct, indirect, *

* special, incidental, or consequential damages of any *

* character *

* including, without limitation, damages for lost profits, loss of *

* goodwill, work stoppage, computer failure or malfunction, or any *

* and all other commercial damages or losses, even if such party *

* shall have been informed of the possibility of such damages. This *

* limitation of liability shall not apply to liability for death or *

* personal injury resulting from such party's negligence to the *

* extent applicable law prohibits such limitation. Some *

* jurisdictions do not allow the exclusion or limitation of *

* incidental or consequential damages, so this exclusion and *

* limitation may not apply to You. *

* *

8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be

unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look

for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

PC/SC Lite v1.9.5

PC/SC Lite License

<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS

SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](<https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING>) file for details.

```
</pre>
## JSZip v3.7.1
```

JSZip is dual licensed. You may use it under the MIT license *or* the GPLv3 license.

```
### The MIT License
...
```

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
### GPL version 3
...
```

GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to

share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the

extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A

"Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted

under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you

receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.
- e) Convey the object code using peer-to-peer transmission, provided

you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and

protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that

copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify

or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent

license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD

PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

...

Double-conversion v1.1.5

Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

jQuery v3.7.1

jQuery License

...

jQuery v 3.7.1

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

JLine v3.22.0

JLine License

<pre>

Copyright (c) 2002-2018, the original author or authors.

All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>
libpng v1.6.43

libpng License
<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE
=====

PNG Reference Library License version 2

Copyright (C) 1995-2024 The PNG Reference Library Authors.
Copyright (C) 2018-2024 Cosmin Truta
Copyright (C) 1998-2018 Glenn Randers-Pehrson
Copyright (C) 1996-1997 Andreas Dilger
Copyright (C) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising

from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this software, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is

with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of

merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

AUTHORS File Information

...

PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

- * Adam Richter
- * Andreas Dilger
- * Chris Blume
- * Cosmin Truta

- * Dave Martindale
- * Eric S. Raymond
- * Gilles Vollant
- * Glenn Randers-Pehrson
- * Greg Roelofs
- * Guy Eric Schalnat
- * James Yu
- * John Bowler
- * Kevin Bracey
- * Magnus Holmgren
- * Mandar Sahastrabuddhe
- * Mans Rullgard
- * Matt Sarett
- * Mike Klein
- * Pascal Massimino
- * Paul Schmidt
- * Philippe Antoine
- * Qiang Zhou
- * Sam Bushell
- * Samuel Williams
- * Simon-Pierre Cadieux
- * Tim Wegner
- * Tom Lane
- * Tom Tanner
- * Vadim Barkov
- * Willem van Schaik
- * Zhijie Liang
- * Apple Inc.
 - Zixu Wang ()
- * Arm Holdings
 - Richard Townsend
- * Google Inc.
 - Dan Field
 - Leon Scroggins III
 - Matt Sarett
 - Mike Klein
 - Sami Boukortt
 - Wan-Teh Chang
- * Loongson Technology Corporation Ltd.
 - GuXiWei ()
 - JinBo ()
 - ZhangLixia ()

The build projects, the build scripts, the test scripts, and other files in the "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "ci" and "contrib" directories, as

well as some
of the tools-generated files that are distributed with libpng, have
other copyright owners, and are released under other open source
licenses.

...

Thai Dictionary

Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all
copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

</pre>

ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are
subject to the following clarification and special exception to the GPLv2,
based on the GNU Project exception for its Classpath libraries, known as the
GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software
package. Some of those programs are provided under licenses deemed
incompatible with the GPLv2 by the Free Software Foundation and others.
For example, the package includes programs licensed under the Apache

License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

Apache Santuario v3.0.3

Apache 2.0 License
...

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

...

Apache Santuario Notice

...

Apache Santuario - XML Security for Java
Copyright 1999-2023
The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for
Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European
Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.

...

Little Color Management System (LCMS) v2.16

LCMS License

<pre>

MIT License

Copyright (C) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the "Software"),
to deal in the Software without restriction, including without limitation
the rights to use, copy, modify, merge, publish, distribute, sublicense,
and/or sell copies of the Software, and to permit persons to whom the Software
is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO
THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER

IN AN ACTION
OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose
providing that this copyright notice is included with it.
SoftSurfer makes no warranty for this code, and cannot be held
liable for any real or imagined damage resulting from its use.
Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information
...

Main Author

Marti Maria

Contributors

Bob Friesenhahn
Kai-Uwe Behrmann
Stuart Nixon
Jordi Vilar
Richard Hughes
Auke Nauta
Chris Evans (Google)
Lorenzo Ridolfi
Robin Watts (Artifex)
Shawn Pedersen
Andrew Brygin
Samuli Suominen
Florian Hch
Aurelien Jarno
Claudiu Cebuc
Michael Vhrel (Artifex)
Michal Cihar
Daniel Kaneider
Mateusz

Jurczyk (Google)
Paul Miller
Sbastien Lon
Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
Philipp Knechtges
Amyspark
Lovell Fuller
Eli Schwartz
Diogo Teles Sant'Anna

Special Thanks

Artifex software
AlienSkin software
libVIPS
Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman

...

OASIS PKCS #11 Cryptographic Token Interface v3.0

OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or

assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any

document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent

that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

DOM Level 3 Core Specification v1.0

W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University). All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

</pre>

W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including

modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date changes were made.
(We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

</pre>

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<http://www.gnu.org/copyleft/gpl.html>> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <http://openjdk.java.net/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.

Cryptix AES v3.2.0

Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF
MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE
LIABLE FOR ANY DIRECT,
INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR
BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,
WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN
IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

International Components for Unicode (ICU4J) v60.2

ICU4J License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard
or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT,

AND AGREE TO BE BOUND BY, ALL OF THE

TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

jopt-simple v5.0.4

MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

Independent JPEG Group: JPEG release 6b

JPEG License

<pre>

Must reproduce following license in documentation and/or other materials provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2)

If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code,

not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi.

Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a

Service Mark property of CompuServe Incorporated."

</pre>

Apache Xalan v2.7.2

Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution.                                ==
=====
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License

<pre>

```

    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare

Derivative Works of,

publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative

Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and
its documentation for any purpose and without fee is hereby granted,
provided that the above copyright notice appear in all copies and that
both the copyright notice and this permission notice and warranty
disclaimer appear in supporting documentation, and that the name of
the authors or their employers not be used in advertising or publicity
pertaining to distribution of the software without specific, written
prior permission.

The authors and their employers disclaim all warranties with regard to
this software, including all implied warranties of merchantability
and

fitness. In no event shall the authors or their employers be liable for
any special, indirect or consequential damages or any damages whatsoever
resulting from loss of use, data or profits, whether in an action of
contract, negligence or other tortious action, arising out of or in
connection with the use or performance of this software. The portions of
JLex output which are hard-coded into the JLex source code are (naturally)
covered by this same license.

</pre>

SipHash v1.0-68c8a7c

Notice

SipHash reference C implementation

...

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright
and related and neighboring rights to this software to the public domain
worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along
with
this software. If not, see

<<http://creativecommons.org/publicdomain/zero/1.0/>>.

...

Licenses

The code is dual-licensed CCO and MIT

MIT License

...

Copyright 2012-2024 JP Aumasson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

CC0 1.0 Universal

...

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation

of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the

detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer

understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

...

JRuby Joni v2.1.16

MIT License

<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to

distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

All images in this directory are copyright 1995 by Jeff Dinkins.
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that

you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a

work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many

people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND

PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How
to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it

starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something

other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following

clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your

choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

jQuery UI v1.13.2

jQuery UI License

...

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

Unicode Common Local Data Repository (CLDR) v33

CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, <http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, <http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation

(the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Dynalink v.5

Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at http://www.azulsystems.com/license/zulu_third_party_licenses.html to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

- 1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software

2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the provisions of this Agreement, the provisions of the Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Mesa 3-D Graphics Library v21.0.3

Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

Component	Location	License

Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/glext.h	Khronos
	GL/glxt.h	Khronos
	GL/wglxt.h	Khronos
	KHR/khrplatform.h	Khronos

include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

```
include/GL/glex.h
include/GL/glxext.h
include/GL/wglxext.h :
```

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

```
include/KHR/khrplatform.h :
```

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

^^^

GIFLIB v5.2.2

GIFLIB License

^^^

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy
of this software and associated documentation files (the "Software"), to deal
in the Software without restriction, including without limitation the rights
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
copies of the Software, and to permit persons to whom the Software is
furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in
all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
THE SOFTWARE.

tree/README

== Authors ==

Gershon Elber <gershon[AT]cs.technion.sc.il>
original giflib code

Toshio Kuratomi <toshio[AT]tiki-lounge.com>
uncompressed gif writing code
former maintainer

Eric Raymond <esr[AT]snark.thyrsus.com>

current as well as long time former maintainer of giflib code

There have been many other contributors; see the attributions in the version-control history to learn more.

tree/openbsd-reallocarray.c

Copyright (C) 2008 Otto Moerbeek <otto@drijf.net>
SPDX-License-Identifier: MIT

...

ASM Bytecode Manipulation Framework v6.0

ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

1.80 asm 6.0

1.80.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
class java/applet/Applet$AccessibleApplet java/awt/Panel$AccessibleAWTPanel
java/applet/Applet$AccessibleApplet serialVersionUID
java/applet/Applet$AccessibleApplet this$0
java/applet/Applet$AccessibleApplet <init>(Ljava/applet/Applet;)V
java/applet/Applet$AccessibleApplet getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/applet/Applet$AccessibleApplet getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
class java/applet/AppletContext java/lang/Object
java/applet/AppletContext getAudioClip(Ljava/net/URL;)Ljava/awt/AudioClip;
java/applet/AppletContext getImage(Ljava/net/URL;)Ljava/awt/Image;
java/applet/AppletContext getApplet(Ljava/lang/String;)Ljava/applet/Applet;
java/applet/AppletContext getApplets()Ljava/util/Enumeration;
java/applet/AppletContext showDocument(Ljava/net/URL;)V
java/applet/AppletContext showDocument(Ljava/net/URL;Ljava/lang/String;)V
java/applet/AppletContext showStatus(Ljava/lang/String;)V
java/applet/AppletContext
    setStream(Ljava/lang/String;Ljava/io/InputStream;)V
java/applet/AppletContext getStream(Ljava/lang/String;)Ljava/io/InputStream;
java/applet/AppletContext getStreamKeys()Ljava/util/Iterator;
class java/applet/AppletStub java/lang/Object
java/applet/AppletStub isActive()Z
java/applet/AppletStub getDocumentBase()Ljava/net/URL;
java/applet/AppletStub getCodeBase()Ljava/net/URL;
java/applet/AppletStub getParameter(Ljava/lang/String;)Ljava/lang/String;
java/applet/AppletStub getAppletContext()Ljava/applet/AppletContext;
java/applet/AppletStub appletResize(II)V
class java/applet/AudioClip java/lang/Object
java/applet/AudioClip play()V
java/applet/AudioClip loop()V
java/applet/AudioClip stop()V
class java/awt/AWTEvent$1 java/lang/Object
java/awt/AWTEvent$1 <init>()V
java/awt/AWTEvent$1 run()Ljava/lang/Object;
class java/awt/AWTException java/lang/Exception
java/awt/AWTException serialVersionUID
java/awt/AWTException <init>(Ljava/lang/String;)V
class
    java/awt/AttributeValue java/lang/Object
java/awt/AttributeValue value
java/awt/AttributeValue names
java/awt/AttributeValue dbg
```

```

java/awt/AttributeValue <init>(Ljava/lang/String;)V
java/awt/AttributeValue hashCode()I
java/awt/AttributeValue toString()Ljava/lang/String;
java/awt/AttributeValue <clinit>()V
class java/awt/BasicStroke$FillAdapter java/lang/Object
java/awt/BasicStroke$FillAdapter closed
java/awt/BasicStroke$FillAdapter path
java/awt/BasicStroke$FillAdapter this$0
java/awt/BasicStroke$FillAdapter <init>(Ljava/awt/BasicStroke;)V
java/awt/BasicStroke$FillAdapter getShape()Ljava/awt/Shape;
java/awt/BasicStroke$FillAdapter dispose()V
java/awt/BasicStroke$FillAdapter getConsumer()Lsun/dc/path/PathConsumer;
java/awt/BasicStroke$FillAdapter beginPath()V
java/awt/BasicStroke$FillAdapter beginSubpath(FF)V
java/awt/BasicStroke$FillAdapter appendLine(FF)V
java/awt/BasicStroke$FillAdapter appendQuadratic(FFFF)V
java/awt/BasicStroke$FillAdapter appendCubic(FFFFFF)V
java/awt/BasicStroke$FillAdapter
    closedSubpath()V
java/awt/BasicStroke$FillAdapter endPath()V
java/awt/BasicStroke$FillAdapter useProxy(Lsun/dc/path/FastPathProducer;)V
java/awt/BasicStroke$FillAdapter getCPathConsumer()J
class java/awt/BufferCapabilities$FlipContents java/awt/AttributeValue
java/awt/BufferCapabilities$FlipContents I_UNDEFINED
java/awt/BufferCapabilities$FlipContents I_BACKGROUND
java/awt/BufferCapabilities$FlipContents I_PRIOR
java/awt/BufferCapabilities$FlipContents I_COPIED
java/awt/BufferCapabilities$FlipContents NAMES
java/awt/BufferCapabilities$FlipContents UNDEFINED
java/awt/BufferCapabilities$FlipContents BACKGROUND
java/awt/BufferCapabilities$FlipContents PRIOR
java/awt/BufferCapabilities$FlipContents COPIED
java/awt/BufferCapabilities$FlipContents <init>(I)V
java/awt/BufferCapabilities$FlipContents <clinit>()V
class java/awt/BufferCapabilities java/lang/Object
java/awt/BufferCapabilities frontCaps
java/awt/BufferCapabilities backCaps
java/awt/BufferCapabilities flipContents
java/awt/BufferCapabilities
    <init>(Ljava/awt/ImageCapabilities;Ljava/awt/ImageCapabilities;Ljava/awt/BufferCapabilities$FlipContents;)V
java/awt/BufferCapabilities getFrontBufferCapabilities()Ljava/awt/ImageCapabilities;
java/awt/BufferCapabilities getBackBufferCapabilities()Ljava/awt/ImageCapabilities;
java/awt/BufferCapabilities isPageFlipping()Z
java/awt/BufferCapabilities getFlipContents()Ljava/awt/BufferCapabilities$FlipContents;
java/awt/BufferCapabilities isFullScreenRequired()Z
java/awt/BufferCapabilities isMultiBufferAvailable()Z
java/awt/BufferCapabilities clone()Ljava/lang/Object;
class java/awt/Button$AccessibleAWTButton java/awt/Component$AccessibleAWTComponent

```

```

java/awt/Button$AccessibleAWTButton serialVersionUID
java/awt/Button$AccessibleAWTButton this$0
java/awt/Button$AccessibleAWTButton <init>(Ljava/awt/Button;)V
java/awt/Button$AccessibleAWTButton getAccessibleName()Ljava/lang/String;
java/awt/Button$AccessibleAWTButton getAccessibleAction()Ljava/awt/accessibility/AccessibleAction;
java/awt/Button$AccessibleAWTButton
    getAccessibleValue()Ljava/awt/accessibility/AccessibleValue;
java/awt/Button$AccessibleAWTButton getAccessibleActionCount()I
java/awt/Button$AccessibleAWTButton getAccessibleActionDescription(I)Ljava/lang/String;
java/awt/Button$AccessibleAWTButton doAccessibleAction(I)Z
java/awt/Button$AccessibleAWTButton getCurrentAccessibleValue()Ljava/lang/Number;
java/awt/Button$AccessibleAWTButton setCurrentAccessibleValue(Ljava/lang/Number;)Z
java/awt/Button$AccessibleAWTButton getMinimumAccessibleValue()Ljava/lang/Number;
java/awt/Button$AccessibleAWTButton getMaximumAccessibleValue()Ljava/lang/Number;
java/awt/Button$AccessibleAWTButton getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/Button java/awt/Component
java/awt/Button label
java/awt/Button actionCommand
java/awt/Button actionListener
java/awt/Button base
java/awt/Button nameCounter
java/awt/Button serialVersionUID
java/awt/Button buttonSerializedDataVersion
java/awt/Button
    initIDs()V
java/awt/Button <init>()V
java/awt/Button <init>(Ljava/lang/String;)V
java/awt/Button constructComponentName()Ljava/lang/String;
java/awt/Button addNotify()V
java/awt/Button getLabel()Ljava/lang/String;
java/awt/Button setLabel(Ljava/lang/String;)V
java/awt/Button setActionCommand(Ljava/lang/String;)V
java/awt/Button getActionCommand()Ljava/lang/String;
java/awt/Button addActionListener(Ljava/awt/event/ActionListener;)V
java/awt/Button removeActionListener(Ljava/awt/event/ActionListener;)V
java/awt/Button getActionListeners()[Ljava/awt/event/ActionListener;
java/awt/Button getListeners(Ljava/lang/Class;)[Ljava/awt/event/EventListener;
java/awt/Button eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Button processEvent(Ljava/awt/AWTEvent;)V
java/awt/Button processActionEvent(Ljava/awt/event/ActionEvent;)V
java/awt/Button paramString()Ljava/lang/String;
java/awt/Button writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Button readObject(Ljava/io/ObjectInputStream;)V
java/awt/Button
    getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Button <clinit>()V
class java/awt/Canvas$AccessibleAWTCanvas java/awt/Component$AccessibleAWTComponent
java/awt/Canvas$AccessibleAWTCanvas serialVersionUID

```



```

java/awt/Canvas$AccessibleAWTCanvas this$0
java/awt/Canvas$AccessibleAWTCanvas <init>(Ljava/awt/Canvas;)V
java/awt/Canvas$AccessibleAWTCanvas getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/Checkbox$AccessibleAWTCheckbox java/awt/Component$AccessibleAWTComponent
java/awt/Checkbox$AccessibleAWTCheckbox serialVersionUID
java/awt/Checkbox$AccessibleAWTCheckbox this$0
java/awt/Checkbox$AccessibleAWTCheckbox <init>(Ljava/awt/Checkbox;)V
java/awt/Checkbox$AccessibleAWTCheckbox itemStateChanged(Ljava/awt/event/ItemEvent;)V
java/awt/Checkbox$AccessibleAWTCheckbox getAccessibleAction()Ljava/awt/accessibility/AccessibleAction;
java/awt/Checkbox$AccessibleAWTCheckbox getAccessibleValue()Ljava/awt/accessibility/AccessibleValue;
java/awt/Checkbox$AccessibleAWTCheckbox
    getAccessibleActionCount()I
java/awt/Checkbox$AccessibleAWTCheckbox getAccessibleActionDescription(I)Ljava/lang/String;
java/awt/Checkbox$AccessibleAWTCheckbox doAccessibleAction(I)Z
java/awt/Checkbox$AccessibleAWTCheckbox getCurrentAccessibleValue()Ljava/lang/Number;
java/awt/Checkbox$AccessibleAWTCheckbox setCurrentAccessibleValue(Ljava/lang/Number;)Z
java/awt/Checkbox$AccessibleAWTCheckbox getMinimumAccessibleValue()Ljava/lang/Number;
java/awt/Checkbox$AccessibleAWTCheckbox getMaximumAccessibleValue()Ljava/lang/Number;
java/awt/Checkbox$AccessibleAWTCheckbox getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/Checkbox$AccessibleAWTCheckbox getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
class java/awt/Checkbox java/awt/Component
java/awt/Checkbox label
java/awt/Checkbox state
java/awt/Checkbox group
java/awt/Checkbox itemListener
java/awt/Checkbox base
java/awt/Checkbox nameCounter
java/awt/Checkbox serialVersionUID
java/awt/Checkbox checkboxSerializedDataVersion
java/awt/Checkbox
    setStateInternal(Z)V
java/awt/Checkbox <init>()V
java/awt/Checkbox <init>(Ljava/lang/String;)V
java/awt/Checkbox <init>(Ljava/lang/String;Z)V
java/awt/Checkbox <init>(Ljava/lang/String;ZLjava/awt/CheckboxGroup;)V
java/awt/Checkbox <init>(Ljava/lang/String;Ljava/awt/CheckboxGroup;Z)V
java/awt/Checkbox constructComponentName()Ljava/lang/String;
java/awt/Checkbox addNotify()V
java/awt/Checkbox getLabel()Ljava/lang/String;
java/awt/Checkbox setLabel(Ljava/lang/String;)V
java/awt/Checkbox getState()Z
java/awt/Checkbox setState(Z)V
java/awt/Checkbox getSelectedObjects()[Ljava/lang/Object;
java/awt/Checkbox getCheckboxGroup()Ljava/awt/CheckboxGroup;
java/awt/Checkbox setCheckboxGroup(Ljava/awt/CheckboxGroup;)V
java/awt/Checkbox addItemListener(Ljava/awt/event/ItemListener;)V
java/awt/Checkbox removeItemListener(Ljava/awt/event/ItemListener;)V
java/awt/Checkbox getItemListeners()[Ljava/awt/event/ItemListener;

```

```

java/awt/Checkbox getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Checkbox
    eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Checkbox processEvent(Ljava/awt/AWTEvent;)V
java/awt/Checkbox processItemEvent(Ljava/awt/event/ItemEvent;)V
java/awt/Checkbox paramString()Ljava/lang/String;
java/awt/Checkbox writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Checkbox readObject(Ljava/io/ObjectInputStream;)V
java/awt/Checkbox initIDs()V
java/awt/Checkbox getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Checkbox <clinit>()V
class java/awt/CheckboxGroup java/lang/Object
java/awt/CheckboxGroup selectedCheckbox
java/awt/CheckboxGroup serialVersionUID
java/awt/CheckboxGroup <init>()V
java/awt/CheckboxGroup getSelectedCheckbox()Ljava/awt/Checkbox;
java/awt/CheckboxGroup getCurrent()Ljava/awt/Checkbox;
java/awt/CheckboxGroup setSelectedCheckbox(Ljava/awt/Checkbox;)V
java/awt/CheckboxGroup setCurrent(Ljava/awt/Checkbox;)V
java/awt/CheckboxGroup toString()Ljava/lang/String;
class java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
    java/awt/MenuItem$AccessibleAWTMenuItem
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem serialVersionUID
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem this$0
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem <init>(Ljava/awt/CheckboxMenuItem;)V
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
    getAccessibleAction()Ljava/awt/accessibility/AccessibleAction;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
    getAccessibleValue()Ljava/awt/accessibility/AccessibleValue;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem getAccessibleActionCount()I
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
    getAccessibleActionDescription(I)Ljava/lang/String;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem doAccessibleAction(I)Z
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
    getCurrentAccessibleValue()Ljava/lang/Number;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
    setCurrentAccessibleValue(Ljava/lang/Number;)Z
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
    getMinimumAccessibleValue()Ljava/lang/Number;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
    getMaximumAccessibleValue()Ljava/lang/Number;
java/awt/CheckboxMenuItem$AccessibleAWTCheckboxMenuItem
    getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/CheckboxMenuItem java/awt/MenuItem
java/awt/CheckboxMenuItem state
java/awt/CheckboxMenuItem itemListener
java/awt/CheckboxMenuItem base
java/awt/CheckboxMenuItem nameCounter

```

```

java/awt/CheckboxMenuItem serialVersionUID
java/awt/CheckboxMenuItem checkboxMenuItemSerializedDataVersion
java/awt/CheckboxMenuItem <init>()V
java/awt/CheckboxMenuItem <init>(Ljava/lang/String;)V
java/awt/CheckboxMenuItem <init>(Ljava/lang/String;Z)V
java/awt/CheckboxMenuItem constructComponentName()Ljava/lang/String;
java/awt/CheckboxMenuItem addNotify()V
java/awt/CheckboxMenuItem getState()Z
java/awt/CheckboxMenuItem setState(Z)V
java/awt/CheckboxMenuItem getSelectedObjects()[Ljava/lang/Object;
java/awt/CheckboxMenuItem
    addItemListener(Ljava/awt/event/ItemListener;)V
java/awt/CheckboxMenuItem removeItemListener(Ljava/awt/event/ItemListener;)V
java/awt/CheckboxMenuItem getItemListeners()[Ljava/awt/event/ItemListener;
java/awt/CheckboxMenuItem getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/CheckboxMenuItem eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/CheckboxMenuItem processEvent(Ljava/awt/AWTEvent;)V
java/awt/CheckboxMenuItem processItemEvent(Ljava/awt/event/ItemEvent;)V
java/awt/CheckboxMenuItem doMenuEvent(JI)V
java/awt/CheckboxMenuItem paramString()Ljava/lang/String;
java/awt/CheckboxMenuItem writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/CheckboxMenuItem readObject(Ljava/io/ObjectInputStream;)V
java/awt/CheckboxMenuItem initIDs()V
java/awt/CheckboxMenuItem getAccessibleContext()Ljavax/accessibility/AccessibleContext;
java/awt/CheckboxMenuItem <clinit>()V
class java/awt/Choice$AccessibleAWTChoice java/awt/Component$AccessibleAWTComponent
java/awt/Choice$AccessibleAWTChoice
    serialVersionUID
java/awt/Choice$AccessibleAWTChoice this$0
java/awt/Choice$AccessibleAWTChoice <init>(Ljava/awt/Choice;)V
java/awt/Choice$AccessibleAWTChoice getAccessibleAction()Ljavax/accessibility/AccessibleAction;
java/awt/Choice$AccessibleAWTChoice getAccessibleRole()Ljavax/accessibility/AccessibleRole;
java/awt/Choice$AccessibleAWTChoice getAccessibleActionCount()I
java/awt/Choice$AccessibleAWTChoice getAccessibleActionDescription(I)Ljava/lang/String;
java/awt/Choice$AccessibleAWTChoice doAccessibleAction(I)Z
class java/awt/Choice java/awt/Component
java/awt/Choice pItems
java/awt/Choice selectedIndex
java/awt/Choice itemListener
java/awt/Choice base
java/awt/Choice nameCounter
java/awt/Choice serialVersionUID
java/awt/Choice choiceSerializedDataVersion
java/awt/Choice <init>()V
java/awt/Choice constructComponentName()Ljava/lang/String;
java/awt/Choice addNotify()V
java/awt/Choice getItemCount()I
java/awt/Choice countItems()I

```

```

java/awt/Choice getItem(I)Ljava/lang/String;
java/awt/Choice
    getItemImpl(I)Ljava/lang/String;
java/awt/Choice add(Ljava/lang/String;)V
java/awt/Choice addItem(Ljava/lang/String;)V
java/awt/Choice insertNoInvalidate(Ljava/lang/String;I)V
java/awt/Choice insert(Ljava/lang/String;I)V
java/awt/Choice remove(Ljava/lang/String;)V
java/awt/Choice remove(I)V
java/awt/Choice removeNoInvalidate(I)V
java/awt/Choice removeAll()V
java/awt/Choice getSelectedItem()Ljava/lang/String;
java/awt/Choice getSelectedObjects()[Ljava/lang/Object;
java/awt/Choice getSelectedIndex()I
java/awt/Choice select(I)V
java/awt/Choice select(Ljava/lang/String;)V
java/awt/Choice addItemListener(Ljava/awt/event/ItemListener;)V
java/awt/Choice removeItemListener(Ljava/awt/event/ItemListener;)V
java/awt/Choice getItemListeners()[Ljava/awt/event/ItemListener;
java/awt/Choice getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Choice eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Choice processEvent(Ljava/awt/AWTEvent;)V
java/awt/Choice
    processItemEvent(Ljava/awt/event/ItemEvent;)V
java/awt/Choice paramString()Ljava/lang/String;
java/awt/Choice writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Choice readObject(Ljava/io/ObjectInputStream;)V
java/awt/Choice getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Choice <clinit>()V
class java/awt/ColorPaintContext java/lang/Object
java/awt/ColorPaintContext color
java/awt/ColorPaintContext savedTile
java/awt/ColorPaintContext <init>(ILjava/awt/image/ColorModel;)V
java/awt/ColorPaintContext dispose()V
java/awt/ColorPaintContext getColorModel()Ljava/awt/image/ColorModel;
java/awt/ColorPaintContext getRaster(III)Ljava/awt/image/Raster;
class java/awt/Component$1 java/lang/Object
java/awt/Component$1 this$0
java/awt/Component$1 <init>(Ljava/awt/Component;)V
java/awt/Component$1 run()Ljava/lang/Object;
class java/awt/Component$2 java/lang/Object
java/awt/Component$2 val$swingClass
java/awt/Component$2 this$0
java/awt/Component$2 <init>(Ljava/awt/Component;Ljava/lang/Class;)V
java/awt/Component$2
    run()Ljava/lang/Object;
class java/awt/Component$3 java/lang/Object
java/awt/Component$3 val$method

```

```

java/awt/Component$3 this$0
java/awt/Component$3 <init>(Ljava/awt/Component;Ljava/lang/reflect/Method;)V
java/awt/Component$3 run()Ljava/lang/Object;
class java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler java/lang/Object
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler this$1
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler
<init>(Ljava/awt/Component$AccessibleAWTComponent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler
componentHidden(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler
componentShown(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler
componentMoved(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTComponentHandler
componentResized(Ljava/awt/event/ComponentEvent;)V
class java/awt/Component$AccessibleAWTComponent$AccessibleAWTFocusHandler java/lang/Object
java/awt/Component$AccessibleAWTComponent$AccessibleAWTFocusHandler this$1
java/awt/Component$AccessibleAWTComponent$AccessibleAWTFocusHandler
<init>(Ljava/awt/Component$AccessibleAWTComponent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTFocusHandler
focusGained(Ljava/awt/event/FocusEvent;)V
java/awt/Component$AccessibleAWTComponent$AccessibleAWTFocusHandler
focusLost(Ljava/awt/event/FocusEvent;)V
class java/awt/Component$BltBufferStrategy java/awt/image/BufferStrategy
java/awt/Component$BltBufferStrategy caps
java/awt/Component$BltBufferStrategy backBuffers
java/awt/Component$BltBufferStrategy validatedContents
java/awt/Component$BltBufferStrategy width
java/awt/Component$BltBufferStrategy height
java/awt/Component$BltBufferStrategy this$0
java/awt/Component$BltBufferStrategy <init>(Ljava/awt/Component;ILjava/awt/BufferCapabilities;)V
java/awt/Component$BltBufferStrategy
createBackBuffers()V
java/awt/Component$BltBufferStrategy getCapabilities()Ljava/awt/BufferCapabilities;
java/awt/Component$BltBufferStrategy getDrawGraphics()Ljava/awt/Graphics;
java/awt/Component$BltBufferStrategy getBackBuffer()Ljava/awt/Image;
java/awt/Component$BltBufferStrategy show()V
java/awt/Component$BltBufferStrategy revalidate()V
java/awt/Component$BltBufferStrategy contentsLost()Z
java/awt/Component$BltBufferStrategy contentsRestored()Z
class java/awt/Component$FlipBufferStrategy java/awt/image/BufferStrategy
java/awt/Component$FlipBufferStrategy numBuffers
java/awt/Component$FlipBufferStrategy caps
java/awt/Component$FlipBufferStrategy drawBuffer
java/awt/Component$FlipBufferStrategy drawVBuffer
java/awt/Component$FlipBufferStrategy validatedContents
java/awt/Component$FlipBufferStrategy this$0
java/awt/Component$FlipBufferStrategy <init>(Ljava/awt/Component;ILjava/awt/BufferCapabilities;)V

```

```

java/awt/Component$FlipBufferStrategy
    createBuffers(ILjava/awt/BufferCapabilities;)V
java/awt/Component$FlipBufferStrategy getBackBuffer()Ljava/awt/Image;
java/awt/Component$FlipBufferStrategy flip(Ljava/awt/BufferCapabilities$FlipContents;)V
java/awt/Component$FlipBufferStrategy destroyBuffers()V
java/awt/Component$FlipBufferStrategy getCapabilities()Ljava/awt/BufferCapabilities;
java/awt/Component$FlipBufferStrategy getDrawGraphics()Ljava/awt/Graphics;
java/awt/Component$FlipBufferStrategy revalidate()V
java/awt/Component$FlipBufferStrategy contentsLost()Z
java/awt/Component$FlipBufferStrategy contentsRestored()Z
java/awt/Component$FlipBufferStrategy show()V
class java/awt/Component$SingleBufferStrategy java/awt/image/BufferStrategy
java/awt/Component$SingleBufferStrategy caps
java/awt/Component$SingleBufferStrategy this$0
java/awt/Component$SingleBufferStrategy <init>(Ljava/awt/Component;Ljava/awt/BufferCapabilities;)V
java/awt/Component$SingleBufferStrategy getCapabilities()Ljava/awt/BufferCapabilities;
java/awt/Component$SingleBufferStrategy
    getDrawGraphics()Ljava/awt/Graphics;
java/awt/Component$SingleBufferStrategy contentsLost()Z
java/awt/Component$SingleBufferStrategy contentsRestored()Z
java/awt/Component$SingleBufferStrategy show()V
class java/awt/CompositeContext java/lang/Object
java/awt/CompositeContext dispose()V
java/awt/CompositeContext
    compose(Ljava/awt/image/Raster;Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)V
class java/awt/Container$1 java/lang/Object
java/awt/Container$1 this$0
java/awt/Container$1 <init>(Ljava/awt/Container;)V
java/awt/Container$1 run()Ljava/lang/Object;
class java/awt/Container$2$1 java/lang/Object
java/awt/Container$2$1 this$1
java/awt/Container$2$1 <init>(Ljava/awt/Container$2;)V
java/awt/Container$2$1 evaluate()Z
class java/awt/Container$2 java/lang/Object
java/awt/Container$2 val$nativeContainer
java/awt/Container$2 this$0
java/awt/Container$2 <init>(Ljava/awt/Container;Ljava/awt/Container;)V
java/awt/Container$2 run()V
class
    java/awt/Container$AccessibleAWTContainer$AccessibleContainerHandler java/lang/Object
java/awt/Container$AccessibleAWTContainer$AccessibleContainerHandler this$1
java/awt/Container$AccessibleAWTContainer$AccessibleContainerHandler
    <init>(Ljava/awt/Container$AccessibleAWTContainer;)V
java/awt/Container$AccessibleAWTContainer$AccessibleContainerHandler
    componentAdded(Ljava/awt/event/ContainerEvent;)V
java/awt/Container$AccessibleAWTContainer$AccessibleContainerHandler
    componentRemoved(Ljava/awt/event/ContainerEvent;)V
class java/awt/Container$DropTargetEventTargetFilter java/lang/Object

```

```

java/awt/Container$DropTargetEventTargetFilter FILTER
java/awt/Container$DropTargetEventTargetFilter <init>()V
java/awt/Container$DropTargetEventTargetFilter accept(Ljava/awt/Component;)Z
java/awt/Container$DropTargetEventTargetFilter <clinit>()V
class java/awt/Container$EventTargetFilter java/lang/Object
java/awt/Container$EventTargetFilter accept(Ljava/awt/Component;)Z
class java/awt/Container$MouseEventTargetFilter
    java/lang/Object
java/awt/Container$MouseEventTargetFilter FILTER
java/awt/Container$MouseEventTargetFilter <init>()V
java/awt/Container$MouseEventTargetFilter accept(Ljava/awt/Component;)Z
java/awt/Container$MouseEventTargetFilter <clinit>()V
class java/awt/Container$WakingRunnable java/lang/Object
java/awt/Container$WakingRunnable <init>()V
java/awt/Container$WakingRunnable run()V
class java/awt/Cursor$1 java/lang/Object
java/awt/Cursor$1 val$fileName
java/awt/Cursor$1 val$fx
java/awt/Cursor$1 val$fy
java/awt/Cursor$1 val$flocalized
java/awt/Cursor$1 <init>(Ljava/lang/String;ILjava/lang/String;)V
java/awt/Cursor$1 run()Ljava/lang/Object;
class java/awt/Cursor$2 java/lang/Object
java/awt/Cursor$2 <init>()V
java/awt/Cursor$2 run()Ljava/lang/Object;
class java/awt/Cursor$CursorDisposer sun/java2d/DisposerRecord
java/awt/Cursor$CursorDisposer pData
java/awt/Cursor$CursorDisposer <init>()V
java/awt/Cursor$CursorDisposer dispose()V
class java/awt/DefaultKeyboardFocusManager$1
    java/lang/Object
java/awt/DefaultKeyboardFocusManager$1 val$se
java/awt/DefaultKeyboardFocusManager$1 val$targetAppContext
java/awt/DefaultKeyboardFocusManager$1 <init>(Ljava/awt/SentEvent;Lsun/awt/AppContext;)V
java/awt/DefaultKeyboardFocusManager$1 evaluate()Z
class java/awt/Dialog$1$1 java/lang/Object
java/awt/Dialog$1$1 this$1
java/awt/Dialog$1$1 <init>(Ljava/awt/Dialog$1;)V
java/awt/Dialog$1$1 evaluate()Z
class java/awt/Dialog$1 java/lang/Object
java/awt/Dialog$1 this$0
java/awt/Dialog$1 <init>(Ljava/awt/Dialog;)V
java/awt/Dialog$1 run()V
class java/awt/Dialog$2 java/lang/Object
java/awt/Dialog$2 val$pumpEventsForHierarchy
java/awt/Dialog$2 this$0
java/awt/Dialog$2 <init>(Ljava/awt/Dialog;Ljava/lang/Runnable;)V
java/awt/Dialog$2 run()Ljava/lang/Object;

```

```

class java/awt/Dialog$AccessibleAWTDialog java/awt/Window$AccessibleAWTWindow
java/awt/Dialog$AccessibleAWTDialog serialVersionUID
java/awt/Dialog$AccessibleAWTDialog this$0
java/awt/Dialog$AccessibleAWTDialog <init>(Ljava/awt/Dialog;)V
java/awt/Dialog$AccessibleAWTDialog
    getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/Dialog$AccessibleAWTDialog getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
class java/awt/Dialog$WakingRunnable java/lang/Object
java/awt/Dialog$WakingRunnable <init>()V
java/awt/Dialog$WakingRunnable run()V
class java/awt/DisplayMode java/lang/Object
java/awt/DisplayMode size
java/awt/DisplayMode bitDepth
java/awt/DisplayMode refreshRate
java/awt/DisplayMode BIT_DEPTH_MULTI
java/awt/DisplayMode REFRESH_RATE_UNKNOWN
java/awt/DisplayMode <init>(III)V
java/awt/DisplayMode getHeight()I
java/awt/DisplayMode getWidth()I
java/awt/DisplayMode getBitDepth()I
java/awt/DisplayMode getRefreshRate()I
java/awt/DisplayMode equals(Ljava/awt/DisplayMode;)Z
java/awt/DisplayMode equals(Ljava/lang/Object;)Z
java/awt/DisplayMode hashCode()I
class java/awt/EventDispatchThread$StopDispatchEvent java/awt/AWTEvent
java/awt/EventDispatchThread$StopDispatchEvent this$0
java/awt/EventDispatchThread$StopDispatchEvent
    <init>(Ljava/awt/EventDispatchThread;)V
java/awt/EventDispatchThread$StopDispatchEvent dispatch()V
class java/awt/FileDialog java/awt/Dialog
java/awt/FileDialog LOAD
java/awt/FileDialog SAVE
java/awt/FileDialog mode
java/awt/FileDialog dir
java/awt/FileDialog file
java/awt/FileDialog filter
java/awt/FileDialog base
java/awt/FileDialog nameCounter
java/awt/FileDialog serialVersionUID
java/awt/FileDialog initIDs()V
java/awt/FileDialog <init>(Ljava/awt/Frame;)V
java/awt/FileDialog <init>(Ljava/awt/Frame;Ljava/lang/String;)V
java/awt/FileDialog <init>(Ljava/awt/Frame;Ljava/lang/String;I)V
java/awt/FileDialog <init>(Ljava/awt/Dialog;)V
java/awt/FileDialog <init>(Ljava/awt/Dialog;Ljava/lang/String;)V
java/awt/FileDialog <init>(Ljava/awt/Dialog;Ljava/lang/String;I)V
java/awt/FileDialog constructComponentName()Ljava/lang/String;
java/awt/FileDialog addNotify()V

```



```

java/awt/FileDialog getMode()I
java/awt/FileDialog setMode(I)V
java/awt/FileDialog getDirectory()Ljava/lang/String;
java/awt/FileDialog
    setDirectory(Ljava/lang/String;)V
java/awt/FileDialog getFile()Ljava/lang/String;
java/awt/FileDialog setFile(Ljava/lang/String;)V
java/awt/FileDialog getFilenameFilter()Ljava/io/FilenameFilter;
java/awt/FileDialog setFilenameFilter(Ljava/io/FilenameFilter;)V
java/awt/FileDialog readObject(Ljava/io/ObjectInputStream;)V
java/awt/FileDialog paramString()Ljava/lang/String;
java/awt/FileDialog postsOldMouseEvents()Z
java/awt/FileDialog <clinit>()V
class java/awt/FocusManager java/lang/Object
java/awt/FocusManager focusRoot
java/awt/FocusManager focusOwner
java/awt/FocusManager serialVersionUID
java/awt/FocusManager <init>()V
class java/awt/Font$1 java/lang/Object
java/awt/Font$1 val$fStream
java/awt/Font$1 <init>(Ljava/io/InputStream;)V
java/awt/Font$1 run()Ljava/lang/Object;
class java/awt/Font$Key java/lang/Object
java/awt/Font$Key family
java/awt/Font$Key weight
java/awt/Font$Key posture
java/awt/Font$Key size
java/awt/Font$Key superscript
java/awt/Font$Key
    width
java/awt/Font$Key txdata
java/awt/Font$Key attrs
java/awt/Font$Key hashCode
java/awt/Font$Key <init>(Ljava/util/Map;)V
java/awt/Font$Key hashCode()I
java/awt/Font$Key equals(Ljava/lang/Object;)Z
class java/awt/FontFormatException java/lang/Exception
java/awt/FontFormatException <init>(Ljava/lang/String;)V
class java/awt/GradientPaint java/lang/Object
java/awt/GradientPaint p1
java/awt/GradientPaint p2
java/awt/GradientPaint color1
java/awt/GradientPaint color2
java/awt/GradientPaint cyclic
java/awt/GradientPaint <init>(FFLjava/awt/Color;FFLjava/awt/Color;)V
java/awt/GradientPaint
    <init>(Ljava/awt/geom/Point2D;Ljava/awt/Color;Ljava/awt/geom/Point2D;Ljava/awt/Color;)V
java/awt/GradientPaint <init>(FFLjava/awt/Color;FFLjava/awt/Color;Z)V

```

```

java/awt/GradientPaint
<init>(Ljava/awt/geom/Point2D;Ljava/awt/Color;Ljava/awt/geom/Point2D;Ljava/awt/Color;Z)V
java/awt/GradientPaint getPoint1()Ljava/awt/geom/Point2D;
java/awt/GradientPaint getColor1()Ljava/awt/Color;
java/awt/GradientPaint getPoint2()Ljava/awt/geom/Point2D;
java/awt/GradientPaint
    getColor2()Ljava/awt/Color;
java/awt/GradientPaint isCyclic()Z
java/awt/GradientPaint
    createContext(Ljava/awt/image/ColorModel;Ljava/awt/Rectangle;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Af
    fineTransform;Ljava/awt/RenderingHints;)Ljava/awt/PaintContext;
java/awt/GradientPaint getTransparency()I
class java/awt/GradientPaintContext java/lang/Object
java/awt/GradientPaintContext xrgbmodel
java/awt/GradientPaintContext xbgrmodel
java/awt/GradientPaintContext cachedModel
java/awt/GradientPaintContext cached
java/awt/GradientPaintContext x1
java/awt/GradientPaintContext y1
java/awt/GradientPaintContext dx
java/awt/GradientPaintContext dy
java/awt/GradientPaintContext cyclic
java/awt/GradientPaintContext interp
java/awt/GradientPaintContext saved
java/awt/GradientPaintContext model
java/awt/GradientPaintContext getCacheRaster(Ljava/awt/image/ColorModel;II)Ljava/awt/image/Raster;
java/awt/GradientPaintContext putCacheRaster(Ljava/awt/image/ColorModel;Ljava/awt/image/Raster;)V
java/awt/GradientPaintContext
<init>(Ljava/awt/image/ColorModel;Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;Ljava/awt/geom/AffineTra
nsform;Ljava/awt/Color;Ljava/awt/Color;Z)V
java/awt/GradientPaintContext dispose()V
java/awt/GradientPaintContext getColorModel()Ljava/awt/image/ColorModel;
java/awt/GradientPaintContext getRaster(III)Ljava/awt/image/Raster;
java/awt/GradientPaintContext cycleFillRaster([IIIIIDDD)V
java/awt/GradientPaintContext clipFillRaster([IIIIIDDD)V
java/awt/GradientPaintContext <clinit>()V
class java/awt/GraphicsCallback$PaintAllCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PaintAllCallback instance
java/awt/GraphicsCallback$PaintAllCallback <init>()V
java/awt/GraphicsCallback$PaintAllCallback run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PaintAllCallback getInstance()Ljava/awt/GraphicsCallback$PaintAllCallback;
java/awt/GraphicsCallback$PaintAllCallback <clinit>()V
class java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback
    java/awt/GraphicsCallback
java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback instance
java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback <init>()V
java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback
    run(Ljava/awt/Component;Ljava/awt/Graphics;)V

```

```

java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback
getInstance()Ljava/awt/GraphicsCallback$PaintHeavyweightComponentsCallback;
java/awt/GraphicsCallback$PaintHeavyweightComponentsCallback <clinit>()V
class java/awt/GraphicsCallback$PeerPaintCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PeerPaintCallback instance
java/awt/GraphicsCallback$PeerPaintCallback <init>()V
java/awt/GraphicsCallback$PeerPaintCallback run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PeerPaintCallback getInstance()Ljava/awt/GraphicsCallback$PeerPaintCallback;
java/awt/GraphicsCallback$PeerPaintCallback <clinit>()V
class java/awt/GraphicsCallback$PeerPrintCallback
java/awt/GraphicsCallback
java/awt/GraphicsCallback$PeerPrintCallback instance
java/awt/GraphicsCallback$PeerPrintCallback <init>()V
java/awt/GraphicsCallback$PeerPrintCallback run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PeerPrintCallback getInstance()Ljava/awt/GraphicsCallback$PeerPrintCallback;
java/awt/GraphicsCallback$PeerPrintCallback <clinit>()V
class java/awt/GraphicsCallback$PrintAllCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PrintAllCallback instance
java/awt/GraphicsCallback$PrintAllCallback <init>()V
java/awt/GraphicsCallback$PrintAllCallback run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PrintAllCallback getInstance()Ljava/awt/GraphicsCallback$PrintAllCallback;
java/awt/GraphicsCallback$PrintAllCallback <clinit>()V
class java/awt/GraphicsCallback$PrintCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PrintCallback instance
java/awt/GraphicsCallback$PrintCallback <init>()V
java/awt/GraphicsCallback$PrintCallback
run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PrintCallback getInstance()Ljava/awt/GraphicsCallback$PrintCallback;
java/awt/GraphicsCallback$PrintCallback <clinit>()V
class java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback instance
java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback <init>()V
java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback
run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback
getInstance()Ljava/awt/GraphicsCallback$PrintHeavyweightComponentsCallback;
java/awt/GraphicsCallback$PrintHeavyweightComponentsCallback <clinit>()V
class java/awt/GraphicsConfigTemplate java/lang/Object
java/awt/GraphicsConfigTemplate REQUIRED
java/awt/GraphicsConfigTemplate PREFERRED
java/awt/GraphicsConfigTemplate UNNECESSARY
java/awt/GraphicsConfigTemplate <init>()V
java/awt/GraphicsConfigTemplate
getBestConfiguration([Ljava/awt/GraphicsConfiguration;)Ljava/awt/GraphicsConfiguration;
java/awt/GraphicsConfigTemplate isGraphicsConfigSupported(Ljava/awt/GraphicsConfiguration;)Z
class java/awt/GraphicsConfiguration$DefaultBufferCapabilities java/awt/BufferCapabilities
java/awt/GraphicsConfiguration$DefaultBufferCapabilities <init>(Ljava/awt/ImageCapabilities;)V
class java/awt/GridBagConstraints java/lang/Object

```

```
java/awt/GridBagConstraints RELATIVE
java/awt/GridBagConstraints REMAINDER
java/awt/GridBagConstraints NONE
java/awt/GridBagConstraints BOTH
java/awt/GridBagConstraints HORIZONTAL
java/awt/GridBagConstraints VERTICAL
java/awt/GridBagConstraints CENTER
java/awt/GridBagConstraints NORTH
java/awt/GridBagConstraints NORTHEAST
java/awt/GridBagConstraints EAST
java/awt/GridBagConstraints SOUTHEAST
java/awt/GridBagConstraints SOUTH
java/awt/GridBagConstraints SOUTHWEST
java/awt/GridBagConstraints WEST
java/awt/GridBagConstraints NORTHWEST
java/awt/GridBagConstraints
    PAGE_START
java/awt/GridBagConstraints PAGE_END
java/awt/GridBagConstraints LINE_START
java/awt/GridBagConstraints LINE_END
java/awt/GridBagConstraints FIRST_LINE_START
java/awt/GridBagConstraints FIRST_LINE_END
java/awt/GridBagConstraints LAST_LINE_START
java/awt/GridBagConstraints LAST_LINE_END
java/awt/GridBagConstraints gridx
java/awt/GridBagConstraints gridy
java/awt/GridBagConstraints gridwidth
java/awt/GridBagConstraints gridheight
java/awt/GridBagConstraints weightx
java/awt/GridBagConstraints weighty
java/awt/GridBagConstraints anchor
java/awt/GridBagConstraints fill
java/awt/GridBagConstraints insets
java/awt/GridBagConstraints ipadx
java/awt/GridBagConstraints ipady
java/awt/GridBagConstraints tempX
java/awt/GridBagConstraints tempY
java/awt/GridBagConstraints tempWidth
java/awt/GridBagConstraints tempHeight
java/awt/GridBagConstraints minWidth
java/awt/GridBagConstraints minHeight
java/awt/GridBagConstraints serialVersionUID
java/awt/GridBagConstraints <init>()V
java/awt/GridBagConstraints
    <init>(IIIIIDIIILjava/awt/Insets;II)V
java/awt/GridBagConstraints clone()Ljava/lang/Object;
class java/awt/GridBagLayout java/lang/Object
java/awt/GridBagLayout MAXGRIDSIZE
```

```

java/awt/GridBagLayout MINSIZE
java/awt/GridBagLayout PREFERRED_SIZE
java/awt/GridBagLayout comtable
java/awt/GridBagLayout defaultConstraints
java/awt/GridBagLayout layoutInfo
java/awt/GridBagLayout columnWidths
java/awt/GridBagLayout rowHeights
java/awt/GridBagLayout columnWeights
java/awt/GridBagLayout rowWeights
java/awt/GridBagLayout rightToLeft
java/awt/GridBagLayout serialVersionUID
java/awt/GridBagLayout <init>()V
java/awt/GridBagLayout setConstraints(Ljava/awt/Component;Ljava/awt/GridBagConstraints;)V
java/awt/GridBagLayout getConstraints(Ljava/awt/Component;)Ljava/awt/GridBagConstraints;
java/awt/GridBagLayout lookupConstraints(Ljava/awt/Component;)Ljava/awt/GridBagConstraints;
java/awt/GridBagLayout removeConstraints(Ljava/awt/Component;)V
java/awt/GridBagLayout getLayoutOrigin()Ljava/awt/Point;
java/awt/GridBagLayout
    getLayoutDimensions()[[I
java/awt/GridBagLayout getLayoutWeights()[[D
java/awt/GridBagLayout location(II)Ljava/awt/Point;
java/awt/GridBagLayout addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/GridBagLayout addLayoutComponent(Ljava/awt/Component;Ljava/lang/Object;)V
java/awt/GridBagLayout removeLayoutComponent(Ljava/awt/Component;)V
java/awt/GridBagLayout preferredLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/GridBagLayout minimumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/GridBagLayout maximumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/GridBagLayout getLayoutAlignmentX(Ljava/awt/Container;)F
java/awt/GridBagLayout getLayoutAlignmentY(Ljava/awt/Container;)F
java/awt/GridBagLayout invalidateLayout(Ljava/awt/Container;)V
java/awt/GridBagLayout layoutContainer(Ljava/awt/Container;)V
java/awt/GridBagLayout toString()Ljava/lang/String;
java/awt/GridBagLayout getLayoutInfo(Ljava/awt/Container;I)Ljava/awt/GridBagLayoutInfo;
java/awt/GridBagLayout
    GetLayoutInfo(Ljava/awt/Container;I)Ljava/awt/GridBagLayoutInfo;
java/awt/GridBagLayout adjustForGravity(Ljava/awt/GridBagConstraints;Ljava/awt/Rectangle;)V
java/awt/GridBagLayout AdjustForGravity(Ljava/awt/GridBagConstraints;Ljava/awt/Rectangle;)V
java/awt/GridBagLayout getMinSize(Ljava/awt/Container;Ljava/awt/GridBagLayoutInfo;)Ljava/awt/Dimension;
java/awt/GridBagLayout GetMinSize(Ljava/awt/Container;Ljava/awt/GridBagLayoutInfo;)Ljava/awt/Dimension;
java/awt/GridBagLayout arrangeGrid(Ljava/awt/Container;)V
java/awt/GridBagLayout ArrangeGrid(Ljava/awt/Container;)V
class java/awt/GridBagLayoutInfo java/lang/Object
java/awt/GridBagLayoutInfo width
java/awt/GridBagLayoutInfo height
java/awt/GridBagLayoutInfo startx
java/awt/GridBagLayoutInfo starty
java/awt/GridBagLayoutInfo minWidth
java/awt/GridBagLayoutInfo minHeight

```

```

java/awt/GridBagLayoutInfo weightX
java/awt/GridBagLayoutInfo weightY
java/awt/GridBagLayoutInfo
    <init>()V
class java/awt/IllegalComponentStateException java/lang/IllegalStateException
java/awt/IllegalComponentStateException serialVersionUID
java/awt/IllegalComponentStateException <init>()V
java/awt/IllegalComponentStateException <init>(Ljava/lang/String;)V
class java/awt/JobAttributes$DefaultSelectionType java/awt/AttributeValue
java/awt/JobAttributes$DefaultSelectionType I_ALL
java/awt/JobAttributes$DefaultSelectionType I_RANGE
java/awt/JobAttributes$DefaultSelectionType I_SELECTION
java/awt/JobAttributes$DefaultSelectionType NAMES
java/awt/JobAttributes$DefaultSelectionType ALL
java/awt/JobAttributes$DefaultSelectionType RANGE
java/awt/JobAttributes$DefaultSelectionType SELECTION
java/awt/JobAttributes$DefaultSelectionType <init>(I)V
java/awt/JobAttributes$DefaultSelectionType <clinit>()V
class java/awt/JobAttributes$DestinationType java/awt/AttributeValue
java/awt/JobAttributes$DestinationType I_FILE
java/awt/JobAttributes$DestinationType I_PRINTER
java/awt/JobAttributes$DestinationType
    NAMES
java/awt/JobAttributes$DestinationType FILE
java/awt/JobAttributes$DestinationType PRINTER
java/awt/JobAttributes$DestinationType <init>(I)V
java/awt/JobAttributes$DestinationType <clinit>()V
class java/awt/JobAttributes$DialogType java/awt/AttributeValue
java/awt/JobAttributes$DialogType I_COMMON
java/awt/JobAttributes$DialogType I_NATIVE
java/awt/JobAttributes$DialogType I_NONE
java/awt/JobAttributes$DialogType NAMES
java/awt/JobAttributes$DialogType COMMON
java/awt/JobAttributes$DialogType NATIVE
java/awt/JobAttributes$DialogType NONE
java/awt/JobAttributes$DialogType <init>(I)V
java/awt/JobAttributes$DialogType <clinit>()V
class java/awt/JobAttributes$MultipleDocumentHandlingType java/awt/AttributeValue
java/awt/JobAttributes$MultipleDocumentHandlingType I_SEPARATE_DOCUMENTS_COLLATED_COPIES
java/awt/JobAttributes$MultipleDocumentHandlingType
    I_SEPARATE_DOCUMENTS_UNCOLLATED_COPIES
java/awt/JobAttributes$MultipleDocumentHandlingType NAMES
java/awt/JobAttributes$MultipleDocumentHandlingType
    SEPARATE_DOCUMENTS_COLLATED_COPIES
java/awt/JobAttributes$MultipleDocumentHandlingType SEPARATE_DOCUMENTS_UNCOLLATED_COPIES
java/awt/JobAttributes$MultipleDocumentHandlingType <init>(I)V
java/awt/JobAttributes$MultipleDocumentHandlingType <clinit>()V
class java/awt/JobAttributes$SidesType java/awt/AttributeValue

```

```

java/awt/JobAttributes$SidesType I_ONE_SIDED
java/awt/JobAttributes$SidesType I_TWO_SIDED_LONG_EDGE
java/awt/JobAttributes$SidesType I_TWO_SIDED_SHORT_EDGE
java/awt/JobAttributes$SidesType NAMES
java/awt/JobAttributes$SidesType ONE_SIDED
java/awt/JobAttributes$SidesType TWO_SIDED_LONG_EDGE
java/awt/JobAttributes$SidesType TWO_SIDED_SHORT_EDGE
java/awt/JobAttributes$SidesType <init>()V
java/awt/JobAttributes$SidesType <clinit>()V
class java/awt/KeyboardFocusManager$1 java/lang/Object
java/awt/KeyboardFocusManager$1 <init>()V
java/awt/KeyboardFocusManager$1 run()V
class java/awt/KeyboardFocusManager$2 java/lang/Object
java/awt/KeyboardFocusManager$2 $assertionsDisabled
java/awt/KeyboardFocusManager$2
    <init>()V
java/awt/KeyboardFocusManager$2 run()Ljava/lang/Object;
java/awt/KeyboardFocusManager$2 <clinit>()V
class java/awt/Label$AccessibleAWTLabel java/awt/Component$AccessibleAWTComponent
java/awt/Label$AccessibleAWTLabel serialVersionUID
java/awt/Label$AccessibleAWTLabel this$0
java/awt/Label$AccessibleAWTLabel <init>(Ljava/awt/Label;)V
java/awt/Label$AccessibleAWTLabel getAccessibleName()Ljava/lang/String;
java/awt/Label$AccessibleAWTLabel getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/LightweightDispatcher$1 java/lang/Object
java/awt/LightweightDispatcher$1 this$0
java/awt/LightweightDispatcher$1 <init>(Ljava/awt/LightweightDispatcher;)V
java/awt/LightweightDispatcher$1 run()Ljava/lang/Object;
class java/awt/LightweightDispatcher$3 java/lang/Object
java/awt/LightweightDispatcher$3 val$mouseEvent
java/awt/LightweightDispatcher$3 val$ptSrcOrigin
java/awt/LightweightDispatcher$3 this$0
java/awt/LightweightDispatcher$3
    <init>(Ljava/awt/LightweightDispatcher;Ljava/awt/event/MouseEvent;Ljava/awt/Point;)V
java/awt/LightweightDispatcher$3 run()V
class java/awt/List$AccessibleAWTList$AccessibleAWTListChild
java/awt/Component$AccessibleAWTComponent
java/awt/List$AccessibleAWTList$AccessibleAWTListChild serialVersionUID
java/awt/List$AccessibleAWTList$AccessibleAWTListChild parent
java/awt/List$AccessibleAWTList$AccessibleAWTListChild indexInParent
java/awt/List$AccessibleAWTList$AccessibleAWTListChild this$1
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
    <init>(Ljava/awt/List$AccessibleAWTList;Ljava/awt/List;I)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
    getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
    getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild

```

```

getAccessibleStateSet()Ljava/awt/Accessibility/AccessibleStateSet;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
    getLocale()Ljava/util/Locale;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getAccessibleIndexInParent(I
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getAccessibleChildrenCount()I
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getAccessibleChild(I)Ljava/awt/Accessibility/Accessible;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getBackground()Ljava/awt/Color;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setBackground(Ljava/awt/Color;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getForeground()Ljava/awt/Color;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setForeground(Ljava/awt/Color;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getCursor()Ljava/awt/Cursor;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setCursor(Ljava/awt/Cursor;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getFont()Ljava/awt/Font;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setFont(Ljava/awt/Font;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
    getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild isEnabled()Z
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setEnabled(Z)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild isVisible()Z
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setVisible(Z)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild isShowing()Z
java/awt/List$AccessibleAWTList$AccessibleAWTListChild contains(Ljava/awt/Point;)Z
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getLocationOnScreen()Ljava/awt/Point;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getLocation()Ljava/awt/Point;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setLocation(Ljava/awt/Point;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild getBounds()Ljava/awt/Rectangle;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setBounds(Ljava/awt/Rectangle;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
    getSize()Ljava/awt/Dimension;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild setSize(Ljava/awt/Dimension;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
    getAccessibleAt(Ljava/awt/Point;)Ljava/awt/Accessibility/Accessible;
java/awt/List$AccessibleAWTList$AccessibleAWTListChild isFocusTraversable()Z
java/awt/List$AccessibleAWTList$AccessibleAWTListChild requestFocus()V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild addFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/List$AccessibleAWTList$AccessibleAWTListChild
    removeFocusListener(Ljava/awt/event/FocusListener;)V
class java/awt/List$AccessibleAWTList java/awt/Component$AccessibleAWTComponent
java/awt/List$AccessibleAWTList serialVersionUID
java/awt/List$AccessibleAWTList this$0
java/awt/List$AccessibleAWTList <init>(Ljava/awt/List;)V
java/awt/List$AccessibleAWTList actionPerformed(Ljava/awt/event/ActionEvent;)V
java/awt/List$AccessibleAWTList itemStateChanged(Ljava/awt/event/ItemEvent;)V
java/awt/List$AccessibleAWTList
    getAccessibleStateSet()Ljava/awt/Accessibility/AccessibleStateSet;
java/awt/List$AccessibleAWTList getAccessibleRole()Ljava/awt/Accessibility/AccessibleRole;
java/awt/List$AccessibleAWTList getAccessibleAt(Ljava/awt/Point;)Ljava/awt/Accessibility/Accessible;
java/awt/List$AccessibleAWTList getAccessibleChildrenCount()I

```



```

java/awt/List$AccessibleAWTList getAccessibleChild(I)Ljavax/accessibility/Accessible;
java/awt/List$AccessibleAWTList getAccessibleSelection()Ljavax/accessibility/AccessibleSelection;
java/awt/List$AccessibleAWTList getAccessibleSelectionCount()I
java/awt/List$AccessibleAWTList getAccessibleSelection(I)Ljavax/accessibility/Accessible;
java/awt/List$AccessibleAWTList isAccessibleChildSelected(I)Z
java/awt/List$AccessibleAWTList addAccessibleSelection(I)V
java/awt/List$AccessibleAWTList removeAccessibleSelection(I)V
java/awt/List$AccessibleAWTList clearAccessibleSelection()V
java/awt/List$AccessibleAWTList selectAllAccessibleSelection()V
class
  java/awt/List java/awt/Component
java/awt/List items
java/awt/List rows
java/awt/List multipleMode
java/awt/List selected
java/awt/List visibleIndex
java/awt/List actionListener
java/awt/List itemListener
java/awt/List base
java/awt/List nameCounter
java/awt/List serialVersionUID
java/awt/List DEFAULT_VISIBLE_ROWS
java/awt/List listSerializedDataVersion
java/awt/List <init>()V
java/awt/List <init>(I)V
java/awt/List <init>(IZ)V
java/awt/List constructComponentName()Ljava/lang/String;
java/awt/List addNotify()V
java/awt/List removeNotify()V
java/awt/List getItemCount()I
java/awt/List countItems()I
java/awt/List getItem(I)Ljava/lang/String;
java/awt/List getItemImpl(I)Ljava/lang/String;
java/awt/List.getItems()[Ljava/lang/String;
java/awt/List add(Ljava/lang/String;)V
java/awt/List addItem(Ljava/lang/String;)V
java/awt/List add(Ljava/lang/String;I)V
java/awt/List addItem(Ljava/lang/String;I)V
java/awt/List replaceItem(Ljava/lang/String;I)V
java/awt/List removeAll()V
java/awt/List
  clear()V
java/awt/List remove(Ljava/lang/String;)V
java/awt/List remove(I)V
java/awt/List delItem(I)V
java/awt/List getSelectedIndex()I
java/awt/List getSelectedIndexes()[I
java/awt/List getSelectedItem()Ljava/lang/String;

```

```

java/awt/List getSelectedItems()[Ljava/lang/String;
java/awt/List getSelectedObjects()[Ljava/lang/Object;
java/awt/List select(I)V
java/awt/List deselect(I)V
java/awt/List isIndexSelected(I)Z
java/awt/List isSelected(I)Z
java/awt/List getRows()I
java/awt/List isMultipleMode()Z
java/awt/List allowsMultipleSelections()Z
java/awt/List setMultipleMode(Z)V
java/awt/List setMultipleSelections(Z)V
java/awt/List getVisibleIndex()I
java/awt/List makeVisible(I)V
java/awt/List getPreferredSize(I)Ljava/awt/Dimension;
java/awt/List preferredSize(I)Ljava/awt/Dimension;
java/awt/List getPreferredSize()Ljava/awt/Dimension;
java/awt/List preferredSize()Ljava/awt/Dimension;
java/awt/List getMinimumSize(I)Ljava/awt/Dimension;
java/awt/List minimumSize(I)Ljava/awt/Dimension;
java/awt/List
    getMinimumSize()Ljava/awt/Dimension;
java/awt/List minimumSize()Ljava/awt/Dimension;
java/awt/List addItemListener(Ljava/awt/event/ItemListener;)V
java/awt/List removeItemListener(Ljava/awt/event/ItemListener;)V
java/awt/List getItemListeners()[Ljava/awt/event/ItemListener;
java/awt/List addActionListener(Ljava/awt/event/ActionListener;)V
java/awt/List removeActionListener(Ljava/awt/event/ActionListener;)V
java/awt/List getActionListeners()[Ljava/awt/event/ActionListener;
java/awt/List getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/List eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/List processEvent(Ljava/awt/AWTEvent;)V
java/awt/List processItemEvent(Ljava/awt/event/ItemEvent;)V
java/awt/List processActionEvent(Ljava/awt/event/ActionEvent;)V
java/awt/List paramString()Ljava/lang/String;
java/awt/List delItems(I)V
java/awt/List writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/List readObject(Ljava/io/ObjectInputStream;)V
java/awt/List getAccessibleContext()Ljavax/accessibility/AccessibleContext;
java/awt/List
    <clinit>()V
class java/awt/Menu$AccessibleAWTMenu java/awt/MenuItem$AccessibleAWTMenuItem
java/awt/Menu$AccessibleAWTMenu serialVersionUID
java/awt/Menu$AccessibleAWTMenu this$0
java/awt/Menu$AccessibleAWTMenu <init>(Ljava/awt/Menu;)V
java/awt/Menu$AccessibleAWTMenu getAccessibleRole()Ljavax/accessibility/AccessibleRole;
class java/awt/Menu java/awt/MenuItem
java/awt/Menu items
java/awt/Menu tearOff

```

```

java/awt/Menu isHelpMenu
java/awt/Menu base
java/awt/Menu nameCounter
java/awt/Menu serialVersionUID
java/awt/Menu menuSerializedDataVersion
java/awt/Menu <init>()V
java/awt/Menu <init>(Ljava/lang/String;)V
java/awt/Menu <init>(Ljava/lang/String;Z)V
java/awt/Menu constructComponentName()Ljava/lang/String;
java/awt/Menu addNotify()V
java/awt/Menu removeNotify()V
java/awt/Menu isTearOff()Z
java/awt/Menu getItemCount()I
java/awt/Menu countItems()I
java/awt/Menu countItemsImpl()I
java/awt/Menu getItem(I)Ljava/awt/MenuItem;
java/awt/Menu getItemImpl(I)Ljava/awt/MenuItem;
java/awt/Menu
    add(Ljava/awt/MenuItem;)Ljava/awt/MenuItem;
java/awt/Menu add(Ljava/lang/String;)V
java/awt/Menu insert(Ljava/awt/MenuItem;I)V
java/awt/Menu insert(Ljava/lang/String;I)V
java/awt/Menu addSeparator()V
java/awt/Menu insertSeparator(I)V
java/awt/Menu remove(I)V
java/awt/Menu remove(Ljava/awt/MenuComponent;)V
java/awt/Menu removeAll()V
java/awt/Menu handleShortcut(Ljava/awt/event/KeyEvent;)Z
java/awt/Menu getShortcutMenuItem(Ljava/awt/MenuShortcut;)Ljava/awt/MenuItem;
java/awt/Menu shortcuts()Ljava/util/Enumeration;
java/awt/Menu deleteShortcut(Ljava/awt/MenuShortcut;)V
java/awt/Menu writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Menu readObject(Ljava/io/ObjectInputStream;)V
java/awt/Menu paramString()Ljava/lang/String;
java/awt/Menu initIDs()V
java/awt/Menu getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Menu getAccessibleChildIndex(Ljava/awt/MenuComponent;)I
java/awt/Menu <clinit>()V
class java/awt/MenuBar$AccessibleAWTMenuBar
    java/awt/MenuComponent$AccessibleAWTMenuComponent
java/awt/MenuBar$AccessibleAWTMenuBar serialVersionUID
java/awt/MenuBar$AccessibleAWTMenuBar this$0
java/awt/MenuBar$AccessibleAWTMenuBar <init>(Ljava/awt/MenuBar;)V
java/awt/MenuBar$AccessibleAWTMenuBar getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/MenuComponent$AccessibleAWTMenuComponent javax/awt/accessibility/AccessibleContext
java/awt/MenuComponent$AccessibleAWTMenuComponent serialVersionUID
java/awt/MenuComponent$AccessibleAWTMenuComponent this$0
java/awt/MenuComponent$AccessibleAWTMenuComponent <init>(Ljava/awt/MenuComponent;)V

```

```

java/awt/MenuComponent$AccessibleAWTMenuComponent
getAccessibleSelection()Ljava/awt/accessibility/AccessibleSelection;
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleName()Ljava/lang/String;
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleDescription()Ljava/lang/String;
java/awt/MenuComponent$AccessibleAWTMenuComponent
getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/MenuComponent$AccessibleAWTMenuComponent
getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleParent()Ljava/awt/accessibility/Accessible;
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleIndexInParent(I
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleChildrenCount()I
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleChild(I)Ljava/awt/accessibility/Accessible;
java/awt/MenuComponent$AccessibleAWTMenuComponent getLocale()Ljava/util/Locale;
java/awt/MenuComponent$AccessibleAWTMenuComponent
getAccessibleComponent()Ljava/awt/accessibility/AccessibleComponent;
java/awt/MenuComponent$AccessibleAWTMenuComponent getBackground()Ljava/awt/Color;
java/awt/MenuComponent$AccessibleAWTMenuComponent setBackground(Ljava/awt/Color;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getForeground()Ljava/awt/Color;
java/awt/MenuComponent$AccessibleAWTMenuComponent
setForeground(Ljava/awt/Color;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getCursor()Ljava/awt/Cursor;
java/awt/MenuComponent$AccessibleAWTMenuComponent setCursor(Ljava/awt/Cursor;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getFont()Ljava/awt/Font;
java/awt/MenuComponent$AccessibleAWTMenuComponent setFont(Ljava/awt/Font;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent
getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/MenuComponent$AccessibleAWTMenuComponent isEnabled()Z
java/awt/MenuComponent$AccessibleAWTMenuComponent setEnabled(Z)V
java/awt/MenuComponent$AccessibleAWTMenuComponent isVisible()Z
java/awt/MenuComponent$AccessibleAWTMenuComponent setVisible(Z)V
java/awt/MenuComponent$AccessibleAWTMenuComponent isShowing()Z
java/awt/MenuComponent$AccessibleAWTMenuComponent contains(Ljava/awt/Point;)Z
java/awt/MenuComponent$AccessibleAWTMenuComponent getLocationOnScreen()Ljava/awt/Point;
java/awt/MenuComponent$AccessibleAWTMenuComponent getLocation()Ljava/awt/Point;
java/awt/MenuComponent$AccessibleAWTMenuComponent
setLocation(Ljava/awt/Point;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getBounds()Ljava/awt/Rectangle;
java/awt/MenuComponent$AccessibleAWTMenuComponent setBounds(Ljava/awt/Rectangle;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getSize()Ljava/awt/Dimension;
java/awt/MenuComponent$AccessibleAWTMenuComponent setSize(Ljava/awt/Dimension;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent
getAccessibleAt(Ljava/awt/Point;)Ljava/awt/accessibility/Accessible;
java/awt/MenuComponent$AccessibleAWTMenuComponent isFocusTraversable()Z
java/awt/MenuComponent$AccessibleAWTMenuComponent requestFocus()V
java/awt/MenuComponent$AccessibleAWTMenuComponent addFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent
removeFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/MenuComponent$AccessibleAWTMenuComponent getAccessibleSelectionCount()I

```

```

java/awt/MenuComponent$AccessibleAWTMenuComponent
    getAccessibleSelection(I)Ljavax/accessibility/Accessible;
java/awt/MenuComponent$AccessibleAWTMenuComponent isAccessibleChildSelected(I)Z
java/awt/MenuComponent$AccessibleAWTMenuComponent addAccessibleSelection(I)V
java/awt/MenuComponent$AccessibleAWTMenuComponent removeAccessibleSelection(I)V
java/awt/MenuComponent$AccessibleAWTMenuComponent clearAccessibleSelection()V
java/awt/MenuComponent$AccessibleAWTMenuComponent selectAllAccessibleSelection()V
class java/awt/MenuItem$AccessibleAWTMenuItem java/awt/MenuComponent$AccessibleAWTMenuComponent
java/awt/MenuItem$AccessibleAWTMenuItem serialVersionUID
java/awt/MenuItem$AccessibleAWTMenuItem this$0
java/awt/MenuItem$AccessibleAWTMenuItem <init>(Ljava/awt/MenuItem;)V
java/awt/MenuItem$AccessibleAWTMenuItem getAccessibleName()Ljava/lang/String;
java/awt/MenuItem$AccessibleAWTMenuItem getAccessibleRole()Ljavax/accessibility/AccessibleRole;
java/awt/MenuItem$AccessibleAWTMenuItem getAccessibleAction()Ljavax/accessibility/AccessibleAction;
java/awt/MenuItem$AccessibleAWTMenuItem
    getAccessibleValue()Ljavax/accessibility/AccessibleValue;
java/awt/MenuItem$AccessibleAWTMenuItem getAccessibleActionCount()I
java/awt/MenuItem$AccessibleAWTMenuItem getAccessibleActionDescription(I)Ljava/lang/String;
java/awt/MenuItem$AccessibleAWTMenuItem doAccessibleAction(I)Z
java/awt/MenuItem$AccessibleAWTMenuItem getCurrentAccessibleValue()Ljava/lang/Number;
java/awt/MenuItem$AccessibleAWTMenuItem setCurrentAccessibleValue(Ljava/lang/Number;)Z
java/awt/MenuItem$AccessibleAWTMenuItem getMinimumAccessibleValue()Ljava/lang/Number;
java/awt/MenuItem$AccessibleAWTMenuItem getMaximumAccessibleValue()Ljava/lang/Number;
class java/awt/MenuItem java/awt/MenuComponent
java/awt/MenuItem enabled
java/awt/MenuItem label
java/awt/MenuItem actionCommand
java/awt/MenuItem eventMask
java/awt/MenuItem actionListener
java/awt/MenuItem shortcut
java/awt/MenuItem base
java/awt/MenuItem nameCounter
java/awt/MenuItem serialVersionUID
java/awt/MenuItem menuItemSerializedDataVersion
java/awt/MenuItem
    <init>()V
java/awt/MenuItem <init>(Ljava/lang/String;)V
java/awt/MenuItem <init>(Ljava/lang/String;Ljava/awt/MenuShortcut;)V
java/awt/MenuItem constructComponentName()Ljava/lang/String;
java/awt/MenuItem addNotify()V
java/awt/MenuItem getLabel()Ljava/lang/String;
java/awt/MenuItem setLabel(Ljava/lang/String;)V
java/awt/MenuItem isEnabled()Z
java/awt/MenuItem setEnabled(Z)V
java/awt/MenuItem enable()V
java/awt/MenuItem enable(Z)V
java/awt/MenuItem disable()V
java/awt/MenuItem getShortcut()Ljava/awt/MenuShortcut;

```

```

java/awt/MenuItem setShortcut(Ljava/awt/MenuShortcut;)V
java/awt/MenuItem deleteShortcut()V
java/awt/MenuItem deleteShortcut(Ljava/awt/MenuShortcut;)V
java/awt/MenuItem doMenuEvent(JI)V
java/awt/MenuItem handleShortcut(Ljava/awt/event/KeyEvent;)Z
java/awt/MenuItem getShortcutMenuItem(Ljava/awt/MenuShortcut;)Ljava/awt/MenuItem;
java/awt/MenuItem enableEvents(J)V
java/awt/MenuItem disableEvents(J)V
java/awt/MenuItem setActionCommand(Ljava/lang/String;)V
java/awt/MenuItem
    getActionCommand()Ljava/lang/String;
java/awt/MenuItem getActionCommandImpl()Ljava/lang/String;
java/awt/MenuItem addActionListener(Ljava/awt/event/ActionListener;)V
java/awt/MenuItem removeActionListener(Ljava/awt/event/ActionListener;)V
java/awt/MenuItem getActionListeners()[Ljava/awt/event/ActionListener;
java/awt/MenuItem getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/MenuItem processEvent(Ljava/awt/AWTEvent;)V
java/awt/MenuItem eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/MenuItem processActionEvent(Ljava/awt/event/ActionEvent;)V
java/awt/MenuItem paramString()Ljava/lang/String;
java/awt/MenuItem writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/MenuItem readObject(Ljava/io/ObjectInputStream;)V
java/awt/MenuItem initIDs()V
java/awt/MenuItem getAccessibleContext()Ljavax/accessibility/AccessibleContext;
java/awt/MenuItem <clinit>()V
class java/awt/MenuShortcut java/lang/Object
java/awt/MenuShortcut key
java/awt/MenuShortcut usesShift
java/awt/MenuShortcut
    serialVersionUID
java/awt/MenuShortcut <init>(I)V
java/awt/MenuShortcut <init>(IZ)V
java/awt/MenuShortcut getKey()I
java/awt/MenuShortcut usesShiftModifier()Z
java/awt/MenuShortcut equals(Ljava/awt/MenuShortcut;)Z
java/awt/MenuShortcut equals(Ljava/lang/Object;)Z
java/awt/MenuShortcut hashCode()I
java/awt/MenuShortcut toString()Ljava/lang/String;
java/awt/MenuShortcut paramString()Ljava/lang/String;
class java/awt/MouseInfo java/lang/Object
java/awt/MouseInfo $assertionsDisabled
java/awt/MouseInfo <init>()V
java/awt/MouseInfo getPointerInfo()Ljava/awt/PointerInfo;
java/awt/MouseInfo areScreenDevicesIndependent([Ljava/awt/GraphicsDevice;)Z
java/awt/MouseInfo getNumberOfButtons()I
java/awt/MouseInfo <clinit>()V
class java/awt/PageAttributes$ColorType java/awt/AttributeValue
java/awt/PageAttributes$ColorType I_COLOR

```

```

java/awt/PageAttributes$ColorType I_MONOCHROME
java/awt/PageAttributes$ColorType NAMES
java/awt/PageAttributes$ColorType COLOR
java/awt/PageAttributes$ColorType
    MONOCHROME
java/awt/PageAttributes$ColorType <init>(I)V
java/awt/PageAttributes$ColorType <clinit>()V
class java/awt/PageAttributes$MediaType java/awt/Attribute$Value
java/awt/PageAttributes$MediaType I_ISO_4A0
java/awt/PageAttributes$MediaType I_ISO_2A0
java/awt/PageAttributes$MediaType I_ISO_A0
java/awt/PageAttributes$MediaType I_ISO_A1
java/awt/PageAttributes$MediaType I_ISO_A2
java/awt/PageAttributes$MediaType I_ISO_A3
java/awt/PageAttributes$MediaType I_ISO_A4
java/awt/PageAttributes$MediaType I_ISO_A5
java/awt/PageAttributes$MediaType I_ISO_A6
java/awt/PageAttributes$MediaType I_ISO_A7
java/awt/PageAttributes$MediaType I_ISO_A8
java/awt/PageAttributes$MediaType I_ISO_A9
java/awt/PageAttributes$MediaType I_ISO_A10
java/awt/PageAttributes$MediaType I_ISO_B0
java/awt/PageAttributes$MediaType I_ISO_B1
java/awt/PageAttributes$MediaType I_ISO_B2
java/awt/PageAttributes$MediaType I_ISO_B3
java/awt/PageAttributes$MediaType I_ISO_B4
java/awt/PageAttributes$MediaType I_ISO_B5
java/awt/PageAttributes$MediaType
    I_ISO_B6
java/awt/PageAttributes$MediaType I_ISO_B7
java/awt/PageAttributes$MediaType I_ISO_B8
java/awt/PageAttributes$MediaType I_ISO_B9
java/awt/PageAttributes$MediaType I_ISO_B10
java/awt/PageAttributes$MediaType I_JIS_B0
java/awt/PageAttributes$MediaType I_JIS_B1
java/awt/PageAttributes$MediaType I_JIS_B2
java/awt/PageAttributes$MediaType I_JIS_B3
java/awt/PageAttributes$MediaType I_JIS_B4
java/awt/PageAttributes$MediaType I_JIS_B5
java/awt/PageAttributes$MediaType I_JIS_B6
java/awt/PageAttributes$MediaType I_JIS_B7
java/awt/PageAttributes$MediaType I_JIS_B8
java/awt/PageAttributes$MediaType I_JIS_B9
java/awt/PageAttributes$MediaType I_JIS_B10
java/awt/PageAttributes$MediaType I_ISO_C0
java/awt/PageAttributes$MediaType I_ISO_C1
java/awt/PageAttributes$MediaType I_ISO_C2
java/awt/PageAttributes$MediaType I_ISO_C3

```

java/awt/PageAttributes\$MediaType I_ISO_C4
java/awt/PageAttributes\$MediaType I_ISO_C5
java/awt/PageAttributes\$MediaType I_ISO_C6
java/awt/PageAttributes\$MediaType
I_ISO_C7
java/awt/PageAttributes\$MediaType I_ISO_C8
java/awt/PageAttributes\$MediaType I_ISO_C9
java/awt/PageAttributes\$MediaType I_ISO_C10
java/awt/PageAttributes\$MediaType I_ISO_DESIGNATED_LONG
java/awt/PageAttributes\$MediaType I_EXECUTIVE
java/awt/PageAttributes\$MediaType I_FOLIO
java/awt/PageAttributes\$MediaType I_INVOICE
java/awt/PageAttributes\$MediaType I_LEDGER
java/awt/PageAttributes\$MediaType I_NA_LETTER
java/awt/PageAttributes\$MediaType I_NA_LEGAL
java/awt/PageAttributes\$MediaType I_QUARTO
java/awt/PageAttributes\$MediaType I_A
java/awt/PageAttributes\$MediaType I_B
java/awt/PageAttributes\$MediaType I_C
java/awt/PageAttributes\$MediaType I_D
java/awt/PageAttributes\$MediaType I_E
java/awt/PageAttributes\$MediaType I_NA_10X15_ENVELOPE
java/awt/PageAttributes\$MediaType I_NA_10X14_ENVELOPE
java/awt/PageAttributes\$MediaType I_NA_10X13_ENVELOPE
java/awt/PageAttributes\$MediaType I_NA_9X12_ENVELOPE
java/awt/PageAttributes\$MediaType I_NA_9X11_ENVELOPE
java/awt/PageAttributes\$MediaType
I_NA_7X9_ENVELOPE
java/awt/PageAttributes\$MediaType I_NA_6X9_ENVELOPE
java/awt/PageAttributes\$MediaType I_NA_NUMBER_9_ENVELOPE
java/awt/PageAttributes\$MediaType I_NA_NUMBER_10_ENVELOPE
java/awt/PageAttributes\$MediaType I_NA_NUMBER_11_ENVELOPE
java/awt/PageAttributes\$MediaType I_NA_NUMBER_12_ENVELOPE
java/awt/PageAttributes\$MediaType I_NA_NUMBER_14_ENVELOPE
java/awt/PageAttributes\$MediaType I_INVITE_ENVELOPE
java/awt/PageAttributes\$MediaType I_ITALY_ENVELOPE
java/awt/PageAttributes\$MediaType I_MONARCH_ENVELOPE
java/awt/PageAttributes\$MediaType I_PERSONAL_ENVELOPE
java/awt/PageAttributes\$MediaType NAMES
java/awt/PageAttributes\$MediaType ISO_4A0
java/awt/PageAttributes\$MediaType ISO_2A0
java/awt/PageAttributes\$MediaType ISO_A0
java/awt/PageAttributes\$MediaType ISO_A1
java/awt/PageAttributes\$MediaType ISO_A2
java/awt/PageAttributes\$MediaType ISO_A3
java/awt/PageAttributes\$MediaType ISO_A4
java/awt/PageAttributes\$MediaType ISO_A5
java/awt/PageAttributes\$MediaType ISO_A6

java/awt/PageAttributes\$MediaType
ISO_A7
java/awt/PageAttributes\$MediaType ISO_A8
java/awt/PageAttributes\$MediaType ISO_A9
java/awt/PageAttributes\$MediaType ISO_A10
java/awt/PageAttributes\$MediaType ISO_B0
java/awt/PageAttributes\$MediaType ISO_B1
java/awt/PageAttributes\$MediaType ISO_B2
java/awt/PageAttributes\$MediaType ISO_B3
java/awt/PageAttributes\$MediaType ISO_B4
java/awt/PageAttributes\$MediaType ISO_B5
java/awt/PageAttributes\$MediaType ISO_B6
java/awt/PageAttributes\$MediaType ISO_B7
java/awt/PageAttributes\$MediaType ISO_B8
java/awt/PageAttributes\$MediaType ISO_B9
java/awt/PageAttributes\$MediaType ISO_B10
java/awt/PageAttributes\$MediaType JIS_B0
java/awt/PageAttributes\$MediaType JIS_B1
java/awt/PageAttributes\$MediaType JIS_B2
java/awt/PageAttributes\$MediaType JIS_B3
java/awt/PageAttributes\$MediaType JIS_B4
java/awt/PageAttributes\$MediaType JIS_B5
java/awt/PageAttributes\$MediaType JIS_B6
java/awt/PageAttributes\$MediaType JIS_B7
java/awt/PageAttributes\$MediaType JIS_B8
java/awt/PageAttributes\$MediaType
JIS_B9
java/awt/PageAttributes\$MediaType JIS_B10
java/awt/PageAttributes\$MediaType ISO_C0
java/awt/PageAttributes\$MediaType ISO_C1
java/awt/PageAttributes\$MediaType ISO_C2
java/awt/PageAttributes\$MediaType ISO_C3
java/awt/PageAttributes\$MediaType ISO_C4
java/awt/PageAttributes\$MediaType ISO_C5
java/awt/PageAttributes\$MediaType ISO_C6
java/awt/PageAttributes\$MediaType ISO_C7
java/awt/PageAttributes\$MediaType ISO_C8
java/awt/PageAttributes\$MediaType ISO_C9
java/awt/PageAttributes\$MediaType ISO_C10
java/awt/PageAttributes\$MediaType ISO_DESIGNATED_LONG
java/awt/PageAttributes\$MediaType EXECUTIVE
java/awt/PageAttributes\$MediaType FOLIO
java/awt/PageAttributes\$MediaType INVOICE
java/awt/PageAttributes\$MediaType LEDGER
java/awt/PageAttributes\$MediaType NA_LETTER
java/awt/PageAttributes\$MediaType NA_LEGAL
java/awt/PageAttributes\$MediaType QUARTO
java/awt/PageAttributes\$MediaType A

java/awt/PageAttributes\$MediaType B
java/awt/PageAttributes\$MediaType C
java/awt/PageAttributes\$MediaType
D
java/awt/PageAttributes\$MediaType E
java/awt/PageAttributes\$MediaType NA_10X15_ENVELOPE
java/awt/PageAttributes\$MediaType NA_10X14_ENVELOPE
java/awt/PageAttributes\$MediaType NA_10X13_ENVELOPE
java/awt/PageAttributes\$MediaType NA_9X12_ENVELOPE
java/awt/PageAttributes\$MediaType NA_9X11_ENVELOPE
java/awt/PageAttributes\$MediaType NA_7X9_ENVELOPE
java/awt/PageAttributes\$MediaType NA_6X9_ENVELOPE
java/awt/PageAttributes\$MediaType NA_NUMBER_9_ENVELOPE
java/awt/PageAttributes\$MediaType NA_NUMBER_10_ENVELOPE
java/awt/PageAttributes\$MediaType NA_NUMBER_11_ENVELOPE
java/awt/PageAttributes\$MediaType NA_NUMBER_12_ENVELOPE
java/awt/PageAttributes\$MediaType NA_NUMBER_14_ENVELOPE
java/awt/PageAttributes\$MediaType INVITE_ENVELOPE
java/awt/PageAttributes\$MediaType ITALY_ENVELOPE
java/awt/PageAttributes\$MediaType MONARCH_ENVELOPE
java/awt/PageAttributes\$MediaType PERSONAL_ENVELOPE
java/awt/PageAttributes\$MediaType A0
java/awt/PageAttributes\$MediaType A1
java/awt/PageAttributes\$MediaType A2
java/awt/PageAttributes\$MediaType
A3
java/awt/PageAttributes\$MediaType A4
java/awt/PageAttributes\$MediaType A5
java/awt/PageAttributes\$MediaType A6
java/awt/PageAttributes\$MediaType A7
java/awt/PageAttributes\$MediaType A8
java/awt/PageAttributes\$MediaType A9
java/awt/PageAttributes\$MediaType A10
java/awt/PageAttributes\$MediaType B0
java/awt/PageAttributes\$MediaType B1
java/awt/PageAttributes\$MediaType B2
java/awt/PageAttributes\$MediaType B3
java/awt/PageAttributes\$MediaType B4
java/awt/PageAttributes\$MediaType ISO_B4_ENVELOPE
java/awt/PageAttributes\$MediaType B5
java/awt/PageAttributes\$MediaType ISO_B5_ENVELOPE
java/awt/PageAttributes\$MediaType B6
java/awt/PageAttributes\$MediaType B7
java/awt/PageAttributes\$MediaType B8
java/awt/PageAttributes\$MediaType B9
java/awt/PageAttributes\$MediaType B10
java/awt/PageAttributes\$MediaType C0
java/awt/PageAttributes\$MediaType ISO_C0_ENVELOPE

java/awt/PageAttributes\$MediaType C1
java/awt/PageAttributes\$MediaType ISO_C1_ENVELOPE
java/awt/PageAttributes\$MediaType
C2
java/awt/PageAttributes\$MediaType ISO_C2_ENVELOPE
java/awt/PageAttributes\$MediaType C3
java/awt/PageAttributes\$MediaType ISO_C3_ENVELOPE
java/awt/PageAttributes\$MediaType C4
java/awt/PageAttributes\$MediaType ISO_C4_ENVELOPE
java/awt/PageAttributes\$MediaType C5
java/awt/PageAttributes\$MediaType ISO_C5_ENVELOPE
java/awt/PageAttributes\$MediaType C6
java/awt/PageAttributes\$MediaType ISO_C6_ENVELOPE
java/awt/PageAttributes\$MediaType C7
java/awt/PageAttributes\$MediaType ISO_C7_ENVELOPE
java/awt/PageAttributes\$MediaType C8
java/awt/PageAttributes\$MediaType ISO_C8_ENVELOPE
java/awt/PageAttributes\$MediaType C9
java/awt/PageAttributes\$MediaType ISO_C9_ENVELOPE
java/awt/PageAttributes\$MediaType C10
java/awt/PageAttributes\$MediaType ISO_C10_ENVELOPE
java/awt/PageAttributes\$MediaType ISO_DESIGNATED_LONG_ENVELOPE
java/awt/PageAttributes\$MediaType STATEMENT
java/awt/PageAttributes\$MediaType TABLOID
java/awt/PageAttributes\$MediaType LETTER
java/awt/PageAttributes\$MediaType NOTE
java/awt/PageAttributes\$MediaType
LEGAL
java/awt/PageAttributes\$MediaType ENV_10X15
java/awt/PageAttributes\$MediaType ENV_10X14
java/awt/PageAttributes\$MediaType ENV_10X13
java/awt/PageAttributes\$MediaType ENV_9X12
java/awt/PageAttributes\$MediaType ENV_9X11
java/awt/PageAttributes\$MediaType ENV_7X9
java/awt/PageAttributes\$MediaType ENV_6X9
java/awt/PageAttributes\$MediaType ENV_9
java/awt/PageAttributes\$MediaType ENV_10
java/awt/PageAttributes\$MediaType ENV_11
java/awt/PageAttributes\$MediaType ENV_12
java/awt/PageAttributes\$MediaType ENV_14
java/awt/PageAttributes\$MediaType ENV_INVITE
java/awt/PageAttributes\$MediaType ENV_ITALY
java/awt/PageAttributes\$MediaType ENV_MONARCH
java/awt/PageAttributes\$MediaType ENV_PERSONAL
java/awt/PageAttributes\$MediaType INVITE
java/awt/PageAttributes\$MediaType ITALY
java/awt/PageAttributes\$MediaType MONARCH
java/awt/PageAttributes\$MediaType PERSONAL

```

java/awt/PageAttributes$MediaType <init>(I)V
java/awt/PageAttributes$MediaType <clinit>()V
class java/awt/PageAttributes$OrientationRequestedType
    java/awt/AttributeValue
java/awt/PageAttributes$OrientationRequestedType I_PORTRAIT
java/awt/PageAttributes$OrientationRequestedType I_LANDSCAPE
java/awt/PageAttributes$OrientationRequestedType NAMES
java/awt/PageAttributes$OrientationRequestedType PORTRAIT
java/awt/PageAttributes$OrientationRequestedType LANDSCAPE
java/awt/PageAttributes$OrientationRequestedType <init>(I)V
java/awt/PageAttributes$OrientationRequestedType <clinit>()V
class java/awt/PageAttributes$OriginType java/awt/AttributeValue
java/awt/PageAttributes$OriginType I_PHYSICAL
java/awt/PageAttributes$OriginType I_PRINTABLE
java/awt/PageAttributes$OriginType NAMES
java/awt/PageAttributes$OriginType PHYSICAL
java/awt/PageAttributes$OriginType PRINTABLE
java/awt/PageAttributes$OriginType <init>(I)V
java/awt/PageAttributes$OriginType <clinit>()V
class java/awt/PageAttributes$PrintQualityType java/awt/AttributeValue
java/awt/PageAttributes$PrintQualityType I_HIGH
java/awt/PageAttributes$PrintQualityType
    I_NORMAL
java/awt/PageAttributes$PrintQualityType I_DRAFT
java/awt/PageAttributes$PrintQualityType NAMES
java/awt/PageAttributes$PrintQualityType HIGH
java/awt/PageAttributes$PrintQualityType NORMAL
java/awt/PageAttributes$PrintQualityType DRAFT
java/awt/PageAttributes$PrintQualityType <init>(I)V
java/awt/PageAttributes$PrintQualityType <clinit>()V
class java/awt/PaintContext java/lang/Object
java/awt/PaintContext dispose()V
java/awt/PaintContext getColorModel()Ljava/awt/image/ColorModel;
java/awt/PaintContext getRaster(III)Ljava/awt/image/Raster;
class java/awt/Panel$AccessibleAWTPanel java/awt/Container$AccessibleAWTContainer
java/awt/Panel$AccessibleAWTPanel serialVersionUID
java/awt/Panel$AccessibleAWTPanel this$0
java/awt/Panel$AccessibleAWTPanel <init>(Ljava/awt/Panel;)V
java/awt/Panel$AccessibleAWTPanel getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/PeerFixer java/lang/Object
java/awt/PeerFixer scroller
java/awt/PeerFixer <init>(Ljava/awt/ScrollPane;)V
java/awt/PeerFixer
    adjustmentValueChanged(Ljava/awt/event/AdjustmentEvent;)V
class java/awt/PointerInfo java/lang/Object
java/awt/PointerInfo device
java/awt/PointerInfo location
java/awt/PointerInfo <init>(Ljava/awt/GraphicsDevice;Ljava/awt/Point;)V

```

```

java/awt/PointerInfo getDevice()Ljava/awt/GraphicsDevice;
java/awt/PointerInfo getLocation()Ljava/awt/Point;
class java/awt/Polygon$PolygonPathIterator java/lang/Object
java/awt/Polygon$PolygonPathIterator poly
java/awt/Polygon$PolygonPathIterator transform
java/awt/Polygon$PolygonPathIterator index
java/awt/Polygon$PolygonPathIterator this$0
java/awt/Polygon$PolygonPathIterator
<init>(Ljava/awt/Polygon;Ljava/awt/Polygon;Ljava/awt/geom/AffineTransform;)V
java/awt/Polygon$PolygonPathIterator getWindingRule()I
java/awt/Polygon$PolygonPathIterator isDone()Z
java/awt/Polygon$PolygonPathIterator next()V
java/awt/Polygon$PolygonPathIterator currentSegment([F)I
java/awt/Polygon$PolygonPathIterator currentSegment([D)I
class java/awt/Polygon
  java/lang/Object
  java/awt/Polygon npoints
  java/awt/Polygon xpoints
  java/awt/Polygon ypoints
  java/awt/Polygon bounds
  java/awt/Polygon serialVersionUID
  java/awt/Polygon <init>()V
  java/awt/Polygon <init>([I[I)V
  java/awt/Polygon reset()V
  java/awt/Polygon invalidate()V
  java/awt/Polygon translate(II)V
  java/awt/Polygon calculateBounds([I[I)V
  java/awt/Polygon updateBounds(II)V
  java/awt/Polygon addPoint(II)V
  java/awt/Polygon getBounds()Ljava/awt/Rectangle;
  java/awt/Polygon getBoundingBox()Ljava/awt/Rectangle;
  java/awt/Polygon contains(Ljava/awt/Point;)Z
  java/awt/Polygon contains(II)Z
  java/awt/Polygon inside(II)Z
  java/awt/Polygon getBounds2D()Ljava/awt/geom/Rectangle2D;
  java/awt/Polygon contains(DD)Z
  java/awt/Polygon getCrossings(DDDD)Lsun/awt/geom/Crossings;
  java/awt/Polygon contains(Ljava/awt/geom/Point2D;)Z
  java/awt/Polygon intersects(DDDD)Z
  java/awt/Polygon intersects(Ljava/awt/geom/Rectangle2D;)Z
  java/awt/Polygon contains(DDDD)Z
  java/awt/Polygon contains(Ljava/awt/geom/Rectangle2D;)Z
  java/awt/Polygon
    getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
  java/awt/Polygon getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
class java/awt/PopupMenu$AccessibleAWTPopupMenu java/awt/Menu$AccessibleAWTMenu
java/awt/PopupMenu$AccessibleAWTPopupMenu serialVersionUID
java/awt/PopupMenu$AccessibleAWTPopupMenu this$0

```

```

java/awt/PopupMenu$AccessibleAWTPopupMenu <init>(Ljava/awt/PopupMenu;)V
java/awt/PopupMenu$AccessibleAWTPopupMenu getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/PopupMenu java/awt/Menu
java/awt/PopupMenu base
java/awt/PopupMenu nameCounter
java/awt/PopupMenu serialVersionUID
java/awt/PopupMenu <init>()V
java/awt/PopupMenu <init>(Ljava/lang/String;)V
java/awt/PopupMenu constructComponentName(Ljava/lang/String;
java/awt/PopupMenu addNotify()V
java/awt/PopupMenu show(Ljava/awt/Component;I)V
java/awt/PopupMenu getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/PopupMenu <clinit>()V
class
  java/awt/Robot$1 java/lang/Object
  java/awt/Robot$1 this$0
  java/awt/Robot$1 <init>(Ljava/awt/Robot;)V
  java/awt/Robot$1 run()V
class java/awt/Robot java/lang/Object
java/awt/Robot MAX_DELAY
java/awt/Robot peer
java/awt/Robot isAutoWaitForIdle
java/awt/Robot autoDelay
java/awt/Robot LEGAL_BUTTON_MASK
java/awt/Robot screenCapCM
java/awt/Robot <init>()V
java/awt/Robot <init>(Ljava/awt/GraphicsDevice;)V
java/awt/Robot init(Ljava/awt/GraphicsDevice;)V
java/awt/Robot checkRobotAllowed()V
java/awt/Robot checkIsScreenDevice(Ljava/awt/GraphicsDevice;)V
java/awt/Robot mouseMove(II)V
java/awt/Robot mousePress(I)V
java/awt/Robot mouseRelease(I)V
java/awt/Robot checkButtonsArgument(I)V
java/awt/Robot mouseWheel(I)V
java/awt/Robot keyPress(I)V
java/awt/Robot keyRelease(I)V
java/awt/Robot checkKeycodeArgument(I)V
java/awt/Robot getPixelColor(II)Ljava/awt/Color;
java/awt/Robot createScreenCapture(Ljava/awt/Rectangle;)Ljava/awt/image/BufferedImage;
java/awt/Robot checkValidRect(Ljava/awt/Rectangle;)V
java/awt/Robot
  checkScreenCaptureAllowed()V
java/awt/Robot afterEvent()V
java/awt/Robot isAutoWaitForIdle()Z
java/awt/Robot setAutoWaitForIdle(Z)V
java/awt/Robot autoWaitForIdle()V
java/awt/Robot getAutoDelay()I

```

```

java/awt/Robot setAutoDelay(I)V
java/awt/Robot autoDelay()V
java/awt/Robot delay(I)V
java/awt/Robot checkDelayArgument(I)V
java/awt/Robot waitForIdle()V
java/awt/Robot checkNotDispatchThread()V
java/awt/Robot toString()Ljava/lang/String;
class java/awt/ScrollPane$AccessibleAWTScrollPane java/awt/Container$AccessibleAWTContainer
java/awt/ScrollPane$AccessibleAWTScrollPane serialVersionUID
java/awt/ScrollPane$AccessibleAWTScrollPane this$0
java/awt/ScrollPane$AccessibleAWTScrollPane <init>(Ljava/awt/ScrollPane;)V
java/awt/ScrollPane$AccessibleAWTScrollPane getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
class java/awt/ScrollPane$PeerFixer java/lang/Object
java/awt/ScrollPane$PeerFixer serialVersionUID
java/awt/ScrollPane$PeerFixer scroller
java/awt/ScrollPane$PeerFixer
    this$0
java/awt/ScrollPane$PeerFixer <init>(Ljava/awt/ScrollPane;Ljava/awt/ScrollPane;)V
java/awt/ScrollPane$PeerFixer adjustmentValueChanged(Ljava/awt/event/AdjustmentEvent;)V
class java/awt/ScrollPane java/awt/Container
java/awt/ScrollPane SCROLLBARS_AS_NEEDED
java/awt/ScrollPane SCROLLBARS_ALWAYS
java/awt/ScrollPane SCROLLBARS_NEVER
java/awt/ScrollPane scrollbarDisplayPolicy
java/awt/ScrollPane vAdjustable
java/awt/ScrollPane hAdjustable
java/awt/ScrollPane base
java/awt/ScrollPane nameCounter
java/awt/ScrollPane defaultWheelScroll
java/awt/ScrollPane wheelScrollingEnabled
java/awt/ScrollPane serialVersionUID
java/awt/ScrollPane initIDs()V
java/awt/ScrollPane <init>()V
java/awt/ScrollPane <init>(I)V
java/awt/ScrollPane constructComponentName()Ljava/lang/String;
java/awt/ScrollPane addToPanel(Ljava/awt/Component;Ljava/lang/Object;I)V
java/awt/ScrollPane addImpl(Ljava/awt/Component;Ljava/lang/Object;I)V
java/awt/ScrollPane getScrollbarDisplayPolicy()I
java/awt/ScrollPane getViewPortSize()Ljava/awt/Dimension;
java/awt/ScrollPane
    getHScrollbarHeight()I
java/awt/ScrollPane getVScrollbarWidth()I
java/awt/ScrollPane getVAdjustable()Ljava/awt/Adjustable;
java/awt/ScrollPane getHAdjustable()Ljava/awt/Adjustable;
java/awt/ScrollPane setScrollPosition(II)V
java/awt/ScrollPane setScrollPosition(Ljava/awt/Point;)V
java/awt/ScrollPane getScrollPosition()Ljava/awt/Point;
java/awt/ScrollPane setLayout(Ljava/awt/LayoutManager;)V

```

```

java/awt/ScrollPane doLayout()V
java/awt/ScrollPane calculateChildSize()Ljava/awt/Dimension;
java/awt/ScrollPane layout()V
java/awt/ScrollPane printComponents(Ljava/awt/Graphics;)V
java/awt/ScrollPane addNotify()V
java/awt/ScrollPane paramString()Ljava/lang/String;
java/awt/ScrollPane autoProcessMouseWheel(Ljava/awt/event/MouseWheelEvent;)V
java/awt/ScrollPane processMouseWheelEvent(Ljava/awt/event/MouseWheelEvent;)V
java/awt/ScrollPane eventTypeEnabled(I)Z
java/awt/ScrollPane setWheelScrollingEnabled(Z)V
java/awt/ScrollPane isWheelScrollingEnabled()Z
java/awt/ScrollPane
    writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/ScrollPane readObject(Ljava/io/ObjectInputStream;)V
java/awt/ScrollPane getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/ScrollPane <clinit>()V
class java/awt/ScrollPaneAdjustable java/lang/Object
java/awt/ScrollPaneAdjustable sp
java/awt/ScrollPaneAdjustable orientation
java/awt/ScrollPaneAdjustable value
java/awt/ScrollPaneAdjustable minimum
java/awt/ScrollPaneAdjustable maximum
java/awt/ScrollPaneAdjustable visibleAmount
java/awt/ScrollPaneAdjustable isAdjusting
java/awt/ScrollPaneAdjustable unitIncrement
java/awt/ScrollPaneAdjustable blockIncrement
java/awt/ScrollPaneAdjustable adjustmentListener
java/awt/ScrollPaneAdjustable SCROLLPANE_ONLY
java/awt/ScrollPaneAdjustable serialVersionUID
java/awt/ScrollPaneAdjustable initIDs()V
java/awt/ScrollPaneAdjustable <init>(Ljava/awt/ScrollPane;Ljava/awt/event/AdjustmentListener;)V
java/awt/ScrollPaneAdjustable setSpan(III)V
java/awt/ScrollPaneAdjustable
    getOrientation()I
java/awt/ScrollPaneAdjustable setMinimum(I)V
java/awt/ScrollPaneAdjustable getMinimum()I
java/awt/ScrollPaneAdjustable setMaximum(I)V
java/awt/ScrollPaneAdjustable getMaximum()I
java/awt/ScrollPaneAdjustable setUnitIncrement(I)V
java/awt/ScrollPaneAdjustable getUnitIncrement()I
java/awt/ScrollPaneAdjustable setBlockIncrement(I)V
java/awt/ScrollPaneAdjustable getBlockIncrement()I
java/awt/ScrollPaneAdjustable setVisibleAmount(I)V
java/awt/ScrollPaneAdjustable getVisibleAmount()I
java/awt/ScrollPaneAdjustable setValueIsAdjusting(Z)V
java/awt/ScrollPaneAdjustable getValueIsAdjusting()Z
java/awt/ScrollPaneAdjustable setValue(I)V
java/awt/ScrollPaneAdjustable setTypedValue(II)V

```



```

java/awt/ScrollPaneAdjustable getValue()I
java/awt/ScrollPaneAdjustable addAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
java/awt/ScrollPaneAdjustable removeAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
java/awt/ScrollPaneAdjustable getAdjustmentListeners()[Ljava/awt/event/AdjustmentListener;
java/awt/ScrollPaneAdjustable
    toString()Ljava/lang/String;
java/awt/ScrollPaneAdjustable paramString()Ljava/lang/String;
java/awt/ScrollPaneAdjustable <clinit>()V
class java/awt/Scrollbar$AccessibleAWTScrollBar java/awt/Component$AccessibleAWTComponent
java/awt/Scrollbar$AccessibleAWTScrollBar serialVersionUID
java/awt/Scrollbar$AccessibleAWTScrollBar this$0
java/awt/Scrollbar$AccessibleAWTScrollBar <init>(Ljava/awt/Scrollbar;)V
java/awt/Scrollbar$AccessibleAWTScrollBar getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
java/awt/Scrollbar$AccessibleAWTScrollBar getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/Scrollbar$AccessibleAWTScrollBar getAccessibleValue()Ljava/awt/accessibility/AccessibleValue;
java/awt/Scrollbar$AccessibleAWTScrollBar getCurrentAccessibleValue()Ljava/lang/Number;
java/awt/Scrollbar$AccessibleAWTScrollBar setCurrentAccessibleValue(Ljava/lang/Number;)Z
java/awt/Scrollbar$AccessibleAWTScrollBar getMinimumAccessibleValue()Ljava/lang/Number;
java/awt/Scrollbar$AccessibleAWTScrollBar
    getMaximumAccessibleValue()Ljava/lang/Number;
class java/awt/Scrollbar java/awt/Component
java/awt/Scrollbar HORIZONTAL
java/awt/Scrollbar VERTICAL
java/awt/Scrollbar value
java/awt/Scrollbar maximum
java/awt/Scrollbar minimum
java/awt/Scrollbar visibleAmount
java/awt/Scrollbar orientation
java/awt/Scrollbar lineIncrement
java/awt/Scrollbar pageIncrement
java/awt/Scrollbar isAdjusting
java/awt/Scrollbar adjustmentListener
java/awt/Scrollbar base
java/awt/Scrollbar nameCounter
java/awt/Scrollbar serialVersionUID
java/awt/Scrollbar scrollbarSerializedDataVersion
java/awt/Scrollbar initIDs()V
java/awt/Scrollbar <init>()V
java/awt/Scrollbar <init>(I)V
java/awt/Scrollbar <init>(IIII)V
java/awt/Scrollbar constructComponentName()Ljava/lang/String;
java/awt/Scrollbar addNotify()V
java/awt/Scrollbar getOrientation()I
java/awt/Scrollbar setOrientation(I)V
java/awt/Scrollbar getValue()I
java/awt/Scrollbar setValue(I)V
java/awt/Scrollbar

```

```

getMinimum()I
java/awt/Scrollbar setMinimum(I)V
java/awt/Scrollbar getMaximum()I
java/awt/Scrollbar setMaximum(I)V
java/awt/Scrollbar getVisibleAmount()I
java/awt/Scrollbar getVisible()I
java/awt/Scrollbar setVisibleAmount(I)V
java/awt/Scrollbar setUnitIncrement(I)V
java/awt/Scrollbar setLineIncrement(I)V
java/awt/Scrollbar getUnitIncrement()I
java/awt/Scrollbar getLineIncrement()I
java/awt/Scrollbar setBlockIncrement(I)V
java/awt/Scrollbar setPageIncrement(I)V
java/awt/Scrollbar getBlockIncrement()I
java/awt/Scrollbar getPageIncrement()I
java/awt/Scrollbar setValues(III)V
java/awt/Scrollbar getValueIsAdjusting()Z
java/awt/Scrollbar setValueIsAdjusting(Z)V
java/awt/Scrollbar addAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
java/awt/Scrollbar removeAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
java/awt/Scrollbar getAdjustmentListeners()[Ljava/awt/event/AdjustmentListener;
java/awt/Scrollbar getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Scrollbar
    eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Scrollbar processEvent(Ljava/awt/AWTEvent;)V
java/awt/Scrollbar processAdjustmentEvent(Ljava/awt/event/AdjustmentEvent;)V
java/awt/Scrollbar paramString()Ljava/lang/String;
java/awt/Scrollbar writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Scrollbar readObject(Ljava/io/ObjectInputStream;)V
java/awt/Scrollbar getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Scrollbar <clinit>()V
class java/awt/SequencedEvent$1 java/lang/Object
java/awt/SequencedEvent$1 this$0
java/awt/SequencedEvent$1 <init>(Ljava/awt/SequencedEvent;)V
java/awt/SequencedEvent$1 evaluate()Z
class java/awt/SystemColor java/awt/Color
java/awt/SystemColor DESKTOP
java/awt/SystemColor ACTIVE_CAPTION
java/awt/SystemColor ACTIVE_CAPTION_TEXT
java/awt/SystemColor ACTIVE_CAPTION_BORDER
java/awt/SystemColor INACTIVE_CAPTION
java/awt/SystemColor INACTIVE_CAPTION_TEXT
java/awt/SystemColor INACTIVE_CAPTION_BORDER
java/awt/SystemColor WINDOW
java/awt/SystemColor
    WINDOW_BORDER
java/awt/SystemColor WINDOW_TEXT
java/awt/SystemColor MENU

```

java/awt/SystemColor MENU_TEXT
java/awt/SystemColor TEXT
java/awt/SystemColor TEXT_TEXT
java/awt/SystemColor TEXT_HIGHLIGHT
java/awt/SystemColor TEXT_HIGHLIGHT_TEXT
java/awt/SystemColor TEXT_INACTIVE_TEXT
java/awt/SystemColor CONTROL
java/awt/SystemColor CONTROL_TEXT
java/awt/SystemColor CONTROL_HIGHLIGHT
java/awt/SystemColor CONTROL_LT_HIGHLIGHT
java/awt/SystemColor CONTROL_SHADOW
java/awt/SystemColor CONTROL_DK_SHADOW
java/awt/SystemColor SCROLLBAR
java/awt/SystemColor INFO
java/awt/SystemColor INFO_TEXT
java/awt/SystemColor NUM_COLORS
java/awt/SystemColor desktop
java/awt/SystemColor activeCaption
java/awt/SystemColor activeCaptionText
java/awt/SystemColor activeCaptionBorder
java/awt/SystemColor inactiveCaption
java/awt/SystemColor inactiveCaptionText
java/awt/SystemColor inactiveCaptionBorder
java/awt/SystemColor window
java/awt/SystemColor windowBorder
java/awt/SystemColor windowText
java/awt/SystemColor
 menu
java/awt/SystemColor menuText
java/awt/SystemColor text
java/awt/SystemColor textText
java/awt/SystemColor textHighlight
java/awt/SystemColor textHighlightText
java/awt/SystemColor textInactiveText
java/awt/SystemColor control
java/awt/SystemColor controlText
java/awt/SystemColor controlHighlight
java/awt/SystemColor controlLtHighlight
java/awt/SystemColor controlShadow
java/awt/SystemColor controlDkShadow
java/awt/SystemColor scrollbar
java/awt/SystemColor info
java/awt/SystemColor infoText
java/awt/SystemColor systemColors
java/awt/SystemColor serialVersionUID
java/awt/SystemColor updateSystemColors()V
java/awt/SystemColor <init>(B)V
java/awt/SystemColor getRGB(I

```

java/awt/SystemColor
createContext(Ljava/awt/image/ColorModel;Ljava/awt/Rectangle;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Af
fineTransform;Ljava/awt/RenderingHints;)Ljava/awt/PaintContext;
java/awt/SystemColor toString()Ljava/lang/String;
java/awt/SystemColor <clinit>()V
class java/awt/TextArea$AccessibleAWTTextArea
  java/awt/TextComponent$AccessibleAWTTextComponent
  java/awt/TextArea$AccessibleAWTTextArea serialVersionUID
  java/awt/TextArea$AccessibleAWTTextArea this$0
  java/awt/TextArea$AccessibleAWTTextArea <init>(Ljava/awt/TextArea;)V
  java/awt/TextArea$AccessibleAWTTextArea getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
class java/awt/TextArea java/awt/TextComponent
  java/awt/TextArea rows
  java/awt/TextArea columns
  java/awt/TextArea base
  java/awt/TextArea nameCounter
  java/awt/TextArea SCROLLBARS_BOTH
  java/awt/TextArea SCROLLBARS_VERTICAL_ONLY
  java/awt/TextArea SCROLLBARS_HORIZONTAL_ONLY
  java/awt/TextArea SCROLLBARS_NONE
  java/awt/TextArea scrollbarVisibility
  java/awt/TextArea forwardTraversalKeys
  java/awt/TextArea backwardTraversalKeys
  java/awt/TextArea serialVersionUID
  java/awt/TextArea textAreaSerializedDataVersion
  java/awt/TextArea initIDs()V
  java/awt/TextArea <init>()V
  java/awt/TextArea <init>(Ljava/lang/String;)V
  java/awt/TextArea <init>(II)V
  java/awt/TextArea <init>(Ljava/lang/String;II)V
  java/awt/TextArea
    <init>(Ljava/lang/String;III)V
  java/awt/TextArea constructComponentName()Ljava/lang/String;
  java/awt/TextArea addNotify()V
  java/awt/TextArea insert(Ljava/lang/String;I)V
  java/awt/TextArea insertText(Ljava/lang/String;I)V
  java/awt/TextArea append(Ljava/lang/String;)V
  java/awt/TextArea appendText(Ljava/lang/String;)V
  java/awt/TextArea replaceRange(Ljava/lang/String;II)V
  java/awt/TextArea replaceText(Ljava/lang/String;II)V
  java/awt/TextArea getRows()I
  java/awt/TextArea setRows(I)V
  java/awt/TextArea getColumns()I
  java/awt/TextArea setColumns(I)V
  java/awt/TextArea getScrollbarVisibility()I
  java/awt/TextArea getPreferredSize(II)Ljava/awt/Dimension;
  java/awt/TextArea preferredSize(II)Ljava/awt/Dimension;
  java/awt/TextArea getPreferredSize()Ljava/awt/Dimension;

```

```

java/awt/TextArea preferredSize()Ljava/awt/Dimension;
java/awt/TextArea getMinimumSize(II)Ljava/awt/Dimension;
java/awt/TextArea minimumSize(II)Ljava/awt/Dimension;
java/awt/TextArea getMinimumSize()Ljava/awt/Dimension;
java/awt/TextArea
    minimumSize()Ljava/awt/Dimension;
java/awt/TextArea paramString()Ljava/lang/String;
java/awt/TextArea readObject(Ljava/io/ObjectInputStream;)V
java/awt/TextArea getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/TextArea <clinit>()V
class java/awt/TextComponent$AccessibleAWTTextComponent java/awt/Component$AccessibleAWTComponent
java/awt/TextComponent$AccessibleAWTTextComponent serialVersionUID
java/awt/TextComponent$AccessibleAWTTextComponent NEXT
java/awt/TextComponent$AccessibleAWTTextComponent PREVIOUS
java/awt/TextComponent$AccessibleAWTTextComponent this$0
java/awt/TextComponent$AccessibleAWTTextComponent <init>(Ljava/awt/TextComponent;)V
java/awt/TextComponent$AccessibleAWTTextComponent textValueChanged(Ljava/awt/event/TextEvent;)V
java/awt/TextComponent$AccessibleAWTTextComponent
    getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
java/awt/TextComponent$AccessibleAWTTextComponent
    getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/TextComponent$AccessibleAWTTextComponent
    getAccessibleText()Ljava/awt/accessibility/AccessibleText;
java/awt/TextComponent$AccessibleAWTTextComponent getIndexAtPoint(Ljava/awt/Point;)I
java/awt/TextComponent$AccessibleAWTTextComponent getCharacterBounds(I)Ljava/awt/Rectangle;
java/awt/TextComponent$AccessibleAWTTextComponent getCharCount()I
java/awt/TextComponent$AccessibleAWTTextComponent getCaretPosition()I
java/awt/TextComponent$AccessibleAWTTextComponent getCharacterAttribute(I)Ljava/awt/swing/text/AttributeSet;
java/awt/TextComponent$AccessibleAWTTextComponent getSelectionStart()I
java/awt/TextComponent$AccessibleAWTTextComponent getSelectionEnd()I
java/awt/TextComponent$AccessibleAWTTextComponent getSelectedText()Ljava/lang/String;
java/awt/TextComponent$AccessibleAWTTextComponent getAtIndex(II)Ljava/lang/String;
java/awt/TextComponent$AccessibleAWTTextComponent
    findWordLimit(ILjava/text/BreakIterator;ZLjava/lang/String;)I
java/awt/TextComponent$AccessibleAWTTextComponent
    getAfterIndex(II)Ljava/lang/String;
java/awt/TextComponent$AccessibleAWTTextComponent getBeforeIndex(II)Ljava/lang/String;
class java/awt/TextComponent java/awt/Component
java/awt/TextComponent text
java/awt/TextComponent editable
java/awt/TextComponent selectionStart
java/awt/TextComponent selectionEnd
java/awt/TextComponent setBackgroundByClientCode
java/awt/TextComponent canAccessClipboard
java/awt/TextComponent textListener
java/awt/TextComponent serialVersionUID
java/awt/TextComponent textComponentSerializedDataVersion
java/awt/TextComponent checkForEnableIM

```

```

java/awt/TextComponent <init>(Ljava/lang/String;)V
java/awt/TextComponent enableInputMethodsIfNecessary()V
java/awt/TextComponent enableInputMethods(Z)V
java/awt/TextComponent areInputMethodsEnabled()Z
java/awt/TextComponent getInputMethodRequests()Ljava/awt/im/InputMethodRequests;
java/awt/TextComponent addNotify()V
java/awt/TextComponent removeNotify()V
java/awt/TextComponent setText(Ljava/lang/String;)V
java/awt/TextComponent
    getText()Ljava/lang/String;
java/awt/TextComponent getSelectedText()Ljava/lang/String;
java/awt/TextComponent isEditable()Z
java/awt/TextComponent setEditable(Z)V
java/awt/TextComponent getBackground()Ljava/awt/Color;
java/awt/TextComponent setBackground(Ljava/awt/Color;)V
java/awt/TextComponent getSelectionStart()I
java/awt/TextComponent setSelectionStart(I)V
java/awt/TextComponent getSelectionEnd()I
java/awt/TextComponent setSelectionEnd(I)V
java/awt/TextComponent select(II)V
java/awt/TextComponent selectAll()V
java/awt/TextComponent setCaretPosition(I)V
java/awt/TextComponent getCaretPosition()I
java/awt/TextComponent addTextListener(Ljava/awt/event/TextListener;)V
java/awt/TextComponent removeTextListener(Ljava/awt/event/TextListener;)V
java/awt/TextComponent getTextListeners()[Ljava/awt/event/TextListener;
java/awt/TextComponent getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/TextComponent eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/TextComponent
    processEvent(Ljava/awt/AWTEvent;)V
java/awt/TextComponent processTextEvent(Ljava/awt/event/TextEvent;)V
java/awt/TextComponent paramString()Ljava/lang/String;
java/awt/TextComponent checkSystemClipboardAccess()V
java/awt/TextComponent writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/TextComponent readObject(Ljava/io/ObjectInputStream;)V
java/awt/TextComponent getIndexAtPoint(Ljava/awt/Point;)I
java/awt/TextComponent getCharacterBounds(I)Ljava/awt/Rectangle;
java/awt/TextComponent getAccessibleContext()Ljavax/accessibility/AccessibleContext;
class java/awt/TextField$AccessibleAWTTextField java/awt/TextComponent$AccessibleAWTTextComponent
java/awt/TextField$AccessibleAWTTextField serialVersionUID
java/awt/TextField$AccessibleAWTTextField this$0
java/awt/TextField$AccessibleAWTTextField <init>(Ljava/awt/TextField;)V
java/awt/TextField$AccessibleAWTTextField getAccessibleStateSet()Ljavax/accessibility/AccessibleStateSet;
class java/awt/TextField java/awt/TextComponent
java/awt/TextField
    columns
java/awt/TextField echoChar
java/awt/TextField actionListener

```

```

java/awt/TextField base
java/awt/TextField nameCounter
java/awt/TextField serialVersionUID
java/awt/TextField textFieldSerializedDataVersion
java/awt/TextField initIDs()V
java/awt/TextField <init>()V
java/awt/TextField <init>(Ljava/lang/String;)V
java/awt/TextField <init>(I)V
java/awt/TextField <init>(Ljava/lang/String;I)V
java/awt/TextField constructComponentName()Ljava/lang/String;
java/awt/TextField addNotify()V
java/awt/TextField getEchoChar()C
java/awt/TextField setEchoChar(C)V
java/awt/TextField setEchoCharacter(C)V
java/awt/TextField setText(Ljava/lang/String;)V
java/awt/TextField echoCharIsSet()Z
java/awt/TextField getColumns()I
java/awt/TextField setColumns(I)V
java/awt/TextField getPreferredSize(I)Ljava/awt/Dimension;
java/awt/TextField preferredSize(I)Ljava/awt/Dimension;
java/awt/TextField getPreferredSize()Ljava/awt/Dimension;
java/awt/TextField preferredSize()Ljava/awt/Dimension;
java/awt/TextField
    getMinimumSize(I)Ljava/awt/Dimension;
java/awt/TextField minimumSize(I)Ljava/awt/Dimension;
java/awt/TextField getMinimumSize()Ljava/awt/Dimension;
java/awt/TextField minimumSize()Ljava/awt/Dimension;
java/awt/TextField addActionListener(Ljava/awt/event/ActionListener;)V
java/awt/TextField removeActionListener(Ljava/awt/event/ActionListener;)V
java/awt/TextField getActionListeners()[Ljava/awt/event/ActionListener;
java/awt/TextField getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/TextField eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/TextField processEvent(Ljava/awt/AWTEvent;)V
java/awt/TextField processActionEvent(Ljava/awt/event/ActionEvent;)V
java/awt/TextField paramString()Ljava/lang/String;
java/awt/TextField writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/TextField readObject(Ljava/io/ObjectInputStream;)V
java/awt/TextField getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/TextField <clinit>()V
class java/awt/TexturePaint
    java/lang/Object
java/awt/TexturePaint bufImg
java/awt/TexturePaint tx
java/awt/TexturePaint ty
java/awt/TexturePaint sx
java/awt/TexturePaint sy
java/awt/TexturePaint <init>(Ljava/awt/image/BufferedImage;Ljava/awt/geom/Rectangle2D;)V
java/awt/TexturePaint getImage()Ljava/awt/image/BufferedImage;

```

```

java/awt/TexturePaint getAnchorRect()Ljava/awt/geom/Rectangle2D;
java/awt/TexturePaint
createContext(Ljava/awt/image/ColorModel;Ljava/awt/Rectangle;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Af
fineTransform;Ljava/awt/RenderingHints;)Ljava/awt/PaintContext;
java/awt/TexturePaint getTransparency()I
class java/awt/TexturePaintContext$Any java/awt/TexturePaintContext
java/awt/TexturePaintContext$Any srcRas
java/awt/TexturePaintContext$Any filter
java/awt/TexturePaintContext$Any
<init>(Ljava/awt/image/WritableRaster;Ljava/awt/image/ColorModel;Ljava/awt/geom/AffineTransform;IZ)V
java/awt/TexturePaintContext$Any makeRaster(II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext$Any setRaster(IIIIIIIIIIII)V
class
java/awt/TexturePaintContext$Byte java/awt/TexturePaintContext
java/awt/TexturePaintContext$Byte srcRas
java/awt/TexturePaintContext$Byte inData
java/awt/TexturePaintContext$Byte inOff
java/awt/TexturePaintContext$Byte inSpan
java/awt/TexturePaintContext$Byte outData
java/awt/TexturePaintContext$Byte outOff
java/awt/TexturePaintContext$Byte outSpan
java/awt/TexturePaintContext$Byte
<init>(Lsun/awt/image/ByteInterleavedRaster;Ljava/awt/image/ColorModel;Ljava/awt/geom/AffineTransform;I)V
java/awt/TexturePaintContext$Byte makeRaster(II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext$Byte dispose()V
java/awt/TexturePaintContext$Byte setRaster(IIIIIIIIIIII)V
class java/awt/TexturePaintContext$ByteFilter java/awt/TexturePaintContext
java/awt/TexturePaintContext$ByteFilter srcRas
java/awt/TexturePaintContext$ByteFilter inPalette
java/awt/TexturePaintContext$ByteFilter inData
java/awt/TexturePaintContext$ByteFilter inOff
java/awt/TexturePaintContext$ByteFilter
inSpan
java/awt/TexturePaintContext$ByteFilter outData
java/awt/TexturePaintContext$ByteFilter outOff
java/awt/TexturePaintContext$ByteFilter outSpan
java/awt/TexturePaintContext$ByteFilter
<init>(Lsun/awt/image/ByteInterleavedRaster;Ljava/awt/image/ColorModel;Ljava/awt/geom/AffineTransform;I)V
java/awt/TexturePaintContext$ByteFilter makeRaster(II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext$ByteFilter setRaster(IIIIIIIIIIII)V
class java/awt/TexturePaintContext$Int java/awt/TexturePaintContext
java/awt/TexturePaintContext$Int srcRas
java/awt/TexturePaintContext$Int inData
java/awt/TexturePaintContext$Int inOff
java/awt/TexturePaintContext$Int inSpan
java/awt/TexturePaintContext$Int outData
java/awt/TexturePaintContext$Int outOff
java/awt/TexturePaintContext$Int outSpan

```



```

java/awt/TexturePaintContext$Int filter
java/awt/TexturePaintContext$Int
<init>(Lsun/awt/image/IntegerInterleavedRaster;Ljava/awt/image/ColorModel;Ljava/awt/geom/AffineTransform;IZ)V
java/awt/TexturePaintContext$Int
    makeRaster(II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext$Int setRaster(IIIIIIIIII)V
class java/awt/TexturePaintContext java/lang/Object
java/awt/TexturePaintContext xrgbmodel
java/awt/TexturePaintContext argbmodel
java/awt/TexturePaintContext colorModel
java/awt/TexturePaintContext bWidth
java/awt/TexturePaintContext bHeight
java/awt/TexturePaintContext maxWidth
java/awt/TexturePaintContext outRas
java/awt/TexturePaintContext xOrg
java/awt/TexturePaintContext yOrg
java/awt/TexturePaintContext incXAcross
java/awt/TexturePaintContext incYAcross
java/awt/TexturePaintContext incXDown
java/awt/TexturePaintContext incYDown
java/awt/TexturePaintContext colincx
java/awt/TexturePaintContext colincy
java/awt/TexturePaintContext colincxerr
java/awt/TexturePaintContext colincyerr
java/awt/TexturePaintContext rowincx
java/awt/TexturePaintContext rowincy
java/awt/TexturePaintContext rowincxerr
java/awt/TexturePaintContext rowincyerr
java/awt/TexturePaintContext
    xrgbRasRef
java/awt/TexturePaintContext argbRasRef
java/awt/TexturePaintContext byteRasRef
java/awt/TexturePaintContext
    getContext(Ljava/awt/image/BufferedImage;Ljava/awt/geom/AffineTransform;Ljava/awt/RenderingHints;Ljava/awt/Rectangle;)Ljava/awt/PaintContext;
java/awt/TexturePaintContext isFilterableICM(Ljava/awt/image/ColorModel;)Z
java/awt/TexturePaintContext isFilterableDCM(Ljava/awt/image/ColorModel;)Z
java/awt/TexturePaintContext isMaskOK(IZ)Z
java/awt/TexturePaintContext getInternedColorModel(Ljava/awt/image/ColorModel;)Ljava/awt/image/ColorModel;
java/awt/TexturePaintContext <init>(Ljava/awt/image/ColorModel;Ljava/awt/geom/AffineTransform;III)V
java/awt/TexturePaintContext fractAsInt(D)I
java/awt/TexturePaintContext mod(DD)D
java/awt/TexturePaintContext dispose()V
java/awt/TexturePaintContext getColorModel()Ljava/awt/image/ColorModel;
java/awt/TexturePaintContext getRaster(III)Ljava/awt/image/Raster;
java/awt/TexturePaintContext
    makeRaster(Ljava/awt/image/ColorModel;Ljava/awt/image/Raster;II)Ljava/awt/image/WritableRaster;

```

```

java/awt/TexturePaintContext
    dropRaster(Ljava/awt/image/ColorModel;Ljava/awt/image/Raster;)V
java/awt/TexturePaintContext makeByteRaster(Ljava/awt/image/Raster;II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext dropByteRaster(Ljava/awt/image/Raster;)V
java/awt/TexturePaintContext makeRaster(II)Ljava/awt/image/WritableRaster;
java/awt/TexturePaintContext setRaster(IIIIIIIIIIII)V
java/awt/TexturePaintContext blend(III)I
java/awt/TexturePaintContext <clinit>()V
class java/awt/color/CMMException java/lang/RuntimeException
java/awt/color/CMMException <init>(Ljava/lang/String;)V
class java/awt/color/ICC_ProfileGray java/awt/color/ICC_Profile
java/awt/color/ICC_ProfileGray <init>(J)V
java/awt/color/ICC_ProfileGray <init>(Lsun/awt/color/ProfileDeferralInfo;)V
java/awt/color/ICC_ProfileGray getMediaWhitePoint()[F
java/awt/color/ICC_ProfileGray getGamma()F
java/awt/color/ICC_ProfileGray getTRC()[S
class java/awt/color/ProfileDataException
    java/lang/RuntimeException
java/awt/color/ProfileDataException <init>(Ljava/lang/String;)V
class java/awt/datatransfer/Clipboard$1 java/lang/Object
java/awt/datatransfer/Clipboard$1 val$soldOwner
java/awt/datatransfer/Clipboard$1 val$soldContents
java/awt/datatransfer/Clipboard$1 this$0
java/awt/datatransfer/Clipboard$1
    <init>(Ljava/awt/datatransfer/Clipboard;Ljava/awt/datatransfer/ClipboardOwner;Ljava/awt/datatransfer/Transferabl
    e;)V
java/awt/datatransfer/Clipboard$1 run()V
class java/awt/datatransfer/Clipboard$2 java/lang/Object
java/awt/datatransfer/Clipboard$2 val$listener
java/awt/datatransfer/Clipboard$2 this$0
java/awt/datatransfer/Clipboard$2 <init>(Ljava/awt/datatransfer/Clipboard;Ljava/awt/datatransfer/FlavorListener;)V
java/awt/datatransfer/Clipboard$2 run()V
class java/awt/datatransfer/DataFlavor$TextFlavorComparator
sun/awt/datatransfer/DataTransferer$DataFlavorComparator
java/awt/datatransfer/DataFlavor$TextFlavorComparator <init>()V
java/awt/datatransfer/DataFlavor$TextFlavorComparator
    compare(Ljava/lang/Object;Ljava/lang/Object;)I
class java/awt/datatransfer/FlavorEvent java/util/EventObject
java/awt/datatransfer/FlavorEvent <init>(Ljava/awt/datatransfer/Clipboard;)V
class java/awt/datatransfer/FlavorListener java/lang/Object
java/awt/datatransfer/FlavorListener flavorsChanged(Ljava/awt/datatransfer/FlavorEvent;)V
class java/awt/datatransfer/MimeTypeParseException java/lang/Exception
java/awt/datatransfer/MimeTypeParseException serialVersionUID
java/awt/datatransfer/MimeTypeParseException <init>()V
java/awt/datatransfer/MimeTypeParseException <init>(Ljava/lang/String;)V
class java/awt/datatransfer/StringSelection java/lang/Object
java/awt/datatransfer/StringSelection STRING
java/awt/datatransfer/StringSelection PLAIN_TEXT

```

```

java/awt/datatransfer/StringSelection flavors
java/awt/datatransfer/StringSelection data
java/awt/datatransfer/StringSelection <init>(Ljava/lang/String;)V
java/awt/datatransfer/StringSelection getTransferDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/StringSelection
isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/datatransfer/StringSelection getTransferData(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/Object;
java/awt/datatransfer/StringSelection
lostOwnership(Ljava/awt/datatransfer/Clipboard;Ljava/awt/datatransfer/Transferable;)V
java/awt/datatransfer/StringSelection <clinit>()V
class java/awt/datatransfer/UnsupportedFlavorException java/lang/Exception
java/awt/datatransfer/UnsupportedFlavorException serialVersionUID
java/awt/datatransfer/UnsupportedFlavorException <init>(Ljava/awt/datatransfer/DataFlavor;)V
class java/awt/dnd/Autoscroll java/lang/Object
java/awt/dnd/Autoscroll getAutoscrollInsets()Ljava/awt/Insets;
java/awt/dnd/Autoscroll autoscroll(Ljava/awt/Point;)V
class java/awt/dnd/DnDConstants java/lang/Object
java/awt/dnd/DnDConstants ACTION_NONE
java/awt/dnd/DnDConstants ACTION_COPY
java/awt/dnd/DnDConstants ACTION_MOVE
java/awt/dnd/DnDConstants
ACTION_COPY_OR_MOVE
java/awt/dnd/DnDConstants ACTION_LINK
java/awt/dnd/DnDConstants ACTION_REFERENCE
java/awt/dnd/DnDConstants <init>()V
class java/awt/dnd/DnDEventMulticaster java/awt/AWTEventMulticaster
java/awt/dnd/DnDEventMulticaster <init>(Ljava/util/EventListener;Ljava/util/EventListener;)V
java/awt/dnd/DnDEventMulticaster dragEnter(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DnDEventMulticaster dragOver(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DnDEventMulticaster dropActionChanged(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DnDEventMulticaster dragExit(Ljava/awt/dnd/DragSourceEvent;)V
java/awt/dnd/DnDEventMulticaster dragDropEnd(Ljava/awt/dnd/DragSourceDropEvent;)V
java/awt/dnd/DnDEventMulticaster dragMouseMoved(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DnDEventMulticaster
add(Ljava/awt/dnd/DragSourceListener;Ljava/awt/dnd/DragSourceListener;)Ljava/awt/dnd/DragSourceListener;
java/awt/dnd/DnDEventMulticaster
add(Ljava/awt/dnd/DragSourceMotionListener;Ljava/awt/dnd/DragSourceMotionListener;)Ljava/awt/dnd/DragSourceMotionListener;
java/awt/dnd/DnDEventMulticaster
remove(Ljava/awt/dnd/DragSourceListener;Ljava/awt/dnd/DragSourceListener;)Ljava/awt/dnd/DragSourceListener;
;
java/awt/dnd/DnDEventMulticaster
remove(Ljava/awt/dnd/DragSourceMotionListener;Ljava/awt/dnd/DragSourceMotionListener;)Ljava/awt/dnd/DragSourceMotionListener;
java/awt/dnd/DnDEventMulticaster
addInternal(Ljava/util/EventListener;Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/dnd/DnDEventMulticaster remove(Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/dnd/DnDEventMulticaster

```

```

removeInternal(Ljava/util/EventListener;Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/dnd/DnDEventMulticaster
save(Ljava/io/ObjectOutputStream;Ljava/lang/String;Ljava/util/EventListener;)V
class java/awt/dnd/DragSourceAdapter java/lang/Object
java/awt/dnd/DragSourceAdapter <init>()V
java/awt/dnd/DragSourceAdapter dragEnter(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceAdapter
    dragOver(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceAdapter dragMouseMoved(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceAdapter dropActionChanged(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceAdapter dragExit(Ljava/awt/dnd/DragSourceEvent;)V
java/awt/dnd/DragSourceAdapter dragDropEnd(Ljava/awt/dnd/DragSourceDropEvent;)V
class java/awt/dnd/DragSourceContext$1 java/lang/Object
java/awt/dnd/DragSourceContext$1 this$0
java/awt/dnd/DragSourceContext$1 <init>(Ljava/awt/dnd/DragSourceContext;)V
java/awt/dnd/DragSourceContext$1 getTransferDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/DragSourceContext$1 isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/dnd/DragSourceContext$1 getTransferData(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/Object;
class java/awt/dnd/DragSourceContext java/lang/Object
java/awt/dnd/DragSourceContext serialVersionUID
java/awt/dnd/DragSourceContext
    DEFAULT
java/awt/dnd/DragSourceContext ENTER
java/awt/dnd/DragSourceContext OVER
java/awt/dnd/DragSourceContext CHANGED
java/awt/dnd/DragSourceContext emptyTransferable
java/awt/dnd/DragSourceContext peer
java/awt/dnd/DragSourceContext trigger
java/awt/dnd/DragSourceContext cursor
java/awt/dnd/DragSourceContext transferable
java/awt/dnd/DragSourceContext listener
java/awt/dnd/DragSourceContext useCustomCursor
java/awt/dnd/DragSourceContext sourceActions
java/awt/dnd/DragSourceContext
    <init>(Ljava/awt/dnd/peer/DragSourceContextPeer;Ljava/awt/dnd/DragGestureEvent;Ljava/awt/Cursor;Ljava/awt/I
mage;Ljava/awt/Point;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSourceContext getDragSource()Ljava/awt/dnd/DragSource;
java/awt/dnd/DragSourceContext getComponent()Ljava/awt/Component;
java/awt/dnd/DragSourceContext getTrigger()Ljava/awt/dnd/DragGestureEvent;
java/awt/dnd/DragSourceContext getSourceActions()I
java/awt/dnd/DragSourceContext setCursor(Ljava/awt/Cursor;)V
java/awt/dnd/DragSourceContext
    getCursor()Ljava/awt/Cursor;
java/awt/dnd/DragSourceContext addDragSourceListener(Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSourceContext removeDragSourceListener(Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSourceContext transferablesFlavorsChanged()V
java/awt/dnd/DragSourceContext dragEnter(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceContext dragOver(Ljava/awt/dnd/DragSourceDragEvent;)V

```

```

java/awt/dnd/DragSourceContext dragExit(Ljava/awt/dnd/DragSourceEvent;)V
java/awt/dnd/DragSourceContext dropActionChanged(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceContext dragDropEnd(Ljava/awt/dnd/DragSourceDropEvent;)V
java/awt/dnd/DragSourceContext dragMouseMoved(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceContext getTransferable()Ljava/awt/datatransfer/Transferable;
java/awt/dnd/DragSourceContext updateCurrentCursor(III)V
java/awt/dnd/DragSourceContext setCursorImpl(Ljava/awt/Cursor;)V
java/awt/dnd/DragSourceContext
    writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/dnd/DragSourceContext readObject(Ljava/io/ObjectInputStream;)V
class java/awt/dnd/DragSourceDragEvent java/awt/dnd/DragSourceEvent
java/awt/dnd/DragSourceDragEvent serialVersionUID
java/awt/dnd/DragSourceDragEvent JDK_1_3_MODIFIERS
java/awt/dnd/DragSourceDragEvent JDK_1_4_MODIFIERS
java/awt/dnd/DragSourceDragEvent targetActions
java/awt/dnd/DragSourceDragEvent dropAction
java/awt/dnd/DragSourceDragEvent gestureModifiers
java/awt/dnd/DragSourceDragEvent invalidModifiers
java/awt/dnd/DragSourceDragEvent <init>(Ljava/awt/dnd/DragSourceContext;III)V
java/awt/dnd/DragSourceDragEvent <init>(Ljava/awt/dnd/DragSourceContext;IIII)V
java/awt/dnd/DragSourceDragEvent getTargetActions()I
java/awt/dnd/DragSourceDragEvent getGestureModifiers()I
java/awt/dnd/DragSourceDragEvent getGestureModifiersEx()I
java/awt/dnd/DragSourceDragEvent getUserAction()I
java/awt/dnd/DragSourceDragEvent getDropAction()I
java/awt/dnd/DragSourceDragEvent
    setNewModifiers()V
java/awt/dnd/DragSourceDragEvent setOldModifiers()V
class java/awt/dnd/DragSourceDropEvent java/awt/dnd/DragSourceEvent
java/awt/dnd/DragSourceDropEvent serialVersionUID
java/awt/dnd/DragSourceDropEvent dropSuccess
java/awt/dnd/DragSourceDropEvent dropAction
java/awt/dnd/DragSourceDropEvent <init>(Ljava/awt/dnd/DragSourceContext;IZ)V
java/awt/dnd/DragSourceDropEvent <init>(Ljava/awt/dnd/DragSourceContext;IZII)V
java/awt/dnd/DragSourceDropEvent <init>(Ljava/awt/dnd/DragSourceContext;)V
java/awt/dnd/DragSourceDropEvent getDropSuccess()Z
java/awt/dnd/DragSourceDropEvent getDropAction()I
class java/awt/dnd/DragSourceEvent java/util/EventObject
java/awt/dnd/DragSourceEvent serialVersionUID
java/awt/dnd/DragSourceEvent locationSpecified
java/awt/dnd/DragSourceEvent x
java/awt/dnd/DragSourceEvent y
java/awt/dnd/DragSourceEvent <init>(Ljava/awt/dnd/DragSourceContext;)V
java/awt/dnd/DragSourceEvent <init>(Ljava/awt/dnd/DragSourceContext;II)V
java/awt/dnd/DragSourceEvent
    getDragSourceContext()Ljava/awt/dnd/DragSourceContext;
java/awt/dnd/DragSourceEvent getLocation()Ljava/awt/Point;
java/awt/dnd/DragSourceEvent getX()I

```

```

java/awt/dnd/DragSourceEvent getY()I
class java/awt/dnd/DragSourceListener java/lang/Object
java/awt/dnd/DragSourceListener dragEnter(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceListener dragOver(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceListener dropActionChanged(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSourceListener dragExit(Ljava/awt/dnd/DragSourceEvent;)V
java/awt/dnd/DragSourceListener dragDropEnd(Ljava/awt/dnd/DragSourceDropEvent;)V
class java/awt/dnd/DragSourceMotionListener java/lang/Object
java/awt/dnd/DragSourceMotionListener dragMouseMoved(Ljava/awt/dnd/DragSourceDragEvent;)V
class java/awt/dnd/DropTarget$DropTargetAutoScroller java/lang/Object
java/awt/dnd/DropTarget$DropTargetAutoScroller component
java/awt/dnd/DropTarget$DropTargetAutoScroller autoScroll
java/awt/dnd/DropTarget$DropTargetAutoScroller
    timer
java/awt/dnd/DropTarget$DropTargetAutoScroller locn
java/awt/dnd/DropTarget$DropTargetAutoScroller prev
java/awt/dnd/DropTarget$DropTargetAutoScroller outer
java/awt/dnd/DropTarget$DropTargetAutoScroller inner
java/awt/dnd/DropTarget$DropTargetAutoScroller hysteresis
java/awt/dnd/DropTarget$DropTargetAutoScroller <init>(Ljava/awt/Component;Ljava/awt/Point;)V
java/awt/dnd/DropTarget$DropTargetAutoScroller updateRegion()V
java/awt/dnd/DropTarget$DropTargetAutoScroller updateLocation(Ljava/awt/Point;)V
java/awt/dnd/DropTarget$DropTargetAutoScroller stop()V
java/awt/dnd/DropTarget$DropTargetAutoScroller actionPerformed(Ljava/awt/event/ActionEvent;)V
class java/awt/dnd/DropTargetAdapter java/lang/Object
java/awt/dnd/DropTargetAdapter <init>()V
java/awt/dnd/DropTargetAdapter dragEnter(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetAdapter dragOver(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetAdapter dropActionChanged(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetAdapter
    dragExit(Ljava/awt/dnd/DropTargetEvent;)V
class java/awt/dnd/DropTargetContext$TransferableProxy java/lang/Object
java/awt/dnd/DropTargetContext$TransferableProxy transferable
java/awt/dnd/DropTargetContext$TransferableProxy isLocal
java/awt/dnd/DropTargetContext$TransferableProxy proxy
java/awt/dnd/DropTargetContext$TransferableProxy this$0
java/awt/dnd/DropTargetContext$TransferableProxy
    <init>(Ljava/awt/dnd/DropTargetContext;Ljava/awt/datatransfer/Transferable;Z)V
java/awt/dnd/DropTargetContext$TransferableProxy getTransferDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/DropTargetContext$TransferableProxy isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/dnd/DropTargetContext$TransferableProxy
    getTransferData(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/Object;
class java/awt/dnd/DropTargetDragEvent java/awt/dnd/DropTargetEvent
java/awt/dnd/DropTargetDragEvent serialVersionUID
java/awt/dnd/DropTargetDragEvent
    location
java/awt/dnd/DropTargetDragEvent actions
java/awt/dnd/DropTargetDragEvent dropAction

```

```

java/awt/dnd/DropTargetDragEvent <init>(Ljava/awt/dnd/DropTargetContext;Ljava/awt/Point;I)V
java/awt/dnd/DropTargetDragEvent getLocation()Ljava/awt/Point;
java/awt/dnd/DropTargetDragEvent getCurrentDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/DropTargetDragEvent getCurrentDataFlavorsAsList()Ljava/util/List;
java/awt/dnd/DropTargetDragEvent isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/dnd/DropTargetDragEvent getSourceActions()I
java/awt/dnd/DropTargetDragEvent getDropAction()I
java/awt/dnd/DropTargetDragEvent getTransferable()Ljava/awt/datatransfer/Transferable;
java/awt/dnd/DropTargetDragEvent acceptDrag(I)V
java/awt/dnd/DropTargetDragEvent rejectDrag()V
class java/awt/dnd/DropTargetDropEvent java/awt/dnd/DropTargetEvent
java/awt/dnd/DropTargetDropEvent serialVersionUID
java/awt/dnd/DropTargetDropEvent zero
java/awt/dnd/DropTargetDropEvent
    location
java/awt/dnd/DropTargetDropEvent actions
java/awt/dnd/DropTargetDropEvent dropAction
java/awt/dnd/DropTargetDropEvent isLocalTx
java/awt/dnd/DropTargetDropEvent <init>(Ljava/awt/dnd/DropTargetContext;Ljava/awt/Point;I)V
java/awt/dnd/DropTargetDropEvent <init>(Ljava/awt/dnd/DropTargetContext;Ljava/awt/Point;IIZ)V
java/awt/dnd/DropTargetDropEvent getLocation()Ljava/awt/Point;
java/awt/dnd/DropTargetDropEvent getCurrentDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/DropTargetDropEvent getCurrentDataFlavorsAsList()Ljava/util/List;
java/awt/dnd/DropTargetDropEvent isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/dnd/DropTargetDropEvent getSourceActions()I
java/awt/dnd/DropTargetDropEvent getDropAction()I
java/awt/dnd/DropTargetDropEvent getTransferable()Ljava/awt/datatransfer/Transferable;
java/awt/dnd/DropTargetDropEvent acceptDrop(I)V
java/awt/dnd/DropTargetDropEvent rejectDrop()V
java/awt/dnd/DropTargetDropEvent dropComplete(Z)V
java/awt/dnd/DropTargetDropEvent
    isLocalTransfer()Z
java/awt/dnd/DropTargetDropEvent <clinit>()V
class java/awt/dnd/DropTargetEvent java/util/EventObject
java/awt/dnd/DropTargetEvent serialVersionUID
java/awt/dnd/DropTargetEvent context
java/awt/dnd/DropTargetEvent <init>(Ljava/awt/dnd/DropTargetContext;)V
java/awt/dnd/DropTargetEvent getDropTargetContext()Ljava/awt/dnd/DropTargetContext;
class java/awt/dnd/MouseDragGestureRecognizer java/awt/dnd/DragGestureRecognizer
java/awt/dnd/MouseDragGestureRecognizer serialVersionUID
java/awt/dnd/MouseDragGestureRecognizer
    <init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;ILjava/awt/dnd/DragGestureListener;)V
java/awt/dnd/MouseDragGestureRecognizer <init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;I)V
java/awt/dnd/MouseDragGestureRecognizer <init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;)V
java/awt/dnd/MouseDragGestureRecognizer <init>(Ljava/awt/dnd/DragSource;)V
java/awt/dnd/MouseDragGestureRecognizer registerListeners()V
java/awt/dnd/MouseDragGestureRecognizer

```

```

unregisterListeners()V
java/awt/dnd/MouseDragGestureRecognizer mouseClicked(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mousePressed(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mouseReleased(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mouseEntered(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mouseExited(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mouseDragged(Ljava/awt/event/MouseEvent;)V
java/awt/dnd/MouseDragGestureRecognizer mouseMoved(Ljava/awt/event/MouseEvent;)V
class java/awt/dnd/SerializationTester$1 java/io/OutputStream
java/awt/dnd/SerializationTester$1 <init>()V
java/awt/dnd/SerializationTester$1 write(I)V
class java/awt/dnd/SerializationTester java/lang/Object
java/awt/dnd/SerializationTester stream
java/awt/dnd/SerializationTester test(Ljava/lang/Object;)Z
java/awt/dnd/SerializationTester <init>()V
java/awt/dnd/SerializationTester
<clinit>()V
class java/awt/dnd/peer/DropTargetContextPeer java/lang/Object
java/awt/dnd/peer/DropTargetContextPeer setTargetActions(I)V
java/awt/dnd/peer/DropTargetContextPeer getTargetActions()I
java/awt/dnd/peer/DropTargetContextPeer getDropTarget()Ljava/awt/dnd/DropTarget;
java/awt/dnd/peer/DropTargetContextPeer getTransferDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/peer/DropTargetContextPeer getTransferable()Ljava/awt/datatransfer/Transferable;
java/awt/dnd/peer/DropTargetContextPeer isTransferableJVMLocal()Z
java/awt/dnd/peer/DropTargetContextPeer acceptDrag(I)V
java/awt/dnd/peer/DropTargetContextPeer rejectDrag()V
java/awt/dnd/peer/DropTargetContextPeer acceptDrop(I)V
java/awt/dnd/peer/DropTargetContextPeer rejectDrop()V
java/awt/dnd/peer/DropTargetContextPeer dropComplete(Z)V
class java/awt/event/ContainerAdapter java/lang/Object
java/awt/event/ContainerAdapter <init>()V
java/awt/event/ContainerAdapter componentAdded(Ljava/awt/event/ContainerEvent;)V
java/awt/event/ContainerAdapter
componentRemoved(Ljava/awt/event/ContainerEvent;)V
class java/awt/event/HierarchyBoundsAdapter java/lang/Object
java/awt/event/HierarchyBoundsAdapter <init>()V
java/awt/event/HierarchyBoundsAdapter ancestorMoved(Ljava/awt/event/HierarchyEvent;)V
java/awt/event/HierarchyBoundsAdapter ancestorResized(Ljava/awt/event/HierarchyEvent;)V
class java/awt/event/HierarchyEvent java/awt/AWTEvent
java/awt/event/HierarchyEvent HIERARCHY_FIRST
java/awt/event/HierarchyEvent HIERARCHY_CHANGED
java/awt/event/HierarchyEvent ANCESTOR_MOVED
java/awt/event/HierarchyEvent ANCESTOR_RESIZED
java/awt/event/HierarchyEvent HIERARCHY_LAST
java/awt/event/HierarchyEvent PARENT_CHANGED
java/awt/event/HierarchyEvent DISPLAYABILITY_CHANGED
java/awt/event/HierarchyEvent SHOWING_CHANGED
java/awt/event/HierarchyEvent changed

```



```

java/awt/event/HierarchyEvent changedParent
java/awt/event/HierarchyEvent changeFlags
java/awt/event/HierarchyEvent <init>(Ljava/awt/Component;ILjava/awt/Component;Ljava/awt/Container;)V
java/awt/event/HierarchyEvent
    <init>(Ljava/awt/Component;ILjava/awt/Component;Ljava/awt/Container;)JV
java/awt/event/HierarchyEvent getComponent()Ljava/awt/Component;
java/awt/event/HierarchyEvent getChanged()Ljava/awt/Component;
java/awt/event/HierarchyEvent getChangedParent()Ljava/awt/Container;
java/awt/event/HierarchyEvent getChangeFlags()J
java/awt/event/HierarchyEvent paramString()Ljava/lang/String;
class java/awt/event/MouseWheelEvent java/awt/event/MouseEvent
java/awt/event/MouseWheelEvent dbg
java/awt/event/MouseWheelEvent WHEEL_UNIT_SCROLL
java/awt/event/MouseWheelEvent WHEEL_BLOCK_SCROLL
java/awt/event/MouseWheelEvent scrollType
java/awt/event/MouseWheelEvent scrollAmount
java/awt/event/MouseWheelEvent wheelRotation
java/awt/event/MouseWheelEvent <init>(Ljava/awt/Component;IJIIIIZIII)V
java/awt/event/MouseWheelEvent getScrollType()I
java/awt/event/MouseWheelEvent getScrollAmount()I
java/awt/event/MouseWheelEvent getWheelRotation()I
java/awt/event/MouseWheelEvent
    getUnitsToScroll()I
java/awt/event/MouseWheelEvent paramString()Ljava/lang/String;
java/awt/event/MouseWheelEvent <clinit>()V
class java/awt/event/TextEvent java/awt/AWTEvent
java/awt/event/TextEvent TEXT_FIRST
java/awt/event/TextEvent TEXT_LAST
java/awt/event/TextEvent TEXT_VALUE_CHANGED
java/awt/event/TextEvent serialVersionUID
java/awt/event/TextEvent <init>(Ljava/lang/Object;I)V
java/awt/event/TextEvent paramString()Ljava/lang/String;
class java/awt/font/CharArrayIterator java/lang/Object
java/awt/font/CharArrayIterator chars
java/awt/font/CharArrayIterator pos
java/awt/font/CharArrayIterator begin
java/awt/font/CharArrayIterator <init>([C)V
java/awt/font/CharArrayIterator <init>([CI)V
java/awt/font/CharArrayIterator first()C
java/awt/font/CharArrayIterator last()C
java/awt/font/CharArrayIterator current()C
java/awt/font/CharArrayIterator next()C
java/awt/font/CharArrayIterator previous()C
java/awt/font/CharArrayIterator setIndex(I)C
java/awt/font/CharArrayIterator getBeginIndex()I
java/awt/font/CharArrayIterator
    getEndIndex()I
java/awt/font/CharArrayIterator getIndex()I

```

```

java/awt/font/CharArrayIterator clone()Ljava/lang/Object;
java/awt/font/CharArrayIterator reset([C)V
java/awt/font/CharArrayIterator reset([CI)V
class java/awt/font/GlyphJustificationInfo java/lang/Object
java/awt/font/GlyphJustificationInfo PRIORITY_KASHIDA
java/awt/font/GlyphJustificationInfo PRIORITY_WHITESPACE
java/awt/font/GlyphJustificationInfo PRIORITY_INTERCHAR
java/awt/font/GlyphJustificationInfo PRIORITY_NONE
java/awt/font/GlyphJustificationInfo weight
java/awt/font/GlyphJustificationInfo growPriority
java/awt/font/GlyphJustificationInfo growAbsorb
java/awt/font/GlyphJustificationInfo growLeftLimit
java/awt/font/GlyphJustificationInfo growRightLimit
java/awt/font/GlyphJustificationInfo shrinkPriority
java/awt/font/GlyphJustificationInfo shrinkAbsorb
java/awt/font/GlyphJustificationInfo shrinkLeftLimit
java/awt/font/GlyphJustificationInfo shrinkRightLimit
java/awt/font/GlyphJustificationInfo
  <init>(FZIFFZIFF)V
java/awt/font/GlyphJustificationInfo priorityIsValid(I)Z
class java/awt/font/GlyphMetrics java/lang/Object
java/awt/font/GlyphMetrics horizontal
java/awt/font/GlyphMetrics advanceX
java/awt/font/GlyphMetrics advanceY
java/awt/font/GlyphMetrics bounds
java/awt/font/GlyphMetrics glyphType
java/awt/font/GlyphMetrics STANDARD
java/awt/font/GlyphMetrics LIGATURE
java/awt/font/GlyphMetrics COMBINING
java/awt/font/GlyphMetrics COMPONENT
java/awt/font/GlyphMetrics WHITESPACE
java/awt/font/GlyphMetrics <init>(FLjava/awt/geom/Rectangle2D;B)V
java/awt/font/GlyphMetrics <init>(ZFFLjava/awt/geom/Rectangle2D;B)V
java/awt/font/GlyphMetrics getAdvance()F
java/awt/font/GlyphMetrics getAdvanceX()F
java/awt/font/GlyphMetrics getAdvanceY()F
java/awt/font/GlyphMetrics getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/font/GlyphMetrics getLSB()F
java/awt/font/GlyphMetrics getRSB()F
java/awt/font/GlyphMetrics getType()I
java/awt/font/GlyphMetrics isStandard()Z
java/awt/font/GlyphMetrics
  isLigature()Z
java/awt/font/GlyphMetrics isCombining()Z
java/awt/font/GlyphMetrics isComponent()Z
java/awt/font/GlyphMetrics isWhitespace()Z
class java/awt/font/GraphicAttribute java/lang/Object
java/awt/font/GraphicAttribute fAlignment

```

```

java/awt/font/GraphicAttribute TOP_ALIGNMENT
java/awt/font/GraphicAttribute BOTTOM_ALIGNMENT
java/awt/font/GraphicAttribute ROMAN_BASELINE
java/awt/font/GraphicAttribute CENTER_BASELINE
java/awt/font/GraphicAttribute HANGING_BASELINE
java/awt/font/GraphicAttribute <init>(I)V
java/awt/font/GraphicAttribute getAscent()F
java/awt/font/GraphicAttribute getDescent()F
java/awt/font/GraphicAttribute getAdvance()F
java/awt/font/GraphicAttribute getBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/GraphicAttribute draw(Ljava/awt/Graphics2D;FF)V
java/awt/font/GraphicAttribute getAlignment()I
java/awt/font/GraphicAttribute getJustificationInfo()Ljava/awt/font/GlyphJustificationInfo;
class java/awt/font/ImageGraphicAttribute java/awt/font/GraphicAttribute
java/awt/font/ImageGraphicAttribute
    fImage
java/awt/font/ImageGraphicAttribute fImageWidth
java/awt/font/ImageGraphicAttribute fImageHeight
java/awt/font/ImageGraphicAttribute fOriginX
java/awt/font/ImageGraphicAttribute fOriginY
java/awt/font/ImageGraphicAttribute <init>(Ljava/awt/Image;I)V
java/awt/font/ImageGraphicAttribute <init>(Ljava/awt/Image;IFF)V
java/awt/font/ImageGraphicAttribute getAscent()F
java/awt/font/ImageGraphicAttribute getDescent()F
java/awt/font/ImageGraphicAttribute getAdvance()F
java/awt/font/ImageGraphicAttribute getBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/ImageGraphicAttribute draw(Ljava/awt/Graphics2D;FF)V
java/awt/font/ImageGraphicAttribute hashCode()I
java/awt/font/ImageGraphicAttribute equals(Ljava/lang/Object;)Z
java/awt/font/ImageGraphicAttribute equals(Ljava/awt/font/ImageGraphicAttribute;)Z
class java/awt/font/LineBreakMeasurer java/lang/Object
java/awt/font/LineBreakMeasurer breakIter
java/awt/font/LineBreakMeasurer start
java/awt/font/LineBreakMeasurer
    pos
java/awt/font/LineBreakMeasurer limit
java/awt/font/LineBreakMeasurer measurer
java/awt/font/LineBreakMeasurer charIter
java/awt/font/LineBreakMeasurer
    <init>(Ljava/text/AttributedCharacterIterator;Ljava/awt/font/FontRenderContext;)V
java/awt/font/LineBreakMeasurer
    <init>(Ljava/text/AttributedCharacterIterator;Ljava/text/BreakIterator;Ljava/awt/font/FontRenderContext;)V
java/awt/font/LineBreakMeasurer nextOffset(F)I
java/awt/font/LineBreakMeasurer nextOffset(FIZ)I
java/awt/font/LineBreakMeasurer nextLayout(F)Ljava/awt/font/TextLayout;
java/awt/font/LineBreakMeasurer nextLayout(FIZ)Ljava/awt/font/TextLayout;
java/awt/font/LineBreakMeasurer getPosition()I
java/awt/font/LineBreakMeasurer setPosition(I)V

```

```
java/awt/font/LineBreakMeasurer insertChar(Ljava/text/AttributedCharacterIterator;I)V
java/awt/font/LineBreakMeasurer deleteChar(Ljava/text/AttributedCharacterIterator;I)V
class java/awt/font/MultipleMaster java/lang/Object
java/awt/font/MultipleMaster getNumDesignAxes()I
java/awt/font/MultipleMaster
    getDesignAxisRanges()[F
java/awt/font/MultipleMaster getDesignAxisDefaults()[F
java/awt/font/MultipleMaster getDesignAxisNames()[Ljava/lang/String;
java/awt/font/MultipleMaster deriveMMFont([F)Ljava/awt/Font;
java/awt/font/MultipleMaster deriveMMFont([FFFFF)Ljava/awt/Font;
class java/awt/font/NumericShaper java/lang/Object
java/awt/font/NumericShaper key
java/awt/font/NumericShaper mask
java/awt/font/NumericShaper EUROPEAN
java/awt/font/NumericShaper ARABIC
java/awt/font/NumericShaper EASTERN_ARABIC
java/awt/font/NumericShaper DEVANAGARI
java/awt/font/NumericShaper BENGALI
java/awt/font/NumericShaper GURMUKHI
java/awt/font/NumericShaper GUJARATI
java/awt/font/NumericShaper ORIYA
java/awt/font/NumericShaper TAMIL
java/awt/font/NumericShaper TELUGU
java/awt/font/NumericShaper KANNADA
java/awt/font/NumericShaper MALAYALAM
java/awt/font/NumericShaper THAI
java/awt/font/NumericShaper LAO
java/awt/font/NumericShaper TIBETAN
java/awt/font/NumericShaper MYANMAR
java/awt/font/NumericShaper
    ETHIOPIC
java/awt/font/NumericShaper KHMER
java/awt/font/NumericShaper MONGOLIAN
java/awt/font/NumericShaper ALL_RANGES
java/awt/font/NumericShaper EUROPEAN_KEY
java/awt/font/NumericShaper ARABIC_KEY
java/awt/font/NumericShaper EASTERN_ARABIC_KEY
java/awt/font/NumericShaper DEVANAGARI_KEY
java/awt/font/NumericShaper BENGALI_KEY
java/awt/font/NumericShaper GURMUKHI_KEY
java/awt/font/NumericShaper GUJARATI_KEY
java/awt/font/NumericShaper ORIYA_KEY
java/awt/font/NumericShaper TAMIL_KEY
java/awt/font/NumericShaper TELUGU_KEY
java/awt/font/NumericShaper KANNADA_KEY
java/awt/font/NumericShaper MALAYALAM_KEY
java/awt/font/NumericShaper THAI_KEY
java/awt/font/NumericShaper LAO_KEY
```

```

java/awt/font/NumericShaper TIBETAN_KEY
java/awt/font/NumericShaper MYANMAR_KEY
java/awt/font/NumericShaper ETHIOPIC_KEY
java/awt/font/NumericShaper KHMER_KEY
java/awt/font/NumericShaper MONGOLIAN_KEY
java/awt/font/NumericShaper NUM_KEYS
java/awt/font/NumericShaper keyNames
java/awt/font/NumericShaper
    CONTEXTUAL_MASK
java/awt/font/NumericShaper bases
java/awt/font/NumericShaper contexts
java/awt/font/NumericShaper ctCache
java/awt/font/NumericShaper ctCacheLimit
java/awt/font/NumericShaper strongTable
java/awt/font/NumericShaper stCache
java/awt/font/NumericShaper getContextKey(C)I
java/awt/font/NumericShaper isStrongDirectional(C)Z
java/awt/font/NumericShaper getKeyFromMask(I)I
java/awt/font/NumericShaper getShaper(I)Ljava/awt/font/NumericShaper;
java/awt/font/NumericShaper getContextualShaper(I)Ljava/awt/font/NumericShaper;
java/awt/font/NumericShaper getContextualShaper(II)Ljava/awt/font/NumericShaper;
java/awt/font/NumericShaper <init>(II)V
java/awt/font/NumericShaper shape([CII)V
java/awt/font/NumericShaper shape([CIII)V
java/awt/font/NumericShaper isContextual()Z
java/awt/font/NumericShaper getRanges()I
java/awt/font/NumericShaper shapeNonContextually([CII)V
java/awt/font/NumericShaper shapeContextually([CIII)V
java/awt/font/NumericShaper hashCode()I
java/awt/font/NumericShaper
    equals(Ljava/lang/Object;)Z
java/awt/font/NumericShaper toString()Ljava/lang/String;
java/awt/font/NumericShaper getHighBit(I)I
java/awt/font/NumericShaper search(C[CII)I
java/awt/font/NumericShaper <clinit>()V
class java/awt/font/OpenType java/lang/Object
java/awt/font/OpenType TAG_CMAP
java/awt/font/OpenType TAG_HEAD
java/awt/font/OpenType TAG_NAME
java/awt/font/OpenType TAG_GLYF
java/awt/font/OpenType TAG_MAXP
java/awt/font/OpenType TAG_PREP
java/awt/font/OpenType TAG_HMTX
java/awt/font/OpenType TAG_KERN
java/awt/font/OpenType TAG_HDMX
java/awt/font/OpenType TAG_LOCA
java/awt/font/OpenType TAG_POST
java/awt/font/OpenType TAG_OS2

```

```
java/awt/font/OpenType TAG_CVT
java/awt/font/OpenType TAG_GASP
java/awt/font/OpenType TAG_VDMX
java/awt/font/OpenType TAG_VMTX
java/awt/font/OpenType TAG_VHEA
java/awt/font/OpenType TAG_HHEA
java/awt/font/OpenType TAG_TYPI
java/awt/font/OpenType TAG_BSLN
java/awt/font/OpenType TAG_GSUB
java/awt/font/OpenType TAG_DSIG
java/awt/font/OpenType TAG_FPGM
java/awt/font/OpenType
TAG_FVAR
java/awt/font/OpenType TAG_GVAR
java/awt/font/OpenType TAG_CFF
java/awt/font/OpenType TAG_MMSD
java/awt/font/OpenType TAG_MMFY
java/awt/font/OpenType TAG_BASE
java/awt/font/OpenType TAG_GDEF
java/awt/font/OpenType TAG_GPOS
java/awt/font/OpenType TAG_JSTF
java/awt/font/OpenType TAG_EBDT
java/awt/font/OpenType TAG_EBLC
java/awt/font/OpenType TAG_EBSC
java/awt/font/OpenType TAG_LTSH
java/awt/font/OpenType TAG_PCLT
java/awt/font/OpenType TAG_ACNT
java/awt/font/OpenType TAG_AVAR
java/awt/font/OpenType TAG_BDAT
java/awt/font/OpenType TAG_BLOC
java/awt/font/OpenType TAG_CVAR
java/awt/font/OpenType TAG_FEAT
java/awt/font/OpenType TAG_FDSC
java/awt/font/OpenType TAG_FMTX
java/awt/font/OpenType TAG_JUST
java/awt/font/OpenType TAG_LCAR
java/awt/font/OpenType TAG_MORT
java/awt/font/OpenType TAG_OPBD
java/awt/font/OpenType TAG_PROP
java/awt/font/OpenType TAG_TRAK
java/awt/font/OpenType getVersion()I
java/awt/font/OpenType getFontTable(I)[B
java/awt/font/OpenType getFontTable(Ljava/lang/String;)[B
java/awt/font/OpenType
getFontTable(III)[B
java/awt/font/OpenType getFontTable(Ljava/lang/String;II)[B
java/awt/font/OpenType getFontTableSize(I)I
java/awt/font/OpenType getFontTableSize(Ljava/lang/String;)I
```

```

class java/awt/font/ShapeGraphicAttribute java/awt/font/GraphicAttribute
java/awt/font/ShapeGraphicAttribute fShape
java/awt/font/ShapeGraphicAttribute fStroke
java/awt/font/ShapeGraphicAttribute STROKE
java/awt/font/ShapeGraphicAttribute FILL
java/awt/font/ShapeGraphicAttribute fShapeBounds
java/awt/font/ShapeGraphicAttribute <init>(Ljava/awt/Shape;IZ)V
java/awt/font/ShapeGraphicAttribute getAscent()F
java/awt/font/ShapeGraphicAttribute getDescent()F
java/awt/font/ShapeGraphicAttribute getAdvance()F
java/awt/font/ShapeGraphicAttribute draw(Ljava/awt/Graphics2D;FF)V
java/awt/font/ShapeGraphicAttribute getBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/ShapeGraphicAttribute hashCode()I
java/awt/font/ShapeGraphicAttribute equals(Ljava/lang/Object;)Z
java/awt/font/ShapeGraphicAttribute
    equals(Ljava/awt/font/ShapeGraphicAttribute;)Z
class java/awt/font/StyledParagraph java/lang/Object
java/awt/font/StyledParagraph length
java/awt/font/StyledParagraph decoration
java/awt/font/StyledParagraph font
java/awt/font/StyledParagraph decorations
java/awt/font/StyledParagraph decorationStarts
java/awt/font/StyledParagraph fonts
java/awt/font/StyledParagraph fontStarts
java/awt/font/StyledParagraph INITIAL_SIZE
java/awt/font/StyledParagraph <init>(Ljava/text/AttributedCharacterIterator;[C)V
java/awt/font/StyledParagraph insertInto(I[II)V
java/awt/font/StyledParagraph
    insertChar(Ljava/text/AttributedCharacterIterator;[CILjava/awt/font/StyledParagraph;)Ljava/awt/font/StyledParagra
    ph;
java/awt/font/StyledParagraph deleteFrom(I[II)V
java/awt/font/StyledParagraph
    deleteChar(Ljava/text/AttributedCharacterIterator;[CILjava/awt/font/StyledParagraph;)Ljava/awt/font/StyledParagra
    ph;
java/awt/font/StyledParagraph getRunLimit()I
java/awt/font/StyledParagraph
    getDecorationAt(I)Lsun/font/Decoration;
java/awt/font/StyledParagraph getFontOrGraphicAt(I)Ljava/lang/Object;
java/awt/font/StyledParagraph findRunContaining(I[I)I
java/awt/font/StyledParagraph addToVector(Ljava/lang/Object;ILjava/util/Vector;[I)[I
java/awt/font/StyledParagraph addDecoration(Lsun/font/Decoration;I)V
java/awt/font/StyledParagraph addFont(Ljava/lang/Object;I)V
java/awt/font/StyledParagraph addFonts([CLjava/util/Map;II)V
java/awt/font/StyledParagraph addInputMethodAttrs(Ljava/util/Map;)Ljava/util/Map;
java/awt/font/StyledParagraph getGraphicOrFont(Ljava/util/Map;)Ljava/lang/Object;
java/awt/font/StyledParagraph <clinit>()V
class java/awt/font/TextHitInfo java/lang/Object
java/awt/font/TextHitInfo charIndex

```

```

java/awt/font/TextHitInfo isLeadingEdge
java/awt/font/TextHitInfo <init>(IZ)V
java/awt/font/TextHitInfo getCharIndex(I)I
java/awt/font/TextHitInfo isLeadingEdge()Z
java/awt/font/TextHitInfo getInsertionIndex()I
java/awt/font/TextHitInfo hashCode()I
java/awt/font/TextHitInfo
    equals(Ljava/lang/Object;)Z
java/awt/font/TextHitInfo equals(Ljava/awt/font/TextHitInfo;)Z
java/awt/font/TextHitInfo toString()Ljava/lang/String;
java/awt/font/TextHitInfo leading(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextHitInfo trailing(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextHitInfo beforeOffset(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextHitInfo afterOffset(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextHitInfo getOtherHit(Ljava/awt/font/TextHitInfo;
java/awt/font/TextHitInfo getOffsetHit(I)Ljava/awt/font/TextHitInfo;
class java/awt/font/TextJustifier java/lang/Object
java/awt/font/TextJustifier info
java/awt/font/TextJustifier start
java/awt/font/TextJustifier limit
java/awt/font/TextJustifier DEBUG
java/awt/font/TextJustifier MAX_PRIORITY
java/awt/font/TextJustifier <init>([Ljava/awt/font/GlyphJustificationInfo;II)V
java/awt/font/TextJustifier justify(F)[F
java/awt/font/TextJustifier <clinit>()V
class java/awt/font/TextLayout$CaretPolicy java/lang/Object
java/awt/font/TextLayout$CaretPolicy
    <init>()V
java/awt/font/TextLayout$CaretPolicy
    getStrongCaret(Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextLayout;)Ljava/awt/font/
    TextHitInfo;
class java/awt/font/TextLayout$OptInfo java/lang/Object
java/awt/font/TextLayout$OptInfo MAGIC_ADVANCE
java/awt/font/TextLayout$OptInfo frc
java/awt/font/TextLayout$OptInfo chars
java/awt/font/TextLayout$OptInfo font
java/awt/font/TextLayout$OptInfo metrics
java/awt/font/TextLayout$OptInfo attrs
java/awt/font/TextLayout$OptInfo advance
java/awt/font/TextLayout$OptInfo vb
java/awt/font/TextLayout$OptInfo decoration
java/awt/font/TextLayout$OptInfo str
java/awt/font/TextLayout$OptInfo
    <init>(Ljava/awt/font/FontRenderContext;[CLjava/awt/Font;Lsun/font/CoreMetrics;Ljava/util/Map;)V
java/awt/font/TextLayout$OptInfo createTextLine(Ljava/awt/font/TextLine;
java/awt/font/TextLayout$OptInfo getAdvance()F
java/awt/font/TextLayout$OptInfo getCoreMetrics()Lsun/font/CoreMetrics;
java/awt/font/TextLayout$OptInfo

```



```

getLogicalBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout$OptInfo handleDraw(Ljava/awt/Graphics2D;FF)V
java/awt/font/TextLayout$OptInfo handleGetCharVisualBounds(I)Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout$OptInfo handleGetVisualBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout$OptInfo handleGetOutline(FF)Ljava/awt/Shape;
java/awt/font/TextLayout$OptInfo draw(Ljava/awt/Graphics2D;FF)Z
java/awt/font/TextLayout$OptInfo getVisualBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout$OptInfo getDecoration()Lsun/font/Decoration;
java/awt/font/TextLayout$OptInfo
create(Ljava/awt/font/FontRenderContext;[CLjava/awt/Font;Lsun/font/CoreMetrics;Ljava/util/Map;)Ljava/awt/font/
TextLayout$OptInfo;
class java/awt/font/TextLayout java/lang/Object
java/awt/font/TextLayout characterCount
java/awt/font/TextLayout isVerticalLine
java/awt/font/TextLayout baseline
java/awt/font/TextLayout baselineOffsets
java/awt/font/TextLayout textLine
java/awt/font/TextLayout
    lineMetrics
java/awt/font/TextLayout visibleAdvance
java/awt/font/TextLayout hashCodeCache
java/awt/font/TextLayout optInfo
java/awt/font/TextLayout cacheIsValid
java/awt/font/TextLayout justifyRatio
java/awt/font/TextLayout ALREADY_JUSTIFIED
java/awt/font/TextLayout dx
java/awt/font/TextLayout dy
java/awt/font/TextLayout naturalBounds
java/awt/font/TextLayout boundsRect
java/awt/font/TextLayout caretsInLigaturesAreAllowed
java/awt/font/TextLayout DEFAULT_CARET_POLICY
java/awt/font/TextLayout <init>(Ljava/lang/String;Ljava/awt/Font;Ljava/awt/font/FontRenderContext;)V
java/awt/font/TextLayout <init>(Ljava/lang/String;Ljava/util/Map;Ljava/awt/font/FontRenderContext;)V
java/awt/font/TextLayout singleFont([CIIILjava/util/Map;)Ljava/awt/Font;
java/awt/font/TextLayout <init>(Ljava/text/AttributedCharacterIterator;Ljava/awt/font/FontRenderContext;)V
java/awt/font/TextLayout <init>(Ljava/awt/font/TextLine;B(FF)V
java/awt/font/TextLayout paragraphInit(BLsun/font/CoreMetrics;Ljava/util/Map;[C)V
java/awt/font/TextLayout
    fastInit([CLjava/awt/Font;Ljava/util/Map;Ljava/awt/font/FontRenderContext;)V
java/awt/font/TextLayout initTextLine()V
java/awt/font/TextLayout
    standardInit(Ljava/text/AttributedCharacterIterator;[CLjava/awt/font/FontRenderContext;)V
java/awt/font/TextLayout ensureCache()V
java/awt/font/TextLayout buildCache()V
java/awt/font/TextLayout getNaturalBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout clone()Ljava/lang/Object;
java/awt/font/TextLayout checkTextHit(Ljava/awt/font/TextHitInfo;)V
java/awt/font/TextLayout getJustifiedLayout(F)Ljava/awt/font/TextLayout;

```

```

java/awt/font/TextLayout handleJustify(F)V
java/awt/font/TextLayout getBaseline()B
java/awt/font/TextLayout getBaselineOffsets()[F
java/awt/font/TextLayout getAdvance()F
java/awt/font/TextLayout getVisibleAdvance()F
java/awt/font/TextLayout getAscent()F
java/awt/font/TextLayout getDescent()F
java/awt/font/TextLayout getLeading()F
java/awt/font/TextLayout getBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLayout
    isLeftToRight()Z
java/awt/font/TextLayout isVertical()Z
java/awt/font/TextLayout getCharacterCount()I
java/awt/font/TextLayout getCaretInfo(ILjava/awt/geom/Rectangle2D;)[F][F
java/awt/font/TextLayout getCaretInfo(Ljava/awt/font/TextHitInfo;Ljava/awt/geom/Rectangle2D;)[F
java/awt/font/TextLayout getCaretInfoTestInternal(Ljava/awt/font/TextHitInfo;Ljava/awt/geom/Rectangle2D;)[F
java/awt/font/TextLayout getCaretInfo(Ljava/awt/font/TextHitInfo;)[F
java/awt/font/TextLayout hitToCaret(Ljava/awt/font/TextHitInfo;)I
java/awt/font/TextLayout caretToHit(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout caretIsValid(I)Z
java/awt/font/TextLayout getNextRightHit(Ljava/awt/font/TextHitInfo;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getNextRightHit(ILjava/awt/font/TextLayout$CaretPolicy;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getNextRightHit(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getNextLeftHit(Ljava/awt/font/TextHitInfo;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout
    getNextLeftHit(ILjava/awt/font/TextLayout$CaretPolicy;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getNextLeftHit(I)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getVisualOtherHit(Ljava/awt/font/TextHitInfo;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getCaretPath(Ljava/awt/font/TextHitInfo;Ljava/awt/geom/Rectangle2D;)[D
java/awt/font/TextLayout getCaretPath(ILjava/awt/geom/Rectangle2D;Z)[D
java/awt/font/TextLayout pathToShape([DZ)Ljava/awt/geom/GeneralPath;
java/awt/font/TextLayout
    getCaretShape(Ljava/awt/font/TextHitInfo;Ljava/awt/geom/Rectangle2D;)Ljava/awt/Shape;
java/awt/font/TextLayout getCaretShape(Ljava/awt/font/TextHitInfo;)Ljava/awt/Shape;
java/awt/font/TextLayout
    getStrongHit(Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout getCharacterLevel(I)B
java/awt/font/TextLayout
    getCaretShapes(ILjava/awt/geom/Rectangle2D;Ljava/awt/font/TextLayout$CaretPolicy;)[Ljava/awt/Shape;
java/awt/font/TextLayout
    getCaretShapes(ILjava/awt/geom/Rectangle2D;)[Ljava/awt/Shape;
java/awt/font/TextLayout getCaretShapes(I)[Ljava/awt/Shape;
java/awt/font/TextLayout boundingShape([D[D)Ljava/awt/geom/GeneralPath;
java/awt/font/TextLayout caretBoundingShape(IILjava/awt/geom/Rectangle2D;)Ljava/awt/geom/GeneralPath;
java/awt/font/TextLayout leftShape(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/GeneralPath;
java/awt/font/TextLayout rightShape(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/GeneralPath;
java/awt/font/TextLayout
    getLogicalRangesForVisualSelection(Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)[I

```

```

java/awt/font/TextLayout
getVisualHighlightShape(Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;Ljava/awt/geom/Rectangle2D;)Lj
ava/awt/Shape;
java/awt/font/TextLayout
getVisualHighlightShape(Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)Ljava/awt/Shape;
java/awt/font/TextLayout getLogicalHighlightShape(II)Ljava/awt/geom/Rectangle2D;)Ljava/awt/Shape;
java/awt/font/TextLayout
    getLogicalHighlightShape(II)Ljava/awt/Shape;
java/awt/font/TextLayout getBoundingBoxBounds(II)Ljava/awt/Shape;
java/awt/font/TextLayout caretToPointDistance([FFF)F
java/awt/font/TextLayout hitTestChar(FFLjava/awt/geom/Rectangle2D;)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout hitTestChar(FF)Ljava/awt/font/TextHitInfo;
java/awt/font/TextLayout hashCode()I
java/awt/font/TextLayout equals(Ljava/lang/Object;)Z
java/awt/font/TextLayout equals(Ljava/awt/font/TextLayout;)Z
java/awt/font/TextLayout toString()Ljava/lang/String;
java/awt/font/TextLayout draw(Ljava/awt/Graphics2D;FF)V
java/awt/font/TextLayout getTextLineForTesting()Ljava/awt/font/TextLine;
java/awt/font/TextLayout sameBaselineUpTo(Ljava/awt/Font;[CII)I
java/awt/font/TextLayout getBaselineFromGraphic(Ljava/awt/font/GraphicAttribute;)B
java/awt/font/TextLayout getOutline(Ljava/awt/geom/AffineTransform;)Ljava/awt/Shape;
java/awt/font/TextLayout
    access$000(Ljava/awt/font/TextLayout;Ljava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)Ljava/awt/font/Text
    HitInfo;
java/awt/font/TextLayout
    <clinit>()V
class java/awt/font/TextLine$1 java/awt/font/TextLine$Function
java/awt/font/TextLine$1 <init>()V
java/awt/font/TextLine$1 computeFunction(Ljava/awt/font/TextLine;II)F
class java/awt/font/TextLine$2 java/awt/font/TextLine$Function
java/awt/font/TextLine$2 <init>()V
java/awt/font/TextLine$2 computeFunction(Ljava/awt/font/TextLine;II)F
class java/awt/font/TextLine$3 java/awt/font/TextLine$Function
java/awt/font/TextLine$3 <init>()V
java/awt/font/TextLine$3 computeFunction(Ljava/awt/font/TextLine;II)F
class java/awt/font/TextLine$4 java/awt/font/TextLine$Function
java/awt/font/TextLine$4 <init>()V
java/awt/font/TextLine$4 computeFunction(Ljava/awt/font/TextLine;II)F
class java/awt/font/TextLine$Function java/lang/Object
java/awt/font/TextLine$Function <init>()V
java/awt/font/TextLine$Function computeFunction(Ljava/awt/font/TextLine;II)F
java/awt/font/TextLine$Function <init>(Ljava/awt/font/TextLine$1;)V
class
    java/awt/font/TextLine$TextLineMetrics java/lang/Object
java/awt/font/TextLine$TextLineMetrics ascent
java/awt/font/TextLine$TextLineMetrics descent
java/awt/font/TextLine$TextLineMetrics leading
java/awt/font/TextLine$TextLineMetrics advance

```

```

java/awt/font/TextLine$TextLineMetrics <init>(FFFF)V
class java/awt/font/TextLine java/lang/Object
java/awt/font/TextLine fComponents
java/awt/font/TextLine fBaselineOffsets
java/awt/font/TextLine fComponentVisualOrder
java/awt/font/TextLine locs
java/awt/font/TextLine fChars
java/awt/font/TextLine fCharsStart
java/awt/font/TextLine fCharsLimit
java/awt/font/TextLine fCharVisualOrder
java/awt/font/TextLine fCharLogicalOrder
java/awt/font/TextLine fCharLevels
java/awt/font/TextLine fIsDirectionLTR
java/awt/font/TextLine fMetrics
java/awt/font/TextLine fgPosAdvF
java/awt/font/TextLine fgAdvanceF
java/awt/font/TextLine fgXPositionF
java/awt/font/TextLine fgYPositionF
java/awt/font/TextLine <init>([Lsun/font/TextLineComponent;[F[CII[I[BZ)V
java/awt/font/TextLine
    checkCtorArgs()V
java/awt/font/TextLine init()V
java/awt/font/TextLine characterCount()I
java/awt/font/TextLine isDirectionLTR()Z
java/awt/font/TextLine getMetrics()Ljava/awt/font/TextLine$TextLineMetrics;
java/awt/font/TextLine visualToLogical(I)I
java/awt/font/TextLine logicalToVisual(I)I
java/awt/font/TextLine getCharLevel(I)B
java/awt/font/TextLine isCharLTR(I)Z
java/awt/font/TextLine getCharType(I)I
java/awt/font/TextLine isCharSpace(I)Z
java/awt/font/TextLine isCharWhitespace(I)Z
java/awt/font/TextLine getCharAngle(I)F
java/awt/font/TextLine getCoreMetricsAt(I)Lsun/font/CoreMetrics;
java/awt/font/TextLine getCharAscent(I)F
java/awt/font/TextLine getCharDescent(I)F
java/awt/font/TextLine getCharShift(I)F
java/awt/font/TextLine applyFunctionAtIndex(ILjava/awt/font/TextLine$Function;)F
java/awt/font/TextLine getCharAdvance(I)F
java/awt/font/TextLine getCharXPosition(I)F
java/awt/font/TextLine getCharYPosition(I)F
java/awt/font/TextLine
    getCharLinePosition(I)F
java/awt/font/TextLine getCharLinePosition(IZ)F
java/awt/font/TextLine caretAtOffsetIsValid(I)Z
java/awt/font/TextLine getCharBounds(I)Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLine getComponentShift(I)F
java/awt/font/TextLine draw(Ljava/awt/Graphics2D;FF)V

```

```

java/awt/font/TextLine getBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLine getItalicBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/TextLine getOutline(Ljava/awt/geom/AffineTransform;)Ljava/awt/Shape;
java/awt/font/TextLine hashCode()I
java/awt/font/TextLine toString()Ljava/lang/String;
java/awt/font/TextLine
fastCreateTextLine(Ljava/awt/font/FontRenderContext;[CLjava/awt/Font;Lsun/font/CoreMetrics;Ljava/util/Map;)Lj
ava/awt/font/TextLine;
java/awt/font/TextLine expandArray([Lsun/font/TextLineComponent;)[Lsun/font/TextLineComponent;
java/awt/font/TextLine
createComponentsOnRun(II[C[I[BLsun/font/TextLabelFactory;Ljava/awt/Font;Lsun/font/CoreMetrics;Ljava/awt/fo
nt/FontRenderContext;Lsun/font/Decoration;[Lsun/font/TextLineComponent;I)[Lsun/font/TextLineComponent;
java/awt/font/TextLine
getComponents(Ljava/awt/font/StyledParagraph;[CII[I[BLsun/font/TextLabelFactory;)[Lsun/font/TextLineCompon
ent;
java/awt/font/TextLine
createLineFromText([CLjava/awt/font/StyledParagraph;Lsun/font/TextLabelFactory;Z[F)Ljava/awt/font/TextLine;
java/awt/font/TextLine computeComponentOrder([Lsun/font/TextLineComponent;[I)[I
java/awt/font/TextLine
standardCreateTextLine(Ljava/awt/font/FontRenderContext;Ljava/text/AttributedCharacterIterator;[C[F)Ljava/awt/f
ont/TextLine;
java/awt/font/TextLine advanceToFirstFont(Ljava/text/AttributedCharacterIterator;)Z
java/awt/font/TextLine getNormalizedOffsets([F)[F
java/awt/font/TextLine getFontAtCurrentPos(Ljava/text/AttributedCharacterIterator;)Ljava/awt/Font;
java/awt/font/TextLine getJustifyRatio(Ljava/util/Map;)F
java/awt/font/TextLine firstVisualChunk([I[BII)I
java/awt/font/TextLine getJustifiedLine(FFII)Ljava/awt/font/TextLine;
java/awt/font/TextLine
getAdvanceBetween([Lsun/font/TextLineComponent;II)F
java/awt/font/TextLine access$100(Ljava/awt/font/TextLine;)[Lsun/font/TextLineComponent;
java/awt/font/TextLine access$200(Ljava/awt/font/TextLine;)[I
java/awt/font/TextLine access$300(Ljava/awt/font/TextLine;)[F
java/awt/font/TextLine access$400(Ljava/awt/font/TextLine;I)F
java/awt/font/TextLine <clinit>()V
class java/awt/font/TextMeasurer java/lang/Object
java/awt/font/TextMeasurer EST_LINES
java/awt/font/TextMeasurer fFrc
java/awt/font/TextMeasurer fStart
java/awt/font/TextMeasurer fChars
java/awt/font/TextMeasurer fBidi
java/awt/font/TextMeasurer fLevels
java/awt/font/TextMeasurer fComponents
java/awt/font/TextMeasurer fComponentStart
java/awt/font/TextMeasurer fComponentLimit
java/awt/font/TextMeasurer haveLayoutWindow
java/awt/font/TextMeasurer fLineBreak
java/awt/font/TextMeasurer charIter
java/awt/font/TextMeasurer layoutCount

```

```

java/awt/font/TextMeasurer layoutCharCount
java/awt/font/TextMeasurer fParagraph
java/awt/font/TextMeasurer
    flsDirectionLTR
java/awt/font/TextMeasurer fBaseline
java/awt/font/TextMeasurer fBaselineOffsets
java/awt/font/TextMeasurer fJustifyRatio
java/awt/font/TextMeasurer formattedChars
java/awt/font/TextMeasurer wantStats
java/awt/font/TextMeasurer collectStats
java/awt/font/TextMeasurer <init>(Ljava/text/AttributedCharacterIterator;Ljava/awt/font/FontRenderContext;)V
java/awt/font/TextMeasurer clone()Ljava/lang/Object;
java/awt/font/TextMeasurer invalidateComponents()V
java/awt/font/TextMeasurer initAll(Ljava/text/AttributedCharacterIterator;)V
java/awt/font/TextMeasurer generateComponents(II)V
java/awt/font/TextMeasurer calcLineBreak(IF)I
java/awt/font/TextMeasurer trailingCdWhitespaceStart(II)I
java/awt/font/TextMeasurer makeComponentsOnRange(II)[Lsun/font/TextLineComponent;
java/awt/font/TextMeasurer makeTextLineOnRange(II)Ljava/awt/font/TextLine;
java/awt/font/TextMeasurer ensureComponents(II)V
java/awt/font/TextMeasurer makeLayoutWindow(I)V
java/awt/font/TextMeasurer getLineBreakIndex(IF)I
java/awt/font/TextMeasurer
    getAdvanceBetween(II)F
java/awt/font/TextMeasurer getLayout(II)Ljava/awt/font/TextLayout;
java/awt/font/TextMeasurer printStats()V
java/awt/font/TextMeasurer insertChar(Ljava/text/AttributedCharacterIterator;)I)V
java/awt/font/TextMeasurer deleteChar(Ljava/text/AttributedCharacterIterator;)I)V
java/awt/font/TextMeasurer getChars()[C
java/awt/font/TextMeasurer <clinit>()V
class java/awt/geom/Arc2D$Double java/awt/geom/Arc2D
java/awt/geom/Arc2D$Double x
java/awt/geom/Arc2D$Double y
java/awt/geom/Arc2D$Double width
java/awt/geom/Arc2D$Double height
java/awt/geom/Arc2D$Double start
java/awt/geom/Arc2D$Double extent
java/awt/geom/Arc2D$Double <init>()V
java/awt/geom/Arc2D$Double <init>(I)V
java/awt/geom/Arc2D$Double <init>(DDDDDDI)V
java/awt/geom/Arc2D$Double <init>(Ljava/awt/geom/Rectangle2D;DDI)V
java/awt/geom/Arc2D$Double getX()D
java/awt/geom/Arc2D$Double getY()D
java/awt/geom/Arc2D$Double getWidth()D
java/awt/geom/Arc2D$Double getHeight()D
java/awt/geom/Arc2D$Double
    getAngleStart()D
java/awt/geom/Arc2D$Double getAngleExtent()D

```

```

java/awt/geom/Arc2D$Double isEmpty()Z
java/awt/geom/Arc2D$Double setArc(DDDDDDI)V
java/awt/geom/Arc2D$Double setAngleStart(D)V
java/awt/geom/Arc2D$Double setAngleExtent(D)V
java/awt/geom/Arc2D$Double makeBounds(DDDD)Ljava/awt/geom/Rectangle2D;
class java/awt/geom/Arc2D$Float java/awt/geom/Arc2D
java/awt/geom/Arc2D$Float x
java/awt/geom/Arc2D$Float y
java/awt/geom/Arc2D$Float width
java/awt/geom/Arc2D$Float height
java/awt/geom/Arc2D$Float start
java/awt/geom/Arc2D$Float extent
java/awt/geom/Arc2D$Float <init>()V
java/awt/geom/Arc2D$Float <init>(I)V
java/awt/geom/Arc2D$Float <init>(FFFFFFI)V
java/awt/geom/Arc2D$Float <init>(Ljava/awt/geom/Rectangle2D;FFI)V
java/awt/geom/Arc2D$Float getX()D
java/awt/geom/Arc2D$Float getY()D
java/awt/geom/Arc2D$Float getWidth()D
java/awt/geom/Arc2D$Float getHeight()D
java/awt/geom/Arc2D$Float getAngleStart()D
java/awt/geom/Arc2D$Float getAngleExtent()D
java/awt/geom/Arc2D$Float
isEmpty()Z
java/awt/geom/Arc2D$Float setArc(DDDDDDI)V
java/awt/geom/Arc2D$Float setAngleStart(D)V
java/awt/geom/Arc2D$Float setAngleExtent(D)V
java/awt/geom/Arc2D$Float makeBounds(DDDD)Ljava/awt/geom/Rectangle2D;
class java/awt/geom/Arc2D java/awt/geom/RectangularShape
java/awt/geom/Arc2D OPEN
java/awt/geom/Arc2D CHORD
java/awt/geom/Arc2D PIE
java/awt/geom/Arc2D type
java/awt/geom/Arc2D <init>(I)V
java/awt/geom/Arc2D getAngleStart()D
java/awt/geom/Arc2D getAngleExtent()D
java/awt/geom/Arc2D getArcType()I
java/awt/geom/Arc2D getStartPoint()Ljava/awt/geom/Point2D;
java/awt/geom/Arc2D getEndPoint()Ljava/awt/geom/Point2D;
java/awt/geom/Arc2D setArc(DDDDDDI)V
java/awt/geom/Arc2D setArc(Ljava/awt/geom/Point2D;Ljava/awt/geom/Dimension2D;DDI)V
java/awt/geom/Arc2D setArc(Ljava/awt/geom/Rectangle2D;DDI)V
java/awt/geom/Arc2D setArc(Ljava/awt/geom/Arc2D;)V
java/awt/geom/Arc2D setArcByCenter(DDDDDI)V
java/awt/geom/Arc2D
setArcByTangent(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;D)V
java/awt/geom/Arc2D

```

```

setAngleStart(D)V
java/awt/geom/Arc2D setAngleExtent(D)V
java/awt/geom/Arc2D setAngleStart(Ljava/awt/geom/Point2D;)V
java/awt/geom/Arc2D setAngles(DDDD)V
java/awt/geom/Arc2D setAngles(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/Arc2D setArcType(I)V
java/awt/geom/Arc2D setFrame(DDDD)V
java/awt/geom/Arc2D getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/geom/Arc2D makeBounds(DDDD)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Arc2D normalizeDegrees(D)D
java/awt/geom/Arc2D containsAngle(D)Z
java/awt/geom/Arc2D contains(DD)Z
java/awt/geom/Arc2D intersects(DDDD)Z
java/awt/geom/Arc2D contains(DDDD)Z
java/awt/geom/Arc2D contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/Arc2D contains(DDDDLjava/awt/geom/Rectangle2D;)Z
java/awt/geom/Arc2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
class java/awt/geom/ArcIterator java/lang/Object
java/awt/geom/ArcIterator x
java/awt/geom/ArcIterator y
java/awt/geom/ArcIterator w
java/awt/geom/ArcIterator
    h
java/awt/geom/ArcIterator angStRad
java/awt/geom/ArcIterator increment
java/awt/geom/ArcIterator cv
java/awt/geom/ArcIterator affine
java/awt/geom/ArcIterator index
java/awt/geom/ArcIterator arcSegs
java/awt/geom/ArcIterator lineSegs
java/awt/geom/ArcIterator <init>(Ljava/awt/geom/Arc2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/ArcIterator getWindingRule()I
java/awt/geom/ArcIterator isDone()Z
java/awt/geom/ArcIterator next()V
java/awt/geom/ArcIterator btan(D)D
java/awt/geom/ArcIterator currentSegment([F)I
java/awt/geom/ArcIterator currentSegment([D)I
class java/awt/geom/Area java/lang/Object
java/awt/geom/Area EmptyCurves
java/awt/geom/Area curves
java/awt/geom/Area cachedBounds
java/awt/geom/Area <init>()V
java/awt/geom/Area <init>(Ljava/awt/Shape;)V
java/awt/geom/Area add(Ljava/awt/geom/Area;)V
java/awt/geom/Area subtract(Ljava/awt/geom/Area;)V
java/awt/geom/Area intersect(Ljava/awt/geom/Area;)V
java/awt/geom/Area exclusiveOr(Ljava/awt/geom/Area;)V
java/awt/geom/Area

```



```

reset()V
java/awt/geom/Area isEmpty()Z
java/awt/geom/Area isPolygonal()Z
java/awt/geom/Area isRectangular()Z
java/awt/geom/Area isSingular()Z
java/awt/geom/Area invalidateBounds()V
java/awt/geom/Area getCachedBounds()Ljava/awt/geom/Rectangle2D;
java/awt/geom/Area getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/geom/Area getBounds()Ljava/awt/Rectangle;
java/awt/geom/Area clone()Ljava/lang/Object;
java/awt/geom/Area equals(Ljava/awt/geom/Area;)Z
java/awt/geom/Area transform(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/Area createTransformedArea(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/Area;
java/awt/geom/Area contains(DD)Z
java/awt/geom/Area contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/Area contains(DDDD)Z
java/awt/geom/Area contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/Area intersects(DDDD)Z
java/awt/geom/Area intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/Area getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/Area
    getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/Area <clinit>()V
class java/awt/geom/AreaIterator java/lang/Object
java/awt/geom/AreaIterator transform
java/awt/geom/AreaIterator curves
java/awt/geom/AreaIterator index
java/awt/geom/AreaIterator prevcurve
java/awt/geom/AreaIterator thiscurve
java/awt/geom/AreaIterator <init>(Ljava/util/Vector;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/AreaIterator getWindingRule()I
java/awt/geom/AreaIterator isDone()Z
java/awt/geom/AreaIterator next()V
java/awt/geom/AreaIterator currentSegment([F)I
java/awt/geom/AreaIterator currentSegment([D)I
class java/awt/geom/CubicCurve2D$Double java/awt/geom/CubicCurve2D
java/awt/geom/CubicCurve2D$Double x1
java/awt/geom/CubicCurve2D$Double y1
java/awt/geom/CubicCurve2D$Double ctrlx1
java/awt/geom/CubicCurve2D$Double ctrlx1
java/awt/geom/CubicCurve2D$Double ctrlx2
java/awt/geom/CubicCurve2D$Double ctrlx2
java/awt/geom/CubicCurve2D$Double x2
java/awt/geom/CubicCurve2D$Double
    y2
java/awt/geom/CubicCurve2D$Double <init>()V
java/awt/geom/CubicCurve2D$Double <init>(DDDDDDDD)V
java/awt/geom/CubicCurve2D$Double getX1()D

```

```

java/awt/geom/CubicCurve2D$Double getY1()D
java/awt/geom/CubicCurve2D$Double getP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Double getCtrlX1()D
java/awt/geom/CubicCurve2D$Double getCtrlY1()D
java/awt/geom/CubicCurve2D$Double getCtrlP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Double getCtrlX2()D
java/awt/geom/CubicCurve2D$Double getCtrlY2()D
java/awt/geom/CubicCurve2D$Double getCtrlP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Double getX2()D
java/awt/geom/CubicCurve2D$Double getY2()D
java/awt/geom/CubicCurve2D$Double getP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Double setCurve(DDDDDDDD)V
java/awt/geom/CubicCurve2D$Double getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/CubicCurve2D$Float java/awt/geom/CubicCurve2D
java/awt/geom/CubicCurve2D$Float x1
java/awt/geom/CubicCurve2D$Float
    y1
java/awt/geom/CubicCurve2D$Float ctrlx1
java/awt/geom/CubicCurve2D$Float ctrly1
java/awt/geom/CubicCurve2D$Float ctrlx2
java/awt/geom/CubicCurve2D$Float ctrly2
java/awt/geom/CubicCurve2D$Float x2
java/awt/geom/CubicCurve2D$Float y2
java/awt/geom/CubicCurve2D$Float <init>()V
java/awt/geom/CubicCurve2D$Float <init>(FFFFFF)V
java/awt/geom/CubicCurve2D$Float getX1()D
java/awt/geom/CubicCurve2D$Float getY1()D
java/awt/geom/CubicCurve2D$Float getP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Float getCtrlX1()D
java/awt/geom/CubicCurve2D$Float getCtrlY1()D
java/awt/geom/CubicCurve2D$Float getCtrlP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Float getCtrlX2()D
java/awt/geom/CubicCurve2D$Float getCtrlY2()D
java/awt/geom/CubicCurve2D$Float getCtrlP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Float getX2()D
java/awt/geom/CubicCurve2D$Float getY2()D
java/awt/geom/CubicCurve2D$Float getP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D$Float setCurve(DDDDDDDD)V
java/awt/geom/CubicCurve2D$Float
    setCurve(FFFFFF)V
java/awt/geom/CubicCurve2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/CubicCurve2D java/lang/Object
java/awt/geom/CubicCurve2D BELOW
java/awt/geom/CubicCurve2D LOWEDGE
java/awt/geom/CubicCurve2D INSIDE
java/awt/geom/CubicCurve2D HIGHEDGE
java/awt/geom/CubicCurve2D ABOVE
java/awt/geom/CubicCurve2D <init>()V

```

```

java/awt/geom/CubicCurve2D getX1()D
java/awt/geom/CubicCurve2D getY1()D
java/awt/geom/CubicCurve2D getP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D getCtrlX1()D
java/awt/geom/CubicCurve2D getCtrlY1()D
java/awt/geom/CubicCurve2D getCtrlP1()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D getCtrlX2()D
java/awt/geom/CubicCurve2D getCtrlY2()D
java/awt/geom/CubicCurve2D getCtrlP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D getX2()D
java/awt/geom/CubicCurve2D getY2()D
java/awt/geom/CubicCurve2D getP2()Ljava/awt/geom/Point2D;
java/awt/geom/CubicCurve2D setCurve(DDDDDDDD)V
java/awt/geom/CubicCurve2D
    setCurve([DI)V
java/awt/geom/CubicCurve2D
    setCurve(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/CubicCurve2D setCurve([Ljava/awt/geom/Point2D;I)V
java/awt/geom/CubicCurve2D setCurve(Ljava/awt/geom/CubicCurve2D;)V
java/awt/geom/CubicCurve2D getFlatnessSq(DDDDDDDD)D
java/awt/geom/CubicCurve2D getFlatness(DDDDDDDD)D
java/awt/geom/CubicCurve2D getFlatnessSq([DI)D
java/awt/geom/CubicCurve2D getFlatness([DI)D
java/awt/geom/CubicCurve2D getFlatnessSq()D
java/awt/geom/CubicCurve2D getFlatness()D
java/awt/geom/CubicCurve2D subdivide(Ljava/awt/geom/CubicCurve2D;Ljava/awt/geom/CubicCurve2D;)V
java/awt/geom/CubicCurve2D
    subdivide(Ljava/awt/geom/CubicCurve2D;Ljava/awt/geom/CubicCurve2D;Ljava/awt/geom/CubicCurve2D;)V
java/awt/geom/CubicCurve2D subdivide([DI[DI[DI)V
java/awt/geom/CubicCurve2D solveCubic([D)I
java/awt/geom/CubicCurve2D solveCubic([D[D)I
java/awt/geom/CubicCurve2D fixRoots([D[D)V
java/awt/geom/CubicCurve2D
    solveEqn([DID)D
java/awt/geom/CubicCurve2D findZero(DD[D)D
java/awt/geom/CubicCurve2D contains(DD)Z
java/awt/geom/CubicCurve2D contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/CubicCurve2D fillEqn([DDDDDD)V
java/awt/geom/CubicCurve2D evalCubic([DIZZ[DDDDDD)I
java/awt/geom/CubicCurve2D getTag(DDD)I
java/awt/geom/CubicCurve2D inwards(III)Z
java/awt/geom/CubicCurve2D intersects(DDDD)Z
java/awt/geom/CubicCurve2D intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/CubicCurve2D contains(DDDD)Z
java/awt/geom/CubicCurve2D contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/CubicCurve2D getBounds()Ljava/awt/Rectangle;
java/awt/geom/CubicCurve2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/CubicCurve2D getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;

```

```

java/awt/geom/CubicCurve2D clone()Ljava/lang/Object;
class java/awt/geom/CubicIterator java/lang/Object
java/awt/geom/CubicIterator cubic
java/awt/geom/CubicIterator affine
java/awt/geom/CubicIterator
index
java/awt/geom/CubicIterator <init>(Ljava/awt/geom/CubicCurve2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/CubicIterator getWindingRule()I
java/awt/geom/CubicIterator isDone()Z
java/awt/geom/CubicIterator next()V
java/awt/geom/CubicIterator currentSegment([F)I
java/awt/geom/CubicIterator currentSegment([D)I
class java/awt/geom/Ellipse2D$Double java/awt/geom/Ellipse2D
java/awt/geom/Ellipse2D$Double x
java/awt/geom/Ellipse2D$Double y
java/awt/geom/Ellipse2D$Double width
java/awt/geom/Ellipse2D$Double height
java/awt/geom/Ellipse2D$Double <init>()V
java/awt/geom/Ellipse2D$Double <init>(DDDD)V
java/awt/geom/Ellipse2D$Double getX()D
java/awt/geom/Ellipse2D$Double getY()D
java/awt/geom/Ellipse2D$Double getWidth()D
java/awt/geom/Ellipse2D$Double getHeight()D
java/awt/geom/Ellipse2D$Double isEmpty()Z
java/awt/geom/Ellipse2D$Double setFrame(DDDD)V
java/awt/geom/Ellipse2D$Double getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/Ellipse2D$Float
java/awt/geom/Ellipse2D
java/awt/geom/Ellipse2D$Float x
java/awt/geom/Ellipse2D$Float y
java/awt/geom/Ellipse2D$Float width
java/awt/geom/Ellipse2D$Float height
java/awt/geom/Ellipse2D$Float <init>()V
java/awt/geom/Ellipse2D$Float <init>(FFFF)V
java/awt/geom/Ellipse2D$Float getX()D
java/awt/geom/Ellipse2D$Float getY()D
java/awt/geom/Ellipse2D$Float getWidth()D
java/awt/geom/Ellipse2D$Float getHeight()D
java/awt/geom/Ellipse2D$Float isEmpty()Z
java/awt/geom/Ellipse2D$Float setFrame(FFFF)V
java/awt/geom/Ellipse2D$Float setFrame(DDDD)V
java/awt/geom/Ellipse2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/Ellipse2D java/awt/geom/RectangularShape
java/awt/geom/Ellipse2D <init>()V
java/awt/geom/Ellipse2D contains(DD)Z
java/awt/geom/Ellipse2D intersects(DDDD)Z
java/awt/geom/Ellipse2D contains(DDDD)Z
java/awt/geom/Ellipse2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;

```

```

class java/awt/geom/EllipseIterator java/lang/Object
java/awt/geom/EllipseIterator
    x
java/awt/geom/EllipseIterator y
java/awt/geom/EllipseIterator w
java/awt/geom/EllipseIterator h
java/awt/geom/EllipseIterator affine
java/awt/geom/EllipseIterator index
java/awt/geom/EllipseIterator CtrlVal
java/awt/geom/EllipseIterator pcV
java/awt/geom/EllipseIterator ncV
java/awt/geom/EllipseIterator ctrlpts
java/awt/geom/EllipseIterator <init>(Ljava/awt/geom/Ellipse2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/EllipseIterator getWindingRule()I
java/awt/geom/EllipseIterator isDone()Z
java/awt/geom/EllipseIterator next()V
java/awt/geom/EllipseIterator currentSegment([F)I
java/awt/geom/EllipseIterator currentSegment([D)I
java/awt/geom/EllipseIterator <clinit>()V
class java/awt/geom/FlatteningPathIterator java/lang/Object
java/awt/geom/FlatteningPathIterator GROW_SIZE
java/awt/geom/FlatteningPathIterator src
java/awt/geom/FlatteningPathIterator squareflat
java/awt/geom/FlatteningPathIterator limit
java/awt/geom/FlatteningPathIterator hold
java/awt/geom/FlatteningPathIterator
    curx
java/awt/geom/FlatteningPathIterator cury
java/awt/geom/FlatteningPathIterator movx
java/awt/geom/FlatteningPathIterator movy
java/awt/geom/FlatteningPathIterator holdType
java/awt/geom/FlatteningPathIterator holdEnd
java/awt/geom/FlatteningPathIterator holdIndex
java/awt/geom/FlatteningPathIterator levels
java/awt/geom/FlatteningPathIterator levelIndex
java/awt/geom/FlatteningPathIterator done
java/awt/geom/FlatteningPathIterator <init>(Ljava/awt/geom/PathIterator;D)V
java/awt/geom/FlatteningPathIterator <init>(Ljava/awt/geom/PathIterator;DI)V
java/awt/geom/FlatteningPathIterator getFlatness()D
java/awt/geom/FlatteningPathIterator getRecursionLimit()I
java/awt/geom/FlatteningPathIterator getWindingRule()I
java/awt/geom/FlatteningPathIterator isDone()Z
java/awt/geom/FlatteningPathIterator ensureHoldCapacity(I)V
java/awt/geom/FlatteningPathIterator next()V
java/awt/geom/FlatteningPathIterator next(Z)V
java/awt/geom/FlatteningPathIterator currentSegment([F)I
java/awt/geom/FlatteningPathIterator

```

```

currentSegment([D)I
class java/awt/geom/GeneralPathIterator java/lang/Object
java/awt/geom/GeneralPathIterator typeIdx
java/awt/geom/GeneralPathIterator pointIdx
java/awt/geom/GeneralPathIterator path
java/awt/geom/GeneralPathIterator affine
java/awt/geom/GeneralPathIterator curvesize
java/awt/geom/GeneralPathIterator <init>(Ljava/awt/geom/GeneralPath;)V
java/awt/geom/GeneralPathIterator <init>(Ljava/awt/geom/GeneralPath;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/GeneralPathIterator getWindingRule()I
java/awt/geom/GeneralPathIterator isDone()Z
java/awt/geom/GeneralPathIterator next()V
java/awt/geom/GeneralPathIterator currentSegment([F)I
java/awt/geom/GeneralPathIterator currentSegment([D)I
java/awt/geom/GeneralPathIterator <clinit>()V
class java/awt/geom/IllegalPathStateException java/lang/RuntimeException
java/awt/geom/IllegalPathStateException <init>()V
java/awt/geom/IllegalPathStateException <init>(Ljava/lang/String;)V
class java/awt/geom/Line2D$Double java/awt/geom/Line2D
java/awt/geom/Line2D$Double
    x1
java/awt/geom/Line2D$Double y1
java/awt/geom/Line2D$Double x2
java/awt/geom/Line2D$Double y2
java/awt/geom/Line2D$Double <init>()V
java/awt/geom/Line2D$Double <init>(DDDD)V
java/awt/geom/Line2D$Double <init>(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/Line2D$Double getX1()D
java/awt/geom/Line2D$Double getY1()D
java/awt/geom/Line2D$Double getP1()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D$Double getX2()D
java/awt/geom/Line2D$Double getY2()D
java/awt/geom/Line2D$Double getP2()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D$Double setLine(DDDD)V
java/awt/geom/Line2D$Double getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/NoninvertibleTransformException java/lang/Exception
java/awt/geom/NoninvertibleTransformException <init>(Ljava/lang/String;)V
class java/awt/geom/Point2D$Double java/awt/geom/Point2D
java/awt/geom/Point2D$Double x
java/awt/geom/Point2D$Double y
java/awt/geom/Point2D$Double <init>()V
java/awt/geom/Point2D$Double
    <init>(DD)V
java/awt/geom/Point2D$Double getX()D
java/awt/geom/Point2D$Double getY()D
java/awt/geom/Point2D$Double setLocation(DD)V
java/awt/geom/Point2D$Double toString()Ljava/lang/String;
class java/awt/geom/QuadCurve2D$Double java/awt/geom/QuadCurve2D

```

```

java/awt/geom/QuadCurve2D$Double x1
java/awt/geom/QuadCurve2D$Double y1
java/awt/geom/QuadCurve2D$Double ctrlx
java/awt/geom/QuadCurve2D$Double ctrly
java/awt/geom/QuadCurve2D$Double x2
java/awt/geom/QuadCurve2D$Double y2
java/awt/geom/QuadCurve2D$Double <init>()V
java/awt/geom/QuadCurve2D$Double <init>(DDDDDD)V
java/awt/geom/QuadCurve2D$Double getX1()D
java/awt/geom/QuadCurve2D$Double getY1()D
java/awt/geom/QuadCurve2D$Double getP1()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D$Double getCtrlX()D
java/awt/geom/QuadCurve2D$Double getCtrlY()D
java/awt/geom/QuadCurve2D$Double getCtrlPt()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D$Double getX2()D
java/awt/geom/QuadCurve2D$Double getY2()D
java/awt/geom/QuadCurve2D$Double
    getP2()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D$Double setCurve(DDDDDD)V
java/awt/geom/QuadCurve2D$Double getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/QuadCurve2D$Float java/awt/geom/QuadCurve2D
java/awt/geom/QuadCurve2D$Float x1
java/awt/geom/QuadCurve2D$Float y1
java/awt/geom/QuadCurve2D$Float ctrlx
java/awt/geom/QuadCurve2D$Float ctrly
java/awt/geom/QuadCurve2D$Float x2
java/awt/geom/QuadCurve2D$Float y2
java/awt/geom/QuadCurve2D$Float <init>()V
java/awt/geom/QuadCurve2D$Float <init>(FFFFFF)V
java/awt/geom/QuadCurve2D$Float getX1()D
java/awt/geom/QuadCurve2D$Float getY1()D
java/awt/geom/QuadCurve2D$Float getP1()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D$Float getCtrlX()D
java/awt/geom/QuadCurve2D$Float getCtrlY()D
java/awt/geom/QuadCurve2D$Float getCtrlPt()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D$Float getX2()D
java/awt/geom/QuadCurve2D$Float getY2()D
java/awt/geom/QuadCurve2D$Float getP2()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D$Float
    setCurve(DDDDDD)V
java/awt/geom/QuadCurve2D$Float setCurve(FFFFFF)V
java/awt/geom/QuadCurve2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/QuadCurve2D java/lang/Object
java/awt/geom/QuadCurve2D BELOW
java/awt/geom/QuadCurve2D LOWEDGE
java/awt/geom/QuadCurve2D INSIDE
java/awt/geom/QuadCurve2D HIGHEDGE
java/awt/geom/QuadCurve2D ABOVE

```

```

java/awt/geom/QuadCurve2D <init>()V
java/awt/geom/QuadCurve2D getX1()D
java/awt/geom/QuadCurve2D getY1()D
java/awt/geom/QuadCurve2D getP1()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D getCtrlX()D
java/awt/geom/QuadCurve2D getCtrlY()D
java/awt/geom/QuadCurve2D getCtrlPt()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D getX2()D
java/awt/geom/QuadCurve2D getY2()D
java/awt/geom/QuadCurve2D getP2()Ljava/awt/geom/Point2D;
java/awt/geom/QuadCurve2D setCurve(DDDDDD)V
java/awt/geom/QuadCurve2D setCurve([DI)V
java/awt/geom/QuadCurve2D
setCurve(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/QuadCurve2D
setCurve([Ljava/awt/geom/Point2D;I)V
java/awt/geom/QuadCurve2D setCurve(Ljava/awt/geom/QuadCurve2D;)V
java/awt/geom/QuadCurve2D getFlatnessSq(DDDDDD)D
java/awt/geom/QuadCurve2D getFlatness(DDDDDD)D
java/awt/geom/QuadCurve2D getFlatnessSq([DI)D
java/awt/geom/QuadCurve2D getFlatness([DI)D
java/awt/geom/QuadCurve2D getFlatnessSq()D
java/awt/geom/QuadCurve2D getFlatness()D
java/awt/geom/QuadCurve2D subdivide(Ljava/awt/geom/QuadCurve2D;Ljava/awt/geom/QuadCurve2D;)V
java/awt/geom/QuadCurve2D
subdivide(Ljava/awt/geom/QuadCurve2D;Ljava/awt/geom/QuadCurve2D;Ljava/awt/geom/QuadCurve2D;)V
java/awt/geom/QuadCurve2D subdivide([DI[DI[DI)V
java/awt/geom/QuadCurve2D solveQuadratic([D)I
java/awt/geom/QuadCurve2D solveQuadratic([D[D)I
java/awt/geom/QuadCurve2D contains(DD)Z
java/awt/geom/QuadCurve2D contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/QuadCurve2D fillEqn([DDDD)V
java/awt/geom/QuadCurve2D evalQuadratic([DIZZ[DDDD)I
java/awt/geom/QuadCurve2D getTag(DDD)I
java/awt/geom/QuadCurve2D
inwards(III)Z
java/awt/geom/QuadCurve2D intersects(DDDD)Z
java/awt/geom/QuadCurve2D intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/QuadCurve2D contains(DDDD)Z
java/awt/geom/QuadCurve2D contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/QuadCurve2D getBounds()Ljava/awt/Rectangle;
java/awt/geom/QuadCurve2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/QuadCurve2D getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/QuadCurve2D clone()Ljava/lang/Object;
class java/awt/geom/QuadIterator java/lang/Object
java/awt/geom/QuadIterator quad
java/awt/geom/QuadIterator affine
java/awt/geom/QuadIterator index

```



```

java/awt/geom/QuadIterator <init>(Ljava/awt/geom/QuadCurve2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/QuadIterator getWindingRule()I
java/awt/geom/QuadIterator isDone()Z
java/awt/geom/QuadIterator next()V
java/awt/geom/QuadIterator currentSegment([F)I
java/awt/geom/QuadIterator currentSegment([D)I
class
  java/awt/geom/RectIterator java/lang/Object
java/awt/geom/RectIterator x
java/awt/geom/RectIterator y
java/awt/geom/RectIterator w
java/awt/geom/RectIterator h
java/awt/geom/RectIterator affine
java/awt/geom/RectIterator index
java/awt/geom/RectIterator <init>(Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/RectIterator getWindingRule()I
java/awt/geom/RectIterator isDone()Z
java/awt/geom/RectIterator next()V
java/awt/geom/RectIterator currentSegment([F)I
java/awt/geom/RectIterator currentSegment([D)I
class java/awt/geom/Rectangle2D$Double java/awt/geom/Rectangle2D
java/awt/geom/Rectangle2D$Double x
java/awt/geom/Rectangle2D$Double y
java/awt/geom/Rectangle2D$Double width
java/awt/geom/Rectangle2D$Double height
java/awt/geom/Rectangle2D$Double <init>()V
java/awt/geom/Rectangle2D$Double <init>(DDDD)V
java/awt/geom/Rectangle2D$Double getX()D
java/awt/geom/Rectangle2D$Double getY()D
java/awt/geom/Rectangle2D$Double getWidth()D
java/awt/geom/Rectangle2D$Double
  getHeight()D
java/awt/geom/Rectangle2D$Double isEmpty()Z
java/awt/geom/Rectangle2D$Double setRect(DDDD)V
java/awt/geom/Rectangle2D$Double setRect(Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D$Double outcode(DD)I
java/awt/geom/Rectangle2D$Double getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D$Double
  createIntersection(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D$Double createUnion(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D$Double toString()Ljava/lang/String;
class java/awt/geom/RoundRectIterator java/lang/Object
java/awt/geom/RoundRectIterator x
java/awt/geom/RoundRectIterator y
java/awt/geom/RoundRectIterator w
java/awt/geom/RoundRectIterator h
java/awt/geom/RoundRectIterator aw
java/awt/geom/RoundRectIterator ah

```

```

java/awt/geom/RoundRectIterator affine
java/awt/geom/RoundRectIterator index
java/awt/geom/RoundRectIterator angle
java/awt/geom/RoundRectIterator a
java/awt/geom/RoundRectIterator
    b
java/awt/geom/RoundRectIterator c
java/awt/geom/RoundRectIterator cv
java/awt/geom/RoundRectIterator acv
java/awt/geom/RoundRectIterator ctrlpts
java/awt/geom/RoundRectIterator types
java/awt/geom/RoundRectIterator <init>(Ljava/awt/geom/RoundRectangle2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/RoundRectIterator getWindingRule()I
java/awt/geom/RoundRectIterator isDone()Z
java/awt/geom/RoundRectIterator next()V
java/awt/geom/RoundRectIterator currentSegment([F)I
java/awt/geom/RoundRectIterator currentSegment([D)I
java/awt/geom/RoundRectIterator <clinit>()V
class java/awt/geom/RoundRectangle2D$Double java/awt/geom/RoundRectangle2D
java/awt/geom/RoundRectangle2D$Double x
java/awt/geom/RoundRectangle2D$Double y
java/awt/geom/RoundRectangle2D$Double width
java/awt/geom/RoundRectangle2D$Double height
java/awt/geom/RoundRectangle2D$Double arcwidth
java/awt/geom/RoundRectangle2D$Double archeight
java/awt/geom/RoundRectangle2D$Double <init>()V
java/awt/geom/RoundRectangle2D$Double
    <init>(DDDDDD)V
java/awt/geom/RoundRectangle2D$Double getX()D
java/awt/geom/RoundRectangle2D$Double getY()D
java/awt/geom/RoundRectangle2D$Double getWidth()D
java/awt/geom/RoundRectangle2D$Double getHeight()D
java/awt/geom/RoundRectangle2D$Double getArcWidth()D
java/awt/geom/RoundRectangle2D$Double getArcHeight()D
java/awt/geom/RoundRectangle2D$Double isEmpty()Z
java/awt/geom/RoundRectangle2D$Double setRoundRect(DDDDDD)V
java/awt/geom/RoundRectangle2D$Double setRoundRect(Ljava/awt/geom/RoundRectangle2D;)V
java/awt/geom/RoundRectangle2D$Double getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/RoundRectangle2D$Float java/awt/geom/RoundRectangle2D
java/awt/geom/RoundRectangle2D$Float x
java/awt/geom/RoundRectangle2D$Float y
java/awt/geom/RoundRectangle2D$Float width
java/awt/geom/RoundRectangle2D$Float height
java/awt/geom/RoundRectangle2D$Float arcwidth
java/awt/geom/RoundRectangle2D$Float archeight
java/awt/geom/RoundRectangle2D$Float <init>()V
java/awt/geom/RoundRectangle2D$Float

```

```

<init>(FFFFFF)V
java/awt/geom/RoundRectangle2D$Float getX()D
java/awt/geom/RoundRectangle2D$Float getY()D
java/awt/geom/RoundRectangle2D$Float getWidth()D
java/awt/geom/RoundRectangle2D$Float getHeight()D
java/awt/geom/RoundRectangle2D$Float getArcWidth()D
java/awt/geom/RoundRectangle2D$Float getArcHeight()D
java/awt/geom/RoundRectangle2D$Float isEmpty()Z
java/awt/geom/RoundRectangle2D$Float setRoundRect(FFFFFF)V
java/awt/geom/RoundRectangle2D$Float setRoundRect(DDDDDD)V
java/awt/geom/RoundRectangle2D$Float setRoundRect(Ljava/awt/geom/RoundRectangle2D;)V
java/awt/geom/RoundRectangle2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/RoundRectangle2D java/awt/geom/RectangularShape
java/awt/geom/RoundRectangle2D <init>()V
java/awt/geom/RoundRectangle2D getArcWidth()D
java/awt/geom/RoundRectangle2D getArcHeight()D
java/awt/geom/RoundRectangle2D setRoundRect(DDDDDD)V
java/awt/geom/RoundRectangle2D setRoundRect(Ljava/awt/geom/RoundRectangle2D;)V
java/awt/geom/RoundRectangle2D
    setFrame(DDDD)V
java/awt/geom/RoundRectangle2D contains(DD)Z
java/awt/geom/RoundRectangle2D classify(DDDD)I
java/awt/geom/RoundRectangle2D intersects(DDDD)Z
java/awt/geom/RoundRectangle2D contains(DDDD)Z
java/awt/geom/RoundRectangle2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
class java/awt/im/InputSubset java/lang/Character$Subset
java/awt/im/InputSubset LATIN
java/awt/im/InputSubset LATIN_DIGITS
java/awt/im/InputSubset TRADITIONAL_HANZI
java/awt/im/InputSubset SIMPLIFIED_HANZI
java/awt/im/InputSubset KANJI
java/awt/im/InputSubset HANJA
java/awt/im/InputSubset HALFWIDTH_KATAKANA
java/awt/im/InputSubset FULLWIDTH_LATIN
java/awt/im/InputSubset FULLWIDTH_DIGITS
java/awt/im/InputSubset <init>(Ljava/lang/String;)V
java/awt/im/InputSubset <clinit>()V
class java/awt/image/AffineTransformOp java/lang/Object
java/awt/image/AffineTransformOp xform
java/awt/image/AffineTransformOp hints
java/awt/image/AffineTransformOp TYPE_NEAREST_NEIGHBOR
java/awt/image/AffineTransformOp
    TYPE_BILINEAR
java/awt/image/AffineTransformOp TYPE_BICUBIC
java/awt/image/AffineTransformOp interpolationType
java/awt/image/AffineTransformOp <init>(Ljava/awt/geom/AffineTransform;Ljava/awt/RenderingHints;)V
java/awt/image/AffineTransformOp <init>(Ljava/awt/geom/AffineTransform;I)V
java/awt/image/AffineTransformOp getInterpolationType()I

```

```

java/awt/image/AffineTransformOp
filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;
java/awt/image/AffineTransformOp
filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/AffineTransformOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/AffineTransformOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/AffineTransformOp
createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/BufferedImage;
java/awt/image/AffineTransformOp
createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/AffineTransformOp
getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/AffineTransformOp getTransform()Ljava/awt/geom/AffineTransform;
java/awt/image/AffineTransformOp getRenderingHints()Ljava/awt/RenderingHints;
java/awt/image/AffineTransformOp validateTransform(Ljava/awt/geom/AffineTransform;)V
class java/awt/image/AreaAveragingScaleFilter java/awt/image/ReplicateScaleFilter
java/awt/image/AreaAveragingScaleFilter rgbmodel
java/awt/image/AreaAveragingScaleFilter neededHints
java/awt/image/AreaAveragingScaleFilter passthrough
java/awt/image/AreaAveragingScaleFilter reds
java/awt/image/AreaAveragingScaleFilter greens
java/awt/image/AreaAveragingScaleFilter blues
java/awt/image/AreaAveragingScaleFilter alphas
java/awt/image/AreaAveragingScaleFilter savedy
java/awt/image/AreaAveragingScaleFilter savedyrem
java/awt/image/AreaAveragingScaleFilter
<init>(II)V
java/awt/image/AreaAveragingScaleFilter setHints(I)V
java/awt/image/AreaAveragingScaleFilter makeAccumBuffers()V
java/awt/image/AreaAveragingScaleFilter calcRow()[I
java/awt/image/AreaAveragingScaleFilter accumPixels(IIIIILjava/awt/image/ColorModel;Ljava/lang/Object;II)V
java/awt/image/AreaAveragingScaleFilter setPixels(IIIIILjava/awt/image/ColorModel;[BII)V
java/awt/image/AreaAveragingScaleFilter setPixels(IIIIILjava/awt/image/ColorModel;[III)V
java/awt/image/AreaAveragingScaleFilter <clinit>()V
class java/awt/image/BandCombineOp java/lang/Object
java/awt/image/BandCombineOp matrix
java/awt/image/BandCombineOp nrows
java/awt/image/BandCombineOp ncols
java/awt/image/BandCombineOp hints
java/awt/image/BandCombineOp <init>([[FLjava/awt/RenderingHints;)V
java/awt/image/BandCombineOp getMatrix()[[F
java/awt/image/BandCombineOp
filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/BandCombineOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/BandCombineOp
createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/BandCombineOp

```

```

getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/BandCombineOp getRenderingHints()Ljava/awt/RenderingHints;
class java/awt/image/BandedSampleModel java/awt/image/ComponentSampleModel
java/awt/image/BandedSampleModel <init>(III)V
java/awt/image/BandedSampleModel <init>(III[I)V
java/awt/image/BandedSampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/BandedSampleModel createSubsetSampleModel([I)Ljava/awt/image/SampleModel;
java/awt/image/BandedSampleModel createDataBuffer()Ljava/awt/image/DataBuffer;
java/awt/image/BandedSampleModel
getDataElements(III,Ljava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/BandedSampleModel getPixel(II[ILjava/awt/image/DataBuffer;)[I
java/awt/image/BandedSampleModel
getPixels(III[ILjava/awt/image/DataBuffer;)[I
java/awt/image/BandedSampleModel getSample(III,Ljava/awt/image/DataBuffer;)I
java/awt/image/BandedSampleModel getSampleFloat(III,Ljava/awt/image/DataBuffer;)F
java/awt/image/BandedSampleModel getSampleDouble(III,Ljava/awt/image/DataBuffer;)D
java/awt/image/BandedSampleModel getSamples(IIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/BandedSampleModel setDataElements(III,Ljava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setPixel(II[ILjava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setPixels(III[ILjava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setSample(IIII,Ljava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setSample(IIIFL,Ljava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setSample(IIIDL,Ljava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel setSamples(IIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/BandedSampleModel createOffsetArray(I)[I
java/awt/image/BandedSampleModel
createIndicesArray(I)[I
java/awt/image/BandedSampleModel hashCode()I
class java/awt/image/BufferedImageFilter java/awt/image/ImageFilter
java/awt/image/BufferedImageFilter bufferedImageOp
java/awt/image/BufferedImageFilter model
java/awt/image/BufferedImageFilter width
java/awt/image/BufferedImageFilter height
java/awt/image/BufferedImageFilter bytePixels
java/awt/image/BufferedImageFilter intPixels
java/awt/image/BufferedImageFilter <init>(Ljava/awt/image/BufferedImageOp;)V
java/awt/image/BufferedImageFilter getBufferedImageOp()Ljava/awt/image/BufferedImageOp;
java/awt/image/BufferedImageFilter setDimensions(II)V
java/awt/image/BufferedImageFilter setColorModel(Ljava/awt/image/ColorModel;)V
java/awt/image/BufferedImageFilter convertToRGB()V
java/awt/image/BufferedImageFilter setPixels(IIII,Ljava/awt/image/ColorModel;[BII)V
java/awt/image/BufferedImageFilter setPixels(IIII,Ljava/awt/image/ColorModel;[III)V
java/awt/image/BufferedImageFilter imageComplete(I)V
java/awt/image/BufferedImageFilter
createDCMraster()Ljava/awt/image/WritableRaster;
class java/awt/image/BufferedImageOp java/lang/Object
java/awt/image/BufferedImageOp
filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;

```

```

java/awt/image/BufferedImageOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/BufferedImageOp
createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/BufferedImage;
java/awt/image/BufferedImageOp
getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/BufferedImageOp getRenderingHints()Ljava/awt/RenderingHints;
class java/awt/image/ByteLookupTable java/awt/image/LookupTable
java/awt/image/ByteLookupTable data
java/awt/image/ByteLookupTable <init>(I[[B)V
java/awt/image/ByteLookupTable <init>(I[B)V
java/awt/image/ByteLookupTable getTable()[[B
java/awt/image/ByteLookupTable lookupPixel([I[I[I
java/awt/image/ByteLookupTable
lookupPixel([B[B][B
class java/awt/image/ColorConvertOp java/lang/Object
java/awt/image/ColorConvertOp profileList
java/awt/image/ColorConvertOp CSList
java/awt/image/ColorConvertOp thisTransform
java/awt/image/ColorConvertOp thisRasterTransform
java/awt/image/ColorConvertOp thisSrcProfile
java/awt/image/ColorConvertOp thisDestProfile
java/awt/image/ColorConvertOp hints
java/awt/image/ColorConvertOp gotProfiles
java/awt/image/ColorConvertOp srcMinVals
java/awt/image/ColorConvertOp srcMaxVals
java/awt/image/ColorConvertOp dstMinVals
java/awt/image/ColorConvertOp dstMaxVals
java/awt/image/ColorConvertOp <init>(Ljava/awt/RenderingHints;)V
java/awt/image/ColorConvertOp <init>(Ljava/awt/color/ColorSpace;Ljava/awt/RenderingHints;)V
java/awt/image/ColorConvertOp
<init>(Ljava/awt/color/ColorSpace;Ljava/awt/color/ColorSpace;Ljava/awt/RenderingHints;)V
java/awt/image/ColorConvertOp <init>([Ljava/awt/color/ICC_Profile;Ljava/awt/RenderingHints;)V
java/awt/image/ColorConvertOp getICC_Profiles()[Ljava/awt/color/ICC_Profile;
java/awt/image/ColorConvertOp
filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;
java/awt/image/ColorConvertOp
ICCBIFilter(Ljava/awt/image/BufferedImage;Ljava/awt/color/ColorSpace;Ljava/awt/image/BufferedImage;Ljava/awt/color/ColorSpace;)Ljava/awt/image/BufferedImage;
java/awt/image/ColorConvertOp updateBITransform(Ljava/awt/color/ICC_Profile;Ljava/awt/color/ICC_Profile;)V
java/awt/image/ColorConvertOp
filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/ColorConvertOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/ColorConvertOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/ColorConvertOp
createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/BufferedImage;
java/awt/image/ColorConvertOp

```

```

createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;Ljava/awt/color/ColorS
pace;)Ljava/awt/image/BufferedImage;
java/awt/image/ColorConvertOp
    createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/ColorConvertOp
    getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/ColorConvertOp getRenderingIntent(Ljava/awt/color/ICC_Profile;)I
java/awt/image/ColorConvertOp getRenderingHints()Ljava/awt/RenderingHints;
java/awt/image/ColorConvertOp
    nonICCBIFilter(Ljava/awt/image/BufferedImage;Ljava/awt/color/ColorSpace;Ljava/awt/image/BufferedImage;Ljav
a/awt/color/ColorSpace;)Ljava/awt/image/BufferedImage;
java/awt/image/ColorConvertOp
    nonICCFilter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/ColorConvertOp
    getMinMaxValsFromProfiles(Ljava/awt/color/ICC_Profile;Ljava/awt/color/ICC_Profile;)V
java/awt/image/ColorConvertOp setMinMax(II[F[F)V
java/awt/image/ColorConvertOp
    getMinMaxValsFromColorSpaces(Ljava/awt/color/ColorSpace;Ljava/awt/color/ColorSpace;)V
java/awt/image/ColorConvertOp <clinit>()V
class java/awt/image/ComponentColorModel java/awt/image/ColorModel
java/awt/image/ComponentColorModel signed
java/awt/image/ComponentColorModel is_sRGB_stdScale
java/awt/image/ComponentColorModel is_LinearRGB_stdScale
java/awt/image/ComponentColorModel is_LinearGray_stdScale
java/awt/image/ComponentColorModel is_ICCGray_stdScale
java/awt/image/ComponentColorModel toRGB8LUT
java/awt/image/ComponentColorModel fromRGB8LUT8
java/awt/image/ComponentColorModel fromRGB8LUT16
java/awt/image/ComponentColorModel fromLinearGray16ToOtherGray8LUT
java/awt/image/ComponentColorModel fromLinearGray16ToOtherGray16LUT
java/awt/image/ComponentColorModel needScaleInit
java/awt/image/ComponentColorModel noUnnorm
java/awt/image/ComponentColorModel nonStdScale
java/awt/image/ComponentColorModel min
java/awt/image/ComponentColorModel diffMinMax
java/awt/image/ComponentColorModel
    compOffset
java/awt/image/ComponentColorModel compScale
java/awt/image/ComponentColorModel <init>(Ljava/awt/color/ColorSpace;[IZZII)V
java/awt/image/ComponentColorModel <init>(Ljava/awt/color/ColorSpace;ZZII)V
java/awt/image/ComponentColorModel bitsHelper(ILjava/awt/color/ColorSpace;Z)I
java/awt/image/ComponentColorModel bitsArrayHelper([IILjava/awt/color/ColorSpace;Z)I
java/awt/image/ComponentColorModel setupLUTs()V
java/awt/image/ComponentColorModel initScale()V
java/awt/image/ComponentColorModel getRGBComponent(II)I
java/awt/image/ComponentColorModel getRed(I)I
java/awt/image/ComponentColorModel getGreen(I)I
java/awt/image/ComponentColorModel getBlue(I)I

```

```

java/awt/image/ComponentColorModel getAlpha(I)I
java/awt/image/ComponentColorModel getRGB(I)I
java/awt/image/ComponentColorModel extractComponent(Ljava/lang/Object;II)I
java/awt/image/ComponentColorModel getRGBComponent(Ljava/lang/Object;I)I
java/awt/image/ComponentColorModel getRed(Ljava/lang/Object;)I
java/awt/image/ComponentColorModel
    getGreen(Ljava/lang/Object;)I
java/awt/image/ComponentColorModel getBlue(Ljava/lang/Object;)I
java/awt/image/ComponentColorModel getAlpha(Ljava/lang/Object;)I
java/awt/image/ComponentColorModel getRGB(Ljava/lang/Object;)I
java/awt/image/ComponentColorModel getDataElements(ILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/ComponentColorModel getComponents(I[II)[I
java/awt/image/ComponentColorModel getComponents(Ljava/lang/Object;[II)[I
java/awt/image/ComponentColorModel getUnnormalizedComponents([FI[II)[I
java/awt/image/ComponentColorModel getNormalizedComponents([II[FI)[F
java/awt/image/ComponentColorModel getDataElement([II)I
java/awt/image/ComponentColorModel getDataElements([IILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/ComponentColorModel getDataElement([FI)I
java/awt/image/ComponentColorModel getDataElements([FILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/ComponentColorModel getNormalizedComponents(Ljava/lang/Object;[FI)[F
java/awt/image/ComponentColorModel
    coerceData(Ljava/awt/image/WritableRaster;Z)Ljava/awt/image/ColorModel;
java/awt/image/ComponentColorModel isCompatibleRaster(Ljava/awt/image/Raster;)Z
java/awt/image/ComponentColorModel createCompatibleWritableRaster(II)Ljava/awt/image/WritableRaster;
java/awt/image/ComponentColorModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/ComponentColorModel isCompatibleSampleModel(Ljava/awt/image/SampleModel;)Z
java/awt/image/ComponentColorModel
    getAlphaRaster(Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/ComponentColorModel equals(Ljava/lang/Object;)Z
class java/awt/image/ConvolveOp java/lang/Object
java/awt/image/ConvolveOp kernel
java/awt/image/ConvolveOp edgeHint
java/awt/image/ConvolveOp hints
java/awt/image/ConvolveOp EDGE_ZERO_FILL
java/awt/image/ConvolveOp EDGE_NO_OP
java/awt/image/ConvolveOp <init>(Ljava/awt/image/Kernel;ILjava/awt/RenderingHints;)V
java/awt/image/ConvolveOp <init>(Ljava/awt/image/Kernel;)V
java/awt/image/ConvolveOp
    getEdgeCondition()I
java/awt/image/ConvolveOp getKernel()Ljava/awt/image/Kernel;
java/awt/image/ConvolveOp
    filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;
java/awt/image/ConvolveOp
    filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/ConvolveOp
    createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/BufferedImage;
java/awt/image/ConvolveOp

```



```

createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/ConvolveOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/ConvolveOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/ConvolveOp
getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/ConvolveOp getRenderingHints()Ljava/awt/RenderingHints;
class java/awt/image/CropImageFilter
  java/awt/image/ImageFilter
java/awt/image/CropImageFilter cropX
java/awt/image/CropImageFilter cropY
java/awt/image/CropImageFilter cropW
java/awt/image/CropImageFilter cropH
java/awt/image/CropImageFilter <init>(III)V
java/awt/image/CropImageFilter setProperties(Ljava/util/Hashtable;)V
java/awt/image/CropImageFilter setDimensions(II)V
java/awt/image/CropImageFilter setPixels(IIILjava/awt/image/ColorModel;[BII)V
java/awt/image/CropImageFilter setPixels(IIILjava/awt/image/ColorModel;[III)V
java/awt/image/CropImageFilter addWithoutOverflow(II)I
class java/awt/image/DataBufferDouble java/awt/image/DataBuffer
  java/awt/image/DataBufferDouble bankdata
  java/awt/image/DataBufferDouble data
  java/awt/image/DataBufferDouble <init>(I)V
  java/awt/image/DataBufferDouble <init>(II)V
  java/awt/image/DataBufferDouble <init>([DI)V
  java/awt/image/DataBufferDouble <init>([DII)V
  java/awt/image/DataBufferDouble <init>([[DI)V
  java/awt/image/DataBufferDouble <init>([[DI]I)V
  java/awt/image/DataBufferDouble
    getData()[D
  java/awt/image/DataBufferDouble getData(I)[D
  java/awt/image/DataBufferDouble getBankData()[[D
  java/awt/image/DataBufferDouble getElem(I)I
  java/awt/image/DataBufferDouble getElem(II)I
  java/awt/image/DataBufferDouble setElem(II)V
  java/awt/image/DataBufferDouble setElem(III)V
  java/awt/image/DataBufferDouble getElemFloat(I)F
  java/awt/image/DataBufferDouble getElemFloat(II)F
  java/awt/image/DataBufferDouble setElemFloat(IF)V
  java/awt/image/DataBufferDouble setElemFloat(IIF)V
  java/awt/image/DataBufferDouble getElemDouble(I)D
  java/awt/image/DataBufferDouble getElemDouble(II)D
  java/awt/image/DataBufferDouble setElemDouble(ID)V
  java/awt/image/DataBufferDouble setElemDouble(IID)V
class java/awt/image/DataBufferFloat java/awt/image/DataBuffer
  java/awt/image/DataBufferFloat bankdata
  java/awt/image/DataBufferFloat data
  java/awt/image/DataBufferFloat <init>(I)V
  java/awt/image/DataBufferFloat <init>(II)V

```

```

java/awt/image/DataBufferFloat <init>([FI)V
java/awt/image/DataBufferFloat <init>([FII)V
java/awt/image/DataBufferFloat
    <init>([FI)V
java/awt/image/DataBufferFloat <init>([[FI]I)V
java/awt/image/DataBufferFloat getData()[F
java/awt/image/DataBufferFloat getData(I)[F
java/awt/image/DataBufferFloat getBankData()[[F
java/awt/image/DataBufferFloat getElem(I)I
java/awt/image/DataBufferFloat getElem(II)I
java/awt/image/DataBufferFloat setElem(II)V
java/awt/image/DataBufferFloat setElem(III)V
java/awt/image/DataBufferFloat getElemFloat(I)F
java/awt/image/DataBufferFloat getElemFloat(II)F
java/awt/image/DataBufferFloat setElemFloat(IF)V
java/awt/image/DataBufferFloat setElemFloat(IIF)V
java/awt/image/DataBufferFloat getElemDouble(I)D
java/awt/image/DataBufferFloat getElemDouble(II)D
java/awt/image/DataBufferFloat setElemDouble(ID)V
java/awt/image/DataBufferFloat setElemDouble(IID)V
class java/awt/image/DataBufferShort java/awt/image/DataBuffer
java/awt/image/DataBufferShort data
java/awt/image/DataBufferShort bankdata
java/awt/image/DataBufferShort <init>(I)V
java/awt/image/DataBufferShort
    <init>(II)V
java/awt/image/DataBufferShort <init>([SI)V
java/awt/image/DataBufferShort <init>([SII)V
java/awt/image/DataBufferShort <init>([[SI]V
java/awt/image/DataBufferShort <init>([[SI]I)V
java/awt/image/DataBufferShort getData()[S
java/awt/image/DataBufferShort getData(I)[S
java/awt/image/DataBufferShort getBankData()[[S
java/awt/image/DataBufferShort getElem(I)I
java/awt/image/DataBufferShort getElem(II)I
java/awt/image/DataBufferShort setElem(II)V
java/awt/image/DataBufferShort setElem(III)V
class java/awt/image/DataBufferUShort java/awt/image/DataBuffer
java/awt/image/DataBufferUShort data
java/awt/image/DataBufferUShort bankdata
java/awt/image/DataBufferUShort <init>(I)V
java/awt/image/DataBufferUShort <init>(II)V
java/awt/image/DataBufferUShort <init>([SI)V
java/awt/image/DataBufferUShort <init>([SII)V
java/awt/image/DataBufferUShort <init>([[SI]V
java/awt/image/DataBufferUShort <init>([[SI]I)V
java/awt/image/DataBufferUShort getData()[S
java/awt/image/DataBufferUShort

```

```

getData(I)[S
java/awt/image/DataBufferUShort getBankData()[[S
java/awt/image/DataBufferUShort getElem(I)I
java/awt/image/DataBufferUShort getElem(II)I
java/awt/image/DataBufferUShort setElem(II)V
java/awt/image/DataBufferUShort setElem(III)V
class java/awt/image/ImagingOpException java/lang/RuntimeException
java/awt/image/ImagingOpException <init>(Ljava/lang/String;)V
class java/awt/image/Kernel java/lang/Object
java/awt/image/Kernel width
java/awt/image/Kernel height
java/awt/image/Kernel xOrigin
java/awt/image/Kernel yOrigin
java/awt/image/Kernel data
java/awt/image/Kernel initIDs()V
java/awt/image/Kernel <init>(II[F)V
java/awt/image/Kernel getXOrigin()I
java/awt/image/Kernel getYOrigin()I
java/awt/image/Kernel getWidth()I
java/awt/image/Kernel getHeight()I
java/awt/image/Kernel getKernelData([F)[F
java/awt/image/Kernel clone()Ljava/lang/Object;
java/awt/image/Kernel <clinit>()V
class java/awt/image/LookupOp java/lang/Object
java/awt/image/LookupOp ltable
java/awt/image/LookupOp
    numComponents
java/awt/image/LookupOp hints
java/awt/image/LookupOp <init>(Ljava/awt/image/LookupTable;Ljava/awt/RenderingHints;)V
java/awt/image/LookupOp getTable()Ljava/awt/image/LookupTable;
java/awt/image/LookupOp
    filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;
java/awt/image/LookupOp
    filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/LookupOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/LookupOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/LookupOp
    createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/BufferedImage;
java/awt/image/LookupOp createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/LookupOp
    getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/LookupOp getRenderingHints()Ljava/awt/RenderingHints;
java/awt/image/LookupOp
    byteFilter(Ljava/awt/image/ByteLookupTable;Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;III)V
java/awt/image/LookupOp
    shortFilter(Ljava/awt/image/ShortLookupTable;Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;III)V
class java/awt/image/LookupTable java/lang/Object

```

```

java/awt/image/LookupTable numComponents
java/awt/image/LookupTable offset
java/awt/image/LookupTable numEntries
java/awt/image/LookupTable <init>(II)V
java/awt/image/LookupTable getNumComponents()I
java/awt/image/LookupTable getOffset()I
java/awt/image/LookupTable lookupPixel([I][I)I
class java/awt/image/MemoryImageSource java/lang/Object
java/awt/image/MemoryImageSource width
java/awt/image/MemoryImageSource height
java/awt/image/MemoryImageSource model
java/awt/image/MemoryImageSource pixels
java/awt/image/MemoryImageSource pixeloffset
java/awt/image/MemoryImageSource pixelscan
java/awt/image/MemoryImageSource properties
java/awt/image/MemoryImageSource
    theConsumers
java/awt/image/MemoryImageSource animating
java/awt/image/MemoryImageSource fullbuffers
java/awt/image/MemoryImageSource <init>(IILjava/awt/image/ColorModel;[BII)V
java/awt/image/MemoryImageSource <init>(IILjava/awt/image/ColorModel;[BIILjava/util/Hashtable;)V
java/awt/image/MemoryImageSource <init>(IILjava/awt/image/ColorModel;[III)V
java/awt/image/MemoryImageSource <init>(IILjava/awt/image/ColorModel;[IIILjava/util/Hashtable;)V
java/awt/image/MemoryImageSource
    initialize(IILjava/awt/image/ColorModel;Ljava/lang/Object;IILjava/util/Hashtable;)V
java/awt/image/MemoryImageSource <init>(II[III)V
java/awt/image/MemoryImageSource <init>(II[IIILjava/util/Hashtable;)V
java/awt/image/MemoryImageSource addConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/MemoryImageSource isConsumer(Ljava/awt/image/ImageConsumer;)Z
java/awt/image/MemoryImageSource removeConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/MemoryImageSource startProduction(Ljava/awt/image/ImageConsumer;)V
java/awt/image/MemoryImageSource
    requestTopDownLeftRightResend(Ljava/awt/image/ImageConsumer;)V
java/awt/image/MemoryImageSource setAnimated(Z)V
java/awt/image/MemoryImageSource setFullBufferUpdates(Z)V
java/awt/image/MemoryImageSource newPixels()V
java/awt/image/MemoryImageSource newPixels(III)V
java/awt/image/MemoryImageSource newPixels(IIIIZ)V
java/awt/image/MemoryImageSource newPixels([BLjava/awt/image/ColorModel;II)V
java/awt/image/MemoryImageSource newPixels([ILjava/awt/image/ColorModel;II)V
java/awt/image/MemoryImageSource initConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/MemoryImageSource sendPixels(Ljava/awt/image/ImageConsumer;III)V
class java/awt/image/MultiPixelPackedSampleModel java/awt/image/SampleModel
java/awt/image/MultiPixelPackedSampleModel pixelBitStride
java/awt/image/MultiPixelPackedSampleModel bitMask
java/awt/image/MultiPixelPackedSampleModel pixelsPerDataElement
java/awt/image/MultiPixelPackedSampleModel dataElementSize
java/awt/image/MultiPixelPackedSampleModel

```

```

dataBitOffset
java/awt/image/MultiPixelPackedSampleModel scanlineStride
java/awt/image/MultiPixelPackedSampleModel <init>(IIII)V
java/awt/image/MultiPixelPackedSampleModel <init>(IIIIII)V
java/awt/image/MultiPixelPackedSampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/MultiPixelPackedSampleModel createDataBuffer()Ljava/awt/image/DataBuffer;
java/awt/image/MultiPixelPackedSampleModel getNumDataElements()I
java/awt/image/MultiPixelPackedSampleModel getSampleSize()[I
java/awt/image/MultiPixelPackedSampleModel getSampleSize(I)I
java/awt/image/MultiPixelPackedSampleModel getOffset(II)I
java/awt/image/MultiPixelPackedSampleModel getBitOffset(I)I
java/awt/image/MultiPixelPackedSampleModel getScanlineStride()I
java/awt/image/MultiPixelPackedSampleModel getPixelBitStride()I
java/awt/image/MultiPixelPackedSampleModel getDataBitOffset()I
java/awt/image/MultiPixelPackedSampleModel getTransferType()I
java/awt/image/MultiPixelPackedSampleModel
    createSubsetSampleModel([I)Ljava/awt/image/SampleModel;
java/awt/image/MultiPixelPackedSampleModel getSample(IIILjava/awt/image/DataBuffer;)I
java/awt/image/MultiPixelPackedSampleModel setSample(IIILjava/awt/image/DataBuffer;)V
java/awt/image/MultiPixelPackedSampleModel
    getDataElements(IIILjava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/MultiPixelPackedSampleModel getPixel(II[ILjava/awt/image/DataBuffer;)[I
java/awt/image/MultiPixelPackedSampleModel
    setDataElements(IIILjava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/MultiPixelPackedSampleModel setPixel(II[ILjava/awt/image/DataBuffer;)V
java/awt/image/MultiPixelPackedSampleModel equals(Ljava/lang/Object;)Z
java/awt/image/MultiPixelPackedSampleModel hashCode()I
class java/awt/image/PixelGrabber java/lang/Object
java/awt/image/PixelGrabber producer
java/awt/image/PixelGrabber dstX
java/awt/image/PixelGrabber dstY
java/awt/image/PixelGrabber dstW
java/awt/image/PixelGrabber dstH
java/awt/image/PixelGrabber
    imageModel
java/awt/image/PixelGrabber bytePixels
java/awt/image/PixelGrabber intPixels
java/awt/image/PixelGrabber dstOff
java/awt/image/PixelGrabber dstScan
java/awt/image/PixelGrabber grabbing
java/awt/image/PixelGrabber flags
java/awt/image/PixelGrabber GRABBEDBITS
java/awt/image/PixelGrabber DONEBITS
java/awt/image/PixelGrabber <init>(Ljava/awt/Image;IIII[III)V
java/awt/image/PixelGrabber <init>(Ljava/awt/image/ImageProducer;IIII[III)V
java/awt/image/PixelGrabber <init>(Ljava/awt/Image;IIII[Z)V
java/awt/image/PixelGrabber startGrabbing()V
java/awt/image/PixelGrabber abortGrabbing()V

```

```

java/awt/image/PixelGrabber grabPixels()Z
java/awt/image/PixelGrabber grabPixels(J)Z
java/awt/image/PixelGrabber getStatus()I
java/awt/image/PixelGrabber getWidth()I
java/awt/image/PixelGrabber getHeight()I
java/awt/image/PixelGrabber getPixels()Ljava/lang/Object;
java/awt/image/PixelGrabber getColorModel()Ljava/awt/image/ColorModel;
java/awt/image/PixelGrabber setDimensions(II)V
java/awt/image/PixelGrabber
    setHints(I)V
java/awt/image/PixelGrabber setProperties(Ljava/util/Hashtable;)V
java/awt/image/PixelGrabber setColorModel(Ljava/awt/image/ColorModel;)V
java/awt/image/PixelGrabber convertToRGB()V
java/awt/image/PixelGrabber setPixels(IIIIILjava/awt/image/ColorModel;[BII)V
java/awt/image/PixelGrabber setPixels(IIIIILjava/awt/image/ColorModel;[III)V
java/awt/image/PixelGrabber imageComplete(I)V
java/awt/image/PixelGrabber status()I
class java/awt/image/RasterFormatException java/lang/RuntimeException
java/awt/image/RasterFormatException <init>(Ljava/lang/String;)V
class java/awt/image/RasterOp java/lang/Object
java/awt/image/RasterOp
    filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/RasterOp getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/RasterOp createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/RasterOp
    getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/RasterOp
    getRenderingHints()Ljava/awt/RenderingHints;
class java/awt/image/ReplicateScaleFilter java/awt/image/ImageFilter
java/awt/image/ReplicateScaleFilter srcWidth
java/awt/image/ReplicateScaleFilter srcHeight
java/awt/image/ReplicateScaleFilter destWidth
java/awt/image/ReplicateScaleFilter destHeight
java/awt/image/ReplicateScaleFilter srcrows
java/awt/image/ReplicateScaleFilter srccols
java/awt/image/ReplicateScaleFilter outpibuf
java/awt/image/ReplicateScaleFilter <init>(II)V
java/awt/image/ReplicateScaleFilter setProperties(Ljava/util/Hashtable;)V
java/awt/image/ReplicateScaleFilter setDimensions(II)V
java/awt/image/ReplicateScaleFilter calculateMaps()V
java/awt/image/ReplicateScaleFilter setPixels(IIIIILjava/awt/image/ColorModel;[BII)V
java/awt/image/ReplicateScaleFilter setPixels(IIIIILjava/awt/image/ColorModel;[III)V
class java/awt/image/RescaleOp java/lang/Object
java/awt/image/RescaleOp scaleFactors
java/awt/image/RescaleOp
    offsets
java/awt/image/RescaleOp length
java/awt/image/RescaleOp hints

```

```

java/awt/image/RescaleOp srcNbits
java/awt/image/RescaleOp dstNbits
java/awt/image/RescaleOp <init>([F[FLjava/awt/RenderingHints;)V
java/awt/image/RescaleOp <init>(FFLjava/awt/RenderingHints;)V
java/awt/image/RescaleOp getScaleFactors([F)[F
java/awt/image/RescaleOp getOffsets([F)[F
java/awt/image/RescaleOp getNumFactors()I
java/awt/image/RescaleOp createByteLut([F[FII)Ljava/awt/image/ByteLookupTable;
java/awt/image/RescaleOp createShortLut([F[FII)Ljava/awt/image/ShortLookupTable;
java/awt/image/RescaleOp canUseLookup(Ljava/awt/image/Raster;Ljava/awt/image/Raster;)Z
java/awt/image/RescaleOp
filter(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImage;)Ljava/awt/image/BufferedImage;
java/awt/image/RescaleOp
filter(Ljava/awt/image/Raster;Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/RescaleOp getBounds2D(Ljava/awt/image/BufferedImage;)Ljava/awt/geom/Rectangle2D;
java/awt/image/RescaleOp
getBounds2D(Ljava/awt/image/Raster;)Ljava/awt/geom/Rectangle2D;
java/awt/image/RescaleOp
createCompatibleDestImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/ColorModel;)Ljava/awt/image/BufferedImage;
java/awt/image/RescaleOp createCompatibleDestRaster(Ljava/awt/image/Raster;)Ljava/awt/image/WritableRaster;
java/awt/image/RescaleOp
getPoint2D(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/image/RescaleOp getRenderingHints()Ljava/awt/RenderingHints;
class java/awt/image/ShortLookupTable java/awt/image/LookupTable
java/awt/image/ShortLookupTable data
java/awt/image/ShortLookupTable <init>([I[S)V
java/awt/image/ShortLookupTable <init>([I[S)V
java/awt/image/ShortLookupTable getTable()[I[S
java/awt/image/ShortLookupTable lookupPixel([I[I)I
java/awt/image/ShortLookupTable lookupPixel([S[S)[S
class java/awt/image/TileObserver java/lang/Object
java/awt/image/TileObserver tileUpdate(Ljava/awt/image/WritableRenderedImage;IIZ)V
class
java/awt/image/renderable/ContextualRenderedImageFactory java/lang/Object
java/awt/image/renderable/ContextualRenderedImageFactory
mapRenderContext(ILjava/awt/image/renderable/RenderContext;Ljava/awt/image/renderable/ParameterBlock;Ljava/awt/image/renderable/RenderedImage;)Ljava/awt/image/renderable/RenderContext;
java/awt/image/renderable/ContextualRenderedImageFactory
create(Ljava/awt/image/renderable/RenderContext;Ljava/awt/image/renderable/ParameterBlock;)Ljava/awt/image/RenderedImage;
java/awt/image/renderable/ContextualRenderedImageFactory
getBounds2D(Ljava/awt/image/renderable/ParameterBlock;)Ljava/awt/geom/Rectangle2D;
java/awt/image/renderable/ContextualRenderedImageFactory
getProperty(Ljava/awt/image/renderable/ParameterBlock;Ljava/lang/String;)Ljava/lang/Object;
java/awt/image/renderable/ContextualRenderedImageFactory getPropertyNames()[Ljava/lang/String;
java/awt/image/renderable/ContextualRenderedImageFactory isDynamic()Z
class java/awt/image/renderable/ParameterBlock

```

```

java/lang/Object
java/awt/image/renderable/ParameterBlock sources
java/awt/image/renderable/ParameterBlock parameters
java/awt/image/renderable/ParameterBlock <init>()V
java/awt/image/renderable/ParameterBlock <init>(Ljava/util/Vector;)V
java/awt/image/renderable/ParameterBlock <init>(Ljava/util/Vector;Ljava/util/Vector;)V
java/awt/image/renderable/ParameterBlock shallowClone()Ljava/lang/Object;
java/awt/image/renderable/ParameterBlock clone()Ljava/lang/Object;
java/awt/image/renderable/ParameterBlock
addSource(Ljava/lang/Object;)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock getSource(I)Ljava/lang/Object;
java/awt/image/renderable/ParameterBlock
setSource(Ljava/lang/Object;I)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock getRenderedSource(I)Ljava/awt/image/RenderedImage;
java/awt/image/renderable/ParameterBlock getRenderableSource(I)Ljava/awt/image/renderable/RenderedImage;
java/awt/image/renderable/ParameterBlock
getNumSources()I
java/awt/image/renderable/ParameterBlock getSources()Ljava/util/Vector;
java/awt/image/renderable/ParameterBlock setSources(Ljava/util/Vector;)V
java/awt/image/renderable/ParameterBlock removeSources()V
java/awt/image/renderable/ParameterBlock getNumParameters()I
java/awt/image/renderable/ParameterBlock getParameters()Ljava/util/Vector;
java/awt/image/renderable/ParameterBlock setParameters(Ljava/util/Vector;)V
java/awt/image/renderable/ParameterBlock removeParameters()V
java/awt/image/renderable/ParameterBlock add(Ljava/lang/Object;)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(B)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(C)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(S)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(I)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock
add(J)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(F)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock add(D)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(Ljava/lang/Object;I)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(BI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(CI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(SI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(II)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(JI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(FI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock set(DI)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/ParameterBlock
getObjectParameter(I)Ljava/lang/Object;
java/awt/image/renderable/ParameterBlock getByteParameter(I)B
java/awt/image/renderable/ParameterBlock getCharParameter(I)C
java/awt/image/renderable/ParameterBlock getShortParameter(I)S
java/awt/image/renderable/ParameterBlock getIntParameter(I)I
java/awt/image/renderable/ParameterBlock getLongParameter(I)J

```



```

java/awt/image/renderable/ParameterBlock getFloatParameter(I)F
java/awt/image/renderable/ParameterBlock getDoubleParameter(I)D
java/awt/image/renderable/ParameterBlock getParamClasses()[Ljava/lang/Class;
class java/awt/image/renderable/RenderContext java/lang/Object
java/awt/image/renderable/RenderContext hints
java/awt/image/renderable/RenderContext usr2dev
java/awt/image/renderable/RenderContext aoi
java/awt/image/renderable/RenderContext
<init>(Ljava/awt/geom/AffineTransform;Ljava/awt/Shape;Ljava/awt/RenderingHints;)V
java/awt/image/renderable/RenderContext <init>(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext
<init>(Ljava/awt/geom/AffineTransform;Ljava/awt/RenderingHints;)V
java/awt/image/renderable/RenderContext <init>(Ljava/awt/geom/AffineTransform;Ljava/awt/Shape;)V
java/awt/image/renderable/RenderContext getRenderingHints()Ljava/awt/RenderingHints;
java/awt/image/renderable/RenderContext setRenderingHints(Ljava/awt/RenderingHints;)V
java/awt/image/renderable/RenderContext setTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext preConcatenateTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext preConcatenateTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext concatenateTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext concetenateTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/image/renderable/RenderContext getTransform()Ljava/awt/geom/AffineTransform;
java/awt/image/renderable/RenderContext setAreaOfInterest(Ljava/awt/Shape;)V
java/awt/image/renderable/RenderContext
getAreaOfInterest()Ljava/awt/Shape;
java/awt/image/renderable/RenderContext clone()Ljava/lang/Object;
class java/awt/image/renderable/RenderableImage java/lang/Object
java/awt/image/renderable/RenderableImage HINTS_OBSERVED
java/awt/image/renderable/RenderableImage getSources()Ljava/util/Vector;
java/awt/image/renderable/RenderableImage getProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/image/renderable/RenderableImage getPropertyNames()[Ljava/lang/String;
java/awt/image/renderable/RenderableImage isDynamic()Z
java/awt/image/renderable/RenderableImage getWidth()F
java/awt/image/renderable/RenderableImage getHeight()F
java/awt/image/renderable/RenderableImage getMinX()F
java/awt/image/renderable/RenderableImage getMinY()F
java/awt/image/renderable/RenderableImage
createScaledRendering(IIILjava/awt/RenderingHints;)Ljava/awt/image/RenderedImage;
java/awt/image/renderable/RenderableImage createDefaultRendering()Ljava/awt/image/RenderedImage;
java/awt/image/renderable/RenderableImage
createRendering(Ljava/awt/image/renderable/RenderContext;)Ljava/awt/image/RenderedImage;
class java/awt/image/renderable/RenderableImageOp java/lang/Object
java/awt/image/renderable/RenderableImageOp paramBlock
java/awt/image/renderable/RenderableImageOp myCRIF
java/awt/image/renderable/RenderableImageOp boundingBox
java/awt/image/renderable/RenderableImageOp
<init>(Ljava/awt/image/renderable/ContextualRenderedImageFactory;Ljava/awt/image/renderable/ParameterBlock;
)V
java/awt/image/renderable/RenderableImageOp getSources()Ljava/util/Vector;

```

```

java/awt/image/renderable/RenderableImageOp getRenderableSources()Ljava/util/Vector;
java/awt/image/renderable/RenderableImageOp getProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/image/renderable/RenderableImageOp getPropertyNames()[Ljava/lang/String;
java/awt/image/renderable/RenderableImageOp isDynamic()Z
java/awt/image/renderable/RenderableImageOp getWidth()F
java/awt/image/renderable/RenderableImageOp getHeight()F
java/awt/image/renderable/RenderableImageOp
    getMinX()F
java/awt/image/renderable/RenderableImageOp getMinY()F
java/awt/image/renderable/RenderableImageOp
    setParameterBlock(Ljava/awt/image/renderable/ParameterBlock;)Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/RenderableImageOp getParameterBlock()Ljava/awt/image/renderable/ParameterBlock;
java/awt/image/renderable/RenderableImageOp
    createScaledRendering(IIILjava/awt/RenderingHints;)Ljava/awt/image/RenderedImage;
java/awt/image/renderable/RenderableImageOp createDefaultRendering()Ljava/awt/image/RenderedImage;
java/awt/image/renderable/RenderableImageOp
    createRendering(Ljava/awt/image/renderable/RenderContext;)Ljava/awt/image/RenderedImage;
class java/awt/image/renderable/RenderableImageProducer java/lang/Object
java/awt/image/renderable/RenderableImageProducer rdblImage
java/awt/image/renderable/RenderableImageProducer rc
java/awt/image/renderable/RenderableImageProducer ics
java/awt/image/renderable/RenderableImageProducer
    <init>(Ljava/awt/image/renderable/RenderableImage;Ljava/awt/image/renderable/RenderContext;)V
java/awt/image/renderable/RenderableImageProducer
    setRenderContext(Ljava/awt/image/renderable/RenderContext;)V
java/awt/image/renderable/RenderableImageProducer addConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/renderable/RenderableImageProducer isConsumer(Ljava/awt/image/ImageConsumer;)Z
java/awt/image/renderable/RenderableImageProducer removeConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/renderable/RenderableImageProducer startProduction(Ljava/awt/image/ImageConsumer;)V
java/awt/image/renderable/RenderableImageProducer
    requestTopDownLeftRightResend(Ljava/awt/image/ImageConsumer;)V
java/awt/image/renderable/RenderableImageProducer run()V
class java/awt/image/renderable/RenderedImageFactory java/lang/Object
java/awt/image/renderable/RenderedImageFactory
    create(Ljava/awt/image/renderable/ParameterBlock;Ljava/awt/RenderingHints;)Ljava/awt/image/RenderedImage;
class
    java/awt/peer/ButtonPeer java/lang/Object
java/awt/peer/ButtonPeer setLabel(Ljava/lang/String;)V
class java/awt/peer/CheckboxMenuItemPeer java/lang/Object
java/awt/peer/CheckboxMenuItemPeer setState(Z)V
class java/awt/peer/CheckboxPeer java/lang/Object
java/awt/peer/CheckboxPeer setState(Z)V
java/awt/peer/CheckboxPeer setCheckboxGroup(Ljava/awt/CheckboxGroup;)V
java/awt/peer/CheckboxPeer setLabel(Ljava/lang/String;)V
class java/awt/peer/ChoicePeer java/lang/Object
java/awt/peer/ChoicePeer add(Ljava/lang/String;)V
java/awt/peer/ChoicePeer remove(I)V
java/awt/peer/ChoicePeer removeAll()V

```

```

java/awt/peer/ChoicePeer select(I)V
java/awt/peer/ChoicePeer addItem(Ljava/lang/String;I)V
class java/awt/peer/ListPeer java/lang/Object
java/awt/peer/ListPeer getSelectedIndexes()[I
java/awt/peer/ListPeer add(Ljava/lang/String;I)V
java/awt/peer/ListPeer delItems(II)V
java/awt/peer/ListPeer removeAll()V
java/awt/peer/ListPeer select(I)V
java/awt/peer/ListPeer deselect(I)V
java/awt/peer/ListPeer
    makeVisible(I)V
java/awt/peer/ListPeer setMultipleMode(Z)V
java/awt/peer/ListPeer getPreferredSize(I)Ljava/awt/Dimension;
java/awt/peer/ListPeer getMinimumSize(I)Ljava/awt/Dimension;
java/awt/peer/ListPeer addItem(Ljava/lang/String;I)V
java/awt/peer/ListPeer clear()V
java/awt/peer/ListPeer setMultipleSelections(Z)V
java/awt/peer/ListPeer preferredSize(I)Ljava/awt/Dimension;
java/awt/peer/ListPeer minimumSize(I)Ljava/awt/Dimension;
class java/awt/peer/MenuBarPeer java/lang/Object
java/awt/peer/MenuBarPeer addMenu(Ljava/awt/Menu;)V
java/awt/peer/MenuBarPeer delMenu(I)V
java/awt/peer/MenuBarPeer addHelpMenu(Ljava/awt/Menu;)V
class java/awt/peer/MenuItemPeer java/lang/Object
java/awt/peer/MenuItemPeer setLabel(Ljava/lang/String;)V
java/awt/peer/MenuItemPeer setEnabled(Z)V
java/awt/peer/MenuItemPeer enable()V
java/awt/peer/MenuItemPeer disable()V
class java/awt/peer/MenuPeer java/lang/Object
java/awt/peer/MenuPeer addSeparator()V
java/awt/peer/MenuPeer addItem(Ljava/awt/MenuItem;)V
java/awt/peer/MenuPeer
    delItem(I)V
class java/awt/peer/MouseInfoPeer java/lang/Object
java/awt/peer/MouseInfoPeer fillPointWithCoords(Ljava/awt/Point;)I
java/awt/peer/MouseInfoPeer isWindowUnderMouse(Ljava/awt/Window;)Z
class java/awt/peer/PopupMenuPeer java/lang/Object
java/awt/peer/PopupMenuPeer show(Ljava/awt/Event;)V
class java/awt/peer/RobotPeer java/lang/Object
java/awt/peer/RobotPeer mouseMove(II)V
java/awt/peer/RobotPeer mousePress(I)V
java/awt/peer/RobotPeer mouseRelease(I)V
java/awt/peer/RobotPeer mouseWheel(I)V
java/awt/peer/RobotPeer keyPress(I)V
java/awt/peer/RobotPeer keyRelease(I)V
java/awt/peer/RobotPeer getRGBPixel(II)I
java/awt/peer/RobotPeer getRGBPixels(Ljava/awt/Rectangle;)[I
class java/awt/peer/ScrollPanePeer java/lang/Object

```

```

java/awt/peer/ScrollPanePeer getHScrollbarHeight()I
java/awt/peer/ScrollPanePeer getVScrollbarWidth()I
java/awt/peer/ScrollPanePeer setScrollPosition(II)V
java/awt/peer/ScrollPanePeer childResized(II)V
java/awt/peer/ScrollPanePeer setUnitIncrement(Ljava/awt/Adjustable;I)V
java/awt/peer/ScrollPanePeer
    setValue(Ljava/awt/Adjustable;I)V
class java/awt/peer/ScrollbarPeer java/lang/Object
java/awt/peer/ScrollbarPeer setValues(III)V
java/awt/peer/ScrollbarPeer setLineIncrement(I)V
java/awt/peer/ScrollbarPeer setPageIncrement(I)V
class java/awt/peer/TextAreaPeer java/lang/Object
java/awt/peer/TextAreaPeer insert(Ljava/lang/String;I)V
java/awt/peer/TextAreaPeer replaceRange(Ljava/lang/String;II)V
java/awt/peer/TextAreaPeer getPreferredSize(II)Ljava/awt/Dimension;
java/awt/peer/TextAreaPeer getMinimumSize(II)Ljava/awt/Dimension;
java/awt/peer/TextAreaPeer insertText(Ljava/lang/String;I)V
java/awt/peer/TextAreaPeer replaceText(Ljava/lang/String;II)V
java/awt/peer/TextAreaPeer preferredSize(II)Ljava/awt/Dimension;
java/awt/peer/TextAreaPeer minimumSize(II)Ljava/awt/Dimension;
class java/awt/peer/TextComponentPeer java/lang/Object
java/awt/peer/TextComponentPeer setEditable(Z)V
java/awt/peer/TextComponentPeer getText()Ljava/lang/String;
java/awt/peer/TextComponentPeer
    setText(Ljava/lang/String;)V
java/awt/peer/TextComponentPeer getSelectionStart()I
java/awt/peer/TextComponentPeer getSelectionEnd()I
java/awt/peer/TextComponentPeer select(II)V
java/awt/peer/TextComponentPeer setCaretPosition(I)V
java/awt/peer/TextComponentPeer getCaretPosition()I
java/awt/peer/TextComponentPeer getIndexAtPoint(II)I
java/awt/peer/TextComponentPeer getCharacterBounds(I)Ljava/awt/Rectangle;
java/awt/peer/TextComponentPeer filterEvents(J)J
java/awt/peer/TextComponentPeer getInputMethodRequests()Ljava/awt/im/InputMethodRequests;
class java/awt/peer/TextFieldPeer java/lang/Object
java/awt/peer/TextFieldPeer setEchoChar(C)V
java/awt/peer/TextFieldPeer getPreferredSize(I)Ljava/awt/Dimension;
java/awt/peer/TextFieldPeer getMinimumSize(I)Ljava/awt/Dimension;
java/awt/peer/TextFieldPeer setEchoCharacter(C)V
java/awt/peer/TextFieldPeer preferredSize(I)Ljava/awt/Dimension;
java/awt/peer/TextFieldPeer minimumSize(I)Ljava/awt/Dimension;
class java/awt/print/Book$BookPage
    java/lang/Object
java/awt/print/Book$BookPage mFormat
java/awt/print/Book$BookPage mPainter
java/awt/print/Book$BookPage this$0
java/awt/print/Book$BookPage
    <init>(Ljava/awt/print/Book;Ljava/awt/print/Printable;Ljava/awt/print/PageFormat;)V

```

```

java/awt/print/Book$BookPage getPrintable()Ljava/awt/print/Printable;
java/awt/print/Book$BookPage getPageFormat()Ljava/awt/print/PageFormat;
class java/awt/print/Book java/lang/Object
java/awt/print/Book mPages
java/awt/print/Book <init>()V
java/awt/print/Book getNumberOfPages()I
java/awt/print/Book getPageFormat(I)Ljava/awt/print/PageFormat;
java/awt/print/Book getPrintable(I)Ljava/awt/print/Printable;
java/awt/print/Book setPage(ILjava/awt/print/Printable;Ljava/awt/print/PageFormat;)V
java/awt/print/Book append(Ljava/awt/print/Printable;Ljava/awt/print/PageFormat;)V
java/awt/print/Book append(Ljava/awt/print/Printable;Ljava/awt/print/PageFormat;I)V
java/awt/print/Book getPage(I)Ljava/awt/print/Book$BookPage;
class java/awt/print/Pageable
  java/lang/Object
java/awt/print/Pageable UNKNOWN_NUMBER_OF_PAGES
java/awt/print/Pageable getNumberOfPages()I
java/awt/print/Pageable getPageFormat(I)Ljava/awt/print/PageFormat;
java/awt/print/Pageable getPrintable(I)Ljava/awt/print/Printable;
class java/awt/print/Paper java/lang/Object
java/awt/print/Paper INCH
java/awt/print/Paper LETTER_WIDTH
java/awt/print/Paper LETTER_HEIGHT
java/awt/print/Paper mHeight
java/awt/print/Paper mWidth
java/awt/print/Paper mImageableArea
java/awt/print/Paper <init>()V
java/awt/print/Paper clone()Ljava/lang/Object;
java/awt/print/Paper getHeight()D
java/awt/print/Paper setSize(DD)V
java/awt/print/Paper getWidth()D
java/awt/print/Paper setImageableArea(DDDD)V
java/awt/print/Paper getImageableX()D
java/awt/print/Paper getImageableY()D
java/awt/print/Paper getImageableWidth()D
java/awt/print/Paper getImageableHeight()D
class java/awt/print/Printable java/lang/Object
java/awt/print/Printable PAGE_EXISTS
java/awt/print/Printable NO_SUCH_PAGE
java/awt/print/Printable
  print(Ljava/awt/Graphics;Ljava/awt/print/PageFormat;I)I
class java/awt/print/PrinterIOException java/awt/print/PrinterException
java/awt/print/PrinterIOException serialVersionUID
java/awt/print/PrinterIOException mException
java/awt/print/PrinterIOException <init>(Ljava/io/IOException;)V
java/awt/print/PrinterIOException getIOException()Ljava/io/IOException;
java/awt/print/PrinterIOException getCause()Ljava/lang/Throwable;
class java/awt/print/PrinterJob$1 java/lang/Object
java/awt/print/PrinterJob$1 <init>()V

```

```

java/awt/print/PrinterJob$1 run()Ljava/lang/Object;
class java/beans/AppletInitializer java/lang/Object
java/beans/AppletInitializer initialize(Ljava/applet/Applet;Ljava/beans/beancontext/BeanContext;)V
java/beans/AppletInitializer activate(Ljava/applet/Applet;)V
class java/beans/ArrayPersistenceDelegate java/beans/PersistenceDelegate
java/beans/ArrayPersistenceDelegate <init>()V
java/beans/ArrayPersistenceDelegate mutatesTo(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/ArrayPersistenceDelegate
    instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
java/beans/ArrayPersistenceDelegate
    initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/Beans$1 java/lang/Object
java/beans/Beans$1 val$loader
java/beans/Beans$1 val$serName
java/beans/Beans$1 <init>(Ljava/lang/ClassLoader;Ljava/lang/String;)V
java/beans/Beans$1 run()Ljava/lang/Object;
class java/beans/Beans$2 java/lang/Object
java/beans/Beans$2 val$cloader
java/beans/Beans$2 val$resourceName
java/beans/Beans$2 <init>(Ljava/lang/ClassLoader;Ljava/lang/String;)V
java/beans/Beans$2 run()Ljava/lang/Object;
class java/beans/BeansAppletContext java/lang/Object
java/beans/BeansAppletContext target
java/beans/BeansAppletContext imageCache
java/beans/BeansAppletContext <init>(Ljava/applet/Applet;)V
java/beans/BeansAppletContext getAudioClip(Ljava/net/URL;)Ljava/applet/AudioClip;
java/beans/BeansAppletContext getImage(Ljava/net/URL;)Ljava/awt/Image;
java/beans/BeansAppletContext
    getApplet(Ljava/lang/String;)Ljava/applet/Applet;
java/beans/BeansAppletContext getApplets()Ljava/util/Enumeration;
java/beans/BeansAppletContext showDocument(Ljava/net/URL;)V
java/beans/BeansAppletContext showDocument(Ljava/net/URL;Ljava/lang/String;)V
java/beans/BeansAppletContext showStatus(Ljava/lang/String;)V
java/beans/BeansAppletContext setStream(Ljava/lang/String;Ljava/io/InputStream;)V
java/beans/BeansAppletContext getStream(Ljava/lang/String;)Ljava/io/InputStream;
java/beans/BeansAppletContext getStreamKeys()Ljava/util/Iterator;
class java/beans/BeansAppletStub java/lang/Object
java/beans/BeansAppletStub active
java/beans/BeansAppletStub target
java/beans/BeansAppletStub context
java/beans/BeansAppletStub codeBase
java/beans/BeansAppletStub docBase
java/beans/BeansAppletStub
    <init>(Ljava/applet/Applet;Ljava/applet/AppletContext;Ljava/net/URL;Ljava/net/URL;)V
java/beans/BeansAppletStub isActive()Z
java/beans/BeansAppletStub getDocumentBase()Ljava/net/URL;
java/beans/BeansAppletStub

```

```

getCodeBase()Ljava/net/URL;
java/beans/BeansAppletStub getParameter(Ljava/lang/String;)Ljava/lang/String;
java/beans/BeansAppletStub getAppletContext()Ljava/applet/AppletContext;
java/beans/BeansAppletStub appletResize(II)V
class java/beans/Customizer java/lang/Object
java/beans/Customizer setObject(Ljava/lang/Object;)V
java/beans/Customizer addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/Customizer removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
class java/beans/DefaultPersistenceDelegate java/beans/PersistenceDelegate
java/beans/DefaultPersistenceDelegate constructor
java/beans/DefaultPersistenceDelegate definesEquals
java/beans/DefaultPersistenceDelegate <init>()V
java/beans/DefaultPersistenceDelegate <init>([Ljava/lang/String;)V
java/beans/DefaultPersistenceDelegate definesEquals(Ljava/lang/Class;)Z
java/beans/DefaultPersistenceDelegate definesEquals(Ljava/lang/Object;)Z
java/beans/DefaultPersistenceDelegate
mutatesTo(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/DefaultPersistenceDelegate instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
java/beans/DefaultPersistenceDelegate isTransient(Ljava/lang/Class;Ljava/beans/PropertyDescriptor;)Z
java/beans/DefaultPersistenceDelegate equals(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/DefaultPersistenceDelegate
doProperty(Ljava/lang/Class;Ljava/beans/PropertyDescriptor;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
java/beans/DefaultPersistenceDelegate
invokeStatement(Ljava/lang/Object;Ljava/lang/String;[Ljava/lang/Object;Ljava/beans/Encoder;)V
java/beans/DefaultPersistenceDelegate
initBean(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
java/beans/DefaultPersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/Encoder java/lang/Object
java/beans/Encoder bindings
java/beans/Encoder exceptionListener
java/beans/Encoder
executeStatements
java/beans/Encoder attributes
java/beans/Encoder <init>()V
java/beans/Encoder writeObject(Ljava/lang/Object;)V
java/beans/Encoder setExceptionListener(Ljava/beans/ExceptionListener;)V
java/beans/Encoder getExceptionListener()Ljava/beans/ExceptionListener;
java/beans/Encoder getValue(Ljava/beans/Expression;)Ljava/lang/Object;
java/beans/Encoder getPersistenceDelegate(Ljava/lang/Class;)Ljava/beans/PersistenceDelegate;
java/beans/Encoder setPersistenceDelegate(Ljava/lang/Class;Ljava/beans/PersistenceDelegate;)V
java/beans/Encoder remove(Ljava/lang/Object;)Ljava/lang/Object;
java/beans/Encoder get(Ljava/lang/Object;)Ljava/lang/Object;
java/beans/Encoder writeObject1(Ljava/lang/Object;)Ljava/lang/Object;
java/beans/Encoder cloneStatement(Ljava/beans/Statement;)Ljava/beans/Statement;
java/beans/Encoder writeStatement(Ljava/beans/Statement;)V
java/beans/Encoder writeExpression(Ljava/beans/Expression;)V

```

```

java/beans/Encoder clear()V
java/beans/Encoder
    setAttribute(Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/Encoder getAttribute(Ljava/lang/Object;)Ljava/lang/Object;
class java/beans/EventHandler$1 java/lang/Object
java/beans/EventHandler$1 val$proxy
java/beans/EventHandler$1 val$method
java/beans/EventHandler$1 val$arguments
java/beans/EventHandler$1 this$0
java/beans/EventHandler$1
    <init>(Ljava/beans/EventHandler;Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)V
java/beans/EventHandler$1 run()Ljava/lang/Object;
class java/beans/EventHandler java/lang/Object
java/beans/EventHandler empty
java/beans/EventHandler target
java/beans/EventHandler targetMethod
java/beans/EventHandler action
java/beans/EventHandler eventPropertyName
java/beans/EventHandler listenerMethodName
java/beans/EventHandler acc
java/beans/EventHandler <init>(Ljava/lang/Object;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/beans/EventHandler getTarget()Ljava/lang/Object;
java/beans/EventHandler getAction()Ljava/lang/String;
java/beans/EventHandler
    getEventPropertyName()Ljava/lang/String;
java/beans/EventHandler getListenerMethodName()Ljava/lang/String;
java/beans/EventHandler applyGetters(Ljava/lang/Object;Ljava/lang/String;)Ljava/lang/Object;
java/beans/EventHandler
    invoke(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/beans/EventHandler
    invokeInternal(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/beans/EventHandler create(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/String;)Ljava/lang/Object;
java/beans/EventHandler
    create(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/String;Ljava/lang/String;)Ljava/lang/Object;
java/beans/EventHandler
    create(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/lang/Object;
;
java/beans/EventHandler
    access$000(Ljava/beans/EventHandler;Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/
    /Object;
java/beans/EventHandler <clinit>()V
class
    java/beans/ExceptionListener java/lang/Object
java/beans/ExceptionListener exceptionThrown(Ljava/lang/Exception;)V
class java/beans/Expression java/beans/Statement
java/beans/Expression unbound
java/beans/Expression value
java/beans/Expression <init>(Ljava/lang/Object;Ljava/lang/String;[Ljava/lang/Object;)V

```



```

java/beans/Expression <init>(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/String;[Ljava/lang/Object;)V
java/beans/Expression getValue()Ljava/lang/Object;
java/beans/Expression setValue(Ljava/lang/Object;)V
java/beans/Expression instanceName(Ljava/lang/Object;)Ljava/lang/String;
java/beans/Expression toString()Ljava/lang/String;
java/beans/Expression <clinit>()V
class java/beans/IndexedPropertyChangeEvent java/beans/PropertyChangeEvent
java/beans/IndexedPropertyChangeEvent index
java/beans/IndexedPropertyChangeEvent
<init>(Ljava/lang/Object;Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;I)V
java/beans/IndexedPropertyChangeEvent getIndex()I
class java/beans/MetaData
    java/lang/Object
java/beans/MetaData internalPersistenceDelegates
java/beans/MetaData transientProperties
java/beans/MetaData nullPersistenceDelegate
java/beans/MetaData primitivePersistenceDelegate
java/beans/MetaData defaultPersistenceDelegate
java/beans/MetaData arrayPersistenceDelegate
java/beans/MetaData proxyPersistenceDelegate
java/beans/MetaData <init>()V
java/beans/MetaData equals(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/MetaData setPersistenceDelegate(Ljava/lang/Class;Ljava/beans/PersistenceDelegate;)V
java/beans/MetaData getPersistenceDelegate(Ljava/lang/Class;)Ljava/beans/PersistenceDelegate;
java/beans/MetaData getBeanInfo(Ljava/lang/Class;)Ljava/beans/BeanInfo;
java/beans/MetaData getPropertyDescriptor(Ljava/lang/Class;Ljava/lang/String;)Ljava/beans/PropertyDescriptor;
java/beans/MetaData
    setPropertyAttribute(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/String;Ljava/lang/Object;)V
java/beans/MetaData setBeanAttribute(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Object;)V
java/beans/MetaData
    getBeanAttribute(Ljava/lang/Class;Ljava/lang/String;)Ljava/lang/Object;
java/beans/MetaData registerConstructor(Ljava/lang/String;[Ljava/lang/String;)V
java/beans/MetaData removeProperty(Ljava/lang/String;Ljava/lang/String;)V
java/beans/MetaData <clinit>()V
class java/beans/NullPersistenceDelegate java/beans/PersistenceDelegate
java/beans/NullPersistenceDelegate <init>()V
java/beans/NullPersistenceDelegate
    initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
java/beans/NullPersistenceDelegate instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
java/beans/NullPersistenceDelegate writeObject(Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/ObjectInputStreamWithLoader java/io/ObjectInputStream
java/beans/ObjectInputStreamWithLoader loader
java/beans/ObjectInputStreamWithLoader <init>(Ljava/io/InputStream;Ljava/lang/ClassLoader;)V
java/beans/ObjectInputStreamWithLoader primitiveType(C)Ljava/lang/Class;
java/beans/ObjectInputStreamWithLoader
    resolveClass(Ljava/io/ObjectStreamClass;)Ljava/lang/Class;
class java/beans/ParameterDescriptor java/beans/FeatureDescriptor
java/beans/ParameterDescriptor <init>()V

```

```

java/beans/ParameterDescriptor <init>(Ljava/beans/ParameterDescriptor;)V
class java/beans/PersistenceDelegate java/lang/Object
java/beans/PersistenceDelegate <init>()V
java/beans/PersistenceDelegate writeObject(Ljava/lang/Object;Ljava/beans/Encoder;)V
java/beans/PersistenceDelegate mutatesTo(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/PersistenceDelegate instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
java/beans/PersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/PrimitivePersistenceDelegate java/beans/PersistenceDelegate
java/beans/PrimitivePersistenceDelegate <init>()V
java/beans/PrimitivePersistenceDelegate mutatesTo(Ljava/lang/Object;Ljava/lang/Object;)Z
java/beans/PrimitivePersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/ProxyPersistenceDelegate java/beans/PersistenceDelegate
java/beans/ProxyPersistenceDelegate <init>()V
java/beans/ProxyPersistenceDelegate instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/ReflectionUtils$Signature java/lang/Object
java/beans/ReflectionUtils$Signature targetClass
java/beans/ReflectionUtils$Signature methodName
java/beans/ReflectionUtils$Signature argClasses
java/beans/ReflectionUtils$Signature hashCode
java/beans/ReflectionUtils$Signature <init>(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;)V
java/beans/ReflectionUtils$Signature equals(Ljava/lang/Object;)Z
java/beans/ReflectionUtils$Signature hashCode()I
class java/beans/ReflectionUtils java/lang/Object
java/beans/ReflectionUtils methodCacheRef
java/beans/ReflectionUtils <init>()V
java/beans/ReflectionUtils typeToClass(Ljava/lang/Class;)Ljava/lang/Class;
java/beans/ReflectionUtils
isPrimitive(Ljava/lang/Class;)Z
java/beans/ReflectionUtils primitiveTypeFor(Ljava/lang/Class;)Ljava/lang/Class;
java/beans/ReflectionUtils matchArguments([Ljava/lang/Class;[Ljava/lang/Class;)Z
java/beans/ReflectionUtils matchExplicitArguments([Ljava/lang/Class;[Ljava/lang/Class;)Z
java/beans/ReflectionUtils matchArguments(Ljava/lang/Class;[Ljava/lang/Class;)Z
java/beans/ReflectionUtils
getPublicMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/ReflectionUtils
findPublicMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/ReflectionUtils getMostSpecificMethod(Ljava/util/List;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/ReflectionUtils
findMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/ReflectionUtils
getMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/ReflectionUtils
getConstructor(Ljava/lang/Class;[Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/beans/ReflectionUtils
getPrivateField(Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/String;)Ljava/lang/Object;
java/beans/ReflectionUtils

```

```

getPrivateField(Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/String;Ljava/beans/ExceptionListener;)Ljava/lang/O
bject;
class java/beans/SimpleBeanInfo$1 java/lang/Object
java/beans/SimpleBeanInfo$1 val$c
java/beans/SimpleBeanInfo$1 val$resourceName
java/beans/SimpleBeanInfo$1 this$0
java/beans/SimpleBeanInfo$1 <init>(Ljava/beans/SimpleBeanInfo;Ljava/lang/Class;Ljava/lang/String;)V
java/beans/SimpleBeanInfo$1 run(Ljava/lang/Object;
class java/beans/Statement$1 java/lang/Object
java/beans/Statement$1 <init>()V
java/beans/Statement$1 exceptionThrown(Ljava/lang/Exception;)V
class java/beans/Statement java/lang/Object
java/beans/Statement emptyArray
java/beans/Statement defaultExceptionListener
java/beans/Statement target
java/beans/Statement methodName
java/beans/Statement
arguments
java/beans/Statement <init>(Ljava/lang/Object;Ljava/lang/String;[Ljava/lang/Object;)V
java/beans/Statement getTarget()Ljava/lang/Object;
java/beans/Statement getMethodName()Ljava/lang/String;
java/beans/Statement getArguments()[Ljava/lang/Object;
java/beans/Statement execute()V
java/beans/Statement invoke()Ljava/lang/Object;
java/beans/Statement instanceName(Ljava/lang/Object;)Ljava/lang/String;
java/beans/Statement toString()Ljava/lang/String;
java/beans/Statement <clinit>()V
class java/beans/StaticFieldsPersistenceDelegate java/beans/PersistenceDelegate
java/beans/StaticFieldsPersistenceDelegate <init>()V
java/beans/StaticFieldsPersistenceDelegate installFields(Ljava/beans/Encoder;Ljava/lang/Class;)V
java/beans/StaticFieldsPersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
java/beans/StaticFieldsPersistenceDelegate writeObject(Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/VetoableChangeListenerProxy
java/util/EventListenerProxy
java/beans/VetoableChangeListenerProxy propertyName
java/beans/VetoableChangeListenerProxy <init>(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/VetoableChangeListenerProxy vetoableChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/VetoableChangeListenerProxy getPropertyName()Ljava/lang/String;
class java/beans/XMLDecoder java/lang/Object
java/beans/XMLDecoder in
java/beans/XMLDecoder owner
java/beans/XMLDecoder exceptionListener
java/beans/XMLDecoder handler
java/beans/XMLDecoder cref
java/beans/XMLDecoder <init>(Ljava/io/InputStream;)V
java/beans/XMLDecoder <init>(Ljava/io/InputStream;Ljava/lang/Object;)V
java/beans/XMLDecoder <init>(Ljava/io/InputStream;Ljava/lang/Object;Ljava/beans/ExceptionListener;)V

```

```

java/beans/XMLDecoder
<init>(Ljava/io/InputStream;Ljava/lang/Object;Ljava/beans/ExceptionListener;Ljava/lang/ClassLoader;)V
java/beans/XMLDecoder setClassLoader(Ljava/lang/ClassLoader;)V
java/beans/XMLDecoder getClassLoader()Ljava/lang/ClassLoader;
java/beans/XMLDecoder
close()V
java/beans/XMLDecoder setExceptionListener(Ljava/beans/ExceptionListener;)V
java/beans/XMLDecoder getExceptionListener()Ljava/beans/ExceptionListener;
java/beans/XMLDecoder readObject()Ljava/lang/Object;
java/beans/XMLDecoder setOwner(Ljava/lang/Object;)V
java/beans/XMLDecoder getOwner()Ljava/lang/Object;
class java/beans/XMLEncoder$1 java/lang/Object
class java/beans/XMLEncoder$ValueData java/lang/Object
java/beans/XMLEncoder$ValueData refs
java/beans/XMLEncoder$ValueData marked
java/beans/XMLEncoder$ValueData name
java/beans/XMLEncoder$ValueData exp
java/beans/XMLEncoder$ValueData this$0
java/beans/XMLEncoder$ValueData <init>(Ljava/beans/XMLEncoder;)V
java/beans/XMLEncoder$ValueData <init>(Ljava/beans/XMLEncoder;Ljava/beans/XMLEncoder$1;)V
class java/beans/XMLEncoder java/beans/Encoder
java/beans/XMLEncoder encoding
java/beans/XMLEncoder out
java/beans/XMLEncoder owner
java/beans/XMLEncoder indentation
java/beans/XMLEncoder internal
java/beans/XMLEncoder
valueToExpression
java/beans/XMLEncoder targetToStatementList
java/beans/XMLEncoder preambleWritten
java/beans/XMLEncoder nameGenerator
java/beans/XMLEncoder <init>(Ljava/io/OutputStream;)V
java/beans/XMLEncoder setOwner(Ljava/lang/Object;)V
java/beans/XMLEncoder getOwner()Ljava/lang/Object;
java/beans/XMLEncoder writeObject(Ljava/lang/Object;)V
java/beans/XMLEncoder statementList(Ljava/lang/Object;)Ljava/util/Vector;
java/beans/XMLEncoder mark(Ljava/lang/Object;Z)V
java/beans/XMLEncoder mark(Ljava/beans/Statement;)V
java/beans/XMLEncoder writeStatement(Ljava/beans/Statement;)V
java/beans/XMLEncoder writeExpression(Ljava/beans/Expression;)V
java/beans/XMLEncoder flush()V
java/beans/XMLEncoder clear()V
java/beans/XMLEncoder close()V
java/beans/XMLEncoder quote(Ljava/lang/String;)Ljava/lang/String;
java/beans/XMLEncoder getValueData(Ljava/lang/Object;)Ljava/beans/XMLEncoder$ValueData;
java/beans/XMLEncoder quoteCharacters(Ljava/lang/String;)Ljava/lang/String;
java/beans/XMLEncoder

```

```

println(Ljava/lang/String;)V
java/beans/XMLEncoder outputValue(Ljava/lang/Object;Ljava/lang/Object;Z)V
java/beans/XMLEncoder outputStatement(Ljava/beans/Statement;Ljava/lang/Object;Z)V
java/beans/XMLEncoder <clinit>()V
class java/beans/beancontext/BeanContextChildComponentProxy java/lang/Object
java/beans/beancontext/BeanContextChildComponentProxy getComponent()Ljava/awt/Component;
class java/beans/beancontext/BeanContextContainerProxy java/lang/Object
java/beans/beancontext/BeanContextContainerProxy getContainer()Ljava/awt/Container;
class java/beans/beancontext/BeanContextMembershipListener java/lang/Object
java/beans/beancontext/BeanContextMembershipListener
childrenAdded(Ljava/beans/beancontext/BeanContextMembershipEvent;)V
java/beans/beancontext/BeanContextMembershipListener
childrenRemoved(Ljava/beans/beancontext/BeanContextMembershipEvent;)V
class java/beans/beancontext/BeanContextServiceAvailableEvent java/beans/beancontext/BeanContextEvent
java/beans/beancontext/BeanContextServiceAvailableEvent
serviceClass
java/beans/beancontext/BeanContextServiceAvailableEvent
<init>(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Class;)V
java/beans/beancontext/BeanContextServiceAvailableEvent
getSourceAsBeanContextServices()Ljava/beans/beancontext/BeanContextServices;
java/beans/beancontext/BeanContextServiceAvailableEvent getServiceClass()Ljava/lang/Class;
java/beans/beancontext/BeanContextServiceAvailableEvent getCurrentServiceSelectors()Ljava/util/Iterator;
class java/beans/beancontext/BeanContextServiceProvider java/lang/Object
java/beans/beancontext/BeanContextServiceProvider
getService(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/Object;)L
java/lang/Object;
java/beans/beancontext/BeanContextServiceProvider
releaseService(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServiceProvider
getCurrentServiceSelectors(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Class;)Ljava/util/Iterator;
class
java/beans/beancontext/BeanContextServiceProviderBeanInfo java/lang/Object
java/beans/beancontext/BeanContextServiceProviderBeanInfo getServicesBeanInfo()[Ljava/beans/BeanInfo;
class java/beans/beancontext/BeanContextServiceRevokedEvent java/beans/beancontext/BeanContextEvent
java/beans/beancontext/BeanContextServiceRevokedEvent serviceClass
java/beans/beancontext/BeanContextServiceRevokedEvent invalidateRefs
java/beans/beancontext/BeanContextServiceRevokedEvent
<init>(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Class;Z)V
java/beans/beancontext/BeanContextServiceRevokedEvent
getSourceAsBeanContextServices()Ljava/beans/beancontext/BeanContextServices;
java/beans/beancontext/BeanContextServiceRevokedEvent getServiceClass()Ljava/lang/Class;
java/beans/beancontext/BeanContextServiceRevokedEvent isServiceClass(Ljava/lang/Class;)Z
java/beans/beancontext/BeanContextServiceRevokedEvent isCurrentServiceInvalidNow()Z
class
java/beans/beancontext/BeanContextServices java/lang/Object
java/beans/beancontext/BeanContextServices
addService(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;)Z
java/beans/beancontext/BeanContextServices

```

```

revokeService(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;Z)V
java/beans/beancontext/BeanContextServices hasService(Ljava/lang/Class;)Z
java/beans/beancontext/BeanContextServices
getService(Ljava/beans/beancontext/BeanContextChild;Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/Object;Ljava
/beans/beancontext/BeanContextServiceRevokedListener;)Ljava/lang/Object;
java/beans/beancontext/BeanContextServices
releaseService(Ljava/beans/beancontext/BeanContextChild;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServices getCurrentServiceClasses()Ljava/util/Iterator;
java/beans/beancontext/BeanContextServices getCurrentServiceSelectors(Ljava/lang/Class;)Ljava/util/Iterator;
java/beans/beancontext/BeanContextServices
addBeanContextServicesListener(Ljava/beans/beancontext/BeanContextServicesListener;)V
java/beans/beancontext/BeanContextServices
removeBeanContextServicesListener(Ljava/beans/beancontext/BeanContextServicesListener;)V
class java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef java/lang/Object
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef serviceClass
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef serviceProvider
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef serviceRefs
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef delegateProvider
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef delegateRefs
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef requestors
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef this$1
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
<init>(Ljava/beans/beancontext/BeanContextServicesSupport$BCSSChild;Ljava/lang/Class;Ljava/beans/beanconte
xt/BeanContextServiceProvider;Z)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
addRequestor(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextServiceRevokedListener;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
removeRequestor(Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
verifyRequestor(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextServiceRevokedListener;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
verifyAndMaybeSetProvider(Ljava/beans/beancontext/BeanContextServiceProvider;Z)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
cloneOfEntries()Ljava/util/Iterator;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
entries()Ljava/util/Iterator;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef isEmpty()Z
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
getServiceClass()Ljava/lang/Class;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
getServiceProvider()Ljava/beans/beancontext/BeanContextServiceProvider;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef
getDelegateProvider()Ljava/beans/beancontext/BeanContextServiceProvider;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef isDelegated()Z
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef addRef(Z)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef releaseRef(Z)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef getRefs()I
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef

```

```

getDelegateRefs()I
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef getServiceRefs()I
class java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef java/lang/Object
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef serviceClassRef
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef refCnt
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef delegated
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef this$1
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef
<init>(Ljava/beans/beancontext/BeanContextServicesSupport$BCSSChild;Ljava/beans/beancontext/BeanContextSe
rvicesSupport$BCSSChild$BCSSServiceClassRef;Z)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef addRef()V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef release()I
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef
getServiceClassRef()Ljava/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceClassRef;
java/beans/beancontext/BeanContextServicesSupport$BCSSChild$BCSSServiceRef isDelegated()Z
class java/beans/beancontext/BeanContextServicesSupport$BCSSChild
java/beans/beancontext/BeanContextSupport$BCSChild
java/beans/beancontext/BeanContextServicesSupport$BCSSChild serialVersionUID
java/beans/beancontext/BeanContextServicesSupport$BCSSChild serviceClasses
java/beans/beancontext/BeanContextServicesSupport$BCSSChild serviceRequestors
java/beans/beancontext/BeanContextServicesSupport$BCSSChild this$0
java/beans/beancontext/BeanContextServicesSupport$BCSSChild
<init>(Ljava/beans/beancontext/BeanContextServicesSupport;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild
usingService(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceP
rovider;ZLjava/beans/beancontext/BeanContextServiceRevokedListener;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild
releaseService(Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild revokeService(Ljava/lang/Class;ZZ)V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild cleanupReferences()V
java/beans/beancontext/BeanContextServicesSupport$BCSSChild revokeAllDelegatedServicesNow()V
class java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider java/lang/Object
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider nestingCtxt
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider this$0
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider
<init>(Ljava/beans/beancontext/BeanContextServicesSupport;Ljava/beans/beancontext/BeanContextServices;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider
getService(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/Object;)L
java/lang/Object;
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider
releaseService(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider
getCurrentServiceSelectors(Ljava/beans/beancontext/BeanContextServices;Ljava/lang/Class;)Ljava/util/Iterator;
java/beans/beancontext/BeanContextServicesSupport$BCSSProxyServiceProvider
serviceRevoked(Ljava/beans/beancontext/BeanContextServiceRevokedEvent;)V
class java/beans/beancontext/BeanContextServicesSupport$BCSSServiceProvider java/lang/Object
java/beans/beancontext/BeanContextServicesSupport$BCSSServiceProvider serviceProvider
java/beans/beancontext/BeanContextServicesSupport$BCSSServiceProvider

```

```

<init>(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;)V
java/beans/beancontext/BeanContextServicesSupport$BCSSServiceProvider
  getServiceProvider()Ljava/beans/beancontext/BeanContextServiceProvider;
class java/beans/beancontext/BeanContextServicesSupport java/beans/beancontext/BeanContextSupport
java/beans/beancontext/BeanContextServicesSupport services
java/beans/beancontext/BeanContextServicesSupport serializable
java/beans/beancontext/BeanContextServicesSupport proxy
java/beans/beancontext/BeanContextServicesSupport bcsListeners
java/beans/beancontext/BeanContextServicesSupport
  <init>(Ljava/beans/beancontext/BeanContextServices;Ljava/util/Locale;ZZ)V
java/beans/beancontext/BeanContextServicesSupport
  <init>(Ljava/beans/beancontext/BeanContextServices;Ljava/util/Locale;Z)V
java/beans/beancontext/BeanContextServicesSupport
  <init>(Ljava/beans/beancontext/BeanContextServices;Ljava/util/Locale;)V
java/beans/beancontext/BeanContextServicesSupport <init>(Ljava/beans/beancontext/BeanContextServices;)V
java/beans/beancontext/BeanContextServicesSupport <init>()V
java/beans/beancontext/BeanContextServicesSupport
  initialize()V
java/beans/beancontext/BeanContextServicesSupport
  getBeanContextServicesPeer()Ljava/beans/beancontext/BeanContextServices;
java/beans/beancontext/BeanContextServicesSupport
  createBCSChild(Ljava/lang/Object;Ljava/lang/Object;)Ljava/beans/beancontext/BeanContextSupport$BCSChild;
java/beans/beancontext/BeanContextServicesSupport
  createBCSSServiceProvider(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;)Ljava/beans/b
  eancontext/BeanContextServicesSupport$BCSSServiceProvider;
java/beans/beancontext/BeanContextServicesSupport
  addBeanContextServicesListener(Ljava/beans/beancontext/BeanContextServicesListener;)V
java/beans/beancontext/BeanContextServicesSupport
  removeBeanContextServicesListener(Ljava/beans/beancontext/BeanContextServicesListener;)V
java/beans/beancontext/BeanContextServicesSupport
  addService(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;)Z
java/beans/beancontext/BeanContextServicesSupport
  addService(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;Z)Z
java/beans/beancontext/BeanContextServicesSupport
  revokeService(Ljava/lang/Class;Ljava/beans/beancontext/BeanContextServiceProvider;Z)V
java/beans/beancontext/BeanContextServicesSupport hasService(Ljava/lang/Class;)Z
java/beans/beancontext/BeanContextServicesSupport
  getService(Ljava/beans/beancontext/BeanContextChild;Ljava/lang/Object;Ljava/lang/Class;Ljava/lang/Object;Ljava
  /beans/beancontext/BeanContextServiceRevokedListener;)Ljava/lang/Object;
java/beans/beancontext/BeanContextServicesSupport
  releaseService(Ljava/beans/beancontext/BeanContextChild;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextServicesSupport getCurrentServiceClasses()Ljava/util/Iterator;
java/beans/beancontext/BeanContextServicesSupport
  getCurrentServiceSelectors(Ljava/lang/Class;)Ljava/util/Iterator;
java/beans/beancontext/BeanContextServicesSupport
  serviceAvailable(Ljava/beans/beancontext/BeanContextServiceAvailableEvent;)V
java/beans/beancontext/BeanContextServicesSupport

```



```

    serviceRevoked(Ljava/beans/beancontext/BeanContextServiceRevokedEvent;)V
java/beans/beancontext/BeanContextServicesSupport
getChildBeanContextServicesListener(Ljava/lang/Object;)Ljava/beans/beancontext/BeanContextServicesListener;
java/beans/beancontext/BeanContextServicesSupport
childJustRemovedHook(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextSupport$BCSChild;)V
java/beans/beancontext/BeanContextServicesSupport releaseBeanContextResources()V
java/beans/beancontext/BeanContextServicesSupport initializeBeanContextResources()V
java/beans/beancontext/BeanContextServicesSupport fireServiceAdded(Ljava/lang/Class;)V
java/beans/beancontext/BeanContextServicesSupport
fireServiceAdded(Ljava/beans/beancontext/BeanContextServiceAvailableEvent;)V
java/beans/beancontext/BeanContextServicesSupport
fireServiceRevoked(Ljava/beans/beancontext/BeanContextServiceRevokedEvent;)V
java/beans/beancontext/BeanContextServicesSupport fireServiceRevoked(Ljava/lang/Class;Z)V
java/beans/beancontext/BeanContextServicesSupport
    bcsPreSerializationHook(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextServicesSupport bcsPreDeserializationHook(Ljava/io/ObjectInputStream;)V
java/beans/beancontext/BeanContextServicesSupport writeObject(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextServicesSupport readObject(Ljava/io/ObjectInputStream;)V
class java/beans/beancontext/BeanContextSupport$BCSIterator java/lang/Object
java/beans/beancontext/BeanContextSupport$BCSIterator src
java/beans/beancontext/BeanContextSupport$BCSIterator <init>(Ljava/util/Iterator;)V
java/beans/beancontext/BeanContextSupport$BCSIterator hasNext()Z
java/beans/beancontext/BeanContextSupport$BCSIterator next()Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport$BCSIterator remove()V
class java/beans/java_awt_BorderLayout_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_BorderLayout_PersistenceDelegate <init>()V
java/beans/java_awt_BorderLayout_PersistenceDelegate
    initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_CardLayout_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_CardLayout_PersistenceDelegate <init>()V
java/beans/java_awt_CardLayout_PersistenceDelegate
    initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_Choice_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_Choice_PersistenceDelegate <init>()V
java/beans/java_awt_Choice_PersistenceDelegate
    initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_Component_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_Component_PersistenceDelegate <init>()V
java/beans/java_awt_Component_PersistenceDelegate
    initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class
    java/beans/java_awt_Container_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_Container_PersistenceDelegate <init>()V
java/beans/java_awt_Container_PersistenceDelegate
    initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_GridBagLayout_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_GridBagLayout_PersistenceDelegate <init>()V
java/beans/java_awt_GridBagLayout_PersistenceDelegate

```

```

initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_List_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_List_PersistenceDelegate <init>()V
java/beans/java_awt_List_PersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_MenuBar_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_MenuBar_PersistenceDelegate
<init>()V
java/beans/java_awt_MenuBar_PersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_MenuShortcut_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/java_awt_MenuShortcut_PersistenceDelegate <init>()V
java/beans/java_awt_MenuShortcut_PersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/java_awt_Menu_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_awt_Menu_PersistenceDelegate <init>()V
java/beans/java_awt_Menu_PersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_awt_SystemColor_PersistenceDelegate java/beans/StaticFieldsPersistenceDelegate
java/beans/java_awt_SystemColor_PersistenceDelegate <init>()V
class java/beans/java_awt_font_TextAttribute_PersistenceDelegate java/beans/StaticFieldsPersistenceDelegate
java/beans/java_awt_font_TextAttribute_PersistenceDelegate
<init>()V
class java/beans/java_beans_beancontext_BeanContextSupport_PersistenceDelegate
java/beans/java_util_Collection_PersistenceDelegate
java/beans/java_beans_beancontext_BeanContextSupport_PersistenceDelegate <init>()V
class java/beans/java_lang_Class_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/java_lang_Class_PersistenceDelegate <init>()V
java/beans/java_lang_Class_PersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/java_lang_String_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/java_lang_String_PersistenceDelegate <init>()V
java/beans/java_lang_String_PersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
java/beans/java_lang_String_PersistenceDelegate writeObject(Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_lang_reflect_Field_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/java_lang_reflect_Field_PersistenceDelegate
<init>()V
java/beans/java_lang_reflect_Field_PersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/java_lang_reflect_Method_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/java_lang_reflect_Method_PersistenceDelegate <init>()V
java/beans/java_lang_reflect_Method_PersistenceDelegate
instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/java_util_AbstractCollection_PersistenceDelegate
java/beans/java_util_Collection_PersistenceDelegate
java/beans/java_util_AbstractCollection_PersistenceDelegate <init>()V
class java/beans/java_util_AbstractList_PersistenceDelegate java/beans/java_util_List_PersistenceDelegate

```

```

java/beans/java_util_AbstractList_PersistenceDelegate <init>()V
class java/beans/java_util_AbstractMap_PersistenceDelegate java/beans/java_util_Map_PersistenceDelegate
java/beans/java_util_AbstractMap_PersistenceDelegate <init>()V
class
  java/beans/java_util_Collection_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_util_Collection_PersistenceDelegate <init>()V
java/beans/java_util_Collection_PersistenceDelegate
  initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_util_Hashtable_PersistenceDelegate java/beans/java_util_Map_PersistenceDelegate
java/beans/java_util_Hashtable_PersistenceDelegate <init>()V
class java/beans/java_util_List_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_util_List_PersistenceDelegate <init>()V
java/beans/java_util_List_PersistenceDelegate
  initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/java_util_Map_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/java_util_Map_PersistenceDelegate <init>()V
java/beans/java_util_Map_PersistenceDelegate
  initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class
  java/beans/javax_swing_Box_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_Box_PersistenceDelegate <init>()V
java/beans/javax_swing_Box_PersistenceDelegate
  instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/javax_swing_DefaultComboBoxModel_PersistenceDelegate
java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_DefaultComboBoxModel_PersistenceDelegate <init>()V
java/beans/javax_swing_DefaultComboBoxModel_PersistenceDelegate
  initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/javax_swing_DefaultListModel_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_DefaultListModel_PersistenceDelegate <init>()V
java/beans/javax_swing_DefaultListModel_PersistenceDelegate
  initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/javax_swing_JFrame_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_JFrame_PersistenceDelegate
  <init>()V
java/beans/javax_swing_JFrame_PersistenceDelegate
  initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/javax_swing_JMenu_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_JMenu_PersistenceDelegate <init>()V
java/beans/javax_swing_JMenu_PersistenceDelegate
  initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/javax_swing_JTabbedPane_PersistenceDelegate java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_JTabbedPane_PersistenceDelegate <init>()V
java/beans/javax_swing_JTabbedPane_PersistenceDelegate
  initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/beans/javax_swing_ToolTipManager_PersistenceDelegate java/beans/PersistenceDelegate
java/beans/javax_swing_ToolTipManager_PersistenceDelegate <init>()V
java/beans/javax_swing_ToolTipManager_PersistenceDelegate

```

```

    instantiate(Ljava/lang/Object;Ljava/beans/Encoder;)Ljava/beans/Expression;
class java/beans/javax_swing_tree_DefaultMutableTreeNode_PersistenceDelegate
java/beans/DefaultPersistenceDelegate
java/beans/javax_swing_tree_DefaultMutableTreeNode_PersistenceDelegate <init>()V
java/beans/javax_swing_tree_DefaultMutableTreeNode_PersistenceDelegate
initialize(Ljava/lang/Class;Ljava/lang/Object;Ljava/lang/Object;Ljava/beans/Encoder;)V
class java/io/CharArrayReader java/io/Reader
java/io/CharArrayReader buf
java/io/CharArrayReader pos
java/io/CharArrayReader markedPos
java/io/CharArrayReader count
java/io/CharArrayReader <init>([C)V
java/io/CharArrayReader <init>([CII)V
java/io/CharArrayReader ensureOpen()V
java/io/CharArrayReader read()I
java/io/CharArrayReader read([CII)I
java/io/CharArrayReader skip(J)J
java/io/CharArrayReader ready()Z
java/io/CharArrayReader markSupported()Z
java/io/CharArrayReader mark(I)V
java/io/CharArrayReader reset()V
java/io/CharArrayReader
    close()V
class java/io/FilterWriter java/io/Writer
java/io/FilterWriter out
java/io/FilterWriter <init>(Ljava/io/Writer;)V
java/io/FilterWriter write(I)V
java/io/FilterWriter write([CII)V
java/io/FilterWriter write(Ljava/lang/String;II)V
java/io/FilterWriter flush()V
java/io/FilterWriter close()V
class java/io/LineNumberInputStream java/io/FilterInputStream
java/io/LineNumberInputStream pushBack
java/io/LineNumberInputStream lineNumber
java/io/LineNumberInputStream markLineNumber
java/io/LineNumberInputStream markPushBack
java/io/LineNumberInputStream <init>(Ljava/io/InputStream;)V
java/io/LineNumberInputStream read()I
java/io/LineNumberInputStream read([BII)I
java/io/LineNumberInputStream skip(J)J
java/io/LineNumberInputStream setLineNumber(I)V
java/io/LineNumberInputStream getLineNumber()I
java/io/LineNumberInputStream available()I
java/io/LineNumberInputStream mark(I)V
java/io/LineNumberInputStream reset()V
class java/io/LineNumberReader java/io/BufferedReader
java/io/LineNumberReader

```

```

lineNumber
java/io/LineNumberReader markedLineNumber
java/io/LineNumberReader skipLF
java/io/LineNumberReader markedSkipLF
java/io/LineNumberReader maxSkipBufferSize
java/io/LineNumberReader skipBuffer
java/io/LineNumberReader <init>(Ljava/io/Reader;)V
java/io/LineNumberReader <init>(Ljava/io/Reader;I)V
java/io/LineNumberReader setLineNumber(I)V
java/io/LineNumberReader getLineNumber()I
java/io/LineNumberReader read()I
java/io/LineNumberReader read([CII)I
java/io/LineNumberReader readLine()Ljava/lang/String;
java/io/LineNumberReader skip(J)J
java/io/LineNumberReader mark(I)V
java/io/LineNumberReader reset()V
class java/io/NotActiveException java/io/ObjectStreamException
java/io/NotActiveException <init>(Ljava/lang/String;)V
java/io/NotActiveException <init>()V
class java/io/ObjectInputStream$Caches java/lang/Object
java/io/ObjectInputStream$Caches subclassAudits
java/io/ObjectInputStream$Caches subclassAuditsQueue
java/io/ObjectInputStream$Caches <init>()V
java/io/ObjectInputStream$Caches
<clinit>()V
class java/io/ObjectInputStream$CallbackContext java/lang/Object
java/io/ObjectInputStream$CallbackContext obj
java/io/ObjectInputStream$CallbackContext desc
java/io/ObjectInputStream$CallbackContext used
java/io/ObjectInputStream$CallbackContext <init>(Ljava/lang/Object;Ljava/io/ObjectStreamClass;)V
java/io/ObjectInputStream$CallbackContext getObj()Ljava/lang/Object;
java/io/ObjectInputStream$CallbackContext getDesc()Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream$CallbackContext checkAndSetUsed()V
java/io/ObjectInputStream$CallbackContext setUsed()V
class java/io/ObjectInputStream$ValidationList$Callback java/lang/Object
java/io/ObjectInputStream$ValidationList$Callback obj
java/io/ObjectInputStream$ValidationList$Callback priority
java/io/ObjectInputStream$ValidationList$Callback next
java/io/ObjectInputStream$ValidationList$Callback
<init>(Ljava/io/ObjectInputValidation;ILjava/io/ObjectInputStream$ValidationList$Callback;)V
class java/io/ObjectOutputStream$Caches
java/lang/Object
java/io/ObjectOutputStream$Caches subclassAudits
java/io/ObjectOutputStream$Caches subclassAuditsQueue
java/io/ObjectOutputStream$Caches <init>()V
java/io/ObjectOutputStream$Caches <clinit>()V
class java/io/ObjectOutputStream$PutField java/lang/Object
java/io/ObjectOutputStream$PutField <init>()V

```

```

java/io/ObjectOutputStream$PutField put(Ljava/lang/String;Z)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;B)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;C)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;S)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;I)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;J)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;F)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;D)V
java/io/ObjectOutputStream$PutField put(Ljava/lang/String;Ljava/lang/Object;)V
java/io/ObjectOutputStream$PutField write(Ljava/io/ObjectOutput;)V
class java/io/ObjectOutputStream$PutFieldImpl
  java/io/ObjectOutputStream$PutField
java/io/ObjectOutputStream$PutFieldImpl desc
java/io/ObjectOutputStream$PutFieldImpl primVals
java/io/ObjectOutputStream$PutFieldImpl objVals
java/io/ObjectOutputStream$PutFieldImpl this$0
java/io/ObjectOutputStream$PutFieldImpl <init>(Ljava/io/ObjectOutputStream;Ljava/io/ObjectStreamClass;)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;Z)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;B)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;C)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;S)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;I)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;F)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;J)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;D)V
java/io/ObjectOutputStream$PutFieldImpl put(Ljava/lang/String;Ljava/lang/Object;)V
java/io/ObjectOutputStream$PutFieldImpl
  write(Ljava/io/ObjectOutput;)V
java/io/ObjectOutputStream$PutFieldImpl writeFields()V
java/io/ObjectOutputStream$PutFieldImpl getFieldOffset(Ljava/lang/String;Ljava/lang/Class;)I
class java/io/ObjectStreamClass$Caches java/lang/Object
java/io/ObjectStreamClass$Caches localDescs
java/io/ObjectStreamClass$Caches reflectors
java/io/ObjectStreamClass$Caches localDescsQueue
java/io/ObjectStreamClass$Caches reflectorsQueue
java/io/ObjectStreamClass$Caches <init>()V
java/io/ObjectStreamClass$Caches access$200()Ljava/lang/ref/ReferenceQueue;
java/io/ObjectStreamClass$Caches access$2500()Ljava/lang/ref/ReferenceQueue;
java/io/ObjectStreamClass$Caches <clinit>()V
class java/io/ObjectStreamClass$EntryFuture$1 java/lang/Object
java/io/ObjectStreamClass$EntryFuture$1 this$0
java/io/ObjectStreamClass$EntryFuture$1 <init>(Ljava/io/ObjectStreamClass$EntryFuture;)V
java/io/ObjectStreamClass$EntryFuture$1 run()Ljava/lang/Object;
class java/io/ObjectStreamClass$WeakClassKey java/lang/ref/WeakReference
java/io/ObjectStreamClass$WeakClassKey
  hash
java/io/ObjectStreamClass$WeakClassKey <init>(Ljava/lang/Class;Ljava/lang/ref/ReferenceQueue;)V
java/io/ObjectStreamClass$WeakClassKey hashCode()I

```

```

java/io/ObjectStreamClass$WeakClassKey equals(Ljava/lang/Object;)Z
class java/io/PipedInputStream java/io/InputStream
java/io/PipedInputStream closedByWriter
java/io/PipedInputStream closedByReader
java/io/PipedInputStream connected
java/io/PipedInputStream readSide
java/io/PipedInputStream writeSide
java/io/PipedInputStream PIPE_SIZE
java/io/PipedInputStream buffer
java/io/PipedInputStream in
java/io/PipedInputStream out
java/io/PipedInputStream $assertionsDisabled
java/io/PipedInputStream <init>(Ljava/io/PipedOutputStream;)V
java/io/PipedInputStream <init>()V
java/io/PipedInputStream connect(Ljava/io/PipedOutputStream;)V
java/io/PipedInputStream receive(I)V
java/io/PipedInputStream receive([BII)V
java/io/PipedInputStream checkStateForReceive()V
java/io/PipedInputStream awaitSpace()V
java/io/PipedInputStream
    receivedLast()V
java/io/PipedInputStream read()I
java/io/PipedInputStream read([BII)I
java/io/PipedInputStream available()I
java/io/PipedInputStream close()V
java/io/PipedInputStream <clinit>()V
class java/io/PipedOutputStream java/io/OutputStream
java/io/PipedOutputStream sink
java/io/PipedOutputStream <init>(Ljava/io/PipedInputStream;)V
java/io/PipedOutputStream <init>()V
java/io/PipedOutputStream connect(Ljava/io/PipedInputStream;)V
java/io/PipedOutputStream write(I)V
java/io/PipedOutputStream write([BII)V
java/io/PipedOutputStream flush()V
java/io/PipedOutputStream close()V
class java/io/PipedReader java/io/Reader
java/io/PipedReader closedByWriter
java/io/PipedReader closedByReader
java/io/PipedReader connected
java/io/PipedReader readSide
java/io/PipedReader writeSide
java/io/PipedReader PIPE_SIZE
java/io/PipedReader buffer
java/io/PipedReader in
java/io/PipedReader out
java/io/PipedReader <init>(Ljava/io/PipedWriter;)V
java/io/PipedReader <init>()V
java/io/PipedReader

```

```

connect(Ljava/io/PipedWriter;)V
java/io/PipedReader receive(I)V
java/io/PipedReader receive([CII)V
java/io/PipedReader receivedLast()V
java/io/PipedReader read()I
java/io/PipedReader read([CII)I
java/io/PipedReader ready()Z
java/io/PipedReader close()V
class java/io/PipedWriter java/io/Writer
java/io/PipedWriter sink
java/io/PipedWriter closed
java/io/PipedWriter <init>(Ljava/io/PipedReader;)V
java/io/PipedWriter <init>()V
java/io/PipedWriter connect(Ljava/io/PipedReader;)V
java/io/PipedWriter write(I)V
java/io/PipedWriter write([CII)V
java/io/PipedWriter flush()V
java/io/PipedWriter close()V
class java/io/PushbackReader java/io/FilterReader
java/io/PushbackReader buf
java/io/PushbackReader pos
java/io/PushbackReader <init>(Ljava/io/Reader;)V
java/io/PushbackReader <init>(Ljava/io/Reader;)V
java/io/PushbackReader ensureOpen()V
java/io/PushbackReader read()I
java/io/PushbackReader read([CII)I
java/io/PushbackReader unread(I)V
java/io/PushbackReader unread([CII)V
java/io/PushbackReader
unread([C)V
java/io/PushbackReader ready()Z
java/io/PushbackReader mark(I)V
java/io/PushbackReader reset()V
java/io/PushbackReader markSupported()Z
java/io/PushbackReader close()V
java/io/PushbackReader skip(J)J
class java/io/SequenceInputStream java/io/InputStream
java/io/SequenceInputStream e
java/io/SequenceInputStream in
java/io/SequenceInputStream <init>(Ljava/util/Enumeration;)V
java/io/SequenceInputStream <init>(Ljava/io/InputStream;Ljava/io/InputStream;)V
java/io/SequenceInputStream nextStream()V
java/io/SequenceInputStream available()I
java/io/SequenceInputStream read()I
java/io/SequenceInputStream read([BII)I
java/io/SequenceInputStream close()V
class java/io/SerializablePermission java/security/BasicPermission
java/io/SerializablePermission actions

```



```

java/io/SerializablePermission <init>(Ljava/lang/String;)V
java/io/SerializablePermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/io/StreamCorruptedException java/io/ObjectStreamException
java/io/StreamCorruptedException
  <init>(Ljava/lang/String;)V
java/io/StreamCorruptedException <init>()V
class java/io/StringBufferInputStream java/io/InputStream
java/io/StringBufferInputStream buffer
java/io/StringBufferInputStream pos
java/io/StringBufferInputStream count
java/io/StringBufferInputStream <init>(Ljava/lang/String;)V
java/io/StringBufferInputStream read()I
java/io/StringBufferInputStream read([BII)I
java/io/StringBufferInputStream skip(J)J
java/io/StringBufferInputStream available()I
java/io/StringBufferInputStream reset()V
class java/io/UTFDataFormatException java/io/IOException
java/io/UTFDataFormatException <init>()V
java/io/UTFDataFormatException <init>(Ljava/lang/String;)V
class java/io/WriteAbortedException java/io/ObjectStreamException
java/io/WriteAbortedException serialVersionUID
java/io/WriteAbortedException detail
java/io/WriteAbortedException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
java/io/WriteAbortedException getMessage()Ljava/lang/String;
java/io/WriteAbortedException
  getCause()Ljava/lang/Throwable;
class java/lang/AbstractMethodError java/lang/IncompatibleClassChangeError
java/lang/AbstractMethodError <init>()V
java/lang/AbstractMethodError <init>(Ljava/lang/String;)V
class java/lang/AssertionError java/lang/Error
java/lang/AssertionError <init>()V
java/lang/AssertionError <init>(Ljava/lang/String;)V
java/lang/AssertionError <init>(Ljava/lang/Object;)V
java/lang/AssertionError <init>(Z)V
java/lang/AssertionError <init>(C)V
java/lang/AssertionError <init>(I)V
java/lang/AssertionError <init>(J)V
java/lang/AssertionError <init>(F)V
java/lang/AssertionError <init>(D)V
class java/lang/AssertionStatusDirectives java/lang/Object
java/lang/AssertionStatusDirectives classes
java/lang/AssertionStatusDirectives classEnabled
java/lang/AssertionStatusDirectives packages
java/lang/AssertionStatusDirectives packageEnabled
java/lang/AssertionStatusDirectives deflt
java/lang/AssertionStatusDirectives <init>()V
class java/lang/Byte$ByteCache java/lang/Object
java/lang/Byte$ByteCache

```

```

cache
java/lang/Byte$ByteCache <init>()V
java/lang/Byte$ByteCache <clinit>()V
class java/lang/Character$CharacterCache java/lang/Object
java/lang/Character$CharacterCache cache
java/lang/Character$CharacterCache <init>()V
java/lang/Character$CharacterCache <clinit>()V
class java/lang/Character$Subset java/lang/Object
java/lang/Character$Subset name
java/lang/Character$Subset <init>(Ljava/lang/String;)V
java/lang/Character$Subset equals(Ljava/lang/Object;)Z
java/lang/Character$Subset hashCode()I
java/lang/Character$Subset toString()Ljava/lang/String;
class java/lang/Character$UnicodeBlock java/lang/Character$Subset
java/lang/Character$UnicodeBlock map
java/lang/Character$UnicodeBlock BASIC_LATIN
java/lang/Character$UnicodeBlock LATIN_1_SUPPLEMENT
java/lang/Character$UnicodeBlock LATIN_EXTENDED_A
java/lang/Character$UnicodeBlock LATIN_EXTENDED_B
java/lang/Character$UnicodeBlock IPA_EXTENSIONS
java/lang/Character$UnicodeBlock SPACING_MODIFIER_LETTERS
java/lang/Character$UnicodeBlock
    COMBINING_DIACRITICAL_MARKS
java/lang/Character$UnicodeBlock GREEK
java/lang/Character$UnicodeBlock CYRILLIC
java/lang/Character$UnicodeBlock ARMENIAN
java/lang/Character$UnicodeBlock HEBREW
java/lang/Character$UnicodeBlock ARABIC
java/lang/Character$UnicodeBlock DEVANAGARI
java/lang/Character$UnicodeBlock BENGALI
java/lang/Character$UnicodeBlock GURMUKHI
java/lang/Character$UnicodeBlock GUJARATI
java/lang/Character$UnicodeBlock ORIYA
java/lang/Character$UnicodeBlock TAMIL
java/lang/Character$UnicodeBlock TELUGU
java/lang/Character$UnicodeBlock KANNADA
java/lang/Character$UnicodeBlock MALAYALAM
java/lang/Character$UnicodeBlock THAI
java/lang/Character$UnicodeBlock LAO
java/lang/Character$UnicodeBlock TIBETAN
java/lang/Character$UnicodeBlock GEORGIAN
java/lang/Character$UnicodeBlock HANGUL_JAMO
java/lang/Character$UnicodeBlock LATIN_EXTENDED_ADDITIONAL
java/lang/Character$UnicodeBlock GREEK_EXTENDED
java/lang/Character$UnicodeBlock GENERAL_PUNCTUATION
java/lang/Character$UnicodeBlock
    SUPERSCRIPTS_AND_SUBSCRIPTS
java/lang/Character$UnicodeBlock CURRENCY_SYMBOLS

```

java/lang/Character\$UnicodeBlock COMBINING_MARKS_FOR_SYMBOLS
java/lang/Character\$UnicodeBlock LETTERLIKE_SYMBOLS
java/lang/Character\$UnicodeBlock NUMBER_FORMS
java/lang/Character\$UnicodeBlock ARROWS
java/lang/Character\$UnicodeBlock MATHEMATICAL_OPERATORS
java/lang/Character\$UnicodeBlock MISCELLANEOUS_TECHNICAL
java/lang/Character\$UnicodeBlock CONTROL_PICTURES
java/lang/Character\$UnicodeBlock OPTICAL_CHARACTER_RECOGNITION
java/lang/Character\$UnicodeBlock ENCLOSED_ALPHANUMERICS
java/lang/Character\$UnicodeBlock BOX_DRAWING
java/lang/Character\$UnicodeBlock BLOCK_ELEMENTS
java/lang/Character\$UnicodeBlock GEOMETRIC_SHAPES
java/lang/Character\$UnicodeBlock MISCELLANEOUS_SYMBOLS
java/lang/Character\$UnicodeBlock DINGBATS
java/lang/Character\$UnicodeBlock CJK_SYMBOLS_AND_PUNCTUATION
java/lang/Character\$UnicodeBlock HIRAGANA
java/lang/Character\$UnicodeBlock KATAKANA
java/lang/Character\$UnicodeBlock BOPOMOFO
java/lang/Character\$UnicodeBlock
HANGUL_COMPATIBILITY_JAMO
java/lang/Character\$UnicodeBlock KANBUN
java/lang/Character\$UnicodeBlock ENCLOSED_CJK_LETTERS_AND_MONTHS
java/lang/Character\$UnicodeBlock CJK_COMPATIBILITY
java/lang/Character\$UnicodeBlock CJK_UNIFIED_IDEOGRAPHS
java/lang/Character\$UnicodeBlock HANGUL_SYLLABLES
java/lang/Character\$UnicodeBlock PRIVATE_USE_AREA
java/lang/Character\$UnicodeBlock CJK_COMPATIBILITY_IDEOGRAPHS
java/lang/Character\$UnicodeBlock ALPHABETIC_PRESENTATION_FORMS
java/lang/Character\$UnicodeBlock ARABIC_PRESENTATION_FORMS_A
java/lang/Character\$UnicodeBlock COMBINING_HALF_MARKS
java/lang/Character\$UnicodeBlock CJK_COMPATIBILITY_FORMS
java/lang/Character\$UnicodeBlock SMALL_FORM_VARIANTS
java/lang/Character\$UnicodeBlock ARABIC_PRESENTATION_FORMS_B
java/lang/Character\$UnicodeBlock HALFWIDTH_AND_FULLWIDTH_FORMS
java/lang/Character\$UnicodeBlock SPECIALS
java/lang/Character\$UnicodeBlock SURROGATES_AREA
java/lang/Character\$UnicodeBlock SYRIAC
java/lang/Character\$UnicodeBlock
THAANA
java/lang/Character\$UnicodeBlock SINHALA
java/lang/Character\$UnicodeBlock MYANMAR
java/lang/Character\$UnicodeBlock ETHIOPIC
java/lang/Character\$UnicodeBlock CHEROKEE
java/lang/Character\$UnicodeBlock UNIFIED_CANADIAN_ABORIGINAL_SYLLABICS
java/lang/Character\$UnicodeBlock OGHAM
java/lang/Character\$UnicodeBlock RUNIC
java/lang/Character\$UnicodeBlock KHMER
java/lang/Character\$UnicodeBlock MONGOLIAN

java/lang/Character\$UnicodeBlock BRAILLE_PATTERNS
java/lang/Character\$UnicodeBlock CJK_RADICALS_SUPPLEMENT
java/lang/Character\$UnicodeBlock KANGXI_RADICALS
java/lang/Character\$UnicodeBlock IDEOGRAPHIC_DESCRIPTION_CHARACTERS
java/lang/Character\$UnicodeBlock BOPOMOFO_EXTENDED
java/lang/Character\$UnicodeBlock CJK_UNIFIED_IDEOGRAPHS_EXTENSION_A
java/lang/Character\$UnicodeBlock YI_SYLLABLES
java/lang/Character\$UnicodeBlock YI_RADICALS
java/lang/Character\$UnicodeBlock CYRILLIC_SUPPLEMENTARY
java/lang/Character\$UnicodeBlock TAGALOG
java/lang/Character\$UnicodeBlock HANUNOO
java/lang/Character\$UnicodeBlock
BUHID
java/lang/Character\$UnicodeBlock TAGBANWA
java/lang/Character\$UnicodeBlock LIMBU
java/lang/Character\$UnicodeBlock TAI_LE
java/lang/Character\$UnicodeBlock KHMER_SYMBOLS
java/lang/Character\$UnicodeBlock PHONETIC_EXTENSIONS
java/lang/Character\$UnicodeBlock MISCELLANEOUS_MATHEMATICAL_SYMBOLS_A
java/lang/Character\$UnicodeBlock SUPPLEMENTAL_ARROWS_A
java/lang/Character\$UnicodeBlock SUPPLEMENTAL_ARROWS_B
java/lang/Character\$UnicodeBlock MISCELLANEOUS_MATHEMATICAL_SYMBOLS_B
java/lang/Character\$UnicodeBlock SUPPLEMENTAL_MATHEMATICAL_OPERATORS
java/lang/Character\$UnicodeBlock MISCELLANEOUS_SYMBOLS_AND_ARROWS
java/lang/Character\$UnicodeBlock KATAKANA_PHONETIC_EXTENSIONS
java/lang/Character\$UnicodeBlock YIJING_HEXAGRAM_SYMBOLS
java/lang/Character\$UnicodeBlock VARIATION_SELECTORS
java/lang/Character\$UnicodeBlock LINEAR_B_SYLLABARY
java/lang/Character\$UnicodeBlock LINEAR_B_IDEOGRAMS
java/lang/Character\$UnicodeBlock AEGEAN_NUMBERS
java/lang/Character\$UnicodeBlock OLD_ITALIC
java/lang/Character\$UnicodeBlock
GOTHIC
java/lang/Character\$UnicodeBlock UGARITIC
java/lang/Character\$UnicodeBlock DESERET
java/lang/Character\$UnicodeBlock SHAVIAN
java/lang/Character\$UnicodeBlock OSMANYA
java/lang/Character\$UnicodeBlock CYPRIOT_SYLLABARY
java/lang/Character\$UnicodeBlock BYZANTINE_MUSICAL_SYMBOLS
java/lang/Character\$UnicodeBlock MUSICAL_SYMBOLS
java/lang/Character\$UnicodeBlock TAI_XUAN_JING_SYMBOLS
java/lang/Character\$UnicodeBlock MATHEMATICAL_ALPHANUMERIC_SYMBOLS
java/lang/Character\$UnicodeBlock CJK_UNIFIED_IDEOGRAPHS_EXTENSION_B
java/lang/Character\$UnicodeBlock CJK_COMPATIBILITY_IDEOGRAPHS_SUPPLEMENT
java/lang/Character\$UnicodeBlock TAGS
java/lang/Character\$UnicodeBlock VARIATION_SELECTORS_SUPPLEMENT
java/lang/Character\$UnicodeBlock SUPPLEMENTARY_PRIVATE_USE_AREA_A
java/lang/Character\$UnicodeBlock SUPPLEMENTARY_PRIVATE_USE_AREA_B

```

java/lang/Character$UnicodeBlock HIGH_SURROGATES
java/lang/Character$UnicodeBlock HIGH_PRIVATE_USE_SURROGATES
java/lang/Character$UnicodeBlock
    LOW_SURROGATES
java/lang/Character$UnicodeBlock blockStarts
java/lang/Character$UnicodeBlock blocks
java/lang/Character$UnicodeBlock <init>(Ljava/lang/String;)V
java/lang/Character$UnicodeBlock <init>(Ljava/lang/String;Ljava/lang/String;)V
java/lang/Character$UnicodeBlock <init>(Ljava/lang/String;[Ljava/lang/String;)V
java/lang/Character$UnicodeBlock of(C)Ljava/lang/Character$UnicodeBlock;
java/lang/Character$UnicodeBlock of(I)Ljava/lang/Character$UnicodeBlock;
java/lang/Character$UnicodeBlock forName(Ljava/lang/String;)Ljava/lang/Character$UnicodeBlock;
java/lang/Character$UnicodeBlock <clinit>()V
class java/lang/CharacterData00 java/lang/Object
java/lang/CharacterData00 charMap
java/lang/CharacterData00 X
java/lang/CharacterData00 Y
java/lang/CharacterData00 A
java/lang/CharacterData00 A_DATA
java/lang/CharacterData00 $assertionsDisabled
java/lang/CharacterData00 <init>()V
java/lang/CharacterData00 getProperties(I)I
java/lang/CharacterData00 getType(I)I
java/lang/CharacterData00
    isLowerCase(I)Z
java/lang/CharacterData00 isUpperCase(I)Z
java/lang/CharacterData00 isTitleCase(I)Z
java/lang/CharacterData00 isDigit(I)Z
java/lang/CharacterData00 isDefined(I)Z
java/lang/CharacterData00 isLetter(I)Z
java/lang/CharacterData00 isLetterOrDigit(I)Z
java/lang/CharacterData00 isSpaceChar(I)Z
java/lang/CharacterData00 isJavaIdentifierStart(I)Z
java/lang/CharacterData00 isJavaIdentifierPart(I)Z
java/lang/CharacterData00 isUnicodeIdentifierStart(I)Z
java/lang/CharacterData00 isUnicodeIdentifierPart(I)Z
java/lang/CharacterData00 isIdentifierIgnorable(I)Z
java/lang/CharacterData00 toLowerCase(I)I
java/lang/CharacterData00 toUpperCase(I)I
java/lang/CharacterData00 toTitleCase(I)I
java/lang/CharacterData00 digit(II)I
java/lang/CharacterData00 getNumericValue(I)I
java/lang/CharacterData00 isWhitespace(I)Z
java/lang/CharacterData00 getDirectionality(I)B
java/lang/CharacterData00 isMirrored(I)Z
java/lang/CharacterData00 toUpperCaseEx(I)I
java/lang/CharacterData00 toUpperCaseCharArray(I)[C
java/lang/CharacterData00

```

```

    findInCharMap(I)I
java/lang/CharacterData00 <clinit>()V
class java/lang/CharacterData01 java/lang/Object
java/lang/CharacterData01 X
java/lang/CharacterData01 Y
java/lang/CharacterData01 A
java/lang/CharacterData01 A_DATA
java/lang/CharacterData01 $assertionsDisabled
java/lang/CharacterData01 <init>()V
java/lang/CharacterData01 getProperties(I)I
java/lang/CharacterData01 getType(I)I
java/lang/CharacterData01 isLowerCase(I)Z
java/lang/CharacterData01 isUpperCase(I)Z
java/lang/CharacterData01 isTitleCase(I)Z
java/lang/CharacterData01 isDigit(I)Z
java/lang/CharacterData01 isDefined(I)Z
java/lang/CharacterData01 isLetter(I)Z
java/lang/CharacterData01 isLetterOrDigit(I)Z
java/lang/CharacterData01 isSpaceChar(I)Z
java/lang/CharacterData01 isJavaIdentifierStart(I)Z
java/lang/CharacterData01 isJavaIdentifierPart(I)Z
java/lang/CharacterData01 isUnicodeIdentifierStart(I)Z
java/lang/CharacterData01 isUnicodeIdentifierPart(I)Z
java/lang/CharacterData01 isIdentifierIgnorable(I)Z
java/lang/CharacterData01
    toLowerCase(I)I
java/lang/CharacterData01 toUpperCase(I)I
java/lang/CharacterData01 toTitleCase(I)I
java/lang/CharacterData01 digit(II)I
java/lang/CharacterData01 getNumericValue(I)I
java/lang/CharacterData01 isWhitespace(I)Z
java/lang/CharacterData01 getDirectionality(I)B
java/lang/CharacterData01 isMirrored(I)Z
java/lang/CharacterData01 <clinit>()V
class java/lang/CharacterData02 java/lang/Object
java/lang/CharacterData02 X
java/lang/CharacterData02 Y
java/lang/CharacterData02 A
java/lang/CharacterData02 A_DATA
java/lang/CharacterData02 $assertionsDisabled
java/lang/CharacterData02 <init>()V
java/lang/CharacterData02 getProperties(I)I
java/lang/CharacterData02 getType(I)I
java/lang/CharacterData02 isLowerCase(I)Z
java/lang/CharacterData02 isUpperCase(I)Z
java/lang/CharacterData02 isTitleCase(I)Z
java/lang/CharacterData02 isDigit(I)Z
java/lang/CharacterData02 isDefined(I)Z

```

```

java/lang/CharacterData02 isLetter(I)Z
java/lang/CharacterData02 isLetterOrDigit(I)Z
java/lang/CharacterData02
    isSpaceChar(I)Z
java/lang/CharacterData02 isJavaIdentifierStart(I)Z
java/lang/CharacterData02 isJavaIdentifierPart(I)Z
java/lang/CharacterData02 isUnicodeIdentifierStart(I)Z
java/lang/CharacterData02 isUnicodeIdentifierPart(I)Z
java/lang/CharacterData02 isIdentifierIgnorable(I)Z
java/lang/CharacterData02 toLowerCase(I)I
java/lang/CharacterData02 toUpperCase(I)I
java/lang/CharacterData02 toTitleCase(I)I
java/lang/CharacterData02 digit(II)I
java/lang/CharacterData02 getNumericValue(I)I
java/lang/CharacterData02 isWhitespace(I)Z
java/lang/CharacterData02 getDirectionality(I)B
java/lang/CharacterData02 isMirrored(I)Z
java/lang/CharacterData02 <clinit>()V
class java/lang/CharacterData0E java/lang/Object
java/lang/CharacterData0E X
java/lang/CharacterData0E Y
java/lang/CharacterData0E A
java/lang/CharacterData0E A_DATA
java/lang/CharacterData0E $assertionsDisabled
java/lang/CharacterData0E <init>()V
java/lang/CharacterData0E getProperties(I)I
java/lang/CharacterData0E
    getType(I)I
java/lang/CharacterData0E isLowerCase(I)Z
java/lang/CharacterData0E isUpperCase(I)Z
java/lang/CharacterData0E isTitleCase(I)Z
java/lang/CharacterData0E isDigit(I)Z
java/lang/CharacterData0E isDefined(I)Z
java/lang/CharacterData0E isLetter(I)Z
java/lang/CharacterData0E isLetterOrDigit(I)Z
java/lang/CharacterData0E isSpaceChar(I)Z
java/lang/CharacterData0E isJavaIdentifierStart(I)Z
java/lang/CharacterData0E isJavaIdentifierPart(I)Z
java/lang/CharacterData0E isUnicodeIdentifierStart(I)Z
java/lang/CharacterData0E isUnicodeIdentifierPart(I)Z
java/lang/CharacterData0E isIdentifierIgnorable(I)Z
java/lang/CharacterData0E toLowerCase(I)I
java/lang/CharacterData0E toUpperCase(I)I
java/lang/CharacterData0E toTitleCase(I)I
java/lang/CharacterData0E digit(II)I
java/lang/CharacterData0E getNumericValue(I)I
java/lang/CharacterData0E isWhitespace(I)Z
java/lang/CharacterData0E getDirectionality(I)B

```

```

java/lang/CharacterData0E isMirrored(I)Z
java/lang/CharacterData0E <clinit>()V
class
  java/lang/CharacterDataPrivateUse java/lang/Object
java/lang/CharacterDataPrivateUse <init>()V
java/lang/CharacterDataPrivateUse getProperties(I)I
java/lang/CharacterDataPrivateUse getType(I)I
java/lang/CharacterDataPrivateUse isLowerCase(I)Z
java/lang/CharacterDataPrivateUse isUpperCase(I)Z
java/lang/CharacterDataPrivateUse isTitleCase(I)Z
java/lang/CharacterDataPrivateUse isDigit(I)Z
java/lang/CharacterDataPrivateUse isDefined(I)Z
java/lang/CharacterDataPrivateUse isLetter(I)Z
java/lang/CharacterDataPrivateUse isLetterOrDigit(I)Z
java/lang/CharacterDataPrivateUse isSpaceChar(I)Z
java/lang/CharacterDataPrivateUse isJavaIdentifierStart(I)Z
java/lang/CharacterDataPrivateUse isJavaIdentifierPart(I)Z
java/lang/CharacterDataPrivateUse isUnicodeIdentifierStart(I)Z
java/lang/CharacterDataPrivateUse isUnicodeIdentifierPart(I)Z
java/lang/CharacterDataPrivateUse isIdentifierIgnorable(I)Z
java/lang/CharacterDataPrivateUse toLowerCase(I)I
java/lang/CharacterDataPrivateUse toUpperCase(I)I
java/lang/CharacterDataPrivateUse
  toTitleCase(I)I
java/lang/CharacterDataPrivateUse digit(II)I
java/lang/CharacterDataPrivateUse getNumericValue(I)I
java/lang/CharacterDataPrivateUse isWhitespace(I)Z
java/lang/CharacterDataPrivateUse getDirectionality(I)B
java/lang/CharacterDataPrivateUse isMirrored(I)Z
class java/lang/CharacterDataUndefined java/lang/Object
java/lang/CharacterDataUndefined <init>()V
java/lang/CharacterDataUndefined getProperties(I)I
java/lang/CharacterDataUndefined getType(I)I
java/lang/CharacterDataUndefined isLowerCase(I)Z
java/lang/CharacterDataUndefined isUpperCase(I)Z
java/lang/CharacterDataUndefined isTitleCase(I)Z
java/lang/CharacterDataUndefined isDigit(I)Z
java/lang/CharacterDataUndefined isDefined(I)Z
java/lang/CharacterDataUndefined isLetter(I)Z
java/lang/CharacterDataUndefined isLetterOrDigit(I)Z
java/lang/CharacterDataUndefined isSpaceChar(I)Z
java/lang/CharacterDataUndefined isJavaIdentifierStart(I)Z
java/lang/CharacterDataUndefined isJavaIdentifierPart(I)Z
java/lang/CharacterDataUndefined
  isUnicodeIdentifierStart(I)Z
java/lang/CharacterDataUndefined isUnicodeIdentifierPart(I)Z
java/lang/CharacterDataUndefined isIdentifierIgnorable(I)Z
java/lang/CharacterDataUndefined toLowerCase(I)I

```



```

java/lang/CharacterDataUndefined toUpperCase(I)I
java/lang/CharacterDataUndefined toTitleCase(I)I
java/lang/CharacterDataUndefined digit(II)I
java/lang/CharacterDataUndefined getNumericValue(I)I
java/lang/CharacterDataUndefined isWhitespace(I)Z
java/lang/CharacterDataUndefined getDirectionality(I)B
java/lang/CharacterDataUndefined isMirrored(I)Z
class java/lang/Class$2 java/lang/Object
java/lang/Class$2 this$0
java/lang/Class$2 <init>(Ljava/lang/Class;)V
java/lang/Class$2 run()Ljava/lang/Object;
class java/lang/Class$4 java/lang/Object
java/lang/Class$4 val$values
java/lang/Class$4 this$0
java/lang/Class$4 <init>(Ljava/lang/Class;Ljava/lang/reflect/Method;)V
java/lang/Class$4 run()Ljava/lang/Object;
class java/lang/Class$EnclosingMethodInfo java/lang/Object
java/lang/Class$EnclosingMethodInfo
    enclosingClass
java/lang/Class$EnclosingMethodInfo name
java/lang/Class$EnclosingMethodInfo descriptor
java/lang/Class$EnclosingMethodInfo $assertionsDisabled
java/lang/Class$EnclosingMethodInfo <init>([Ljava/lang/Object;)V
java/lang/Class$EnclosingMethodInfo isPartial()Z
java/lang/Class$EnclosingMethodInfo isConstructor()Z
java/lang/Class$EnclosingMethodInfo isMethod()Z
java/lang/Class$EnclosingMethodInfo getEnclosingClass()Ljava/lang/Class;
java/lang/Class$EnclosingMethodInfo getName()Ljava/lang/String;
java/lang/Class$EnclosingMethodInfo getDescriptor()Ljava/lang/String;
java/lang/Class$EnclosingMethodInfo <init>([Ljava/lang/Object;Ljava/lang/Class$1;)V
java/lang/Class$EnclosingMethodInfo <clinit>()V
class java/lang/ClassCircularityError java/lang/LinkageError
java/lang/ClassCircularityError <init>()V
java/lang/ClassCircularityError <init>(Ljava/lang/String;)V
class java/lang/ConditionalSpecialCasing$Entry java/lang/Object
java/lang/ConditionalSpecialCasing$Entry
    ch
java/lang/ConditionalSpecialCasing$Entry lower
java/lang/ConditionalSpecialCasing$Entry upper
java/lang/ConditionalSpecialCasing$Entry lang
java/lang/ConditionalSpecialCasing$Entry condition
java/lang/ConditionalSpecialCasing$Entry <init>([C[CLjava/lang/String;)V
java/lang/ConditionalSpecialCasing$Entry getCodePoint()I
java/lang/ConditionalSpecialCasing$Entry getLowerCase()[C
java/lang/ConditionalSpecialCasing$Entry getUpperCase()[C
java/lang/ConditionalSpecialCasing$Entry getLanguage()Ljava/lang/String;
java/lang/ConditionalSpecialCasing$Entry getCondition()I
class java/lang/ConditionalSpecialCasing java/lang/Object

```

```

java/lang/ConditionalSpecialCasing FINAL_CASED
java/lang/ConditionalSpecialCasing AFTER_SOFT_DOTTED
java/lang/ConditionalSpecialCasing MORE_ABOVE
java/lang/ConditionalSpecialCasing AFTER_I
java/lang/ConditionalSpecialCasing NOT_BEFORE_DOT
java/lang/ConditionalSpecialCasing COMBINING_CLASS_ABOVE
java/lang/ConditionalSpecialCasing entry
java/lang/ConditionalSpecialCasing
    entryTable
java/lang/ConditionalSpecialCasing <init>()V
java/lang/ConditionalSpecialCasing toLowerCaseEx(Ljava/lang/String;ILjava/util/Locale;)I
java/lang/ConditionalSpecialCasing toUpperCaseEx(Ljava/lang/String;ILjava/util/Locale;)I
java/lang/ConditionalSpecialCasing toLowerCaseCharArray(Ljava/lang/String;ILjava/util/Locale;)[C
java/lang/ConditionalSpecialCasing toUpperCaseCharArray(Ljava/lang/String;ILjava/util/Locale;)[C
java/lang/ConditionalSpecialCasing lookUpTable(Ljava/lang/String;ILjava/util/Locale;Z)[C
java/lang/ConditionalSpecialCasing isConditionMet(Ljava/lang/String;ILjava/util/Locale;I)Z
java/lang/ConditionalSpecialCasing isFinalCased(Ljava/lang/String;ILjava/util/Locale;)Z
java/lang/ConditionalSpecialCasing isAfterI(Ljava/lang/String;I)Z
java/lang/ConditionalSpecialCasing isAfterSoftDotted(Ljava/lang/String;I)Z
java/lang/ConditionalSpecialCasing isMoreAbove(Ljava/lang/String;I)Z
java/lang/ConditionalSpecialCasing isBeforeDot(Ljava/lang/String;I)Z
java/lang/ConditionalSpecialCasing
    isCased(I)Z
java/lang/ConditionalSpecialCasing isSoftDotted(I)Z
java/lang/ConditionalSpecialCasing <clinit>()V
class java/lang/Deprecated java/lang/Object
class java/lang/EnumConstantNotPresentException java/lang/RuntimeException
java/lang/EnumConstantNotPresentException enumType
java/lang/EnumConstantNotPresentException constantName
java/lang/EnumConstantNotPresentException <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/lang/EnumConstantNotPresentException enumType()Ljava/lang/Class;
java/lang/EnumConstantNotPresentException constantName()Ljava/lang/String;
class java/lang/IllegalMonitorStateException java/lang/RuntimeException
java/lang/IllegalMonitorStateException <init>()V
java/lang/IllegalMonitorStateException <init>(Ljava/lang/String;)V
class java/lang/InstantiationError java/lang/IncompatibleClassChangeError
java/lang/InstantiationError <init>()V
java/lang/InstantiationError <init>(Ljava/lang/String;)V
class java/lang/Long$LongCache java/lang/Object
java/lang/Long$LongCache
    cache
java/lang/Long$LongCache <init>()V
java/lang/Long$LongCache <clinit>()V
class java/lang/NegativeArraySizeException java/lang/RuntimeException
java/lang/NegativeArraySizeException <init>()V
java/lang/NegativeArraySizeException <init>(Ljava/lang/String;)V
class java/lang/NoSuchFieldError java/lang/IncompatibleClassChangeError
java/lang/NoSuchFieldError <init>()V

```

```

java/lang/NoSuchFieldError <init>(Ljava/lang/String;)V
class java/lang/Override java/lang/Object
class java/lang/Package$1 java/lang/Object
java/lang/Package$1 val$name
java/lang/Package$1 val$fn
java/lang/Package$1 <init>(Ljava/lang/String;Ljava/lang/String;)V
java/lang/Package$1 run()Ljava/lang/Object;
class java/lang/Package$1PackageInfoProxy java/lang/Object
java/lang/Package$1PackageInfoProxy this$0
java/lang/Package$1PackageInfoProxy <init>(Ljava/lang/Package;)V
class java/lang/ProcessBuilder java/lang/Object
java/lang/ProcessBuilder command
java/lang/ProcessBuilder directory
java/lang/ProcessBuilder
    environment
java/lang/ProcessBuilder redirectErrorStream
java/lang/ProcessBuilder $assertionsDisabled
java/lang/ProcessBuilder <init>(Ljava/util/List;)V
java/lang/ProcessBuilder <init>([Ljava/lang/String;)V
java/lang/ProcessBuilder command(Ljava/util/List;)Ljava/lang/ProcessBuilder;
java/lang/ProcessBuilder command([Ljava/lang/String;)Ljava/lang/ProcessBuilder;
java/lang/ProcessBuilder command(Ljava/util/List;
java/lang/ProcessBuilder environment()Ljava/util/Map;
java/lang/ProcessBuilder environment([Ljava/lang/String;)Ljava/lang/ProcessBuilder;
java/lang/ProcessBuilder directory()Ljava/io/File;
java/lang/ProcessBuilder directory(Ljava/io/File;)Ljava/lang/ProcessBuilder;
java/lang/ProcessBuilder redirectErrorStream()Z
java/lang/ProcessBuilder redirectErrorStream(Z)Ljava/lang/ProcessBuilder;
java/lang/ProcessBuilder start()Ljava/lang/Process;
java/lang/ProcessBuilder <clinit>()V
class java/lang/ProcessEnvironment$1 java/lang/Object
class java/lang/ProcessEnvironment$CheckedEntry
    java/lang/Object
java/lang/ProcessEnvironment$CheckedEntry e
java/lang/ProcessEnvironment$CheckedEntry <init>(Ljava/util/Map$Entry;)V
java/lang/ProcessEnvironment$CheckedEntry getKey()Ljava/lang/String;
java/lang/ProcessEnvironment$CheckedEntry getValue()Ljava/lang/String;
java/lang/ProcessEnvironment$CheckedEntry setValue(Ljava/lang/String;)Ljava/lang/String;
java/lang/ProcessEnvironment$CheckedEntry toString()Ljava/lang/String;
java/lang/ProcessEnvironment$CheckedEntry equals(Ljava/lang/Object;)Z
java/lang/ProcessEnvironment$CheckedEntry hashCode()I
java/lang/ProcessEnvironment$CheckedEntry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/ProcessEnvironment$CheckedEntry getValue()Ljava/lang/Object;
java/lang/ProcessEnvironment$CheckedEntry getKey()Ljava/lang/Object;
class java/lang/ProcessEnvironment$CheckedEntrySet$1 java/lang/Object
java/lang/ProcessEnvironment$CheckedEntrySet$1 i
java/lang/ProcessEnvironment$CheckedEntrySet$1 this$0
java/lang/ProcessEnvironment$CheckedEntrySet$1

```

```

<init>(Ljava/lang/ProcessEnvironment$CheckedEntrySet;)V
java/lang/ProcessEnvironment$CheckedEntrySet$1 hasNext()Z
java/lang/ProcessEnvironment$CheckedEntrySet$1 next()Ljava/util/Map$Entry;
java/lang/ProcessEnvironment$CheckedEntrySet$1 remove()V
java/lang/ProcessEnvironment$CheckedEntrySet$1 next()Ljava/lang/Object;
class java/lang/ProcessEnvironment$CheckedEntrySet java/util/AbstractSet
java/lang/ProcessEnvironment$CheckedEntrySet s
java/lang/ProcessEnvironment$CheckedEntrySet <init>(Ljava/util/Set;)V
java/lang/ProcessEnvironment$CheckedEntrySet size()I
java/lang/ProcessEnvironment$CheckedEntrySet isEmpty()Z
java/lang/ProcessEnvironment$CheckedEntrySet clear()V
java/lang/ProcessEnvironment$CheckedEntrySet iterator()Ljava/util/Iterator;
java/lang/ProcessEnvironment$CheckedEntrySet checkedEntry(Ljava/lang/Object;)Ljava/util/Map$Entry;
java/lang/ProcessEnvironment$CheckedEntrySet contains(Ljava/lang/Object;)Z
java/lang/ProcessEnvironment$CheckedEntrySet remove(Ljava/lang/Object;)Z
java/lang/ProcessEnvironment$CheckedEntrySet
    access$100(Ljava/lang/ProcessEnvironment$CheckedEntrySet;)Ljava/util/Set;
class java/lang/ProcessEnvironment$CheckedKeySet java/util/AbstractSet
java/lang/ProcessEnvironment$CheckedKeySet s
java/lang/ProcessEnvironment$CheckedKeySet <init>(Ljava/util/Set;)V
java/lang/ProcessEnvironment$CheckedKeySet size()I
java/lang/ProcessEnvironment$CheckedKeySet isEmpty()Z
java/lang/ProcessEnvironment$CheckedKeySet clear()V
java/lang/ProcessEnvironment$CheckedKeySet iterator()Ljava/util/Iterator;
java/lang/ProcessEnvironment$CheckedKeySet contains(Ljava/lang/Object;)Z
java/lang/ProcessEnvironment$CheckedKeySet remove(Ljava/lang/Object;)Z
class java/lang/ProcessEnvironment$CheckedValues java/util/AbstractCollection
java/lang/ProcessEnvironment$CheckedValues c
java/lang/ProcessEnvironment$CheckedValues <init>(Ljava/util/Collection;)V
java/lang/ProcessEnvironment$CheckedValues size()I
java/lang/ProcessEnvironment$CheckedValues isEmpty()Z
java/lang/ProcessEnvironment$CheckedValues
    clear()V
java/lang/ProcessEnvironment$CheckedValues iterator()Ljava/util/Iterator;
java/lang/ProcessEnvironment$CheckedValues contains(Ljava/lang/Object;)Z
java/lang/ProcessEnvironment$CheckedValues remove(Ljava/lang/Object;)Z
class java/lang/ProcessEnvironment$EntryComparator java/lang/Object
java/lang/ProcessEnvironment$EntryComparator <init>()V
java/lang/ProcessEnvironment$EntryComparator compare(Ljava/util/Map$Entry;Ljava/util/Map$Entry;)I
java/lang/ProcessEnvironment$EntryComparator compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/lang/ProcessEnvironment$EntryComparator <init>(Ljava/lang/ProcessEnvironment$1;)V
class java/lang/ProcessEnvironment$NameComparator java/lang/Object
java/lang/ProcessEnvironment$NameComparator <init>()V
java/lang/ProcessEnvironment$NameComparator compare(Ljava/lang/String;Ljava/lang/String;)I
java/lang/ProcessEnvironment$NameComparator compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/lang/ProcessEnvironment$NameComparator
    <init>(Ljava/lang/ProcessEnvironment$1;)V
class java/lang/ProcessEnvironment java/util/HashMap

```

```

java/lang/ProcessEnvironment MIN_NAME_LENGTH
java/lang/ProcessEnvironment nameComparator
java/lang/ProcessEnvironment entryComparator
java/lang/ProcessEnvironment theEnvironment
java/lang/ProcessEnvironment theUnmodifiableEnvironment
java/lang/ProcessEnvironment theCaseInsensitiveEnvironment
java/lang/ProcessEnvironment validateName(Ljava/lang/String;)Ljava/lang/String;
java/lang/ProcessEnvironment validateValue(Ljava/lang/String;)Ljava/lang/String;
java/lang/ProcessEnvironment nonNullString(Ljava/lang/Object;)Ljava/lang/String;
java/lang/ProcessEnvironment put(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/lang/ProcessEnvironment get(Ljava/lang/Object;)Ljava/lang/String;
java/lang/ProcessEnvironment containsKey(Ljava/lang/Object;)Z
java/lang/ProcessEnvironment containsValue(Ljava/lang/Object;)Z
java/lang/ProcessEnvironment remove(Ljava/lang/Object;)Ljava/lang/String;
java/lang/ProcessEnvironment
    keySet()Ljava/util/Set;
java/lang/ProcessEnvironment values()Ljava/util/Collection;
java/lang/ProcessEnvironment entrySet()Ljava/util/Set;
java/lang/ProcessEnvironment <init>()V
java/lang/ProcessEnvironment <init>(I)V
java/lang/ProcessEnvironment getenv(Ljava/lang/String;)Ljava/lang/String;
java/lang/ProcessEnvironment getenv()Ljava/util/Map;
java/lang/ProcessEnvironment environment()Ljava/util/Map;
java/lang/ProcessEnvironment emptyEnvironment(I)Ljava/util/Map;
java/lang/ProcessEnvironment environmentBlock()Ljava/lang/String;
java/lang/ProcessEnvironment toEnvironmentBlock(Ljava/lang/String;
java/lang/ProcessEnvironment toEnvironmentBlock(Ljava/util/Map;)Ljava/lang/String;
java/lang/ProcessEnvironment remove(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/ProcessEnvironment put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/lang/ProcessEnvironment get(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/ProcessEnvironment access$000(Ljava/lang/String;)Ljava/lang/String;
java/lang/ProcessEnvironment
    access$200(Ljava/lang/Object;)Ljava/lang/String;
java/lang/ProcessEnvironment access$300(Ljava/lang/ProcessEnvironment$NameComparator;
java/lang/ProcessEnvironment <clinit>()V
class java/lang/ProcessImpl$1 java/lang/Object
java/lang/ProcessImpl$1 this$0
java/lang/ProcessImpl$1 <init>(Ljava/lang/ProcessImpl;)V
java/lang/ProcessImpl$1 run()Ljava/lang/Object;
class java/lang/ProcessImpl java/lang/Process
java/lang/ProcessImpl handle
java/lang/ProcessImpl stdin_fd
java/lang/ProcessImpl stdout_fd
java/lang/ProcessImpl stderr_fd
java/lang/ProcessImpl stdin_stream
java/lang/ProcessImpl stdout_stream
java/lang/ProcessImpl stderr_stream
java/lang/ProcessImpl start([Ljava/lang/String;Ljava/util/Map;Ljava/lang/String;Z)Ljava/lang/Process;

```

```

java/lang/ProcessImpl <init>([Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Z)V
java/lang/ProcessImpl getOutputStream()Ljava/io/OutputStream;
java/lang/ProcessImpl getInputStream()Ljava/io/InputStream;
java/lang/ProcessImpl
    getErrorStream()Ljava/io/InputStream;
java/lang/ProcessImpl finalize()V
java/lang/ProcessImpl exitValue()I
java/lang/ProcessImpl wait()I
java/lang/ProcessImpl destroy()V
java/lang/ProcessImpl
    create(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;ZLjava/io/FileDescriptor;Ljava/io/FileDescriptor;Ljava
        /io/FileDescriptor;)J
java/lang/ProcessImpl close()V
java/lang/ProcessImpl access$002(Ljava/lang/ProcessImpl;Ljava/io/OutputStream;)Ljava/io/OutputStream;
java/lang/ProcessImpl access$100(Ljava/lang/ProcessImpl;)Ljava/io/FileDescriptor;
java/lang/ProcessImpl access$202(Ljava/lang/ProcessImpl;Ljava/io/InputStream;)Ljava/io/InputStream;
java/lang/ProcessImpl access$300(Ljava/lang/ProcessImpl;)Ljava/io/FileDescriptor;
java/lang/ProcessImpl access$402(Ljava/lang/ProcessImpl;Ljava/io/InputStream;)Ljava/io/InputStream;
java/lang/ProcessImpl access$500(Ljava/lang/ProcessImpl;)Ljava/io/FileDescriptor;
class java/lang/SecurityManager$2 java/lang/Object
java/lang/SecurityManager$2
    this$0
java/lang/SecurityManager$2 <init>(Ljava/lang/SecurityManager;)V
java/lang/SecurityManager$2 run()Ljava/lang/Object;
class java/lang/Shutdown$1 java/lang/Object
class java/lang/String$1 java/lang/Object
class java/lang/StringCoding$1 java/lang/Object
class java/lang/StringCoding$ConverterSD java/lang/StringCoding$StringDecoder
java/lang/StringCoding$ConverterSD btc
java/lang/StringCoding$ConverterSD <init>(Lsun/io/ByteToCharConverter;Ljava/lang/String;)V
java/lang/StringCoding$ConverterSD charsetName()Ljava/lang/String;
java/lang/StringCoding$ConverterSD decode([BII)[C
java/lang/StringCoding$ConverterSD
    <init>(Lsun/io/ByteToCharConverter;Ljava/lang/String;Ljava/lang/StringCoding$1;)V
class java/lang/StringCoding$ConverterSE java/lang/StringCoding$StringEncoder
java/lang/StringCoding$ConverterSE ctb
java/lang/StringCoding$ConverterSE <init>(Lsun/io/CharToByteConverter;Ljava/lang/String;)V
java/lang/StringCoding$ConverterSE charsetName()Ljava/lang/String;
java/lang/StringCoding$ConverterSE
    encode([CII)[B
java/lang/StringCoding$ConverterSE
    <init>(Lsun/io/CharToByteConverter;Ljava/lang/String;Ljava/lang/StringCoding$1;)V
class java/lang/SuppressWarnings java/lang/Object
java/lang/SuppressWarnings value()Ljava/lang/String;
class java/lang/ThreadLocal$1 java/lang/Object
class java/lang/TypeNotPresentException java/lang/RuntimeException
java/lang/TypeNotPresentException typeName
java/lang/TypeNotPresentException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V

```

```

java/lang/TypeNotPresentException typeName()Ljava/lang/String;
class java/lang/UnknownError java/lang/VirtualMachineError
java/lang/UnknownError <init>()V
java/lang/UnknownError <init>(Ljava/lang/String;)V
class java/lang/UnsupportedClassVersionError java/lang/ClassFormatError
java/lang/UnsupportedClassVersionError <init>()V
java/lang/UnsupportedClassVersionError <init>(Ljava/lang/String;)V
class java/lang/VerifyError java/lang/LinkageError
java/lang/VerifyError <init>()V
java/lang/VerifyError <init>(Ljava/lang/String;)V
class
  java/lang/annotation/AnnotationFormatError java/lang/Error
java/lang/annotation/AnnotationFormatError <init>(Ljava/lang/String;)V
java/lang/annotation/AnnotationFormatError <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/annotation/AnnotationFormatError <init>(Ljava/lang/Throwable;)V
class java/lang/annotation/AnnotationTypeMismatchException java/lang/RuntimeException
java/lang/annotation/AnnotationTypeMismatchException element
java/lang/annotation/AnnotationTypeMismatchException foundType
java/lang/annotation/AnnotationTypeMismatchException <init>(Ljava/lang/reflect/Method;Ljava/lang/String;)V
java/lang/annotation/AnnotationTypeMismatchException element()Ljava/lang/reflect/Method;
java/lang/annotation/AnnotationTypeMismatchException foundType()Ljava/lang/String;
class java/lang/annotation/Documented java/lang/Object
class java/lang/annotation/ElementType java/lang/Enum
java/lang/annotation/ElementType TYPE
java/lang/annotation/ElementType FIELD
java/lang/annotation/ElementType
  METHOD
java/lang/annotation/ElementType PARAMETER
java/lang/annotation/ElementType CONSTRUCTOR
java/lang/annotation/ElementType LOCAL_VARIABLE
java/lang/annotation/ElementType ANNOTATION_TYPE
java/lang/annotation/ElementType PACKAGE
java/lang/annotation/ElementType $VALUES
java/lang/annotation/ElementType values()[Ljava/lang/annotation/ElementType;
java/lang/annotation/ElementType valueOf(Ljava/lang/String;)Ljava/lang/annotation/ElementType;
java/lang/annotation/ElementType <init>(Ljava/lang/String;I)V
java/lang/annotation/ElementType <clinit>()V
class java/lang/annotation/IncompleteAnnotationException java/lang/RuntimeException
java/lang/annotation/IncompleteAnnotationException annotationType
java/lang/annotation/IncompleteAnnotationException elementName
java/lang/annotation/IncompleteAnnotationException <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/lang/annotation/IncompleteAnnotationException annotationType()Ljava/lang/Class;
java/lang/annotation/IncompleteAnnotationException
  elementName()Ljava/lang/String;
class java/lang/annotation/Inherited java/lang/Object
class java/lang/annotation/Retention java/lang/Object
java/lang/annotation/Retention value()Ljava/lang/annotation/RetentionPolicy;
class java/lang/annotation/RetentionPolicy java/lang/Enum

```

```

java/lang/annotation/RetentionPolicy SOURCE
java/lang/annotation/RetentionPolicy CLASS
java/lang/annotation/RetentionPolicy RUNTIME
java/lang/annotation/RetentionPolicy $VALUES
java/lang/annotation/RetentionPolicy values()[Ljava/lang/annotation/RetentionPolicy;
java/lang/annotation/RetentionPolicy valueOf(Ljava/lang/String;)Ljava/lang/annotation/RetentionPolicy;
java/lang/annotation/RetentionPolicy <init>(Ljava/lang/String;I)V
java/lang/annotation/RetentionPolicy <clinit>()V
class java/lang/annotation/Target java/lang/Object
java/lang/annotation/Target value()[Ljava/lang/annotation/ElementType;
class java/lang/instrument/ClassDefinition java/lang/Object
java/lang/instrument/ClassDefinition
    mClass
java/lang/instrument/ClassDefinition mClassFile
java/lang/instrument/ClassDefinition <init>(Ljava/lang/Class;[B)V
java/lang/instrument/ClassDefinition getDefinitionClass()Ljava/lang/Class;
java/lang/instrument/ClassDefinition getDefinitionClassFile()[B
class java/lang/instrument/ClassFileTransformer java/lang/Object
java/lang/instrument/ClassFileTransformer
    transform(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/lang/Class;Ljava/security/ProtectionDomain;[B)[B
class java/lang/instrument/IllegalClassFormatException java/lang/Exception
java/lang/instrument/IllegalClassFormatException <init>()V
java/lang/instrument/IllegalClassFormatException <init>(Ljava/lang/String;)V
class java/lang/instrument/Instrumentation java/lang/Object
java/lang/instrument/Instrumentation addTransformer(Ljava/lang/instrument/ClassFileTransformer;)V
java/lang/instrument/Instrumentation removeTransformer(Ljava/lang/instrument/ClassFileTransformer;)Z
java/lang/instrument/Instrumentation isRedefineClassesSupported()Z
java/lang/instrument/Instrumentation
    redefineClasses([Ljava/lang/instrument/ClassDefinition;)V
java/lang/instrument/Instrumentation getAllLoadedClasses()[Ljava/lang/Class;
java/lang/instrument/Instrumentation getInitiatedClasses(Ljava/lang/ClassLoader;)[Ljava/lang/Class;
java/lang/instrument/Instrumentation getObjectSize(Ljava/lang/Object;)J
class java/lang/instrument/UnmodifiableClassException java/lang/Exception
java/lang/instrument/UnmodifiableClassException <init>()V
java/lang/instrument/UnmodifiableClassException <init>(Ljava/lang/String;)V
class java/lang/management/ClassLoadingMXBean java/lang/Object
java/lang/management/ClassLoadingMXBean getTotalLoadedClassCount()J
java/lang/management/ClassLoadingMXBean getLoadedClassCount()I
java/lang/management/ClassLoadingMXBean getUnloadedClassCount()J
java/lang/management/ClassLoadingMXBean isVerbose()Z
java/lang/management/ClassLoadingMXBean setVerbose(Z)V
class java/lang/management/CompilationMXBean java/lang/Object
java/lang/management/CompilationMXBean
    getName()Ljava/lang/String;
java/lang/management/CompilationMXBean isCompilationTimeMonitoringSupported()Z
java/lang/management/CompilationMXBean getTotalCompilationTime()J
class java/lang/management/GarbageCollectorMXBean java/lang/Object
java/lang/management/GarbageCollectorMXBean getCollectionCount()J

```



```

java/lang/management/GarbageCollectorMXBean getCollectionTime(J
class java/lang/management/ManagementFactory$1 java/lang/Object
java/lang/management/ManagementFactory$1 val$interfaceClass
java/lang/management/ManagementFactory$1 <init>(Ljava/lang/Class;)V
java/lang/management/ManagementFactory$1 run()Ljava/lang/Object;
class java/lang/management/ManagementFactory java/lang/Object
java/lang/management/ManagementFactory CLASS_LOADING_MXBEAN_NAME
java/lang/management/ManagementFactory COMPILATION_MXBEAN_NAME
java/lang/management/ManagementFactory MEMORY_MXBEAN_NAME
java/lang/management/ManagementFactory OPERATING_SYSTEM_MXBEAN_NAME
java/lang/management/ManagementFactory
    RUNTIME_MXBEAN_NAME
java/lang/management/ManagementFactory THREAD_MXBEAN_NAME
java/lang/management/ManagementFactory GARBAGE_COLLECTOR_MXBEAN_DOMAIN_TYPE
java/lang/management/ManagementFactory MEMORY_MANAGER_MXBEAN_DOMAIN_TYPE
java/lang/management/ManagementFactory MEMORY_POOL_MXBEAN_DOMAIN_TYPE
java/lang/management/ManagementFactory platformMBeanServer
java/lang/management/ManagementFactory NOTIF_EMITTER
java/lang/management/ManagementFactory <init>()V
java/lang/management/ManagementFactory
    getClassLoadingMXBean()Ljava/lang/management/ClassLoadingMXBean;
java/lang/management/ManagementFactory getMemoryMXBean()Ljava/lang/management/MemoryMXBean;
java/lang/management/ManagementFactory getThreadMXBean()Ljava/lang/management/ThreadMXBean;
java/lang/management/ManagementFactory getRuntimeMXBean()Ljava/lang/management/RuntimeMXBean;
java/lang/management/ManagementFactory
    getCompilationMXBean()Ljava/lang/management/CompilationMXBean;
java/lang/management/ManagementFactory
    getOperatingSystemMXBean()Ljava/lang/management/OperatingSystemMXBean;
java/lang/management/ManagementFactory getMemoryPoolMXBeans()Ljava/util/List;
java/lang/management/ManagementFactory getMemoryManagerMXBeans()Ljava/util/List;
java/lang/management/ManagementFactory getGarbageCollectorMXBeans()Ljava/util/List;
java/lang/management/ManagementFactory getPlatformMBeanServer()Ljavax/management/MBeanServer;
java/lang/management/ManagementFactory
    newPlatformMXBeanProxy(Ljavax/management/MBeanServerConnection;Ljava/lang/String;Ljava/lang/Class;)Lja
    va/lang/Object;
class java/lang/management/ManagementPermission java/security/BasicPermission
java/lang/management/ManagementPermission <init>(Ljava/lang/String;)V
java/lang/management/ManagementPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/lang/management/MemoryMXBean java/lang/Object
java/lang/management/MemoryMXBean getObjectPendingFinalizationCount()I
java/lang/management/MemoryMXBean getHeapMemoryUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryMXBean
    getNonHeapMemoryUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryMXBean isVerbose()Z
java/lang/management/MemoryMXBean setVerbose(Z)V
java/lang/management/MemoryMXBean gc()V
class java/lang/management/MemoryManagerMXBean java/lang/Object
java/lang/management/MemoryManagerMXBean getName()Ljava/lang/String;

```

```

java/lang/management/MemoryManagerMXBean isValid()Z
java/lang/management/MemoryManagerMXBean getMemoryPoolNames()[Ljava/lang/String;
class java/lang/management/MemoryNotificationInfo java/lang/Object
java/lang/management/MemoryNotificationInfo poolName
java/lang/management/MemoryNotificationInfo usage
java/lang/management/MemoryNotificationInfo count
java/lang/management/MemoryNotificationInfo MEMORY_THRESHOLD_EXCEEDED
java/lang/management/MemoryNotificationInfo MEMORY_COLLECTION_THRESHOLD_EXCEEDED
java/lang/management/MemoryNotificationInfo
<init>(Ljava/lang/String;Ljava/lang/management/MemoryUsage;J)V
java/lang/management/MemoryNotificationInfo
<init>(Ljava/management/openmbean/CompositeData;)V
java/lang/management/MemoryNotificationInfo getPoolName()Ljava/lang/String;
java/lang/management/MemoryNotificationInfo getUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryNotificationInfo getCount()J
java/lang/management/MemoryNotificationInfo
from(Ljava/management/openmbean/CompositeData;)Ljava/lang/management/MemoryNotificationInfo;
class java/lang/management/MemoryPoolMXBean java/lang/Object
java/lang/management/MemoryPoolMXBean getName()Ljava/lang/String;
java/lang/management/MemoryPoolMXBean getType()Ljava/lang/management/MemoryType;
java/lang/management/MemoryPoolMXBean getUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryPoolMXBean getPeakUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryPoolMXBean resetPeakUsage()V
java/lang/management/MemoryPoolMXBean isValid()Z
java/lang/management/MemoryPoolMXBean getMemoryManagerNames()[Ljava/lang/String;
java/lang/management/MemoryPoolMXBean
getUsageThreshold()J
java/lang/management/MemoryPoolMXBean setUsageThreshold(J)V
java/lang/management/MemoryPoolMXBean isUsageThresholdExceeded()Z
java/lang/management/MemoryPoolMXBean getUsageThresholdCount()J
java/lang/management/MemoryPoolMXBean isUsageThresholdSupported()Z
java/lang/management/MemoryPoolMXBean getCollectionUsageThreshold()J
java/lang/management/MemoryPoolMXBean setCollectionUsageThreshold(J)V
java/lang/management/MemoryPoolMXBean isCollectionUsageThresholdExceeded()Z
java/lang/management/MemoryPoolMXBean getCollectionUsageThresholdCount()J
java/lang/management/MemoryPoolMXBean getCollectionUsage()Ljava/lang/management/MemoryUsage;
java/lang/management/MemoryPoolMXBean isCollectionUsageThresholdSupported()Z
class java/lang/management/MemoryType java/lang/Enum
java/lang/management/MemoryType HEAP
java/lang/management/MemoryType NON_HEAP
java/lang/management/MemoryType description
java/lang/management/MemoryType serialVersionUID
java/lang/management/MemoryType
$VALUES
java/lang/management/MemoryType values()[Ljava/lang/management/MemoryType;
java/lang/management/MemoryType valueOf(Ljava/lang/String;)Ljava/lang/management/MemoryType;
java/lang/management/MemoryType <init>(Ljava/lang/String;ILjava/lang/String;)V
java/lang/management/MemoryType toString()Ljava/lang/String;

```

```

java/lang/management/MemoryType <clinit>()V
class java/lang/management/OperatingSystemMXBean java/lang/Object
java/lang/management/OperatingSystemMXBean getName()Ljava/lang/String;
java/lang/management/OperatingSystemMXBean getArch()Ljava/lang/String;
java/lang/management/OperatingSystemMXBean getVersion()Ljava/lang/String;
java/lang/management/OperatingSystemMXBean getAvailableProcessors()I
class java/lang/management/RuntimeMXBean java/lang/Object
java/lang/management/RuntimeMXBean getName()Ljava/lang/String;
java/lang/management/RuntimeMXBean getVmName()Ljava/lang/String;
java/lang/management/RuntimeMXBean getVmVendor()Ljava/lang/String;
java/lang/management/RuntimeMXBean
    getVmVersion()Ljava/lang/String;
java/lang/management/RuntimeMXBean getSpecName()Ljava/lang/String;
java/lang/management/RuntimeMXBean getSpecVendor()Ljava/lang/String;
java/lang/management/RuntimeMXBean getSpecVersion()Ljava/lang/String;
java/lang/management/RuntimeMXBean getManagementSpecVersion()Ljava/lang/String;
java/lang/management/RuntimeMXBean getClassPath()Ljava/lang/String;
java/lang/management/RuntimeMXBean getLibraryPath()Ljava/lang/String;
java/lang/management/RuntimeMXBean isBootClassPathSupported()Z
java/lang/management/RuntimeMXBean getBootClassPath()Ljava/lang/String;
java/lang/management/RuntimeMXBean getInputArguments()Ljava/util/List;
java/lang/management/RuntimeMXBean getUptime()J
java/lang/management/RuntimeMXBean getStartTime()J
java/lang/management/RuntimeMXBean getSystemProperties()Ljava/util/Map;
class java/lang/management/ThreadInfo java/lang/Object
java/lang/management/ThreadInfo threadName
java/lang/management/ThreadInfo
    threadId
java/lang/management/ThreadInfo blockedTime
java/lang/management/ThreadInfo blockedCount
java/lang/management/ThreadInfo waitedTime
java/lang/management/ThreadInfo waitedCount
java/lang/management/ThreadInfo lockName
java/lang/management/ThreadInfo lockOwnerId
java/lang/management/ThreadInfo lockOwnerName
java/lang/management/ThreadInfo inNative
java/lang/management/ThreadInfo suspended
java/lang/management/ThreadInfo threadState
java/lang/management/ThreadInfo stackTrace
java/lang/management/ThreadInfo NO_STACK_TRACE
java/lang/management/ThreadInfo
    <init>(Ljava/lang/Thread;ILjava/lang/Object;Ljava/lang/Thread;JJJ[Ljava/lang/StackTraceElement;)V
java/lang/management/ThreadInfo <init>(Ljava/lang/management/openmbean/CompositeData;)V
java/lang/management/ThreadInfo getThreadId()J
java/lang/management/ThreadInfo getThreadName()Ljava/lang/String;
java/lang/management/ThreadInfo getThreadState()Ljava/lang/Thread$State;
java/lang/management/ThreadInfo getBlockedTime()J
java/lang/management/ThreadInfo

```

```

getBlockedCount()J
java/lang/management/ThreadInfo getWaitedTime()J
java/lang/management/ThreadInfo getWaitedCount()J
java/lang/management/ThreadInfo getLockName()Ljava/lang/String;
java/lang/management/ThreadInfo getLockOwnerId()J
java/lang/management/ThreadInfo getLockOwnerName()Ljava/lang/String;
java/lang/management/ThreadInfo getStackTrace()[Ljava/lang/StackTraceElement;
java/lang/management/ThreadInfo isSuspended()Z
java/lang/management/ThreadInfo isInNative()Z
java/lang/management/ThreadInfo toString()Ljava/lang/String;
java/lang/management/ThreadInfo
from(Ljavax/management/openmbean/CompositeData;)Ljava/lang/management/ThreadInfo;
java/lang/management/ThreadInfo <clinit>()V
class java/lang/management/ThreadMXBean java/lang/Object
java/lang/management/ThreadMXBean getThreadCount()I
java/lang/management/ThreadMXBean getPeakThreadCount()I
java/lang/management/ThreadMXBean getTotalStartedThreadCount()J
java/lang/management/ThreadMXBean getDaemonThreadCount()I
java/lang/management/ThreadMXBean
getAllThreadIds()[J
java/lang/management/ThreadMXBean getThreadInfo(J)Ljava/lang/management/ThreadInfo;
java/lang/management/ThreadMXBean getThreadInfo([J)[Ljava/lang/management/ThreadInfo;
java/lang/management/ThreadMXBean getThreadInfo(JI)Ljava/lang/management/ThreadInfo;
java/lang/management/ThreadMXBean getThreadInfo([JI)[Ljava/lang/management/ThreadInfo;
java/lang/management/ThreadMXBean isThreadContentionMonitoringSupported()Z
java/lang/management/ThreadMXBean isThreadContentionMonitoringEnabled()Z
java/lang/management/ThreadMXBean setThreadContentionMonitoringEnabled(Z)V
java/lang/management/ThreadMXBean getCurrentThreadCpuTime()J
java/lang/management/ThreadMXBean getCurrentThreadUserTime()J
java/lang/management/ThreadMXBean getThreadCpuTime(J)J
java/lang/management/ThreadMXBean getThreadUserTime(J)J
java/lang/management/ThreadMXBean isThreadCpuTimeSupported()Z
java/lang/management/ThreadMXBean isCurrentThreadCpuTimeSupported()Z
java/lang/management/ThreadMXBean
isThreadCpuTimeEnabled()Z
java/lang/management/ThreadMXBean setThreadCpuTimeEnabled(Z)V
java/lang/management/ThreadMXBean findMonitorDeadlockedThreads()[J
java/lang/management/ThreadMXBean resetPeakThreadCount()V
class java/lang/ref/Finalizer$1 java/lang/Object
java/lang/ref/Finalizer$1 val$proc
java/lang/ref/Finalizer$1 <init>(Ljava/lang/Runnable;)V
java/lang/ref/Finalizer$1 run()Ljava/lang/Object;
class java/lang/ref/Finalizer$2 java/lang/Object
java/lang/ref/Finalizer$2 <init>()V
java/lang/ref/Finalizer$2 run()V
class java/lang/ref/Finalizer$3 java/lang/Object
java/lang/ref/Finalizer$3 <init>()V
java/lang/ref/Finalizer$3 run()V

```

```

class java/lang/ref/Reference$1 java/lang/Object
class java/lang/ref/ReferenceQueue$1 java/lang/Object
class java/lang/reflect/GenericArrayType java/lang/Object
java/lang/reflect/GenericArrayType getGenericComponentType()Ljava/lang/reflect/Type;
class java/lang/reflect/GenericSignatureFormatError java/lang/ClassFormatError
java/lang/reflect/GenericSignatureFormatError
    <init>()V
class java/lang/reflect/MalformedParameterizedTypeException java/lang/RuntimeException
java/lang/reflect/MalformedParameterizedTypeException <init>()V
class java/lang/reflect/ParameterizedType java/lang/Object
java/lang/reflect/ParameterizedType getActualTypeArguments()[Ljava/lang/reflect/Type;
java/lang/reflect/ParameterizedType getRawType()Ljava/lang/reflect/Type;
java/lang/reflect/ParameterizedType getOwnerType()Ljava/lang/reflect/Type;
class java/lang/reflect/TypeVariable java/lang/Object
java/lang/reflect/TypeVariable getBounds()[Ljava/lang/reflect/Type;
java/lang/reflect/TypeVariable getGenericDeclaration()Ljava/lang/reflect/GenericDeclaration;
java/lang/reflect/TypeVariable getName()Ljava/lang/String;
class java/lang/reflect/WildcardType java/lang/Object
java/lang/reflect/WildcardType getUpperBounds()[Ljava/lang/reflect/Type;
java/lang/reflect/WildcardType getLowerBounds()[Ljava/lang/reflect/Type;
class java/math/BigDecimal java/lang/Number
java/math/BigDecimal
    intVal
java/math/BigDecimal scale
java/math/BigDecimal precision
java/math/BigDecimal stringCache
java/math/BigDecimal INFLATED
java/math/BigDecimal intCompact
java/math/BigDecimal MAX_COMPACT_DIGITS
java/math/BigDecimal MAX_BIGINT_BITS
java/math/BigDecimal serialVersionUID
java/math/BigDecimal zeroThroughTen
java/math/BigDecimal ZERO
java/math/BigDecimal ONE
java/math/BigDecimal TEN
java/math/BigDecimal ROUND_UP
java/math/BigDecimal ROUND_DOWN
java/math/BigDecimal ROUND_CEILING
java/math/BigDecimal ROUND_FLOOR
java/math/BigDecimal ROUND_HALF_UP
java/math/BigDecimal ROUND_HALF_DOWN
java/math/BigDecimal ROUND_HALF_EVEN
java/math/BigDecimal ROUND_UNNECESSARY
java/math/BigDecimal LONGMIN
java/math/BigDecimal LONGMAX
java/math/BigDecimal TENPOWERS
java/math/BigDecimal thresholds
java/math/BigDecimal ilogTable

```

```

java/math/BigDecimal $assertionsDisabled
java/math/BigDecimal <init>([CII)V
java/math/BigDecimal <init>([CIIJLjava/math/MathContext;)V
java/math/BigDecimal <init>([C)V
java/math/BigDecimal
    <init>([CLjava/math/MathContext;)V
java/math/BigDecimal <init>(Ljava/lang/String;)V
java/math/BigDecimal <init>(Ljava/lang/String;Ljava/math/MathContext;)V
java/math/BigDecimal <init>(D)V
java/math/BigDecimal <init>(DLjava/math/MathContext;)V
java/math/BigDecimal <init>(Ljava/math/BigInteger;)V
java/math/BigDecimal <init>(Ljava/math/BigInteger;Ljava/math/MathContext;)V
java/math/BigDecimal <init>(Ljava/math/BigInteger;I)V
java/math/BigDecimal <init>(Ljava/math/BigInteger;ILjava/math/MathContext;)V
java/math/BigDecimal <init>(I)V
java/math/BigDecimal <init>(ILjava/math/MathContext;)V
java/math/BigDecimal <init>(J)V
java/math/BigDecimal <init>(JLjava/math/MathContext;)V
java/math/BigDecimal <init>(JI)V
java/math/BigDecimal <init>(Ljava/math/BigInteger;JI)V
java/math/BigDecimal valueOf(JI)Ljava/math/BigDecimal;
java/math/BigDecimal valueOf(J)Ljava/math/BigDecimal;
java/math/BigDecimal valueOf(D)Ljava/math/BigDecimal;
java/math/BigDecimal add(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal
    add(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal
    preAlign(Ljava/math/BigDecimal;Ljava/math/BigDecimal;JLjava/math/MathContext;)[Ljava/math/BigDecimal;
java/math/BigDecimal subtract(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal subtract(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal multiply(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal multiply(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal divide(Ljava/math/BigDecimal;I)Ljava/math/BigDecimal;
java/math/BigDecimal divide(Ljava/math/BigDecimal;ILjava/math/RoundingMode;)Ljava/math/BigDecimal;
java/math/BigDecimal divide(Ljava/math/BigDecimal;I)Ljava/math/BigDecimal;
java/math/BigDecimal divide(Ljava/math/BigDecimal;Ljava/math/RoundingMode;)Ljava/math/BigDecimal;
java/math/BigDecimal divide(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal
    divide(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal divideToIntegralValue(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal
    divideToIntegralValue(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal remainder(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal remainder(Ljava/math/BigDecimal;Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal divideAndRemainder(Ljava/math/BigDecimal;)[Ljava/math/BigDecimal;
java/math/BigDecimal
    divideAndRemainder(Ljava/math/BigDecimal;Ljava/math/MathContext;)[Ljava/math/BigDecimal;
java/math/BigDecimal pow(I)Ljava/math/BigDecimal;

```

```

java/math/BigDecimal pow(ILjava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal abs()Ljava/math/BigDecimal;
java/math/BigDecimal abs(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal negate()Ljava/math/BigDecimal;
java/math/BigDecimal
    negate(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal plus()Ljava/math/BigDecimal;
java/math/BigDecimal plus(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal signum()I
java/math/BigDecimal scale()I
java/math/BigDecimal precision()I
java/math/BigDecimal unscaledValue()Ljava/math/BigInteger;
java/math/BigDecimal round(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal setScale(ILjava/math/RoundingMode;)Ljava/math/BigDecimal;
java/math/BigDecimal setScale(II)Ljava/math/BigDecimal;
java/math/BigDecimal setScale(I)Ljava/math/BigDecimal;
java/math/BigDecimal movePointLeft(I)Ljava/math/BigDecimal;
java/math/BigDecimal movePointRight(I)Ljava/math/BigDecimal;
java/math/BigDecimal scaleByPowerOfTen(I)Ljava/math/BigDecimal;
java/math/BigDecimal stripTrailingZeros()Ljava/math/BigDecimal;
java/math/BigDecimal compareTo(Ljava/math/BigDecimal;)I
java/math/BigDecimal equals(Ljava/lang/Object;)Z
java/math/BigDecimal min(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal
    max(Ljava/math/BigDecimal;)Ljava/math/BigDecimal;
java/math/BigDecimal hashCode()I
java/math/BigDecimal toString()Ljava/lang/String;
java/math/BigDecimal toEngineeringString()Ljava/lang/String;
java/math/BigDecimal toPlainString()Ljava/lang/String;
java/math/BigDecimal getValueString(ILjava/lang/String;I)Ljava/lang/String;
java/math/BigDecimal toBigInteger()Ljava/math/BigInteger;
java/math/BigDecimal toBigIntegerExact()Ljava/math/BigInteger;
java/math/BigDecimal longValue()J
java/math/BigDecimal longValueExact()J
java/math/BigDecimal intValue()I
java/math/BigDecimal intValueExact()I
java/math/BigDecimal shortValueExact()S
java/math/BigDecimal byteValueExact()B
java/math/BigDecimal floatValue()F
java/math/BigDecimal doubleValue()D
java/math/BigDecimal ulp()Ljava/math/BigDecimal;
java/math/BigDecimal layoutChars(Z)Ljava/lang/String;
java/math/BigDecimal tenToThe(I)Ljava/math/BigInteger;
java/math/BigDecimal longTenToThe(II)J
java/math/BigDecimal
    compactLong(J)Z
java/math/BigDecimal inflate()Ljava/math/BigDecimal;
java/math/BigDecimal matchScale([Ljava/math/BigDecimal;)V

```

```

java/math/BigDecimal readObject(Ljava/io/ObjectInputStream;)V
java/math/BigDecimal writeObject(Ljava/io/ObjectOutputStream;)V
java/math/BigDecimal digitLength()I
java/math/BigDecimal intLength()I
java/math/BigDecimal stripZerosToMatchScale(J)Ljava/math/BigDecimal;
java/math/BigDecimal checkScale(J)I
java/math/BigDecimal roundOp(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal roundThis(Ljava/math/MathContext;)V
java/math/BigDecimal doRound(Ljava/math/MathContext;)Ljava/math/BigDecimal;
java/math/BigDecimal dropDigits(Ljava/math/MathContext;I)Ljava/math/BigDecimal;
java/math/BigDecimal longCompareTo(JJ)I
java/math/BigDecimal print(Ljava/lang/String;Ljava/math/BigDecimal;)V
java/math/BigDecimal audit()Ljava/math/BigDecimal;
java/math/BigDecimal compareTo(Ljava/lang/Object;)I
java/math/BigDecimal <clinit>()V
class java/math/BitSieve java/lang/Object
java/math/BitSieve
    bits
java/math/BitSieve length
java/math/BitSieve smallSieve
java/math/BitSieve <init>()V
java/math/BitSieve <init>(Ljava/math/BigInteger;I)V
java/math/BitSieve unitIndex()I
java/math/BitSieve bit(I)J
java/math/BitSieve get(I)Z
java/math/BitSieve set(I)V
java/math/BitSieve sieveSearch(II)I
java/math/BitSieve sieveSingle(III)V
java/math/BitSieve retrieve(Ljava/math/BigInteger;I)Ljava/math/BigInteger;
java/math/BitSieve <clinit>()V
class java/math/MathContext java/lang/Object
java/math/MathContext DEFAULT_DIGITS
java/math/MathContext DEFAULT_ROUNDINGMODE
java/math/MathContext MIN_DIGITS
java/math/MathContext serialVersionUID
java/math/MathContext UNLIMITED
java/math/MathContext DECIMAL32
java/math/MathContext DECIMAL64
java/math/MathContext DECIMAL128
java/math/MathContext precision
java/math/MathContext roundingMode
java/math/MathContext roundingMax
java/math/MathContext roundingMin
java/math/MathContext MAX_LOOKASIDE
java/math/MathContext <init>(I)V
java/math/MathContext
    <init>(ILjava/math/RoundingMode;)V
java/math/MathContext <init>(Ljava/lang/String;)V

```



```

java/math/MathContext getPrecision()I
java/math/MathContext getRoundingMode()Ljava/math/RoundingMode;
java/math/MathContext equals(Ljava/lang/Object;)Z
java/math/MathContext hashCode()I
java/math/MathContext toString()Ljava/lang/String;
java/math/MathContext readObject(Ljava/io/ObjectInputStream;)V
java/math/MathContext <clinit>()V
class java/math/RoundingMode java/lang/Enum
java/math/RoundingMode UP
java/math/RoundingMode DOWN
java/math/RoundingMode CEILING
java/math/RoundingMode FLOOR
java/math/RoundingMode HALF_UP
java/math/RoundingMode HALF_DOWN
java/math/RoundingMode HALF_EVEN
java/math/RoundingMode UNNECESSARY
java/math/RoundingMode oldMode
java/math/RoundingMode $VALUES
java/math/RoundingMode values()[Ljava/math/RoundingMode;
java/math/RoundingMode valueOf(Ljava/lang/String;)Ljava/math/RoundingMode;
java/math/RoundingMode <init>(Ljava/lang/String;I)V
java/math/RoundingMode valueOf(I)Ljava/math/RoundingMode;
java/math/RoundingMode
<clinit>()V
class java/net/Authenticator$RequestorType java/lang/Enum
java/net/Authenticator$RequestorType PROXY
java/net/Authenticator$RequestorType SERVER
java/net/Authenticator$RequestorType $VALUES
java/net/Authenticator$RequestorType values()[Ljava/net/Authenticator$RequestorType;
java/net/Authenticator$RequestorType valueOf(Ljava/lang/String;)Ljava/net/Authenticator$RequestorType;
java/net/Authenticator$RequestorType <init>(Ljava/lang/String;I)V
java/net/Authenticator$RequestorType <clinit>()V
class java/net/CacheRequest java/lang/Object
java/net/CacheRequest <init>()V
java/net/CacheRequest getBody()Ljava/io/OutputStream;
java/net/CacheRequest abort()V
class java/net/CacheResponse java/lang/Object
java/net/CacheResponse <init>()V
java/net/CacheResponse getHeaders()Ljava/util/Map;
java/net/CacheResponse getBody()Ljava/io/InputStream;
class java/net/ContentHandlerFactory java/lang/Object
java/net/ContentHandlerFactory createContentHandler(Ljava/lang/String;)Ljava/net/ContentHandler;
class
java/net/DatagramSocket$1 java/lang/Object
java/net/DatagramSocket$1 this$0
java/net/DatagramSocket$1 <init>(Ljava/net/DatagramSocket;)V
java/net/DatagramSocket$1 run()Ljava/lang/Object;
class java/net/DatagramSocketImplFactory java/lang/Object

```

```

java/net/DatagramSocketImplFactory createDatagramSocketImpl()Ljava/net/DatagramSocketImpl;
class java/net/FactoryURLClassLoader java/net/URLClassLoader
java/net/FactoryURLClassLoader <init>([Ljava/net/URL;Ljava/lang/ClassLoader;)V
java/net/FactoryURLClassLoader <init>([Ljava/net/URL;)V
java/net/FactoryURLClassLoader loadClass(Ljava/lang/String;Z)Ljava/lang/Class;
class java/net/HttpRetryException java/io/IOException
java/net/HttpRetryException responseCode
java/net/HttpRetryException location
java/net/HttpRetryException <init>(Ljava/lang/String;I)V
java/net/HttpRetryException <init>(Ljava/lang/String;ILjava/lang/String;)V
java/net/HttpRetryException responseCode()I
java/net/HttpRetryException
    getReason()Ljava/lang/String;
java/net/HttpRetryException getLocation()Ljava/lang/String;
class java/net/Inet6AddressImpl java/lang/Object
java/net/Inet6AddressImpl anyLocalAddress
java/net/Inet6AddressImpl loopbackAddress
java/net/Inet6AddressImpl <init>()V
java/net/Inet6AddressImpl getLocalHostName()Ljava/lang/String;
java/net/Inet6AddressImpl lookupAllHostAddr(Ljava/lang/String;)[[B
java/net/Inet6AddressImpl getHostByAddr([B)Ljava/lang/String;
java/net/Inet6AddressImpl isReachable0([BII[BII)Z
java/net/Inet6AddressImpl isReachable(Ljava/net/InetAddress;ILjava/net/NetworkInterface;I)Z
java/net/Inet6AddressImpl anyLocalAddress()Ljava/net/InetAddress;
java/net/Inet6AddressImpl loopbackAddress()Ljava/net/InetAddress;
class java/net/InetAddress$2 java/lang/Object
java/net/InetAddress$2 val$providerName
java/net/InetAddress$2 <init>(Ljava/lang/String;)V
java/net/InetAddress$2 run()Ljava/lang/Object;
class java/net/InetAddressContainer java/lang/Object
java/net/InetAddressContainer addr
java/net/InetAddressContainer
    <init>()V
class java/net/NetworkInterface$1 java/lang/Object
java/net/NetworkInterface$1 i
java/net/NetworkInterface$1 val$netifs
java/net/NetworkInterface$1 <init>([Ljava/net/NetworkInterface;)V
java/net/NetworkInterface$1 nextElement()Ljava/net/NetworkInterface;
java/net/NetworkInterface$1 hasMoreElements()Z
java/net/NetworkInterface$1 nextElement()Ljava/lang/Object;
class java/net/NetworkInterface$1checkedAddresses java/lang/Object
java/net/NetworkInterface$1checkedAddresses i
java/net/NetworkInterface$1checkedAddresses count
java/net/NetworkInterface$1checkedAddresses local_addrs
java/net/NetworkInterface$1checkedAddresses this$0
java/net/NetworkInterface$1checkedAddresses <init>(Ljava/net/NetworkInterface;)V
java/net/NetworkInterface$1checkedAddresses nextElement()Ljava/net/InetAddress;
java/net/NetworkInterface$1checkedAddresses hasMoreElements()Z

```

```

java/net/NetworkInterface$1checkedAddresses nextElement()Ljava/lang/Object;
class java/net/NetworkInterface
  java/lang/Object
  java/net/NetworkInterface name
  java/net/NetworkInterface displayName
  java/net/NetworkInterface index
  java/net/NetworkInterface addr
  java/net/NetworkInterface <init>()V
  java/net/NetworkInterface <init>(Ljava/lang/String;I[Ljava/net/InetAddress;)V
  java/net/NetworkInterface getName()Ljava/lang/String;
  java/net/NetworkInterface getInetAddresses()Ljava/util/Enumeration;
  java/net/NetworkInterface getIndex()I
  java/net/NetworkInterface getDisplayName()Ljava/lang/String;
  java/net/NetworkInterface getByName(Ljava/lang/String;)Ljava/net/NetworkInterface;
  java/net/NetworkInterface getByIndex(I)Ljava/net/NetworkInterface;
  java/net/NetworkInterface getByInetAddress(Ljava/net/InetAddress;)Ljava/net/NetworkInterface;
  java/net/NetworkInterface getNetworkInterfaces()Ljava/util/Enumeration;
  java/net/NetworkInterface getAll()[Ljava/net/NetworkInterface;
  java/net/NetworkInterface getByName0(Ljava/lang/String;)Ljava/net/NetworkInterface;
  java/net/NetworkInterface getByInetAddress0(Ljava/net/InetAddress;)Ljava/net/NetworkInterface;
  java/net/NetworkInterface
    equals(Ljava/lang/Object;)Z
  java/net/NetworkInterface hashCode()I
  java/net/NetworkInterface toString()Ljava/lang/String;
  java/net/NetworkInterface init()V
  java/net/NetworkInterface access$000(Ljava/net/NetworkInterface;)[Ljava/net/InetAddress;
  java/net/NetworkInterface <clinit>()V
class java/net/PasswordAuthentication java/lang/Object
  java/net/PasswordAuthentication userName
  java/net/PasswordAuthentication password
  java/net/PasswordAuthentication <init>(Ljava/lang/String;[C)V
  java/net/PasswordAuthentication getUsername()Ljava/lang/String;
  java/net/PasswordAuthentication getPassword()[C
class java/net/PortUnreachableException java/net/SocketException
  java/net/PortUnreachableException <init>(Ljava/lang/String;)V
  java/net/PortUnreachableException <init>()V
class java/net/ProtocolException java/io/IOException
  java/net/ProtocolException <init>(Ljava/lang/String;)V
  java/net/ProtocolException <init>()V
class java/net/SecureCacheResponse
  java/net/CacheResponse
  java/net/SecureCacheResponse <init>()V
  java/net/SecureCacheResponse getCipherSuite()Ljava/lang/String;
  java/net/SecureCacheResponse getLocalCertificateChain()Ljava/util/List;
  java/net/SecureCacheResponse getServerCertificateChain()Ljava/util/List;
  java/net/SecureCacheResponse getPeerPrincipal()Ljava/security/Principal;
  java/net/SecureCacheResponse getLocalPrincipal()Ljava/security/Principal;
class java/net/ServerSocket$1 java/lang/Object

```

```

java/net/ServerSocket$1 this$0
java/net/ServerSocket$1 <init>(Ljava/net/ServerSocket;)V
java/net/ServerSocket$1 run()Ljava/lang/Object;
class java/net/Socket$1 java/lang/Object
java/net/Socket$1 this$0
java/net/Socket$1 <init>(Ljava/net/Socket;)V
java/net/Socket$1 run()Ljava/lang/Boolean;
java/net/Socket$1 run()Ljava/lang/Object;
class java/net/Socket$2 java/lang/Object
java/net/Socket$2 this$0
java/net/Socket$2 <init>(Ljava/net/Socket;)V
java/net/Socket$2 run()Ljava/lang/Object;
class java/net/Socket$3 java/lang/Object
java/net/Socket$3
    this$0
java/net/Socket$3 <init>(Ljava/net/Socket;)V
java/net/Socket$3 run()Ljava/lang/Object;
class java/net/SocketInputStream java/io/FileInputStream
java/net/SocketInputStream eof
java/net/SocketInputStream impl
java/net/SocketInputStream temp
java/net/SocketInputStream socket
java/net/SocketInputStream closing
java/net/SocketInputStream <init>(Ljava/net/PlainSocketImpl;)V
java/net/SocketInputStream getChannel()Ljava/nio/channels/FileChannel;
java/net/SocketInputStream socketRead0(Ljava/io/FileDescriptor;[BIII)I
java/net/SocketInputStream read([B)I
java/net/SocketInputStream read([BII)I
java/net/SocketInputStream read()I
java/net/SocketInputStream skip(J)J
java/net/SocketInputStream available()I
java/net/SocketInputStream close()V
java/net/SocketInputStream setEOF(Z)V
java/net/SocketInputStream finalize()V
java/net/SocketInputStream init()V
java/net/SocketInputStream <clinit>()V
class java/net/SocketOutputStream java/io/FileOutputStream
java/net/SocketOutputStream
    impl
java/net/SocketOutputStream temp
java/net/SocketOutputStream socket
java/net/SocketOutputStream closing
java/net/SocketOutputStream <init>(Ljava/net/PlainSocketImpl;)V
java/net/SocketOutputStream getChannel()Ljava/nio/channels/FileChannel;
java/net/SocketOutputStream socketWrite0(Ljava/io/FileDescriptor;[BII)V
java/net/SocketOutputStream socketWrite([BII)V
java/net/SocketOutputStream write(I)V
java/net/SocketOutputStream write([B)V

```

```

java/net/SocketOutputStream write([BII)V
java/net/SocketOutputStream close()V
java/net/SocketOutputStream finalize()V
java/net/SocketOutputStream init()V
java/net/SocketOutputStream <clinit>()V
class java/net/SocksSocketImpl$1 java/lang/Object
java/net/SocksSocketImpl$1 val$host
java/net/SocksSocketImpl$1 val$port
java/net/SocksSocketImpl$1 val$timeout
java/net/SocksSocketImpl$1 this$0
java/net/SocksSocketImpl$1 <init>(Ljava/net/SocksSocketImpl;Ljava/lang/String;II)V
java/net/SocksSocketImpl$1 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$2
  java/lang/Object
java/net/SocksSocketImpl$2 val$addr
java/net/SocksSocketImpl$2 this$0
java/net/SocksSocketImpl$2 <init>(Ljava/net/SocksSocketImpl;Ljava/net/InetAddress;)V
java/net/SocksSocketImpl$2 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$3 java/lang/Object
java/net/SocksSocketImpl$3 val$prefs
java/net/SocksSocketImpl$3 this$0
java/net/SocksSocketImpl$3 <init>(Ljava/net/SocksSocketImpl;Ljava/util/prefs/Preferences;)V
java/net/SocksSocketImpl$3 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$4 java/lang/Object
java/net/SocksSocketImpl$4 val$prefs
java/net/SocksSocketImpl$4 this$0
java/net/SocksSocketImpl$4 <init>(Ljava/net/SocksSocketImpl;Ljava/util/prefs/Preferences;)V
java/net/SocksSocketImpl$4 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$6 java/lang/Object
java/net/SocksSocketImpl$6 this$0
java/net/SocksSocketImpl$6 <init>(Ljava/net/SocksSocketImpl;)V
java/net/SocksSocketImpl$6 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$7 java/lang/Object
java/net/SocksSocketImpl$7
  this$0
java/net/SocksSocketImpl$7 <init>(Ljava/net/SocksSocketImpl;)V
java/net/SocksSocketImpl$7 run()Ljava/lang/Object;
class java/net/SocksSocketImpl$8 java/lang/Object
java/net/SocksSocketImpl$8 this$0
java/net/SocksSocketImpl$8 <init>(Ljava/net/SocksSocketImpl;)V
java/net/SocksSocketImpl$8 run()Ljava/lang/Object;
class java/net/URLClassLoader$4 java/lang/Object
java/net/URLClassLoader$4 val$sm
java/net/URLClassLoader$4 val$fp
java/net/URLClassLoader$4 this$0
java/net/URLClassLoader$4
  <init>(Ljava/net/URLClassLoader;Ljava/lang/SecurityManager;Ljava/security/Permission;)V
java/net/URLClassLoader$4 run()Ljava/lang/Object;

```

```

class java/net/URLClassLoader$5 java/lang/Object
java/net/URLClassLoader$5 val$urls
java/net/URLClassLoader$5 val$parent
java/net/URLClassLoader$5 <init>([Ljava/net/URL;Ljava/lang/ClassLoader;)V
java/net/URLClassLoader$5 run()Ljava/lang/Object;
class java/net/URLClassLoader$6 java/lang/Object
java/net/URLClassLoader$6 val$urls
java/net/URLClassLoader$6
  <init>([Ljava/net/URL;)V
java/net/URLClassLoader$6 run()Ljava/lang/Object;
class java/net/URLDecoder java/lang/Object
java/net/URLDecoder dfltEncName
java/net/URLDecoder <init>()V
java/net/URLDecoder decode(Ljava/lang/String;)Ljava/lang/String;
java/net/URLDecoder decode(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/net/URLDecoder <clinit>()V
class java/net/URLEncoder java/lang/Object
java/net/URLEncoder dontNeedEncoding
java/net/URLEncoder caseDiff
java/net/URLEncoder dfltEncName
java/net/URLEncoder <init>()V
java/net/URLEncoder encode(Ljava/lang/String;)Ljava/lang/String;
java/net/URLEncoder encode(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/net/URLEncoder <clinit>()V
class java/nio/BufferOverflowException java/lang/RuntimeException
java/nio/BufferOverflowException <init>()V
class java/nio/BufferUnderflowException java/lang/RuntimeException
java/nio/BufferUnderflowException <init>()V
class java/nio/ByteBufferAsCharBufferL java/nio/CharBuffer
java/nio/ByteBufferAsCharBufferL
  bb
java/nio/ByteBufferAsCharBufferL offset
java/nio/ByteBufferAsCharBufferL $assertionsDisabled
java/nio/ByteBufferAsCharBufferL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsCharBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsCharBufferL slice()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL duplicate()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL ix(I)I
java/nio/ByteBufferAsCharBufferL get()C
java/nio/ByteBufferAsCharBufferL get(I)C
java/nio/ByteBufferAsCharBufferL put(C)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL put(IC)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL compact()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferL isDirect()Z
java/nio/ByteBufferAsCharBufferL isReadOnly()Z
java/nio/ByteBufferAsCharBufferL toString(II)Ljava/lang/String;
java/nio/ByteBufferAsCharBufferL subSequence(II)Ljava/lang/CharSequence;

```

```

java/nio/ByteBufferAsCharBufferL
    order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsCharBufferL <clinit>()V
class java/nio/ByteBufferAsCharBufferRB java/nio/ByteBufferAsCharBufferB
java/nio/ByteBufferAsCharBufferRB $assertionsDisabled
java/nio/ByteBufferAsCharBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsCharBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsCharBufferRB slice()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRB duplicate()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRB asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRB put(C)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRB put(IC)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRB compact()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRB isDirect()Z
java/nio/ByteBufferAsCharBufferRB isReadOnly()Z
java/nio/ByteBufferAsCharBufferRB toString()Ljava/lang/String;
java/nio/ByteBufferAsCharBufferRB subSequence(II)Ljava/lang/CharSequence;
java/nio/ByteBufferAsCharBufferRB
    order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsCharBufferRB <clinit>()V
class java/nio/ByteBufferAsCharBufferRL java/nio/ByteBufferAsCharBufferL
java/nio/ByteBufferAsCharBufferRL $assertionsDisabled
java/nio/ByteBufferAsCharBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsCharBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsCharBufferRL slice()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL duplicate()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL put(C)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL put(IC)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL compact()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferRL isDirect()Z
java/nio/ByteBufferAsCharBufferRL isReadOnly()Z
java/nio/ByteBufferAsCharBufferRL toString()Ljava/lang/String;
java/nio/ByteBufferAsCharBufferRL subSequence(II)Ljava/lang/CharSequence;
java/nio/ByteBufferAsCharBufferRL
    order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsCharBufferRL <clinit>()V
class java/nio/ByteBufferAsDoubleBufferB java/nio/DoubleBuffer
java/nio/ByteBufferAsDoubleBufferB bb
java/nio/ByteBufferAsDoubleBufferB offset
java/nio/ByteBufferAsDoubleBufferB $assertionsDisabled
java/nio/ByteBufferAsDoubleBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsDoubleBufferB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsDoubleBufferB slice()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB duplicate()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB ix(I)I
java/nio/ByteBufferAsDoubleBufferB get()D

```

```

java/nio/ByteBufferAsDoubleBufferB get(I)D
java/nio/ByteBufferAsDoubleBufferB put(D)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB put(ID)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB compact()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferB
    isDirect()Z
java/nio/ByteBufferAsDoubleBufferB isReadOnly()Z
java/nio/ByteBufferAsDoubleBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsDoubleBufferB <clinit>()V
class java/nio/ByteBufferAsDoubleBufferL java/nio/DoubleBuffer
java/nio/ByteBufferAsDoubleBufferL bb
java/nio/ByteBufferAsDoubleBufferL offset
java/nio/ByteBufferAsDoubleBufferL $assertionsDisabled
java/nio/ByteBufferAsDoubleBufferL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsDoubleBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsDoubleBufferL slice()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL duplicate()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL ix(I)I
java/nio/ByteBufferAsDoubleBufferL get()D
java/nio/ByteBufferAsDoubleBufferL get(I)D
java/nio/ByteBufferAsDoubleBufferL put(D)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL put(ID)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL
    compact()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferL isDirect()Z
java/nio/ByteBufferAsDoubleBufferL isReadOnly()Z
java/nio/ByteBufferAsDoubleBufferL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsDoubleBufferL <clinit>()V
class java/nio/ByteBufferAsDoubleBufferRB java/nio/ByteBufferAsDoubleBufferB
java/nio/ByteBufferAsDoubleBufferRB $assertionsDisabled
java/nio/ByteBufferAsDoubleBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsDoubleBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsDoubleBufferRB slice()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB duplicate()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB put(D)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB put(ID)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB compact()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRB isDirect()Z
java/nio/ByteBufferAsDoubleBufferRB
    isReadOnly()Z
java/nio/ByteBufferAsDoubleBufferRB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsDoubleBufferRB <clinit>()V
class java/nio/ByteBufferAsDoubleBufferRL java/nio/ByteBufferAsDoubleBufferL
java/nio/ByteBufferAsDoubleBufferRL $assertionsDisabled
java/nio/ByteBufferAsDoubleBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsDoubleBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V

```



```

java/nio/ByteBufferAsDoubleBufferRL slice()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL duplicate()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL put(D)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL put(ID)Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL compact()Ljava/nio/DoubleBuffer;
java/nio/ByteBufferAsDoubleBufferRL isDirect()Z
java/nio/ByteBufferAsDoubleBufferRL isReadOnly()Z
java/nio/ByteBufferAsDoubleBufferRL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsDoubleBufferRL
    <clinit>()V
class java/nio/ByteBufferAsFloatBufferB java/nio/FloatBuffer
java/nio/ByteBufferAsFloatBufferB bb
java/nio/ByteBufferAsFloatBufferB offset
java/nio/ByteBufferAsFloatBufferB $assertionsDisabled
java/nio/ByteBufferAsFloatBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsFloatBufferB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsFloatBufferB slice()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB duplicate()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB ix(I)I
java/nio/ByteBufferAsFloatBufferB get(F)F
java/nio/ByteBufferAsFloatBufferB get(I)F
java/nio/ByteBufferAsFloatBufferB put(F)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB put(IF)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB compact()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferB isDirect()Z
java/nio/ByteBufferAsFloatBufferB
    isReadOnly()Z
java/nio/ByteBufferAsFloatBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsFloatBufferB <clinit>()V
class java/nio/ByteBufferAsFloatBufferL java/nio/FloatBuffer
java/nio/ByteBufferAsFloatBufferL bb
java/nio/ByteBufferAsFloatBufferL offset
java/nio/ByteBufferAsFloatBufferL $assertionsDisabled
java/nio/ByteBufferAsFloatBufferL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsFloatBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsFloatBufferL slice()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL duplicate()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL ix(I)I
java/nio/ByteBufferAsFloatBufferL get(F)F
java/nio/ByteBufferAsFloatBufferL get(I)F
java/nio/ByteBufferAsFloatBufferL put(F)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL put(IF)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL compact()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferL

```

```

isDirect()Z
java/nio/ByteBufferAsFloatBufferL isReadOnly()Z
java/nio/ByteBufferAsFloatBufferL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsFloatBufferL <clinit>()V
class java/nio/ByteBufferAsFloatBufferRB java/nio/ByteBufferAsFloatBufferB
java/nio/ByteBufferAsFloatBufferRB $assertionsDisabled
java/nio/ByteBufferAsFloatBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsFloatBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsFloatBufferRB slice()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRB duplicate()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRB asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRB put(F)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRB put(IF)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRB compact()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRB isDirect()Z
java/nio/ByteBufferAsFloatBufferRB isReadOnly()Z
java/nio/ByteBufferAsFloatBufferRB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsFloatBufferRB
    <clinit>()V
class java/nio/ByteBufferAsFloatBufferRL java/nio/ByteBufferAsFloatBufferL
java/nio/ByteBufferAsFloatBufferRL $assertionsDisabled
java/nio/ByteBufferAsFloatBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsFloatBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsFloatBufferRL slice()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL duplicate()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL put(F)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL put(IF)Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL compact()Ljava/nio/FloatBuffer;
java/nio/ByteBufferAsFloatBufferRL isDirect()Z
java/nio/ByteBufferAsFloatBufferRL isReadOnly()Z
java/nio/ByteBufferAsFloatBufferRL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsFloatBufferRL <clinit>()V
class java/nio/ByteBufferAsIntBufferL java/nio/IntBuffer
java/nio/ByteBufferAsIntBufferL
    bb
java/nio/ByteBufferAsIntBufferL offset
java/nio/ByteBufferAsIntBufferL $assertionsDisabled
java/nio/ByteBufferAsIntBufferL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsIntBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsIntBufferL slice()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferL duplicate()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferL asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferL ix(I)I
java/nio/ByteBufferAsIntBufferL get()I
java/nio/ByteBufferAsIntBufferL get(I)I
java/nio/ByteBufferAsIntBufferL put(I)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferL put(II)Ljava/nio/IntBuffer;

```

```

java/nio/ByteBufferAsIntBufferL compact()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferL isDirect()Z
java/nio/ByteBufferAsIntBufferL isReadOnly()Z
java/nio/ByteBufferAsIntBufferL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsIntBufferL <clinit>()V
class java/nio/ByteBufferAsIntBufferRB java/nio/ByteBufferAsIntBufferB
java/nio/ByteBufferAsIntBufferRB
    $assertionsDisabled
java/nio/ByteBufferAsIntBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsIntBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsIntBufferRB slice()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRB duplicate()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRB asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRB put(I)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRB put(II)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRB compact()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRB isDirect()Z
java/nio/ByteBufferAsIntBufferRB isReadOnly()Z
java/nio/ByteBufferAsIntBufferRB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsIntBufferRB <clinit>()V
class java/nio/ByteBufferAsIntBufferRL java/nio/ByteBufferAsIntBufferL
java/nio/ByteBufferAsIntBufferRL $assertionsDisabled
java/nio/ByteBufferAsIntBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsIntBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsIntBufferRL
    slice()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL duplicate()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL put(I)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL put(II)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL compact()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferRL isDirect()Z
java/nio/ByteBufferAsIntBufferRL isReadOnly()Z
java/nio/ByteBufferAsIntBufferRL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsIntBufferRL <clinit>()V
class java/nio/ByteBufferAsLongBufferB java/nio/LongBuffer
java/nio/ByteBufferAsLongBufferB bb
java/nio/ByteBufferAsLongBufferB offset
java/nio/ByteBufferAsLongBufferB $assertionsDisabled
java/nio/ByteBufferAsLongBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsLongBufferB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsLongBufferB slice()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB
    duplicate()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB ix(I)I
java/nio/ByteBufferAsLongBufferB get()J
java/nio/ByteBufferAsLongBufferB get(I)J

```

```

java/nio/ByteBufferAsLongBufferB put(J)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB put(IJ)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB compact()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferB isDirect()Z
java/nio/ByteBufferAsLongBufferB isReadOnly()Z
java/nio/ByteBufferAsLongBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsLongBufferB <clinit>()V
class java/nio/ByteBufferAsLongBufferL java/nio/LongBuffer
java/nio/ByteBufferAsLongBufferL bb
java/nio/ByteBufferAsLongBufferL offset
java/nio/ByteBufferAsLongBufferL $assertionsDisabled
java/nio/ByteBufferAsLongBufferL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsLongBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsLongBufferL slice()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferL
    duplicate()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferL asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferL ix(I)I
java/nio/ByteBufferAsLongBufferL get()J
java/nio/ByteBufferAsLongBufferL get(I)J
java/nio/ByteBufferAsLongBufferL put(J)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferL put(IJ)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferL compact()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferL isDirect()Z
java/nio/ByteBufferAsLongBufferL isReadOnly()Z
java/nio/ByteBufferAsLongBufferL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsLongBufferL <clinit>()V
class java/nio/ByteBufferAsLongBufferRB java/nio/ByteBufferAsLongBufferB
java/nio/ByteBufferAsLongBufferRB $assertionsDisabled
java/nio/ByteBufferAsLongBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsLongBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsLongBufferRB slice()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB
    duplicate()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB put(J)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB put(IJ)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB compact()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRB isDirect()Z
java/nio/ByteBufferAsLongBufferRB isReadOnly()Z
java/nio/ByteBufferAsLongBufferRB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsLongBufferRB <clinit>()V
class java/nio/ByteBufferAsLongBufferRL java/nio/ByteBufferAsLongBufferL
java/nio/ByteBufferAsLongBufferRL $assertionsDisabled
java/nio/ByteBufferAsLongBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsLongBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsLongBufferRL slice()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRL duplicate()Ljava/nio/LongBuffer;

```

```

java/nio/ByteBufferAsLongBufferRL asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRL
    put(J)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRL put(IJ)Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRL compact()Ljava/nio/LongBuffer;
java/nio/ByteBufferAsLongBufferRL isDirect()Z
java/nio/ByteBufferAsLongBufferRL isReadOnly()Z
java/nio/ByteBufferAsLongBufferRL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsLongBufferRL <clinit>()V
class java/nio/ByteBufferAsShortBufferL java/nio/ShortBuffer
java/nio/ByteBufferAsShortBufferL bb
java/nio/ByteBufferAsShortBufferL offset
java/nio/ByteBufferAsShortBufferL $assertionsDisabled
java/nio/ByteBufferAsShortBufferL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsShortBufferL <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsShortBufferL slice()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL duplicate()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL ix(I)I
java/nio/ByteBufferAsShortBufferL get(S
java/nio/ByteBufferAsShortBufferL
    get(I)S
java/nio/ByteBufferAsShortBufferL put(S)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL put(IS)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL compact()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferL isDirect()Z
java/nio/ByteBufferAsShortBufferL isReadOnly()Z
java/nio/ByteBufferAsShortBufferL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsShortBufferL <clinit>()V
class java/nio/ByteBufferAsShortBufferRB java/nio/ByteBufferAsShortBufferB
java/nio/ByteBufferAsShortBufferRB $assertionsDisabled
java/nio/ByteBufferAsShortBufferRB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsShortBufferRB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsShortBufferRB slice()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB duplicate()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB put(S)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB
    put(IS)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB compact()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRB isDirect()Z
java/nio/ByteBufferAsShortBufferRB isReadOnly()Z
java/nio/ByteBufferAsShortBufferRB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsShortBufferRB <clinit>()V
class java/nio/ByteBufferAsShortBufferRL java/nio/ByteBufferAsShortBufferL
java/nio/ByteBufferAsShortBufferRL $assertionsDisabled
java/nio/ByteBufferAsShortBufferRL <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsShortBufferRL <init>(Ljava/nio/ByteBuffer;IIII)V

```

```

java/nio/ByteBufferAsShortBufferRL slice()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL duplicate()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL put(S)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL put(IS)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL compact()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferRL
    isDirect()Z
java/nio/ByteBufferAsShortBufferRL isReadOnly()Z
java/nio/ByteBufferAsShortBufferRL order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsShortBufferRL <clinit>()V
class java/nio/DirectByteBuffer$1 java/lang/Object
class java/nio/DirectByteBufferR java/nio/DirectByteBuffer
java/nio/DirectByteBufferR $assertionsDisabled
java/nio/DirectByteBufferR <init>()V
java/nio/DirectByteBufferR <init>(IJLjava/lang/Runnable;)V
java/nio/DirectByteBufferR <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectByteBufferR slice()Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR duplicate()Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asReadOnlyBuffer()Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR put(B)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR put(IB)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR put(Ljava/nio/ByteBuffer;)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR put([BII)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR compact()Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR
    isDirect()Z
java/nio/DirectByteBufferR isReadOnly()Z
java/nio/DirectByteBufferR _get(I)B
java/nio/DirectByteBufferR _put(IB)V
java/nio/DirectByteBufferR putChar(JC)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putChar(C)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putChar(IC)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asCharBuffer()Ljava/nio/CharBuffer;
java/nio/DirectByteBufferR putShort(JS)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putShort(S)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putShort(IS)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asShortBuffer()Ljava/nio/ShortBuffer;
java/nio/DirectByteBufferR putInt(JI)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putInt(I)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putInt(II)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asIntBuffer()Ljava/nio/IntBuffer;
java/nio/DirectByteBufferR putLong(JJ)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putLong(J)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR
    putLong(IJ)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asLongBuffer()Ljava/nio/LongBuffer;
java/nio/DirectByteBufferR putFloat(JF)Ljava/nio/ByteBuffer;

```

```

java/nio/DirectByteBufferR putFloat(F)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putFloat(IF)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asFloatBuffer()Ljava/nio/FloatBuffer;
java/nio/DirectByteBufferR putDouble(JD)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putDouble(D)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR putDouble(ID)Ljava/nio/ByteBuffer;
java/nio/DirectByteBufferR asDoubleBuffer()Ljava/nio/DoubleBuffer;
java/nio/DirectByteBufferR <clinit>()V
class java/nio/DirectCharBufferRS java/nio/DirectCharBufferS
java/nio/DirectCharBufferRS $assertionsDisabled
java/nio/DirectCharBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectCharBufferRS slice()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS duplicate()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS
    put(C)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS put(IC)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS put([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS compact()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRS isDirect()Z
java/nio/DirectCharBufferRS isReadOnly()Z
java/nio/DirectCharBufferRS toString(II)Ljava/lang/String;
java/nio/DirectCharBufferRS subSequence(II)Ljava/lang/CharSequence;
java/nio/DirectCharBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectCharBufferRS <clinit>()V
class java/nio/DirectCharBufferRU java/nio/DirectCharBufferU
java/nio/DirectCharBufferRU $assertionsDisabled
java/nio/DirectCharBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectCharBufferRU slice()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU duplicate()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU
    put(C)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU put(IC)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU put([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU compact()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferRU isDirect()Z
java/nio/DirectCharBufferRU isReadOnly()Z
java/nio/DirectCharBufferRU toString(II)Ljava/lang/String;
java/nio/DirectCharBufferRU subSequence(II)Ljava/lang/CharSequence;
java/nio/DirectCharBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectCharBufferRU <clinit>()V
class java/nio/DirectCharBufferS java/nio/CharBuffer
java/nio/DirectCharBufferS unsafe
java/nio/DirectCharBufferS unaligned
java/nio/DirectCharBufferS viewedBuffer

```

```

java/nio/DirectCharBufferS $assertionsDisabled
java/nio/DirectCharBufferS viewedBuffer()Ljava/lang/Object;
java/nio/DirectCharBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectCharBufferS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectCharBufferS
    slice()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS duplicate()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS address()J
java/nio/DirectCharBufferS ix(I)J
java/nio/DirectCharBufferS get()C
java/nio/DirectCharBufferS get(I)C
java/nio/DirectCharBufferS get([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS put(C)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS put(IC)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS put([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS compact()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferS isDirect()Z
java/nio/DirectCharBufferS isReadOnly()Z
java/nio/DirectCharBufferS toString()Ljava/lang/String;
java/nio/DirectCharBufferS subSequence(II)Ljava/lang/CharSequence;
java/nio/DirectCharBufferS order()Ljava/nio/ByteOrder;
java/nio/DirectCharBufferS <clinit>()V
class java/nio/DirectCharBufferU
    java/nio/CharBuffer
java/nio/DirectCharBufferU unsafe
java/nio/DirectCharBufferU unaligned
java/nio/DirectCharBufferU viewedBuffer
java/nio/DirectCharBufferU $assertionsDisabled
java/nio/DirectCharBufferU viewedBuffer()Ljava/lang/Object;
java/nio/DirectCharBufferU cleaner()Lsun/misc/Cleaner;
java/nio/DirectCharBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectCharBufferU slice()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU duplicate()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU address()J
java/nio/DirectCharBufferU ix(I)J
java/nio/DirectCharBufferU get()C
java/nio/DirectCharBufferU get(I)C
java/nio/DirectCharBufferU get([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU put(C)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU put(IC)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU put([CII)Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU
    compact()Ljava/nio/CharBuffer;
java/nio/DirectCharBufferU isDirect()Z

```



```

java/nio/DirectCharBufferU isReadOnly()Z
java/nio/DirectCharBufferU toString()Ljava/lang/String;
java/nio/DirectCharBufferU subSequence(II)Ljava/lang/CharSequence;
java/nio/DirectCharBufferU order()Ljava/nio/ByteOrder;
java/nio/DirectCharBufferU <clinit>()V
class java/nio/DirectDoubleBufferRS java/nio/DirectDoubleBufferS
java/nio/DirectDoubleBufferRS $assertionsDisabled
java/nio/DirectDoubleBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectDoubleBufferRS slice()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS duplicate()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS put(D)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS put(ID)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS put([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS
    compact()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRS isDirect()Z
java/nio/DirectDoubleBufferRS isReadOnly()Z
java/nio/DirectDoubleBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectDoubleBufferRS <clinit>()V
class java/nio/DirectDoubleBufferRU java/nio/DirectDoubleBufferU
java/nio/DirectDoubleBufferRU $assertionsDisabled
java/nio/DirectDoubleBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectDoubleBufferRU slice()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU duplicate()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU put(D)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU put(ID)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU put([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU compact()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferRU
    isDirect()Z
java/nio/DirectDoubleBufferRU isReadOnly()Z
java/nio/DirectDoubleBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectDoubleBufferRU <clinit>()V
class java/nio/DirectDoubleBufferS java/nio/DoubleBuffer
java/nio/DirectDoubleBufferS unsafe
java/nio/DirectDoubleBufferS unaligned
java/nio/DirectDoubleBufferS viewedBuffer
java/nio/DirectDoubleBufferS $assertionsDisabled
java/nio/DirectDoubleBufferS viewedBuffer()Ljava/lang/Object;
java/nio/DirectDoubleBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectDoubleBufferS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectDoubleBufferS slice()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS duplicate()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS asReadOnlyBuffer()Ljava/nio/DoubleBuffer;

```

```

java/nio/DirectDoubleBufferS address()J
java/nio/DirectDoubleBufferS ix(I)J
java/nio/DirectDoubleBufferS get()D
java/nio/DirectDoubleBufferS get(I)D
java/nio/DirectDoubleBufferS get([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS
    put(D)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS put(ID)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS put([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS compact()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferS isDirect()Z
java/nio/DirectDoubleBufferS isReadOnly()Z
java/nio/DirectDoubleBufferS order()Ljava/nio/ByteOrder;
java/nio/DirectDoubleBufferS <clinit>()V
class java/nio/DirectDoubleBufferU java/nio/DoubleBuffer
java/nio/DirectDoubleBufferU unsafe
java/nio/DirectDoubleBufferU unaligned
java/nio/DirectDoubleBufferU viewedBuffer
java/nio/DirectDoubleBufferU $assertionsDisabled
java/nio/DirectDoubleBufferU viewedBuffer()Ljava/lang/Object;
java/nio/DirectDoubleBufferU cleaner()Lsun/misc/Cleaner;
java/nio/DirectDoubleBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectDoubleBufferU slice()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU duplicate()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU
    asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU address()J
java/nio/DirectDoubleBufferU ix(I)J
java/nio/DirectDoubleBufferU get()D
java/nio/DirectDoubleBufferU get(I)D
java/nio/DirectDoubleBufferU get([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU put(D)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU put(ID)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU put([DII)Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU compact()Ljava/nio/DoubleBuffer;
java/nio/DirectDoubleBufferU isDirect()Z
java/nio/DirectDoubleBufferU isReadOnly()Z
java/nio/DirectDoubleBufferU order()Ljava/nio/ByteOrder;
java/nio/DirectDoubleBufferU <clinit>()V
class java/nio/DirectFloatBufferRS java/nio/DirectFloatBufferS
java/nio/DirectFloatBufferRS $assertionsDisabled
java/nio/DirectFloatBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectFloatBufferRS
    slice()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS duplicate()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS asReadOnlyBuffer()Ljava/nio/FloatBuffer;

```

```

java/nio/DirectFloatBufferRS put(F)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS put(IF)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS put([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS compact()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRS isDirect()Z
java/nio/DirectFloatBufferRS isReadOnly()Z
java/nio/DirectFloatBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectFloatBufferRS <clinit>()V
class java/nio/DirectFloatBufferRU java/nio/DirectFloatBufferU
java/nio/DirectFloatBufferRU $assertionsDisabled
java/nio/DirectFloatBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectFloatBufferRU slice()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU duplicate()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU
    asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU put(F)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU put(IF)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU put([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU compact()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferRU isDirect()Z
java/nio/DirectFloatBufferRU isReadOnly()Z
java/nio/DirectFloatBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectFloatBufferRU <clinit>()V
class java/nio/DirectFloatBufferS java/nio/FloatBuffer
java/nio/DirectFloatBufferS unsafe
java/nio/DirectFloatBufferS unaligned
java/nio/DirectFloatBufferS viewedBuffer
java/nio/DirectFloatBufferS $assertionsDisabled
java/nio/DirectFloatBufferS viewedBuffer()Ljava/lang/Object;
java/nio/DirectFloatBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectFloatBufferS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectFloatBufferS slice()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS
    duplicate()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS address()J
java/nio/DirectFloatBufferS ix(I)J
java/nio/DirectFloatBufferS get()F
java/nio/DirectFloatBufferS get(I)F
java/nio/DirectFloatBufferS get([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS put(F)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS put(IF)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS put([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS compact()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferS isDirect()Z

```

```

java/nio/DirectFloatBufferS isReadOnly()Z
java/nio/DirectFloatBufferS order()Ljava/nio/ByteOrder;
java/nio/DirectFloatBufferS <clinit>()V
class java/nio/DirectFloatBufferU java/nio/FloatBuffer
java/nio/DirectFloatBufferU unsafe
java/nio/DirectFloatBufferU unaligned
java/nio/DirectFloatBufferU viewedBuffer
java/nio/DirectFloatBufferU
    $assertionsDisabled
java/nio/DirectFloatBufferU viewedBuffer()Ljava/lang/Object;
java/nio/DirectFloatBufferU cleaner()Lsun/misc/Cleaner;
java/nio/DirectFloatBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectFloatBufferU slice()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU duplicate()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU address()J
java/nio/DirectFloatBufferU ix()I
java/nio/DirectFloatBufferU get()F
java/nio/DirectFloatBufferU get(I)F
java/nio/DirectFloatBufferU get([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU put(F)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU put(IF)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU put([FII)Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU compact()Ljava/nio/FloatBuffer;
java/nio/DirectFloatBufferU isDirect()Z
java/nio/DirectFloatBufferU
    isReadOnly()Z
java/nio/DirectFloatBufferU order()Ljava/nio/ByteOrder;
java/nio/DirectFloatBufferU <clinit>()V
class java/nio/DirectIntBufferRS java/nio/DirectIntBufferS
java/nio/DirectIntBufferRS $assertionsDisabled
java/nio/DirectIntBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectIntBufferRS slice()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS duplicate()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS put(I)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS put(II)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS put([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS compact()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRS isDirect()Z
java/nio/DirectIntBufferRS isReadOnly()Z
java/nio/DirectIntBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectIntBufferRS <clinit>()V
class java/nio/DirectIntBufferRU java/nio/DirectIntBufferU
java/nio/DirectIntBufferRU

```

```

$assertionsDisabled
java/nio/DirectIntBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectIntBufferRU slice()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU duplicate()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU put(I)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU put(II)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU put([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU compact()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferRU isDirect()Z
java/nio/DirectIntBufferRU isReadOnly()Z
java/nio/DirectIntBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectIntBufferRU <clinit>()V
class java/nio/DirectIntBufferS java/nio/IntBuffer
java/nio/DirectIntBufferS unsafe
java/nio/DirectIntBufferS unaligned
java/nio/DirectIntBufferS viewedBuffer
java/nio/DirectIntBufferS $assertionsDisabled
java/nio/DirectIntBufferS
    viewedBuffer()Ljava/lang/Object;
java/nio/DirectIntBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectIntBufferS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectIntBufferS slice()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS duplicate()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS address()J
java/nio/DirectIntBufferS ix(I)J
java/nio/DirectIntBufferS get()I
java/nio/DirectIntBufferS get(I)I
java/nio/DirectIntBufferS get([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS put(I)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS put(II)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS put([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS compact()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferS isDirect()Z
java/nio/DirectIntBufferS isReadOnly()Z
java/nio/DirectIntBufferS order()Ljava/nio/ByteOrder;
java/nio/DirectIntBufferS <clinit>()V
class java/nio/DirectIntBufferU
    java/nio/IntBuffer
java/nio/DirectIntBufferU unsafe
java/nio/DirectIntBufferU unaligned
java/nio/DirectIntBufferU viewedBuffer
java/nio/DirectIntBufferU $assertionsDisabled
java/nio/DirectIntBufferU viewedBuffer()Ljava/lang/Object;
java/nio/DirectIntBufferU cleaner()Lsun/misc/Cleaner;

```

```

java/nio/DirectIntBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectIntBufferU slice()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU duplicate()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU address(J
java/nio/DirectIntBufferU ix(I)J
java/nio/DirectIntBufferU get()I
java/nio/DirectIntBufferU get(I)I
java/nio/DirectIntBufferU get([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU put(I)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU put(II)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU put([III)Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU
    compact()Ljava/nio/IntBuffer;
java/nio/DirectIntBufferU isDirect()Z
java/nio/DirectIntBufferU isReadOnly()Z
java/nio/DirectIntBufferU order()Ljava/nio/ByteOrder;
java/nio/DirectIntBufferU <clinit>()V
class java/nio/DirectLongBufferRS java/nio/DirectLongBufferS
java/nio/DirectLongBufferRS $assertionsDisabled
java/nio/DirectLongBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectLongBufferRS slice()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS duplicate()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS put(J)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS put(IJ)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS put([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS compact()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRS isDirect()Z
java/nio/DirectLongBufferRS isReadOnly()Z
java/nio/DirectLongBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectLongBufferRS
    <clinit>()V
class java/nio/DirectLongBufferRU java/nio/DirectLongBufferU
java/nio/DirectLongBufferRU $assertionsDisabled
java/nio/DirectLongBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectLongBufferRU slice()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU duplicate()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU put(J)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU put(IJ)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU put([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU compact()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferRU isDirect()Z
java/nio/DirectLongBufferRU isReadOnly()Z

```

```

java/nio/DirectLongBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectLongBufferRU <clinit>()V
class java/nio/DirectLongBufferS java/nio/LongBuffer
java/nio/DirectLongBufferS unsafe
java/nio/DirectLongBufferS
    unaligned
java/nio/DirectLongBufferS viewedBuffer
java/nio/DirectLongBufferS $assertionsDisabled
java/nio/DirectLongBufferS viewedBuffer()Ljava/lang/Object;
java/nio/DirectLongBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectLongBufferS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectLongBufferS slice()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS duplicate()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS address()J
java/nio/DirectLongBufferS ix(I)J
java/nio/DirectLongBufferS get()J
java/nio/DirectLongBufferS get(I)J
java/nio/DirectLongBufferS get([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS put(J)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS put(IJ)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS put(Ljava/nio/LongBuffer;Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS put([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS compact()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferS
    isDirect()Z
java/nio/DirectLongBufferS isReadOnly()Z
java/nio/DirectLongBufferS order()Ljava/nio/ByteOrder;
java/nio/DirectLongBufferS <clinit>()V
class java/nio/DirectLongBufferU java/nio/LongBuffer
java/nio/DirectLongBufferU unsafe
java/nio/DirectLongBufferU unaligned
java/nio/DirectLongBufferU viewedBuffer
java/nio/DirectLongBufferU $assertionsDisabled
java/nio/DirectLongBufferU viewedBuffer()Ljava/lang/Object;
java/nio/DirectLongBufferU cleaner()Lsun/misc/Cleaner;
java/nio/DirectLongBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectLongBufferU slice()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU duplicate()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU address()J
java/nio/DirectLongBufferU ix(I)J
java/nio/DirectLongBufferU get()J
java/nio/DirectLongBufferU get(I)J
java/nio/DirectLongBufferU get([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU put(J)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU

```

```

put(IJ)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU put([JII)Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU compact()Ljava/nio/LongBuffer;
java/nio/DirectLongBufferU isDirect()Z
java/nio/DirectLongBufferU isReadOnly()Z
java/nio/DirectLongBufferU order()Ljava/nio/ByteOrder;
java/nio/DirectLongBufferU <clinit>()V
class java/nio/DirectShortBufferRS java/nio/DirectShortBufferS
java/nio/DirectShortBufferRS $assertionsDisabled
java/nio/DirectShortBufferRS <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectShortBufferRS slice()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS duplicate()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS put(S)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS put(IS)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS put([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS
compact()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRS isDirect()Z
java/nio/DirectShortBufferRS isReadOnly()Z
java/nio/DirectShortBufferRS order()Ljava/nio/ByteOrder;
java/nio/DirectShortBufferRS <clinit>()V
class java/nio/DirectShortBufferRU java/nio/DirectShortBufferU
java/nio/DirectShortBufferRU $assertionsDisabled
java/nio/DirectShortBufferRU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectShortBufferRU slice()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU duplicate()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU put(S)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU put(IS)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU put([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU compact()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferRU isDirect()Z
java/nio/DirectShortBufferRU
isReadOnly()Z
java/nio/DirectShortBufferRU order()Ljava/nio/ByteOrder;
java/nio/DirectShortBufferRU <clinit>()V
class java/nio/DirectShortBufferS java/nio/ShortBuffer
java/nio/DirectShortBufferS unsafe
java/nio/DirectShortBufferS unaligned
java/nio/DirectShortBufferS viewedBuffer
java/nio/DirectShortBufferS $assertionsDisabled
java/nio/DirectShortBufferS viewedBuffer(Ljava/lang/Object;
java/nio/DirectShortBufferS cleaner()Lsun/misc/Cleaner;
java/nio/DirectShortBufferS <init>(Lsun/nio/ch/DirectBuffer;IIII)V

```



```

java/nio/DirectShortBufferS slice()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS duplicate()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS address()J
java/nio/DirectShortBufferS ix(I)J
java/nio/DirectShortBufferS get()S
java/nio/DirectShortBufferS get(I)S
java/nio/DirectShortBufferS get([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS put(S)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS
    put(IS)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS put([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS compact()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferS isDirect()Z
java/nio/DirectShortBufferS isReadOnly()Z
java/nio/DirectShortBufferS order()Ljava/nio/ByteOrder;
java/nio/DirectShortBufferS <clinit>()V
class java/nio/DirectShortBufferU java/nio/ShortBuffer
java/nio/DirectShortBufferU unsafe
java/nio/DirectShortBufferU unaligned
java/nio/DirectShortBufferU viewedBuffer
java/nio/DirectShortBufferU $assertionsDisabled
java/nio/DirectShortBufferU viewedBuffer(Ljava/lang/Object;
java/nio/DirectShortBufferU cleaner()Lsun/misc/Cleaner;
java/nio/DirectShortBufferU <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectShortBufferU slice()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU duplicate()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU
    address()J
java/nio/DirectShortBufferU ix(I)J
java/nio/DirectShortBufferU get()S
java/nio/DirectShortBufferU get(I)S
java/nio/DirectShortBufferU get([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU put(S)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU put(IS)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU put([SII)Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU compact()Ljava/nio/ShortBuffer;
java/nio/DirectShortBufferU isDirect()Z
java/nio/DirectShortBufferU isReadOnly()Z
java/nio/DirectShortBufferU order()Ljava/nio/ByteOrder;
java/nio/DirectShortBufferU <clinit>()V
class java/nio/DoubleBuffer java/nio/Buffer
java/nio/DoubleBuffer hb
java/nio/DoubleBuffer offset
java/nio/DoubleBuffer isReadOnly

```

```

java/nio/DoubleBuffer <init>(IIII[DI)V
java/nio/DoubleBuffer <init>(IIII)V
java/nio/DoubleBuffer allocate(I)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer
    wrap([DII)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer wrap([D)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer slice()Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer duplicate()Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer get()D
java/nio/DoubleBuffer put(D)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer get(I)D
java/nio/DoubleBuffer put(ID)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer get([DII)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer get([D)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer put([DII)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer put([D)Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer hasArray()Z
java/nio/DoubleBuffer array()[D
java/nio/DoubleBuffer arrayOffset()I
java/nio/DoubleBuffer compact()Ljava/nio/DoubleBuffer;
java/nio/DoubleBuffer isDirect()Z
java/nio/DoubleBuffer toString()Ljava/lang/String;
java/nio/DoubleBuffer hashCode()I
java/nio/DoubleBuffer
    equals(Ljava/lang/Object;)Z
java/nio/DoubleBuffer compareTo(Ljava/nio/DoubleBuffer;)I
java/nio/DoubleBuffer order()Ljava/nio/ByteOrder;
java/nio/DoubleBuffer compareTo(Ljava/lang/Object;)I
class java/nio/FloatBuffer java/nio/Buffer
java/nio/FloatBuffer hb
java/nio/FloatBuffer offset
java/nio/FloatBuffer isReadOnly
java/nio/FloatBuffer <init>(IIII[FI)V
java/nio/FloatBuffer <init>(IIII)V
java/nio/FloatBuffer allocate(I)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer wrap([FII)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer wrap([F)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer slice()Ljava/nio/FloatBuffer;
java/nio/FloatBuffer duplicate()Ljava/nio/FloatBuffer;
java/nio/FloatBuffer asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/FloatBuffer get()F
java/nio/FloatBuffer put(F)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer get(I)F
java/nio/FloatBuffer put(IF)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer get([FII)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer get([F)Ljava/nio/FloatBuffer;

```

```

java/nio/FloatBuffer
    put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer put([FII)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer put([F)Ljava/nio/FloatBuffer;
java/nio/FloatBuffer hasArray()Z
java/nio/FloatBuffer array()[F
java/nio/FloatBuffer arrayOffset()I
java/nio/FloatBuffer compact(Ljava/nio/FloatBuffer;
java/nio/FloatBuffer isDirect()Z
java/nio/FloatBuffer toString()Ljava/lang/String;
java/nio/FloatBuffer hashCode()I
java/nio/FloatBuffer equals(Ljava/lang/Object;)Z
java/nio/FloatBuffer compareTo(Ljava/nio/FloatBuffer;)I
java/nio/FloatBuffer order()Ljava/nio/ByteOrder;
java/nio/FloatBuffer compareTo(Ljava/lang/Object;)I
class java/nio/HeapByteBufferR java/nio/HeapByteBuffer
java/nio/HeapByteBufferR <init>()V
java/nio/HeapByteBufferR <init>([BII)V
java/nio/HeapByteBufferR <init>([BIIII)V
java/nio/HeapByteBufferR slice()Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR duplicate()Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asReadOnlyBuffer()Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR
    isReadOnly()Z
java/nio/HeapByteBufferR put(B)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR put(IB)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR put([BII)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR put(Ljava/nio/ByteBuffer;)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR compact()Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR _get(I)B
java/nio/HeapByteBufferR _put(IB)V
java/nio/HeapByteBufferR putChar(C)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR putChar(IC)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asCharBuffer()Ljava/nio/CharBuffer;
java/nio/HeapByteBufferR putShort(S)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR putShort(IS)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asShortBuffer()Ljava/nio/ShortBuffer;
java/nio/HeapByteBufferR putInt(I)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR putInt(II)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asIntBuffer()Ljava/nio/IntBuffer;
java/nio/HeapByteBufferR putLong(J)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR
    putLong(IJ)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asLongBuffer()Ljava/nio/LongBuffer;
java/nio/HeapByteBufferR putFloat(F)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR putFloat(IF)Ljava/nio/ByteBuffer;
java/nio/HeapByteBufferR asFloatBuffer()Ljava/nio/FloatBuffer;
java/nio/HeapByteBufferR putDouble(D)Ljava/nio/ByteBuffer;

```

```

java/nio/HeapByteBuffer putDouble(ID)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asDoubleBuffer()Ljava/nio/DoubleBuffer;
class java/nio/HeapCharBuffer java/nio/HeapCharBuffer
java/nio/HeapCharBufferR <init>(II)V
java/nio/HeapCharBufferR <init>([CII)V
java/nio/HeapCharBufferR <init>([CIIII)V
java/nio/HeapCharBufferR slice()Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR duplicate()Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR isReadOnly()Z
java/nio/HeapCharBufferR put(C)Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR put(IC)Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR put([CII)Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR
    put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR compact()Ljava/nio/CharBuffer;
java/nio/HeapCharBufferR toString(II)Ljava/lang/String;
java/nio/HeapCharBufferR subSequence(II)Ljava/lang/CharSequence;
java/nio/HeapCharBufferR order()Ljava/nio/ByteOrder;
class java/nio/HeapDoubleBuffer java/nio/DoubleBuffer
java/nio/HeapDoubleBuffer <init>(II)V
java/nio/HeapDoubleBuffer <init>([DII)V
java/nio/HeapDoubleBuffer <init>([DIIII)V
java/nio/HeapDoubleBuffer slice()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer duplicate()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer ix(I)I
java/nio/HeapDoubleBuffer get()D
java/nio/HeapDoubleBuffer get(I)D
java/nio/HeapDoubleBuffer get([DII)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer isDirect()Z
java/nio/HeapDoubleBuffer isReadOnly()Z
java/nio/HeapDoubleBuffer put(D)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer
    put(ID)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer put([DII)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer compact()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBuffer order()Ljava/nio/ByteOrder;
class java/nio/HeapDoubleBufferR java/nio/HeapDoubleBuffer
java/nio/HeapDoubleBufferR <init>(II)V
java/nio/HeapDoubleBufferR <init>([DII)V
java/nio/HeapDoubleBufferR <init>([DIIII)V
java/nio/HeapDoubleBufferR slice()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR duplicate()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR asReadOnlyBuffer()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR isReadOnly()Z
java/nio/HeapDoubleBufferR put(D)Ljava/nio/DoubleBuffer;

```

```

java/nio/HeapDoubleBufferR put(ID)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR put([DII)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR put(Ljava/nio/DoubleBuffer;)Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR compact()Ljava/nio/DoubleBuffer;
java/nio/HeapDoubleBufferR
    order()Ljava/nio/ByteOrder;
class java/nio/HeapFloatBuffer java/nio/FloatBuffer
java/nio/HeapFloatBuffer <init>(II)V
java/nio/HeapFloatBuffer <init>([FII)V
java/nio/HeapFloatBuffer <init>([FIIII)V
java/nio/HeapFloatBuffer slice()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer duplicate()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer ix(I)I
java/nio/HeapFloatBuffer get()F
java/nio/HeapFloatBuffer get(I)F
java/nio/HeapFloatBuffer get([FII)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer isDirect()Z
java/nio/HeapFloatBuffer isReadOnly()Z
java/nio/HeapFloatBuffer put(F)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer put(IF)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer put([FII)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer compact()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBuffer order()Ljava/nio/ByteOrder;
class
    java/nio/HeapFloatBufferR java/nio/HeapFloatBuffer
java/nio/HeapFloatBufferR <init>(II)V
java/nio/HeapFloatBufferR <init>([FII)V
java/nio/HeapFloatBufferR <init>([FIIII)V
java/nio/HeapFloatBufferR slice()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR duplicate()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR asReadOnlyBuffer()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR isReadOnly()Z
java/nio/HeapFloatBufferR put(F)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR put(IF)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR put([FII)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR put(Ljava/nio/FloatBuffer;)Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR compact()Ljava/nio/FloatBuffer;
java/nio/HeapFloatBufferR order()Ljava/nio/ByteOrder;
class java/nio/HeapIntBuffer java/nio/IntBuffer
java/nio/HeapIntBuffer <init>(II)V
java/nio/HeapIntBuffer <init>([III)V
java/nio/HeapIntBuffer <init>([IIIII)V
java/nio/HeapIntBuffer slice()Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer duplicate()Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer

```

```

asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer ix(I)I
java/nio/HeapIntBuffer get()I
java/nio/HeapIntBuffer get(I)I
java/nio/HeapIntBuffer get([III)Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer isDirect()Z
java/nio/HeapIntBuffer isReadOnly()Z
java/nio/HeapIntBuffer put(I)Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer put(II)Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer put([III)Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer compact()Ljava/nio/IntBuffer;
java/nio/HeapIntBuffer order()Ljava/nio/ByteOrder;
class java/nio/HeapIntBufferR java/nio/HeapIntBuffer
java/nio/HeapIntBufferR <init>(II)V
java/nio/HeapIntBufferR <init>([III)V
java/nio/HeapIntBufferR <init>([IIII)V
java/nio/HeapIntBufferR slice()Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR duplicate()Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR isReadOnly()Z
java/nio/HeapIntBufferR
    put(I)Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR put(II)Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR put([III)Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR compact()Ljava/nio/IntBuffer;
java/nio/HeapIntBufferR order()Ljava/nio/ByteOrder;
class java/nio/HeapLongBuffer java/nio/LongBuffer
java/nio/HeapLongBuffer <init>(II)V
java/nio/HeapLongBuffer <init>([JII)V
java/nio/HeapLongBuffer <init>([JIIII)V
java/nio/HeapLongBuffer slice()Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer duplicate()Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer ix(I)I
java/nio/HeapLongBuffer get()J
java/nio/HeapLongBuffer get(I)J
java/nio/HeapLongBuffer get([JII)Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer isDirect()Z
java/nio/HeapLongBuffer isReadOnly()Z
java/nio/HeapLongBuffer put(J)Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer put(IJ)Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer
    put([JII)Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer compact()Ljava/nio/LongBuffer;
java/nio/HeapLongBuffer order()Ljava/nio/ByteOrder;

```

```

class java/nio/HeapLongBufferR java/nio/HeapLongBuffer
java/nio/HeapLongBufferR <init>(II)V
java/nio/HeapLongBufferR <init>([JII)V
java/nio/HeapLongBufferR <init>([JIIII)V
java/nio/HeapLongBufferR slice()Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR duplicate()Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR isReadOnly()Z
java/nio/HeapLongBufferR put(J)Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR put(IJ)Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR put([JII)Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR compact()Ljava/nio/LongBuffer;
java/nio/HeapLongBufferR order()Ljava/nio/ByteOrder;
class java/nio/HeapShortBuffer
java/nio/ShortBuffer
java/nio/HeapShortBuffer <init>(II)V
java/nio/HeapShortBuffer <init>([SII)V
java/nio/HeapShortBuffer <init>([SIIII)V
java/nio/HeapShortBuffer slice()Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer duplicate()Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer ix(I)I
java/nio/HeapShortBuffer get()S
java/nio/HeapShortBuffer get(I)S
java/nio/HeapShortBuffer get([SII)Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer isDirect()Z
java/nio/HeapShortBuffer isReadOnly()Z
java/nio/HeapShortBuffer put(S)Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer put(IS)Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer put([SII)Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer compact()Ljava/nio/ShortBuffer;
java/nio/HeapShortBuffer order()Ljava/nio/ByteOrder;
class java/nio/HeapShortBufferR java/nio/HeapShortBuffer
java/nio/HeapShortBufferR <init>(II)V
java/nio/HeapShortBufferR
<init>([SII)V
java/nio/HeapShortBufferR <init>([SIIII)V
java/nio/HeapShortBufferR slice()Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR duplicate()Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR isReadOnly()Z
java/nio/HeapShortBufferR put(S)Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR put(IS)Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR put([SII)Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/HeapShortBufferR compact()Ljava/nio/ShortBuffer;

```

```

java/nio/HeapShortBufferR order()Ljava/nio/ByteOrder;
class java/nio/InvalidMarkException java/lang/IllegalStateException
java/nio/InvalidMarkException <init>()V
class java/nio/LongBuffer java/nio/Buffer
java/nio/LongBuffer hb
java/nio/LongBuffer offset
java/nio/LongBuffer isReadOnly
java/nio/LongBuffer <init>(IIII[J)V
java/nio/LongBuffer <init>(IIII)V
java/nio/LongBuffer allocate(I)Ljava/nio/LongBuffer;
java/nio/LongBuffer
    wrap([JII)Ljava/nio/LongBuffer;
java/nio/LongBuffer wrap([J)Ljava/nio/LongBuffer;
java/nio/LongBuffer slice()Ljava/nio/LongBuffer;
java/nio/LongBuffer duplicate()Ljava/nio/LongBuffer;
java/nio/LongBuffer asReadOnlyBuffer()Ljava/nio/LongBuffer;
java/nio/LongBuffer get()J
java/nio/LongBuffer put(J)Ljava/nio/LongBuffer;
java/nio/LongBuffer get(I)J
java/nio/LongBuffer put(IJ)Ljava/nio/LongBuffer;
java/nio/LongBuffer get([JII)Ljava/nio/LongBuffer;
java/nio/LongBuffer get([J)Ljava/nio/LongBuffer;
java/nio/LongBuffer put(Ljava/nio/LongBuffer;)Ljava/nio/LongBuffer;
java/nio/LongBuffer put([JII)Ljava/nio/LongBuffer;
java/nio/LongBuffer put([J)Ljava/nio/LongBuffer;
java/nio/LongBuffer hasArray()Z
java/nio/LongBuffer array()[J
java/nio/LongBuffer arrayOffset()I
java/nio/LongBuffer compact()Ljava/nio/LongBuffer;
java/nio/LongBuffer isDirect()Z
java/nio/LongBuffer toString()Ljava/lang/String;
java/nio/LongBuffer hashCode()I
java/nio/LongBuffer equals(Ljava/lang/Object;)Z
java/nio/LongBuffer
    compareTo(Ljava/nio/LongBuffer;)I
java/nio/LongBuffer order()Ljava/nio/ByteOrder;
java/nio/LongBuffer compareTo(Ljava/lang/Object;)I
class java/nio/ReadOnlyBufferException java/lang/UnsupportedOperationException
java/nio/ReadOnlyBufferException <init>()V
class java/nio/StringCharBuffer java/nio/CharBuffer
java/nio/StringCharBuffer str
java/nio/StringCharBuffer <init>(Ljava/lang/CharSequence;II)V
java/nio/StringCharBuffer slice()Ljava/nio/CharBuffer;
java/nio/StringCharBuffer <init>(Ljava/lang/CharSequence;IIII)V
java/nio/StringCharBuffer duplicate()Ljava/nio/CharBuffer;
java/nio/StringCharBuffer asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/StringCharBuffer get()C
java/nio/StringCharBuffer get(I)C

```



```

java/nio/StringCharBuffer put(C)Ljava/nio/CharBuffer;
java/nio/StringCharBuffer put(IC)Ljava/nio/CharBuffer;
java/nio/StringCharBuffer compact()Ljava/nio/CharBuffer;
java/nio/StringCharBuffer isReadOnly()Z
java/nio/StringCharBuffer toString()Ljava/lang/String;
java/nio/StringCharBuffer
    subSequence(II)Ljava/lang/CharSequence;
java/nio/StringCharBuffer isDirect()Z
java/nio/StringCharBuffer order()Ljava/nio/ByteOrder;
class java/nio/channels/AlreadyConnectedException java/lang/IllegalStateException
java/nio/channels/AlreadyConnectedException <init>()V
class java/nio/channels/AsynchronousCloseException java/nio/channels/ClosedChannelException
java/nio/channels/AsynchronousCloseException <init>()V
class java/nio/channels/CancelledKeyException java/lang/IllegalStateException
java/nio/channels/CancelledKeyException <init>()V
class java/nio/channels/Channels$1 java/io/OutputStream
java/nio/channels/Channels$1 bb
java/nio/channels/Channels$1 bs
java/nio/channels/Channels$1 b1
java/nio/channels/Channels$1 val$ch
java/nio/channels/Channels$1 <init>(Ljava/nio/channels/WritableByteChannel;)V
java/nio/channels/Channels$1 write(I)V
java/nio/channels/Channels$1 write([BII)V
java/nio/channels/Channels$1 close()V
class java/nio/channels/Channels$ReadableByteChannelImpl
    java/nio/channels/spi/AbstractInterruptibleChannel
java/nio/channels/Channels$ReadableByteChannelImpl in
java/nio/channels/Channels$ReadableByteChannelImpl TRANSFER_SIZE
java/nio/channels/Channels$ReadableByteChannelImpl buf
java/nio/channels/Channels$ReadableByteChannelImpl open
java/nio/channels/Channels$ReadableByteChannelImpl readLock
java/nio/channels/Channels$ReadableByteChannelImpl <init>(Ljava/io/InputStream;)V
java/nio/channels/Channels$ReadableByteChannelImpl read(Ljava/nio/ByteBuffer;)I
java/nio/channels/Channels$ReadableByteChannelImpl implCloseChannel()V
class java/nio/channels/Channels$WritableByteChannelImpl java/nio/channels/spi/AbstractInterruptibleChannel
java/nio/channels/Channels$WritableByteChannelImpl out
java/nio/channels/Channels$WritableByteChannelImpl TRANSFER_SIZE
java/nio/channels/Channels$WritableByteChannelImpl buf
java/nio/channels/Channels$WritableByteChannelImpl open
java/nio/channels/Channels$WritableByteChannelImpl writeLock
java/nio/channels/Channels$WritableByteChannelImpl
    <init>(Ljava/io/OutputStream;)V
java/nio/channels/Channels$WritableByteChannelImpl write(Ljava/nio/ByteBuffer;)I
java/nio/channels/Channels$WritableByteChannelImpl implCloseChannel()V
class java/nio/channels/Channels java/lang/Object
java/nio/channels/Channels <init>()V
java/nio/channels/Channels write(Ljava/nio/channels/WritableByteChannel;Ljava/nio/ByteBuffer;)I
java/nio/channels/Channels newInputStream(Ljava/nio/channels/ReadableByteChannel;)Ljava/io/InputStream;

```

```

java/nio/channels/Channels newOutputStream(Ljava/nio/channels/WritableByteChannel;)Ljava/io/OutputStream;
java/nio/channels/Channels newChannel(Ljava/io/InputStream;)Ljava/nio/channels/ReadableByteChannel;
java/nio/channels/Channels newChannel(Ljava/io/OutputStream;)Ljava/nio/channels/WritableByteChannel;
java/nio/channels/Channels
newReader(Ljava/nio/channels/ReadableByteChannel;Ljava/nio/charset/CharsetDecoder;)Ljava/io/Reader;
java/nio/channels/Channels
newReader(Ljava/nio/channels/ReadableByteChannel;Ljava/lang/String;)Ljava/io/Reader;
java/nio/channels/Channels
newWriter(Ljava/nio/channels/WritableByteChannel;Ljava/nio/charset/CharsetEncoder;)Ljava/io/Writer;
java/nio/channels/Channels
newWriter(Ljava/nio/channels/WritableByteChannel;Ljava/lang/String;)Ljava/io/Writer;
java/nio/channels/Channels access$000(Ljava/nio/channels/WritableByteChannel;Ljava/nio/ByteBuffer;)I
class java/nio/channels/ClosedByInterruptException java/nio/channels/AsynchronousCloseException
java/nio/channels/ClosedByInterruptException <init>()V
class java/nio/channels/ClosedChannelException java/io/IOException
java/nio/channels/ClosedChannelException <init>()V
class java/nio/channels/ClosedSelectorException java/lang/IllegalStateException
java/nio/channels/ClosedSelectorException <init>()V
class java/nio/channels/ConnectionPendingException java/lang/IllegalStateException
java/nio/channels/ConnectionPendingException <init>()V
class java/nio/channels/DatagramChannel java/nio/channels/spi/AbstractSelectableChannel
java/nio/channels/DatagramChannel
<init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/DatagramChannel open()Ljava/nio/channels/DatagramChannel;
java/nio/channels/DatagramChannel validOps()I
java/nio/channels/DatagramChannel socket()Ljava/net/DatagramSocket;
java/nio/channels/DatagramChannel isConnected()Z
java/nio/channels/DatagramChannel connect(Ljava/net/SocketAddress;)Ljava/nio/channels/DatagramChannel;
java/nio/channels/DatagramChannel disconnect()Ljava/nio/channels/DatagramChannel;
java/nio/channels/DatagramChannel receive(Ljava/nio/ByteBuffer;Ljava/net/SocketAddress;)I
java/nio/channels/DatagramChannel send(Ljava/nio/ByteBuffer;Ljava/net/SocketAddress;)I
java/nio/channels/DatagramChannel read(Ljava/nio/ByteBuffer;)I
java/nio/channels/DatagramChannel read([Ljava/nio/ByteBuffer;II)J
java/nio/channels/DatagramChannel read([Ljava/nio/ByteBuffer;)J
java/nio/channels/DatagramChannel write(Ljava/nio/ByteBuffer;)I
java/nio/channels/DatagramChannel write([Ljava/nio/ByteBuffer;II)J
java/nio/channels/DatagramChannel
write([Ljava/nio/ByteBuffer;)J
class java/nio/channels/FileChannel$MapMode java/lang/Object
java/nio/channels/FileChannel$MapMode READ_ONLY
java/nio/channels/FileChannel$MapMode READ_WRITE
java/nio/channels/FileChannel$MapMode PRIVATE
java/nio/channels/FileChannel$MapMode name
java/nio/channels/FileChannel$MapMode <init>(Ljava/lang/String;)V
java/nio/channels/FileChannel$MapMode toString()Ljava/lang/String;
java/nio/channels/FileChannel$MapMode <clinit>()V
class java/nio/channels/FileLock java/lang/Object
java/nio/channels/FileLock channel

```

```

java/nio/channels/FileLock position
java/nio/channels/FileLock size
java/nio/channels/FileLock shared
java/nio/channels/FileLock <init>(Ljava/nio/channels/FileChannel;JJ)V
java/nio/channels/FileLock channel()Ljava/nio/channels/FileChannel;
java/nio/channels/FileLock position()J
java/nio/channels/FileLock size()J
java/nio/channels/FileLock isShared()Z
java/nio/channels/FileLock overlaps(JJ)Z
java/nio/channels/FileLock
    isValid()Z
java/nio/channels/FileLock release()V
java/nio/channels/FileLock toString()Ljava/lang/String;
class java/nio/channels/FileLockInterruptedException java/io/IOException
java/nio/channels/FileLockInterruptedException <init>()V
class java/nio/channels/IllegalBlockingModeException java/lang/IllegalStateException
java/nio/channels/IllegalBlockingModeException <init>()V
class java/nio/channels/IllegalSelectorException java/lang/IllegalArgumentException
java/nio/channels/IllegalSelectorException <init>()V
class java/nio/channels/NoConnectionPendingException java/lang/IllegalStateException
java/nio/channels/NoConnectionPendingException <init>()V
class java/nio/channels/NonReadableChannelException java/lang/IllegalStateException
java/nio/channels/NonReadableChannelException <init>()V
class java/nio/channels/NonWritableChannelException java/lang/IllegalStateException
java/nio/channels/NonWritableChannelException <init>()V
class java/nio/channels/NotYetBoundException
    java/lang/IllegalStateException
java/nio/channels/NotYetBoundException <init>()V
class java/nio/channels/NotYetConnectedException java/lang/IllegalStateException
java/nio/channels/NotYetConnectedException <init>()V
class java/nio/channels/OverlappingFileLockException java/lang/IllegalStateException
java/nio/channels/OverlappingFileLockException <init>()V
class java/nio/channels/Pipe$SinkChannel java/nio/channels/spi/AbstractSelectableChannel
java/nio/channels/Pipe$SinkChannel <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/Pipe$SinkChannel validOps()I
class java/nio/channels/Pipe$SourceChannel java/nio/channels/spi/AbstractSelectableChannel
java/nio/channels/Pipe$SourceChannel <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/Pipe$SourceChannel validOps()I
class java/nio/channels/Pipe java/lang/Object
java/nio/channels/Pipe <init>()V
java/nio/channels/Pipe source()Ljava/nio/channels/Pipe$SourceChannel;
java/nio/channels/Pipe sink()Ljava/nio/channels/Pipe$SinkChannel;
java/nio/channels/Pipe
    open()Ljava/nio/channels/Pipe;
class java/nio/channels/SelectionKey java/lang/Object
java/nio/channels/SelectionKey OP_READ
java/nio/channels/SelectionKey OP_WRITE
java/nio/channels/SelectionKey OP_CONNECT

```

```

java/nio/channels/SelectionKey OP_ACCEPT
java/nio/channels/SelectionKey attachment
java/nio/channels/SelectionKey <init>()V
java/nio/channels/SelectionKey channel()Ljava/nio/channels/SelectableChannel;
java/nio/channels/SelectionKey selector()Ljava/nio/channels/Selector;
java/nio/channels/SelectionKey isValid()Z
java/nio/channels/SelectionKey cancel()V
java/nio/channels/SelectionKey interestOps()I
java/nio/channels/SelectionKey interestOps(I)Ljava/nio/channels/SelectionKey;
java/nio/channels/SelectionKey readyOps()I
java/nio/channels/SelectionKey isReadable()Z
java/nio/channels/SelectionKey isWritable()Z
java/nio/channels/SelectionKey isConnectable()Z
java/nio/channels/SelectionKey isAcceptable()Z
java/nio/channels/SelectionKey
    attach(Ljava/lang/Object;)Ljava/lang/Object;
java/nio/channels/SelectionKey attachment()Ljava/lang/Object;
class java/nio/channels/Selector java/lang/Object
java/nio/channels/Selector <init>()V
java/nio/channels/Selector open()Ljava/nio/channels/Selector;
java/nio/channels/Selector isOpen()Z
java/nio/channels/Selector provider()Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/Selector keys()Ljava/util/Set;
java/nio/channels/Selector selectedKeys()Ljava/util/Set;
java/nio/channels/Selector selectNow()I
java/nio/channels/Selector select(J)I
java/nio/channels/Selector select()I
java/nio/channels/Selector wakeup()Ljava/nio/channels/Selector;
java/nio/channels/Selector close()V
class java/nio/channels/ServerSocketChannel java/nio/channels/spi/AbstractSelectableChannel
java/nio/channels/ServerSocketChannel <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/ServerSocketChannel open()Ljava/nio/channels/ServerSocketChannel;
java/nio/channels/ServerSocketChannel validOps()I
java/nio/channels/ServerSocketChannel
    socket()Ljava/net/ServerSocket;
java/nio/channels/ServerSocketChannel accept()Ljava/nio/channels/SocketChannel;
class java/nio/channels/UnresolvedAddressException java/lang/IllegalArgumentException
java/nio/channels/UnresolvedAddressException <init>()V
class java/nio/channels/UnsupportedAddressTypeException java/lang/IllegalArgumentException
java/nio/channels/UnsupportedAddressTypeException <init>()V
class java/nio/channels/spi/AbstractSelectionKey java/nio/channels/SelectionKey
java/nio/channels/spi/AbstractSelectionKey valid
java/nio/channels/spi/AbstractSelectionKey <init>()V
java/nio/channels/spi/AbstractSelectionKey isValid()Z
java/nio/channels/spi/AbstractSelectionKey invalidate()V
java/nio/channels/spi/AbstractSelectionKey cancel()V
class java/nio/channels/spi/AbstractSelector$1 java/lang/Object
java/nio/channels/spi/AbstractSelector$1 this$0

```

```

java/nio/channels/spi/AbstractSelector$1 <init>(Ljava/nio/channels/spi/AbstractSelector;)V
java/nio/channels/spi/AbstractSelector$1
    interrupt()V
class java/nio/channels/spi/AbstractSelector java/nio/channels/Selector
java/nio/channels/spi/AbstractSelector selectorOpen
java/nio/channels/spi/AbstractSelector provider
java/nio/channels/spi/AbstractSelector cancelledKeys
java/nio/channels/spi/AbstractSelector interruptor
java/nio/channels/spi/AbstractSelector <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/spi/AbstractSelector cancel(Ljava/nio/channels/SelectionKey;)V
java/nio/channels/spi/AbstractSelector close()V
java/nio/channels/spi/AbstractSelector implCloseSelector()V
java/nio/channels/spi/AbstractSelector isOpen()Z
java/nio/channels/spi/AbstractSelector provider()Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/spi/AbstractSelector cancelledKeys()Ljava/util/Set;
java/nio/channels/spi/AbstractSelector
    register(Ljava/nio/channels/spi/AbstractSelectableChannel;ILjava/lang/Object;)Ljava/nio/channels/SelectionKey;
java/nio/channels/spi/AbstractSelector
    deregister(Ljava/nio/channels/spi/AbstractSelectionKey;)V
java/nio/channels/spi/AbstractSelector begin()V
java/nio/channels/spi/AbstractSelector end()V
class java/nio/channels/spi/SelectorProvider$1 java/lang/Object
java/nio/channels/spi/SelectorProvider$1 <init>()V
java/nio/channels/spi/SelectorProvider$1 run()Ljava/lang/Object;
class java/nio/channels/spi/SelectorProvider java/lang/Object
java/nio/channels/spi/SelectorProvider lock
java/nio/channels/spi/SelectorProvider provider
java/nio/channels/spi/SelectorProvider <init>()V
java/nio/channels/spi/SelectorProvider loadProviderFromProperty()Z
java/nio/channels/spi/SelectorProvider loadProviderAsService()Z
java/nio/channels/spi/SelectorProvider provider()Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/spi/SelectorProvider openDatagramChannel(Ljava/nio/channels/DatagramChannel;
java/nio/channels/spi/SelectorProvider openPipe(Ljava/nio/channels/Pipe;
java/nio/channels/spi/SelectorProvider openSelector()Ljava/nio/channels/spi/AbstractSelector;
java/nio/channels/spi/SelectorProvider
    openServerSocketChannel(Ljava/nio/channels/ServerSocketChannel;
java/nio/channels/spi/SelectorProvider openSocketChannel(Ljava/nio/channels/SocketChannel;
java/nio/channels/spi/SelectorProvider inheritedChannel(Ljava/nio/channels/Channel;
java/nio/channels/spi/SelectorProvider access$000()Z
java/nio/channels/spi/SelectorProvider access$100(Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/spi/SelectorProvider access$200()Z
java/nio/channels/spi/SelectorProvider
    access$102(Ljava/nio/channels/spi/SelectorProvider;)Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/spi/SelectorProvider <clinit>()V
class java/nio/charset/CharacterCodingException java/io/IOException
java/nio/charset/CharacterCodingException <init>()V
class java/nio/charset/Charset$1 java/lang/Object
java/nio/charset/Charset$1 c

```

```

java/nio/charset/Charset$1 cl
java/nio/charset/Charset$1 i
java/nio/charset/Charset$1 next
java/nio/charset/Charset$1
  <init>()V
java/nio/charset/Charset$1 getNext()Z
java/nio/charset/Charset$1 hasNext()Z
java/nio/charset/Charset$1 next()Ljava/lang/Object;
java/nio/charset/Charset$1 remove()V
class java/nio/charset/Charset$2 java/lang/Object
java/nio/charset/Charset$2 val$charsetName
java/nio/charset/Charset$2 <init>(Ljava/lang/String;)V
java/nio/charset/Charset$2 run()Ljava/lang/Object;
class java/nio/charset/Charset$3 java/lang/Object
java/nio/charset/Charset$3 <init>()V
java/nio/charset/Charset$3 run()Ljava/lang/Object;
class java/nio/charset/Charset$4 java/lang/Object
java/nio/charset/Charset$4 <init>()V
java/nio/charset/Charset$4 run()Ljava/lang/Object;
class java/nio/charset/CoderMalfunctionError java/lang/Error
java/nio/charset/CoderMalfunctionError <init>(Ljava/lang/Exception;)V
class java/nio/charset/IllegalCharsetNameException java/lang/IllegalArgumentException
java/nio/charset/IllegalCharsetNameException charsetName
java/nio/charset/IllegalCharsetNameException <init>(Ljava/lang/String;)V
java/nio/charset/IllegalCharsetNameException
  getCharsetName()Ljava/lang/String;
class java/nio/charset/MalformedInputException java/nio/charset/CharacterCodingException
java/nio/charset/MalformedInputException inputLength
java/nio/charset/MalformedInputException <init>(I)V
java/nio/charset/MalformedInputException getInputLength()I
java/nio/charset/MalformedInputException getMessage()Ljava/lang/String;
class java/nio/charset/UnmappableCharacterException java/nio/charset/CharacterCodingException
java/nio/charset/UnmappableCharacterException inputLength
java/nio/charset/UnmappableCharacterException <init>(I)V
java/nio/charset/UnmappableCharacterException getInputLength()I
java/nio/charset/UnmappableCharacterException getMessage()Ljava/lang/String;
class java/nio/charset/UnsupportedCharsetException java/lang/IllegalArgumentException
java/nio/charset/UnsupportedCharsetException charsetName
java/nio/charset/UnsupportedCharsetException <init>(Ljava/lang/String;)V
java/nio/charset/UnsupportedCharsetException
  getCharsetName()Ljava/lang/String;
class java/rmi/AccessException java/rmi/RemoteException
java/rmi/AccessException serialVersionUID
java/rmi/AccessException <init>(Ljava/lang/String;)V
java/rmi/AccessException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/AlreadyBoundException java/lang/Exception
java/rmi/AlreadyBoundException serialVersionUID
java/rmi/AlreadyBoundException <init>()V

```

```

java/rmi/AlreadyBoundException <init>(Ljava/lang/String;)V
class java/rmi/ConnectException java/rmi/RemoteException
java/rmi/ConnectException serialVersionUID
java/rmi/ConnectException <init>(Ljava/lang/String;)V
java/rmi/ConnectException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/ConnectIOException java/rmi/RemoteException
java/rmi/ConnectIOException serialVersionUID
java/rmi/ConnectIOException <init>(Ljava/lang/String;)V
java/rmi/ConnectIOException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/MarshalException java/rmi/RemoteException
java/rmi/MarshalException
    serialVersionUID
java/rmi/MarshalException <init>(Ljava/lang/String;)V
java/rmi/MarshalException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/MarshaledObject$MarshaledObjectInputStream sun/rmi/server/MarshalInputStream
java/rmi/MarshaledObject$MarshaledObjectInputStream locIn
java/rmi/MarshaledObject$MarshaledObjectInputStream <init>(Ljava/io/InputStream;Ljava/io/InputStream;)V
java/rmi/MarshaledObject$MarshaledObjectInputStream readLocation()Ljava/lang/Object;
class java/rmi/MarshaledObject$MarshaledObjectOutputStream sun/rmi/server/MarshalOutputStream
java/rmi/MarshaledObject$MarshaledObjectOutputStream locOut
java/rmi/MarshaledObject$MarshaledObjectOutputStream hadAnnotations
java/rmi/MarshaledObject$MarshaledObjectOutputStream
    <init>(Ljava/io/OutputStream;Ljava/io/OutputStream;)V
java/rmi/MarshaledObject$MarshaledObjectOutputStream hadAnnotations()Z
java/rmi/MarshaledObject$MarshaledObjectOutputStream writeLocation(Ljava/lang/String;)V
java/rmi/MarshaledObject$MarshaledObjectOutputStream
    flush()V
class java/rmi/MarshaledObject java/lang/Object
java/rmi/MarshaledObject objBytes
java/rmi/MarshaledObject locBytes
java/rmi/MarshaledObject hash
java/rmi/MarshaledObject serialVersionUID
java/rmi/MarshaledObject <init>(Ljava/lang/Object;)V
java/rmi/MarshaledObject get()Ljava/lang/Object;
java/rmi/MarshaledObject hashCode()I
java/rmi/MarshaledObject equals(Ljava/lang/Object;)Z
class java/rmi/Naming$ParsedNamingURL java/lang/Object
java/rmi/Naming$ParsedNamingURL host
java/rmi/Naming$ParsedNamingURL port
java/rmi/Naming$ParsedNamingURL name
java/rmi/Naming$ParsedNamingURL <init>(Ljava/lang/String;ILjava/lang/String;)V
class java/rmi/Naming java/lang/Object
java/rmi/Naming <init>()V
java/rmi/Naming lookup(Ljava/lang/String;)Ljava/rmi/Remote;
java/rmi/Naming bind(Ljava/lang/String;Ljava/rmi/Remote;)V
java/rmi/Naming unbind(Ljava/lang/String;)V
java/rmi/Naming rebind(Ljava/lang/String;Ljava/rmi/Remote;)V
java/rmi/Naming

```

```

list(Ljava/lang/String;)[Ljava/lang/String;
java/rmi/Naming getRegistry(Ljava/rmi/Naming$ParsedNamingURL;)Ljava/rmi/registry/Registry;
java/rmi/Naming parseURL(Ljava/lang/String;)Ljava/rmi/Naming$ParsedNamingURL;
class java/rmi/NoSuchObjectException java/rmi/RemoteException
java/rmi/NoSuchObjectException serialVersionUID
java/rmi/NoSuchObjectException <init>(Ljava/lang/String;)V
class java/rmi/NotBoundException java/lang/Exception
java/rmi/NotBoundException serialVersionUID
java/rmi/NotBoundException <init>()V
java/rmi/NotBoundException <init>(Ljava/lang/String;)V
class java/rmi/RMISecurityException java/lang/SecurityException
java/rmi/RMISecurityException serialVersionUID
java/rmi/RMISecurityException <init>(Ljava/lang/String;)V
java/rmi/RMISecurityException <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/rmi/RMISecurityManager java/lang/SecurityManager
java/rmi/RMISecurityManager <init>()V
class java/rmi/RemoteException java/io/IOException
java/rmi/RemoteException
    serialVersionUID
java/rmi/RemoteException detail
java/rmi/RemoteException <init>()V
java/rmi/RemoteException <init>(Ljava/lang/String;)V
java/rmi/RemoteException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/rmi/RemoteException getMessage()Ljava/lang/String;
java/rmi/RemoteException getCause()Ljava/lang/Throwable;
class java/rmi/ServerError java/rmi/RemoteException
java/rmi/ServerError serialVersionUID
java/rmi/ServerError <init>(Ljava/lang/String;Ljava/lang/Error;)V
class java/rmi/ServerException java/rmi/RemoteException
java/rmi/ServerException serialVersionUID
java/rmi/ServerException <init>(Ljava/lang/String;)V
java/rmi/ServerException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/ServerRuntimeException java/rmi/RemoteException
java/rmi/ServerRuntimeException serialVersionUID
java/rmi/ServerRuntimeException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/StubNotFoundException java/rmi/RemoteException
java/rmi/StubNotFoundException
    serialVersionUID
java/rmi/StubNotFoundException <init>(Ljava/lang/String;)V
java/rmi/StubNotFoundException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/UnexpectedException java/rmi/RemoteException
java/rmi/UnexpectedException serialVersionUID
java/rmi/UnexpectedException <init>(Ljava/lang/String;)V
java/rmi/UnexpectedException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/UnknownHostException java/rmi/RemoteException
java/rmi/UnknownHostException serialVersionUID
java/rmi/UnknownHostException <init>(Ljava/lang/String;)V
java/rmi/UnknownHostException <init>(Ljava/lang/String;Ljava/lang/Exception;)V

```



```

class java/rmi/UnmarshalException java/rmi/RemoteException
java/rmi/UnmarshalException serialVersionUID
java/rmi/UnmarshalException <init>(Ljava/lang/String;)V
java/rmi/UnmarshalException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/activation/Activatable java/rmi/server/RemoteServer
java/rmi/activation/Activatable id
java/rmi/activation/Activatable
    serialVersionUID
java/rmi/activation/Activatable <init>(Ljava/lang/String;Ljava/rmi/MarshaledObject;ZI)V
java/rmi/activation/Activatable
    <init>(Ljava/lang/String;Ljava/rmi/MarshaledObject;ZILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/
    /RMIServerSocketFactory;)V
java/rmi/activation/Activatable <init>(Ljava/rmi/activation/ActivationID;I)V
java/rmi/activation/Activatable
    <init>(Ljava/rmi/activation/ActivationID;ILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/RMIServerS
    ocketFactory;)V
java/rmi/activation/Activatable getID()Ljava/rmi/activation/ActivationID;
java/rmi/activation/Activatable register(Ljava/rmi/activation/ActivationDesc;)Ljava/rmi/Remote;
java/rmi/activation/Activatable inactive(Ljava/rmi/activation/ActivationID;)Z
java/rmi/activation/Activatable unregister(Ljava/rmi/activation/ActivationID;)V
java/rmi/activation/Activatable
    exportObject(Ljava/rmi/Remote;Ljava/lang/String;Ljava/rmi/MarshaledObject;ZI)Ljava/rmi/activation/ActivationI
    D;
java/rmi/activation/Activatable
    exportObject(Ljava/rmi/Remote;Ljava/lang/String;Ljava/rmi/MarshaledObject;ZILjava/rmi/server/RMIClientSocke
    tFactory;Ljava/rmi/server/RMIServerSocketFactory;)Ljava/rmi/activation/ActivationID;
java/rmi/activation/Activatable
    exportObject(Ljava/rmi/Remote;Ljava/rmi/activation/ActivationID;I)Ljava/rmi/Remote;
java/rmi/activation/Activatable
    exportObject(Ljava/rmi/Remote;Ljava/rmi/activation/ActivationID;ILjava/rmi/server/RMIClientSocketFactory;Ljav
    a/rmi/server/RMIServerSocketFactory;)Ljava/rmi/Remote;
java/rmi/activation/Activatable unexportObject(Ljava/rmi/Remote;Z)Z
java/rmi/activation/Activatable
    exportObject(Ljava/rmi/Remote;Lsun/rmi/server/ActivatableServerRef;)Ljava/rmi/Remote;
class java/rmi/activation/ActivateFailedException java/rmi/RemoteException
java/rmi/activation/ActivateFailedException serialVersionUID
java/rmi/activation/ActivateFailedException <init>(Ljava/lang/String;)V
java/rmi/activation/ActivateFailedException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class
    java/rmi/activation/ActivationDesc java/lang/Object
java/rmi/activation/ActivationDesc groupID
java/rmi/activation/ActivationDesc className
java/rmi/activation/ActivationDesc location
java/rmi/activation/ActivationDesc data
java/rmi/activation/ActivationDesc restart
java/rmi/activation/ActivationDesc serialVersionUID
java/rmi/activation/ActivationDesc <init>(Ljava/lang/String;Ljava/lang/String;Ljava/rmi/MarshaledObject;)V
java/rmi/activation/ActivationDesc <init>(Ljava/lang/String;Ljava/lang/String;Ljava/rmi/MarshaledObject;Z)V

```

```

java/rmi/activation/ActivationDesc
<init>(Ljava/rmi/activation/ActivationGroupID;Ljava/lang/String;Ljava/lang/String;Ljava/rmi/MarshaledObject;)V
java/rmi/activation/ActivationDesc
<init>(Ljava/rmi/activation/ActivationGroupID;Ljava/lang/String;Ljava/lang/String;Ljava/rmi/MarshaledObject;Z)
V
java/rmi/activation/ActivationDesc getGroupID()Ljava/rmi/activation/ActivationGroupID;
java/rmi/activation/ActivationDesc getClassName()Ljava/lang/String;
java/rmi/activation/ActivationDesc
getLocation()Ljava/lang/String;
java/rmi/activation/ActivationDesc getData()Ljava/rmi/MarshaledObject;
java/rmi/activation/ActivationDesc getRestartMode()Z
java/rmi/activation/ActivationDesc equals(Ljava/lang/Object;)Z
java/rmi/activation/ActivationDesc hashCode()I
class java/rmi/activation/ActivationException java/lang/Exception
java/rmi/activation/ActivationException detail
java/rmi/activation/ActivationException serialVersionUID
java/rmi/activation/ActivationException <init>()V
java/rmi/activation/ActivationException <init>(Ljava/lang/String;)V
java/rmi/activation/ActivationException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/rmi/activation/ActivationException getMessage()Ljava/lang/String;
java/rmi/activation/ActivationException getCause()Ljava/lang/Throwable;
class java/rmi/activation/ActivationGroup$1 java/lang/Object
java/rmi/activation/ActivationGroup$1 val$desc
java/rmi/activation/ActivationGroup$1 val$className
java/rmi/activation/ActivationGroup$1
<init>(Ljava/rmi/activation/ActivationGroupDesc;Ljava/lang/String;)V
java/rmi/activation/ActivationGroup$1 run()Ljava/lang/Object;
class java/rmi/activation/ActivationGroup java/rmi/server/UnicastRemoteObject
java/rmi/activation/ActivationGroup groupID
java/rmi/activation/ActivationGroup monitor
java/rmi/activation/ActivationGroup incarnation
java/rmi/activation/ActivationGroup currGroup
java/rmi/activation/ActivationGroup currGroupID
java/rmi/activation/ActivationGroup currSystem
java/rmi/activation/ActivationGroup canCreate
java/rmi/activation/ActivationGroup groupConstrParams
java/rmi/activation/ActivationGroup serialVersionUID
java/rmi/activation/ActivationGroup <init>(Ljava/rmi/activation/ActivationGroupID;)V
java/rmi/activation/ActivationGroup inactiveObject(Ljava/rmi/activation/ActivationID;)Z
java/rmi/activation/ActivationGroup activeObject(Ljava/rmi/activation/ActivationID;Ljava/rmi/Remote;)V
java/rmi/activation/ActivationGroup
createGroup(Ljava/rmi/activation/ActivationGroupID;Ljava/rmi/activation/ActivationGroupDesc;J)Ljava/rmi/activation/ActivationGroup;
java/rmi/activation/ActivationGroup
currentGroupID()Ljava/rmi/activation/ActivationGroupID;
java/rmi/activation/ActivationGroup internalCurrentGroupID()Ljava/rmi/activation/ActivationGroupID;
java/rmi/activation/ActivationGroup setSystem(Ljava/rmi/activation/ActivationSystem;)V
java/rmi/activation/ActivationGroup getSystem()Ljava/rmi/activation/ActivationSystem;

```

```

java/rmi/activation/ActivationGroup
activeObject(Ljava/rmi/activation/ActivationID;Ljava/rmi/MarshallableObject;)V
java/rmi/activation/ActivationGroup inactiveGroup()V
java/rmi/activation/ActivationGroup getMonitor()Ljava/rmi/activation/ActivationMonitor;
java/rmi/activation/ActivationGroup destroyGroup()V
java/rmi/activation/ActivationGroup currentGroup()Ljava/rmi/activation/ActivationGroup;
java/rmi/activation/ActivationGroup <clinit>()V
class java/rmi/activation/ActivationGroupDesc$CommandEnvironment java/lang/Object
java/rmi/activation/ActivationGroupDesc$CommandEnvironment
serialVersionUID
java/rmi/activation/ActivationGroupDesc$CommandEnvironment command
java/rmi/activation/ActivationGroupDesc$CommandEnvironment options
java/rmi/activation/ActivationGroupDesc$CommandEnvironment <init>(Ljava/lang/String:[Ljava/lang/String;)V
java/rmi/activation/ActivationGroupDesc$CommandEnvironment getCommandPath()Ljava/lang/String;
java/rmi/activation/ActivationGroupDesc$CommandEnvironment getCommandOptions()[Ljava/lang/String;
java/rmi/activation/ActivationGroupDesc$CommandEnvironment equals(Ljava/lang/Object;)Z
java/rmi/activation/ActivationGroupDesc$CommandEnvironment hashCode()I
class java/rmi/activation/ActivationGroupDesc java/lang/Object
java/rmi/activation/ActivationGroupDesc className
java/rmi/activation/ActivationGroupDesc location
java/rmi/activation/ActivationGroupDesc data
java/rmi/activation/ActivationGroupDesc env
java/rmi/activation/ActivationGroupDesc props
java/rmi/activation/ActivationGroupDesc
serialVersionUID
java/rmi/activation/ActivationGroupDesc
<init>(Ljava/util/Properties;Ljava/rmi/activation/ActivationGroupDesc$CommandEnvironment;)V
java/rmi/activation/ActivationGroupDesc
<init>(Ljava/lang/String;Ljava/lang/String;Ljava/rmi/MarshallableObject;Ljava/util/Properties;Ljava/rmi/activation/A
ctivationGroupDesc$CommandEnvironment;)V
java/rmi/activation/ActivationGroupDesc getClassName()Ljava/lang/String;
java/rmi/activation/ActivationGroupDesc getLocation()Ljava/lang/String;
java/rmi/activation/ActivationGroupDesc getData()Ljava/rmi/MarshallableObject;
java/rmi/activation/ActivationGroupDesc getPropertyOverrides()Ljava/util/Properties;
java/rmi/activation/ActivationGroupDesc
getCommandEnvironment()Ljava/rmi/activation/ActivationGroupDesc$CommandEnvironment;
java/rmi/activation/ActivationGroupDesc equals(Ljava/lang/Object;)Z
java/rmi/activation/ActivationGroupDesc hashCode()I
class java/rmi/activation/ActivationGroupID java/lang/Object
java/rmi/activation/ActivationGroupID
system
java/rmi/activation/ActivationGroupID uid
java/rmi/activation/ActivationGroupID serialVersionUID
java/rmi/activation/ActivationGroupID <init>(Ljava/rmi/activation/ActivationSystem;)V
java/rmi/activation/ActivationGroupID getSystem()Ljava/rmi/activation/ActivationSystem;
java/rmi/activation/ActivationGroupID hashCode()I
java/rmi/activation/ActivationGroupID equals(Ljava/lang/Object;)Z
class java/rmi/activation/ActivationGroup_Stub java/rmi/server/RemoteStub

```

```

java/rmi/activation/ActivationGroup_Stub serialVersionUID
java/rmi/activation/ActivationGroup_Stub $method_newInstance_0
java/rmi/activation/ActivationGroup_Stub class$java$rmi$activation$ActivationInstantiator
java/rmi/activation/ActivationGroup_Stub class$java$rmi$activation$ActivationID
java/rmi/activation/ActivationGroup_Stub class$java$rmi$activation$ActivationDesc
java/rmi/activation/ActivationGroup_Stub <clinit>()V
java/rmi/activation/ActivationGroup_Stub <init>(Ljava/rmi/server/RemoteRef;)V
java/rmi/activation/ActivationGroup_Stub
    class$(Ljava/lang/String;)Ljava/lang/Class;
java/rmi/activation/ActivationGroup_Stub
    newInstance(Ljava/rmi/activation/ActivationID;Ljava/rmi/activation/ActivationDesc;)Ljava/rmi/MarshallableObject;
class java/rmi/activation/ActivationID java/lang/Object
java/rmi/activation/ActivationID activator
java/rmi/activation/ActivationID uid
java/rmi/activation/ActivationID serialVersionUID
java/rmi/activation/ActivationID <init>(Ljava/rmi/activation/Activator;)V
java/rmi/activation/ActivationID activate(Z)Ljava/rmi/Remote;
java/rmi/activation/ActivationID hashCode()I
java/rmi/activation/ActivationID equals(Ljava/lang/Object;)Z
java/rmi/activation/ActivationID writeObject(Ljava/io/ObjectOutputStream;)V
java/rmi/activation/ActivationID readObject(Ljava/io/ObjectInputStream;)V
class java/rmi/activation/ActivationInstantiator java/lang/Object
java/rmi/activation/ActivationInstantiator
    newInstance(Ljava/rmi/activation/ActivationID;Ljava/rmi/activation/ActivationDesc;)Ljava/rmi/MarshallableObject;
class
    java/rmi/activation/ActivationMonitor java/lang/Object
java/rmi/activation/ActivationMonitor inactiveObject(Ljava/rmi/activation/ActivationID;)V
java/rmi/activation/ActivationMonitor
    activeObject(Ljava/rmi/activation/ActivationID;Ljava/rmi/MarshallableObject;)V
java/rmi/activation/ActivationMonitor inactiveGroup(Ljava/rmi/activation/ActivationGroupID;J)V
class java/rmi/activation/ActivationSystem java/lang/Object
java/rmi/activation/ActivationSystem SYSTEM_PORT
java/rmi/activation/ActivationSystem
    registerObject(Ljava/rmi/activation/ActivationDesc;)Ljava/rmi/activation/ActivationID;
java/rmi/activation/ActivationSystem unregisterObject(Ljava/rmi/activation/ActivationID;)V
java/rmi/activation/ActivationSystem
    registerGroup(Ljava/rmi/activation/ActivationGroupDesc;)Ljava/rmi/activation/ActivationGroupID;
java/rmi/activation/ActivationSystem
    activeGroup(Ljava/rmi/activation/ActivationGroupID;Ljava/rmi/activation/ActivationInstantiator;J)Ljava/rmi/activation/ActivationMonitor;
java/rmi/activation/ActivationSystem
    unregisterGroup(Ljava/rmi/activation/ActivationGroupID;)V
java/rmi/activation/ActivationSystem shutdown()V
java/rmi/activation/ActivationSystem
    setActivationDesc(Ljava/rmi/activation/ActivationID;Ljava/rmi/activation/ActivationDesc;)Ljava/rmi/activation/ActivationDesc;
java/rmi/activation/ActivationSystem
    setActivationGroupDesc(Ljava/rmi/activation/ActivationGroupID;Ljava/rmi/activation/ActivationGroupDesc;)Ljav

```

```

a/rmi/activation/ActivationGroupDesc;
java/rmi/activation/ActivationSystem
getActivationDesc(Ljava/rmi/activation/ActivationID;)Ljava/rmi/activation/ActivationDesc;
java/rmi/activation/ActivationSystem
getActivationGroupDesc(Ljava/rmi/activation/ActivationGroupID;)Ljava/rmi/activation/ActivationGroupDesc;
class java/rmi/activation/Activator java/lang/Object
java/rmi/activation/Activator activate(Ljava/rmi/activation/ActivationID;Z)Ljava/rmi/MarshalledObject;
class java/rmi/activation/UnknownGroupException java/rmi/activation/ActivationException
java/rmi/activation/UnknownGroupException
    serialVersionUID
java/rmi/activation/UnknownGroupException <init>(Ljava/lang/String;)V
class java/rmi/activation/UnknownObjectException java/rmi/activation/ActivationException
java/rmi/activation/UnknownObjectException serialVersionUID
java/rmi/activation/UnknownObjectException <init>(Ljava/lang/String;)V
class java/rmi/dgc/DGC java/lang/Object
java/rmi/dgc/DGC dirty([Ljava/rmi/server/ObjID;JLjava/rmi/dgc/Lease;)Ljava/rmi/dgc/Lease;
java/rmi/dgc/DGC clean([Ljava/rmi/server/ObjID;JLjava/rmi/dgc/VMID;Z)V
class java/rmi/dgc/Lease java/lang/Object
java/rmi/dgc/Lease vmid
java/rmi/dgc/Lease value
java/rmi/dgc/Lease serialVersionUID
java/rmi/dgc/Lease <init>(Ljava/rmi/dgc/VMID;J)V
java/rmi/dgc/Lease getVMID()Ljava/rmi/dgc/VMID;
java/rmi/dgc/Lease getValue()J
class java/rmi/dgc/VMID$1 java/lang/Object
java/rmi/dgc/VMID$1 <init>()V
java/rmi/dgc/VMID$1 run()Ljava/lang/Object;
class java/rmi/dgc/VMID java/lang/Object
java/rmi/dgc/VMID localAddr
java/rmi/dgc/VMID
    addr
java/rmi/dgc/VMID uid
java/rmi/dgc/VMID serialVersionUID
java/rmi/dgc/VMID <init>()V
java/rmi/dgc/VMID isUnique()Z
java/rmi/dgc/VMID hashCode()I
java/rmi/dgc/VMID equals(Ljava/lang/Object;)Z
java/rmi/dgc/VMID toString()Ljava/lang/String;
java/rmi/dgc/VMID computeAddressHash()[B
java/rmi/dgc/VMID <clinit>()V
class java/rmi/registry/LocateRegistry java/lang/Object
java/rmi/registry/LocateRegistry <init>()V
java/rmi/registry/LocateRegistry getRegistry()Ljava/rmi/registry/Registry;
java/rmi/registry/LocateRegistry getRegistry(I)Ljava/rmi/registry/Registry;
java/rmi/registry/LocateRegistry getRegistry(Ljava/lang/String;)Ljava/rmi/registry/Registry;
java/rmi/registry/LocateRegistry getRegistry(Ljava/lang/String;I)Ljava/rmi/registry/Registry;
java/rmi/registry/LocateRegistry
    getRegistry(Ljava/lang/String;ILjava/rmi/server/RMIClientSocketFactory;)Ljava/rmi/registry/Registry;

```

```

java/rmi/registry/LocateRegistry createRegistry(I)Ljava/rmi/registry/Registry;
java/rmi/registry/LocateRegistry
createRegistry(ILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/RMIServerSocketFactory;)Ljava/rmi/registry/Registry;
class java/rmi/registry/Registry java/lang/Object
java/rmi/registry/Registry REGISTRY_PORT
java/rmi/registry/Registry lookup(Ljava/lang/String;)Ljava/rmi/Remote;
java/rmi/registry/Registry bind(Ljava/lang/String;Ljava/rmi/Remote;)V
java/rmi/registry/Registry unbind(Ljava/lang/String;)V
java/rmi/registry/Registry rebind(Ljava/lang/String;Ljava/rmi/Remote;)V
java/rmi/registry/Registry list()[Ljava/lang/String;
class java/rmi/registry/RegistryHandler java/lang/Object
java/rmi/registry/RegistryHandler registryStub(Ljava/lang/String;I)Ljava/rmi/registry/Registry;
java/rmi/registry/RegistryHandler registryImpl(I)Ljava/rmi/registry/Registry;
class java/rmi/server/ExportException java/rmi/RemoteException
java/rmi/server/ExportException serialVersionUID
java/rmi/server/ExportException <init>(Ljava/lang/String;)V
java/rmi/server/ExportException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class
  java/rmi/server/LoaderHandler java/lang/Object
java/rmi/server/LoaderHandler packagePrefix
java/rmi/server/LoaderHandler loadClass(Ljava/lang/String;)Ljava/lang/Class;
java/rmi/server/LoaderHandler loadClass(Ljava/net/URL;Ljava/lang/String;)Ljava/lang/Class;
java/rmi/server/LoaderHandler getSecurityContext(Ljava/lang/ClassLoader;)Ljava/lang/Object;
class java/rmi/server/LogStream java/io/PrintStream
java/rmi/server/LogStream known
java/rmi/server/LogStream defaultStream
java/rmi/server/LogStream name
java/rmi/server/LogStream logOut
java/rmi/server/LogStream logWriter
java/rmi/server/LogStream buffer
java/rmi/server/LogStream bufOut
java/rmi/server/LogStream SILENT
java/rmi/server/LogStream BRIEF
java/rmi/server/LogStream VERBOSE
java/rmi/server/LogStream <init>(Ljava/lang/String;Ljava/io/OutputStream;)V
java/rmi/server/LogStream log(Ljava/lang/String;)Ljava/rmi/server/LogStream;
java/rmi/server/LogStream getDefaultStream()Ljava/io/PrintStream;
java/rmi/server/LogStream
  setDefaultStream(Ljava/io/PrintStream;)V
java/rmi/server/LogStream getOutputStream()Ljava/io/OutputStream;
java/rmi/server/LogStream setOutputStream(Ljava/io/OutputStream;)V
java/rmi/server/LogStream write(I)V
java/rmi/server/LogStream write([BII)V
java/rmi/server/LogStream toString()Ljava/lang/String;
java/rmi/server/LogStream parseLevel(Ljava/lang/String;)I
java/rmi/server/LogStream <clinit>()V
class java/rmi/server/ObjID$1 java/lang/Object

```

```

class java/rmi/server/ObjID$InsecureRandom java/util/Random
java/rmi/server/ObjID$InsecureRandom serialVersionUID
java/rmi/server/ObjID$InsecureRandom nextNum
java/rmi/server/ObjID$InsecureRandom <init>()V
java/rmi/server/ObjID$InsecureRandom nextLong()J
java/rmi/server/ObjID$InsecureRandom <init>(Ljava/rmi/server/ObjID$1;)V
class java/rmi/server/ObjID java/lang/Object
java/rmi/server/ObjID REGISTRY_ID
java/rmi/server/ObjID ACTIVATOR_ID
java/rmi/server/ObjID DGC_ID
java/rmi/server/ObjID serialVersionUID
java/rmi/server/ObjID
    mySpace
java/rmi/server/ObjID generator
java/rmi/server/ObjID objNum
java/rmi/server/ObjID space
java/rmi/server/ObjID <init>()V
java/rmi/server/ObjID <init>(I)V
java/rmi/server/ObjID <init>(JLjava/rmi/server/UID;)V
java/rmi/server/ObjID write(Ljava/io/ObjectOutput;)V
java/rmi/server/ObjID read(Ljava/io/ObjectInput;)Ljava/rmi/server/ObjID;
java/rmi/server/ObjID hashCode()I
java/rmi/server/ObjID equals(Ljava/lang/Object;)Z
java/rmi/server/ObjID toString()Ljava/lang/String;
java/rmi/server/ObjID <clinit>()V
class java/rmi/server/Operation java/lang/Object
java/rmi/server/Operation operation
java/rmi/server/Operation <init>(Ljava/lang/String;)V
java/rmi/server/Operation getOperation()Ljava/lang/String;
java/rmi/server/Operation toString()Ljava/lang/String;
class java/rmi/server/RMIClassLoader$1 java/lang/Object
java/rmi/server/RMIClassLoader$1 <init>()V
java/rmi/server/RMIClassLoader$1 run()Ljava/lang/Object;
class java/rmi/server/RMIClassLoader$2 java/rmi/server/RMIClassLoaderSpi
java/rmi/server/RMIClassLoader$2
    <init>()V
java/rmi/server/RMIClassLoader$2
loadClass(Ljava/lang/String;Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMIClassLoader$2
loadProxyClass(Ljava/lang/String;[Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMIClassLoader$2 getClassLoader(Ljava/lang/String;)Ljava/lang/ClassLoader;
java/rmi/server/RMIClassLoader$2 getClassAnnotation(Ljava/lang/Class;)Ljava/lang/String;
class java/rmi/server/RMIClassLoader java/lang/Object
java/rmi/server/RMIClassLoader defaultProvider
java/rmi/server/RMIClassLoader provider
java/rmi/server/RMIClassLoader <init>()V
java/rmi/server/RMIClassLoader loadClass(Ljava/lang/String;)Ljava/lang/Class;
java/rmi/server/RMIClassLoader loadClass(Ljava/net/URL;Ljava/lang/String;)Ljava/lang/Class;

```

```

java/rmi/server/RMIClassLoader loadClass(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/Class;
java/rmi/server/RMIClassLoader
loadClass(Ljava/lang/String;Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMIClassLoader
loadProxyClass(Ljava/lang/String;[Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMIClassLoader getClassLoader(Ljava/lang/String;)Ljava/lang/ClassLoader;
java/rmi/server/RMIClassLoader getClassAnnotation(Ljava/lang/Class;)Ljava/lang/String;
java/rmi/server/RMIClassLoader getDefaultProviderInstance()Ljava/rmi/server/RMIClassLoaderSpi;
java/rmi/server/RMIClassLoader getSecurityContext(Ljava/lang/ClassLoader;)Ljava/lang/Object;
java/rmi/server/RMIClassLoader newDefaultProviderInstance()Ljava/rmi/server/RMIClassLoaderSpi;
java/rmi/server/RMIClassLoader initializeProvider()Ljava/rmi/server/RMIClassLoaderSpi;
java/rmi/server/RMIClassLoader access$000()Ljava/rmi/server/RMIClassLoaderSpi;
java/rmi/server/RMIClassLoader <clinit>()V
class java/rmi/server/RMIClassLoaderSpi java/lang/Object
java/rmi/server/RMIClassLoaderSpi <init>()V
java/rmi/server/RMIClassLoaderSpi
loadClass(Ljava/lang/String;Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMIClassLoaderSpi
loadProxyClass(Ljava/lang/String;[Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/rmi/server/RMIClassLoaderSpi getClassLoader(Ljava/lang/String;)Ljava/lang/ClassLoader;
java/rmi/server/RMIClassLoaderSpi getClassAnnotation(Ljava/lang/Class;)Ljava/lang/String;
class java/rmi/server/RMIClientSocketFactory java/lang/Object
java/rmi/server/RMIClientSocketFactory createSocket(Ljava/lang/String;I)Ljava/net/Socket;
class java/rmi/server/RMIFailureHandler java/lang/Object
java/rmi/server/RMIFailureHandler failure(Ljava/lang/Exception;)Z
class java/rmi/server/RMIServerSocketFactory java/lang/Object
java/rmi/server/RMIServerSocketFactory createServerSocket(I)Ljava/net/ServerSocket;
class java/rmi/server/RMISocketFactory java/lang/Object
java/rmi/server/RMISocketFactory factory
java/rmi/server/RMISocketFactory defaultSocketFactory
java/rmi/server/RMISocketFactory handler
java/rmi/server/RMISocketFactory
<init>()V
java/rmi/server/RMISocketFactory createSocket(Ljava/lang/String;I)Ljava/net/Socket;
java/rmi/server/RMISocketFactory createServerSocket(I)Ljava/net/ServerSocket;
java/rmi/server/RMISocketFactory setSocketFactory(Ljava/rmi/server/RMISocketFactory;)V
java/rmi/server/RMISocketFactory getSocketFactory()Ljava/rmi/server/RMISocketFactory;
java/rmi/server/RMISocketFactory getDefaultSocketFactory()Ljava/rmi/server/RMISocketFactory;
java/rmi/server/RMISocketFactory setFailureHandler(Ljava/rmi/server/RMIFailureHandler;)V
java/rmi/server/RMISocketFactory getFailureHandler()Ljava/rmi/server/RMIFailureHandler;
java/rmi/server/RMISocketFactory <clinit>()V
class java/rmi/server/RemoteCall java/lang/Object
java/rmi/server/RemoteCall getOutputStream()Ljava/io/ObjectOutput;
java/rmi/server/RemoteCall releaseOutputStream()V
java/rmi/server/RemoteCall getInputStream()Ljava/io/ObjectInput;
java/rmi/server/RemoteCall releaseInputStream()V
java/rmi/server/RemoteCall getResultStream(Z)Ljava/io/ObjectOutput;
java/rmi/server/RemoteCall

```



```

executeCall()V
java/rmi/server/RemoteCall done()V
class java/rmi/server/RemoteObject java/lang/Object
java/rmi/server/RemoteObject ref
java/rmi/server/RemoteObject serialVersionUID
java/rmi/server/RemoteObject <init>()V
java/rmi/server/RemoteObject <init>(Ljava/rmi/server/RemoteRef;)V
java/rmi/server/RemoteObject getRef()Ljava/rmi/server/RemoteRef;
java/rmi/server/RemoteObject toStub(Ljava/rmi/Remote;)Ljava/rmi/Remote;
java/rmi/server/RemoteObject hashCode()I
java/rmi/server/RemoteObject equals(Ljava/lang/Object;)Z
java/rmi/server/RemoteObject toString()Ljava/lang/String;
java/rmi/server/RemoteObject writeObject(Ljava/io/ObjectOutputStream;)V
java/rmi/server/RemoteObject readObject(Ljava/io/ObjectInputStream;)V
class java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps$1 java/util/WeakHashMap
java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps$1 this$0
java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps$1
<init>(Ljava/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps;)V
java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps$1
get(Ljava/lang/Object;)Ljava/lang/Object;
class java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps sun/rmi/server/WeakClassHashMap
java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps <init>()V
java/rmi/server/RemoteObjectInvocationHandler$MethodToHash_Maps
createMap(Ljava/lang/Class;)Ljava/util/Map;
class java/rmi/server/RemoteObjectInvocationHandler java/rmi/server/RemoteObject
java/rmi/server/RemoteObjectInvocationHandler serialVersionUID
java/rmi/server/RemoteObjectInvocationHandler methodToHash_Maps
java/rmi/server/RemoteObjectInvocationHandler <init>(Ljava/rmi/server/RemoteRef;)V
java/rmi/server/RemoteObjectInvocationHandler
invoke(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/rmi/server/RemoteObjectInvocationHandler
invokeObjectMethod(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/rmi/server/RemoteObjectInvocationHandler
invokeRemoteMethod(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/rmi/server/RemoteObjectInvocationHandler proxyToString(Ljava/lang/Object;)Ljava/lang/String;
java/rmi/server/RemoteObjectInvocationHandler readObjectNoData()V
java/rmi/server/RemoteObjectInvocationHandler getMethodHash(Ljava/lang/reflect/Method;)J
java/rmi/server/RemoteObjectInvocationHandler <clinit>()V
class java/rmi/server/RemoteRef java/lang/Object
java/rmi/server/RemoteRef serialVersionUID
java/rmi/server/RemoteRef packagePrefix
java/rmi/server/RemoteRef
invoke(Ljava/rmi/Remote;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
java/rmi/server/RemoteRef
newCall(Ljava/rmi/server/RemoteObject;[Ljava/rmi/server/Operation;I)Ljava/rmi/server/RemoteCall;
java/rmi/server/RemoteRef invoke(Ljava/rmi/server/RemoteCall;)V
java/rmi/server/RemoteRef done(Ljava/rmi/server/RemoteCall;)V
java/rmi/server/RemoteRef

```

```

    getRefClass(Ljava/io/ObjectOutput;)Ljava/lang/String;
java/rmi/server/RemoteRef remoteHashCode()I
java/rmi/server/RemoteRef remoteEquals(Ljava/rmi/server/RemoteRef;)Z
java/rmi/server/RemoteRef remoteToString()Ljava/lang/String;
class java/rmi/server/RemoteServer java/rmi/server/RemoteObject
java/rmi/server/RemoteServer serialVersionUID
java/rmi/server/RemoteServer logNull
java/rmi/server/RemoteServer <init>()V
java/rmi/server/RemoteServer <init>(Ljava/rmi/server/RemoteRef;)V
java/rmi/server/RemoteServer getClientHost()Ljava/lang/String;
java/rmi/server/RemoteServer setLog(Ljava/io/OutputStream;)V
java/rmi/server/RemoteServer getLog()Ljava/io/PrintStream;
java/rmi/server/RemoteServer <clinit>()V
class java/rmi/server/RemoteStub java/rmi/server/RemoteObject
java/rmi/server/RemoteStub serialVersionUID
java/rmi/server/RemoteStub <init>()V
java/rmi/server/RemoteStub <init>(Ljava/rmi/server/RemoteRef;)V
java/rmi/server/RemoteStub setRef(Ljava/rmi/server/RemoteStub;Ljava/rmi/server/RemoteRef;)V
class
    java/rmi/server/ServerCloneException java/lang/CloneNotSupportedException
java/rmi/server/ServerCloneException detail
java/rmi/server/ServerCloneException serialVersionUID
java/rmi/server/ServerCloneException <init>(Ljava/lang/String;)V
java/rmi/server/ServerCloneException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
java/rmi/server/ServerCloneException getMessage()Ljava/lang/String;
java/rmi/server/ServerCloneException getCause()Ljava/lang/Throwable;
class java/rmi/server/ServerNotActiveException java/lang/Exception
java/rmi/server/ServerNotActiveException serialVersionUID
java/rmi/server/ServerNotActiveException <init>()V
java/rmi/server/ServerNotActiveException <init>(Ljava/lang/String;)V
class java/rmi/server/ServerRef java/lang/Object
java/rmi/server/ServerRef serialVersionUID
java/rmi/server/ServerRef exportObject(Ljava/rmi/Remote;Ljava/lang/Object;)Ljava/rmi/server/RemoteStub;
java/rmi/server/ServerRef getClientHost()Ljava/lang/String;
class
    java/rmi/server/Skeleton java/lang/Object
java/rmi/server/Skeleton dispatch(Ljava/rmi/Remote;Ljava/rmi/server/RemoteCall;IJ)V
java/rmi/server/Skeleton getOperations()[Ljava/rmi/server/Operation;
class java/rmi/server/SkeletonMismatchException java/rmi/RemoteException
java/rmi/server/SkeletonMismatchException serialVersionUID
java/rmi/server/SkeletonMismatchException <init>(Ljava/lang/String;)V
class java/rmi/server/SkeletonNotFoundException java/rmi/RemoteException
java/rmi/server/SkeletonNotFoundException serialVersionUID
java/rmi/server/SkeletonNotFoundException <init>(Ljava/lang/String;)V
java/rmi/server/SkeletonNotFoundException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/server/SocketSecurityException java/rmi/server/ExportException
java/rmi/server/SocketSecurityException serialVersionUID
java/rmi/server/SocketSecurityException <init>(Ljava/lang/String;)V

```

```

java/rmi/server/SocketSecurityException <init>(Ljava/lang/String;Ljava/lang/Exception;)V
class java/rmi/server/UID
  java/lang/Object
  java/rmi/server/UID ONE_SECOND
  java/rmi/server/UID hostUnique
  java/rmi/server/UID hostUniqueSet
  java/rmi/server/UID lock
  java/rmi/server/UID lastTime
  java/rmi/server/UID lastCount
  java/rmi/server/UID serialVersionUID
  java/rmi/server/UID unique
  java/rmi/server/UID time
  java/rmi/server/UID count
  java/rmi/server/UID <init>()V
  java/rmi/server/UID <init>(S)V
  java/rmi/server/UID <init>(IJS)V
  java/rmi/server/UID hashCode()I
  java/rmi/server/UID equals(Ljava/lang/Object;)Z
  java/rmi/server/UID toString()Ljava/lang/String;
  java/rmi/server/UID write(Ljava/io/DataOutput;)V
  java/rmi/server/UID read(Ljava/io/DataInput;)Ljava/rmi/server/UID;
  java/rmi/server/UID <clinit>()V
class java/rmi/server/UnicastRemoteObject java/rmi/server/RemoteServer
  java/rmi/server/UnicastRemoteObject port
  java/rmi/server/UnicastRemoteObject csf
  java/rmi/server/UnicastRemoteObject ssf
  java/rmi/server/UnicastRemoteObject serialVersionUID
  java/rmi/server/UnicastRemoteObject <init>()V
  java/rmi/server/UnicastRemoteObject
    <init>(I)V
  java/rmi/server/UnicastRemoteObject
    <init>(ILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/RMIServerSocketFactory;)V
  java/rmi/server/UnicastRemoteObject readObject(Ljava/io/ObjectInputStream;)V
  java/rmi/server/UnicastRemoteObject clone()Ljava/lang/Object;
  java/rmi/server/UnicastRemoteObject reexport()V
  java/rmi/server/UnicastRemoteObject exportObject(Ljava/rmi/Remote;)Ljava/rmi/server/RemoteStub;
  java/rmi/server/UnicastRemoteObject exportObject(Ljava/rmi/Remote;I)Ljava/rmi/Remote;
  java/rmi/server/UnicastRemoteObject
    exportObject(Ljava/rmi/Remote;ILjava/rmi/server/RMIClientSocketFactory;Ljava/rmi/server/RMIServerSocketFact
    ory;)Ljava/rmi/Remote;
  java/rmi/server/UnicastRemoteObject unexportObject(Ljava/rmi/Remote;Z)Z
  java/rmi/server/UnicastRemoteObject
    exportObject(Ljava/rmi/Remote;Lsun/rmi/server/UnicastServerRef;)Ljava/rmi/Remote;
class java/rmi/server/Unreferenced java/lang/Object
  java/rmi/server/Unreferenced unreferenced()V
class java/security/AccessControlContext$1
  java/lang/Object
  java/security/AccessControlContext$1 val$db

```

```

java/security/AccessControlContext$1 val$pd
java/security/AccessControlContext$1 this$0
java/security/AccessControlContext$1
<init>(Ljava/security/AccessControlContext;Lsun/security/util/Debug;Ljava/security/ProtectionDomain;)V
java/security/AccessControlContext$1 run()Ljava/lang/Object;
class java/security/AccessControlException java/lang/SecurityException
java/security/AccessControlException serialVersionUID
java/security/AccessControlException perm
java/security/AccessControlException <init>(Ljava/lang/String;)V
java/security/AccessControlException <init>(Ljava/lang/String;Ljava/security/Permission;)V
java/security/AccessControlException getPermission()Ljava/security/Permission;
class java/security/AlgorithmParameterGenerator java/lang/Object
java/security/AlgorithmParameterGenerator provider
java/security/AlgorithmParameterGenerator paramGenSpi
java/security/AlgorithmParameterGenerator algorithm
java/security/AlgorithmParameterGenerator
<init>(Ljava/security/AlgorithmParameterGeneratorSpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/AlgorithmParameterGenerator getAlgorithm()Ljava/lang/String;
java/security/AlgorithmParameterGenerator
getInstance(Ljava/lang/String;Ljava/security/AlgorithmParameterGenerator;
java/security/AlgorithmParameterGenerator
getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/AlgorithmParameterGenerator;
java/security/AlgorithmParameterGenerator
getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/AlgorithmParameterGenerator;
java/security/AlgorithmParameterGenerator getProvider()Ljava/security/Provider;
java/security/AlgorithmParameterGenerator init(I)V
java/security/AlgorithmParameterGenerator init(ILjava/security/SecureRandom;)V
java/security/AlgorithmParameterGenerator init(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/AlgorithmParameterGenerator
init(Ljava/security/spec/AlgorithmParameterSpec;Ljava/security/SecureRandom;)V
java/security/AlgorithmParameterGenerator
generateParameters()Ljava/security/AlgorithmParameters;
class java/security/AlgorithmParameterGeneratorSpi java/lang/Object
java/security/AlgorithmParameterGeneratorSpi <init>()V
java/security/AlgorithmParameterGeneratorSpi engineInit(ILjava/security/SecureRandom;)V
java/security/AlgorithmParameterGeneratorSpi
engineInit(Ljava/security/spec/AlgorithmParameterSpec;Ljava/security/SecureRandom;)V
java/security/AlgorithmParameterGeneratorSpi engineGenerateParameters()Ljava/security/AlgorithmParameters;
class java/security/AllPermissionCollection$1 java/lang/Object
java/security/AllPermissionCollection$1 hasMore
java/security/AllPermissionCollection$1 this$0
java/security/AllPermissionCollection$1 <init>(Ljava/security/AllPermissionCollection;)V
java/security/AllPermissionCollection$1 hasMoreElements()Z
java/security/AllPermissionCollection$1 nextElement()Ljava/lang/Object;
class java/security/AuthProvider java/security/Provider
java/security/AuthProvider
<init>(Ljava/lang/String;DLjava/lang/String;)V
java/security/AuthProvider login(Ljavax/security/auth/Subject;Ljavax/security/auth/callback/CallbackHandler;)V

```

```

java/security/AuthProvider logout()V
java/security/AuthProvider setCallbackHandler(Ljavax/security/auth/callback/CallbackHandler;)V
class java/security/Certificate java/lang/Object
java/security/Certificate getGuarantor()Ljava/security/Principal;
java/security/Certificate getPrincipal()Ljava/security/Principal;
java/security/Certificate getPublicKey()Ljava/security/PublicKey;
java/security/Certificate encode(Ljava/io/OutputStream;)V
java/security/Certificate decode(Ljava/io/InputStream;)V
java/security/Certificate getFormat()Ljava/lang/String;
java/security/Certificate toString(Z)Ljava/lang/String;
class java/security/DigestException java/security/GeneralSecurityException
java/security/DigestException serialVersionUID
java/security/DigestException <init>()V
java/security/DigestException <init>(Ljava/lang/String;)V
java/security/DigestException
    <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/DigestException <init>(Ljava/lang/Throwable;)V
class java/security/DigestInputStream java/io/FilterInputStream
java/security/DigestInputStream on
java/security/DigestInputStream digest
java/security/DigestInputStream <init>(Ljava/io/InputStream;Ljava/security/MessageDigest;)V
java/security/DigestInputStream getMessageDigest()Ljava/security/MessageDigest;
java/security/DigestInputStream setMessageDigest(Ljava/security/MessageDigest;)V
java/security/DigestInputStream read()I
java/security/DigestInputStream read([BII)I
java/security/DigestInputStream on(Z)V
java/security/DigestInputStream toString()Ljava/lang/String;
class java/security/DigestOutputStream java/io/FilterOutputStream
java/security/DigestOutputStream on
java/security/DigestOutputStream digest
java/security/DigestOutputStream <init>(Ljava/io/OutputStream;Ljava/security/MessageDigest;)V
java/security/DigestOutputStream
    getMessageDigest()Ljava/security/MessageDigest;
java/security/DigestOutputStream setMessageDigest(Ljava/security/MessageDigest;)V
java/security/DigestOutputStream write(I)V
java/security/DigestOutputStream write([BII)V
java/security/DigestOutputStream on(Z)V
java/security/DigestOutputStream toString()Ljava/lang/String;
class java/security/GuardedObject java/lang/Object
java/security/GuardedObject serialVersionUID
java/security/GuardedObject object
java/security/GuardedObject guard
java/security/GuardedObject <init>(Ljava/lang/Object;Ljava/security/Guard;)V
java/security/GuardedObject getObject()Ljava/lang/Object;
java/security/GuardedObject writeObject(Ljava/io/ObjectOutputStream;)V
class java/security/Identity java/lang/Object
java/security/Identity serialVersionUID
java/security/Identity name

```

```

java/security/Identity publicKey
java/security/Identity info
java/security/Identity scope
java/security/Identity certificates
java/security/Identity <init>()V
java/security/Identity <init>(Ljava/lang/String;Ljava/security/IdentityScope;)V
java/security/Identity
    <init>(Ljava/lang/String;)V
java/security/Identity getName()Ljava/lang/String;
java/security/Identity getScope()Ljava/security/IdentityScope;
java/security/Identity getPublicKey()Ljava/security/PublicKey;
java/security/Identity setPublicKey(Ljava/security/PublicKey;)V
java/security/Identity setInfo(Ljava/lang/String;)V
java/security/Identity getInfo()Ljava/lang/String;
java/security/Identity addCertificate(Ljava/security/Certificate;)V
java/security/Identity keyEquals(Ljava/security/Key;Ljava/security/Key;)Z
java/security/Identity removeCertificate(Ljava/security/Certificate;)V
java/security/Identity certificates()[Ljava/security/Certificate;
java/security/Identity equals(Ljava/lang/Object;)Z
java/security/Identity identityEquals(Ljava/security/Identity;)Z
java/security/Identity fullName()Ljava/lang/String;
java/security/Identity toString()Ljava/lang/String;
java/security/Identity toString(Z)Ljava/lang/String;
java/security/Identity
    printKeys()Ljava/lang/String;
java/security/Identity printCertificates()Ljava/lang/String;
java/security/Identity hashCode()I
java/security/Identity check(Ljava/lang/String;)V
class java/security/IdentityScope$1 java/lang/Object
java/security/IdentityScope$1 <init>()V
java/security/IdentityScope$1 run()Ljava/lang/Object;
class java/security/IdentityScope java/security/Identity
java/security/IdentityScope serialVersionUID
java/security/IdentityScope scope
java/security/IdentityScope initializeSystemScope()V
java/security/IdentityScope <init>()V
java/security/IdentityScope <init>(Ljava/lang/String;)V
java/security/IdentityScope <init>(Ljava/lang/String;Ljava/security/IdentityScope;)V
java/security/IdentityScope getSystemScope()Ljava/security/IdentityScope;
java/security/IdentityScope setSystemScope(Ljava/security/IdentityScope;)V
java/security/IdentityScope size()I
java/security/IdentityScope getIdentity(Ljava/lang/String;)Ljava/security/Identity;
java/security/IdentityScope
    getIdentity(Ljava/security/Principal;)Ljava/security/Identity;
java/security/IdentityScope getIdentity(Ljava/security/PublicKey;)Ljava/security/Identity;
java/security/IdentityScope addIdentity(Ljava/security/Identity;)V
java/security/IdentityScope removeIdentity(Ljava/security/Identity;)V
java/security/IdentityScope identities()Ljava/util/Enumeration;

```

```

java/security/IdentityScope toString()Ljava/lang/String;
java/security/IdentityScope check(Ljava/lang/String;)V
class java/security/InvalidAlgorithmParameterException java/security/GeneralSecurityException
java/security/InvalidAlgorithmParameterException serialVersionUID
java/security/InvalidAlgorithmParameterException <init>()V
java/security/InvalidAlgorithmParameterException <init>(Ljava/lang/String;)V
java/security/InvalidAlgorithmParameterException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/InvalidAlgorithmParameterException <init>(Ljava/lang/Throwable;)V
class java/security/InvalidParameterException java/lang/IllegalArgumentException
java/security/InvalidParameterException
    serialVersionUID
java/security/InvalidParameterException <init>()V
java/security/InvalidParameterException <init>(Ljava/lang/String;)V
class java/security/KeyManagementException java/security/KeyException
java/security/KeyManagementException serialVersionUID
java/security/KeyManagementException <init>()V
java/security/KeyManagementException <init>(Ljava/lang/String;)V
java/security/KeyManagementException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/KeyManagementException <init>(Ljava/lang/Throwable;)V
class java/security/KeyPair java/lang/Object
java/security/KeyPair serialVersionUID
java/security/KeyPair privateKey
java/security/KeyPair publicKey
java/security/KeyPair <init>(Ljava/security/PublicKey;Ljava/security/PrivateKey;)V
java/security/KeyPair getPublic()Ljava/security/PublicKey;
java/security/KeyPair getPrivate()Ljava/security/PrivateKey;
class java/security/KeyPairGenerator$Delegate java/security/KeyPairGenerator
java/security/KeyPairGenerator$Delegate
    spi
java/security/KeyPairGenerator$Delegate lock
java/security/KeyPairGenerator$Delegate serviceIterator
java/security/KeyPairGenerator$Delegate I_NONE
java/security/KeyPairGenerator$Delegate I_SIZE
java/security/KeyPairGenerator$Delegate I_PARAMS
java/security/KeyPairGenerator$Delegate initType
java/security/KeyPairGenerator$Delegate initKeySize
java/security/KeyPairGenerator$Delegate initParams
java/security/KeyPairGenerator$Delegate initRandom
java/security/KeyPairGenerator$Delegate <init>(Ljava/security/KeyPairGeneratorSpi;Ljava/lang/String;)V
java/security/KeyPairGenerator$Delegate
    <init>(Lsun/security/jca/GetInstance$Instance;Ljava/util/Iterator;Ljava/lang/String;)V
java/security/KeyPairGenerator$Delegate
    nextSpi(Ljava/security/KeyPairGeneratorSpi;Z)Ljava/security/KeyPairGeneratorSpi;
java/security/KeyPairGenerator$Delegate disableFailover()V
java/security/KeyPairGenerator$Delegate initialize(ILjava/security/SecureRandom;)V
java/security/KeyPairGenerator$Delegate
    initialize(Ljava/security/spec/AlgorithmParameterSpec;Ljava/security/SecureRandom;)V
java/security/KeyPairGenerator$Delegate generateKeyPair()Ljava/security/KeyPair;

```

```

class java/security/KeyPairGenerator java/security/KeyPairGeneratorSpi
java/security/KeyPairGenerator algorithm
java/security/KeyPairGenerator provider
java/security/KeyPairGenerator <init>(Ljava/lang/String;)V
java/security/KeyPairGenerator getAlgorithm()Ljava/lang/String;
java/security/KeyPairGenerator
getInstance(Lsun/security/jca/GetInstance$Instance;Ljava/lang/String;)Ljava/security/KeyPairGenerator;
java/security/KeyPairGenerator getInstance(Ljava/lang/String;)Ljava/security/KeyPairGenerator;
java/security/KeyPairGenerator getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/KeyPairGenerator;
java/security/KeyPairGenerator
getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/KeyPairGenerator;
java/security/KeyPairGenerator getProvider()Ljava/security/Provider;
java/security/KeyPairGenerator
disableFailover()V
java/security/KeyPairGenerator initialize(I)V
java/security/KeyPairGenerator initialize(ILjava/security/SecureRandom;)V
java/security/KeyPairGenerator initialize(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/KeyPairGenerator
initialize(Ljava/security/spec/AlgorithmParameterSpec;Ljava/security/SecureRandom;)V
java/security/KeyPairGenerator genKeyPair()Ljava/security/KeyPair;
java/security/KeyPairGenerator generateKeyPair()Ljava/security/KeyPair;
class java/security/KeyPairGeneratorSpi java/lang/Object
java/security/KeyPairGeneratorSpi <init>()V
java/security/KeyPairGeneratorSpi initialize(ILjava/security/SecureRandom;)V
java/security/KeyPairGeneratorSpi
initialize(Ljava/security/spec/AlgorithmParameterSpec;Ljava/security/SecureRandom;)V
java/security/KeyPairGeneratorSpi generateKeyPair()Ljava/security/KeyPair;
class java/security/KeyRep$Type java/lang/Enum
java/security/KeyRep$Type SECRET
java/security/KeyRep$Type
PUBLIC
java/security/KeyRep$Type PRIVATE
java/security/KeyRep$Type $VALUES
java/security/KeyRep$Type values()[Ljava/security/KeyRep$Type;
java/security/KeyRep$Type valueOf(Ljava/lang/String;)Ljava/security/KeyRep$Type;
java/security/KeyRep$Type <init>(Ljava/lang/String;I)V
java/security/KeyRep$Type <clinit>()V
class java/security/KeyRep java/lang/Object
java/security/KeyRep serialVersionUID
java/security/KeyRep PKCS8
java/security/KeyRep X509
java/security/KeyRep RAW
java/security/KeyRep type
java/security/KeyRep algorithm
java/security/KeyRep format
java/security/KeyRep encoded
java/security/KeyRep <init>(Ljava/security/KeyRep$Type;Ljava/lang/String;Ljava/lang/String;[B)V
java/security/KeyRep readResolve()Ljava/lang/Object;

```



```

class java/security/KeyStore$1 java/lang/Object
java/security/KeyStore$1 <init>()V
java/security/KeyStore$1 run()Ljava/lang/Object;
class java/security/KeyStore$Builder$1 java/security/KeyStore$Builder
java/security/KeyStore$Builder$1 getCalled
java/security/KeyStore$Builder$1
    val$keyStore
java/security/KeyStore$Builder$1 val$protectionParameter
java/security/KeyStore$Builder$1 <init>(Ljava/security/KeyStore;Ljava/security/KeyStore$ProtectionParameter;)V
java/security/KeyStore$Builder$1 getKeyStore()Ljava/security/KeyStore;
java/security/KeyStore$Builder$1
    getProtectionParameter(Ljava/lang/String;)Ljava/security/KeyStore$ProtectionParameter;
class java/security/KeyStore$Builder$2$1 java/lang/Object
java/security/KeyStore$Builder$2$1 this$0
java/security/KeyStore$Builder$2$1 <init>(Ljava/security/KeyStore$Builder$2;)V
java/security/KeyStore$Builder$2$1 run()Ljava/lang/Object;
class java/security/KeyStore$Builder$2 java/security/KeyStore$Builder
java/security/KeyStore$Builder$2 getCalled
java/security/KeyStore$Builder$2 action
java/security/KeyStore$Builder$2 val$provider
java/security/KeyStore$Builder$2 val$type
java/security/KeyStore$Builder$2 val$protection
java/security/KeyStore$Builder$2
    <init>(Ljava/security/Provider;Ljava/lang/String;Ljava/security/KeyStore$ProtectionParameter;)V
java/security/KeyStore$Builder$2
    getKeyStore()Ljava/security/KeyStore;
java/security/KeyStore$Builder$2
    getProtectionParameter(Ljava/lang/String;)Ljava/security/KeyStore$ProtectionParameter;
java/security/KeyStore$Builder$2 access$502(Ljava/security/KeyStore$Builder$2;Z)Z
class java/security/KeyStore$Builder$FileBuilder$1 java/lang/Object
java/security/KeyStore$Builder$FileBuilder$1 this$0
java/security/KeyStore$Builder$FileBuilder$1 <init>(Ljava/security/KeyStore$Builder$FileBuilder;)V
java/security/KeyStore$Builder$FileBuilder$1 run()Ljava/lang/Object;
class java/security/KeyStore$Builder$FileBuilder java/security/KeyStore$Builder
java/security/KeyStore$Builder$FileBuilder type
java/security/KeyStore$Builder$FileBuilder provider
java/security/KeyStore$Builder$FileBuilder file
java/security/KeyStore$Builder$FileBuilder protection
java/security/KeyStore$Builder$FileBuilder context
java/security/KeyStore$Builder$FileBuilder keyStore
java/security/KeyStore$Builder$FileBuilder
    oldException
java/security/KeyStore$Builder$FileBuilder
    <init>(Ljava/lang/String;Ljava/security/Provider;Ljava/io/File;Ljava/security/KeyStore$ProtectionParameter;Ljava/
security/AccessControlContext;)V
java/security/KeyStore$Builder$FileBuilder getKeyStore()Ljava/security/KeyStore;
java/security/KeyStore$Builder$FileBuilder
    getProtectionParameter(Ljava/lang/String;)Ljava/security/KeyStore$ProtectionParameter;

```

```

java/security/KeyStore$Builder$FileBuilder
access$100(Ljava/security/KeyStore$Builder$FileBuilder;)Ljava/security/Provider;
java/security/KeyStore$Builder$FileBuilder
access$200(Ljava/security/KeyStore$Builder$FileBuilder;)Ljava/lang/String;
java/security/KeyStore$Builder$FileBuilder
access$300(Ljava/security/KeyStore$Builder$FileBuilder;)Ljava/io/File;
java/security/KeyStore$Builder$FileBuilder
access$400(Ljava/security/KeyStore$Builder$FileBuilder;)Ljava/security/KeyStore$ProtectionParameter;
java/security/KeyStore$Builder$FileBuilder
access$402(Ljava/security/KeyStore$Builder$FileBuilder;Ljava/security/KeyStore$ProtectionParameter;)Ljava/security/KeyStore$ProtectionParameter;
class
  java/security/KeyStore$Builder java/lang/Object
  java/security/KeyStore$Builder <init>()V
  java/security/KeyStore$Builder getKeyStore()Ljava/security/KeyStore;
  java/security/KeyStore$Builder
  getProtectionParameter(Ljava/lang/String;)Ljava/security/KeyStore$ProtectionParameter;
  java/security/KeyStore$Builder
  newInstance(Ljava/security/KeyStore;Ljava/security/KeyStore$ProtectionParameter;)Ljava/security/KeyStore$Builder;
  java/security/KeyStore$Builder
  newInstance(Ljava/lang/String;Ljava/security/Provider;Ljava/io/File;Ljava/security/KeyStore$ProtectionParameter;)Ljava/security/KeyStore$Builder;
  java/security/KeyStore$Builder
  newInstance(Ljava/lang/String;Ljava/security/Provider;Ljava/security/KeyStore$ProtectionParameter;)Ljava/security/KeyStore$Builder;
  class java/security/KeyStore$CallbackHandlerProtection java/lang/Object
  java/security/KeyStore$CallbackHandlerProtection
    handler
  java/security/KeyStore$CallbackHandlerProtection <init>(Ljavax/security/auth/callback/CallbackHandler;)V
  java/security/KeyStore$CallbackHandlerProtection
  getCallbackHandler()Ljavax/security/auth/callback/CallbackHandler;
  class java/security/KeyStore$Entry java/lang/Object
  class java/security/KeyStore$LoadStoreParameter java/lang/Object
  java/security/KeyStore$LoadStoreParameter
  getProtectionParameter()Ljava/security/KeyStore$ProtectionParameter;
  class java/security/KeyStore$PasswordProtection java/lang/Object
  java/security/KeyStore$PasswordProtection password
  java/security/KeyStore$PasswordProtection destroyed
  java/security/KeyStore$PasswordProtection <init>([C)V
  java/security/KeyStore$PasswordProtection getPassword()[C
  java/security/KeyStore$PasswordProtection destroy()V
  java/security/KeyStore$PasswordProtection isDestroyed()Z
  class java/security/KeyStore$PrivateKeyEntry java/lang/Object
  java/security/KeyStore$PrivateKeyEntry privKey
  java/security/KeyStore$PrivateKeyEntry
    chain
  java/security/KeyStore$PrivateKeyEntry <init>(Ljava/security/PrivateKey;[Ljava/security/cert/Certificate;)V

```

```

java/security/KeyStore$PrivateKeyEntry getPrivateKey()Ljava/security/PrivateKey;
java/security/KeyStore$PrivateKeyEntry getCertificateChain()[Ljava/security/cert/Certificate;
java/security/KeyStore$PrivateKeyEntry getCertificate()Ljava/security/cert/Certificate;
java/security/KeyStore$PrivateKeyEntry toString()Ljava/lang/String;
class java/security/KeyStore$ProtectionParameter java/lang/Object
class java/security/KeyStore$SecretKeyEntry java/lang/Object
java/security/KeyStore$SecretKeyEntry sKey
java/security/KeyStore$SecretKeyEntry <init>(Ljava/security/SecretKey;)V
java/security/KeyStore$SecretKeyEntry getSecretKey()Ljava/security/SecretKey;
java/security/KeyStore$SecretKeyEntry toString()Ljava/lang/String;
class java/security/KeyStore$SimpleLoadStoreParameter java/lang/Object
java/security/KeyStore$SimpleLoadStoreParameter protection
java/security/KeyStore$SimpleLoadStoreParameter
    <init>(Ljava/security/KeyStore$ProtectionParameter;)V
java/security/KeyStore$SimpleLoadStoreParameter
    getProtectionParameter()Ljava/security/KeyStore$ProtectionParameter;
class java/security/KeyStore$TrustedCertificateEntry java/lang/Object
java/security/KeyStore$TrustedCertificateEntry cert
java/security/KeyStore$TrustedCertificateEntry <init>(Ljava/security/cert/Certificate;)V
java/security/KeyStore$TrustedCertificateEntry getTrustedCertificate()Ljava/security/cert/Certificate;
java/security/KeyStore$TrustedCertificateEntry toString()Ljava/lang/String;
class java/security/KeyStore java/lang/Object
java/security/KeyStore KEYSTORE_TYPE
java/security/KeyStore type
java/security/KeyStore provider
java/security/KeyStore keyStoreSpi
java/security/KeyStore initialized
java/security/KeyStore <init>(Ljava/security/KeyStoreSpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/KeyStore getInstance(Ljava/lang/String;)Ljava/security/KeyStore;
java/security/KeyStore
    getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/KeyStore;
java/security/KeyStore getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/KeyStore;
java/security/KeyStore getDefaultType()Ljava/lang/String;
java/security/KeyStore getProvider()Ljava/security/Provider;
java/security/KeyStore getType()Ljava/lang/String;
java/security/KeyStore getKey(Ljava/lang/String;[C)Ljava/security/Key;
java/security/KeyStore getCertificateChain(Ljava/lang/String;)[Ljava/security/cert/Certificate;
java/security/KeyStore getCertificate(Ljava/lang/String;)Ljava/security/cert/Certificate;
java/security/KeyStore getCreationDate(Ljava/lang/String;)Ljava/util/Date;
java/security/KeyStore setKeyEntry(Ljava/lang/String;Ljava/security/Key;[C[Ljava/security/cert/Certificate;)V
java/security/KeyStore setKeyEntry(Ljava/lang/String;[B[Ljava/security/cert/Certificate;)V
java/security/KeyStore setCertificateEntry(Ljava/lang/String;Ljava/security/cert/Certificate;)V
java/security/KeyStore
    deleteEntry(Ljava/lang/String;)V
java/security/KeyStore aliases()Ljava/util/Enumeration;
java/security/KeyStore containsAlias(Ljava/lang/String;)Z
java/security/KeyStore size()I
java/security/KeyStore isKeyEntry(Ljava/lang/String;)Z

```

```

java/security/KeyStore isCertificateEntry(Ljava/lang/String;)Z
java/security/KeyStore getCertificateAlias(Ljava/security/cert/Certificate;)Ljava/lang/String;
java/security/KeyStore store(Ljava/io/OutputStream;[C)V
java/security/KeyStore store(Ljava/security/KeyStore$LoadStoreParameter;)V
java/security/KeyStore load(Ljava/io/InputStream;[C)V
java/security/KeyStore load(Ljava/security/KeyStore$LoadStoreParameter;)V
java/security/KeyStore
    getEntry(Ljava/lang/String;Ljava/security/KeyStore$ProtectionParameter;)Ljava/security/KeyStore$Entry;
java/security/KeyStore
    setEntry(Ljava/lang/String;Ljava/security/KeyStore$Entry;Ljava/security/KeyStore$ProtectionParameter;)V
java/security/KeyStore entryInstanceOf(Ljava/lang/String;Ljava/lang/Class;)Z
java/security/KeyStore
    access$000(Ljava/security/KeyStore;)Z
class java/security/KeyStoreException java/security/GeneralSecurityException
java/security/KeyStoreException serialVersionUID
java/security/KeyStoreException <init>()V
java/security/KeyStoreException <init>(Ljava/lang/String;)V
java/security/KeyStoreException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/KeyStoreException <init>(Ljava/lang/Throwable;)V
class java/security/KeyStoreSpi java/lang/Object
java/security/KeyStoreSpi <init>()V
java/security/KeyStoreSpi engineGetKey(Ljava/lang/String;[C)Ljava/security/Key;
java/security/KeyStoreSpi engineGetCertificateChain(Ljava/lang/String;)[Ljava/security/cert/Certificate;
java/security/KeyStoreSpi engineGetCertificate(Ljava/lang/String;)Ljava/security/cert/Certificate;
java/security/KeyStoreSpi engineGetCreationDate(Ljava/lang/String;)Ljava/util/Date;
java/security/KeyStoreSpi
    engineSetKeyEntry(Ljava/lang/String;Ljava/security/Key;[C[Ljava/security/cert/Certificate;)V
java/security/KeyStoreSpi
    engineSetKeyEntry(Ljava/lang/String;[B[Ljava/security/cert/Certificate;)V
java/security/KeyStoreSpi engineSetCertificateEntry(Ljava/lang/String;Ljava/security/cert/Certificate;)V
java/security/KeyStoreSpi engineDeleteEntry(Ljava/lang/String;)V
java/security/KeyStoreSpi engineAliases()Ljava/util/Enumeration;
java/security/KeyStoreSpi engineContainsAlias(Ljava/lang/String;)Z
java/security/KeyStoreSpi engineSize()I
java/security/KeyStoreSpi engineIsKeyEntry(Ljava/lang/String;)Z
java/security/KeyStoreSpi engineIsCertificateEntry(Ljava/lang/String;)Z
java/security/KeyStoreSpi engineGetCertificateAlias(Ljava/security/cert/Certificate;)Ljava/lang/String;
java/security/KeyStoreSpi engineStore(Ljava/io/OutputStream;[C)V
java/security/KeyStoreSpi engineStore(Ljava/security/KeyStore$LoadStoreParameter;)V
java/security/KeyStoreSpi engineLoad(Ljava/io/InputStream;[C)V
java/security/KeyStoreSpi engineLoad(Ljava/security/KeyStore$LoadStoreParameter;)V
java/security/KeyStoreSpi
    engineGetEntry(Ljava/lang/String;Ljava/security/KeyStore$ProtectionParameter;)Ljava/security/KeyStore$Entry;
java/security/KeyStoreSpi
    engineSetEntry(Ljava/lang/String;Ljava/security/KeyStore$Entry;Ljava/security/KeyStore$ProtectionParameter;)V
java/security/KeyStoreSpi engineEntryInstanceOf(Ljava/lang/String;Ljava/lang/Class;)Z
class java/security/NoSuchProviderException java/security/GeneralSecurityException
java/security/NoSuchProviderException serialVersionUID

```

```

java/security/NoSuchProviderException <init>()V
java/security/NoSuchProviderException <init>(Ljava/lang/String;)V
class java/security/PermissionsHash java/security/PermissionCollection
java/security/PermissionsHash permsMap
java/security/PermissionsHash serialVersionUID
java/security/PermissionsHash serialPersistentFields
java/security/PermissionsHash <init>()V
java/security/PermissionsHash add(Ljava/security/Permission;)V
java/security/PermissionsHash implies(Ljava/security/Permission;)Z
java/security/PermissionsHash elements()Ljava/util/Enumeration;
java/security/PermissionsHash
    writeObject(Ljava/io/ObjectOutputStream;)V
java/security/PermissionsHash readObject(Ljava/io/ObjectInputStream;)V
java/security/PermissionsHash <clinit>()V
class java/security/Policy$2 java/lang/Object
java/security/Policy$2 val$pc
java/security/Policy$2 <init>(Ljava/lang/String;)V
java/security/Policy$2 run()Ljava/lang/Object;
class java/security/Policy$3 java/lang/Object
java/security/Policy$3 val$p
java/security/Policy$3 <init>(Ljava/security/Policy;)V
java/security/Policy$3 run()Ljava/lang/Object;
class java/security/ProtectionDomain$1 java/lang/Object
java/security/ProtectionDomain$1 this$0
java/security/ProtectionDomain$1 <init>(Ljava/security/ProtectionDomain;)V
java/security/ProtectionDomain$1 run()Ljava/lang/Object;
class java/security/Provider$1 java/lang/Object
class java/security/Provider$EngineDescription java/lang/Object
java/security/Provider$EngineDescription name
java/security/Provider$EngineDescription constructor
java/security/Provider$EngineDescription
    supportsParameter
java/security/Provider$EngineDescription <init>(Ljava/lang/String;ZZ)V
class java/security/Provider$UString java/lang/Object
java/security/Provider$UString string
java/security/Provider$UString lowerString
java/security/Provider$UString <init>(Ljava/lang/String;)V
java/security/Provider$UString hashCode()I
java/security/Provider$UString equals(Ljava/lang/Object;)Z
java/security/Provider$UString toString()Ljava/lang/String;
class java/security/ProviderException java/lang/RuntimeException
java/security/ProviderException serialVersionUID
java/security/ProviderException <init>()V
java/security/ProviderException <init>(Ljava/lang/String;)V
java/security/ProviderException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/ProviderException <init>(Ljava/lang/Throwable;)V
class java/security/SecureRandom java/util/Random
java/security/SecureRandom provider

```

```

java/security/SecureRandom secureRandomSpi
java/security/SecureRandom
    algorithm
java/security/SecureRandom seedGenerator
java/security/SecureRandom serialVersionUID
java/security/SecureRandom state
java/security/SecureRandom digest
java/security/SecureRandom randomBytes
java/security/SecureRandom randomBytesUsed
java/security/SecureRandom counter
java/security/SecureRandom <init>()V
java/security/SecureRandom <init>([B)V
java/security/SecureRandom getDefaultPRNG(Z[B)V
java/security/SecureRandom <init>(Ljava/security/SecureRandomSpi;Ljava/security/Provider;)V
java/security/SecureRandom <init>(Ljava/security/SecureRandomSpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/SecureRandom getInstance(Ljava/lang/String;)Ljava/security/SecureRandom;
java/security/SecureRandom getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/SecureRandom;
java/security/SecureRandom getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/SecureRandom;
java/security/SecureRandom getSecureRandomSpi()Ljava/security/SecureRandomSpi;
java/security/SecureRandom
    getProvider()Ljava/security/Provider;
java/security/SecureRandom getAlgorithm()Ljava/lang/String;
java/security/SecureRandom setSeed([B)V
java/security/SecureRandom setSeed(J)V
java/security/SecureRandom nextBytes([B)V
java/security/SecureRandom next(I)I
java/security/SecureRandom getSeed(I)[B
java/security/SecureRandom generateSeed(I)[B
java/security/SecureRandom longToByteArray(J)[B
java/security/SecureRandom getPrgAlgorithm()Ljava/lang/String;
java/security/SecureRandom <clinit>()V
class java/security/SecureRandomSpi java/lang/Object
java/security/SecureRandomSpi serialVersionUID
java/security/SecureRandomSpi <init>()V
java/security/SecureRandomSpi engineSetSeed([B)V
java/security/SecureRandomSpi engineNextBytes([B)V
java/security/SecureRandomSpi engineGenerateSeed(I)[B
class java/security/Security$2 java/lang/Object
java/security/Security$2 val$pa
java/security/Security$2 <init>(Z)V
java/security/Security$2 run()Ljava/lang/Object;
class java/security/Security$ProviderProperty
    java/lang/Object
java/security/Security$ProviderProperty className
java/security/Security$ProviderProperty provider
java/security/Security$ProviderProperty <init>()V
java/security/Security$ProviderProperty <init>(Ljava/security/Security$1;)V
class java/security/Signature$CipherAdapter java/security/SignatureSpi

```

```

java/security/Signature$CipherAdapter cipher
java/security/Signature$CipherAdapter data
java/security/Signature$CipherAdapter <init>(Ljava/security/Cipher;)V
java/security/Signature$CipherAdapter engineInitVerify(Ljava/security/PublicKey;)V
java/security/Signature$CipherAdapter engineInitSign(Ljava/security/PrivateKey;)V
java/security/Signature$CipherAdapter engineInitSign(Ljava/security/PrivateKey;Ljava/security/SecureRandom;)V
java/security/Signature$CipherAdapter engineUpdate(B)V
java/security/Signature$CipherAdapter engineUpdate([BII)V
java/security/Signature$CipherAdapter engineSign()[B
java/security/Signature$CipherAdapter engineVerify([B)Z
java/security/Signature$CipherAdapter
    engineSetParameter(Ljava/lang/String;Ljava/lang/Object;)V
java/security/Signature$CipherAdapter engineGetParameter(Ljava/lang/String;)Ljava/lang/Object;
class java/security/SignedObject java/lang/Object
java/security/SignedObject serialVersionUID
java/security/SignedObject content
java/security/SignedObject signature
java/security/SignedObject thealgorithm
java/security/SignedObject <init>(Ljava/io/Serializable;Ljava/security/PrivateKey;Ljava/security/Signature;)V
java/security/SignedObject getObject()Ljava/lang/Object;
java/security/SignedObject getSignature()[B
java/security/SignedObject getAlgorithm()Ljava/lang/String;
java/security/SignedObject verify(Ljava/security/PublicKey;Ljava/security/Signature;)Z
java/security/SignedObject sign(Ljava/security/PrivateKey;Ljava/security/Signature;)V
java/security/SignedObject readObject(Ljava/io/ObjectInputStream;)V
class java/security/Signer$1 java/lang/Object
java/security/Signer$1 val$pub
java/security/Signer$1 this$0
java/security/Signer$1
    <init>(Ljava/security/Signer;Ljava/security/PublicKey;)V
java/security/Signer$1 run()Ljava/lang/Object;
class java/security/Signer java/security/Identity
java/security/Signer serialVersionUID
java/security/Signer privateKey
java/security/Signer <init>()V
java/security/Signer <init>(Ljava/lang/String;)V
java/security/Signer <init>(Ljava/lang/String;Ljava/security/IdentityScope;)V
java/security/Signer getPrivateKey()Ljava/security/PrivateKey;
java/security/Signer setKeyPair(Ljava/security/KeyPair;)V
java/security/Signer printKeys()Ljava/lang/String;
java/security/Signer toString()Ljava/lang/String;
java/security/Signer check(Ljava/lang/String;)V
class java/security/Timestamp java/lang/Object
java/security/Timestamp serialVersionUID
java/security/Timestamp timestamp
java/security/Timestamp signerCertPath
java/security/Timestamp myhash
java/security/Timestamp <init>(Ljava/util/Date;Ljava/security/cert/CertPath;)V

```

```

java/security/Timestamp getTimestamp()Ljava/util/Date;
java/security/Timestamp
    getSignerCertPath()Ljava/security/cert/CertPath;
java/security/Timestamp hashCode()I
java/security/Timestamp equals(Ljava/lang/Object;)Z
java/security/Timestamp toString()Ljava/lang/String;
class java/security/UnrecoverableEntryException java/security/GeneralSecurityException
java/security/UnrecoverableEntryException serialVersionUID
java/security/UnrecoverableEntryException <init>()V
java/security/UnrecoverableEntryException <init>(Ljava/lang/String;)V
class java/security/UnrecoverableKeyException java/security/GeneralSecurityException
java/security/UnrecoverableKeyException serialVersionUID
java/security/UnrecoverableKeyException <init>()V
java/security/UnrecoverableKeyException <init>(Ljava/lang/String;)V
class java/security/UnresolvedPermissionCollection java/security/PermissionCollection
java/security/UnresolvedPermissionCollection perms
java/security/UnresolvedPermissionCollection serialVersionUID
java/security/UnresolvedPermissionCollection serialPersistentFields
java/security/UnresolvedPermissionCollection
    <init>()V
java/security/UnresolvedPermissionCollection add(Ljava/security/Permission;)V
java/security/UnresolvedPermissionCollection
    getUnresolvedPermissions(Ljava/security/Permission;)Ljava/util/List;
java/security/UnresolvedPermissionCollection implies(Ljava/security/Permission;)Z
java/security/UnresolvedPermissionCollection elements()Ljava/util/Enumeration;
java/security/UnresolvedPermissionCollection writeObject(Ljava/io/ObjectOutputStream;)V
java/security/UnresolvedPermissionCollection readObject(Ljava/io/ObjectInputStream;)V
java/security/UnresolvedPermissionCollection <clinit>()V
class java/security/acl/Acl java/lang/Object
java/security/acl/Acl setName(Ljava/security/Principal;Ljava/lang/String;)V
java/security/acl/Acl getName()Ljava/lang/String;
java/security/acl/Acl addEntry(Ljava/security/Principal;Ljava/security/acl/AclEntry;)Z
java/security/acl/Acl removeEntry(Ljava/security/Principal;Ljava/security/acl/AclEntry;)Z
java/security/acl/Acl
    getPermissions(Ljava/security/Principal;)Ljava/util/Enumeration;
java/security/acl/Acl entries()Ljava/util/Enumeration;
java/security/acl/Acl checkPermission(Ljava/security/Principal;Ljava/security/acl/Permission;)Z
java/security/acl/Acl toString()Ljava/lang/String;
class java/security/acl/AclEntry java/lang/Object
java/security/acl/AclEntry setPrincipal(Ljava/security/Principal;)Z
java/security/acl/AclEntry getPrincipal()Ljava/security/Principal;
java/security/acl/AclEntry setNegativePermissions()V
java/security/acl/AclEntry isNegative()Z
java/security/acl/AclEntry addPermission(Ljava/security/acl/Permission;)Z
java/security/acl/AclEntry removePermission(Ljava/security/acl/Permission;)Z
java/security/acl/AclEntry checkPermission(Ljava/security/acl/Permission;)Z
java/security/acl/AclEntry permissions()Ljava/util/Enumeration;
java/security/acl/AclEntry toString()Ljava/lang/String;

```



```

java/security/acl/AclEntry clone()Ljava/lang/Object;
class java/security/acl/AclNotFoundException
    java/lang/Exception
java/security/acl/AclNotFoundException serialVersionUID
java/security/acl/AclNotFoundException <init>()V
class java/security/acl/Group java/lang/Object
java/security/acl/Group addMember(Ljava/security/Principal;)Z
java/security/acl/Group removeMember(Ljava/security/Principal;)Z
java/security/acl/Group isMember(Ljava/security/Principal;)Z
java/security/acl/Group members()Ljava/util/Enumeration;
class java/security/acl/LastOwnerException java/lang/Exception
java/security/acl/LastOwnerException serialVersionUID
java/security/acl/LastOwnerException <init>()V
class java/security/acl/NotOwnerException java/lang/Exception
java/security/acl/NotOwnerException serialVersionUID
java/security/acl/NotOwnerException <init>()V
class java/security/acl/Owner java/lang/Object
java/security/acl/Owner addOwner(Ljava/security/Principal;Ljava/security/Principal;)Z
java/security/acl/Owner deleteOwner(Ljava/security/Principal;Ljava/security/Principal;)Z
java/security/acl/Owner isOwner(Ljava/security/Principal;)Z
class
    java/security/acl/Permission java/lang/Object
java/security/acl/Permission equals(Ljava/lang/Object;)Z
java/security/acl/Permission toString()Ljava/lang/String;
class java/security/cert/CRL java/lang/Object
java/security/cert/CRL type
java/security/cert/CRL <init>(Ljava/lang/String;)V
java/security/cert/CRL getType()Ljava/lang/String;
java/security/cert/CRL toString()Ljava/lang/String;
java/security/cert/CRL isRevoked(Ljava/security/cert/Certificate;)Z
class java/security/cert/CRLException java/security/GeneralSecurityException
java/security/cert/CRLException serialVersionUID
java/security/cert/CRLException <init>()V
java/security/cert/CRLException <init>(Ljava/lang/String;)V
java/security/cert/CRLException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/cert/CRLException <init>(Ljava/lang/Throwable;)V
class java/security/cert/CRLSelector java/lang/Object
java/security/cert/CRLSelector match(Ljava/security/cert/CRL;)Z
java/security/cert/CRLSelector
    clone()Ljava/lang/Object;
class java/security/cert/CertPath$CertPathRep java/lang/Object
java/security/cert/CertPath$CertPathRep serialVersionUID
java/security/cert/CertPath$CertPathRep type
java/security/cert/CertPath$CertPathRep data
java/security/cert/CertPath$CertPathRep <init>(Ljava/lang/String;[B)V
java/security/cert/CertPath$CertPathRep readResolve()Ljava/lang/Object;
class java/security/cert/CertPathBuilder$1 java/lang/Object
java/security/cert/CertPathBuilder$1 <init>()V

```

```

java/security/cert/CertPathBuilder$1 run()Ljava/lang/Object;
class java/security/cert/CertPathBuilder java/lang/Object
java/security/cert/CertPathBuilder CPB_TYPE
java/security/cert/CertPathBuilder debug
java/security/cert/CertPathBuilder builderSpi
java/security/cert/CertPathBuilder provider
java/security/cert/CertPathBuilder algorithm
java/security/cert/CertPathBuilder
<init>(Ljava/security/cert/CertPathBuilderSpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/cert/CertPathBuilder getInstance(Ljava/lang/String;)Ljava/security/cert/CertPathBuilder;
java/security/cert/CertPathBuilder
    getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/cert/CertPathBuilder;
java/security/cert/CertPathBuilder
    getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/cert/CertPathBuilder;
java/security/cert/CertPathBuilder getProvider()Ljava/security/Provider;
java/security/cert/CertPathBuilder getAlgorithm()Ljava/lang/String;
java/security/cert/CertPathBuilder
    build(Ljava/security/cert/CertPathParameters;)Ljava/security/cert/CertPathBuilderResult;
java/security/cert/CertPathBuilder getDefaultType()Ljava/lang/String;
java/security/cert/CertPathBuilder <clinit>()V
class java/security/cert/CertPathBuilderException java/security/GeneralSecurityException
java/security/cert/CertPathBuilderException serialVersionUID
java/security/cert/CertPathBuilderException <init>()V
java/security/cert/CertPathBuilderException <init>(Ljava/lang/String;)V
java/security/cert/CertPathBuilderException
    <init>(Ljava/lang/Throwable;)V
java/security/cert/CertPathBuilderException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
class java/security/cert/CertPathBuilderResult java/lang/Object
java/security/cert/CertPathBuilderResult getCertPath()Ljava/security/cert/CertPath;
java/security/cert/CertPathBuilderResult clone()Ljava/lang/Object;
class java/security/cert/CertPathBuilderSpi java/lang/Object
java/security/cert/CertPathBuilderSpi <init>()V
java/security/cert/CertPathBuilderSpi
    engineBuild(Ljava/security/cert/CertPathParameters;)Ljava/security/cert/CertPathBuilderResult;
class java/security/cert/CertPathHelperImpl sun/security/provider/certpath/CertPathHelper
java/security/cert/CertPathHelperImpl <init>()V
java/security/cert/CertPathHelperImpl initialize()V
java/security/cert/CertPathHelperImpl
    implSetSubject(Ljava/security/cert/X509CertSelector;Ljavax/security/auth/x500/X500Principal;)V
java/security/cert/CertPathHelperImpl
    implGetSubject(Ljava/security/cert/X509CertSelector;)Ljavax/security/auth/x500/X500Principal;
java/security/cert/CertPathHelperImpl
    implSetIssuer(Ljava/security/cert/X509CertSelector;Ljavax/security/auth/x500/X500Principal;)V
java/security/cert/CertPathHelperImpl
    implGetIssuer(Ljava/security/cert/X509CertSelector;)Ljavax/security/auth/x500/X500Principal;
java/security/cert/CertPathHelperImpl
    implGetCA(Ljava/security/cert/TrustAnchor;)Ljavax/security/auth/x500/X500Principal;
java/security/cert/CertPathHelperImpl implSetPathToNames(Ljava/security/cert/X509CertSelector;Ljava/util/Set;)V

```

```

java/security/cert/CertPathHelperImpl
implAddIssuer(Ljava/security/cert/X509CRLSelector;Ljava/security/auth/x500/X500Principal;)V
java/security/cert/CertPathHelperImpl implGetIssuers(Ljava/security/cert/X509CRLSelector;)Ljava/util/Collection;
class java/security/cert/CertPathParameters java/lang/Object
java/security/cert/CertPathParameters clone()Ljava/lang/Object;
class java/security/cert/CertPathValidator$1 java/lang/Object
java/security/cert/CertPathValidator$1
    <init>()V
java/security/cert/CertPathValidator$1 run()Ljava/lang/Object;
class java/security/cert/CertPathValidator java/lang/Object
java/security/cert/CertPathValidator CPV_TYPE
java/security/cert/CertPathValidator debug
java/security/cert/CertPathValidator validatorSpi
java/security/cert/CertPathValidator provider
java/security/cert/CertPathValidator algorithm
java/security/cert/CertPathValidator
    <init>(Ljava/security/cert/CertPathValidatorSpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/cert/CertPathValidator getInstance(Ljava/lang/String;)Ljava/security/cert/CertPathValidator;
java/security/cert/CertPathValidator
    getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/cert/CertPathValidator;
java/security/cert/CertPathValidator
    getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/cert/CertPathValidator;
java/security/cert/CertPathValidator getProvider()Ljava/security/Provider;
java/security/cert/CertPathValidator getAlgorithm()Ljava/lang/String;
java/security/cert/CertPathValidator
    validate(Ljava/security/cert/CertPath;Ljava/security/cert/CertPathParameters;)Ljava/security/cert/CertPathValidator
    Result;
java/security/cert/CertPathValidator getDefaultType()Ljava/lang/String;
java/security/cert/CertPathValidator <clinit>()V
class java/security/cert/CertPathValidatorException java/security/GeneralSecurityException
java/security/cert/CertPathValidatorException serialVersionUID
java/security/cert/CertPathValidatorException index
java/security/cert/CertPathValidatorException certPath
java/security/cert/CertPathValidatorException <init>()V
java/security/cert/CertPathValidatorException <init>(Ljava/lang/String;)V
java/security/cert/CertPathValidatorException <init>(Ljava/lang/Throwable;)V
java/security/cert/CertPathValidatorException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/cert/CertPathValidatorException
    <init>(Ljava/lang/String;Ljava/lang/Throwable;Ljava/security/cert/CertPath;I)V
java/security/cert/CertPathValidatorException
    getCertPath()Ljava/security/cert/CertPath;
java/security/cert/CertPathValidatorException getIndex()I
class java/security/cert/CertPathValidatorResult java/lang/Object
java/security/cert/CertPathValidatorResult clone()Ljava/lang/Object;
class java/security/cert/CertPathValidatorSpi java/lang/Object
java/security/cert/CertPathValidatorSpi <init>()V
java/security/cert/CertPathValidatorSpi
    engineValidate(Ljava/security/cert/CertPath;Ljava/security/cert/CertPathParameters;)Ljava/security/cert/CertPathVa

```

```

lidatorResult;
class java/security/cert/CertSelector java/lang/Object
java/security/cert/CertSelector match(Ljava/security/cert/Certificate;)Z
java/security/cert/CertSelector clone()Ljava/lang/Object;
class java/security/cert/CertStore$1 java/lang/Object
java/security/cert/CertStore$1 <init>()V
java/security/cert/CertStore$1 run()Ljava/lang/Object;
class java/security/cert/CertStore java/lang/Object
java/security/cert/CertStore CERTSTORE_TYPE
java/security/cert/CertStore
    storeSpi
java/security/cert/CertStore provider
java/security/cert/CertStore type
java/security/cert/CertStore params
java/security/cert/CertStore
    <init>(Ljava/security/cert/CertStoreSpi;Ljava/security/Provider;Ljava/lang/String;Ljava/security/cert/CertStoreParameters;)V
java/security/cert/CertStore getCertificates(Ljava/security/cert/CertSelector;)Ljava/util/Collection;
java/security/cert/CertStore getCRLs(Ljava/security/cert/CRLSelector;)Ljava/util/Collection;
java/security/cert/CertStore
    getInstance(Ljava/lang/String;Ljava/security/cert/CertStoreParameters;)Ljava/security/cert/CertStore;
java/security/cert/CertStore
    handleException(Ljava/security/NoSuchAlgorithmException;)Ljava/security/cert/CertStore;
java/security/cert/CertStore
    getInstance(Ljava/lang/String;Ljava/security/cert/CertStoreParameters;Ljava/lang/String;)Ljava/security/cert/CertStore;
java/security/cert/CertStore
    getInstance(Ljava/lang/String;Ljava/security/cert/CertStoreParameters;Ljava/security/Provider;)Ljava/security/cert/CertStore;
java/security/cert/CertStore
    getCertStoreParameters()Ljava/security/cert/CertStoreParameters;
java/security/cert/CertStore getType()Ljava/lang/String;
java/security/cert/CertStore getProvider()Ljava/security/Provider;
java/security/cert/CertStore getDefaultType()Ljava/lang/String;
class java/security/cert/CertStoreException java/security/GeneralSecurityException
java/security/cert/CertStoreException serialVersionUID
java/security/cert/CertStoreException <init>()V
java/security/cert/CertStoreException <init>(Ljava/lang/String;)V
java/security/cert/CertStoreException <init>(Ljava/lang/Throwable;)V
java/security/cert/CertStoreException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
class java/security/cert/CertStoreParameters java/lang/Object
java/security/cert/CertStoreParameters clone()Ljava/lang/Object;
class java/security/cert/CertStoreSpi java/lang/Object
java/security/cert/CertStoreSpi <init>(Ljava/security/cert/CertStoreParameters;)V
java/security/cert/CertStoreSpi
    engineGetCertificates(Ljava/security/cert/CertSelector;)Ljava/util/Collection;
java/security/cert/CertStoreSpi engineGetCRLs(Ljava/security/cert/CRLSelector;)Ljava/util/Collection;
class java/security/cert/Certificate$CertificateRep java/lang/Object

```

```

java/security/cert/Certificate$CertificateRep serialVersionUID
java/security/cert/Certificate$CertificateRep type
java/security/cert/Certificate$CertificateRep data
java/security/cert/Certificate$CertificateRep <init>(Ljava/lang/String;[B)V
java/security/cert/Certificate$CertificateRep readResolve()Ljava/lang/Object;
class java/security/cert/CertificateEncodingException java/security/cert/CertificateException
java/security/cert/CertificateEncodingException serialVersionUID
java/security/cert/CertificateEncodingException <init>()V
java/security/cert/CertificateEncodingException <init>(Ljava/lang/String;)V
java/security/cert/CertificateEncodingException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/cert/CertificateEncodingException
    <init>(Ljava/lang/Throwable;)V
class java/security/cert/CertificateException java/security/GeneralSecurityException
java/security/cert/CertificateException serialVersionUID
java/security/cert/CertificateException <init>()V
java/security/cert/CertificateException <init>(Ljava/lang/String;)V
java/security/cert/CertificateException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/cert/CertificateException <init>(Ljava/lang/Throwable;)V
class java/security/cert/CertificateExpiredException java/security/cert/CertificateException
java/security/cert/CertificateExpiredException serialVersionUID
java/security/cert/CertificateExpiredException <init>()V
java/security/cert/CertificateExpiredException <init>(Ljava/lang/String;)V
class java/security/cert/CertificateNotYetValidException java/security/cert/CertificateException
java/security/cert/CertificateNotYetValidException serialVersionUID
java/security/cert/CertificateNotYetValidException <init>()V
java/security/cert/CertificateNotYetValidException
    <init>(Ljava/lang/String;)V
class java/security/cert/CertificateParsingException java/security/cert/CertificateException
java/security/cert/CertificateParsingException serialVersionUID
java/security/cert/CertificateParsingException <init>()V
java/security/cert/CertificateParsingException <init>(Ljava/lang/String;)V
java/security/cert/CertificateParsingException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/cert/CertificateParsingException <init>(Ljava/lang/Throwable;)V
class java/security/cert/CollectionCertStoreParameters java/lang/Object
java/security/cert/CollectionCertStoreParameters coll
java/security/cert/CollectionCertStoreParameters <init>(Ljava/util/Collection;)V
java/security/cert/CollectionCertStoreParameters <init>()V
java/security/cert/CollectionCertStoreParameters getCollection()Ljava/util/Collection;
java/security/cert/CollectionCertStoreParameters clone()Ljava/lang/Object;
java/security/cert/CollectionCertStoreParameters
    toString()Ljava/lang/String;
class java/security/cert/LDAPCertStoreParameters java/lang/Object
java/security/cert/LDAPCertStoreParameters LDAP_DEFAULT_PORT
java/security/cert/LDAPCertStoreParameters port
java/security/cert/LDAPCertStoreParameters serverName
java/security/cert/LDAPCertStoreParameters <init>(Ljava/lang/String;I)V
java/security/cert/LDAPCertStoreParameters <init>(Ljava/lang/String;)V
java/security/cert/LDAPCertStoreParameters <init>()V

```

```

java/security/cert/LDAPCertStoreParameters getServerName()Ljava/lang/String;
java/security/cert/LDAPCertStoreParameters getPort()I
java/security/cert/LDAPCertStoreParameters clone()Ljava/lang/Object;
java/security/cert/LDAPCertStoreParameters toString()Ljava/lang/String;
class java/security/cert/PKIXBuilderParameters java/security/cert/PKIXParameters
java/security/cert/PKIXBuilderParameters maxPathLength
java/security/cert/PKIXBuilderParameters <init>(Ljava/util/Set;Ljava/security/cert/CertSelector;)V
java/security/cert/PKIXBuilderParameters
    <init>(Ljava/security/KeyStore;Ljava/security/cert/CertSelector;)V
java/security/cert/PKIXBuilderParameters setMaxPathLength(I)V
java/security/cert/PKIXBuilderParameters getMaxPathLength()I
java/security/cert/PKIXBuilderParameters toString()Ljava/lang/String;
class java/security/cert/PKIXCertPathBuilderResult java/security/cert/PKIXCertPathValidatorResult
java/security/cert/PKIXCertPathBuilderResult certPath
java/security/cert/PKIXCertPathBuilderResult
    <init>(Ljava/security/cert/CertPath;Ljava/security/cert/TrustAnchor;Ljava/security/cert/PolicyNode;Ljava/security/
    PublicKey;)V
java/security/cert/PKIXCertPathBuilderResult getCertPath()Ljava/security/cert/CertPath;
java/security/cert/PKIXCertPathBuilderResult toString()Ljava/lang/String;
class java/security/cert/PKIXCertPathChecker java/lang/Object
java/security/cert/PKIXCertPathChecker <init>()V
java/security/cert/PKIXCertPathChecker init(Z)V
java/security/cert/PKIXCertPathChecker isForwardCheckingSupported()Z
java/security/cert/PKIXCertPathChecker
    getSupportedExtensions()Ljava/util/Set;
java/security/cert/PKIXCertPathChecker check(Ljava/security/cert/Certificate;Ljava/util/Collection;)V
java/security/cert/PKIXCertPathChecker clone()Ljava/lang/Object;
class java/security/cert/PKIXCertPathValidatorResult java/lang/Object
java/security/cert/PKIXCertPathValidatorResult trustAnchor
java/security/cert/PKIXCertPathValidatorResult policyTree
java/security/cert/PKIXCertPathValidatorResult subjectPublicKey
java/security/cert/PKIXCertPathValidatorResult
    <init>(Ljava/security/cert/TrustAnchor;Ljava/security/cert/PolicyNode;Ljava/security/PublicKey;)V
java/security/cert/PKIXCertPathValidatorResult getTrustAnchor()Ljava/security/cert/TrustAnchor;
java/security/cert/PKIXCertPathValidatorResult getPolicyTree()Ljava/security/cert/PolicyNode;
java/security/cert/PKIXCertPathValidatorResult getPublicKey()Ljava/security/PublicKey;
java/security/cert/PKIXCertPathValidatorResult clone()Ljava/lang/Object;
java/security/cert/PKIXCertPathValidatorResult
    toString()Ljava/lang/String;
class java/security/cert/PKIXParameters java/lang/Object
java/security/cert/PKIXParameters unmodTrustAnchors
java/security/cert/PKIXParameters date
java/security/cert/PKIXParameters certPathCheckers
java/security/cert/PKIXParameters sigProvider
java/security/cert/PKIXParameters revocationEnabled
java/security/cert/PKIXParameters unmodInitialPolicies
java/security/cert/PKIXParameters explicitPolicyRequired
java/security/cert/PKIXParameters policyMappingInhibited

```

```

java/security/cert/PKIXParameters anyPolicyInhibited
java/security/cert/PKIXParameters policyQualifiersRejected
java/security/cert/PKIXParameters certStores
java/security/cert/PKIXParameters certSelector
java/security/cert/PKIXParameters <init>(Ljava/util/Set;)V
java/security/cert/PKIXParameters <init>(Ljava/security/KeyStore;)V
java/security/cert/PKIXParameters getTrustAnchors()Ljava/util/Set;
java/security/cert/PKIXParameters setTrustAnchors(Ljava/util/Set;)V
java/security/cert/PKIXParameters
    getInitialPolicies()Ljava/util/Set;
java/security/cert/PKIXParameters setInitialPolicies(Ljava/util/Set;)V
java/security/cert/PKIXParameters setCertStores(Ljava/util/List;)V
java/security/cert/PKIXParameters addCertStore(Ljava/security/cert/CertStore;)V
java/security/cert/PKIXParameters getCertStores()Ljava/util/List;
java/security/cert/PKIXParameters setRevocationEnabled(Z)V
java/security/cert/PKIXParameters isRevocationEnabled()Z
java/security/cert/PKIXParameters setExplicitPolicyRequired(Z)V
java/security/cert/PKIXParameters isExplicitPolicyRequired()Z
java/security/cert/PKIXParameters setPolicyMappingInhibited(Z)V
java/security/cert/PKIXParameters isPolicyMappingInhibited()Z
java/security/cert/PKIXParameters setAnyPolicyInhibited(Z)V
java/security/cert/PKIXParameters isAnyPolicyInhibited()Z
java/security/cert/PKIXParameters setPolicyQualifiersRejected(Z)V
java/security/cert/PKIXParameters getPolicyQualifiersRejected()Z
java/security/cert/PKIXParameters getDate()Ljava/util/Date;
java/security/cert/PKIXParameters
    setDate(Ljava/util/Date;)V
java/security/cert/PKIXParameters setCertPathCheckers(Ljava/util/List;)V
java/security/cert/PKIXParameters getCertPathCheckers()Ljava/util/List;
java/security/cert/PKIXParameters addCertPathChecker(Ljava/security/cert/PKIXCertPathChecker;)V
java/security/cert/PKIXParameters getSigProvider()Ljava/lang/String;
java/security/cert/PKIXParameters setSigProvider(Ljava/lang/String;)V
java/security/cert/PKIXParameters getTargetCertConstraints()Ljava/security/cert/CertSelector;
java/security/cert/PKIXParameters setTargetCertConstraints(Ljava/security/cert/CertSelector;)V
java/security/cert/PKIXParameters clone()Ljava/lang/Object;
java/security/cert/PKIXParameters toString()Ljava/lang/String;
class java/security/cert/PolicyNode java/lang/Object
java/security/cert/PolicyNode getParent()Ljava/security/cert/PolicyNode;
java/security/cert/PolicyNode getChildren()Ljava/util/Iterator;
java/security/cert/PolicyNode getDepth()I
java/security/cert/PolicyNode
    getValidPolicy()Ljava/lang/String;
java/security/cert/PolicyNode getPolicyQualifiers()Ljava/util/Set;
java/security/cert/PolicyNode getExpectedPolicies()Ljava/util/Set;
java/security/cert/PolicyNode isCritical()Z
class java/security/cert/PolicyQualifierInfo java/lang/Object
java/security/cert/PolicyQualifierInfo mEncoded
java/security/cert/PolicyQualifierInfo mId

```

```

java/security/cert/PolicyQualifierInfo mData
java/security/cert/PolicyQualifierInfo pqiString
java/security/cert/PolicyQualifierInfo <init>([B)V
java/security/cert/PolicyQualifierInfo getPolicyQualifierId()Ljava/lang/String;
java/security/cert/PolicyQualifierInfo getEncoded()[B
java/security/cert/PolicyQualifierInfo getPolicyQualifier()[B
java/security/cert/PolicyQualifierInfo toString()Ljava/lang/String;
class java/security/cert/TrustAnchor java/lang/Object
java/security/cert/TrustAnchor pubKey
java/security/cert/TrustAnchor caName
java/security/cert/TrustAnchor caPrincipal
java/security/cert/TrustAnchor
    trustedCert
java/security/cert/TrustAnchor ncBytes
java/security/cert/TrustAnchor nc
java/security/cert/TrustAnchor <init>(Ljava/security/cert/X509Certificate;[B)V
java/security/cert/TrustAnchor <init>(Ljava/security/auth/x500/X500Principal;Ljava/security/PublicKey;[B)V
java/security/cert/TrustAnchor <init>(Ljava/lang/String;Ljava/security/PublicKey;[B)V
java/security/cert/TrustAnchor getTrustedCert()Ljava/security/cert/X509Certificate;
java/security/cert/TrustAnchor getCA()Ljava/security/auth/x500/X500Principal;
java/security/cert/TrustAnchor getCAName()Ljava/lang/String;
java/security/cert/TrustAnchor getCAPublicKey()Ljava/security/PublicKey;
java/security/cert/TrustAnchor setNameConstraints([B)V
java/security/cert/TrustAnchor getNameConstraints()[B
java/security/cert/TrustAnchor toString()Ljava/lang/String;
java/security/cert/TrustAnchor <clinit>()V
class java/security/cert/X509CRL java/security/cert/CRL
java/security/cert/X509CRL issuerPrincipal
java/security/cert/X509CRL
    <init>()V
java/security/cert/X509CRL equals(Ljava/lang/Object;)Z
java/security/cert/X509CRL hashCode()I
java/security/cert/X509CRL getEncoded()[B
java/security/cert/X509CRL verify(Ljava/security/PublicKey;)V
java/security/cert/X509CRL verify(Ljava/security/PublicKey;Ljava/lang/String;)V
java/security/cert/X509CRL getVersion()I
java/security/cert/X509CRL getIssuerDN()Ljava/security/Principal;
java/security/cert/X509CRL getIssuerX500Principal()Ljava/security/auth/x500/X500Principal;
java/security/cert/X509CRL getThisUpdate()Ljava/util/Date;
java/security/cert/X509CRL getNextUpdate()Ljava/util/Date;
java/security/cert/X509CRL getRevokedCertificate(Ljava/math/BigInteger;)Ljava/security/cert/X509CRLEntry;
java/security/cert/X509CRL
    getRevokedCertificate(Ljava/security/cert/X509Certificate;)Ljava/security/cert/X509CRLEntry;
java/security/cert/X509CRL getRevokedCertificates()Ljava/util/Set;
java/security/cert/X509CRL getTBSCertList()[B
java/security/cert/X509CRL getSignature()[B
java/security/cert/X509CRL

```



```

    getSigAlgName()Ljava/lang/String;
java/security/cert/X509CRL getSigAlgOID()Ljava/lang/String;
java/security/cert/X509CRL getSigAlgParams()[B
class java/security/cert/X509CRLEntry java/lang/Object
java/security/cert/X509CRLEntry <init>()V
java/security/cert/X509CRLEntry equals(Ljava/lang/Object;)Z
java/security/cert/X509CRLEntry hashCode()I
java/security/cert/X509CRLEntry getEncoded()[B
java/security/cert/X509CRLEntry getSerialNumber()Ljava/math/BigInteger;
java/security/cert/X509CRLEntry getCertificateIssuer()Ljava/security/auth/x500/X500Principal;
java/security/cert/X509CRLEntry getRevocationDate()Ljava/util/Date;
java/security/cert/X509CRLEntry hasExtensions()Z
java/security/cert/X509CRLEntry toString()Ljava/lang/String;
class java/security/cert/X509CRLSelector java/lang/Object
java/security/cert/X509CRLSelector debug
java/security/cert/X509CRLSelector issuerNames
java/security/cert/X509CRLSelector issuerX500Principals
java/security/cert/X509CRLSelector minCRL
java/security/cert/X509CRLSelector
    maxCRL
java/security/cert/X509CRLSelector dateAndTime
java/security/cert/X509CRLSelector certChecking
java/security/cert/X509CRLSelector <init>()V
java/security/cert/X509CRLSelector setIssuers(Ljava/util/Collection;)V
java/security/cert/X509CRLSelector setIssuerNames(Ljava/util/Collection;)V
java/security/cert/X509CRLSelector addIssuer(Ljava/security/auth/x500/X500Principal;)V
java/security/cert/X509CRLSelector addIssuerName(Ljava/lang/String;)V
java/security/cert/X509CRLSelector addIssuerName([B)V
java/security/cert/X509CRLSelector
    addIssuerNameInternal(Ljava/lang/Object;Ljava/security/auth/x500/X500Principal;)V
java/security/cert/X509CRLSelector cloneAndCheckIssuerNames(Ljava/util/Collection;)Ljava/util/HashSet;
java/security/cert/X509CRLSelector cloneIssuerNames(Ljava/util/Collection;)Ljava/util/HashSet;
java/security/cert/X509CRLSelector parseIssuerNames(Ljava/util/Collection;)Ljava/util/HashSet;
java/security/cert/X509CRLSelector setMinCRLNumber(Ljava/math/BigInteger;)V
java/security/cert/X509CRLSelector
    setMaxCRLNumber(Ljava/math/BigInteger;)V
java/security/cert/X509CRLSelector setDateAndTime(Ljava/util/Date;)V
java/security/cert/X509CRLSelector setCertificateChecking(Ljava/security/cert/X509Certificate;)V
java/security/cert/X509CRLSelector getIssuers()Ljava/util/Collection;
java/security/cert/X509CRLSelector getIssuerNames()Ljava/util/Collection;
java/security/cert/X509CRLSelector getMinCRL()Ljava/math/BigInteger;
java/security/cert/X509CRLSelector getMaxCRL()Ljava/math/BigInteger;
java/security/cert/X509CRLSelector getDateAndTime()Ljava/util/Date;
java/security/cert/X509CRLSelector getCertificateChecking()Ljava/security/cert/X509Certificate;
java/security/cert/X509CRLSelector toString()Ljava/lang/String;
java/security/cert/X509CRLSelector match(Ljava/security/cert/CRL;)Z
java/security/cert/X509CRLSelector clone()Ljava/lang/Object;
java/security/cert/X509CRLSelector <clinit>()V

```

```
class java/security/cert/X509CertSelector java/lang/Object
java/security/cert/X509CertSelector
  debug
java/security/cert/X509CertSelector ANY_EXTENDED_KEY_USAGE
java/security/cert/X509CertSelector serialNumber
java/security/cert/X509CertSelector issuer
java/security/cert/X509CertSelector subject
java/security/cert/X509CertSelector subjectKeyID
java/security/cert/X509CertSelector authorityKeyID
java/security/cert/X509CertSelector certificateValid
java/security/cert/X509CertSelector privateKeyValid
java/security/cert/X509CertSelector subjectPublicKeyAlgID
java/security/cert/X509CertSelector subjectPublicKey
java/security/cert/X509CertSelector subjectPublicKeyBytes
java/security/cert/X509CertSelector keyUsage
java/security/cert/X509CertSelector keyPurposeSet
java/security/cert/X509CertSelector keyPurposeOIDSet
java/security/cert/X509CertSelector subjectAlternativeNames
java/security/cert/X509CertSelector subjectAlternativeGeneralNames
java/security/cert/X509CertSelector policy
java/security/cert/X509CertSelector policySet
java/security/cert/X509CertSelector
  pathToNames
java/security/cert/X509CertSelector pathToGeneralNames
java/security/cert/X509CertSelector nc
java/security/cert/X509CertSelector ncBytes
java/security/cert/X509CertSelector basicConstraints
java/security/cert/X509CertSelector x509Cert
java/security/cert/X509CertSelector matchAllSubjectAltNames
java/security/cert/X509CertSelector FALSE
java/security/cert/X509CertSelector PRIVATE_KEY_USAGE_ID
java/security/cert/X509CertSelector SUBJECT_ALT_NAME_ID
java/security/cert/X509CertSelector NAME_CONSTRAINTS_ID
java/security/cert/X509CertSelector CERT_POLICIES_ID
java/security/cert/X509CertSelector EXTENDED_KEY_USAGE_ID
java/security/cert/X509CertSelector NUM_OF_EXTENSIONS
java/security/cert/X509CertSelector EXTENSION_OIDS
java/security/cert/X509CertSelector NAME_ANY
java/security/cert/X509CertSelector NAME_RFC822
java/security/cert/X509CertSelector NAME_DNS
java/security/cert/X509CertSelector NAME_X400
java/security/cert/X509CertSelector NAME_DIRECTORY
java/security/cert/X509CertSelector
  NAME_EDI
java/security/cert/X509CertSelector NAME_URI
java/security/cert/X509CertSelector NAME_IP
java/security/cert/X509CertSelector NAME_OID
java/security/cert/X509CertSelector <init>()V
```

```

java/security/cert/X509CertSelector setCertificate(Ljava/security/cert/X509Certificate;)V
java/security/cert/X509CertSelector setSerialNumber(Ljava/math/BigInteger;)V
java/security/cert/X509CertSelector setIssuer(Ljavax/security/auth/x500/X500Principal;)V
java/security/cert/X509CertSelector setIssuer(Ljava/lang/String;)V
java/security/cert/X509CertSelector setIssuer([B)V
java/security/cert/X509CertSelector setSubject(Ljavax/security/auth/x500/X500Principal;)V
java/security/cert/X509CertSelector setSubject(Ljava/lang/String;)V
java/security/cert/X509CertSelector setSubject([B)V
java/security/cert/X509CertSelector setSubjectKeyIdentifier([B)V
java/security/cert/X509CertSelector setAuthorityKeyIdentifier([B)V
java/security/cert/X509CertSelector setCertificateValid(Ljava/util/Date;)V
java/security/cert/X509CertSelector
    setPrivateKeyValid(Ljava/util/Date;)V
java/security/cert/X509CertSelector setSubjectPublicKeyAlgID(Ljava/lang/String;)V
java/security/cert/X509CertSelector setSubjectPublicKey(Ljava/security/PublicKey;)V
java/security/cert/X509CertSelector setSubjectPublicKey([B)V
java/security/cert/X509CertSelector setKeyUsage([Z)V
java/security/cert/X509CertSelector setExtendedKeyUsage(Ljava/util/Set;)V
java/security/cert/X509CertSelector setMatchAllSubjectAltNames(Z)V
java/security/cert/X509CertSelector setSubjectAlternativeNames(Ljava/util/Collection;)V
java/security/cert/X509CertSelector addSubjectAlternativeName(ILjava/lang/String;)V
java/security/cert/X509CertSelector addSubjectAlternativeName(I[B)V
java/security/cert/X509CertSelector addSubjectAlternativeNameInternal(ILjava/lang/Object;)V
java/security/cert/X509CertSelector parseNames(Ljava/util/Collection;)Ljava/util/Set;
java/security/cert/X509CertSelector equalNames(Ljava/util/Collection;Ljava/util/Collection;)Z
java/security/cert/X509CertSelector
    makeGeneralNameInterface(ILjava/lang/Object;)Lsun/security/x509/GeneralNameInterface;
java/security/cert/X509CertSelector setNameConstraints([B)V
java/security/cert/X509CertSelector setBasicConstraints(I)V
java/security/cert/X509CertSelector setPolicy(Ljava/util/Set;)V
java/security/cert/X509CertSelector setPathToNames(Ljava/util/Collection;)V
java/security/cert/X509CertSelector setPathToNamesInternal(Ljava/util/Set;)V
java/security/cert/X509CertSelector addPathToName(ILjava/lang/String;)V
java/security/cert/X509CertSelector addPathToName(I[B)V
java/security/cert/X509CertSelector addPathToNameInternal(ILjava/lang/Object;)V
java/security/cert/X509CertSelector getCertificate()Ljava/security/cert/X509Certificate;
java/security/cert/X509CertSelector getSerialNumber()Ljava/math/BigInteger;
java/security/cert/X509CertSelector getIssuer()Ljavax/security/auth/x500/X500Principal;
java/security/cert/X509CertSelector getIssuerAsString()Ljava/lang/String;
java/security/cert/X509CertSelector
    getIssuerAsBytes()[B
java/security/cert/X509CertSelector getSubject()Ljavax/security/auth/x500/X500Principal;
java/security/cert/X509CertSelector getSubjectAsString()Ljava/lang/String;
java/security/cert/X509CertSelector getSubjectAsBytes()[B
java/security/cert/X509CertSelector getSubjectKeyIdentifier()[B
java/security/cert/X509CertSelector getAuthorityKeyIdentifier()[B
java/security/cert/X509CertSelector getCertificateValid()Ljava/util/Date;
java/security/cert/X509CertSelector getPrivateKeyValid()Ljava/util/Date;

```

```

java/security/cert/X509CertSelector getSubjectPublicKeyAlgID()Ljava/lang/String;
java/security/cert/X509CertSelector getSubjectPublicKey()Ljava/security/PublicKey;
java/security/cert/X509CertSelector getKeyUsage()[Z
java/security/cert/X509CertSelector getExtendedKeyUsage()Ljava/util/Set;
java/security/cert/X509CertSelector getMatchAllSubjectAltNames()Z
java/security/cert/X509CertSelector getSubjectAlternativeNames()Ljava/util/Collection;
java/security/cert/X509CertSelector
    cloneNames(Ljava/util/Collection;)Ljava/util/Set;
java/security/cert/X509CertSelector cloneAndCheckNames(Ljava/util/Collection;)Ljava/util/Set;
java/security/cert/X509CertSelector getNameConstraints()[B
java/security/cert/X509CertSelector getBasicConstraints()I
java/security/cert/X509CertSelector getPolicy()Ljava/util/Set;
java/security/cert/X509CertSelector getPathToNames()Ljava/util/Collection;
java/security/cert/X509CertSelector toString()Ljava/lang/String;
java/security/cert/X509CertSelector keyUsageToString([Z)Ljava/lang/String;
java/security/cert/X509CertSelector
    getExtensionObject(Ljava/security/cert/X509Certificate;I)Lsun/security/x509/Extension;
java/security/cert/X509CertSelector match(Ljava/security/cert/Certificate;)Z
java/security/cert/X509CertSelector matchSubjectKeyID(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchAuthorityKeyID(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector
    matchPrivateKeyValid(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchSubjectPublicKeyAlgID(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchKeyUsage(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchExtendedKeyUsage(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchSubjectAlternativeNames(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchNameConstraints(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchPolicy(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchPathToNames(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector matchExcluded(Lsun/security/x509/GeneralSubtrees;)Z
java/security/cert/X509CertSelector matchPermitted(Lsun/security/x509/GeneralSubtrees;)Z
java/security/cert/X509CertSelector matchBasicConstraints(Ljava/security/cert/X509Certificate;)Z
java/security/cert/X509CertSelector
    cloneSet(Ljava/util/Set;)Ljava/util/Set;
java/security/cert/X509CertSelector clone()Ljava/lang/Object;
java/security/cert/X509CertSelector <clinit>()V
class java/security/interfaces/DSAKeyPairGenerator java/lang/Object
java/security/interfaces/DSAKeyPairGenerator
    initialize(Ljava/security/interfaces/DSPARAMS;Ljava/security/SecureRandom;)V
java/security/interfaces/DSAKeyPairGenerator initialize(IZLjava/security/SecureRandom;)V
class java/security/interfaces/ECKKey java/lang/Object
java/security/interfaces/ECKKey getParams()Ljava/security/spec/ECPARAMETER_SPEC;
class java/security/interfaces/ECPrivateKey java/lang/Object
java/security/interfaces/ECPrivateKey serialVersionUID
java/security/interfaces/ECPrivateKey getS()Ljava/math/BigInteger;
class java/security/interfaces/ECPublicKey java/lang/Object
java/security/interfaces/ECPublicKey serialVersionUID
java/security/interfaces/ECPublicKey getW()Ljava/security/spec/ECPPOINT;

```

```

class java/security/interfaces/RSAMultiPrimePrivateCrtKey
  java/lang/Object
  java/security/interfaces/RSAMultiPrimePrivateCrtKey serialVersionUID
  java/security/interfaces/RSAMultiPrimePrivateCrtKey getPublicExponent()Ljava/math/BigInteger;
  java/security/interfaces/RSAMultiPrimePrivateCrtKey getPrimeP()Ljava/math/BigInteger;
  java/security/interfaces/RSAMultiPrimePrivateCrtKey getPrimeQ()Ljava/math/BigInteger;
  java/security/interfaces/RSAMultiPrimePrivateCrtKey getPrimeExponentP()Ljava/math/BigInteger;
  java/security/interfaces/RSAMultiPrimePrivateCrtKey getPrimeExponentQ()Ljava/math/BigInteger;
  java/security/interfaces/RSAMultiPrimePrivateCrtKey getCrtCoefficient()Ljava/math/BigInteger;
  java/security/interfaces/RSAMultiPrimePrivateCrtKey
    getOtherPrimeInfo()[Ljava/security/spec/RSAMultiPrimePrivateCrtKey$OtherPrimeInfo;
class java/security/spec/DSAPrivateKeySpec java/lang/Object
  java/security/spec/DSAPrivateKeySpec x
  java/security/spec/DSAPrivateKeySpec p
  java/security/spec/DSAPrivateKeySpec q
  java/security/spec/DSAPrivateKeySpec g
  java/security/spec/DSAPrivateKeySpec
    <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;)V
  java/security/spec/DSAPrivateKeySpec getX()Ljava/math/BigInteger;
  java/security/spec/DSAPrivateKeySpec getP()Ljava/math/BigInteger;
  java/security/spec/DSAPrivateKeySpec getQ()Ljava/math/BigInteger;
  java/security/spec/DSAPrivateKeySpec getG()Ljava/math/BigInteger;
class java/security/spec/ECField java/lang/Object
  java/security/spec/ECField getFieldSize()I
class java/security/spec/ECFieldF2m java/lang/Object
  java/security/spec/ECFieldF2m m
  java/security/spec/ECFieldF2m ks
  java/security/spec/ECFieldF2m rp
  java/security/spec/ECFieldF2m <init>(I)V
  java/security/spec/ECFieldF2m <init>(ILjava/math/BigInteger;)V
  java/security/spec/ECFieldF2m <init>(II)V
  java/security/spec/ECFieldF2m getFieldSize()I
  java/security/spec/ECFieldF2m getM()I
  java/security/spec/ECFieldF2m getReductionPolynomial()Ljava/math/BigInteger;
  java/security/spec/ECFieldF2m getMidTermsOfReductionPolynomial()[I
  java/security/spec/ECFieldF2m
    equals(Ljava/lang/Object;)Z
  java/security/spec/ECFieldF2m hashCode()I
class java/security/spec/ECFieldFp java/lang/Object
  java/security/spec/ECFieldFp p
  java/security/spec/ECFieldFp <init>(Ljava/math/BigInteger;)V
  java/security/spec/ECFieldFp getFieldSize()I
  java/security/spec/ECFieldFp getP()Ljava/math/BigInteger;
  java/security/spec/ECFieldFp equals(Ljava/lang/Object;)Z
  java/security/spec/ECFieldFp hashCode()I
class java/security/spec/ECGenParameterSpec java/lang/Object
  java/security/spec/ECGenParameterSpec name
  java/security/spec/ECGenParameterSpec <init>(Ljava/lang/String;)V

```

```

java/security/spec/ECGenParameterSpec getName()Ljava/lang/String;
class java/security/spec/ECPParameterSpec java/lang/Object
java/security/spec/ECPParameterSpec curve
java/security/spec/ECPParameterSpec g
java/security/spec/ECPParameterSpec n
java/security/spec/ECPParameterSpec h
java/security/spec/ECPParameterSpec
<init>(Ljava/security/spec/EllipticCurve;Ljava/security/spec/ECPPoint;Ljava/math/BigInteger;I)V
java/security/spec/ECPParameterSpec
    getCurve()Ljava/security/spec/EllipticCurve;
java/security/spec/ECPParameterSpec getGenerator()Ljava/security/spec/ECPPoint;
java/security/spec/ECPParameterSpec getOrder()Ljava/math/BigInteger;
java/security/spec/ECPParameterSpec getCofactor()I
class java/security/spec/ECPPoint java/lang/Object
java/security/spec/ECPPoint x
java/security/spec/ECPPoint y
java/security/spec/ECPPoint POINT_INFINITY
java/security/spec/ECPPoint <init>()V
java/security/spec/ECPPoint <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/ECPPoint getAffineX()Ljava/math/BigInteger;
java/security/spec/ECPPoint getAffineY()Ljava/math/BigInteger;
java/security/spec/ECPPoint equals(Ljava/lang/Object;)Z
java/security/spec/ECPPoint hashCode()I
java/security/spec/ECPPoint <clinit>()V
class java/security/spec/ECPrivateKeySpec java/lang/Object
java/security/spec/ECPrivateKeySpec s
java/security/spec/ECPrivateKeySpec params
java/security/spec/ECPrivateKeySpec
    <init>(Ljava/math/BigInteger;Ljava/security/spec/ECPParameterSpec;)V
java/security/spec/ECPrivateKeySpec getS()Ljava/math/BigInteger;
java/security/spec/ECPrivateKeySpec getParams()Ljava/security/spec/ECPParameterSpec;
class java/security/spec/ECPublicKeySpec java/lang/Object
java/security/spec/ECPublicKeySpec w
java/security/spec/ECPublicKeySpec params
java/security/spec/ECPublicKeySpec <init>(Ljava/security/spec/ECPPoint;Ljava/security/spec/ECPParameterSpec;)V
java/security/spec/ECPublicKeySpec getW()Ljava/security/spec/ECPPoint;
java/security/spec/ECPublicKeySpec getParams()Ljava/security/spec/ECPParameterSpec;
class java/security/spec/EllipticCurve java/lang/Object
java/security/spec/EllipticCurve field
java/security/spec/EllipticCurve a
java/security/spec/EllipticCurve b
java/security/spec/EllipticCurve seed
java/security/spec/EllipticCurve
    checkValidity(Ljava/security/spec/ECField;Ljava/math/BigInteger;Ljava/lang/String;)V
java/security/spec/EllipticCurve
    <init>(Ljava/security/spec/ECField;Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/EllipticCurve

```

```

<init>(Ljava/security/spec/ECField;Ljava/math/BigInteger;Ljava/math/BigInteger;[B)V
java/security/spec/EllipticCurve getField()Ljava/security/spec/ECField;
java/security/spec/EllipticCurve getA()Ljava/math/BigInteger;
java/security/spec/EllipticCurve getB()Ljava/math/BigInteger;
java/security/spec/EllipticCurve getSeed()[B
java/security/spec/EllipticCurve equals(Ljava/lang/Object;)Z
java/security/spec/EllipticCurve hashCode()I
class java/security/spec/InvalidKeySpecException java/security/GeneralSecurityException
java/security/spec/InvalidKeySpecException serialVersionUID
java/security/spec/InvalidKeySpecException <init>()V
java/security/spec/InvalidKeySpecException <init>(Ljava/lang/String;)V
java/security/spec/InvalidKeySpecException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/spec/InvalidKeySpecException <init>(Ljava/lang/Throwable;)V
class java/security/spec/InvalidParameterSpecException
java/security/GeneralSecurityException
java/security/spec/InvalidParameterSpecException serialVersionUID
java/security/spec/InvalidParameterSpecException <init>()V
java/security/spec/InvalidParameterSpecException <init>(Ljava/lang/String;)V
class java/security/spec/MGF1ParameterSpec java/lang/Object
java/security/spec/MGF1ParameterSpec SHA1
java/security/spec/MGF1ParameterSpec SHA256
java/security/spec/MGF1ParameterSpec SHA384
java/security/spec/MGF1ParameterSpec SHA512
java/security/spec/MGF1ParameterSpec mdName
java/security/spec/MGF1ParameterSpec <init>(Ljava/lang/String;)V
java/security/spec/MGF1ParameterSpec getDigestAlgorithm()Ljava/lang/String;
java/security/spec/MGF1ParameterSpec <clinit>()V
class java/security/spec/PSSParameterSpec java/lang/Object
java/security/spec/PSSParameterSpec mdName
java/security/spec/PSSParameterSpec mgfName
java/security/spec/PSSParameterSpec mgfSpec
java/security/spec/PSSParameterSpec saltLen
java/security/spec/PSSParameterSpec
trailerField
java/security/spec/PSSParameterSpec DEFAULT
java/security/spec/PSSParameterSpec <init>()V
java/security/spec/PSSParameterSpec
<init>(Ljava/lang/String;Ljava/lang/String;Ljava/security/spec/AlgorithmParameterSpec;II)V
java/security/spec/PSSParameterSpec <init>(I)V
java/security/spec/PSSParameterSpec getDigestAlgorithm()Ljava/lang/String;
java/security/spec/PSSParameterSpec getMGFAlgorithm()Ljava/lang/String;
java/security/spec/PSSParameterSpec getMGFParameters()Ljava/security/spec/AlgorithmParameterSpec;
java/security/spec/PSSParameterSpec getSaltLength()I
java/security/spec/PSSParameterSpec getTrailerField()I
java/security/spec/PSSParameterSpec <clinit>()V
class java/security/spec/RSAPublicKeyGenParameterSpec java/lang/Object
java/security/spec/RSAPublicKeyGenParameterSpec keySize
java/security/spec/RSAPublicKeyGenParameterSpec publicExponent

```

```

java/security/spec/RSAPrivateKeySpec F0
java/security/spec/RSAPrivateKeySpec F4
java/security/spec/RSAPrivateKeySpec <init>(L java/math/BigInteger;)V
java/security/spec/RSAPrivateKeySpec
    getModulus()L java/math/BigInteger;
java/security/spec/RSAPrivateKeySpec getPublicExponent()L java/math/BigInteger;
java/security/spec/RSAPrivateKeySpec <clinit>()V
class java/security/spec/RSAPrivateKeySpec java/security/spec/RSAPrivateKeySpec
java/security/spec/RSAPrivateKeySpec publicExponent
java/security/spec/RSAPrivateKeySpec primeP
java/security/spec/RSAPrivateKeySpec primeQ
java/security/spec/RSAPrivateKeySpec primeExponentP
java/security/spec/RSAPrivateKeySpec primeExponentQ
java/security/spec/RSAPrivateKeySpec crtCoefficient
java/security/spec/RSAPrivateKeySpec otherPrimeInfo
java/security/spec/RSAPrivateKeySpec
    <init>(L java/math/BigInteger;L java/math/BigInteger;L java/math/BigInteger;L java/math/BigInteger;L java/math/Big
Integer;L java/math/BigInteger;L java/math/BigInteger;L java/math/BigInteger;[L java/security/spec/RSAPrivateInfo;
nfo;)V
java/security/spec/RSAPrivateKeySpec
    getPublicExponent()L java/math/BigInteger;
java/security/spec/RSAPrivateKeySpec getPrimeP()L java/math/BigInteger;
java/security/spec/RSAPrivateKeySpec getPrimeQ()L java/math/BigInteger;
java/security/spec/RSAPrivateKeySpec getPrimeExponentP()L java/math/BigInteger;
java/security/spec/RSAPrivateKeySpec getPrimeExponentQ()L java/math/BigInteger;
java/security/spec/RSAPrivateKeySpec getCrtCoefficient()L java/math/BigInteger;
java/security/spec/RSAPrivateKeySpec
    getOtherPrimeInfo()[L java/security/spec/RSAPrivateInfo;
class java/security/spec/RSAPrivateInfo java/lang/Object
java/security/spec/RSAPrivateInfo prime
java/security/spec/RSAPrivateInfo primeExponent
java/security/spec/RSAPrivateInfo crtCoefficient
java/security/spec/RSAPrivateInfo
    <init>(L java/math/BigInteger;L java/math/BigInteger;L java/math/BigInteger;)V
java/security/spec/RSAPrivateInfo
    getPrime()L java/math/BigInteger;
java/security/spec/RSAPrivateInfo getExponent()L java/math/BigInteger;
java/security/spec/RSAPrivateInfo getCrtCoefficient()L java/math/BigInteger;
class java/sql/Array java/lang/Object
java/sql/Array getBaseTypeName()L java/lang/String;
java/sql/Array getBaseType()I
java/sql/Array getArray()L java/lang/Object;
java/sql/Array getArray(L java/util/Map;)L java/lang/Object;
java/sql/Array getArray(J)L java/lang/Object;
java/sql/Array getArray(JIL java/util/Map;)L java/lang/Object;
java/sql/Array getResultSet()L java/sql/ResultSet;
java/sql/Array getResultSet(L java/util/Map;)L java/sql/ResultSet;
java/sql/Array getResultSet(J)L java/sql/ResultSet;

```



```

java/sql/Array getResultSet(JILjava/util/Map;)Ljava/sql/ResultSet;
class java/sql/BatchUpdateException java/sql/SQLException
java/sql/BatchUpdateException updateCounts
java/sql/BatchUpdateException <init>(Ljava/lang/String;Ljava/lang/String;I[I)V
java/sql/BatchUpdateException <init>(Ljava/lang/String;Ljava/lang/String;[I)V
java/sql/BatchUpdateException
    <init>(Ljava/lang/String;[I)V
java/sql/BatchUpdateException <init>(I)V
java/sql/BatchUpdateException <init>()V
java/sql/BatchUpdateException getUpdateCounts()[I
class java/sql/Blob java/lang/Object
java/sql/Blob length()J
java/sql/Blob getBytes(J)[B
java/sql/Blob getBinaryStream()Ljava/io/InputStream;
java/sql/Blob position([BJJ
java/sql/Blob position(Ljava/sql/Blob;J)J
java/sql/Blob setBytes(J[B)I
java/sql/Blob setBytes(J[BII)I
java/sql/Blob setBinaryStream(J)Ljava/io/OutputStream;
java/sql/Blob truncate(J)V
class java/sql/CallableStatement java/lang/Object
java/sql/CallableStatement registerOutParameter(II)V
java/sql/CallableStatement registerOutParameter(III)V
java/sql/CallableStatement wasNull()Z
java/sql/CallableStatement getString(I)Ljava/lang/String;
java/sql/CallableStatement getBoolean(I)Z
java/sql/CallableStatement getByte(I)B
java/sql/CallableStatement getShort(I)S
java/sql/CallableStatement getInt(I)I
java/sql/CallableStatement
    getLong(I)J
java/sql/CallableStatement getFloat(I)F
java/sql/CallableStatement getDouble(I)D
java/sql/CallableStatement getBigDecimal(II)Ljava/math/BigDecimal;
java/sql/CallableStatement getBytes(I)[B
java/sql/CallableStatement getDate(I)Ljava/sql/Date;
java/sql/CallableStatement getTime(I)Ljava/sql/Time;
java/sql/CallableStatement getTimestamp(I)Ljava/sql/Timestamp;
java/sql/CallableStatement getObject(I)Ljava/lang/Object;
java/sql/CallableStatement getBigDecimal(I)Ljava/math/BigDecimal;
java/sql/CallableStatement getObject(ILjava/util/Map;)Ljava/lang/Object;
java/sql/CallableStatement getRef(I)Ljava/sql/Ref;
java/sql/CallableStatement getBlob(I)Ljava/sql/Blob;
java/sql/CallableStatement getClob(I)Ljava/sql/Clob;
java/sql/CallableStatement getArray(I)Ljava/sql/Array;
java/sql/CallableStatement getDate(ILjava/util/Calendar;)Ljava/sql/Date;
java/sql/CallableStatement getTime(ILjava/util/Calendar;)Ljava/sql/Time;
java/sql/CallableStatement getTimestamp(ILjava/util/Calendar;)Ljava/sql/Timestamp;

```

```

java/sql/CallableStatement
    registerOutParameter(III java/lang/String;)V
java/sql/CallableStatement registerOutParameter(Ljava/lang/String;I)V
java/sql/CallableStatement registerOutParameter(Ljava/lang/String;II)V
java/sql/CallableStatement registerOutParameter(Ljava/lang/String;ILjava/lang/String;)V
java/sql/CallableStatement getURL(I)Ljava/net/URL;
java/sql/CallableStatement setURL(Ljava/lang/String;Ljava/net/URL;)V
java/sql/CallableStatement setNull(Ljava/lang/String;I)V
java/sql/CallableStatement setBoolean(Ljava/lang/String;Z)V
java/sql/CallableStatement setByte(Ljava/lang/String;B)V
java/sql/CallableStatement setShort(Ljava/lang/String;S)V
java/sql/CallableStatement setInt(Ljava/lang/String;I)V
java/sql/CallableStatement setLong(Ljava/lang/String;J)V
java/sql/CallableStatement setFloat(Ljava/lang/String;F)V
java/sql/CallableStatement setDouble(Ljava/lang/String;D)V
java/sql/CallableStatement setBigDecimal(Ljava/lang/String;Ljava/math/BigDecimal;)V
java/sql/CallableStatement
    setString(Ljava/lang/String;Ljava/lang/String;)V
java/sql/CallableStatement setBytes(Ljava/lang/String;[B)V
java/sql/CallableStatement setDate(Ljava/lang/String;Ljava/sql/Date;)V
java/sql/CallableStatement setTime(Ljava/lang/String;Ljava/sql/Time;)V
java/sql/CallableStatement setTimestamp(Ljava/lang/String;Ljava/sql/Timestamp;)V
java/sql/CallableStatement setAsciiStream(Ljava/lang/String;Ljava/io/InputStream;I)V
java/sql/CallableStatement setBinaryStream(Ljava/lang/String;Ljava/io/InputStream;I)V
java/sql/CallableStatement setObject(Ljava/lang/String;Ljava/lang/Object;II)V
java/sql/CallableStatement setObject(Ljava/lang/String;Ljava/lang/Object;I)V
java/sql/CallableStatement setObject(Ljava/lang/String;Ljava/lang/Object;)V
java/sql/CallableStatement setCharacterStream(Ljava/lang/String;Ljava/io/Reader;I)V
java/sql/CallableStatement setDate(Ljava/lang/String;Ljava/sql/Date;Ljava/util/Calendar;)V
java/sql/CallableStatement setTime(Ljava/lang/String;Ljava/sql/Time;Ljava/util/Calendar;)V
java/sql/CallableStatement
    setTimestamp(Ljava/lang/String;Ljava/sql/Timestamp;Ljava/util/Calendar;)V
java/sql/CallableStatement setNull(Ljava/lang/String;ILjava/lang/String;)V
java/sql/CallableStatement getString(Ljava/lang/String;)Ljava/lang/String;
java/sql/CallableStatement getBoolean(Ljava/lang/String;)Z
java/sql/CallableStatement getByte(Ljava/lang/String;)B
java/sql/CallableStatement getShort(Ljava/lang/String;)S
java/sql/CallableStatement getInt(Ljava/lang/String;)I
java/sql/CallableStatement getLong(Ljava/lang/String;)J
java/sql/CallableStatement getFloat(Ljava/lang/String;)F
java/sql/CallableStatement getDouble(Ljava/lang/String;)D
java/sql/CallableStatement getBytes(Ljava/lang/String;)[B
java/sql/CallableStatement getDate(Ljava/lang/String;)Ljava/sql/Date;
java/sql/CallableStatement getTime(Ljava/lang/String;)Ljava/sql/Time;
java/sql/CallableStatement getTimestamp(Ljava/lang/String;)Ljava/sql/Timestamp;
java/sql/CallableStatement getObject(Ljava/lang/String;)Ljava/lang/Object;
java/sql/CallableStatement

```

```

    getBigDecimal(Ljava/lang/String;)Ljava/math/BigDecimal;
java/sql/CallableStatement getObject(Ljava/lang/String;Ljava/util/Map;)Ljava/lang/Object;
java/sql/CallableStatement getRef(Ljava/lang/String;)Ljava/sql/Ref;
java/sql/CallableStatement getBlob(Ljava/lang/String;)Ljava/sql/Blob;
java/sql/CallableStatement getClob(Ljava/lang/String;)Ljava/sql/Clob;
java/sql/CallableStatement getArray(Ljava/lang/String;)Ljava/sql/Array;
java/sql/CallableStatement getDate(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Date;
java/sql/CallableStatement getTime(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Time;
java/sql/CallableStatement getTimestamp(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Timestamp;
java/sql/CallableStatement getURL(Ljava/lang/String;)Ljava/net/URL;
class java/sql/Clob java/lang/Object
java/sql/Clob length()J
java/sql/Clob getSubString(JI)Ljava/lang/String;
java/sql/Clob getCharacterStream()Ljava/io/Reader;
java/sql/Clob getAsciiStream()Ljava/io/InputStream;
java/sql/Clob
    position(Ljava/lang/String;J)J
java/sql/Clob position(Ljava/sql/Clob;J)J
java/sql/Clob setString(JLjava/lang/String;)I
java/sql/Clob setString(JLjava/lang/String;II)I
java/sql/Clob setAsciiStream(J)Ljava/io/OutputStream;
java/sql/Clob setCharacterStream(J)Ljava/io/Writer;
java/sql/Clob truncate(J)V
class java/sql/Connection java/lang/Object
java/sql/Connection TRANSACTION_NONE
java/sql/Connection TRANSACTION_READ_UNCOMMITTED
java/sql/Connection TRANSACTION_READ_COMMITTED
java/sql/Connection TRANSACTION_REPEATABLE_READ
java/sql/Connection TRANSACTION_SERIALIZABLE
java/sql/Connection createStatement()Ljava/sql/Statement;
java/sql/Connection prepareStatement(Ljava/lang/String;)Ljava/sql/PreparedStatement;
java/sql/Connection prepareCall(Ljava/lang/String;)Ljava/sql/CallableStatement;
java/sql/Connection nativeSQL(Ljava/lang/String;)Ljava/lang/String;
java/sql/Connection setAutoCommit(Z)V
java/sql/Connection getAutoCommit()Z
java/sql/Connection commit()V
java/sql/Connection
    rollback()V
java/sql/Connection close()V
java/sql/Connection isClosed()Z
java/sql/Connection getMetaData()Ljava/sql/DatabaseMetaData;
java/sql/Connection setReadOnly(Z)V
java/sql/Connection isReadOnly()Z
java/sql/Connection setCatalog(Ljava/lang/String;)V
java/sql/Connection getCatalog()Ljava/lang/String;
java/sql/Connection setTransactionIsolation(I)V
java/sql/Connection getTransactionIsolation()I
java/sql/Connection getWarnings()Ljava/sql/SQLWarning;

```

```

java/sql/Connection clearWarnings()V
java/sql/Connection createStatement(II)Ljava/sql/Statement;
java/sql/Connection prepareStatement(Ljava/lang/String;II)Ljava/sql/PreparedStatement;
java/sql/Connection prepareCall(Ljava/lang/String;II)Ljava/sql/CallableStatement;
java/sql/Connection getTypeMap()Ljava/util/Map;
java/sql/Connection setTypeMap(Ljava/util/Map;)V
java/sql/Connection setHoldability(I)V
java/sql/Connection getHoldability()I
java/sql/Connection setSavepoint()Ljava/sql/Savepoint;
java/sql/Connection setSavepoint(Ljava/lang/String;)Ljava/sql/Savepoint;
java/sql/Connection
    rollback(Ljava/sql/Savepoint;)V
java/sql/Connection releaseSavepoint(Ljava/sql/Savepoint;)V
java/sql/Connection createStatement(III)Ljava/sql/Statement;
java/sql/Connection prepareStatement(Ljava/lang/String;III)Ljava/sql/PreparedStatement;
java/sql/Connection prepareCall(Ljava/lang/String;III)Ljava/sql/CallableStatement;
java/sql/Connection prepareStatement(Ljava/lang/String;I)Ljava/sql/PreparedStatement;
java/sql/Connection prepareStatement(Ljava/lang/String;[I)Ljava/sql/PreparedStatement;
java/sql/Connection prepareStatement(Ljava/lang/String;[Ljava/lang/String;)Ljava/sql/PreparedStatement;
class java/sql/DataTruncation java/sql/SQLWarning
java/sql/DataTruncation index
java/sql/DataTruncation parameter
java/sql/DataTruncation read
java/sql/DataTruncation dataSize
java/sql/DataTruncation transferSize
java/sql/DataTruncation <init>(IZZII)V
java/sql/DataTruncation getIndex()I
java/sql/DataTruncation getParameter()Z
java/sql/DataTruncation
    getRead()Z
java/sql/DataTruncation getDataSize()I
java/sql/DataTruncation getTransferSize()I
class java/sql/DatabaseMetaData java/lang/Object
java/sql/DatabaseMetaData procedureResultUnknown
java/sql/DatabaseMetaData procedureNoResult
java/sql/DatabaseMetaData procedureReturnsResult
java/sql/DatabaseMetaData procedureColumnUnknown
java/sql/DatabaseMetaData procedureColumnIn
java/sql/DatabaseMetaData procedureColumnInOut
java/sql/DatabaseMetaData procedureColumnOut
java/sql/DatabaseMetaData procedureColumnReturn
java/sql/DatabaseMetaData procedureColumnResult
java/sql/DatabaseMetaData procedureNoNulls
java/sql/DatabaseMetaData procedureNullable
java/sql/DatabaseMetaData procedureNullableUnknown
java/sql/DatabaseMetaData columnNoNulls
java/sql/DatabaseMetaData columnNullable
java/sql/DatabaseMetaData columnNullableUnknown

```

java/sql/DatabaseMetaData bestRowTemporary
java/sql/DatabaseMetaData bestRowTransaction
java/sql/DatabaseMetaData bestRowSession
java/sql/DatabaseMetaData
 bestRowUnknown
java/sql/DatabaseMetaData bestRowNotPseudo
java/sql/DatabaseMetaData bestRowPseudo
java/sql/DatabaseMetaData versionColumnUnknown
java/sql/DatabaseMetaData versionColumnNotPseudo
java/sql/DatabaseMetaData versionColumnPseudo
java/sql/DatabaseMetaData importedKeyCascade
java/sql/DatabaseMetaData importedKeyRestrict
java/sql/DatabaseMetaData importedKeySetNull
java/sql/DatabaseMetaData importedKeyNoAction
java/sql/DatabaseMetaData importedKeySetDefault
java/sql/DatabaseMetaData importedKeyInitiallyDeferred
java/sql/DatabaseMetaData importedKeyInitiallyImmediate
java/sql/DatabaseMetaData importedKeyNotDeferrable
java/sql/DatabaseMetaData typeNoNulls
java/sql/DatabaseMetaData typeNullable
java/sql/DatabaseMetaData typeNullableUnknown
java/sql/DatabaseMetaData typePredNone
java/sql/DatabaseMetaData typePredChar
java/sql/DatabaseMetaData typePredBasic
java/sql/DatabaseMetaData typeSearchable
java/sql/DatabaseMetaData tableIndexStatistic
java/sql/DatabaseMetaData tableIndexClustered
java/sql/DatabaseMetaData
 tableIndexHashed
java/sql/DatabaseMetaData tableIndexOther
java/sql/DatabaseMetaData attributeNoNulls
java/sql/DatabaseMetaData attributeNullable
java/sql/DatabaseMetaData attributeNullableUnknown
java/sql/DatabaseMetaData sqlStateXOpen
java/sql/DatabaseMetaData sqlStateSQL99
java/sql/DatabaseMetaData allProceduresAreCallable()Z
java/sql/DatabaseMetaData allTablesAreSelectable()Z
java/sql/DatabaseMetaData getURL()Ljava/lang/String;
java/sql/DatabaseMetaData getUsername()Ljava/lang/String;
java/sql/DatabaseMetaData isReadOnly()Z
java/sql/DatabaseMetaData nullsAreSortedHigh()Z
java/sql/DatabaseMetaData nullsAreSortedLow()Z
java/sql/DatabaseMetaData nullsAreSortedAtStart()Z
java/sql/DatabaseMetaData nullsAreSortedAtEnd()Z
java/sql/DatabaseMetaData getDatabaseProductName()Ljava/lang/String;
java/sql/DatabaseMetaData getDatabaseProductVersion()Ljava/lang/String;
java/sql/DatabaseMetaData getDriverName()Ljava/lang/String;
java/sql/DatabaseMetaData getDriverVersion()Ljava/lang/String;

```
java/sql/DatabaseMetaData
    getDriverMajorVersion()I
java/sql/DatabaseMetaData getDriverMinorVersion()I
java/sql/DatabaseMetaData usesLocalFiles()Z
java/sql/DatabaseMetaData usesLocalFilePerTable()Z
java/sql/DatabaseMetaData supportsMixedCaseIdentifiers()Z
java/sql/DatabaseMetaData storesUpperCaseIdentifiers()Z
java/sql/DatabaseMetaData storesLowerCaseIdentifiers()Z
java/sql/DatabaseMetaData storesMixedCaseIdentifiers()Z
java/sql/DatabaseMetaData supportsMixedCaseQuotedIdentifiers()Z
java/sql/DatabaseMetaData storesUpperCaseQuotedIdentifiers()Z
java/sql/DatabaseMetaData storesLowerCaseQuotedIdentifiers()Z
java/sql/DatabaseMetaData storesMixedCaseQuotedIdentifiers()Z
java/sql/DatabaseMetaData getIdentifierQuoteString()Ljava/lang/String;
java/sql/DatabaseMetaData getSQLKeywords()Ljava/lang/String;
java/sql/DatabaseMetaData getNumericFunctions()Ljava/lang/String;
java/sql/DatabaseMetaData getStringFunctions()Ljava/lang/String;
java/sql/DatabaseMetaData getSystemFunctions()Ljava/lang/String;
java/sql/DatabaseMetaData
    getTimeDateFunctions()Ljava/lang/String;
java/sql/DatabaseMetaData getSearchStringEscape()Ljava/lang/String;
java/sql/DatabaseMetaData getExtraNameCharacters()Ljava/lang/String;
java/sql/DatabaseMetaData supportsAlterTableWithAddColumn()Z
java/sql/DatabaseMetaData supportsAlterTableWithDropColumn()Z
java/sql/DatabaseMetaData supportsColumnAliasing()Z
java/sql/DatabaseMetaData nullPlusNonNullIsNull()Z
java/sql/DatabaseMetaData supportsConvert()Z
java/sql/DatabaseMetaData supportsConvert(II)Z
java/sql/DatabaseMetaData supportsTableCorrelationNames()Z
java/sql/DatabaseMetaData supportsDifferentTableCorrelationNames()Z
java/sql/DatabaseMetaData supportsExpressionsInOrderBy()Z
java/sql/DatabaseMetaData supportsOrderByUnrelated()Z
java/sql/DatabaseMetaData supportsGroupBy()Z
java/sql/DatabaseMetaData supportsGroupByUnrelated()Z
java/sql/DatabaseMetaData supportsGroupByBeyondSelect()Z
java/sql/DatabaseMetaData supportsLikeEscapeClause()Z
java/sql/DatabaseMetaData
    supportsMultipleResultSets()Z
java/sql/DatabaseMetaData supportsMultipleTransactions()Z
java/sql/DatabaseMetaData supportsNonNullableColumns()Z
java/sql/DatabaseMetaData supportsMinimumSQLGrammar()Z
java/sql/DatabaseMetaData supportsCoreSQLGrammar()Z
java/sql/DatabaseMetaData supportsExtendedSQLGrammar()Z
java/sql/DatabaseMetaData supportsANSI92EntryLevelSQL()Z
java/sql/DatabaseMetaData supportsANSI92IntermediateSQL()Z
java/sql/DatabaseMetaData supportsANSI92FullSQL()Z
java/sql/DatabaseMetaData supportsIntegrityEnhancementFacility()Z
java/sql/DatabaseMetaData supportsOuterJoins()Z
```

```

java/sql/DatabaseMetaData supportsFullOuterJoins()Z
java/sql/DatabaseMetaData supportsLimitedOuterJoins()Z
java/sql/DatabaseMetaData getSchemaTerm()Ljava/lang/String;
java/sql/DatabaseMetaData getProcedureTerm()Ljava/lang/String;
java/sql/DatabaseMetaData getCatalogTerm()Ljava/lang/String;
java/sql/DatabaseMetaData isCatalogAtStart()Z
java/sql/DatabaseMetaData getCatalogSeparator()Ljava/lang/String;
java/sql/DatabaseMetaData
    supportsSchemasInDataManipulation()Z
java/sql/DatabaseMetaData supportsSchemasInProcedureCalls()Z
java/sql/DatabaseMetaData supportsSchemasInTableDefinitions()Z
java/sql/DatabaseMetaData supportsSchemasInIndexDefinitions()Z
java/sql/DatabaseMetaData supportsSchemasInPrivilegeDefinitions()Z
java/sql/DatabaseMetaData supportsCatalogsInDataManipulation()Z
java/sql/DatabaseMetaData supportsCatalogsInProcedureCalls()Z
java/sql/DatabaseMetaData supportsCatalogsInTableDefinitions()Z
java/sql/DatabaseMetaData supportsCatalogsInIndexDefinitions()Z
java/sql/DatabaseMetaData supportsCatalogsInPrivilegeDefinitions()Z
java/sql/DatabaseMetaData supportsPositionedDelete()Z
java/sql/DatabaseMetaData supportsPositionedUpdate()Z
java/sql/DatabaseMetaData supportsSelectForUpdate()Z
java/sql/DatabaseMetaData supportsStoredProcedures()Z
java/sql/DatabaseMetaData supportsSubqueriesInComparisons()Z
java/sql/DatabaseMetaData supportsSubqueriesInExists()Z
java/sql/DatabaseMetaData
    supportsSubqueriesInIns()Z
java/sql/DatabaseMetaData supportsSubqueriesInQuantifieds()Z
java/sql/DatabaseMetaData supportsCorrelatedSubqueries()Z
java/sql/DatabaseMetaData supportsUnion()Z
java/sql/DatabaseMetaData supportsUnionAll()Z
java/sql/DatabaseMetaData supportsOpenCursorsAcrossCommit()Z
java/sql/DatabaseMetaData supportsOpenCursorsAcrossRollback()Z
java/sql/DatabaseMetaData supportsOpenStatementsAcrossCommit()Z
java/sql/DatabaseMetaData supportsOpenStatementsAcrossRollback()Z
java/sql/DatabaseMetaData getMaxBinaryLiteralLength()I
java/sql/DatabaseMetaData getMaxCharLiteralLength()I
java/sql/DatabaseMetaData getMaxColumnNameLength()I
java/sql/DatabaseMetaData getMaxColumnsInGroupBy()I
java/sql/DatabaseMetaData getMaxColumnsInIndex()I
java/sql/DatabaseMetaData getMaxColumnsInOrderBy()I
java/sql/DatabaseMetaData getMaxColumnsInSelect()I
java/sql/DatabaseMetaData getMaxColumnsInTable()I
java/sql/DatabaseMetaData getMaxConnections()I
java/sql/DatabaseMetaData getMaxCursorNameLength()I
java/sql/DatabaseMetaData
    getMaxIndexLength()I
java/sql/DatabaseMetaData getMaxSchemaNameLength()I
java/sql/DatabaseMetaData getMaxProcedureNameLength()I

```

```

java/sql/DatabaseMetaData getMaxCatalogNameLength()I
java/sql/DatabaseMetaData getMaxRowSize()I
java/sql/DatabaseMetaData doesMaxRowSizeIncludeBlobs()Z
java/sql/DatabaseMetaData getMaxStatementLength()I
java/sql/DatabaseMetaData getMaxStatements()I
java/sql/DatabaseMetaData getMaxTableNameLength()I
java/sql/DatabaseMetaData getMaxTablesInSelect()I
java/sql/DatabaseMetaData getMaxUserNameLength()I
java/sql/DatabaseMetaData getDefaultTransactionIsolation()I
java/sql/DatabaseMetaData supportsTransactions()Z
java/sql/DatabaseMetaData supportsTransactionIsolationLevel(I)Z
java/sql/DatabaseMetaData supportsDataDefinitionAndDataManipulationTransactions()Z
java/sql/DatabaseMetaData supportsDataManipulationTransactionsOnly()Z
java/sql/DatabaseMetaData dataDefinitionCausesTransactionCommit()Z
java/sql/DatabaseMetaData dataDefinitionIgnoredInTransactions()Z
java/sql/DatabaseMetaData
    getProcedures(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getProcedureColumns(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getTables(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;[Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData getSchemas()Ljava/sql/ResultSet;
java/sql/DatabaseMetaData getCatalogs()Ljava/sql/ResultSet;
java/sql/DatabaseMetaData getTableTypes()Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getColumns(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getColumnPrivileges(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getTablePrivileges(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getBestRowIdentifier(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;IZ)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getVersionColumns(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getPrimaryKeys(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getImportedKeys(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getExportedKeys(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getCrossReference(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData getTypeInfo()Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
    getIndexInfo(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;ZZ)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData supportsResultSetType(I)Z
java/sql/DatabaseMetaData

```



```

    supportsResultSetConcurrency(II)Z
java/sql/DatabaseMetaData ownUpdatesAreVisible(I)Z
java/sql/DatabaseMetaData ownDeletesAreVisible(I)Z
java/sql/DatabaseMetaData ownInsertsAreVisible(I)Z
java/sql/DatabaseMetaData othersUpdatesAreVisible(I)Z
java/sql/DatabaseMetaData othersDeletesAreVisible(I)Z
java/sql/DatabaseMetaData othersInsertsAreVisible(I)Z
java/sql/DatabaseMetaData updatesAreDetected(I)Z
java/sql/DatabaseMetaData deletesAreDetected(I)Z
java/sql/DatabaseMetaData insertsAreDetected(I)Z
java/sql/DatabaseMetaData supportsBatchUpdates()Z
java/sql/DatabaseMetaData getUDTs(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;I)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData getConnection()Ljava/sql/Connection;
java/sql/DatabaseMetaData supportsSavepoints()Z
java/sql/DatabaseMetaData supportsNamedParameters()Z
java/sql/DatabaseMetaData supportsMultipleOpenResults()Z
java/sql/DatabaseMetaData supportsGetGeneratedKeys()Z
java/sql/DatabaseMetaData
getSuperTypes(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getSuperTables(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData
getAttributes(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/DatabaseMetaData supportsResultSetHoldability(I)Z
java/sql/DatabaseMetaData getResultSetHoldability(I)
java/sql/DatabaseMetaData getDatabaseMajorVersion()I
java/sql/DatabaseMetaData getDatabaseMinorVersion()I
java/sql/DatabaseMetaData getJDBCMinorVersion()I
java/sql/DatabaseMetaData getJDBCMinorVersion()I
java/sql/DatabaseMetaData getSQLStateType(I)
java/sql/DatabaseMetaData locatorsUpdateCopy()Z
java/sql/DatabaseMetaData supportsStatementPooling()Z
class java/sql/Date java/util/Date
java/sql/Date serialVersionUID
java/sql/Date <init>(III)V
java/sql/Date <init>(J)V
java/sql/Date setTime(J)V
java/sql/Date valueOf(Ljava/lang/String;)Ljava/sql/Date;
java/sql/Date
toString(Ljava/lang/String;
java/sql/Date getHours()I
java/sql/Date getMinutes()I
java/sql/Date getSeconds()I
java/sql/Date setHours(I)V
java/sql/Date setMinutes(I)V
java/sql/Date setSeconds(I)V
class java/sql/Driver java/lang/Object
java/sql/Driver connect(Ljava/lang/String;Ljava/util/Properties;)Ljava/sql/Connection;

```

```

java/sql/Driver acceptsURL(Ljava/lang/String;)Z
java/sql/Driver getPropertyInfo(Ljava/lang/String;Ljava/util/Properties;)[Ljava/sql/DriverPropertyInfo;
java/sql/Driver getMajorVersion()I
java/sql/Driver getMinorVersion()I
java/sql/Driver jdbcCompliant()Z
class java/sql/DriverInfo java/lang/Object
java/sql/DriverInfo driver
java/sql/DriverInfo driverClass
java/sql/DriverInfo driverClassName
java/sql/DriverInfo <init>()V
java/sql/DriverInfo toString()Ljava/lang/String;
class java/sql/DriverManager java/lang/Object
java/sql/DriverManager SET_LOG_PERMISSION
java/sql/DriverManager drivers
java/sql/DriverManager loginTimeout
java/sql/DriverManager logWriter
java/sql/DriverManager
    logStream
java/sql/DriverManager initialized
java/sql/DriverManager logSync
java/sql/DriverManager getLogWriter()Ljava/io/PrintWriter;
java/sql/DriverManager setLogWriter(Ljava/io/PrintWriter;)V
java/sql/DriverManager getConnection(Ljava/lang/String;Ljava/util/Properties;)Ljava/sql/Connection;
java/sql/DriverManager
    getConnection(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/sql/Connection;
java/sql/DriverManager getConnection(Ljava/lang/String;)Ljava/sql/Connection;
java/sql/DriverManager getDriver(Ljava/lang/String;)Ljava/sql/Driver;
java/sql/DriverManager registerDriver(Ljava/sql/Driver;)V
java/sql/DriverManager deregisterDriver(Ljava/sql/Driver;)V
java/sql/DriverManager getDrivers()Ljava/util/Enumeration;
java/sql/DriverManager setLoginTimeout(I)V
java/sql/DriverManager getLoginTimeout()I
java/sql/DriverManager setLogStream(Ljava/io/PrintStream;)V
java/sql/DriverManager getLogStream()Ljava/io/PrintStream;
java/sql/DriverManager println(Ljava/lang/String;)V
java/sql/DriverManager
    getCallerClass(Ljava/lang/ClassLoader;Ljava/lang/String;)Ljava/lang/Class;
java/sql/DriverManager loadInitialDrivers()V
java/sql/DriverManager
    getConnection(Ljava/lang/String;Ljava/util/Properties;Ljava/lang/ClassLoader;)Ljava/sql/Connection;
java/sql/DriverManager initialize()V
java/sql/DriverManager <init>()V
java/sql/DriverManager getCallerClassLoader()Ljava/lang/ClassLoader;
java/sql/DriverManager <clinit>()V
class java/sql/DriverPropertyInfo java/lang/Object
java/sql/DriverPropertyInfo name
java/sql/DriverPropertyInfo description
java/sql/DriverPropertyInfo required

```

```

java/sql/DriverPropertyInfo value
java/sql/DriverPropertyInfo choices
java/sql/DriverPropertyInfo <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/sql/ParameterMetaData java/lang/Object
java/sql/ParameterMetaData parameterNoNulls
java/sql/ParameterMetaData parameterNullable
java/sql/ParameterMetaData parameterNullableUnknown
java/sql/ParameterMetaData parameterModeUnknown
java/sql/ParameterMetaData
    parameterModeIn
java/sql/ParameterMetaData parameterModeInOut
java/sql/ParameterMetaData parameterModeOut
java/sql/ParameterMetaData getParameterCount()I
java/sql/ParameterMetaData isNullable(I)I
java/sql/ParameterMetaData isSigned(I)Z
java/sql/ParameterMetaData getPrecision(I)I
java/sql/ParameterMetaData getScale(I)I
java/sql/ParameterMetaData getParameterType(I)I
java/sql/ParameterMetaData getParameterTypeName(I)Ljava/lang/String;
java/sql/ParameterMetaData getParameterClassName(I)Ljava/lang/String;
java/sql/ParameterMetaData getParameterMode(I)I
class java/sql/PreparedStatement java/lang/Object
java/sql/PreparedStatement executeQuery()Ljava/sql/ResultSet;
java/sql/PreparedStatement executeUpdate()I
java/sql/PreparedStatement setNull(II)V
java/sql/PreparedStatement setBoolean(IZ)V
java/sql/PreparedStatement setByte(IB)V
java/sql/PreparedStatement setShort(IS)V
java/sql/PreparedStatement setInt(II)V
java/sql/PreparedStatement setLong(IJ)V
java/sql/PreparedStatement setFloat(IF)V
java/sql/PreparedStatement
    setDouble(ID)V
java/sql/PreparedStatement setBigDecimal(ILjava/math/BigDecimal;)V
java/sql/PreparedStatement setString(ILjava/lang/String;)V
java/sql/PreparedStatement setBytes(II[B)V
java/sql/PreparedStatement setDate(ILjava/sql/Date;)V
java/sql/PreparedStatement setTime(ILjava/sql/Time;)V
java/sql/PreparedStatement setTimestamp(ILjava/sql/Timestamp;)V
java/sql/PreparedStatement setAsciiStream(ILjava/io/InputStream;I)V
java/sql/PreparedStatement setUnicodeStream(ILjava/io/InputStream;I)V
java/sql/PreparedStatement setBinaryStream(ILjava/io/InputStream;I)V
java/sql/PreparedStatement clearParameters()V
java/sql/PreparedStatement setObject(ILjava/lang/Object;II)V
java/sql/PreparedStatement setObject(ILjava/lang/Object;I)V
java/sql/PreparedStatement setObject(ILjava/lang/Object;)V
java/sql/PreparedStatement execute()Z
java/sql/PreparedStatement addBatch()V

```

```

java/sql/PreparedStatement setCharacterStream(ILjava/io/Reader;)V
java/sql/PreparedStatement setRef(ILjava/sql/Ref;)V
java/sql/PreparedStatement
    setBlob(ILjava/sql/Blob;)V
java/sql/PreparedStatement setClob(ILjava/sql/Clob;)V
java/sql/PreparedStatement setArray(ILjava/sql/Array;)V
java/sql/PreparedStatement getMetaData()Ljava/sql/ResultSetMetaData;
java/sql/PreparedStatement setDate(ILjava/sql/Date;Ljava/util/Calendar;)V
java/sql/PreparedStatement setTime(ILjava/sql/Time;Ljava/util/Calendar;)V
java/sql/PreparedStatement setTimestamp(ILjava/sql/Timestamp;Ljava/util/Calendar;)V
java/sql/PreparedStatement setNull(ILjava/lang/String;)V
java/sql/PreparedStatement setURL(ILjava/net/URL;)V
java/sql/PreparedStatement getParameterMetaData()Ljava/sql/ParameterMetaData;
class java/sql/Ref java/lang/Object
java/sql/Ref getBaseTypeName()Ljava/lang/String;
java/sql/Ref getObject(Ljava/util/Map;)Ljava/lang/Object;
java/sql/Ref getObject()Ljava/lang/Object;
java/sql/Ref setObject(Ljava/lang/Object;)V
class java/sql/ResultSet java/lang/Object
java/sql/ResultSet FETCH_FORWARD
java/sql/ResultSet FETCH_REVERSE
java/sql/ResultSet
    FETCH_UNKNOWN
java/sql/ResultSet TYPE_FORWARD_ONLY
java/sql/ResultSet TYPE_SCROLL_INSENSITIVE
java/sql/ResultSet TYPE_SCROLL_SENSITIVE
java/sql/ResultSet CONCUR_READ_ONLY
java/sql/ResultSet CONCUR_UPDATABLE
java/sql/ResultSet HOLD_CURSORS_OVER_COMMIT
java/sql/ResultSet CLOSE_CURSORS_AT_COMMIT
java/sql/ResultSet next()Z
java/sql/ResultSet close()V
java/sql/ResultSet wasNull()Z
java/sql/ResultSet getString(I)Ljava/lang/String;
java/sql/ResultSet getBoolean(I)Z
java/sql/ResultSet getByte(I)B
java/sql/ResultSet getShort(I)S
java/sql/ResultSet getInt(I)I
java/sql/ResultSet getLong(I)J
java/sql/ResultSet getFloat(I)F
java/sql/ResultSet getDouble(I)D
java/sql/ResultSet getBigDecimal(II)Ljava/math/BigDecimal;
java/sql/ResultSet getBytes(I)[B
java/sql/ResultSet getDate(I)Ljava/sql/Date;
java/sql/ResultSet getTime(I)Ljava/sql/Time;
java/sql/ResultSet getTimestamp(I)Ljava/sql/Timestamp;
java/sql/ResultSet getAsciiStream(I)Ljava/io/InputStream;
java/sql/ResultSet getUnicodeStream(I)Ljava/io/InputStream;

```

```

java/sql/ResultSet
    getBinaryStream(I)Ljava/io/InputStream;
java/sql/ResultSet getString(Ljava/lang/String;)Ljava/lang/String;
java/sql/ResultSet getBoolean(Ljava/lang/String;)Z
java/sql/ResultSet getByte(Ljava/lang/String;)B
java/sql/ResultSet getShort(Ljava/lang/String;)S
java/sql/ResultSet getInt(Ljava/lang/String;)I
java/sql/ResultSet getLong(Ljava/lang/String;)J
java/sql/ResultSet getFloat(Ljava/lang/String;)F
java/sql/ResultSet getDouble(Ljava/lang/String;)D
java/sql/ResultSet getBigDecimal(Ljava/lang/String;)Ljava/math/BigDecimal;
java/sql/ResultSet getBytes(Ljava/lang/String;)[B
java/sql/ResultSet getDate(Ljava/lang/String;)Ljava/sql/Date;
java/sql/ResultSet getTime(Ljava/lang/String;)Ljava/sql/Time;
java/sql/ResultSet getTimestamp(Ljava/lang/String;)Ljava/sql/Timestamp;
java/sql/ResultSet getAsciiStream(Ljava/lang/String;)Ljava/io/InputStream;
java/sql/ResultSet getUnicodeStream(Ljava/lang/String;)Ljava/io/InputStream;
java/sql/ResultSet getBinaryStream(Ljava/lang/String;)Ljava/io/InputStream;
java/sql/ResultSet
    getWarnings()Ljava/sql/SQLWarning;
java/sql/ResultSet clearWarnings()V
java/sql/ResultSet getCursorName()Ljava/lang/String;
java/sql/ResultSet getMetaData()Ljava/sql/ResultSetMetaData;
java/sql/ResultSet getObject(I)Ljava/lang/Object;
java/sql/ResultSet getObject(Ljava/lang/String;)Ljava/lang/Object;
java/sql/ResultSet findColumn(Ljava/lang/String;)I
java/sql/ResultSet getCharacterStream(I)Ljava/io/Reader;
java/sql/ResultSet getCharacterStream(Ljava/lang/String;)Ljava/io/Reader;
java/sql/ResultSet getBigDecimal(I)Ljava/math/BigDecimal;
java/sql/ResultSet getBigDecimal(Ljava/lang/String;)Ljava/math/BigDecimal;
java/sql/ResultSet isBeforeFirst()Z
java/sql/ResultSet isAfterLast()Z
java/sql/ResultSet isFirst()Z
java/sql/ResultSet isLast()Z
java/sql/ResultSet beforeFirst()V
java/sql/ResultSet afterLast()V
java/sql/ResultSet first()Z
java/sql/ResultSet last()Z
java/sql/ResultSet getRow()I
java/sql/ResultSet absolute(I)Z
java/sql/ResultSet
    relative(I)Z
java/sql/ResultSet previous()Z
java/sql/ResultSet setFetchDirection(I)V
java/sql/ResultSet getFetchDirection()I
java/sql/ResultSet setFetchSize(I)V
java/sql/ResultSet getFetchSize()I
java/sql/ResultSet getType()I

```

```

java/sql/ResultSet getConcurrency()I
java/sql/ResultSet rowUpdated()Z
java/sql/ResultSet rowInserted()Z
java/sql/ResultSet rowDeleted()Z
java/sql/ResultSet updateNull(I)V
java/sql/ResultSet updateBoolean(IZ)V
java/sql/ResultSet updateByte(IB)V
java/sql/ResultSet updateShort(IS)V
java/sql/ResultSet updateInt(II)V
java/sql/ResultSet updateLong(IJ)V
java/sql/ResultSet updateFloat(IF)V
java/sql/ResultSet updateDouble(ID)V
java/sql/ResultSet updateBigDecimal(ILjava/math/BigDecimal;)V
java/sql/ResultSet updateString(ILjava/lang/String;)V
java/sql/ResultSet updateBytes(I[B)V
java/sql/ResultSet updateDate(ILjava/sql/Date;)V
java/sql/ResultSet updateTime(ILjava/sql/Time;)V
java/sql/ResultSet updateTimestamp(ILjava/sql/Timestamp;)V
java/sql/ResultSet updateAsciiStream(ILjava/io/InputStream;I)V
java/sql/ResultSet
    updateBinaryStream(ILjava/io/InputStream;I)V
java/sql/ResultSet updateCharacterStream(ILjava/io/Reader;I)V
java/sql/ResultSet updateObject(ILjava/lang/Object;I)V
java/sql/ResultSet updateObject(ILjava/lang/Object;)V
java/sql/ResultSet updateNull(Ljava/lang/String;)V
java/sql/ResultSet updateBoolean(Ljava/lang/String;Z)V
java/sql/ResultSet updateByte(Ljava/lang/String;B)V
java/sql/ResultSet updateShort(Ljava/lang/String;S)V
java/sql/ResultSet updateInt(Ljava/lang/String;I)V
java/sql/ResultSet updateLong(Ljava/lang/String;J)V
java/sql/ResultSet updateFloat(Ljava/lang/String;F)V
java/sql/ResultSet updateDouble(Ljava/lang/String;D)V
java/sql/ResultSet updateBigDecimal(Ljava/lang/String;Ljava/math/BigDecimal;)V
java/sql/ResultSet updateString(Ljava/lang/String;Ljava/lang/String;)V
java/sql/ResultSet updateBytes(Ljava/lang/String;[B)V
java/sql/ResultSet updateDate(Ljava/lang/String;Ljava/sql/Date;)V
java/sql/ResultSet updateTime(Ljava/lang/String;Ljava/sql/Time;)V
java/sql/ResultSet
    updateTimestamp(Ljava/lang/String;Ljava/sql/Timestamp;)V
java/sql/ResultSet updateAsciiStream(Ljava/lang/String;Ljava/io/InputStream;I)V
java/sql/ResultSet updateBinaryStream(Ljava/lang/String;Ljava/io/InputStream;I)V
java/sql/ResultSet updateCharacterStream(Ljava/lang/String;Ljava/io/Reader;I)V
java/sql/ResultSet updateObject(Ljava/lang/String;Ljava/lang/Object;I)V
java/sql/ResultSet updateObject(Ljava/lang/String;Ljava/lang/Object;)V
java/sql/ResultSet insertRow()V
java/sql/ResultSet updateRow()V
java/sql/ResultSet deleteRow()V
java/sql/ResultSet refreshRow()V

```

```

java/sql/ResultSet cancelRowUpdates()V
java/sql/ResultSet moveToInsertRow()V
java/sql/ResultSet moveToCurrentRow()V
java/sql/ResultSet getStatement()Ljava/sql/Statement;
java/sql/ResultSet getObject(ILjava/util/Map;)Ljava/lang/Object;
java/sql/ResultSet getRef(I)Ljava/sql/Ref;
java/sql/ResultSet getBlob(I)Ljava/sql/Blob;
java/sql/ResultSet getClob(I)Ljava/sql/Clob;
java/sql/ResultSet
    getArray(I)Ljava/sql/Array;
java/sql/ResultSet getObject(Ljava/lang/String;Ljava/util/Map;)Ljava/lang/Object;
java/sql/ResultSet getRef(Ljava/lang/String;)Ljava/sql/Ref;
java/sql/ResultSet getBlob(Ljava/lang/String;)Ljava/sql/Blob;
java/sql/ResultSet getClob(Ljava/lang/String;)Ljava/sql/Clob;
java/sql/ResultSet getArray(Ljava/lang/String;)Ljava/sql/Array;
java/sql/ResultSet getDate(ILjava/util/Calendar;)Ljava/sql/Date;
java/sql/ResultSet getDate(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Date;
java/sql/ResultSet getTime(ILjava/util/Calendar;)Ljava/sql/Time;
java/sql/ResultSet getTime(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Time;
java/sql/ResultSet getTimestamp(ILjava/util/Calendar;)Ljava/sql/Timestamp;
java/sql/ResultSet getTimestamp(Ljava/lang/String;Ljava/util/Calendar;)Ljava/sql/Timestamp;
java/sql/ResultSet getURL(I)Ljava/net/URL;
java/sql/ResultSet getURL(Ljava/lang/String;)Ljava/net/URL;
java/sql/ResultSet updateRef(ILjava/sql/Ref;)V
java/sql/ResultSet updateRef(Ljava/lang/String;Ljava/sql/Ref;)V
java/sql/ResultSet
    updateBlob(ILjava/sql/Blob;)V
java/sql/ResultSet updateBlob(Ljava/lang/String;Ljava/sql/Blob;)V
java/sql/ResultSet updateClob(ILjava/sql/Clob;)V
java/sql/ResultSet updateClob(Ljava/lang/String;Ljava/sql/Clob;)V
java/sql/ResultSet updateArray(ILjava/sql/Array;)V
java/sql/ResultSet updateArray(Ljava/lang/String;Ljava/sql/Array;)V
class java/sql/ResultSetMetaData java/lang/Object
java/sql/ResultSetMetaData columnNoNulls
java/sql/ResultSetMetaData columnNullable
java/sql/ResultSetMetaData columnNullableUnknown
java/sql/ResultSetMetaData getColumnCount()I
java/sql/ResultSetMetaData isAutoIncrement()Z
java/sql/ResultSetMetaData isCaseSensitive()Z
java/sql/ResultSetMetaData isSearchable()Z
java/sql/ResultSetMetaData isCurrency()Z
java/sql/ResultSetMetaData isNullable()I
java/sql/ResultSetMetaData isSigned()Z
java/sql/ResultSetMetaData getColumnDisplaySize()I
java/sql/ResultSetMetaData getColumnLabel(I)Ljava/lang/String;
java/sql/ResultSetMetaData
    getColumnName(I)Ljava/lang/String;
java/sql/ResultSetMetaData getSchemaName(I)Ljava/lang/String;

```

```

java/sql/ResultSetMetaData getPrecision(I)I
java/sql/ResultSetMetaData getScale(I)I
java/sql/ResultSetMetaData getTableName(I)Ljava/lang/String;
java/sql/ResultSetMetaData getCatalogName(I)Ljava/lang/String;
java/sql/ResultSetMetaData getColumnType(I)I
java/sql/ResultSetMetaData getColumnName(I)Ljava/lang/String;
java/sql/ResultSetMetaData isReadOnly(I)Z
java/sql/ResultSetMetaData isWritable(I)Z
java/sql/ResultSetMetaData isDefinitelyWritable(I)Z
java/sql/ResultSetMetaData getColumnClassName(I)Ljava/lang/String;
class java/sql/SQLData java/lang/Object
java/sql/SQLData getSQLTypeName()Ljava/lang/String;
java/sql/SQLData readSQL(Ljava/sql/SQLInput;Ljava/lang/String;)V
java/sql/SQLData writeSQL(Ljava/sql/SQLOutput;)V
class java/sql/SQLException java/lang/Exception
java/sql/SQLException SQLState
java/sql/SQLException vendorCode
java/sql/SQLException next
java/sql/SQLException
    <init>(Ljava/lang/String;Ljava/lang/String;I)V
java/sql/SQLException <init>(Ljava/lang/String;Ljava/lang/String;)V
java/sql/SQLException <init>(Ljava/lang/String;)V
java/sql/SQLException <init>()V
java/sql/SQLException getSQLState()Ljava/lang/String;
java/sql/SQLException getErrorCode()I
java/sql/SQLException getNextException()Ljava/sql/SQLException;
java/sql/SQLException setNextException(Ljava/sql/SQLException;)V
class java/sql/SQLInput java/lang/Object
java/sql/SQLInput readString()Ljava/lang/String;
java/sql/SQLInput readBoolean()Z
java/sql/SQLInput readByte()B
java/sql/SQLInput readShort()S
java/sql/SQLInput readInt()I
java/sql/SQLInput readLong()J
java/sql/SQLInput readFloat()F
java/sql/SQLInput readDouble()D
java/sql/SQLInput readBigDecimal()Ljava/math/BigDecimal;
java/sql/SQLInput readBytes()[B
java/sql/SQLInput readDate()Ljava/sql/Date;
java/sql/SQLInput readTime()Ljava/sql/Time;
java/sql/SQLInput readTimestamp()Ljava/sql/Timestamp;
java/sql/SQLInput readCharacterStream()Ljava/io/Reader;
java/sql/SQLInput
    readAsciiStream()Ljava/io/InputStream;
java/sql/SQLInput readBinaryStream()Ljava/io/InputStream;
java/sql/SQLInput readObject()Ljava/lang/Object;
java/sql/SQLInput readRef()Ljava/sql/Ref;
java/sql/SQLInput readBlob()Ljava/sql/Blob;

```



```

java/sql/SQLInput readClob()Ljava/sql/Clob;
java/sql/SQLInput readArray()Ljava/sql/Array;
java/sql/SQLInput wasNull()Z
java/sql/SQLInput readURL()Ljava/net/URL;
class java/sql/SQLOutput java/lang/Object
java/sql/SQLOutput writeString(Ljava/lang/String;)V
java/sql/SQLOutput writeBoolean(Z)V
java/sql/SQLOutput writeByte(B)V
java/sql/SQLOutput writeShort(S)V
java/sql/SQLOutput writeInt(I)V
java/sql/SQLOutput writeLong(J)V
java/sql/SQLOutput writeFloat(F)V
java/sql/SQLOutput writeDouble(D)V
java/sql/SQLOutput writeBigDecimal(Ljava/math/BigDecimal;)V
java/sql/SQLOutput writeBytes([B)V
java/sql/SQLOutput writeDate(Ljava/sql/Date;)V
java/sql/SQLOutput writeTime(Ljava/sql/Time;)V
java/sql/SQLOutput writeTimestamp(Ljava/sql/Timestamp;)V
java/sql/SQLOutput
    writeCharacterStream(Ljava/io/Reader;)V
java/sql/SQLOutput writeAsciiStream(Ljava/io/InputStream;)V
java/sql/SQLOutput writeBinaryStream(Ljava/io/InputStream;)V
java/sql/SQLOutput writeObject(Ljava/sql/SQLData;)V
java/sql/SQLOutput writeRef(Ljava/sql/Ref;)V
java/sql/SQLOutput writeBlob(Ljava/sql/Blob;)V
java/sql/SQLOutput writeClob(Ljava/sql/Clob;)V
java/sql/SQLOutput writeStruct(Ljava/sql/Struct;)V
java/sql/SQLOutput writeArray(Ljava/sql/Array;)V
java/sql/SQLOutput writeURL(Ljava/net/URL;)V
class java/sql/SQLPermission java/security/BasicPermission
java/sql/SQLPermission serialVersionUID
java/sql/SQLPermission <init>(Ljava/lang/String;)V
java/sql/SQLPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/sql/SQLWarning java/sql/SQLException
java/sql/SQLWarning <init>(Ljava/lang/String;Ljava/lang/String;I)V
java/sql/SQLWarning <init>(Ljava/lang/String;Ljava/lang/String;)V
java/sql/SQLWarning <init>(Ljava/lang/String;)V
java/sql/SQLWarning <init>()V
java/sql/SQLWarning
    getNextWarning()Ljava/sql/SQLWarning;
java/sql/SQLWarning setNextWarning(Ljava/sql/SQLWarning;)V
class java/sql/Savepoint java/lang/Object
java/sql/Savepoint getSavepointId()I
java/sql/Savepoint getSavepointName()Ljava/lang/String;
class java/sql/Statement java/lang/Object
java/sql/Statement CLOSE_CURRENT_RESULT
java/sql/Statement KEEP_CURRENT_RESULT
java/sql/Statement CLOSE_ALL_RESULTS

```

```

java/sql/Statement SUCCESS_NO_INFO
java/sql/Statement EXECUTE_FAILED
java/sql/Statement RETURN_GENERATED_KEYS
java/sql/Statement NO_GENERATED_KEYS
java/sql/Statement executeQuery(Ljava/lang/String;)Ljava/sql/ResultSet;
java/sql/Statement executeUpdate(Ljava/lang/String;)I
java/sql/Statement close()V
java/sql/Statement getMaxFieldSize()I
java/sql/Statement setMaxFieldSize(I)V
java/sql/Statement getMaxRows()I
java/sql/Statement setMaxRows(I)V
java/sql/Statement setEscapeProcessing(Z)V
java/sql/Statement getQueryTimeout()I
java/sql/Statement setQueryTimeout(I)V
java/sql/Statement cancel()V
java/sql/Statement
    getWarnings()Ljava/sql/SQLWarning;
java/sql/Statement clearWarnings()V
java/sql/Statement setCursorName(Ljava/lang/String;)V
java/sql/Statement execute(Ljava/lang/String;)Z
java/sql/Statement getResultSet()Ljava/sql/ResultSet;
java/sql/Statement getUpdateCount()I
java/sql/Statement getMoreResults()Z
java/sql/Statement setFetchDirection(I)V
java/sql/Statement getFetchDirection()I
java/sql/Statement setFetchSize(I)V
java/sql/Statement getFetchSize()I
java/sql/Statement getResultSetConcurrency()I
java/sql/Statement getResultSetType()I
java/sql/Statement addBatch(Ljava/lang/String;)V
java/sql/Statement clearBatch()V
java/sql/Statement executeBatch()[I
java/sql/Statement getConnection()Ljava/sql/Connection;
java/sql/Statement getMoreResults()Z
java/sql/Statement getGeneratedKeys()Ljava/sql/ResultSet;
java/sql/Statement executeUpdate(Ljava/lang/String;)I
java/sql/Statement executeUpdate(Ljava/lang/String;[I)I
java/sql/Statement executeUpdate(Ljava/lang/String;[Ljava/lang/String;)I
java/sql/Statement
    execute(Ljava/lang/String;)Z
java/sql/Statement execute(Ljava/lang/String;[I)Z
java/sql/Statement execute(Ljava/lang/String;[Ljava/lang/String;)Z
java/sql/Statement getResultSetHoldability()I
class java/sql/Struct java/lang/Object
java/sql/Struct getSQLTypeName()Ljava/lang/String;
java/sql/Struct getAttributes()[Ljava/lang/Object;
java/sql/Struct getAttributes(Ljava/util/Map;)[Ljava/lang/Object;
class java/sql/Time java/util/Date

```

```

java/sql/Time serialVersionUID
java/sql/Time <init>(III)V
java/sql/Time <init>(J)V
java/sql/Time setTime(J)V
java/sql/Time valueOf(Ljava/lang/String;)Ljava/sql/Time;
java/sql/Time toString()Ljava/lang/String;
java/sql/Time getYear()I
java/sql/Time getMonth()I
java/sql/Time getDay()I
java/sql/Time getDate()I
java/sql/Time setYear(I)V
java/sql/Time setMonth(I)V
java/sql/Time setDate(I)V
class java/sql/Timestamp java/util/Date
java/sql/Timestamp nanos
java/sql/Timestamp serialVersionUID
java/sql/Timestamp <init>(IIIII)V
java/sql/Timestamp
    <init>(J)V
java/sql/Timestamp setTime(J)V
java/sql/Timestamp getTime()J
java/sql/Timestamp valueOf(Ljava/lang/String;)Ljava/sql/Timestamp;
java/sql/Timestamp toString()Ljava/lang/String;
java/sql/Timestamp getNanos()I
java/sql/Timestamp setNanos(I)V
java/sql/Timestamp equals(Ljava/sql/Timestamp;)Z
java/sql/Timestamp equals(Ljava/lang/Object;)Z
java/sql/Timestamp before(Ljava/sql/Timestamp;)Z
java/sql/Timestamp after(Ljava/sql/Timestamp;)Z
java/sql/Timestamp compareTo(Ljava/sql/Timestamp;)I
java/sql/Timestamp compareTo(Ljava/util/Date;)I
java/sql/Timestamp compareTo(Ljava/lang/Object;)I
class java/sql/Types java/lang/Object
java/sql/Types BIT
java/sql/Types TINYINT
java/sql/Types SMALLINT
java/sql/Types INTEGER
java/sql/Types BIGINT
java/sql/Types FLOAT
java/sql/Types REAL
java/sql/Types DOUBLE
java/sql/Types NUMERIC
java/sql/Types DECIMAL
java/sql/Types CHAR
java/sql/Types VARCHAR
java/sql/Types LONGVARCHAR
java/sql/Types DATE
java/sql/Types TIME

```

```

java/sql/Types TIMESTAMP
java/sql/Types
    BINARY
java/sql/Types VARBINARY
java/sql/Types LONGVARBINARY
java/sql/Types NULL
java/sql/Types OTHER
java/sql/Types JAVA_OBJECT
java/sql/Types DISTINCT
java/sql/Types STRUCT
java/sql/Types ARRAY
java/sql/Types BLOB
java/sql/Types CLOB
java/sql/Types REF
java/sql/Types DATALINK
java/sql/Types BOOLEAN
java/sql/Types <init>()V
class java/text/Annotation java/lang/Object
java/text/Annotation value
java/text/Annotation <init>(Ljava/lang/Object;)V
java/text/Annotation getValue()Ljava/lang/Object;
java/text/Annotation toString()Ljava/lang/String;
class java/text/AttributeEntry java/lang/Object
java/text/AttributeEntry key
java/text/AttributeEntry value
java/text/AttributeEntry <init>(Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;)V
java/text/AttributeEntry equals(Ljava/lang/Object;)Z
java/text/AttributeEntry getKey()Ljava/lang/Object;
java/text/AttributeEntry getValue()Ljava/lang/Object;
java/text/AttributeEntry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/text/AttributeEntry
    hashCode()I
java/text/AttributeEntry toString()Ljava/lang/String;
class java/text/AttributedString$AttributeMap java/util/AbstractMap
java/text/AttributedString$AttributeMap runIndex
java/text/AttributedString$AttributeMap beginIndex
java/text/AttributedString$AttributeMap endIndex
java/text/AttributedString$AttributeMap this$0
java/text/AttributedString$AttributeMap <init>(Ljava/text/AttributedString;III)V
java/text/AttributedString$AttributeMap entrySet()Ljava/util/Set;
java/text/AttributedString$AttributeMap get(Ljava/lang/Object;)Ljava/lang/Object;
class java/text/BreakDictionary$1 java/lang/Object
java/text/BreakDictionary$1 val$dictionaryName
java/text/BreakDictionary$1 this$0
java/text/BreakDictionary$1 <init>(Ljava/text/BreakDictionary;Ljava/lang/String;)V
java/text/BreakDictionary$1 run()Ljava/lang/Object;
class java/text/BreakDictionary java/lang/Object
java/text/BreakDictionary supportedVersion

```

```

java/text/BreakDictionary columnMap
java/text/BreakDictionary
    supplementaryCharColumnMap
java/text/BreakDictionary numCols
java/text/BreakDictionary numColGroups
java/text/BreakDictionary table
java/text/BreakDictionary rowIndex
java/text/BreakDictionary rowIndexFlags
java/text/BreakDictionary rowIndexFlagsIndex
java/text/BreakDictionary rowIndexShifts
java/text/BreakDictionary <init>(Ljava/lang/String;)V
java/text/BreakDictionary readDictionaryFile(Ljava/lang/String;)V
java/text/BreakDictionary getNextStateFromCharacter(II)S
java/text/BreakDictionary getNextState(II)S
java/text/BreakDictionary cellIsPopulated(II)Z
java/text/BreakDictionary internalAt(II)S
java/text/BreakDictionary <clinit>()V
class java/text/BreakIterator$1 java/lang/Object
java/text/BreakIterator$1 val$baseName
java/text/BreakIterator$1 val$locale
java/text/BreakIterator$1 <init>(Ljava/lang/String;Ljava/util/Locale;)V
java/text/BreakIterator$1 run()Ljava/lang/Object;
class java/text/BreakIterator$BreakIteratorCache java/lang/Object
java/text/BreakIterator$BreakIteratorCache
    iter
java/text/BreakIterator$BreakIteratorCache where
java/text/BreakIterator$BreakIteratorCache <init>(Ljava/util/Locale;Ljava/text/BreakIterator;)V
java/text/BreakIterator$BreakIteratorCache getLocale()Ljava/util/Locale;
java/text/BreakIterator$BreakIteratorCache createBreakInstance()Ljava/text/BreakIterator;
class java/text/CharacterIteratorFieldDelegate java/lang/Object
java/text/CharacterIteratorFieldDelegate attributedStrings
java/text/CharacterIteratorFieldDelegate size
java/text/CharacterIteratorFieldDelegate <init>()V
java/text/CharacterIteratorFieldDelegate
    formatted(Ljava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
java/text/CharacterIteratorFieldDelegate
    formatted(ILjava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
java/text/CharacterIteratorFieldDelegate getIterator(Ljava/lang/String;)Ljava/text/AttributedCharacterIterator;
class java/text/ChoiceFormat java/text/NumberFormat
java/text/ChoiceFormat serialVersionUID
java/text/ChoiceFormat
    choiceLimits
java/text/ChoiceFormat choiceFormats
java/text/ChoiceFormat SIGN
java/text/ChoiceFormat EXPONENT
java/text/ChoiceFormat POSITIVEINFINITY
java/text/ChoiceFormat applyPattern(Ljava/lang/String;)V
java/text/ChoiceFormat toPattern()Ljava/lang/String;

```

```

java/text/ChoiceFormat <init>(Ljava/lang/String;)V
java/text/ChoiceFormat <init>([D[Ljava/lang/String;)V
java/text/ChoiceFormat setChoices([D[Ljava/lang/String;)V
java/text/ChoiceFormat getLimits()[D
java/text/ChoiceFormat getFormats()[Ljava/lang/Object;
java/text/ChoiceFormat format(JLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/ChoiceFormat format(DLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/ChoiceFormat parse(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Number;
java/text/ChoiceFormat nextDouble(D)D
java/text/ChoiceFormat previousDouble(D)D
java/text/ChoiceFormat clone()Ljava/lang/Object;
java/text/ChoiceFormat hashCode()I
java/text/ChoiceFormat
    equals(Ljava/lang/Object;)Z
java/text/ChoiceFormat readObject(Ljava/io/ObjectInputStream;)V
java/text/ChoiceFormat nextDouble(DZ)D
java/text/ChoiceFormat doubleArraySize([D)[D
java/text/ChoiceFormat doubleArraySize([Ljava/lang/String;)[Ljava/lang/String;
class java/text/CollationElementIterator java/lang/Object
java/text/CollationElementIterator NULLORDER
java/text/CollationElementIterator UNMAPPEDCHARVALUE
java/text/CollationElementIterator text
java/text/CollationElementIterator buffer
java/text/CollationElementIterator expIndex
java/text/CollationElementIterator key
java/text/CollationElementIterator swapOrder
java/text/CollationElementIterator ordering
java/text/CollationElementIterator owner
java/text/CollationElementIterator <init>(Ljava/lang/String;Ljava/text/RuleBasedCollator;)V
java/text/CollationElementIterator <init>(Ljava/text/CharacterIterator;Ljava/text/RuleBasedCollator;)V
java/text/CollationElementIterator reset()V
java/text/CollationElementIterator next()I
java/text/CollationElementIterator
    previous()I
java/text/CollationElementIterator primaryOrder()I
java/text/CollationElementIterator secondaryOrder()I
java/text/CollationElementIterator tertiaryOrder()I
java/text/CollationElementIterator strengthOrder()I
java/text/CollationElementIterator setOffset(I)V
java/text/CollationElementIterator getOffset()I
java/text/CollationElementIterator getMaxExpansion()I
java/text/CollationElementIterator setText(Ljava/lang/String;)V
java/text/CollationElementIterator setText(Ljava/text/CharacterIterator;)V
java/text/CollationElementIterator isThaiPreVowel()Z
java/text/CollationElementIterator isThaiBaseConsonant()Z
java/text/CollationElementIterator isLaoPreVowel()Z
java/text/CollationElementIterator isLaoBaseConsonant()Z
java/text/CollationElementIterator makeReorderedBuffer([I[IZ)[I

```

```

java/text/CollationElementIterator isIgnorable(I)Z
java/text/CollationElementIterator nextContractChar(I)I
java/text/CollationElementIterator prevContractChar(I)I
class
  java/text/CollationKey java/lang/Object
java/text/CollationKey source
java/text/CollationKey key
java/text/CollationKey compareTo(Ljava/text/CollationKey;)I
java/text/CollationKey equals(Ljava/lang/Object;)Z
java/text/CollationKey hashCode()I
java/text/CollationKey getSourceString()Ljava/lang/String;
java/text/CollationKey toByteArray()[B
java/text/CollationKey <init>(Ljava/lang/String;Ljava/lang/String;)V
java/text/CollationKey compareTo(Ljava/lang/Object;)I
class java/text/DictionaryBasedBreakIterator java/text/RuleBasedBreakIterator
java/text/DictionaryBasedBreakIterator dictionary
java/text/DictionaryBasedBreakIterator categoryFlags
java/text/DictionaryBasedBreakIterator dictionaryCharCount
java/text/DictionaryBasedBreakIterator cachedBreakPositions
java/text/DictionaryBasedBreakIterator positionInCache
java/text/DictionaryBasedBreakIterator <init>(Ljava/lang/String;Ljava/lang/String;)V
java/text/DictionaryBasedBreakIterator prepareCategoryFlags([B)V
java/text/DictionaryBasedBreakIterator
  setText(Ljava/text/CharacterIterator;)V
java/text/DictionaryBasedBreakIterator first()I
java/text/DictionaryBasedBreakIterator last()I
java/text/DictionaryBasedBreakIterator previous()I
java/text/DictionaryBasedBreakIterator preceding(I)I
java/text/DictionaryBasedBreakIterator following(I)I
java/text/DictionaryBasedBreakIterator handleNext()I
java/text/DictionaryBasedBreakIterator lookupCategory(I)I
java/text/DictionaryBasedBreakIterator divideUpDictionaryRange(II)V
class java/text/FieldPosition$1 java/lang/Object
class java/text/FieldPosition$Delegate java/lang/Object
java/text/FieldPosition$Delegate encounteredField
java/text/FieldPosition$Delegate this$0
java/text/FieldPosition$Delegate <init>(Ljava/text/FieldPosition;)V
java/text/FieldPosition$Delegate formatted(Ljava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
java/text/FieldPosition$Delegate
  formatted(ILjava/text/Format$Field;Ljava/lang/Object;IILjava/lang/StringBuffer;)V
java/text/FieldPosition$Delegate
  <init>(Ljava/text/FieldPosition;Ljava/text/FieldPosition$1;)V
class java/text/ParsePosition java/lang/Object
java/text/ParsePosition index
java/text/ParsePosition errorIndex
java/text/ParsePosition getIndex()I
java/text/ParsePosition setIndex(I)V
java/text/ParsePosition <init>(I)V

```

```

java/text/ParsePosition setErrorIndex(I)V
java/text/ParsePosition getErrorIndex()I
java/text/ParsePosition equals(Ljava/lang/Object;)Z
java/text/ParsePosition hashCode()I
java/text/ParsePosition toString()Ljava/lang/String;
class java/text/RBCollationTables$1 java/lang/Object
class java/text/RuleBasedBreakIterator$1 java/lang/Object
java/text/RuleBasedBreakIterator$1 val$datafile
java/text/RuleBasedBreakIterator$1 this$0
java/text/RuleBasedBreakIterator$1 <init>(Ljava/text/RuleBasedBreakIterator;Ljava/lang/String;)V
java/text/RuleBasedBreakIterator$1 run()Ljava/lang/Object;
class java/text/RuleBasedBreakIterator$SafeCharIterator java/lang/Object
java/text/RuleBasedBreakIterator$SafeCharIterator base
java/text/RuleBasedBreakIterator$SafeCharIterator
    rangeStart
java/text/RuleBasedBreakIterator$SafeCharIterator rangeLimit
java/text/RuleBasedBreakIterator$SafeCharIterator currentIndex
java/text/RuleBasedBreakIterator$SafeCharIterator <init>(Ljava/text/CharacterIterator;)V
java/text/RuleBasedBreakIterator$SafeCharIterator first()C
java/text/RuleBasedBreakIterator$SafeCharIterator last()C
java/text/RuleBasedBreakIterator$SafeCharIterator current()C
java/text/RuleBasedBreakIterator$SafeCharIterator next()C
java/text/RuleBasedBreakIterator$SafeCharIterator previous()C
java/text/RuleBasedBreakIterator$SafeCharIterator setIndex(I)C
java/text/RuleBasedBreakIterator$SafeCharIterator getBeginIndex()I
java/text/RuleBasedBreakIterator$SafeCharIterator getEndIndex()I
java/text/RuleBasedBreakIterator$SafeCharIterator getIndex()I
java/text/RuleBasedBreakIterator$SafeCharIterator clone()Ljava/lang/Object;
class java/text/RuleBasedBreakIterator java/text/BreakIterator
java/text/RuleBasedBreakIterator
    IGNORE
java/text/RuleBasedBreakIterator START_STATE
java/text/RuleBasedBreakIterator STOP_STATE
java/text/RuleBasedBreakIterator LABEL
java/text/RuleBasedBreakIterator LABEL_LENGTH
java/text/RuleBasedBreakIterator supportedVersion
java/text/RuleBasedBreakIterator HEADER_LENGTH
java/text/RuleBasedBreakIterator BMP_INDICES_LENGTH
java/text/RuleBasedBreakIterator charCategoryTable
java/text/RuleBasedBreakIterator supplementaryCharCategoryTable
java/text/RuleBasedBreakIterator stateTable
java/text/RuleBasedBreakIterator backwardsStateTable
java/text/RuleBasedBreakIterator endStates
java/text/RuleBasedBreakIterator lookaheadStates
java/text/RuleBasedBreakIterator additionalData
java/text/RuleBasedBreakIterator numCategories
java/text/RuleBasedBreakIterator text
java/text/RuleBasedBreakIterator checksum

```



```

java/text/RuleBasedBreakIterator <init>(Ljava/lang/String;)V
java/text/RuleBasedBreakIterator readTables(Ljava/lang/String;)V
java/text/RuleBasedBreakIterator readFile(Ljava/lang/String;)[B
java/text/RuleBasedBreakIterator
    getAdditionalData()[B
java/text/RuleBasedBreakIterator setAdditionalData([B)V
java/text/RuleBasedBreakIterator clone()Ljava/lang/Object;
java/text/RuleBasedBreakIterator equals(Ljava/lang/Object;)Z
java/text/RuleBasedBreakIterator toString()Ljava/lang/String;
java/text/RuleBasedBreakIterator hashCode()I
java/text/RuleBasedBreakIterator first()I
java/text/RuleBasedBreakIterator last()I
java/text/RuleBasedBreakIterator next()I
java/text/RuleBasedBreakIterator next()I
java/text/RuleBasedBreakIterator previous()I
java/text/RuleBasedBreakIterator getPrevious()I
java/text/RuleBasedBreakIterator getCurrent()I
java/text/RuleBasedBreakIterator getCurrentCodePointCount()I
java/text/RuleBasedBreakIterator getNext()I
java/text/RuleBasedBreakIterator getNextIndex()I
java/text/RuleBasedBreakIterator checkOffset(ILjava/text/CharacterIterator;)V
java/text/RuleBasedBreakIterator following(I)I
java/text/RuleBasedBreakIterator preceding(I)I
java/text/RuleBasedBreakIterator
    isBoundary(I)Z
java/text/RuleBasedBreakIterator current()I
java/text/RuleBasedBreakIterator getText()Ljava/text/CharacterIterator;
java/text/RuleBasedBreakIterator setText(Ljava/text/CharacterIterator;)V
java/text/RuleBasedBreakIterator handleNext()I
java/text/RuleBasedBreakIterator handlePrevious()I
java/text/RuleBasedBreakIterator lookupCategory(I)I
java/text/RuleBasedBreakIterator lookupState(II)I
java/text/RuleBasedBreakIterator lookupBackwardState(II)I
java/text/RuleBasedBreakIterator <clinit>()V
class java/text/StringCharacterIterator java/lang/Object
java/text/StringCharacterIterator text
java/text/StringCharacterIterator begin
java/text/StringCharacterIterator end
java/text/StringCharacterIterator pos
java/text/StringCharacterIterator <init>(Ljava/lang/String;)V
java/text/StringCharacterIterator <init>(Ljava/lang/String;I)V
java/text/StringCharacterIterator <init>(Ljava/lang/String;III)V
java/text/StringCharacterIterator setText(Ljava/lang/String;)V
java/text/StringCharacterIterator
    first()C
java/text/StringCharacterIterator last()C
java/text/StringCharacterIterator setIndex(I)C
java/text/StringCharacterIterator current()C

```

```

java/text/StringCharacterIterator next()C
java/text/StringCharacterIterator previous()C
java/text/StringCharacterIterator getBeginIndex()I
java/text/StringCharacterIterator getEndIndex()I
java/text/StringCharacterIterator getIndex()I
java/text/StringCharacterIterator equals(Ljava/lang/Object;)Z
java/text/StringCharacterIterator hashCode()I
java/text/StringCharacterIterator clone()Ljava/lang/Object;
class java/util/AbstractList$1 java/lang/Object
class java/util/AbstractMap$1$1 java/lang/Object
java/util/AbstractMap$1$1 i
java/util/AbstractMap$1$1 this$1
java/util/AbstractMap$1$1 <init>(Ljava/util/AbstractMap$1;)V
java/util/AbstractMap$1$1 hasNext()Z
java/util/AbstractMap$1$1 next()Ljava/lang/Object;
java/util/AbstractMap$1$1 remove()V
class java/util/AbstractMap$1 java/util/AbstractSet
java/util/AbstractMap$1 this$0
java/util/AbstractMap$1
    <init>(Ljava/util/AbstractMap;)V
java/util/AbstractMap$1 iterator()Ljava/util/Iterator;
java/util/AbstractMap$1 size()I
java/util/AbstractMap$1 contains(Ljava/lang/Object;)Z
class java/util/AbstractMap$2$1 java/lang/Object
java/util/AbstractMap$2$1 i
java/util/AbstractMap$2$1 this$1
java/util/AbstractMap$2$1 <init>(Ljava/util/AbstractMap$2;)V
java/util/AbstractMap$2$1 hasNext()Z
java/util/AbstractMap$2$1 next()Ljava/lang/Object;
java/util/AbstractMap$2$1 remove()V
class java/util/AbstractMap$2 java/util/AbstractCollection
java/util/AbstractMap$2 this$0
java/util/AbstractMap$2 <init>(Ljava/util/AbstractMap;)V
java/util/AbstractMap$2 iterator()Ljava/util/Iterator;
java/util/AbstractMap$2 size()I
java/util/AbstractMap$2 contains(Ljava/lang/Object;)Z
class java/util/AbstractMap$SimpleEntry java/lang/Object
java/util/AbstractMap$SimpleEntry key
java/util/AbstractMap$SimpleEntry value
java/util/AbstractMap$SimpleEntry <init>(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/AbstractMap$SimpleEntry
    <init>(Ljava/util/Map$Entry;)V
java/util/AbstractMap$SimpleEntry getKey()Ljava/lang/Object;
java/util/AbstractMap$SimpleEntry getValue()Ljava/lang/Object;
java/util/AbstractMap$SimpleEntry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/AbstractMap$SimpleEntry equals(Ljava/lang/Object;)Z
java/util/AbstractMap$SimpleEntry hashCode()I
java/util/AbstractMap$SimpleEntry toString()Ljava/lang/String;

```

```

java/util/AbstractMap$SimpleEntry eq(Ljava/lang/Object;Ljava/lang/Object;)Z
class java/util/AbstractQueue java/util/AbstractCollection
java/util/AbstractQueue <init>()V
java/util/AbstractQueue add(Ljava/lang/Object;)Z
java/util/AbstractQueue remove()Ljava/lang/Object;
java/util/AbstractQueue element()Ljava/lang/Object;
java/util/AbstractQueue clear()V
java/util/AbstractQueue addAll(Ljava/util/Collection;)Z
class java/util/Calendar$1 java/lang/Object
java/util/Calendar$1 val$input
java/util/Calendar$1 this$0
java/util/Calendar$1 <init>(Ljava/util/Calendar;Ljava/io/ObjectInputStream;)V
java/util/Calendar$1
    run()Ljava/lang/Object;
class java/util/Collections$CheckedCollection$1 java/lang/Object
java/util/Collections$CheckedCollection$1 it
java/util/Collections$CheckedCollection$1 this$0
java/util/Collections$CheckedCollection$1 <init>(Ljava/util/Collections$CheckedCollection;)V
java/util/Collections$CheckedCollection$1 hasNext()Z
java/util/Collections$CheckedCollection$1 next()Ljava/lang/Object;
java/util/Collections$CheckedCollection$1 remove()V
class java/util/Collections$CheckedCollection java/lang/Object
java/util/Collections$CheckedCollection serialVersionUID
java/util/Collections$CheckedCollection c
java/util/Collections$CheckedCollection type
java/util/Collections$CheckedCollection zeroLengthElementArray
java/util/Collections$CheckedCollection typeCheck(Ljava/lang/Object;)V
java/util/Collections$CheckedCollection <init>(Ljava/util/Collection;Ljava/lang/Class;)V
java/util/Collections$CheckedCollection size()I
java/util/Collections$CheckedCollection isEmpty()Z
java/util/Collections$CheckedCollection
    contains(Ljava/lang/Object;)Z
java/util/Collections$CheckedCollection toArray()[Ljava/lang/Object;
java/util/Collections$CheckedCollection toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Collections$CheckedCollection toString()Ljava/lang/String;
java/util/Collections$CheckedCollection remove(Ljava/lang/Object;)Z
java/util/Collections$CheckedCollection containsAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedCollection removeAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedCollection retainAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedCollection clear()V
java/util/Collections$CheckedCollection iterator()Ljava/util/Iterator;
java/util/Collections$CheckedCollection add(Ljava/lang/Object;)Z
java/util/Collections$CheckedCollection addAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedCollection zeroLengthElementArray()[Ljava/lang/Object;
class java/util/Collections$CheckedList$1 java/lang/Object
java/util/Collections$CheckedList$1
    i
java/util/Collections$CheckedList$1 val$index

```

```

java/util/Collections$CheckedList$1 this$0
java/util/Collections$CheckedList$1 <init>(Ljava/util/Collections$CheckedList;I)V
java/util/Collections$CheckedList$1 hasNext()Z
java/util/Collections$CheckedList$1 next()Ljava/lang/Object;
java/util/Collections$CheckedList$1 hasPrevious()Z
java/util/Collections$CheckedList$1 previous()Ljava/lang/Object;
java/util/Collections$CheckedList$1 nextIndex()I
java/util/Collections$CheckedList$1 previousIndex()I
java/util/Collections$CheckedList$1 remove()V
java/util/Collections$CheckedList$1 set(Ljava/lang/Object;)V
java/util/Collections$CheckedList$1 add(Ljava/lang/Object;)V
class java/util/Collections$CheckedList java/util/Collections$CheckedCollection
java/util/Collections$CheckedList serialVersionUID
java/util/Collections$CheckedList list
java/util/Collections$CheckedList <init>(Ljava/util/List;Ljava/lang/Class;)V
java/util/Collections$CheckedList equals(Ljava/lang/Object;)Z
java/util/Collections$CheckedList
    hashCode()I
java/util/Collections$CheckedList get(I)Ljava/lang/Object;
java/util/Collections$CheckedList remove(I)Ljava/lang/Object;
java/util/Collections$CheckedList indexOf(Ljava/lang/Object;)I
java/util/Collections$CheckedList lastIndexOf(Ljava/lang/Object;)I
java/util/Collections$CheckedList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/Collections$CheckedList add(ILjava/lang/Object;)V
java/util/Collections$CheckedList addAll(ILjava/util/Collection;)Z
java/util/Collections$CheckedList listIterator()Ljava/util/ListIterator;
java/util/Collections$CheckedList listIterator(I)Ljava/util/ListIterator;
java/util/Collections$CheckedList subList(II)Ljava/util/List;
class java/util/Collections$CheckedMap$CheckedEntrySet$1 java/lang/Object
java/util/Collections$CheckedMap$CheckedEntrySet$1 i
java/util/Collections$CheckedMap$CheckedEntrySet$1 this$0
java/util/Collections$CheckedMap$CheckedEntrySet$1
    <init>(Ljava/util/Collections$CheckedMap$CheckedEntrySet;)V
java/util/Collections$CheckedMap$CheckedEntrySet$1
    hasNext()Z
java/util/Collections$CheckedMap$CheckedEntrySet$1 remove()V
java/util/Collections$CheckedMap$CheckedEntrySet$1 next()Ljava/util/Map$Entry;
java/util/Collections$CheckedMap$CheckedEntrySet$1 next()Ljava/lang/Object;
class java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry java/lang/Object
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry e
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry valueType
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry
    <init>(Ljava/util/Map$Entry;Ljava/lang/Class;)V
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry getKey()Ljava/lang/Object;
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry getValue()Ljava/lang/Object;
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry hashCode()I
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry toString()Ljava/lang/String;
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry

```

```

    setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$CheckedMap$CheckedEntrySet$CheckedEntry equals(Ljava/lang/Object;)Z
class java/util/Collections$CheckedMap$CheckedEntrySet java/lang/Object
java/util/Collections$CheckedMap$CheckedEntrySet s
java/util/Collections$CheckedMap$CheckedEntrySet valueType
java/util/Collections$CheckedMap$CheckedEntrySet <init>(Ljava/util/Set;Ljava/lang/Class;)V
java/util/Collections$CheckedMap$CheckedEntrySet size()I
java/util/Collections$CheckedMap$CheckedEntrySet isEmpty()Z
java/util/Collections$CheckedMap$CheckedEntrySet toString()Ljava/lang/String;
java/util/Collections$CheckedMap$CheckedEntrySet hashCode()I
java/util/Collections$CheckedMap$CheckedEntrySet remove(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap$CheckedEntrySet removeAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedMap$CheckedEntrySet retainAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedMap$CheckedEntrySet clear()V
java/util/Collections$CheckedMap$CheckedEntrySet
    add(Ljava/util/Map$Entry;)Z
java/util/Collections$CheckedMap$CheckedEntrySet addAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedMap$CheckedEntrySet iterator()Ljava/util/Iterator;
java/util/Collections$CheckedMap$CheckedEntrySet toArray()[Ljava/lang/Object;
java/util/Collections$CheckedMap$CheckedEntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Collections$CheckedMap$CheckedEntrySet contains(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap$CheckedEntrySet containsAll(Ljava/util/Collection;)Z
java/util/Collections$CheckedMap$CheckedEntrySet equals(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap$CheckedEntrySet add(Ljava/lang/Object;)Z
class java/util/Collections$CheckedMap java/lang/Object
java/util/Collections$CheckedMap serialVersionUID
java/util/Collections$CheckedMap m
java/util/Collections$CheckedMap keyType
java/util/Collections$CheckedMap valueType
java/util/Collections$CheckedMap zeroLengthKeyArray
java/util/Collections$CheckedMap
    zeroLengthValueArray
java/util/Collections$CheckedMap entrySet
java/util/Collections$CheckedMap typeCheck(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/Collections$CheckedMap <init>(Ljava/util/Map;Ljava/lang/Class;Ljava/lang/Class;)V
java/util/Collections$CheckedMap size()I
java/util/Collections$CheckedMap isEmpty()Z
java/util/Collections$CheckedMap containsKey(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap containsValue(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$CheckedMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$CheckedMap clear()V
java/util/Collections$CheckedMap keySet()Ljava/util/Set;
java/util/Collections$CheckedMap values()Ljava/util/Collection;
java/util/Collections$CheckedMap equals(Ljava/lang/Object;)Z
java/util/Collections$CheckedMap hashCode()I
java/util/Collections$CheckedMap toString()Ljava/lang/String;
java/util/Collections$CheckedMap

```

```

    put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$CheckedMap putAll(Ljava/util/Map;)V
java/util/Collections$CheckedMap zeroLengthKeyArray()[Ljava/lang/Object;
java/util/Collections$CheckedMap zeroLengthValueArray()[Ljava/lang/Object;
java/util/Collections$CheckedMap entrySet()Ljava/util/Set;
class java/util/Collections$CheckedRandomAccessList java/util/Collections$CheckedList
java/util/Collections$CheckedRandomAccessList serialVersionUID
java/util/Collections$CheckedRandomAccessList <init>(Ljava/util/List;Ljava/lang/Class;)V
java/util/Collections$CheckedRandomAccessList subList(II)Ljava/util/List;
class java/util/Collections$CheckedSet java/util/Collections$CheckedCollection
java/util/Collections$CheckedSet serialVersionUID
java/util/Collections$CheckedSet <init>(Ljava/util/Set;Ljava/lang/Class;)V
java/util/Collections$CheckedSet equals(Ljava/lang/Object;)Z
java/util/Collections$CheckedSet hashCode()I
class java/util/Collections$CheckedSortedMap
    java/util/Collections$CheckedMap
java/util/Collections$CheckedSortedMap serialVersionUID
java/util/Collections$CheckedSortedMap sm
java/util/Collections$CheckedSortedMap <init>(Ljava/util/SortedMap;Ljava/lang/Class;Ljava/lang/Class;)V
java/util/Collections$CheckedSortedMap comparator()Ljava/util/Comparator;
java/util/Collections$CheckedSortedMap firstKey()Ljava/lang/Object;
java/util/Collections$CheckedSortedMap lastKey()Ljava/lang/Object;
java/util/Collections$CheckedSortedMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$CheckedSortedMap headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$CheckedSortedMap tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
class java/util/Collections$CheckedSortedSet java/util/Collections$CheckedSet
java/util/Collections$CheckedSortedSet serialVersionUID
java/util/Collections$CheckedSortedSet ss
java/util/Collections$CheckedSortedSet <init>(Ljava/util/SortedSet;Ljava/lang/Class;)V
java/util/Collections$CheckedSortedSet
    comparator()Ljava/util/Comparator;
java/util/Collections$CheckedSortedSet first()Ljava/lang/Object;
java/util/Collections$CheckedSortedSet last()Ljava/lang/Object;
java/util/Collections$CheckedSortedSet subSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$CheckedSortedSet headSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$CheckedSortedSet tailSet(Ljava/lang/Object;)Ljava/util/SortedSet;
class java/util/Collections$CopiesList java/util/AbstractList
java/util/Collections$CopiesList serialVersionUID
java/util/Collections$CopiesList n
java/util/Collections$CopiesList element
java/util/Collections$CopiesList <init>(ILjava/lang/Object;)V
java/util/Collections$CopiesList size()I
java/util/Collections$CopiesList contains(Ljava/lang/Object;)Z
java/util/Collections$CopiesList get(I)Ljava/lang/Object;
class java/util/Collections$ReverseComparator2 java/lang/Object
java/util/Collections$ReverseComparator2 serialVersionUID
java/util/Collections$ReverseComparator2

```

```

cmp
java/util/Collections$ReverseComparator2 $assertionsDisabled
java/util/Collections$ReverseComparator2 <init>(Ljava/util/Comparator;)V
java/util/Collections$ReverseComparator2 compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/util/Collections$ReverseComparator2 <clinit>()V
class java/util/Collections$SelfComparable java/lang/Object
class java/util/Collections$SingletonList java/util/AbstractList
java/util/Collections$SingletonList serialVersionUID
java/util/Collections$SingletonList element
java/util/Collections$SingletonList <init>(Ljava/lang/Object;)V
java/util/Collections$SingletonList size()I
java/util/Collections$SingletonList contains(Ljava/lang/Object;)Z
java/util/Collections$SingletonList get(I)Ljava/lang/Object;
class java/util/Collections$SingletonMap$ImmutableEntry java/lang/Object
java/util/Collections$SingletonMap$ImmutableEntry k
java/util/Collections$SingletonMap$ImmutableEntry v
java/util/Collections$SingletonMap$ImmutableEntry
<init>(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/Collections$SingletonMap$ImmutableEntry getKey()Ljava/lang/Object;
java/util/Collections$SingletonMap$ImmutableEntry getValue()Ljava/lang/Object;
java/util/Collections$SingletonMap$ImmutableEntry setValue(Ljava/lang/Object;Ljava/lang/Object;)
java/util/Collections$SingletonMap$ImmutableEntry equals(Ljava/lang/Object;)Z
java/util/Collections$SingletonMap$ImmutableEntry hashCode()I
java/util/Collections$SingletonMap$ImmutableEntry toString()Ljava/lang/String;
class java/util/Collections$SingletonMap java/util/AbstractMap
java/util/Collections$SingletonMap serialVersionUID
java/util/Collections$SingletonMap k
java/util/Collections$SingletonMap v
java/util/Collections$SingletonMap keySet
java/util/Collections$SingletonMap entrySet
java/util/Collections$SingletonMap values
java/util/Collections$SingletonMap <init>(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/Collections$SingletonMap size()I
java/util/Collections$SingletonMap
isEmpty()Z
java/util/Collections$SingletonMap containsKey(Ljava/lang/Object;)Z
java/util/Collections$SingletonMap containsValue(Ljava/lang/Object;)Z
java/util/Collections$SingletonMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$SingletonMap keySet()Ljava/util/Set;
java/util/Collections$SingletonMap entrySet()Ljava/util/Set;
java/util/Collections$SingletonMap values()Ljava/util/Collection;
class java/util/Collections$SynchronizedSortedMap java/util/Collections$SynchronizedMap
java/util/Collections$SynchronizedSortedMap serialVersionUID
java/util/Collections$SynchronizedSortedMap sm
java/util/Collections$SynchronizedSortedMap <init>(Ljava/util/SortedMap;)V
java/util/Collections$SynchronizedSortedMap <init>(Ljava/util/SortedMap;Ljava/lang/Object;)V
java/util/Collections$SynchronizedSortedMap comparator()Ljava/util/Comparator;
java/util/Collections$SynchronizedSortedMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;

```

```

java/util/Collections$SynchronizedSortedMap
    headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$SynchronizedSortedMap tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$SynchronizedSortedMap firstKey()Ljava/lang/Object;
java/util/Collections$SynchronizedSortedMap lastKey()Ljava/lang/Object;
class java/util/Collections$SynchronizedSortedSet java/util/Collections$SynchronizedSet
java/util/Collections$SynchronizedSortedSet serialVersionUID
java/util/Collections$SynchronizedSortedSet ss
java/util/Collections$SynchronizedSortedSet <init>(Ljava/util/SortedSet;)V
java/util/Collections$SynchronizedSortedSet <init>(Ljava/util/SortedSet;Ljava/lang/Object;)V
java/util/Collections$SynchronizedSortedSet comparator()Ljava/util/Comparator;
java/util/Collections$SynchronizedSortedSet subSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$SynchronizedSortedSet headSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$SynchronizedSortedSet tailSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$SynchronizedSortedSet
    first()Ljava/lang/Object;
java/util/Collections$SynchronizedSortedSet last()Ljava/lang/Object;
class java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 java/lang/Object
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 i
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 this$0
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1
    <init>(Ljava/util/Collections$UnmodifiableMap$UnmodifiableEntrySet;)V
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 hasNext()Z
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 next()Ljava/util/Map$Entry;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 remove()V
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$1 next()Ljava/lang/Object;
class java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry java/lang/Object
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry
    e
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry
    <init>(Ljava/util/Map$Entry;)V
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry getKey()Ljava/lang/Object;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry getValue()Ljava/lang/Object;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry
    setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry hashCode()I
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry equals(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet$UnmodifiableEntry toString()Ljava/lang/String;
class java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet java/util/Collections$UnmodifiableSet
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet serialVersionUID
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet
    <init>(Ljava/util/Set;)V
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet iterator()Ljava/util/Iterator;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet toArray()[Ljava/lang/Object;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet contains(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet containsAll(Ljava/util/Collection;)Z
java/util/Collections$UnmodifiableMap$UnmodifiableEntrySet equals(Ljava/lang/Object;)Z

```



```

class java/util/Collections$UnmodifiableSortedMap java/util/Collections$UnmodifiableMap
java/util/Collections$UnmodifiableSortedMap serialVersionUID
java/util/Collections$UnmodifiableSortedMap sm
java/util/Collections$UnmodifiableSortedMap <init>(Ljava/util/SortedMap;)V
java/util/Collections$UnmodifiableSortedMap comparator()Ljava/util/Comparator;
java/util/Collections$UnmodifiableSortedMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$UnmodifiableSortedMap
    headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$UnmodifiableSortedMap tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/Collections$UnmodifiableSortedMap firstKey()Ljava/lang/Object;
java/util/Collections$UnmodifiableSortedMap lastKey()Ljava/lang/Object;
class java/util/Collections$UnmodifiableSortedSet java/util/Collections$UnmodifiableSet
java/util/Collections$UnmodifiableSortedSet serialVersionUID
java/util/Collections$UnmodifiableSortedSet ss
java/util/Collections$UnmodifiableSortedSet <init>(Ljava/util/SortedSet;)V
java/util/Collections$UnmodifiableSortedSet comparator()Ljava/util/Comparator;
java/util/Collections$UnmodifiableSortedSet subSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$UnmodifiableSortedSet headSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$UnmodifiableSortedSet tailSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/Collections$UnmodifiableSortedSet
    first()Ljava/lang/Object;
java/util/Collections$UnmodifiableSortedSet last()Ljava/lang/Object;
class java/util/DuplicateFormatFlagsException java/util/IllegalFormatException
java/util/DuplicateFormatFlagsException serialVersionUID
java/util/DuplicateFormatFlagsException flags
java/util/DuplicateFormatFlagsException <init>(Ljava/lang/String;)V
java/util/DuplicateFormatFlagsException getFlags()Ljava/lang/String;
java/util/DuplicateFormatFlagsException getMessage()Ljava/lang/String;
class java/util/EnumMap$1 java/lang/Object
class java/util/EnumMap$EntryIterator java/util/EnumMap$EnumMapIterator
java/util/EnumMap$EntryIterator this$0
java/util/EnumMap$EntryIterator <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/EnumMap$EntryIterator getKey()Ljava/lang/Enum;
java/util/EnumMap$EntryIterator getValue()Ljava/lang/Object;
java/util/EnumMap$EntryIterator setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap$EntryIterator
    equals(Ljava/lang/Object;)Z
java/util/EnumMap$EntryIterator hashCode()I
java/util/EnumMap$EntryIterator toString()Ljava/lang/String;
java/util/EnumMap$EntryIterator checkLastReturnedIndexForEntryUse()V
java/util/EnumMap$EntryIterator next()Ljava/lang/Object;
java/util/EnumMap$EntryIterator getKey()Ljava/lang/Object;
java/util/EnumMap$EntryIterator <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$EntrySet java/util/AbstractSet
java/util/EnumMap$EntrySet this$0
java/util/EnumMap$EntrySet <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$EntrySet iterator()Ljava/util/Iterator;

```

```

java/util/EnumMap$EntrySet contains(Ljava/lang/Object;)Z
java/util/EnumMap$EntrySet remove(Ljava/lang/Object;)Z
java/util/EnumMap$EntrySet size()I
java/util/EnumMap$EntrySet clear()V
java/util/EnumMap$EntrySet toArray()[Ljava/lang/Object;
java/util/EnumMap$EntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/EnumMap$EntrySet
    fillEntryArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/EnumMap$EntrySet <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$EnumMapIterator java/lang/Object
java/util/EnumMap$EnumMapIterator index
java/util/EnumMap$EnumMapIterator lastReturnedIndex
java/util/EnumMap$EnumMapIterator this$0
java/util/EnumMap$EnumMapIterator <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$EnumMapIterator hasNext()Z
java/util/EnumMap$EnumMapIterator remove()V
java/util/EnumMap$EnumMapIterator checkLastReturnedIndex()V
java/util/EnumMap$EnumMapIterator <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$KeyIterator java/util/EnumMap$EnumMapIterator
java/util/EnumMap$KeyIterator this$0
java/util/EnumMap$KeyIterator <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$KeyIterator next()Ljava/lang/Enum;
java/util/EnumMap$KeyIterator next()Ljava/lang/Object;
java/util/EnumMap$KeyIterator <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$KeySet
    java/util/AbstractSet
java/util/EnumMap$KeySet this$0
java/util/EnumMap$KeySet <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$KeySet iterator()Ljava/util/Iterator;
java/util/EnumMap$KeySet size()I
java/util/EnumMap$KeySet contains(Ljava/lang/Object;)Z
java/util/EnumMap$KeySet remove(Ljava/lang/Object;)Z
java/util/EnumMap$KeySet clear()V
java/util/EnumMap$KeySet <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$ValueIterator java/util/EnumMap$EnumMapIterator
java/util/EnumMap$ValueIterator this$0
java/util/EnumMap$ValueIterator <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$ValueIterator next()Ljava/lang/Object;
java/util/EnumMap$ValueIterator <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap$Values java/util/AbstractCollection
java/util/EnumMap$Values this$0
java/util/EnumMap$Values <init>(Ljava/util/EnumMap;)V
java/util/EnumMap$Values iterator()Ljava/util/Iterator;
java/util/EnumMap$Values size()I
java/util/EnumMap$Values contains(Ljava/lang/Object;)Z
java/util/EnumMap$Values
    remove(Ljava/lang/Object;)Z
java/util/EnumMap$Values clear()V

```

```

java/util/EnumMap$Values <init>(Ljava/util/EnumMap;Ljava/util/EnumMap$1;)V
class java/util/EnumMap java/util/AbstractMap
java/util/EnumMap keyType
java/util/EnumMap keyUniverse
java/util/EnumMap vals
java/util/EnumMap size
java/util/EnumMap NULL
java/util/EnumMap ZERO_LENGTH_ENUM_ARRAY
java/util/EnumMap entrySet
java/util/EnumMap serialVersionUID
java/util/EnumMap maskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap unmaskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap <init>(Ljava/lang/Class;)V
java/util/EnumMap <init>(Ljava/util/EnumMap;)V
java/util/EnumMap <init>(Ljava/util/Map;)V
java/util/EnumMap size()I
java/util/EnumMap containsValue(Ljava/lang/Object;)Z
java/util/EnumMap containsKey(Ljava/lang/Object;)Z
java/util/EnumMap containsMapping(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/EnumMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap
    put(Ljava/lang/Enum;Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap removeMapping(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/EnumMap isValidKey(Ljava/lang/Object;)Z
java/util/EnumMap putAll(Ljava/util/Map;)V
java/util/EnumMap clear()V
java/util/EnumMap keySet()Ljava/util/Set;
java/util/EnumMap values()Ljava/util/Collection;
java/util/EnumMap entrySet()Ljava/util/Set;
java/util/EnumMap equals(Ljava/lang/Object;)Z
java/util/EnumMap clone()Ljava/util/EnumMap;
java/util/EnumMap typeCheck(Ljava/lang/Enum;)V
java/util/EnumMap writeObject(Ljava/io/ObjectOutputStream;)V
java/util/EnumMap readObject(Ljava/io/ObjectInputStream;)V
java/util/EnumMap clone()Ljava/lang/Object;
java/util/EnumMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap access$200(Ljava/util/EnumMap;)I
java/util/EnumMap access$500(Ljava/util/EnumMap;Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap access$600(Ljava/util/EnumMap;)[Ljava/lang/Object;
java/util/EnumMap
    access$210(Ljava/util/EnumMap;)I
java/util/EnumMap access$900(Ljava/util/EnumMap;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/EnumMap access$1000(Ljava/util/EnumMap;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/EnumMap access$1100(Ljava/util/EnumMap;)[Ljava/lang/Enum;
java/util/EnumMap access$1200(Ljava/util/EnumMap;Ljava/lang/Object;)Ljava/lang/Object;
java/util/EnumMap access$1400(Ljava/lang/Object;
java/util/EnumMap <clinit>()V

```

```

class java/util/EnumSet$SerializationProxy java/lang/Object
java/util/EnumSet$SerializationProxy elementType
java/util/EnumSet$SerializationProxy elements
java/util/EnumSet$SerializationProxy serialVersionUID
java/util/EnumSet$SerializationProxy <init>(Ljava/util/EnumSet;)V
java/util/EnumSet$SerializationProxy readResolve()Ljava/lang/Object;
class java/util/EnumSet java/util/AbstractSet
java/util/EnumSet elementType
java/util/EnumSet universe
java/util/EnumSet ZERO_LENGTH_ENUM_ARRAY
java/util/EnumSet
    <init>(Ljava/lang/Class;[Ljava/lang/Enum;)V
java/util/EnumSet noneOf(Ljava/lang/Class;)Ljava/util/EnumSet;
java/util/EnumSet allOf(Ljava/lang/Class;)Ljava/util/EnumSet;
java/util/EnumSet addAll()V
java/util/EnumSet copyOf(Ljava/util/EnumSet;)Ljava/util/EnumSet;
java/util/EnumSet copyOf(Ljava/util/Collection;)Ljava/util/EnumSet;
java/util/EnumSet complementOf(Ljava/util/EnumSet;)Ljava/util/EnumSet;
java/util/EnumSet of(Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet of(Ljava/lang/Enum;Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet of(Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet of(Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet
    of(Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet of(Ljava/lang/Enum;[Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet range(Ljava/lang/Enum;Ljava/lang/Enum;)Ljava/util/EnumSet;
java/util/EnumSet
    addRange(Ljava/lang/Enum;Ljava/lang/Enum;)V
java/util/EnumSet clone()Ljava/util/EnumSet;
java/util/EnumSet complement()V
java/util/EnumSet typeCheck(Ljava/lang/Enum;)V
java/util/EnumSet writeReplace()Ljava/lang/Object;
java/util/EnumSet clone()Ljava/lang/Object;
java/util/EnumSet access$000()Ljava/lang/Enum;
java/util/EnumSet <clinit>()V
class java/util/FormatFlagsConversionMismatchException java/util/IllegalFormatException
java/util/FormatFlagsConversionMismatchException serialVersionUID
java/util/FormatFlagsConversionMismatchException f
java/util/FormatFlagsConversionMismatchException c
java/util/FormatFlagsConversionMismatchException <init>(Ljava/lang/String;C)V
java/util/FormatFlagsConversionMismatchException getFlags()Ljava/lang/String;
java/util/FormatFlagsConversionMismatchException getConversion()C
java/util/FormatFlagsConversionMismatchException getMessage()Ljava/lang/String;
class java/util/Formattable java/lang/Object
java/util/Formattable formatTo(Ljava/util/Formatter;III)V
class
    java/util/FormattableFlags java/lang/Object
java/util/FormattableFlags LEFT_JUSTIFY

```

```

java/util/FormattableFlags UPPERCASE
java/util/FormattableFlags ALTERNATE
java/util/FormattableFlags <init>()V
class java/util/Formatter$BigDecimalLayoutForm java/lang/Enum
java/util/Formatter$BigDecimalLayoutForm SCIENTIFIC
java/util/Formatter$BigDecimalLayoutForm DECIMAL_FLOAT
java/util/Formatter$BigDecimalLayoutForm $VALUES
java/util/Formatter$BigDecimalLayoutForm values()[Ljava/util/Formatter$BigDecimalLayoutForm;
java/util/Formatter$BigDecimalLayoutForm
valueOf(Ljava/lang/String;)Ljava/util/Formatter$BigDecimalLayoutForm;
java/util/Formatter$BigDecimalLayoutForm <init>(Ljava/lang/String;I)V
java/util/Formatter$BigDecimalLayoutForm <clinit>()V
class java/util/Formatter$Conversion java/lang/Object
java/util/Formatter$Conversion DECIMAL_INTEGER
java/util/Formatter$Conversion OCTAL_INTEGER
java/util/Formatter$Conversion HEXADECIMAL_INTEGER
java/util/Formatter$Conversion
    HEXADECIMAL_INTEGER_UPPER
java/util/Formatter$Conversion SCIENTIFIC
java/util/Formatter$Conversion SCIENTIFIC_UPPER
java/util/Formatter$Conversion GENERAL
java/util/Formatter$Conversion GENERAL_UPPER
java/util/Formatter$Conversion DECIMAL_FLOAT
java/util/Formatter$Conversion HEXADECIMAL_FLOAT
java/util/Formatter$Conversion HEXADECIMAL_FLOAT_UPPER
java/util/Formatter$Conversion CHARACTER
java/util/Formatter$Conversion CHARACTER_UPPER
java/util/Formatter$Conversion DATE_TIME
java/util/Formatter$Conversion DATE_TIME_UPPER
java/util/Formatter$Conversion BOOLEAN
java/util/Formatter$Conversion BOOLEAN_UPPER
java/util/Formatter$Conversion STRING
java/util/Formatter$Conversion STRING_UPPER
java/util/Formatter$Conversion HASHCODE
java/util/Formatter$Conversion HASHCODE_UPPER
java/util/Formatter$Conversion LINE_SEPARATOR
java/util/Formatter$Conversion PERCENT_SIGN
java/util/Formatter$Conversion <init>()V
java/util/Formatter$Conversion isValid(C)Z
java/util/Formatter$Conversion isGeneral(C)Z
java/util/Formatter$Conversion
    isInteger(C)Z
java/util/Formatter$Conversion isFloat(C)Z
java/util/Formatter$Conversion isText(C)Z
class java/util/Formatter$DateTime java/lang/Object
java/util/Formatter$DateTime HOUR_OF_DAY_0
java/util/Formatter$DateTime HOUR_0
java/util/Formatter$DateTime HOUR_OF_DAY

```

```

java/util/Formatter$DateTime HOUR
java/util/Formatter$DateTime MINUTE
java/util/Formatter$DateTime NANOSECOND
java/util/Formatter$DateTime MILLISECOND
java/util/Formatter$DateTime MILLISECOND_SINCE_EPOCH
java/util/Formatter$DateTime AM_PM
java/util/Formatter$DateTime SECONDS_SINCE_EPOCH
java/util/Formatter$DateTime SECOND
java/util/Formatter$DateTime TIME
java/util/Formatter$DateTime ZONE_NUMERIC
java/util/Formatter$DateTime ZONE
java/util/Formatter$DateTime NAME_OF_DAY_ABBREV
java/util/Formatter$DateTime NAME_OF_DAY
java/util/Formatter$DateTime NAME_OF_MONTH_ABBREV
java/util/Formatter$DateTime NAME_OF_MONTH
java/util/Formatter$DateTime CENTURY
java/util/Formatter$DateTime DAY_OF_MONTH_0
java/util/Formatter$DateTime
    DAY_OF_MONTH
java/util/Formatter$DateTime NAME_OF_MONTH_ABBREV_X
java/util/Formatter$DateTime DAY_OF_YEAR
java/util/Formatter$DateTime MONTH
java/util/Formatter$DateTime YEAR_2
java/util/Formatter$DateTime YEAR_4
java/util/Formatter$DateTime TIME_12_HOUR
java/util/Formatter$DateTime TIME_24_HOUR
java/util/Formatter$DateTime DATE_TIME
java/util/Formatter$DateTime DATE
java/util/Formatter$DateTime ISO_STANDARD_DATE
java/util/Formatter$DateTime <init>()V
java/util/Formatter$DateTime isValid(C)Z
class java/util/Formatter$FixedString java/lang/Object
java/util/Formatter$FixedString s
java/util/Formatter$FixedString this$0
java/util/Formatter$FixedString <init>(Ljava/util/Formatter;Ljava/lang/String;)V
java/util/Formatter$FixedString index()I
java/util/Formatter$FixedString print(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FixedString toString()Ljava/lang/String;
class java/util/Formatter$Flags java/lang/Object
java/util/Formatter$Flags flags
java/util/Formatter$Flags
    NONE
java/util/Formatter$Flags LEFT_JUSTIFY
java/util/Formatter$Flags UPPERCASE
java/util/Formatter$Flags ALTERNATE
java/util/Formatter$Flags PLUS
java/util/Formatter$Flags LEADING_SPACE
java/util/Formatter$Flags ZERO_PAD

```

```

java/util/Formatter$Flags GROUP
java/util/Formatter$Flags PARENTHESES
java/util/Formatter$Flags PREVIOUS
java/util/Formatter$Flags <init>()V
java/util/Formatter$Flags valueOf(I)
java/util/Formatter$Flags contains(Ljava/util/Formatter$Flags;)Z
java/util/Formatter$Flags dup()Ljava/util/Formatter$Flags;
java/util/Formatter$Flags add(Ljava/util/Formatter$Flags;)Ljava/util/Formatter$Flags;
java/util/Formatter$Flags remove(Ljava/util/Formatter$Flags;)Ljava/util/Formatter$Flags;
java/util/Formatter$Flags parse(Ljava/lang/String;)Ljava/util/Formatter$Flags;
java/util/Formatter$Flags parse(C)Ljava/util/Formatter$Flags;
java/util/Formatter$Flags toString(Ljava/util/Formatter$Flags;)Ljava/lang/String;
java/util/Formatter$Flags toString()Ljava/lang/String;
java/util/Formatter$Flags
    access$100(Ljava/util/Formatter$Flags;Ljava/util/Formatter$Flags;)Ljava/util/Formatter$Flags;
java/util/Formatter$Flags <clinit>()V
class java/util/Formatter$FormatSpecifier$BigDecimalLayout java/lang/Object
java/util/Formatter$FormatSpecifier$BigDecimalLayout mant
java/util/Formatter$FormatSpecifier$BigDecimalLayout exp
java/util/Formatter$FormatSpecifier$BigDecimalLayout dot
java/util/Formatter$FormatSpecifier$BigDecimalLayout this$1
java/util/Formatter$FormatSpecifier$BigDecimalLayout
    <init>(Ljava/util/Formatter$FormatSpecifier;Ljava/math/BigInteger;ILjava/util/Formatter$BigDecimalLayoutForm;
    )V
java/util/Formatter$FormatSpecifier$BigDecimalLayout hasDot()Z
java/util/Formatter$FormatSpecifier$BigDecimalLayout layoutChars()[C
java/util/Formatter$FormatSpecifier$BigDecimalLayout mantissa()[C
java/util/Formatter$FormatSpecifier$BigDecimalLayout exponent()[C
java/util/Formatter$FormatSpecifier$BigDecimalLayout toCharArray(Ljava/lang/StringBuilder;)[C
java/util/Formatter$FormatSpecifier$BigDecimalLayout
    layout(Ljava/math/BigInteger;ILjava/util/Formatter$BigDecimalLayoutForm;)V
class java/util/Formatter$FormatSpecifier java/lang/Object
java/util/Formatter$FormatSpecifier index
java/util/Formatter$FormatSpecifier f
java/util/Formatter$FormatSpecifier width
java/util/Formatter$FormatSpecifier precision
java/util/Formatter$FormatSpecifier dt
java/util/Formatter$FormatSpecifier c
java/util/Formatter$FormatSpecifier formatter
java/util/Formatter$FormatSpecifier ls
java/util/Formatter$FormatSpecifier $assertionsDisabled
java/util/Formatter$FormatSpecifier this$0
java/util/Formatter$FormatSpecifier index(Ljava/lang/String;)I
java/util/Formatter$FormatSpecifier index()I
java/util/Formatter$FormatSpecifier flags(Ljava/lang/String;)Ljava/util/Formatter$Flags;
java/util/Formatter$FormatSpecifier flags()Ljava/util/Formatter$Flags;
java/util/Formatter$FormatSpecifier width(Ljava/lang/String;)I
java/util/Formatter$FormatSpecifier width()I

```

```

java/util/Formatter$FormatSpecifier
    precision(Ljava/lang/String;)I
java/util/Formatter$FormatSpecifier precision()I
java/util/Formatter$FormatSpecifier conversion(Ljava/lang/String;)C
java/util/Formatter$FormatSpecifier conversion()C
java/util/Formatter$FormatSpecifier <init>(Ljava/util/Formatter;Ljava/util/Formatter;[Ljava/lang/String;)V
java/util/Formatter$FormatSpecifier print(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier printInteger(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier printFloat(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier printDateTime(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier printCharacter(Ljava/lang/Object;)V
java/util/Formatter$FormatSpecifier printString(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier printBoolean(Ljava/lang/Object;)V
java/util/Formatter$FormatSpecifier printHashCode(Ljava/lang/Object;)V
java/util/Formatter$FormatSpecifier print(Ljava/lang/String;)V
java/util/Formatter$FormatSpecifier
    justify(Ljava/lang/String;)Ljava/lang/String;
java/util/Formatter$FormatSpecifier toString()Ljava/lang/String;
java/util/Formatter$FormatSpecifier checkGeneral()V
java/util/Formatter$FormatSpecifier checkDateTime()V
java/util/Formatter$FormatSpecifier checkCharacter()V
java/util/Formatter$FormatSpecifier checkInteger()V
java/util/Formatter$FormatSpecifier checkBadFlags([Ljava/util/Formatter$Flags;)V
java/util/Formatter$FormatSpecifier checkFloat()V
java/util/Formatter$FormatSpecifier checkNumeric()V
java/util/Formatter$FormatSpecifier checkText()V
java/util/Formatter$FormatSpecifier print(BLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier print(SLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier print(ILjava/util/Locale;)V
java/util/Formatter$FormatSpecifier print(JLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier leadingSign(Ljava/lang/StringBuilder;Z)Ljava/lang/StringBuilder;
java/util/Formatter$FormatSpecifier
    trailingSign(Ljava/lang/StringBuilder;Z)Ljava/lang/StringBuilder;
java/util/Formatter$FormatSpecifier print(Ljava/math/BigInteger;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier print(FLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier print(DLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier
    print(Ljava/lang/StringBuilder;DLjava/util/Locale;Ljava/util/Formatter$Flags;CIZ)V
java/util/Formatter$FormatSpecifier mantissa([CI)[C
java/util/Formatter$FormatSpecifier exponent([CI)[C
java/util/Formatter$FormatSpecifier addZeros([CI)[C
java/util/Formatter$FormatSpecifier hexDouble(DI)Ljava/lang/String;
java/util/Formatter$FormatSpecifier print(Ljava/math/BigDecimal;Ljava/util/Locale;)V
java/util/Formatter$FormatSpecifier
    print(Ljava/lang/StringBuilder;Ljava/math/BigDecimal;Ljava/util/Locale;Ljava/util/Formatter$Flags;CIZ)V
java/util/Formatter$FormatSpecifier adjustWidth(ILjava/util/Formatter$Flags;Z)I
java/util/Formatter$FormatSpecifier addDot([C)[C
java/util/Formatter$FormatSpecifier

```



```

trailingZeros([CI][C
java/util/Formatter$FormatSpecifier print(Ljava/util/Calendar;CLjava/util/Locale;)V
java/util/Formatter$FormatSpecifier
print(Ljava/lang/StringBuilder;Ljava/util/Calendar;CLjava/util/Locale;)Ljava/lang/Appendable;
java/util/Formatter$FormatSpecifier failMismatch(Ljava/util/Formatter$Flags;C)V
java/util/Formatter$FormatSpecifier failConversion(CLjava/lang/Object;)V
java/util/Formatter$FormatSpecifier getZero(Ljava/util/Locale;)C
java/util/Formatter$FormatSpecifier
localizedMagnitude(Ljava/lang/StringBuilder;JLjava/util/Formatter$Flags;ILjava/util/Locale;)Ljava/lang/StringBuil
der;
java/util/Formatter$FormatSpecifier
localizedMagnitude(Ljava/lang/StringBuilder;[CLjava/util/Formatter$Flags;ILjava/util/Locale;)Ljava/lang/StringBu
ilder;
java/util/Formatter$FormatSpecifier <clinit>()V
class java/util/Formatter$FormatString java/lang/Object
java/util/Formatter$FormatString index()I
java/util/Formatter$FormatString print(Ljava/lang/Object;Ljava/util/Locale;)V
java/util/Formatter$FormatString
toString()Ljava/lang/String;
class java/util/Formatter java/lang/Object
java/util/Formatter a
java/util/Formatter l
java/util/Formatter lastException
java/util/Formatter zero
java/util/Formatter scaleUp
java/util/Formatter MAX_FD_CHARS
java/util/Formatter formatSpecifier
java/util/Formatter fsPattern
java/util/Formatter init(Ljava/lang/Appendable;Ljava/util/Locale;)V
java/util/Formatter <init>()V
java/util/Formatter <init>(Ljava/lang/Appendable;)V
java/util/Formatter <init>(Ljava/util/Locale;)V
java/util/Formatter <init>(Ljava/lang/Appendable;Ljava/util/Locale;)V
java/util/Formatter <init>(Ljava/lang/String;)V
java/util/Formatter <init>(Ljava/lang/String;Ljava/lang/String;)V
java/util/Formatter <init>(Ljava/lang/String;Ljava/lang/String;Ljava/util/Locale;)V
java/util/Formatter <init>(Ljava/io/File;)V
java/util/Formatter <init>(Ljava/io/File;Ljava/lang/String;)V
java/util/Formatter <init>(Ljava/io/File;Ljava/lang/String;Ljava/util/Locale;)V
java/util/Formatter
<init>(Ljava/io/PrintStream;)V
java/util/Formatter <init>(Ljava/io/OutputStream;)V
java/util/Formatter <init>(Ljava/io/OutputStream;Ljava/lang/String;)V
java/util/Formatter <init>(Ljava/io/OutputStream;Ljava/lang/String;Ljava/util/Locale;)V
java/util/Formatter setZero()V
java/util/Formatter locale()Ljava/util/Locale;
java/util/Formatter out()Ljava/lang/Appendable;
java/util/Formatter toString()Ljava/lang/String;

```

```

java/util/Formatter flush()V
java/util/Formatter close()V
java/util/Formatter ensureOpen()V
java/util/Formatter ioException()Ljava/io/IOException;
java/util/Formatter format(Ljava/lang/String;Ljava/lang/Object;)Ljava/util/Formatter;
java/util/Formatter format(Ljava/util/Locale;Ljava/lang/String;Ljava/lang/Object;)Ljava/util/Formatter;
java/util/Formatter parse(Ljava/lang/String;)[Ljava/util/Formatter$FormatString;
java/util/Formatter checkText(Ljava/lang/String;)V
java/util/Formatter access$000(Ljava/util/Formatter;)Ljava/lang/Appendable;
java/util/Formatter access$202(D)D
java/util/Formatter
    access$200()D
java/util/Formatter access$300(Ljava/util/Formatter;)C
java/util/Formatter <clinit>()V
class java/util/FormatterClosedException java/lang/IllegalStateException
java/util/FormatterClosedException serialVersionUID
java/util/FormatterClosedException <init>()V
class java/util/HashMap$1 java/lang/Object
class java/util/Hashtable$1 java/lang/Object
class java/util/IdentityHashMap$1 java/lang/Object
class java/util/IdentityHashMap$EntryIterator java/util/IdentityHashMap$IdentityHashMapIterator
java/util/IdentityHashMap$EntryIterator this$0
java/util/IdentityHashMap$EntryIterator <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/IdentityHashMap$EntryIterator getKey()Ljava/lang/Object;
java/util/IdentityHashMap$EntryIterator getValue()Ljava/lang/Object;
java/util/IdentityHashMap$EntryIterator setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap$EntryIterator equals(Ljava/lang/Object;)Z
java/util/IdentityHashMap$EntryIterator
    hashCode()I
java/util/IdentityHashMap$EntryIterator toString()Ljava/lang/String;
java/util/IdentityHashMap$EntryIterator next()Ljava/lang/Object;
java/util/IdentityHashMap$EntryIterator <init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$EntrySet java/util/AbstractSet
java/util/IdentityHashMap$EntrySet this$0
java/util/IdentityHashMap$EntrySet <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$EntrySet iterator()Ljava/util/Iterator;
java/util/IdentityHashMap$EntrySet contains(Ljava/lang/Object;)Z
java/util/IdentityHashMap$EntrySet remove(Ljava/lang/Object;)Z
java/util/IdentityHashMap$EntrySet size()I
java/util/IdentityHashMap$EntrySet clear()V
java/util/IdentityHashMap$EntrySet removeAll(Ljava/util/Collection;)Z
java/util/IdentityHashMap$EntrySet toArray()[Ljava/lang/Object;
java/util/IdentityHashMap$EntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/IdentityHashMap$EntrySet
    <init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$IdentityHashMapIterator java/lang/Object
java/util/IdentityHashMap$IdentityHashMapIterator index

```

```

java/util/IdentityHashMap$IdentityHashMapIterator expectedModCount
java/util/IdentityHashMap$IdentityHashMapIterator lastReturnedIndex
java/util/IdentityHashMap$IdentityHashMapIterator indexValid
java/util/IdentityHashMap$IdentityHashMapIterator traversalTable
java/util/IdentityHashMap$IdentityHashMapIterator this$0
java/util/IdentityHashMap$IdentityHashMapIterator <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$IdentityHashMapIterator hasNext()Z
java/util/IdentityHashMap$IdentityHashMapIterator nextIndex()I
java/util/IdentityHashMap$IdentityHashMapIterator remove()V
java/util/IdentityHashMap$IdentityHashMapIterator
<init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$KeyIterator java/util/IdentityHashMap$IdentityHashMapIterator
java/util/IdentityHashMap$KeyIterator
this$0
java/util/IdentityHashMap$KeyIterator <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$KeyIterator next()Ljava/lang/Object;
java/util/IdentityHashMap$KeyIterator <init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$KeySet java/util/AbstractSet
java/util/IdentityHashMap$KeySet this$0
java/util/IdentityHashMap$KeySet <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$KeySet iterator()Ljava/util/Iterator;
java/util/IdentityHashMap$KeySet size()I
java/util/IdentityHashMap$KeySet contains(Ljava/lang/Object;)Z
java/util/IdentityHashMap$KeySet remove(Ljava/lang/Object;)Z
java/util/IdentityHashMap$KeySet removeAll(Ljava/util/Collection;)Z
java/util/IdentityHashMap$KeySet clear()V
java/util/IdentityHashMap$KeySet hashCode()I
java/util/IdentityHashMap$KeySet <init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$ValueIterator
java/util/IdentityHashMap$IdentityHashMapIterator
java/util/IdentityHashMap$ValueIterator this$0
java/util/IdentityHashMap$ValueIterator <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$ValueIterator next()Ljava/lang/Object;
java/util/IdentityHashMap$ValueIterator <init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap$Values java/util/AbstractCollection
java/util/IdentityHashMap$Values this$0
java/util/IdentityHashMap$Values <init>(Ljava/util/IdentityHashMap;)V
java/util/IdentityHashMap$Values iterator()Ljava/util/Iterator;
java/util/IdentityHashMap$Values size()I
java/util/IdentityHashMap$Values contains(Ljava/lang/Object;)Z
java/util/IdentityHashMap$Values remove(Ljava/lang/Object;)Z
java/util/IdentityHashMap$Values clear()V
java/util/IdentityHashMap$Values <init>(Ljava/util/IdentityHashMap;Ljava/util/IdentityHashMap$1;)V
class java/util/IdentityHashMap java/util/AbstractMap
java/util/IdentityHashMap DEFAULT_CAPACITY
java/util/IdentityHashMap
MINIMUM_CAPACITY
java/util/IdentityHashMap MAXIMUM_CAPACITY

```

```

java/util/IdentityHashMap table
java/util/IdentityHashMap size
java/util/IdentityHashMap modCount
java/util/IdentityHashMap threshold
java/util/IdentityHashMap NULL_KEY
java/util/IdentityHashMap entrySet
java/util/IdentityHashMap serialVersionUID
java/util/IdentityHashMap maskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap unmaskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap <init>()V
java/util/IdentityHashMap <init>(I)V
java/util/IdentityHashMap capacity(I)I
java/util/IdentityHashMap init(I)V
java/util/IdentityHashMap <init>(Ljava/util/Map;)V
java/util/IdentityHashMap size()I
java/util/IdentityHashMap isEmpty()Z
java/util/IdentityHashMap hash(Ljava/lang/Object;)I
java/util/IdentityHashMap nextKeyIndex(II)I
java/util/IdentityHashMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap containsKey(Ljava/lang/Object;)Z
java/util/IdentityHashMap containsValue(Ljava/lang/Object;)Z
java/util/IdentityHashMap
    containsMapping(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/IdentityHashMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap resize(I)V
java/util/IdentityHashMap putAll(Ljava/util/Map;)V
java/util/IdentityHashMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/IdentityHashMap removeMapping(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/IdentityHashMap closeDeletion(I)V
java/util/IdentityHashMap clear()V
java/util/IdentityHashMap equals(Ljava/lang/Object;)Z
java/util/IdentityHashMap hashCode()I
java/util/IdentityHashMap clone()Ljava/lang/Object;
java/util/IdentityHashMap keySet()Ljava/util/Set;
java/util/IdentityHashMap values()Ljava/util/Collection;
java/util/IdentityHashMap entrySet()Ljava/util/Set;
java/util/IdentityHashMap writeObject(Ljava/io/ObjectOutputStream;)V
java/util/IdentityHashMap readObject(Ljava/io/ObjectInputStream;)V
java/util/IdentityHashMap putForCreate(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/IdentityHashMap
    access$000(Ljava/util/IdentityHashMap;)I
java/util/IdentityHashMap access$100(Ljava/util/IdentityHashMap;)[Ljava/lang/Object;
java/util/IdentityHashMap access$200(Ljava/util/IdentityHashMap;)I
java/util/IdentityHashMap access$204(Ljava/util/IdentityHashMap;)I
java/util/IdentityHashMap access$010(Ljava/util/IdentityHashMap;)I
java/util/IdentityHashMap access$300(II)I
java/util/IdentityHashMap access$400(Ljava/lang/Object;)I
java/util/IdentityHashMap access$600(Ljava/lang/Object;)Ljava/lang/Object;

```

```

java/util/IdentityHashMap access$1300(Ljava/util/IdentityHashMap;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/IdentityHashMap access$1400(Ljava/util/IdentityHashMap;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/IdentityHashMap <clinit>()V
class java/util/IllegalFormatCodePointException java/util/IllegalFormatException
java/util/IllegalFormatCodePointException serialVersionUID
java/util/IllegalFormatCodePointException c
java/util/IllegalFormatCodePointException
    <init>(I)V
java/util/IllegalFormatCodePointException getCodePoint()I
java/util/IllegalFormatCodePointException getMessage()Ljava/lang/String;
class java/util/IllegalFormatConversionException java/util/IllegalFormatException
java/util/IllegalFormatConversionException serialVersionUID
java/util/IllegalFormatConversionException c
java/util/IllegalFormatConversionException arg
java/util/IllegalFormatConversionException <init>(CLjava/lang/Class;)V
java/util/IllegalFormatConversionException getConversion()C
java/util/IllegalFormatConversionException getArgumentClass()Ljava/lang/Class;
java/util/IllegalFormatConversionException getMessage()Ljava/lang/String;
class java/util/IllegalFormatException java/lang/IllegalArgumentException
java/util/IllegalFormatException serialVersionUID
java/util/IllegalFormatException <init>()V
class java/util/IllegalFormatFlagsException java/util/IllegalFormatException
java/util/IllegalFormatFlagsException serialVersionUID
java/util/IllegalFormatFlagsException
    flags
java/util/IllegalFormatFlagsException <init>(Ljava/lang/String;)V
java/util/IllegalFormatFlagsException getFlags()Ljava/lang/String;
java/util/IllegalFormatFlagsException getMessage()Ljava/lang/String;
class java/util/IllegalFormatPrecisionException java/util/IllegalFormatException
java/util/IllegalFormatPrecisionException serialVersionUID
java/util/IllegalFormatPrecisionException p
java/util/IllegalFormatPrecisionException <init>(I)V
java/util/IllegalFormatPrecisionException getPrecision()I
java/util/IllegalFormatPrecisionException getMessage()Ljava/lang/String;
class java/util/IllegalFormatWidthException java/util/IllegalFormatException
java/util/IllegalFormatWidthException serialVersionUID
java/util/IllegalFormatWidthException w
java/util/IllegalFormatWidthException <init>(I)V
java/util/IllegalFormatWidthException getWidth()I
java/util/IllegalFormatWidthException getMessage()Ljava/lang/String;
class java/util/InputMismatchException java/util/NoSuchElementException
java/util/InputMismatchException
    <init>()V
java/util/InputMismatchException <init>(Ljava/lang/String;)V
class java/util/InvalidPropertiesFormatException java/io/IOException
java/util/InvalidPropertiesFormatException <init>(Ljava/lang/Throwable;)V
java/util/InvalidPropertiesFormatException <init>(Ljava/lang/String;)V
java/util/InvalidPropertiesFormatException writeObject(Ljava/io/ObjectOutputStream;)V

```

```

java/util/InvalidPropertiesFormatException readObject(Ljava/io/ObjectInputStream;)V
class java/util/JumboEnumSet$EnumSetIterator java/lang/Object
java/util/JumboEnumSet$EnumSetIterator unseen
java/util/JumboEnumSet$EnumSetIterator unseenIndex
java/util/JumboEnumSet$EnumSetIterator lastReturned
java/util/JumboEnumSet$EnumSetIterator lastReturnedIndex
java/util/JumboEnumSet$EnumSetIterator this$0
java/util/JumboEnumSet$EnumSetIterator <init>(Ljava/util/JumboEnumSet;)V
java/util/JumboEnumSet$EnumSetIterator hasNext()Z
java/util/JumboEnumSet$EnumSetIterator next()Ljava/lang/Enum;
java/util/JumboEnumSet$EnumSetIterator
    remove()V
java/util/JumboEnumSet$EnumSetIterator next()Ljava/lang/Object;
class java/util/JumboEnumSet java/util/EnumSet
java/util/JumboEnumSet elements
java/util/JumboEnumSet size
java/util/JumboEnumSet <init>(Ljava/lang/Class;[Ljava/lang/Enum;)V
java/util/JumboEnumSet addRange(Ljava/lang/Enum;Ljava/lang/Enum;)V
java/util/JumboEnumSet addAll()V
java/util/JumboEnumSet complement()V
java/util/JumboEnumSet iterator()Ljava/util/Iterator;
java/util/JumboEnumSet size()I
java/util/JumboEnumSet isEmpty()Z
java/util/JumboEnumSet contains(Ljava/lang/Object;)Z
java/util/JumboEnumSet add(Ljava/lang/Enum;)Z
java/util/JumboEnumSet remove(Ljava/lang/Object;)Z
java/util/JumboEnumSet containsAll(Ljava/util/Collection;)Z
java/util/JumboEnumSet addAll(Ljava/util/Collection;)Z
java/util/JumboEnumSet removeAll(Ljava/util/Collection;)Z
java/util/JumboEnumSet retainAll(Ljava/util/Collection;)Z
java/util/JumboEnumSet clear()V
java/util/JumboEnumSet equals(Ljava/lang/Object;)Z
java/util/JumboEnumSet
    recalculateSize()Z
java/util/JumboEnumSet clone()Ljava/util/EnumSet;
java/util/JumboEnumSet add(Ljava/lang/Object;)Z
java/util/JumboEnumSet clone()Ljava/lang/Object;
java/util/JumboEnumSet access$000(Ljava/util/JumboEnumSet;)[J
java/util/JumboEnumSet access$110(Ljava/util/JumboEnumSet;)I
class java/util/LinkedHashMap$1 java/lang/Object
class java/util/LinkedHashMap$ValueIterator java/util/LinkedHashMap$LinkedHashIterator
java/util/LinkedHashMap$ValueIterator this$0
java/util/LinkedHashMap$ValueIterator <init>(Ljava/util/LinkedHashMap;)V
java/util/LinkedHashMap$ValueIterator next()Ljava/lang/Object;
java/util/LinkedHashMap$ValueIterator <init>(Ljava/util/LinkedHashMap;Ljava/util/LinkedHashMap$1;)V
class java/util/LinkedHashSet java/util/HashSet
java/util/LinkedHashSet serialVersionUID
java/util/LinkedHashSet <init>(IF)V

```

```

java/util/LinkedHashSet <init>(I)V
java/util/LinkedHashSet <init>()V
java/util/LinkedHashSet <init>(Ljava/util/Collection;)V
class java/util/MissingFormatArgumentException
    java/util/IllegalFormatException
java/util/MissingFormatArgumentException serialVersionUID
java/util/MissingFormatArgumentException s
java/util/MissingFormatArgumentException <init>(Ljava/lang/String;)V
java/util/MissingFormatArgumentException getFormatSpecifier()Ljava/lang/String;
java/util/MissingFormatArgumentException getMessage()Ljava/lang/String;
class java/util/MissingFormatWidthException java/util/IllegalFormatException
java/util/MissingFormatWidthException serialVersionUID
java/util/MissingFormatWidthException s
java/util/MissingFormatWidthException <init>(Ljava/lang/String;)V
java/util/MissingFormatWidthException getFormatSpecifier()Ljava/lang/String;
java/util/MissingFormatWidthException getMessage()Ljava/lang/String;
class java/util/Observable java/lang/Object
java/util/Observable changed
java/util/Observable obs
java/util/Observable <init>()V
java/util/Observable addObserver(Ljava/util/Observer;)V
java/util/Observable deleteObserver(Ljava/util/Observer;)V
java/util/Observable
    notifyObservers()V
java/util/Observable notifyObservers(Ljava/lang/Object;)V
java/util/Observable deleteObservers()V
java/util/Observable setChanged()V
java/util/Observable clearChanged()V
java/util/Observable hasChanged()Z
java/util/Observable countObservers()I
class java/util/Observer java/lang/Object
java/util/Observer update(Ljava/util/Observable;Ljava/lang/Object;)V
class java/util/PriorityQueue$1 java/lang/Object
class java/util/PriorityQueue$Itr java/lang/Object
java/util/PriorityQueue$Itr cursor
java/util/PriorityQueue$Itr lastRet
java/util/PriorityQueue$Itr expectedModCount
java/util/PriorityQueue$Itr forgetMeNot
java/util/PriorityQueue$Itr lastRetElt
java/util/PriorityQueue$Itr this$0
java/util/PriorityQueue$Itr <init>(Ljava/util/PriorityQueue;)V
java/util/PriorityQueue$Itr hasNext()Z
java/util/PriorityQueue$Itr next()Ljava/lang/Object;
java/util/PriorityQueue$Itr remove()V
java/util/PriorityQueue$Itr checkForComodification()V
java/util/PriorityQueue$Itr
    <init>(Ljava/util/PriorityQueue;Ljava/util/PriorityQueue$1;)V
class java/util/PriorityQueue java/util/AbstractQueue

```

```

java/util/PriorityQueue serialVersionUID
java/util/PriorityQueue DEFAULT_INITIAL_CAPACITY
java/util/PriorityQueue queue
java/util/PriorityQueue size
java/util/PriorityQueue comparator
java/util/PriorityQueue modCount
java/util/PriorityQueue $assertionsDisabled
java/util/PriorityQueue <init>()V
java/util/PriorityQueue <init>(I)V
java/util/PriorityQueue <init>(ILjava/util/Comparator;)V
java/util/PriorityQueue initializeArray(Ljava/util/Collection;)V
java/util/PriorityQueue fillFromSorted(Ljava/util/Collection;)V
java/util/PriorityQueue fillFromUnsorted(Ljava/util/Collection;)V
java/util/PriorityQueue <init>(Ljava/util/Collection;)V
java/util/PriorityQueue <init>(Ljava/util/PriorityQueue;)V
java/util/PriorityQueue <init>(Ljava/util/SortedSet;)V
java/util/PriorityQueue grow(I)V
java/util/PriorityQueue offer(Ljava/lang/Object;)Z
java/util/PriorityQueue peek()Ljava/lang/Object;
java/util/PriorityQueue
    add(Ljava/lang/Object;)Z
java/util/PriorityQueue remove(Ljava/lang/Object;)Z
java/util/PriorityQueue iterator()Ljava/util/Iterator;
java/util/PriorityQueue size()I
java/util/PriorityQueue clear()V
java/util/PriorityQueue poll()Ljava/lang/Object;
java/util/PriorityQueue removeAt(I)Ljava/lang/Object;
java/util/PriorityQueue fixUp(I)V
java/util/PriorityQueue fixDown(I)V
java/util/PriorityQueue heapify()V
java/util/PriorityQueue comparator()Ljava/util/Comparator;
java/util/PriorityQueue writeObject(Ljava/io/ObjectOutputStream;)V
java/util/PriorityQueue readObject(Ljava/io/ObjectInputStream;)V
java/util/PriorityQueue access$100(Ljava/util/PriorityQueue;)I
java/util/PriorityQueue access$200(Ljava/util/PriorityQueue;)I
java/util/PriorityQueue access$300(Ljava/util/PriorityQueue;)[Ljava/lang/Object;
java/util/PriorityQueue access$400(Ljava/util/PriorityQueue;I)Ljava/lang/Object;
java/util/PriorityQueue <clinit>()V
class java/util/RegularEnumSet$EnumSetIterator
    java/lang/Object
java/util/RegularEnumSet$EnumSetIterator unseen
java/util/RegularEnumSet$EnumSetIterator lastReturned
java/util/RegularEnumSet$EnumSetIterator this$0
java/util/RegularEnumSet$EnumSetIterator <init>(Ljava/util/RegularEnumSet;)V
java/util/RegularEnumSet$EnumSetIterator hasNext()Z
java/util/RegularEnumSet$EnumSetIterator next()Ljava/lang/Enum;
java/util/RegularEnumSet$EnumSetIterator remove()V
java/util/RegularEnumSet$EnumSetIterator next()Ljava/lang/Object;

```



```

class java/util/RegularEnumSet java/util/EnumSet
java/util/RegularEnumSet elements
java/util/RegularEnumSet <init>(Ljava/lang/Class;[Ljava/lang/Enum;)V
java/util/RegularEnumSet addRange(Ljava/lang/Enum;Ljava/lang/Enum;)V
java/util/RegularEnumSet addAll()V
java/util/RegularEnumSet complement()V
java/util/RegularEnumSet iterator()Ljava/util/Iterator;
java/util/RegularEnumSet size()I
java/util/RegularEnumSet isEmpty()Z
java/util/RegularEnumSet contains(Ljava/lang/Object;)Z
java/util/RegularEnumSet add(Ljava/lang/Enum;)Z
java/util/RegularEnumSet
    remove(Ljava/lang/Object;)Z
java/util/RegularEnumSet containsAll(Ljava/util/Collection;)Z
java/util/RegularEnumSet addAll(Ljava/util/Collection;)Z
java/util/RegularEnumSet removeAll(Ljava/util/Collection;)Z
java/util/RegularEnumSet retainAll(Ljava/util/Collection;)Z
java/util/RegularEnumSet clear()V
java/util/RegularEnumSet equals(Ljava/lang/Object;)Z
java/util/RegularEnumSet add(Ljava/lang/Object;)Z
java/util/RegularEnumSet access$000(Ljava/util/RegularEnumSet;)J
java/util/RegularEnumSet access$022(Ljava/util/RegularEnumSet;J)J
class java/util/Scanner$1 sun/misc/LRUCache
java/util/Scanner$1 this$0
java/util/Scanner$1 <init>(Ljava/util/Scanner;I)V
java/util/Scanner$1 create(Ljava/lang/String;)Ljava/util/regex/Pattern;
java/util/Scanner$1 hasName(Ljava/util/regex/Pattern;Ljava/lang/String;)Z
java/util/Scanner$1 hasName(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/Scanner$1 create(Ljava/lang/Object;)Ljava/lang/Object;
class java/util/Scanner java/lang/Object
java/util/Scanner
    buf
java/util/Scanner BUFFER_SIZE
java/util/Scanner position
java/util/Scanner matcher
java/util/Scanner delimPattern
java/util/Scanner hasNextPattern
java/util/Scanner hasNextPosition
java/util/Scanner hasNextResult
java/util/Scanner source
java/util/Scanner sourceClosed
java/util/Scanner needInput
java/util/Scanner skipped
java/util/Scanner savedScannerPosition
java/util/Scanner typeCache
java/util/Scanner matchValid
java/util/Scanner closed
java/util/Scanner radix

```

```

java/util/Scanner defaultRadix
java/util/Scanner locale
java/util/Scanner patternCache
java/util/Scanner lastException
java/util/Scanner WHITESPACE_PATTERN
java/util/Scanner FIND_ANY_PATTERN
java/util/Scanner NON_ASCII_DIGIT
java/util/Scanner groupSeparator
java/util/Scanner decimalSeparator
java/util/Scanner nanString
java/util/Scanner infinityString
java/util/Scanner positivePrefix
java/util/Scanner negativePrefix
java/util/Scanner positiveSuffix
java/util/Scanner negativeSuffix
java/util/Scanner
    boolPattern
java/util/Scanner BOOLEAN_PATTERN
java/util/Scanner integerPattern
java/util/Scanner digits
java/util/Scanner non0Digit
java/util/Scanner SIMPLE_GROUP_INDEX
java/util/Scanner separatorPattern
java/util/Scanner LINE_SEPARATOR_PATTERN
java/util/Scanner floatPattern
java/util/Scanner decimalPattern
java/util/Scanner boolPattern()Ljava/util/regex/Pattern;
java/util/Scanner buildIntegerPatternString()Ljava/lang/String;
java/util/Scanner integerPattern()Ljava/util/regex/Pattern;
java/util/Scanner separatorPattern()Ljava/util/regex/Pattern;
java/util/Scanner buildFloatAndDecimalPattern()V
java/util/Scanner floatPattern()Ljava/util/regex/Pattern;
java/util/Scanner decimalPattern()Ljava/util/regex/Pattern;
java/util/Scanner <init>(Ljava/lang/Readable;Ljava/util/regex/Pattern;)V
java/util/Scanner <init>(Ljava/lang/Readable;)V
java/util/Scanner <init>(Ljava/io/InputStream;)V
java/util/Scanner <init>(Ljava/io/InputStream;Ljava/lang/String;)V
java/util/Scanner makeReadable(Ljava/io/InputStream;Ljava/lang/String;)Ljava/lang/Readable;
java/util/Scanner
    <init>(Ljava/io/File;)V
java/util/Scanner <init>(Ljava/io/File;Ljava/lang/String;)V
java/util/Scanner <init>(Ljava/lang/String;)V
java/util/Scanner <init>(Ljava/nio/channels/ReadableByteChannel;)V
java/util/Scanner makeReadable(Ljava/nio/channels/ReadableByteChannel;)Ljava/lang/Readable;
java/util/Scanner <init>(Ljava/nio/channels/ReadableByteChannel;Ljava/lang/String;)V
java/util/Scanner makeReadable(Ljava/nio/channels/ReadableByteChannel;Ljava/lang/String;)Ljava/lang/Readable;
java/util/Scanner saveState()V
java/util/Scanner revertState()V

```

```

java/util/Scanner revertState(Z)Z
java/util/Scanner cacheResult(Ljava/util/regex/Pattern;)V
java/util/Scanner clearCaches()V
java/util/Scanner getCachedResult()Ljava/lang/String;
java/util/Scanner useTypeCache()V
java/util/Scanner readInput()V
java/util/Scanner makeSpace()Z
java/util/Scanner translateSavedIndexes(I)V
java/util/Scanner throwFor()V
java/util/Scanner hasTokenInBuffer()Z
java/util/Scanner
    getCompleteTokenInBuffer(Ljava/util/regex/Pattern;)Ljava/lang/String;
java/util/Scanner findPatternInBuffer(Ljava/util/regex/Pattern;I)Ljava/lang/String;
java/util/Scanner matchPatternInBuffer(Ljava/util/regex/Pattern;)Ljava/lang/String;
java/util/Scanner ensureOpen()V
java/util/Scanner close()V
java/util/Scanner ioException()Ljava/io/IOException;
java/util/Scanner delimiter(Ljava/util/regex/Pattern;
java/util/Scanner useDelimiter(Ljava/util/regex/Pattern;)Ljava/util/Scanner;
java/util/Scanner useDelimiter(Ljava/lang/String;)Ljava/util/Scanner;
java/util/Scanner locale(Ljava/util/Locale;
java/util/Scanner useLocale(Ljava/util/Locale;)Ljava/util/Scanner;
java/util/Scanner radix()I
java/util/Scanner useRadix(I)Ljava/util/Scanner;
java/util/Scanner setRadix(I)V
java/util/Scanner match()Ljava/util/regex/MatchResult;
java/util/Scanner toString()Ljava/lang/String;
java/util/Scanner hasNext()Z
java/util/Scanner next()Ljava/lang/String;
java/util/Scanner remove()V
java/util/Scanner
    hasNext(Ljava/lang/String;)Z
java/util/Scanner next(Ljava/lang/String;)Ljava/lang/String;
java/util/Scanner hasNext(Ljava/util/regex/Pattern;)Z
java/util/Scanner next(Ljava/util/regex/Pattern;)Ljava/lang/String;
java/util/Scanner hasNextLine()Z
java/util/Scanner nextLine()Ljava/lang/String;
java/util/Scanner findInLine(Ljava/lang/String;)Ljava/lang/String;
java/util/Scanner findInLine(Ljava/util/regex/Pattern;)Ljava/lang/String;
java/util/Scanner findWithinHorizon(Ljava/lang/String;I)Ljava/lang/String;
java/util/Scanner findWithinHorizon(Ljava/util/regex/Pattern;I)Ljava/lang/String;
java/util/Scanner skip(Ljava/util/regex/Pattern;)Ljava/util/Scanner;
java/util/Scanner skip(Ljava/lang/String;)Ljava/util/Scanner;
java/util/Scanner hasNextBoolean()Z
java/util/Scanner nextBoolean()Z
java/util/Scanner hasNextByte()Z
java/util/Scanner hasNextByte(I)Z
java/util/Scanner nextByte()B

```

```

java/util/Scanner nextByte()B
java/util/Scanner hasNextShort()Z
java/util/Scanner hasNextShort(I)Z
java/util/Scanner
    nextShort()S
java/util/Scanner nextShort(I)S
java/util/Scanner hasNextInt()Z
java/util/Scanner hasNextInt(I)Z
java/util/Scanner processIntegerToken(Ljava/lang/String;)Ljava/lang/String;
java/util/Scanner nextInt()I
java/util/Scanner nextInt(I)I
java/util/Scanner hasNextLong()Z
java/util/Scanner hasNextLong(I)Z
java/util/Scanner nextLong()J
java/util/Scanner nextLong(I)J
java/util/Scanner processFloatToken(Ljava/lang/String;)Ljava/lang/String;
java/util/Scanner hasNextFloat()Z
java/util/Scanner nextFloat()F
java/util/Scanner hasNextDouble()Z
java/util/Scanner nextDouble()D
java/util/Scanner hasNextBigInteger()Z
java/util/Scanner hasNextBigInteger(I)Z
java/util/Scanner nextBigInteger()Ljava/math/BigInteger;
java/util/Scanner nextBigInteger(I)Ljava/math/BigInteger;
java/util/Scanner hasNextBigDecimal()Z
java/util/Scanner nextBigDecimal()Ljava/math/BigDecimal;
java/util/Scanner next()Ljava/lang/Object;
java/util/Scanner <clinit>()V
class java/util/TimeZone java/util/TimeZone
java/util/TimeZone
    startMonth
java/util/TimeZone startDay
java/util/TimeZone startDayOfWeek
java/util/TimeZone startTime
java/util/TimeZone startTimeMode
java/util/TimeZone endMonth
java/util/TimeZone endDay
java/util/TimeZone endDayOfWeek
java/util/TimeZone endTime
java/util/TimeZone endTimeMode
java/util/TimeZone startYear
java/util/TimeZone rawOffset
java/util/TimeZone useDaylight
java/util/TimeZone millisPerHour
java/util/TimeZone millisPerDay
java/util/TimeZone monthLength
java/util/TimeZone staticMonthLength
java/util/TimeZone staticLeapMonthLength

```

```
java/util/SimpleTimeZone startMode
java/util/SimpleTimeZone endMode
java/util/SimpleTimeZone dstSavings
java/util/SimpleTimeZone gcal
java/util/SimpleTimeZone cacheYear
java/util/SimpleTimeZone cacheStart
java/util/SimpleTimeZone cacheEnd
java/util/SimpleTimeZone DOM_MODE
java/util/SimpleTimeZone DOW_IN_MONTH_MODE
java/util/SimpleTimeZone
    DOW_GE_DOM_MODE
java/util/SimpleTimeZone DOW_LE_DOM_MODE
java/util/SimpleTimeZone WALL_TIME
java/util/SimpleTimeZone STANDARD_TIME
java/util/SimpleTimeZone UTC_TIME
java/util/SimpleTimeZone serialVersionUID
java/util/SimpleTimeZone currentSerialVersion
java/util/SimpleTimeZone serialVersionOnStream
java/util/SimpleTimeZone <init>(Ljava/lang/String;)V
java/util/SimpleTimeZone <init>(Ljava/lang/String;IIIIII)V
java/util/SimpleTimeZone <init>(Ljava/lang/String;IIIIII)V
java/util/SimpleTimeZone <init>(Ljava/lang/String;IIIIIIII)V
java/util/SimpleTimeZone setStartYear(I)V
java/util/SimpleTimeZone setStartRule(III)V
java/util/SimpleTimeZone setStartRule(III)V
java/util/SimpleTimeZone setStartRule(IIIZ)V
java/util/SimpleTimeZone setEndRule(III)V
java/util/SimpleTimeZone setEndRule(III)V
java/util/SimpleTimeZone setEndRule(IIIZ)V
java/util/SimpleTimeZone getOffset(J)I
java/util/SimpleTimeZone getOffsets(J[I)I
java/util/SimpleTimeZone getOffset(IIII)I
java/util/SimpleTimeZone
    getOffset(Lsun/util/calendar/BaseCalendar;Lsun/util/calendar/BaseCalendar$Date;I)I
java/util/SimpleTimeZone getStart(Lsun/util/calendar/BaseCalendar;Lsun/util/calendar/BaseCalendar$Date;I)J
java/util/SimpleTimeZone getEnd(Lsun/util/calendar/BaseCalendar;Lsun/util/calendar/BaseCalendar$Date;I)J
java/util/SimpleTimeZone
    getTransition(Lsun/util/calendar/BaseCalendar;Lsun/util/calendar/BaseCalendar$Date;IIII)J
java/util/SimpleTimeZone getRawOffset()I
java/util/SimpleTimeZone setRawOffset(I)V
java/util/SimpleTimeZone setDSTSavings(I)V
java/util/SimpleTimeZone getDSTSavings()I
java/util/SimpleTimeZone useDaylightTime()Z
java/util/SimpleTimeZone inDaylightTime(Ljava/util/Date;)Z
java/util/SimpleTimeZone clone()Ljava/lang/Object;
java/util/SimpleTimeZone hashCode()I
java/util/SimpleTimeZone equals(Ljava/lang/Object;)Z
java/util/SimpleTimeZone hasSameRules(Ljava/util/TimeZone;)Z
```

```

java/util/TimeZone toString()Ljava/lang/String;
java/util/TimeZone invalidateCache()V
java/util/TimeZone
    decodeRules()V
java/util/TimeZone decodeStartRule()V
java/util/TimeZone decodeEndRule()V
java/util/TimeZone makeRulesCompatible()V
java/util/TimeZone packRules()[B
java/util/TimeZone unpackRules([B)V
java/util/TimeZone packTimes()[I
java/util/TimeZone unpackTimes([I)V
java/util/TimeZone writeObject(Ljava/io/ObjectOutputStream;)V
java/util/TimeZone readObject(Ljava/io/ObjectInputStream;)V
java/util/TimeZone <clinit>()V
class java/util/TimeZone$DisplayNames java/lang/Object
java/util/TimeZone$DisplayNames CACHE
java/util/TimeZone$DisplayNames <init>()V
java/util/TimeZone$DisplayNames access$000()Ljava/util/Map;
java/util/TimeZone$DisplayNames <clinit>()V
class java/util/TooManyListenersException java/lang/Exception
java/util/TooManyListenersException <init>()V
java/util/TooManyListenersException <init>(Ljava/lang/String;)V
class java/util/TreeMap$3 java/util/AbstractSet
java/util/TreeMap$3 this$0
java/util/TreeMap$3
    <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$3 iterator()Ljava/util/Iterator;
java/util/TreeMap$3 contains(Ljava/lang/Object;)Z
java/util/TreeMap$3 remove(Ljava/lang/Object;)Z
java/util/TreeMap$3 size()I
java/util/TreeMap$3 clear()V
class java/util/TreeMap$EntryIterator java/util/TreeMap$PrivateEntryIterator
java/util/TreeMap$EntryIterator this$0
java/util/TreeMap$EntryIterator <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/TreeMap$EntryIterator next(Ljava/lang/Object;
java/util/TreeMap$EntryIterator <init>(Ljava/util/TreeMap;Ljava/util/TreeMap$1;)V
class java/util/TreeMap$SubMap$EntrySetView java/util/AbstractSet
java/util/TreeMap$SubMap$EntrySetView size
java/util/TreeMap$SubMap$EntrySetView sizeModCount
java/util/TreeMap$SubMap$EntrySetView this$1
java/util/TreeMap$SubMap$EntrySetView <init>(Ljava/util/TreeMap$SubMap;)V
java/util/TreeMap$SubMap$EntrySetView size()I
java/util/TreeMap$SubMap$EntrySetView isEmpty()Z
java/util/TreeMap$SubMap$EntrySetView
    contains(Ljava/lang/Object;)Z
java/util/TreeMap$SubMap$EntrySetView remove(Ljava/lang/Object;)Z
java/util/TreeMap$SubMap$EntrySetView iterator()Ljava/util/Iterator;

```

```

java/util/TreeMap$SubMap$EntrySetView <init>(Ljava/util/TreeMap$SubMap;Ljava/util/TreeMap$1;)V
class java/util/TreeMap$SubMap java/util/AbstractMap
java/util/TreeMap$SubMap serialVersionUID
java/util/TreeMap$SubMap fromStart
java/util/TreeMap$SubMap toEnd
java/util/TreeMap$SubMap fromKey
java/util/TreeMap$SubMap toKey
java/util/TreeMap$SubMap entrySet
java/util/TreeMap$SubMap this$0
java/util/TreeMap$SubMap <init>(Ljava/util/TreeMap;Ljava/lang/Object;Ljava/lang/Object;)V
java/util/TreeMap$SubMap <init>(Ljava/util/TreeMap;Ljava/lang/Object;Z)V
java/util/TreeMap$SubMap <init>(Ljava/util/TreeMap;ZLjava/lang/Object;ZLjava/lang/Object;)V
java/util/TreeMap$SubMap isEmpty()Z
java/util/TreeMap$SubMap containsKey(Ljava/lang/Object;)Z
java/util/TreeMap$SubMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap$SubMap
    put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap$SubMap comparator()Ljava/util/Comparator;
java/util/TreeMap$SubMap firstKey()Ljava/lang/Object;
java/util/TreeMap$SubMap lastKey()Ljava/lang/Object;
java/util/TreeMap$SubMap entrySet()Ljava/util/Set;
java/util/TreeMap$SubMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap$SubMap headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap$SubMap tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap$SubMap inRange(Ljava/lang/Object;)Z
java/util/TreeMap$SubMap inRange2(Ljava/lang/Object;)Z
java/util/TreeMap$SubMap access$1700(Ljava/util/TreeMap$SubMap;Ljava/lang/Object;)Z
java/util/TreeMap$SubMap access$1800(Ljava/util/TreeMap$SubMap;)Z
java/util/TreeMap$SubMap access$1900(Ljava/util/TreeMap$SubMap;)Ljava/lang/Object;
java/util/TreeMap$SubMap access$2000(Ljava/util/TreeMap$SubMap;)Z
java/util/TreeMap$SubMap access$2100(Ljava/util/TreeMap$SubMap;)Ljava/lang/Object;
class
    java/util/TreeMap$SubMapEntryIterator java/util/TreeMap$PrivateEntryIterator
java/util/TreeMap$SubMapEntryIterator firstExcludedKey
java/util/TreeMap$SubMapEntryIterator this$0
java/util/TreeMap$SubMapEntryIterator
    <init>(Ljava/util/TreeMap;Ljava/util/TreeMap$Entry;Ljava/util/TreeMap$Entry;)V
java/util/TreeMap$SubMapEntryIterator hasNext()Z
java/util/TreeMap$SubMapEntryIterator next()Ljava/util/Map$Entry;
java/util/TreeMap$SubMapEntryIterator next()Ljava/lang/Object;
class java/util/UUID java/lang/Object
java/util/UUID serialVersionUID
java/util/UUID mostSigBits
java/util/UUID leastSigBits
java/util/UUID version
java/util/UUID variant
java/util/UUID timestamp
java/util/UUID sequence

```

```

java/util/UUID node
java/util/UUID hashCode
java/util/UUID numberGenerator
java/util/UUID $assertionsDisabled
java/util/UUID <init>([B)V
java/util/UUID <init>(JJ)V
java/util/UUID randomUUID()Ljava/util/UUID;
java/util/UUID nameUUIDFromBytes([B)Ljava/util/UUID;
java/util/UUID
    fromString(Ljava/lang/String;)Ljava/util/UUID;
java/util/UUID getLeastSignificantBits()J
java/util/UUID getMostSignificantBits()J
java/util/UUID version()I
java/util/UUID variant()I
java/util/UUID timestamp()J
java/util/UUID clockSequence()I
java/util/UUID node()J
java/util/UUID toString()Ljava/lang/String;
java/util/UUID digits(JI)Ljava/lang/String;
java/util/UUID hashCode()I
java/util/UUID equals(Ljava/lang/Object;)Z
java/util/UUID compareTo(Ljava/util/UUID;)I
java/util/UUID readObject(Ljava/io/ObjectInputStream;)V
java/util/UUID compareTo(Ljava/lang/Object;)I
java/util/UUID <clinit>()V
class java/util/UnknownFormatException java/util/IllegalFormatException
java/util/UnknownFormatException serialVersionUID
java/util/UnknownFormatException s
java/util/UnknownFormatException <init>(Ljava/lang/String;)V
java/util/UnknownFormatException getConversion()Ljava/lang/String;
java/util/UnknownFormatException getMessage()Ljava/lang/String;
class
    java/util/UnknownFormatException java/util/IllegalFormatException
java/util/UnknownFormatException serialVersionUID
java/util/UnknownFormatException flags
java/util/UnknownFormatException <init>(Ljava/lang/String;)V
java/util/UnknownFormatException getFlags()Ljava/lang/String;
java/util/UnknownFormatException getMessage()Ljava/lang/String;
class java/util/WeakHashMap$1 java/lang/Object
class java/util/WeakHashMap$ValueIterator java/util/WeakHashMap$HashIterator
java/util/WeakHashMap$ValueIterator this$0
java/util/WeakHashMap$ValueIterator <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$ValueIterator next()Ljava/lang/Object;
java/util/WeakHashMap$ValueIterator <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/util/WeakHashMap$Values java/util/AbstractCollection
java/util/WeakHashMap$Values this$0
java/util/WeakHashMap$Values <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$Values iterator()Ljava/util/Iterator;

```



```

java/util/WeakHashMap$Values
size()I
java/util/WeakHashMap$Values contains(Ljava/lang/Object;)Z
java/util/WeakHashMap$Values clear()V
java/util/WeakHashMap$Values toArray()[Ljava/lang/Object;
java/util/WeakHashMap$Values toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/WeakHashMap$Values <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/util/XMLUtils$1 java/lang/Object
class java/util/XMLUtils$EH java/lang/Object
java/util/XMLUtils$EH <init>()V
java/util/XMLUtils$EH error(Lorg/xml/sax/SAXParseException;)V
java/util/XMLUtils$EH fatalError(Lorg/xml/sax/SAXParseException;)V
java/util/XMLUtils$EH warning(Lorg/xml/sax/SAXParseException;)V
java/util/XMLUtils$EH <init>(Ljava/util/XMLUtils$1;)V
class java/util/XMLUtils$Resolver java/lang/Object
java/util/XMLUtils$Resolver <init>()V
java/util/XMLUtils$Resolver resolveEntity(Ljava/lang/String;Ljava/lang/String;)Lorg/xml/sax/InputSource;
java/util/XMLUtils$Resolver <init>(Ljava/util/XMLUtils$1;)V
class java/util/XMLUtils
    java/lang/Object
    java/util/XMLUtils PROPS_DTD_URI
    java/util/XMLUtils PROPS_DTD
    java/util/XMLUtils EXTERNAL_XML_VERSION
    java/util/XMLUtils $assertionsDisabled
    java/util/XMLUtils <init>()V
    java/util/XMLUtils load(Ljava/util/Properties;Ljava/io/InputStream;)V
    java/util/XMLUtils getLoadingDoc(Ljava/io/InputStream;)Lorg/w3c/dom/Document;
    java/util/XMLUtils importProperties(Ljava/util/Properties;Lorg/w3c/dom/Element;)V
    java/util/XMLUtils save(Ljava/util/Properties;Ljava/io/OutputStream;Ljava/lang/String;Ljava/lang/String;)V
    java/util/XMLUtils emitDocument(Lorg/w3c/dom/Document;Ljava/io/OutputStream;Ljava/lang/String;)V
    java/util/XMLUtils <clinit>()V
class java/util/concurrent/AbstractExecutorService java/lang/Object
java/util/concurrent/AbstractExecutorService $assertionsDisabled
java/util/concurrent/AbstractExecutorService <init>()V
java/util/concurrent/AbstractExecutorService submit(Ljava/lang/Runnable;)Ljava/util/concurrent/Future;
java/util/concurrent/AbstractExecutorService
    submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/AbstractExecutorService submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/AbstractExecutorService doInvokeAny(Ljava/util/Collection;ZJ)Ljava/lang/Object;
java/util/concurrent/AbstractExecutorService invokeAny(Ljava/util/Collection;)Ljava/lang/Object;
java/util/concurrent/AbstractExecutorService
    invokeAny(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/AbstractExecutorService invokeAll(Ljava/util/Collection;)Ljava/util/List;
java/util/concurrent/AbstractExecutorService
    invokeAll(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/util/List;
java/util/concurrent/AbstractExecutorService <clinit>()V
class java/util/concurrent/ArrayBlockingQueue$Itr java/lang/Object
java/util/concurrent/ArrayBlockingQueue$Itr nextIndex

```

```

java/util/concurrent/ArrayBlockingQueue$Itr nextItem
java/util/concurrent/ArrayBlockingQueue$Itr
    lastRet
java/util/concurrent/ArrayBlockingQueue$Itr this$0
java/util/concurrent/ArrayBlockingQueue$Itr <init>(Ljava/util/concurrent/ArrayBlockingQueue;)V
java/util/concurrent/ArrayBlockingQueue$Itr hasNext()Z
java/util/concurrent/ArrayBlockingQueue$Itr checkNext()V
java/util/concurrent/ArrayBlockingQueue$Itr next()Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue$Itr remove()V
class java/util/concurrent/ArrayBlockingQueue java/util/AbstractQueue
java/util/concurrent/ArrayBlockingQueue serialVersionUID
java/util/concurrent/ArrayBlockingQueue items
java/util/concurrent/ArrayBlockingQueue takeIndex
java/util/concurrent/ArrayBlockingQueue putIndex
java/util/concurrent/ArrayBlockingQueue count
java/util/concurrent/ArrayBlockingQueue lock
java/util/concurrent/ArrayBlockingQueue notEmpty
java/util/concurrent/ArrayBlockingQueue notFull
java/util/concurrent/ArrayBlockingQueue inc(I)I
java/util/concurrent/ArrayBlockingQueue insert(Ljava/lang/Object;)V
java/util/concurrent/ArrayBlockingQueue
    extract(Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue removeAt(I)V
java/util/concurrent/ArrayBlockingQueue <init>(I)V
java/util/concurrent/ArrayBlockingQueue <init>(IZ)V
java/util/concurrent/ArrayBlockingQueue <init>(IZLjava/util/Collection;)V
java/util/concurrent/ArrayBlockingQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/ArrayBlockingQueue offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/ArrayBlockingQueue poll()Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/ArrayBlockingQueue peek()Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue take()Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue put(Ljava/lang/Object;)V
java/util/concurrent/ArrayBlockingQueue size()I
java/util/concurrent/ArrayBlockingQueue remainingCapacity()I
java/util/concurrent/ArrayBlockingQueue
    contains(Ljava/lang/Object;)Z
java/util/concurrent/ArrayBlockingQueue toArray()[Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue toString()Ljava/lang/String;
java/util/concurrent/ArrayBlockingQueue clear()V
java/util/concurrent/ArrayBlockingQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/ArrayBlockingQueue drainTo(Ljava/util/Collection;I)I
java/util/concurrent/ArrayBlockingQueue iterator()Ljava/util/Iterator;
java/util/concurrent/ArrayBlockingQueue access$000(Ljava/util/concurrent/ArrayBlockingQueue;)I
java/util/concurrent/ArrayBlockingQueue access$100(Ljava/util/concurrent/ArrayBlockingQueue;)I
java/util/concurrent/ArrayBlockingQueue

```

```

access$200(Ljava/util/concurrent/ArrayBlockingQueue;)[Ljava/lang/Object;
java/util/concurrent/ArrayBlockingQueue access$300(Ljava/util/concurrent/ArrayBlockingQueue;)I
java/util/concurrent/ArrayBlockingQueue
access$400(Ljava/util/concurrent/ArrayBlockingQueue;)Ljava/util/concurrent/locks/ReentrantLock;
class
    java/util/concurrent/BlockingQueue java/lang/Object
java/util/concurrent/BlockingQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/BlockingQueue offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/BlockingQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/BlockingQueue take()Ljava/lang/Object;
java/util/concurrent/BlockingQueue put(Ljava/lang/Object;)V
java/util/concurrent/BlockingQueue remainingCapacity()I
java/util/concurrent/BlockingQueue add(Ljava/lang/Object;)Z
java/util/concurrent/BlockingQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/BlockingQueue drainTo(Ljava/util/Collection;I)I
class java/util/concurrent/BrokenBarrierException java/lang/Exception
java/util/concurrent/BrokenBarrierException serialVersionUID
java/util/concurrent/BrokenBarrierException <init>()V
java/util/concurrent/BrokenBarrierException <init>(Ljava/lang/String;)V
class
    java/util/concurrent/Callable java/lang/Object
java/util/concurrent/Callable call()Ljava/lang/Object;
class java/util/concurrent/CancellationException java/lang/IllegalStateException
java/util/concurrent/CancellationException serialVersionUID
java/util/concurrent/CancellationException <init>()V
java/util/concurrent/CancellationException <init>(Ljava/lang/String;)V
class java/util/concurrent/CompletionService java/lang/Object
java/util/concurrent/CompletionService submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/CompletionService
    submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/CompletionService take()Ljava/util/concurrent/Future;
java/util/concurrent/CompletionService poll()Ljava/util/concurrent/Future;
java/util/concurrent/CompletionService poll(JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/Future;
class java/util/concurrent/ConcurrentHashMap$EntryIterator java/util/concurrent/ConcurrentHashMap$HashIterator
java/util/concurrent/ConcurrentHashMap$EntryIterator
    this$0
java/util/concurrent/ConcurrentHashMap$EntryIterator <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/concurrent/ConcurrentHashMap$EntryIterator getKey()Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$EntryIterator getValue()Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$EntryIterator setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$EntryIterator equals(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$EntryIterator hashCode()I
java/util/concurrent/ConcurrentHashMap$EntryIterator toString()Ljava/lang/String;
java/util/concurrent/ConcurrentHashMap$EntryIterator eq(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$EntryIterator next()Ljava/lang/Object;
class java/util/concurrent/ConcurrentHashMap$EntrySet java/util/AbstractSet
java/util/concurrent/ConcurrentHashMap$EntrySet

```

```

this$0
java/util/concurrent/ConcurrentHashMap$EntrySet <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$EntrySet iterator()Ljava/util/Iterator;
java/util/concurrent/ConcurrentHashMap$EntrySet contains(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$EntrySet remove(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$EntrySet size()I
java/util/concurrent/ConcurrentHashMap$EntrySet clear()V
java/util/concurrent/ConcurrentHashMap$EntrySet toArray()[Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$EntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
class java/util/concurrent/ConcurrentHashMap$HashIterator java/lang/Object
java/util/concurrent/ConcurrentHashMap$HashIterator nextSegmentIndex
java/util/concurrent/ConcurrentHashMap$HashIterator nextTableIndex
java/util/concurrent/ConcurrentHashMap$HashIterator currentTable
java/util/concurrent/ConcurrentHashMap$HashIterator
    nextEntry
java/util/concurrent/ConcurrentHashMap$HashIterator lastReturned
java/util/concurrent/ConcurrentHashMap$HashIterator this$0
java/util/concurrent/ConcurrentHashMap$HashIterator <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$HashIterator hasMoreElements()Z
java/util/concurrent/ConcurrentHashMap$HashIterator advance()V
java/util/concurrent/ConcurrentHashMap$HashIterator hasNext()Z
java/util/concurrent/ConcurrentHashMap$HashIterator
    nextEntry()Ljava/util/concurrent/ConcurrentHashMap$HashEntry;
java/util/concurrent/ConcurrentHashMap$HashIterator remove()V
class java/util/concurrent/ConcurrentHashMap$KeyIterator java/util/concurrent/ConcurrentHashMap$HashIterator
java/util/concurrent/ConcurrentHashMap$KeyIterator this$0
java/util/concurrent/ConcurrentHashMap$KeyIterator <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$KeyIterator next()Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$KeyIterator
    nextElement()Ljava/lang/Object;
class java/util/concurrent/ConcurrentHashMap$KeySet java/util/AbstractSet
java/util/concurrent/ConcurrentHashMap$KeySet this$0
java/util/concurrent/ConcurrentHashMap$KeySet <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$KeySet iterator()Ljava/util/Iterator;
java/util/concurrent/ConcurrentHashMap$KeySet size()I
java/util/concurrent/ConcurrentHashMap$KeySet contains(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$KeySet remove(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$KeySet clear()V
java/util/concurrent/ConcurrentHashMap$KeySet toArray()[Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$KeySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
class java/util/concurrent/ConcurrentHashMap$SimpleEntry java/lang/Object
java/util/concurrent/ConcurrentHashMap$SimpleEntry key
java/util/concurrent/ConcurrentHashMap$SimpleEntry value
java/util/concurrent/ConcurrentHashMap$SimpleEntry
    <init>(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/concurrent/ConcurrentHashMap$SimpleEntry <init>(Ljava/util/Map$Entry;)V
java/util/concurrent/ConcurrentHashMap$SimpleEntry getKey()Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$SimpleEntry getValue()Ljava/lang/Object;

```

```

java/util/concurrent/ConcurrentHashMap$SimpleEntry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$SimpleEntry equals(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$SimpleEntry hashCode()I
java/util/concurrent/ConcurrentHashMap$SimpleEntry toString()Ljava/lang/String;
java/util/concurrent/ConcurrentHashMap$SimpleEntry eq(Ljava/lang/Object;Ljava/lang/Object;)Z
class java/util/concurrent/ConcurrentHashMap$ValueIterator java/util/concurrent/ConcurrentHashMap$HashIterator
java/util/concurrent/ConcurrentHashMap$ValueIterator this$0
java/util/concurrent/ConcurrentHashMap$ValueIterator <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$ValueIterator
    next()Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$ValueIterator nextElement()Ljava/lang/Object;
class java/util/concurrent/ConcurrentHashMap$Values java/util/AbstractCollection
java/util/concurrent/ConcurrentHashMap$Values this$0
java/util/concurrent/ConcurrentHashMap$Values <init>(Ljava/util/concurrent/ConcurrentHashMap;)V
java/util/concurrent/ConcurrentHashMap$Values iterator()Ljava/util/Iterator;
java/util/concurrent/ConcurrentHashMap$Values size()I
java/util/concurrent/ConcurrentHashMap$Values contains(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$Values clear()V
java/util/concurrent/ConcurrentHashMap$Values toArray()[Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$Values toArray([Ljava/lang/Object;)[Ljava/lang/Object;
class java/util/concurrent/ConcurrentLinkedQueue$Itr java/lang/Object
java/util/concurrent/ConcurrentLinkedQueue$Itr nextNode
java/util/concurrent/ConcurrentLinkedQueue$Itr nextItem
java/util/concurrent/ConcurrentLinkedQueue$Itr
    lastRet
java/util/concurrent/ConcurrentLinkedQueue$Itr this$0
java/util/concurrent/ConcurrentLinkedQueue$Itr <init>(Ljava/util/concurrent/ConcurrentLinkedQueue;)V
java/util/concurrent/ConcurrentLinkedQueue$Itr advance()Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue$Itr hasNext()Z
java/util/concurrent/ConcurrentLinkedQueue$Itr next()Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue$Itr remove()V
class java/util/concurrent/ConcurrentLinkedQueue$Node java/lang/Object
java/util/concurrent/ConcurrentLinkedQueue$Node item
java/util/concurrent/ConcurrentLinkedQueue$Node next
java/util/concurrent/ConcurrentLinkedQueue$Node nextUpdater
java/util/concurrent/ConcurrentLinkedQueue$Node itemUpdater
java/util/concurrent/ConcurrentLinkedQueue$Node <init>(Ljava/lang/Object;)V
java/util/concurrent/ConcurrentLinkedQueue$Node
    <init>(Ljava/lang/Object;Ljava/util/concurrent/ConcurrentLinkedQueue$Node;)V
java/util/concurrent/ConcurrentLinkedQueue$Node
    getItem()Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue$Node casItem(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentLinkedQueue$Node setItem(Ljava/lang/Object;)V
java/util/concurrent/ConcurrentLinkedQueue$Node getNext()Ljava/util/concurrent/ConcurrentLinkedQueue$Node;
java/util/concurrent/ConcurrentLinkedQueue$Node
    casNext(Ljava/util/concurrent/ConcurrentLinkedQueue$Node;Ljava/util/concurrent/ConcurrentLinkedQueue$Node;
    )Z
java/util/concurrent/ConcurrentLinkedQueue$Node

```

```

setNext(Ljava/util/concurrent/ConcurrentLinkedQueue$Node;)V
java/util/concurrent/ConcurrentLinkedQueue$Node <clinit>()V
class java/util/concurrent/ConcurrentLinkedQueue java/util/AbstractQueue
java/util/concurrent/ConcurrentLinkedQueue serialVersionUID
java/util/concurrent/ConcurrentLinkedQueue tailUpdater
java/util/concurrent/ConcurrentLinkedQueue headUpdater
java/util/concurrent/ConcurrentLinkedQueue head
java/util/concurrent/ConcurrentLinkedQueue tail
java/util/concurrent/ConcurrentLinkedQueue
casTail(Ljava/util/concurrent/ConcurrentLinkedQueue$Node;Ljava/util/concurrent/ConcurrentLinkedQueue$Node;)
Z
java/util/concurrent/ConcurrentLinkedQueue
casHead(Ljava/util/concurrent/ConcurrentLinkedQueue$Node;Ljava/util/concurrent/ConcurrentLinkedQueue$Node
;)Z
java/util/concurrent/ConcurrentLinkedQueue <init>()V
java/util/concurrent/ConcurrentLinkedQueue <init>(Ljava/util/Collection;)V
java/util/concurrent/ConcurrentLinkedQueue add(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentLinkedQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentLinkedQueue poll()Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue peek()Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue first()Ljava/util/concurrent/ConcurrentLinkedQueue$Node;
java/util/concurrent/ConcurrentLinkedQueue isEmpty()Z
java/util/concurrent/ConcurrentLinkedQueue size()I
java/util/concurrent/ConcurrentLinkedQueue contains(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentLinkedQueue
remove(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentLinkedQueue toArray()[Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/ConcurrentLinkedQueue iterator()Ljava/util/Iterator;
java/util/concurrent/ConcurrentLinkedQueue writeObject(Ljava/io/ObjectOutputStream;)V
java/util/concurrent/ConcurrentLinkedQueue readObject(Ljava/io/ObjectInputStream;)V
java/util/concurrent/ConcurrentLinkedQueue <clinit>()V
class java/util/concurrent/CopyOnWriteArrayList$1 java/lang/Object
class java/util/concurrent/CopyOnWriteArrayList$COWIterator java/lang/Object
java/util/concurrent/CopyOnWriteArrayList$COWIterator array
java/util/concurrent/CopyOnWriteArrayList$COWIterator cursor
java/util/concurrent/CopyOnWriteArrayList$COWIterator <init>([Ljava/lang/Object;I)V
java/util/concurrent/CopyOnWriteArrayList$COWIterator hasNext()Z
java/util/concurrent/CopyOnWriteArrayList$COWIterator hasPrevious()Z
java/util/concurrent/CopyOnWriteArrayList$COWIterator
next()Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWIterator previous()Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWIterator nextIndex()I
java/util/concurrent/CopyOnWriteArrayList$COWIterator previousIndex()I
java/util/concurrent/CopyOnWriteArrayList$COWIterator remove()V
java/util/concurrent/CopyOnWriteArrayList$COWIterator set(Ljava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList$COWIterator add(Ljava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList$COWIterator

```

```

<init>([Ljava/lang/Object;ILjava/util/concurrent/CopyOnWriteArrayList$1;)V
class java/util/concurrent/CopyOnWriteArrayList$COWSubList java/util/AbstractList
java/util/concurrent/CopyOnWriteArrayList$COWSubList l
java/util/concurrent/CopyOnWriteArrayList$COWSubList offset
java/util/concurrent/CopyOnWriteArrayList$COWSubList size
java/util/concurrent/CopyOnWriteArrayList$COWSubList expectedArray
java/util/concurrent/CopyOnWriteArrayList$COWSubList
  <init>([Ljava/util/concurrent/CopyOnWriteArrayList;II)V
java/util/concurrent/CopyOnWriteArrayList$COWSubList checkForComodification()V
java/util/concurrent/CopyOnWriteArrayList$COWSubList rangeCheck(I)V
java/util/concurrent/CopyOnWriteArrayList$COWSubList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWSubList get(I)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWSubList size()I
java/util/concurrent/CopyOnWriteArrayList$COWSubList add(ILjava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList$COWSubList clear()V
java/util/concurrent/CopyOnWriteArrayList$COWSubList remove(I)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList$COWSubList iterator()Ljava/util/Iterator;
java/util/concurrent/CopyOnWriteArrayList$COWSubList listIterator(I)Ljava/util/ListIterator;
java/util/concurrent/CopyOnWriteArrayList$COWSubList subList(II)Ljava/util/List;
java/util/concurrent/CopyOnWriteArrayList$COWSubList
  <init>([Ljava/util/concurrent/CopyOnWriteArrayList;IILjava/util/concurrent/CopyOnWriteArrayList$1;)V
class
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator java/lang/Object
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator i
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator index
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator offset
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator size
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator <init>([Ljava/util/List;III)V
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator hasNext()Z
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator next()Ljava/lang/Object;
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator hasPrevious()Z
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator previous()Ljava/lang/Object;
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator nextIndex()I
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator previousIndex()I
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator
    remove()V
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator set(Ljava/lang/Object;)V
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator add(Ljava/lang/Object;)V
  java/util/concurrent/CopyOnWriteArrayList$COWSubListIterator
    <init>([Ljava/util/List;IIILjava/util/concurrent/CopyOnWriteArrayList$1;)V
class java/util/concurrent/CopyOnWriteArrayList java/lang/Object
java/util/concurrent/CopyOnWriteArrayList serialVersionUID
java/util/concurrent/CopyOnWriteArrayList array
java/util/concurrent/CopyOnWriteArrayList array()[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList <init>()V
java/util/concurrent/CopyOnWriteArrayList <init>([Ljava/util/Collection;)V
java/util/concurrent/CopyOnWriteArrayList <init>([Ljava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList copyIn([Ljava/lang/Object;II)V

```

```

java/util/concurrent/CopyOnWriteArrayList size()I
java/util/concurrent/CopyOnWriteArrayList isEmpty()Z
java/util/concurrent/CopyOnWriteArrayList
contains(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArrayList indexOf(Ljava/lang/Object;)I
java/util/concurrent/CopyOnWriteArrayList indexOf(Ljava/lang/Object;[Ljava/lang/Object;I)I
java/util/concurrent/CopyOnWriteArrayList indexOf(Ljava/lang/Object;I)I
java/util/concurrent/CopyOnWriteArrayList lastIndexOf(Ljava/lang/Object;)I
java/util/concurrent/CopyOnWriteArrayList lastIndexOf(Ljava/lang/Object;[Ljava/lang/Object;I)I
java/util/concurrent/CopyOnWriteArrayList lastIndexOf(Ljava/lang/Object;I)I
java/util/concurrent/CopyOnWriteArrayList clone()Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList toArray()[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList get(I)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList add(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArrayList
add(ILjava/lang/Object;)V
java/util/concurrent/CopyOnWriteArrayList remove(I)Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList remove(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArrayList removeRange(II)V
java/util/concurrent/CopyOnWriteArrayList addIfAbsent(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArrayList containsAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArrayList removeAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArrayList retainAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArrayList addAllAbsent(Ljava/util/Collection;)I
java/util/concurrent/CopyOnWriteArrayList clear()V
java/util/concurrent/CopyOnWriteArrayList addAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArrayList addAll(ILjava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArrayList rangeCheck(II)V
java/util/concurrent/CopyOnWriteArrayList writeObject(Ljava/io/ObjectOutputStream;)V
java/util/concurrent/CopyOnWriteArrayList
readObject(Ljava/io/ObjectInputStream;)V
java/util/concurrent/CopyOnWriteArrayList toString()Ljava/lang/String;
java/util/concurrent/CopyOnWriteArrayList equals(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArrayList hashCode()I
java/util/concurrent/CopyOnWriteArrayList iterator()Ljava/util/Iterator;
java/util/concurrent/CopyOnWriteArrayList listIterator()Ljava/util/ListIterator;
java/util/concurrent/CopyOnWriteArrayList listIterator(I)Ljava/util/ListIterator;
java/util/concurrent/CopyOnWriteArrayList subList(II)Ljava/util/List;
java/util/concurrent/CopyOnWriteArrayList
access$200(Ljava/util/concurrent/CopyOnWriteArrayList;)[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList
access$300(Ljava/util/concurrent/CopyOnWriteArrayList;)[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArrayList access$400(Ljava/util/concurrent/CopyOnWriteArrayList;II)V
class java/util/concurrent/CopyOnWriteArraySet java/util/AbstractSet
java/util/concurrent/CopyOnWriteArraySet

```



```

serialVersionUID
java/util/concurrent/CopyOnWriteArraySet al
java/util/concurrent/CopyOnWriteArraySet <init>()V
java/util/concurrent/CopyOnWriteArraySet <init>(Ljava/util/Collection;)V
java/util/concurrent/CopyOnWriteArraySet size()I
java/util/concurrent/CopyOnWriteArraySet isEmpty()Z
java/util/concurrent/CopyOnWriteArraySet contains(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArraySet toArray()[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArraySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/CopyOnWriteArraySet clear()V
java/util/concurrent/CopyOnWriteArraySet iterator()Ljava/util/Iterator;
java/util/concurrent/CopyOnWriteArraySet remove(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArraySet add(Ljava/lang/Object;)Z
java/util/concurrent/CopyOnWriteArraySet containsAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArraySet addAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArraySet removeAll(Ljava/util/Collection;)Z
java/util/concurrent/CopyOnWriteArraySet
    retainAll(Ljava/util/Collection;)Z
class java/util/concurrent/CountDownLatch$Sync java/util/concurrent/locks/AbstractQueuedSynchronizer
java/util/concurrent/CountDownLatch$Sync <init>()I)V
java/util/concurrent/CountDownLatch$Sync getCount()I
java/util/concurrent/CountDownLatch$Sync tryAcquireShared(I)I
java/util/concurrent/CountDownLatch$Sync tryReleaseShared(I)Z
class java/util/concurrent/CountDownLatch java/lang/Object
java/util/concurrent/CountDownLatch sync
java/util/concurrent/CountDownLatch <init>()I)V
java/util/concurrent/CountDownLatch await()V
java/util/concurrent/CountDownLatch await(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/CountDownLatch countDown()V
java/util/concurrent/CountDownLatch getCount()J
java/util/concurrent/CountDownLatch toString()Ljava/lang/String;
class java/util/concurrent/CyclicBarrier$1 java/lang/Object
class java/util/concurrent/CyclicBarrier$Generation java/lang/Object
java/util/concurrent/CyclicBarrier$Generation
    broken
java/util/concurrent/CyclicBarrier$Generation <init>()V
java/util/concurrent/CyclicBarrier$Generation <init>(Ljava/util/concurrent/CyclicBarrier$1;)V
class java/util/concurrent/CyclicBarrier java/lang/Object
java/util/concurrent/CyclicBarrier lock
java/util/concurrent/CyclicBarrier trip
java/util/concurrent/CyclicBarrier parties
java/util/concurrent/CyclicBarrier barrierCommand
java/util/concurrent/CyclicBarrier generation
java/util/concurrent/CyclicBarrier count
java/util/concurrent/CyclicBarrier nextGeneration()V
java/util/concurrent/CyclicBarrier breakBarrier()V
java/util/concurrent/CyclicBarrier dowait(Z)I
java/util/concurrent/CyclicBarrier <init>(ILjava/lang/Runnable;)V

```

```

java/util/concurrent/CyclicBarrier <init>(I)V
java/util/concurrent/CyclicBarrier getParties()I
java/util/concurrent/CyclicBarrier await()I
java/util/concurrent/CyclicBarrier await(JLjava/util/concurrent/TimeUnit;)I
java/util/concurrent/CyclicBarrier isBroken()Z
java/util/concurrent/CyclicBarrier
    reset()V
java/util/concurrent/CyclicBarrier getNumberWaiting()I
class java/util/concurrent/DelayQueue$Itr java/lang/Object
java/util/concurrent/DelayQueue$Itr iter
java/util/concurrent/DelayQueue$Itr this$0
java/util/concurrent/DelayQueue$Itr <init>(Ljava/util/concurrent/DelayQueue;Ljava/util/Iterator;)V
java/util/concurrent/DelayQueue$Itr hasNext()Z
java/util/concurrent/DelayQueue$Itr next()Ljava/lang/Object;
java/util/concurrent/DelayQueue$Itr remove()V
class java/util/concurrent/DelayQueue java/util/AbstractQueue
java/util/concurrent/DelayQueue lock
java/util/concurrent/DelayQueue available
java/util/concurrent/DelayQueue q
java/util/concurrent/DelayQueue $assertionsDisabled
java/util/concurrent/DelayQueue <init>()V
java/util/concurrent/DelayQueue <init>(Ljava/util/Collection;)V
java/util/concurrent/DelayQueue offer(Ljava/util/concurrent/Delayed;)Z
java/util/concurrent/DelayQueue put(Ljava/util/concurrent/Delayed;)V
java/util/concurrent/DelayQueue offer(Ljava/util/concurrent/Delayed;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/DelayQueue
    add(Ljava/util/concurrent/Delayed;)Z
java/util/concurrent/DelayQueue take()Ljava/util/concurrent/Delayed;
java/util/concurrent/DelayQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/Delayed;
java/util/concurrent/DelayQueue poll()Ljava/util/concurrent/Delayed;
java/util/concurrent/DelayQueue peek()Ljava/util/concurrent/Delayed;
java/util/concurrent/DelayQueue size()I
java/util/concurrent/DelayQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/DelayQueue drainTo(Ljava/util/Collection;I)I
java/util/concurrent/DelayQueue clear()V
java/util/concurrent/DelayQueue remainingCapacity()I
java/util/concurrent/DelayQueue toArray()[Ljava/lang/Object;
java/util/concurrent/DelayQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/DelayQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/DelayQueue iterator()Ljava/util/Iterator;
java/util/concurrent/DelayQueue add(Ljava/lang/Object;)Z
java/util/concurrent/DelayQueue
    peek()Ljava/lang/Object;
java/util/concurrent/DelayQueue poll()Ljava/lang/Object;
java/util/concurrent/DelayQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/DelayQueue put(Ljava/lang/Object;)V
java/util/concurrent/DelayQueue take()Ljava/lang/Object;
java/util/concurrent/DelayQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;

```

```

java/util/concurrent/DelayQueue offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/DelayQueue
access$000(Ljava/util/concurrent/DelayQueue;)Ljava/util/concurrent/locks/ReentrantLock;
java/util/concurrent/DelayQueue <clinit>()V
class java/util/concurrent/Delayed java/lang/Object
java/util/concurrent/Delayed getDelay(Ljava/util/concurrent/TimeUnit;)J
class java/util/concurrent/Exchanger$1 java/lang/Object
class java/util/concurrent/Exchanger$Node java/util/concurrent/atomic/AtomicReference
java/util/concurrent/Exchanger$Node item
java/util/concurrent/Exchanger$Node waiter
java/util/concurrent/Exchanger$Node
  <init>(Ljava/lang/Object;)V
class java/util/concurrent/Exchanger$Slot java/util/concurrent/atomic/AtomicReference
java/util/concurrent/Exchanger$Slot q0
java/util/concurrent/Exchanger$Slot q1
java/util/concurrent/Exchanger$Slot q2
java/util/concurrent/Exchanger$Slot q3
java/util/concurrent/Exchanger$Slot q4
java/util/concurrent/Exchanger$Slot q5
java/util/concurrent/Exchanger$Slot q6
java/util/concurrent/Exchanger$Slot q7
java/util/concurrent/Exchanger$Slot q8
java/util/concurrent/Exchanger$Slot q9
java/util/concurrent/Exchanger$Slot qa
java/util/concurrent/Exchanger$Slot qb
java/util/concurrent/Exchanger$Slot qc
java/util/concurrent/Exchanger$Slot qd
java/util/concurrent/Exchanger$Slot qe
java/util/concurrent/Exchanger$Slot <init>()V
java/util/concurrent/Exchanger$Slot <init>(Ljava/util/concurrent/Exchanger$1;)V
class java/util/concurrent/Exchanger java/lang/Object
java/util/concurrent/Exchanger NCPU
java/util/concurrent/Exchanger CAPACITY
java/util/concurrent/Exchanger
  FULL
java/util/concurrent/Exchanger SPINS
java/util/concurrent/Exchanger TIMED_SPINS
java/util/concurrent/Exchanger CANCEL
java/util/concurrent/Exchanger NULL_ITEM
java/util/concurrent/Exchanger arena
java/util/concurrent/Exchanger max
java/util/concurrent/Exchanger doExchange(Ljava/lang/Object;ZJ)Ljava/lang/Object;
java/util/concurrent/Exchanger hashIndex()I
java/util/concurrent/Exchanger createSlot(I)V
java/util/concurrent/Exchanger
  tryCancel(Ljava/util/concurrent/Exchanger$Node;Ljava/util/concurrent/Exchanger$Slot;)Z
java/util/concurrent/Exchanger
  spinWait(Ljava/util/concurrent/Exchanger$Node;Ljava/util/concurrent/Exchanger$Slot;)Ljava/lang/Object;

```

```

java/util/concurrent/Exchanger
await(Ljava/util/concurrent/Exchanger$Node;Ljava/util/concurrent/Exchanger$Slot;)Ljava/lang/Object;
java/util/concurrent/Exchanger
awaitNanos(Ljava/util/concurrent/Exchanger$Node;Ljava/util/concurrent/Exchanger$Slot;J)Ljava/lang/Object;
java/util/concurrent/Exchanger scanOnTimeout(Ljava/util/concurrent/Exchanger$Node;)Ljava/lang/Object;
java/util/concurrent/Exchanger
<init>()V
java/util/concurrent/Exchanger exchange(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/Exchanger exchange(Ljava/lang/Object;Ljava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/Exchanger <clinit>()V
class java/util/concurrent/ExecutionException java/lang/Exception
java/util/concurrent/ExecutionException serialVersionUID
java/util/concurrent/ExecutionException <init>()V
java/util/concurrent/ExecutionException <init>(Ljava/lang/String;)V
java/util/concurrent/ExecutionException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/util/concurrent/ExecutionException <init>(Ljava/lang/Throwable;)V
class java/util/concurrent/Executor java/lang/Object
java/util/concurrent/Executor execute(Ljava/lang/Runnable;)V
class java/util/concurrent/ExecutorCompletionService$QueueingFuture java/util/concurrent/FutureTask
java/util/concurrent/ExecutorCompletionService$QueueingFuture
this$0
java/util/concurrent/ExecutorCompletionService$QueueingFuture
<init>(Ljava/util/concurrent/ExecutorCompletionService;Ljava/util/concurrent/Callable;)V
java/util/concurrent/ExecutorCompletionService$QueueingFuture
<init>(Ljava/util/concurrent/ExecutorCompletionService;Ljava/lang/Runnable;Ljava/lang/Object;)V
java/util/concurrent/ExecutorCompletionService$QueueingFuture done()V
class java/util/concurrent/ExecutorCompletionService java/lang/Object
java/util/concurrent/ExecutorCompletionService executor
java/util/concurrent/ExecutorCompletionService completionQueue
java/util/concurrent/ExecutorCompletionService <init>(Ljava/util/concurrent/Executor;)V
java/util/concurrent/ExecutorCompletionService
<init>(Ljava/util/concurrent/Executor;Ljava/util/concurrent/BlockingQueue;)V
java/util/concurrent/ExecutorCompletionService
submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorCompletionService
submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorCompletionService
take()Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorCompletionService poll()Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorCompletionService
poll(JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorCompletionService
access$000(Ljava/util/concurrent/ExecutorCompletionService;)Ljava/util/concurrent/BlockingQueue;
class java/util/concurrent/ExecutorService java/lang/Object
java/util/concurrent/ExecutorService shutdown()V
java/util/concurrent/ExecutorService shutdownNow()Ljava/util/List;
java/util/concurrent/ExecutorService isShutdown()Z
java/util/concurrent/ExecutorService isTerminated()Z

```

```

java/util/concurrent/ExecutorService awaitTermination(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/ExecutorService submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorService submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorService
    submit(Ljava/lang/Runnable;)Ljava/util/concurrent/Future;
java/util/concurrent/ExecutorService invokeAll(Ljava/util/Collection;)Ljava/util/List;
java/util/concurrent/ExecutorService
    invokeAll(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/util/List;
java/util/concurrent/ExecutorService invokeAny(Ljava/util/Collection;)Ljava/lang/Object;
java/util/concurrent/ExecutorService
    invokeAny(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
class java/util/concurrent/Executors$DefaultThreadFactory java/lang/Object
java/util/concurrent/Executors$DefaultThreadFactory poolNumber
java/util/concurrent/Executors$DefaultThreadFactory group
java/util/concurrent/Executors$DefaultThreadFactory threadNumber
java/util/concurrent/Executors$DefaultThreadFactory namePrefix
java/util/concurrent/Executors$DefaultThreadFactory <init>()V
java/util/concurrent/Executors$DefaultThreadFactory newThread(Ljava/lang/Runnable;)Ljava/lang/Thread;
java/util/concurrent/Executors$DefaultThreadFactory
    <clinit>()V
class java/util/concurrent/Executors$DelegatedExecutorService java/util/concurrent/AbstractExecutorService
java/util/concurrent/Executors$DelegatedExecutorService e
java/util/concurrent/Executors$DelegatedExecutorService <init>(Ljava/util/concurrent/ExecutorService;)V
java/util/concurrent/Executors$DelegatedExecutorService execute(Ljava/lang/Runnable;)V
java/util/concurrent/Executors$DelegatedExecutorService shutdown()V
java/util/concurrent/Executors$DelegatedExecutorService shutdownNow()Ljava/util/List;
java/util/concurrent/Executors$DelegatedExecutorService isShutdown()Z
java/util/concurrent/Executors$DelegatedExecutorService isTerminated()Z
java/util/concurrent/Executors$DelegatedExecutorService awaitTermination(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/Executors$DelegatedExecutorService
    submit(Ljava/lang/Runnable;)Ljava/util/concurrent/Future;
java/util/concurrent/Executors$DelegatedExecutorService
    submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/Executors$DelegatedExecutorService
    submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/Executors$DelegatedExecutorService invokeAll(Ljava/util/Collection;)Ljava/util/List;
java/util/concurrent/Executors$DelegatedExecutorService
    invokeAll(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/util/List;
java/util/concurrent/Executors$DelegatedExecutorService invokeAny(Ljava/util/Collection;)Ljava/lang/Object;
java/util/concurrent/Executors$DelegatedExecutorService
    invokeAny(Ljava/util/Collection;JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
class java/util/concurrent/Executors$DelegatedScheduledExecutorService
java/util/concurrent/Executors$DelegatedExecutorService
java/util/concurrent/Executors$DelegatedScheduledExecutorService e
java/util/concurrent/Executors$DelegatedScheduledExecutorService
    <init>(Ljava/util/concurrent/ScheduledExecutorService;)V
java/util/concurrent/Executors$DelegatedScheduledExecutorService

```

```

    schedule(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/Executors$DelegatedScheduledExecutorService
    schedule(Ljava/util/concurrent/Callable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/Executors$DelegatedScheduledExecutorService
    scheduleAtFixedRate(Ljava/lang/Runnable;JJLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/Executors$DelegatedScheduledExecutorService
    scheduleWithFixedDelay(Ljava/lang/Runnable;JJLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
class java/util/concurrent/Executors$PrivilegedActionAdapter java/lang/Object
java/util/concurrent/Executors$PrivilegedActionAdapter action
java/util/concurrent/Executors$PrivilegedActionAdapter <init>(Ljava/security/PrivilegedAction;)V
java/util/concurrent/Executors$PrivilegedActionAdapter
    call(Ljava/lang/Object;
class java/util/concurrent/Executors$PrivilegedCallable$1 java/lang/Object
java/util/concurrent/Executors$PrivilegedCallable$1 this$0
java/util/concurrent/Executors$PrivilegedCallable$1 <init>(Ljava/util/concurrent/Executors$PrivilegedCallable;)V
java/util/concurrent/Executors$PrivilegedCallable$1 run(Ljava/lang/Object;
class java/util/concurrent/Executors$PrivilegedCallable java/lang/Object
java/util/concurrent/Executors$PrivilegedCallable acc
java/util/concurrent/Executors$PrivilegedCallable task
java/util/concurrent/Executors$PrivilegedCallable result
java/util/concurrent/Executors$PrivilegedCallable exception
java/util/concurrent/Executors$PrivilegedCallable <init>(Ljava/util/concurrent/Callable;)V
java/util/concurrent/Executors$PrivilegedCallable call(Ljava/lang/Object;
java/util/concurrent/Executors$PrivilegedCallable
    access$002(Ljava/util/concurrent/Executors$PrivilegedCallable;Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/Executors$PrivilegedCallable
    access$100(Ljava/util/concurrent/Executors$PrivilegedCallable;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors$PrivilegedCallable
    access$202(Ljava/util/concurrent/Executors$PrivilegedCallable;Ljava/lang/Exception;)Ljava/lang/Exception;
class java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader$1 java/lang/Object
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader$1 this$0
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader$1
    <init>(Ljava/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader;)V
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader$1 run(Ljava/lang/Object;
class java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader java/lang/Object
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader ccl
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader acc
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
    task
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader result
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader exception
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
    <init>(Ljava/util/concurrent/Callable;)V
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader call(Ljava/lang/Object;
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
    access$300(Ljava/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader;)Ljava/lang/ClassLoader;

```

```

java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
access$402(Ljava/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader;Ljava/lang/Object;)Ljava/
lang/Object;
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
access$500(Ljava/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader;)Ljava/util/concurrent/Cal
lable;
java/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader
access$602(Ljava/util/concurrent/Executors$PrivilegedCallableUsingCurrentClassLoader;Ljava/lang/Exception;)Lj
ava/lang/Exception;
class java/util/concurrent/Executors$PrivilegedExceptionActionAdapter java/lang/Object
java/util/concurrent/Executors$PrivilegedExceptionActionAdapter action
java/util/concurrent/Executors$PrivilegedExceptionActionAdapter
<init>(Ljava/security/PrivilegedExceptionAction;)V
java/util/concurrent/Executors$PrivilegedExceptionActionAdapter call()Ljava/lang/Object;
class java/util/concurrent/Executors$PrivilegedThreadFactory$1$1 java/lang/Object
java/util/concurrent/Executors$PrivilegedThreadFactory$1$1 this$1
java/util/concurrent/Executors$PrivilegedThreadFactory$1$1
<init>(Ljava/util/concurrent/Executors$PrivilegedThreadFactory$1;)V
java/util/concurrent/Executors$PrivilegedThreadFactory$1$1 run()Ljava/lang/Object;
class java/util/concurrent/Executors$PrivilegedThreadFactory$1 java/lang/Object
java/util/concurrent/Executors$PrivilegedThreadFactory$1
val$r
java/util/concurrent/Executors$PrivilegedThreadFactory$1 this$0
java/util/concurrent/Executors$PrivilegedThreadFactory$1
<init>(Ljava/util/concurrent/Executors$PrivilegedThreadFactory;Ljava/lang/Runnable;)V
java/util/concurrent/Executors$PrivilegedThreadFactory$1 run()V
class java/util/concurrent/Executors$PrivilegedThreadFactory java/util/concurrent/Executors$DefaultThreadFactory
java/util/concurrent/Executors$PrivilegedThreadFactory ccl
java/util/concurrent/Executors$PrivilegedThreadFactory acc
java/util/concurrent/Executors$PrivilegedThreadFactory <init>()V
java/util/concurrent/Executors$PrivilegedThreadFactory newThread(Ljava/lang/Runnable;)Ljava/lang/Thread;
java/util/concurrent/Executors$PrivilegedThreadFactory
access$700(Ljava/util/concurrent/Executors$PrivilegedThreadFactory;)Ljava/lang/ClassLoader;
java/util/concurrent/Executors$PrivilegedThreadFactory
access$800(Ljava/util/concurrent/Executors$PrivilegedThreadFactory;)Ljava/security/AccessControlContext;
class
java/util/concurrent/Executors$RunnableAdapter java/lang/Object
java/util/concurrent/Executors$RunnableAdapter task
java/util/concurrent/Executors$RunnableAdapter result
java/util/concurrent/Executors$RunnableAdapter <init>(Ljava/lang/Runnable;Ljava/lang/Object;)V
java/util/concurrent/Executors$RunnableAdapter call()Ljava/lang/Object;
class java/util/concurrent/Executors java/lang/Object
java/util/concurrent/Executors newFixedThreadPool(I)Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors
newFixedThreadPool(ILjava/util/concurrent/ThreadFactory;)Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors newSingleThreadExecutor()Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors
newSingleThreadExecutor(Ljava/util/concurrent/ThreadFactory;)Ljava/util/concurrent/ExecutorService;

```

```

java/util/concurrent/Executors newCachedThreadPool()Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors
    newCachedThreadPool(Ljava/util/concurrent/ThreadFactory;)Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors
    newSingleThreadScheduledExecutor()Ljava/util/concurrent/ScheduledExecutorService;
java/util/concurrent/Executors
    newSingleThreadScheduledExecutor(Ljava/util/concurrent/ThreadFactory;)Ljava/util/concurrent/ScheduledExecuto
rService;
java/util/concurrent/Executors newScheduledThreadPool(I)Ljava/util/concurrent/ScheduledExecutorService;
java/util/concurrent/Executors
    newScheduledThreadPool(ILjava/util/concurrent/ThreadFactory;)Ljava/util/concurrent/ScheduledExecutorService;
java/util/concurrent/Executors
    unconfigurableExecutorService(Ljava/util/concurrent/ExecutorService;)Ljava/util/concurrent/ExecutorService;
java/util/concurrent/Executors
    unconfigurableScheduledExecutorService(Ljava/util/concurrent/ScheduledExecutorService;)Ljava/util/concurrent/S
cheduledExecutorService;
java/util/concurrent/Executors defaultThreadFactory()Ljava/util/concurrent/ThreadFactory;
java/util/concurrent/Executors
    privilegedThreadFactory()Ljava/util/concurrent/ThreadFactory;
java/util/concurrent/Executors callable(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors callable(Ljava/lang/Runnable;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors callable(Ljava/security/PrivilegedAction;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors callable(Ljava/security/PrivilegedExceptionAction;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors privilegedCallable(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors
    privilegedCallableUsingCurrentClassLoader(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Callable;
java/util/concurrent/Executors <init>()V
class java/util/concurrent/Future java/lang/Object
java/util/concurrent/Future cancel(Z)Z
java/util/concurrent/Future isCancelled()Z
java/util/concurrent/Future isDone()Z
java/util/concurrent/Future
    get()Ljava/lang/Object;
java/util/concurrent/Future get(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
class java/util/concurrent/FutureTask$Sync java/util/concurrent/locks/AbstractQueuedSynchronizer
java/util/concurrent/FutureTask$Sync RUNNING
java/util/concurrent/FutureTask$Sync RAN
java/util/concurrent/FutureTask$Sync CANCELLED
java/util/concurrent/FutureTask$Sync callable
java/util/concurrent/FutureTask$Sync result
java/util/concurrent/FutureTask$Sync exception
java/util/concurrent/FutureTask$Sync runner
java/util/concurrent/FutureTask$Sync this$0
java/util/concurrent/FutureTask$Sync <init>(Ljava/util/concurrent/FutureTask;Ljava/util/concurrent/Callable;)V
java/util/concurrent/FutureTask$Sync ranOrCancelled(I)Z
java/util/concurrent/FutureTask$Sync tryAcquireShared(I)I
java/util/concurrent/FutureTask$Sync tryReleaseShared(I)Z
java/util/concurrent/FutureTask$Sync innerIsCancelled()Z

```



```

java/util/concurrent/FutureTask$Sync innerIsDone()Z
java/util/concurrent/FutureTask$Sync
    innerGet()Ljava/lang/Object;
java/util/concurrent/FutureTask$Sync innerGet(J)Ljava/lang/Object;
java/util/concurrent/FutureTask$Sync innerSet(Ljava/lang/Object;)V
java/util/concurrent/FutureTask$Sync innerSetException(Ljava/lang/Throwable;)V
java/util/concurrent/FutureTask$Sync innerCancel(Z)Z
java/util/concurrent/FutureTask$Sync innerRun()V
java/util/concurrent/FutureTask$Sync innerRunAndReset(Z)Z
class java/util/concurrent/FutureTask java/lang/Object
java/util/concurrent/FutureTask sync
java/util/concurrent/FutureTask <init>(Ljava/util/concurrent/Callable;)V
java/util/concurrent/FutureTask <init>(Ljava/lang/Runnable;Ljava/lang/Object;)V
java/util/concurrent/FutureTask isCancelled()Z
java/util/concurrent/FutureTask isDone()Z
java/util/concurrent/FutureTask cancel(Z)Z
java/util/concurrent/FutureTask get()Ljava/lang/Object;
java/util/concurrent/FutureTask get(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/FutureTask done()V
java/util/concurrent/FutureTask
    set(Ljava/lang/Object;)V
java/util/concurrent/FutureTask setException(Ljava/lang/Throwable;)V
java/util/concurrent/FutureTask run()V
java/util/concurrent/FutureTask runAndReset(Z)Z
class java/util/concurrent/LinkedBlockingQueue$Itr java/lang/Object
java/util/concurrent/LinkedBlockingQueue$Itr current
java/util/concurrent/LinkedBlockingQueue$Itr lastRet
java/util/concurrent/LinkedBlockingQueue$Itr currentElement
java/util/concurrent/LinkedBlockingQueue$Itr this$0
java/util/concurrent/LinkedBlockingQueue$Itr <init>(Ljava/util/concurrent/LinkedBlockingQueue;)V
java/util/concurrent/LinkedBlockingQueue$Itr hasNext()Z
java/util/concurrent/LinkedBlockingQueue$Itr next()Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue$Itr remove()V
class java/util/concurrent/LinkedBlockingQueue$Node java/lang/Object
java/util/concurrent/LinkedBlockingQueue$Node item
java/util/concurrent/LinkedBlockingQueue$Node next
java/util/concurrent/LinkedBlockingQueue$Node <init>(Ljava/lang/Object;)V
class
    java/util/concurrent/LinkedBlockingQueue java/util/AbstractQueue
java/util/concurrent/LinkedBlockingQueue serialVersionUID
java/util/concurrent/LinkedBlockingQueue capacity
java/util/concurrent/LinkedBlockingQueue count
java/util/concurrent/LinkedBlockingQueue head
java/util/concurrent/LinkedBlockingQueue last
java/util/concurrent/LinkedBlockingQueue takeLock
java/util/concurrent/LinkedBlockingQueue notEmpty
java/util/concurrent/LinkedBlockingQueue putLock
java/util/concurrent/LinkedBlockingQueue notFull

```

```

java/util/concurrent/LinkedBlockingQueue $assertionsDisabled
java/util/concurrent/LinkedBlockingQueue signalNotEmpty()V
java/util/concurrent/LinkedBlockingQueue signalNotFull()V
java/util/concurrent/LinkedBlockingQueue insert(Ljava/lang/Object;)V
java/util/concurrent/LinkedBlockingQueue extract()Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue fullyLock()V
java/util/concurrent/LinkedBlockingQueue fullyUnlock()V
java/util/concurrent/LinkedBlockingQueue <init>()V
java/util/concurrent/LinkedBlockingQueue
<init>(I)V
java/util/concurrent/LinkedBlockingQueue <init>(Ljava/util/Collection;)V
java/util/concurrent/LinkedBlockingQueue size()I
java/util/concurrent/LinkedBlockingQueue remainingCapacity()I
java/util/concurrent/LinkedBlockingQueue put(Ljava/lang/Object;)V
java/util/concurrent/LinkedBlockingQueue offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/LinkedBlockingQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/LinkedBlockingQueue take()Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue poll()Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue peek()Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/LinkedBlockingQueue toArray()[Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/LinkedBlockingQueue
toString()Ljava/lang/String;
java/util/concurrent/LinkedBlockingQueue clear()V
java/util/concurrent/LinkedBlockingQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/LinkedBlockingQueue drainTo(Ljava/util/Collection;I)I
java/util/concurrent/LinkedBlockingQueue iterator()Ljava/util/Iterator;
java/util/concurrent/LinkedBlockingQueue writeObject(Ljava/io/ObjectOutputStream;)V
java/util/concurrent/LinkedBlockingQueue readObject(Ljava/io/ObjectInputStream;)V
java/util/concurrent/LinkedBlockingQueue
access$000(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/locks/ReentrantLock;
java/util/concurrent/LinkedBlockingQueue
access$100(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/locks/ReentrantLock;
java/util/concurrent/LinkedBlockingQueue
access$200(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/LinkedBlockingQueue$Node;
java/util/concurrent/LinkedBlockingQueue
access$300(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/LinkedBlockingQueue$Node;
java/util/concurrent/LinkedBlockingQueue
access$302(Ljava/util/concurrent/LinkedBlockingQueue;Ljava/util/concurrent/LinkedBlockingQueue$Node;)Ljava/
util/concurrent/LinkedBlockingQueue$Node;
java/util/concurrent/LinkedBlockingQueue
access$400(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/atomic/AtomicInteger;
java/util/concurrent/LinkedBlockingQueue access$500(Ljava/util/concurrent/LinkedBlockingQueue;)I
java/util/concurrent/LinkedBlockingQueue
access$600(Ljava/util/concurrent/LinkedBlockingQueue;)Ljava/util/concurrent/locks/Condition;
java/util/concurrent/LinkedBlockingQueue <clinit>()V

```

```

class java/util/concurrent/PriorityBlockingQueue$Itr java/lang/Object
java/util/concurrent/PriorityBlockingQueue$Itr iter
java/util/concurrent/PriorityBlockingQueue$Itr this$0
java/util/concurrent/PriorityBlockingQueue$Itr
<init>(Ljava/util/concurrent/PriorityBlockingQueue;Ljava/util/Iterator;)V
java/util/concurrent/PriorityBlockingQueue$Itr
  hasNext()Z
java/util/concurrent/PriorityBlockingQueue$Itr next()Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue$Itr remove()V
class java/util/concurrent/PriorityBlockingQueue java/util/AbstractQueue
java/util/concurrent/PriorityBlockingQueue serialVersionUID
java/util/concurrent/PriorityBlockingQueue q
java/util/concurrent/PriorityBlockingQueue lock
java/util/concurrent/PriorityBlockingQueue notEmpty
java/util/concurrent/PriorityBlockingQueue $assertionsDisabled
java/util/concurrent/PriorityBlockingQueue <init>()V
java/util/concurrent/PriorityBlockingQueue <init>(I)V
java/util/concurrent/PriorityBlockingQueue <init>(ILjava/util/Comparator;)V
java/util/concurrent/PriorityBlockingQueue <init>(Ljava/util/Collection;)V
java/util/concurrent/PriorityBlockingQueue add(Ljava/lang/Object;)Z
java/util/concurrent/PriorityBlockingQueue comparator()Ljava/util/Comparator;
java/util/concurrent/PriorityBlockingQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/PriorityBlockingQueue
  put(Ljava/lang/Object;)V
java/util/concurrent/PriorityBlockingQueue offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/PriorityBlockingQueue take()Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue poll()Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue peek()Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue size()I
java/util/concurrent/PriorityBlockingQueue remainingCapacity()I
java/util/concurrent/PriorityBlockingQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/PriorityBlockingQueue contains(Ljava/lang/Object;)Z
java/util/concurrent/PriorityBlockingQueue toArray()[Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue toString()Ljava/lang/String;
java/util/concurrent/PriorityBlockingQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/PriorityBlockingQueue drainTo(Ljava/util/Collection;I)I
java/util/concurrent/PriorityBlockingQueue
  clear()V
java/util/concurrent/PriorityBlockingQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/PriorityBlockingQueue iterator()Ljava/util/Iterator;
java/util/concurrent/PriorityBlockingQueue writeObject(Ljava/io/ObjectOutputStream;)V
java/util/concurrent/PriorityBlockingQueue
  access$000(Ljava/util/concurrent/PriorityBlockingQueue;)Ljava/util/concurrent/locks/ReentrantLock;
java/util/concurrent/PriorityBlockingQueue <clinit>()V
class java/util/concurrent/RejectedExecutionException java/lang/RuntimeException
java/util/concurrent/RejectedExecutionException serialVersionUID
java/util/concurrent/RejectedExecutionException <init>()V

```

```

java/util/concurrent/RejectedExecutionException <init>(Ljava/lang/String;)V
java/util/concurrent/RejectedExecutionException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/util/concurrent/RejectedExecutionException <init>(Ljava/lang/Throwable;)V
class java/util/concurrent/RejectedExecutionHandler
  java/lang/Object
java/util/concurrent/RejectedExecutionHandler
  rejectedExecution(Ljava/lang/Runnable;Ljava/util/concurrent/ThreadPoolExecutor;)V
class java/util/concurrent/ScheduledExecutorService java/lang/Object
java/util/concurrent/ScheduledExecutorService
  schedule(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledExecutorService
  schedule(Ljava/util/concurrent/Callable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledExecutorService
  scheduleAtFixedRate(Ljava/lang/Runnable;JJLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledExecutorService
  scheduleWithFixedDelay(Ljava/lang/Runnable;JJLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
class java/util/concurrent/ScheduledFuture java/lang/Object
class java/util/concurrent/ScheduledThreadPoolExecutor$1 java/lang/Object
class java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1
  java/lang/Object
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 it
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 this$0
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1
  <init>(Ljava/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue;)V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 hasNext()Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 next()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 remove()V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue$1 next()Ljava/lang/Object;
class java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue java/util/AbstractCollection
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue dq
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue <init>()V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
  poll()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue peek()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue take()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
  poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue add(Ljava/lang/Runnable;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue offer(Ljava/lang/Runnable;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue put(Ljava/lang/Runnable;)V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
  offer(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue remove()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue element()Ljava/lang/Runnable;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue

```

```

clear()V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue drainTo(Ljava/util/Collection;I)I
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue remainingCapacity()I
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue contains(Ljava/lang/Object;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue size()I
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue isEmpty()Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue toArray()[Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue iterator()Ljava/util/Iterator;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
add(Ljava/lang/Object;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue put(Ljava/lang/Object;)V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue take()Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue element()Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue peek()Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue remove()Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue poll()Ljava/lang/Object;
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
<init>(Ljava/util/concurrent/ScheduledThreadPoolExecutor$1;)V
java/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue
access$500(Ljava/util/concurrent/ScheduledThreadPoolExecutor$DelayedWorkQueue;)Ljava/util/concurrent/Delay
Queue;
class java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask java/util/concurrent/FutureTask
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask sequenceNumber
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask time
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask period
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask this$0
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
<init>(Ljava/util/concurrent/ScheduledThreadPoolExecutor;Ljava/lang/Runnable;Ljava/lang/Object;J)V
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
<init>(Ljava/util/concurrent/ScheduledThreadPoolExecutor;Ljava/lang/Runnable;Ljava/lang/Object;JJ)V
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
<init>(Ljava/util/concurrent/ScheduledThreadPoolExecutor;Ljava/util/concurrent/Callable;J)V
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
getDelay(Ljava/util/concurrent/TimeUnit;)J
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
compareTo(Ljava/util/concurrent/Delayed;)I
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask isPeriodic()Z
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask runPeriodic()V
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask run()V

```

```

java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask compareTo(Ljava/lang/Object;)I
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
access$101(Ljava/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask;)Z
java/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask
access$301(Ljava/util/concurrent/ScheduledThreadPoolExecutor$ScheduledFutureTask;)V
class
java/util/concurrent/ScheduledThreadPoolExecutor java/util/concurrent/ThreadPoolExecutor
java/util/concurrent/ScheduledThreadPoolExecutor continueExistingPeriodicTasksAfterShutdown
java/util/concurrent/ScheduledThreadPoolExecutor executeExistingDelayedTasksAfterShutdown
java/util/concurrent/ScheduledThreadPoolExecutor sequencer
java/util/concurrent/ScheduledThreadPoolExecutor NANO_ORIGIN
java/util/concurrent/ScheduledThreadPoolExecutor now()J
java/util/concurrent/ScheduledThreadPoolExecutor delayedExecute(Ljava/lang/Runnable;)V
java/util/concurrent/ScheduledThreadPoolExecutor cancelUnwantedTasks()V
java/util/concurrent/ScheduledThreadPoolExecutor remove(Ljava/lang/Runnable;)Z
java/util/concurrent/ScheduledThreadPoolExecutor <init>(I)V
java/util/concurrent/ScheduledThreadPoolExecutor <init>(ILjava/util/concurrent/ThreadFactory;)V
java/util/concurrent/ScheduledThreadPoolExecutor <init>(ILjava/util/concurrent/RejectedExecutionHandler;)V
java/util/concurrent/ScheduledThreadPoolExecutor
<init>(ILjava/util/concurrent/ThreadFactory;Ljava/util/concurrent/RejectedExecutionHandler;)V
java/util/concurrent/ScheduledThreadPoolExecutor
schedule(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledThreadPoolExecutor
schedule(Ljava/util/concurrent/Callable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledThreadPoolExecutor
scheduleAtFixedRate(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledThreadPoolExecutor
scheduleWithFixedDelay(Ljava/lang/Runnable;JLjava/util/concurrent/TimeUnit;)Ljava/util/concurrent/ScheduledFuture;
java/util/concurrent/ScheduledThreadPoolExecutor execute(Ljava/lang/Runnable;)V
java/util/concurrent/ScheduledThreadPoolExecutor submit(Ljava/lang/Runnable;)Ljava/util/concurrent/Future;
java/util/concurrent/ScheduledThreadPoolExecutor
submit(Ljava/lang/Runnable;Ljava/lang/Object;)Ljava/util/concurrent/Future;
java/util/concurrent/ScheduledThreadPoolExecutor
submit(Ljava/util/concurrent/Callable;)Ljava/util/concurrent/Future;
java/util/concurrent/ScheduledThreadPoolExecutor setContinueExistingPeriodicTasksAfterShutdownPolicy(Z)V
java/util/concurrent/ScheduledThreadPoolExecutor getContinueExistingPeriodicTasksAfterShutdownPolicy()Z
java/util/concurrent/ScheduledThreadPoolExecutor setExecuteExistingDelayedTasksAfterShutdownPolicy(Z)V
java/util/concurrent/ScheduledThreadPoolExecutor getExecuteExistingDelayedTasksAfterShutdownPolicy()Z
java/util/concurrent/ScheduledThreadPoolExecutor shutdown()V
java/util/concurrent/ScheduledThreadPoolExecutor shutdownNow()Ljava/util/List;
java/util/concurrent/ScheduledThreadPoolExecutor getQueue()Ljava/util/concurrent/BlockingQueue;
java/util/concurrent/ScheduledThreadPoolExecutor access$000()Ljava/util/concurrent/atomic/AtomicLong;
java/util/concurrent/ScheduledThreadPoolExecutor
access$201(Ljava/util/concurrent/ScheduledThreadPoolExecutor;)Ljava/util/concurrent/BlockingQueue;
java/util/concurrent/ScheduledThreadPoolExecutor <clinit>()V
class java/util/concurrent/Semaphore$FairSync java/util/concurrent/Semaphore$Sync

```

```

java/util/concurrent/Semaphore$FairSync <init>(I)V
java/util/concurrent/Semaphore$FairSync tryAcquireShared(I)I
class java/util/concurrent/Semaphore$NonfairSync java/util/concurrent/Semaphore$Sync
java/util/concurrent/Semaphore$NonfairSync <init>(I)V
java/util/concurrent/Semaphore$NonfairSync tryAcquireShared(I)I
class java/util/concurrent/Semaphore$Sync java/util/concurrent/locks/AbstractQueuedSynchronizer
java/util/concurrent/Semaphore$Sync <init>(I)V
java/util/concurrent/Semaphore$Sync getPermits(I)
java/util/concurrent/Semaphore$Sync nonfairTryAcquireShared(I)I
java/util/concurrent/Semaphore$Sync tryReleaseShared(I)Z
java/util/concurrent/Semaphore$Sync reducePermits(I)V
java/util/concurrent/Semaphore$Sync drainPermits()I
class java/util/concurrent/Semaphore
  java/lang/Object
  java/util/concurrent/Semaphore serialVersionUID
  java/util/concurrent/Semaphore sync
  java/util/concurrent/Semaphore <init>(I)V
  java/util/concurrent/Semaphore <init>(IZ)V
  java/util/concurrent/Semaphore acquire()V
  java/util/concurrent/Semaphore acquireUninterruptibly()V
  java/util/concurrent/Semaphore tryAcquire()Z
  java/util/concurrent/Semaphore tryAcquire(JLjava/util/concurrent/TimeUnit;)Z
  java/util/concurrent/Semaphore release()V
  java/util/concurrent/Semaphore acquire(I)V
  java/util/concurrent/Semaphore acquireUninterruptibly(I)V
  java/util/concurrent/Semaphore tryAcquire(I)Z
  java/util/concurrent/Semaphore tryAcquire(IJLjava/util/concurrent/TimeUnit;)Z
  java/util/concurrent/Semaphore release(I)V
  java/util/concurrent/Semaphore availablePermits(I)
  java/util/concurrent/Semaphore drainPermits()I
  java/util/concurrent/Semaphore reducePermits(I)V
  java/util/concurrent/Semaphore isFair()Z
  java/util/concurrent/Semaphore hasQueuedThreads()Z
  java/util/concurrent/Semaphore
    getQueueLength()I
  java/util/concurrent/Semaphore getQueuedThreads()Ljava/util/Collection;
  java/util/concurrent/Semaphore toString()Ljava/lang/String;
class java/util/concurrent/SynchronousQueue$EmptyIterator java/lang/Object
java/util/concurrent/SynchronousQueue$EmptyIterator <init>()V
java/util/concurrent/SynchronousQueue$EmptyIterator hasNext()Z
java/util/concurrent/SynchronousQueue$EmptyIterator next()Ljava/lang/Object;
java/util/concurrent/SynchronousQueue$EmptyIterator remove()V
class java/util/concurrent/SynchronousQueue$FifoWaitQueue java/util/concurrent/SynchronousQueue$WaitQueue
java/util/concurrent/SynchronousQueue$FifoWaitQueue serialVersionUID
java/util/concurrent/SynchronousQueue$FifoWaitQueue head
java/util/concurrent/SynchronousQueue$FifoWaitQueue last
java/util/concurrent/SynchronousQueue$FifoWaitQueue <init>()V
java/util/concurrent/SynchronousQueue$FifoWaitQueue

```

```

enq(Ljava/lang/Object;)Ljava/util/concurrent/SynchronousQueue$Node;
java/util/concurrent/SynchronousQueue$FifoWaitQueue
    deque(Ljava/util/concurrent/SynchronousQueue$Node;
class java/util/concurrent/SynchronousQueue$LifoWaitQueue java/util/concurrent/SynchronousQueue$WaitQueue
java/util/concurrent/SynchronousQueue$LifoWaitQueue serialVersionUID
java/util/concurrent/SynchronousQueue$LifoWaitQueue head
java/util/concurrent/SynchronousQueue$LifoWaitQueue <init>()V
java/util/concurrent/SynchronousQueue$LifoWaitQueue
    enq(Ljava/lang/Object;)Ljava/util/concurrent/SynchronousQueue$Node;
java/util/concurrent/SynchronousQueue$LifoWaitQueue deque(Ljava/util/concurrent/SynchronousQueue$Node;
class java/util/concurrent/SynchronousQueue$Node java/util/concurrent/locks/AbstractQueuedSynchronizer
java/util/concurrent/SynchronousQueue$Node ACK
java/util/concurrent/SynchronousQueue$Node CANCEL
java/util/concurrent/SynchronousQueue$Node item
java/util/concurrent/SynchronousQueue$Node next
java/util/concurrent/SynchronousQueue$Node <init>(Ljava/lang/Object;)V
java/util/concurrent/SynchronousQueue$Node
    <init>(Ljava/lang/Object;Ljava/util/concurrent/SynchronousQueue$Node;)V
java/util/concurrent/SynchronousQueue$Node
    tryAcquire(I)Z
java/util/concurrent/SynchronousQueue$Node tryRelease(I)Z
java/util/concurrent/SynchronousQueue$Node extract()Ljava/lang/Object;
java/util/concurrent/SynchronousQueue$Node checkCancellationOnInterrupt(Ljava/lang/InterruptedException;)V
java/util/concurrent/SynchronousQueue$Node setItem(Ljava/lang/Object;)Z
java/util/concurrent/SynchronousQueue$Node getItem(Ljava/lang/Object;
java/util/concurrent/SynchronousQueue$Node waitforTake()V
java/util/concurrent/SynchronousQueue$Node waitforPut()Ljava/lang/Object;
java/util/concurrent/SynchronousQueue$Node waitforTake(J)Z
java/util/concurrent/SynchronousQueue$Node waitforPut(J)Ljava/lang/Object;
class java/util/concurrent/SynchronousQueue$WaitQueue java/lang/Object
java/util/concurrent/SynchronousQueue$WaitQueue <init>()V
java/util/concurrent/SynchronousQueue$WaitQueue
    enq(Ljava/lang/Object;)Ljava/util/concurrent/SynchronousQueue$Node;
java/util/concurrent/SynchronousQueue$WaitQueue
    deque(Ljava/util/concurrent/SynchronousQueue$Node;
class java/util/concurrent/SynchronousQueue java/util/AbstractQueue
java/util/concurrent/SynchronousQueue serialVersionUID
java/util/concurrent/SynchronousQueue qlock
java/util/concurrent/SynchronousQueue waitingProducers
java/util/concurrent/SynchronousQueue waitingConsumers
java/util/concurrent/SynchronousQueue <init>()V
java/util/concurrent/SynchronousQueue <init>(Z)V
java/util/concurrent/SynchronousQueue put(Ljava/lang/Object;)V
java/util/concurrent/SynchronousQueue offer(Ljava/lang/Object;JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/SynchronousQueue take(Ljava/lang/Object;
java/util/concurrent/SynchronousQueue poll(JLjava/util/concurrent/TimeUnit;)Ljava/lang/Object;
java/util/concurrent/SynchronousQueue offer(Ljava/lang/Object;)Z
java/util/concurrent/SynchronousQueue poll(Ljava/lang/Object;

```



```

java/util/concurrent/SynchronousQueue isEmpty()Z
java/util/concurrent/SynchronousQueue
    size()I
java/util/concurrent/SynchronousQueue remainingCapacity()I
java/util/concurrent/SynchronousQueue clear()V
java/util/concurrent/SynchronousQueue contains(Ljava/lang/Object;)Z
java/util/concurrent/SynchronousQueue remove(Ljava/lang/Object;)Z
java/util/concurrent/SynchronousQueue containsAll(Ljava/util/Collection;)Z
java/util/concurrent/SynchronousQueue removeAll(Ljava/util/Collection;)Z
java/util/concurrent/SynchronousQueue retainAll(Ljava/util/Collection;)Z
java/util/concurrent/SynchronousQueue peek()Ljava/lang/Object;
java/util/concurrent/SynchronousQueue iterator()Ljava/util/Iterator;
java/util/concurrent/SynchronousQueue toArray()[Ljava/lang/Object;
java/util/concurrent/SynchronousQueue toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/concurrent/SynchronousQueue drainTo(Ljava/util/Collection;)I
java/util/concurrent/SynchronousQueue drainTo(Ljava/util/Collection;)I
class java/util/concurrent/ThreadFactory java/lang/Object
java/util/concurrent/ThreadFactory
    newThread(Ljava/lang/Runnable;)Ljava/lang/Thread;
class java/util/concurrent/ThreadPoolExecutor$AbortPolicy java/lang/Object
java/util/concurrent/ThreadPoolExecutor$AbortPolicy <init>()V
java/util/concurrent/ThreadPoolExecutor$AbortPolicy
    rejectedExecution(Ljava/lang/Runnable;Ljava/util/concurrent/ThreadPoolExecutor;)V
class java/util/concurrent/ThreadPoolExecutor$CallerRunsPolicy java/lang/Object
java/util/concurrent/ThreadPoolExecutor$CallerRunsPolicy <init>()V
java/util/concurrent/ThreadPoolExecutor$CallerRunsPolicy
    rejectedExecution(Ljava/lang/Runnable;Ljava/util/concurrent/ThreadPoolExecutor;)V
class java/util/concurrent/ThreadPoolExecutor$DiscardOldestPolicy java/lang/Object
java/util/concurrent/ThreadPoolExecutor$DiscardOldestPolicy <init>()V
java/util/concurrent/ThreadPoolExecutor$DiscardOldestPolicy
    rejectedExecution(Ljava/lang/Runnable;Ljava/util/concurrent/ThreadPoolExecutor;)V
class java/util/concurrent/ThreadPoolExecutor$DiscardPolicy java/lang/Object
java/util/concurrent/ThreadPoolExecutor$DiscardPolicy
    <init>()V
java/util/concurrent/ThreadPoolExecutor$DiscardPolicy
    rejectedExecution(Ljava/lang/Runnable;Ljava/util/concurrent/ThreadPoolExecutor;)V
class java/util/concurrent/ThreadPoolExecutor$Worker java/lang/Object
java/util/concurrent/ThreadPoolExecutor$Worker runLock
java/util/concurrent/ThreadPoolExecutor$Worker firstTask
java/util/concurrent/ThreadPoolExecutor$Worker completedTasks
java/util/concurrent/ThreadPoolExecutor$Worker thread
java/util/concurrent/ThreadPoolExecutor$Worker this$0
java/util/concurrent/ThreadPoolExecutor$Worker
    <init>(Ljava/util/concurrent/ThreadPoolExecutor;Ljava/lang/Runnable;)V
java/util/concurrent/ThreadPoolExecutor$Worker isActive()Z
java/util/concurrent/ThreadPoolExecutor$Worker interruptIfIdle()V
java/util/concurrent/ThreadPoolExecutor$Worker interruptNow()V
java/util/concurrent/ThreadPoolExecutor$Worker runTask(Ljava/lang/Runnable;)V

```

```

java/util/concurrent/ThreadPoolExecutor$Worker run()V
class java/util/concurrent/ThreadPoolExecutor
  java/util/concurrent/AbstractExecutorService
  java/util/concurrent/ThreadPoolExecutor EMPTY_RUNNABLE_ARRAY
  java/util/concurrent/ThreadPoolExecutor shutdownPerm
  java/util/concurrent/ThreadPoolExecutor workQueue
  java/util/concurrent/ThreadPoolExecutor mainLock
  java/util/concurrent/ThreadPoolExecutor termination
  java/util/concurrent/ThreadPoolExecutor workers
  java/util/concurrent/ThreadPoolExecutor keepAliveTime
  java/util/concurrent/ThreadPoolExecutor corePoolSize
  java/util/concurrent/ThreadPoolExecutor maximumPoolSize
  java/util/concurrent/ThreadPoolExecutor poolSize
  java/util/concurrent/ThreadPoolExecutor runState
  java/util/concurrent/ThreadPoolExecutor RUNNING
  java/util/concurrent/ThreadPoolExecutor SHUTDOWN
  java/util/concurrent/ThreadPoolExecutor STOP
  java/util/concurrent/ThreadPoolExecutor TERMINATED
  java/util/concurrent/ThreadPoolExecutor handler
  java/util/concurrent/ThreadPoolExecutor threadFactory
  java/util/concurrent/ThreadPoolExecutor largestPoolSize
  java/util/concurrent/ThreadPoolExecutor
    completedTaskCount
  java/util/concurrent/ThreadPoolExecutor defaultHandler
  java/util/concurrent/ThreadPoolExecutor $assertionsDisabled
  java/util/concurrent/ThreadPoolExecutor reject(Ljava/lang/Runnable;)V
  java/util/concurrent/ThreadPoolExecutor addThread(Ljava/lang/Runnable;)Ljava/lang/Thread;
  java/util/concurrent/ThreadPoolExecutor addIfUnderCorePoolSize(Ljava/lang/Runnable;)Z
  java/util/concurrent/ThreadPoolExecutor
    addIfUnderMaximumPoolSize(Ljava/lang/Runnable;)Ljava/lang/Runnable;
  java/util/concurrent/ThreadPoolExecutor getTask()Ljava/lang/Runnable;
  java/util/concurrent/ThreadPoolExecutor interruptIdleWorkers()V
  java/util/concurrent/ThreadPoolExecutor workerDone(Ljava/util/concurrent/ThreadPoolExecutor$Worker;)V
  java/util/concurrent/ThreadPoolExecutor
    <init>(IIJLjava/util/concurrent/TimeUnit;Ljava/util/concurrent/BlockingQueue;)V
  java/util/concurrent/ThreadPoolExecutor
    <init>(IIJLjava/util/concurrent/TimeUnit;Ljava/util/concurrent/BlockingQueue;Ljava/util/concurrent/ThreadFactory
    ;)V
  java/util/concurrent/ThreadPoolExecutor
    <init>(IIJLjava/util/concurrent/TimeUnit;Ljava/util/concurrent/BlockingQueue;Ljava/util/concurrent/RejectedExecu
    tionHandler;)V
  java/util/concurrent/ThreadPoolExecutor
    <init>(IIJLjava/util/concurrent/TimeUnit;Ljava/util/concurrent/BlockingQueue;Ljava/util/concurrent/ThreadFactory
    ;Ljava/util/concurrent/RejectedExecutionHandler;)V
  java/util/concurrent/ThreadPoolExecutor execute(Ljava/lang/Runnable;)V
  java/util/concurrent/ThreadPoolExecutor shutdown()V
  java/util/concurrent/ThreadPoolExecutor shutdownNow()Ljava/util/List;
  java/util/concurrent/ThreadPoolExecutor isShutdown()Z

```

```

java/util/concurrent/ThreadPoolExecutor isTerminating()Z
java/util/concurrent/ThreadPoolExecutor isTerminated()Z
java/util/concurrent/ThreadPoolExecutor awaitTermination(JL java/util/concurrent/TimeUnit;)Z
java/util/concurrent/ThreadPoolExecutor finalize()V
java/util/concurrent/ThreadPoolExecutor setThreadFactory(L java/util/concurrent/ThreadFactory;)V
java/util/concurrent/ThreadPoolExecutor
    getThreadFactory()L java/util/concurrent/ThreadFactory;
java/util/concurrent/ThreadPoolExecutor
    setRejectedExecutionHandler(L java/util/concurrent/RejectedExecutionHandler;)V
java/util/concurrent/ThreadPoolExecutor
    getRejectedExecutionHandler()L java/util/concurrent/RejectedExecutionHandler;
java/util/concurrent/ThreadPoolExecutor getQueue()L java/util/concurrent/BlockingQueue;
java/util/concurrent/ThreadPoolExecutor remove(L java/lang/Runnable;)Z
java/util/concurrent/ThreadPoolExecutor purge()V
java/util/concurrent/ThreadPoolExecutor setCorePoolSize(I)V
java/util/concurrent/ThreadPoolExecutor getCorePoolSize()I
java/util/concurrent/ThreadPoolExecutor prestartCoreThread()Z
java/util/concurrent/ThreadPoolExecutor prestartAllCoreThreads()I
java/util/concurrent/ThreadPoolExecutor setMaximumPoolSize(I)V
java/util/concurrent/ThreadPoolExecutor getMaximumPoolSize()I
java/util/concurrent/ThreadPoolExecutor setKeepAliveTime(JL java/util/concurrent/TimeUnit;)V
java/util/concurrent/ThreadPoolExecutor
    getKeepAliveTime(L java/util/concurrent/TimeUnit;)J
java/util/concurrent/ThreadPoolExecutor getPoolSize()I
java/util/concurrent/ThreadPoolExecutor getActiveCount()I
java/util/concurrent/ThreadPoolExecutor getLargestPoolSize()I
java/util/concurrent/ThreadPoolExecutor getTaskCount()J
java/util/concurrent/ThreadPoolExecutor getCompletedTaskCount()J
java/util/concurrent/ThreadPoolExecutor beforeExecute(L java/lang/Thread;L java/lang/Runnable;)V
java/util/concurrent/ThreadPoolExecutor afterExecute(L java/lang/Runnable;L java/lang/Throwable;)V
java/util/concurrent/ThreadPoolExecutor terminated()V
java/util/concurrent/ThreadPoolExecutor <clinit>()V
class java/util/concurrent/TimeUnit java/lang/Enum
java/util/concurrent/TimeUnit NANOSECONDS
java/util/concurrent/TimeUnit MICROSECONDS
java/util/concurrent/TimeUnit MILLISECONDS
java/util/concurrent/TimeUnit SECONDS
java/util/concurrent/TimeUnit index
java/util/concurrent/TimeUnit multipliers
java/util/concurrent/TimeUnit
    overflows
java/util/concurrent/TimeUnit $VALUES
java/util/concurrent/TimeUnit values()[L java/util/concurrent/TimeUnit;
java/util/concurrent/TimeUnit valueOf(L java/lang/String;)L java/util/concurrent/TimeUnit;
java/util/concurrent/TimeUnit <init>(L java/lang/String;I)V
java/util/concurrent/TimeUnit doConvert(I)J
java/util/concurrent/TimeUnit convert(JL java/util/concurrent/TimeUnit;)J
java/util/concurrent/TimeUnit toNanos(J)J

```

```

java/util/concurrent/TimeUnit toMicros(J)J
java/util/concurrent/TimeUnit toMillis(J)J
java/util/concurrent/TimeUnit toSeconds(J)J
java/util/concurrent/TimeUnit excessNanos(J)I
java/util/concurrent/TimeUnit timedWait(Ljava/lang/Object;J)V
java/util/concurrent/TimeUnit timedJoin(Ljava/lang/Thread;J)V
java/util/concurrent/TimeUnit sleep(J)V
java/util/concurrent/TimeUnit <clinit>()V
class java/util/concurrent/TimeoutException java/lang/Exception
java/util/concurrent/TimeoutException serialVersionUID
java/util/concurrent/TimeoutException <init>()V
java/util/concurrent/TimeoutException
    <init>(Ljava/lang/String;)V
class java/util/concurrent/atomic/AtomicBoolean java/lang/Object
java/util/concurrent/atomic/AtomicBoolean serialVersionUID
java/util/concurrent/atomic/AtomicBoolean unsafe
java/util/concurrent/atomic/AtomicBoolean valueOffset
java/util/concurrent/atomic/AtomicBoolean value
java/util/concurrent/atomic/AtomicBoolean <init>(Z)V
java/util/concurrent/atomic/AtomicBoolean <init>()V
java/util/concurrent/atomic/AtomicBoolean get()Z
java/util/concurrent/atomic/AtomicBoolean compareAndSet(ZZ)Z
java/util/concurrent/atomic/AtomicBoolean weakCompareAndSet(ZZ)Z
java/util/concurrent/atomic/AtomicBoolean set(Z)V
java/util/concurrent/atomic/AtomicBoolean getAndSet(Z)Z
java/util/concurrent/atomic/AtomicBoolean toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicBoolean <clinit>()V
class java/util/concurrent/atomic/AtomicInteger java/lang/Number
java/util/concurrent/atomic/AtomicInteger serialVersionUID
java/util/concurrent/atomic/AtomicInteger
    unsafe
java/util/concurrent/atomic/AtomicInteger valueOffset
java/util/concurrent/atomic/AtomicInteger value
java/util/concurrent/atomic/AtomicInteger <init>(I)V
java/util/concurrent/atomic/AtomicInteger <init>()V
java/util/concurrent/atomic/AtomicInteger get()I
java/util/concurrent/atomic/AtomicInteger set(I)V
java/util/concurrent/atomic/AtomicInteger getAndSet(I)I
java/util/concurrent/atomic/AtomicInteger compareAndSet(II)Z
java/util/concurrent/atomic/AtomicInteger weakCompareAndSet(II)Z
java/util/concurrent/atomic/AtomicInteger getAndIncrement()I
java/util/concurrent/atomic/AtomicInteger getAndDecrement()I
java/util/concurrent/atomic/AtomicInteger getAndAdd(I)I
java/util/concurrent/atomic/AtomicInteger incrementAndGet()I
java/util/concurrent/atomic/AtomicInteger decrementAndGet()I
java/util/concurrent/atomic/AtomicInteger addAndGet(I)I
java/util/concurrent/atomic/AtomicInteger toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicInteger intValue()I

```

```

java/util/concurrent/atomic/AtomicInteger
    longValue()J
java/util/concurrent/atomic/AtomicInteger floatValue()F
java/util/concurrent/atomic/AtomicInteger doubleValue()D
java/util/concurrent/atomic/AtomicInteger <clinit>()V
class java/util/concurrent/atomic/AtomicIntegerArray java/lang/Object
java/util/concurrent/atomic/AtomicIntegerArray serialVersionUID
java/util/concurrent/atomic/AtomicIntegerArray unsafe
java/util/concurrent/atomic/AtomicIntegerArray base
java/util/concurrent/atomic/AtomicIntegerArray scale
java/util/concurrent/atomic/AtomicIntegerArray array
java/util/concurrent/atomic/AtomicIntegerArray rawIndex(I)J
java/util/concurrent/atomic/AtomicIntegerArray <init>(I)V
java/util/concurrent/atomic/AtomicIntegerArray <init>([I)V
java/util/concurrent/atomic/AtomicIntegerArray length()I
java/util/concurrent/atomic/AtomicIntegerArray get(I)I
java/util/concurrent/atomic/AtomicIntegerArray set(II)V
java/util/concurrent/atomic/AtomicIntegerArray getAndSet(II)I
java/util/concurrent/atomic/AtomicIntegerArray
    compareAndSet(III)Z
java/util/concurrent/atomic/AtomicIntegerArray weakCompareAndSet(III)Z
java/util/concurrent/atomic/AtomicIntegerArray getAndIncrement()I
java/util/concurrent/atomic/AtomicIntegerArray getAndDecrement()I
java/util/concurrent/atomic/AtomicIntegerArray getAndAdd(II)I
java/util/concurrent/atomic/AtomicIntegerArray incrementAndGet()I
java/util/concurrent/atomic/AtomicIntegerArray decrementAndGet()I
java/util/concurrent/atomic/AtomicIntegerArray addAndGet(II)I
java/util/concurrent/atomic/AtomicIntegerArray toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicIntegerArray <clinit>()V
class java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
java/util/concurrent/atomic/AtomicIntegerFieldUpdater
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl unsafe
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl offset
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
    tclass
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl cclass
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
    <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
    compareAndSet(Ljava/lang/Object;II)Z
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
    weakCompareAndSet(Ljava/lang/Object;II)Z
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl set(Ljava/lang/Object;I)V
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl get(Ljava/lang/Object;)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl
    ensureProtectedAccess(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicIntegerFieldUpdater$AtomicIntegerFieldUpdaterImpl <clinit>()V
class java/util/concurrent/atomic/AtomicIntegerFieldUpdater

```

```

java/lang/Object
java/util/concurrent/atomic/AtomicIntegerFieldUpdater
newUpdater(Ljava/lang/Class;Ljava/lang/String;)Ljava/util/concurrent/atomic/AtomicIntegerFieldUpdater;
java/util/concurrent/atomic/AtomicIntegerFieldUpdater <init>()V
java/util/concurrent/atomic/AtomicIntegerFieldUpdater compareAndSet(Ljava/lang/Object;II)Z
java/util/concurrent/atomic/AtomicIntegerFieldUpdater weakCompareAndSet(Ljava/lang/Object;II)Z
java/util/concurrent/atomic/AtomicIntegerFieldUpdater set(Ljava/lang/Object;I)V
java/util/concurrent/atomic/AtomicIntegerFieldUpdater get(Ljava/lang/Object;)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater getAndSet(Ljava/lang/Object;I)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater getAndIncrement(Ljava/lang/Object;)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater getAndDecrement(Ljava/lang/Object;)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater getAndAdd(Ljava/lang/Object;I)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater
    incrementAndGet(Ljava/lang/Object;)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater decrementAndGet(Ljava/lang/Object;)I
java/util/concurrent/atomic/AtomicIntegerFieldUpdater addAndGet(Ljava/lang/Object;I)I
class java/util/concurrent/atomic/AtomicLongArray java/lang/Object
java/util/concurrent/atomic/AtomicLongArray serialVersionUID
java/util/concurrent/atomic/AtomicLongArray unsafe
java/util/concurrent/atomic/AtomicLongArray base
java/util/concurrent/atomic/AtomicLongArray scale
java/util/concurrent/atomic/AtomicLongArray array
java/util/concurrent/atomic/AtomicLongArray rawIndex(I)J
java/util/concurrent/atomic/AtomicLongArray <init>(I)V
java/util/concurrent/atomic/AtomicLongArray <init>([I)V
java/util/concurrent/atomic/AtomicLongArray length()I
java/util/concurrent/atomic/AtomicLongArray get(I)J
java/util/concurrent/atomic/AtomicLongArray set(IJ)V
java/util/concurrent/atomic/AtomicLongArray getAndSet(IJ)J
java/util/concurrent/atomic/AtomicLongArray compareAndSet(IJJ)Z
java/util/concurrent/atomic/AtomicLongArray
    weakCompareAndSet(IJJ)Z
java/util/concurrent/atomic/AtomicLongArray getAndIncrement(I)J
java/util/concurrent/atomic/AtomicLongArray getAndDecrement(I)J
java/util/concurrent/atomic/AtomicLongArray getAndAdd(IJ)J
java/util/concurrent/atomic/AtomicLongArray incrementAndGet(I)J
java/util/concurrent/atomic/AtomicLongArray decrementAndGet(I)J
java/util/concurrent/atomic/AtomicLongArray addAndGet(IJ)J
java/util/concurrent/atomic/AtomicLongArray toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicLongArray <clinit>()V
class java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater
java/util/concurrent/atomic/AtomicLongFieldUpdater
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater unsafe
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater offset
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater tclass
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater cclass
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater

```

```

<init>(Ljava/lang/Class;Ljava/lang/String;)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater compareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater weakCompareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater set(Ljava/lang/Object;J)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater get(Ljava/lang/Object;J)
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater ensureProtectedAccess(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$CASUpdater <clinit>()V
class java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater
java/util/concurrent/atomic/AtomicLongFieldUpdater
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater unsafe
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater offset
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater tclass
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater
cclass
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater compareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater weakCompareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater set(Ljava/lang/Object;J)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater get(Ljava/lang/Object;J)
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater ensureProtectedAccess(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicLongFieldUpdater$LockedUpdater <clinit>()V
class java/util/concurrent/atomic/AtomicLongFieldUpdater java/lang/Object
java/util/concurrent/atomic/AtomicLongFieldUpdater
newUpdater(Ljava/lang/Class;Ljava/lang/String;)Ljava/util/concurrent/atomic/AtomicLongFieldUpdater;
java/util/concurrent/atomic/AtomicLongFieldUpdater <init>()V
java/util/concurrent/atomic/AtomicLongFieldUpdater
compareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater weakCompareAndSet(Ljava/lang/Object;JJ)Z
java/util/concurrent/atomic/AtomicLongFieldUpdater set(Ljava/lang/Object;J)V
java/util/concurrent/atomic/AtomicLongFieldUpdater get(Ljava/lang/Object;J)
java/util/concurrent/atomic/AtomicLongFieldUpdater getAndSet(Ljava/lang/Object;J)J
java/util/concurrent/atomic/AtomicLongFieldUpdater getAndIncrement(Ljava/lang/Object;J)
java/util/concurrent/atomic/AtomicLongFieldUpdater getAndDecrement(Ljava/lang/Object;J)
java/util/concurrent/atomic/AtomicLongFieldUpdater getAndAdd(Ljava/lang/Object;J)J
java/util/concurrent/atomic/AtomicLongFieldUpdater incrementAndGet(Ljava/lang/Object;J)J
java/util/concurrent/atomic/AtomicLongFieldUpdater decrementAndGet(Ljava/lang/Object;J)J
java/util/concurrent/atomic/AtomicLongFieldUpdater addAndGet(Ljava/lang/Object;J)J
class java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair
java/lang/Object
java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair reference
java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair bit
java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair <init>(Ljava/lang/Object;Z)V
java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair
access$000(Ljava/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair
access$100(Ljava/util/concurrent/atomic/AtomicMarkableReference$ReferenceBooleanPair;)Z
class java/util/concurrent/atomic/AtomicMarkableReference java/lang/Object
java/util/concurrent/atomic/AtomicMarkableReference atomicRef

```

```

java/util/concurrent/atomic/AtomicMarkableReference <init>(Ljava/lang/Object;Z)V
java/util/concurrent/atomic/AtomicMarkableReference getReference()Ljava/lang/Object;
java/util/concurrent/atomic/AtomicMarkableReference isMarked()Z
java/util/concurrent/atomic/AtomicMarkableReference
    get([Z)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicMarkableReference
    weakCompareAndSet(Ljava/lang/Object;Ljava/lang/Object;ZZ)Z
java/util/concurrent/atomic/AtomicMarkableReference compareAndSet(Ljava/lang/Object;Ljava/lang/Object;ZZ)Z
java/util/concurrent/atomic/AtomicMarkableReference set(Ljava/lang/Object;Z)V
java/util/concurrent/atomic/AtomicMarkableReference attemptMark(Ljava/lang/Object;Z)Z
class java/util/concurrent/atomic/AtomicReference java/lang/Object
java/util/concurrent/atomic/AtomicReference serialVersionUID
java/util/concurrent/atomic/AtomicReference unsafe
java/util/concurrent/atomic/AtomicReference valueOffset
java/util/concurrent/atomic/AtomicReference value
java/util/concurrent/atomic/AtomicReference <init>(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReference <init>()V
java/util/concurrent/atomic/AtomicReference get()Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReference set(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReference
    compareAndSet(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReference weakCompareAndSet(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReference getAndSet(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReference toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicReference <clinit>()V
class java/util/concurrent/atomic/AtomicReferenceArray java/lang/Object
java/util/concurrent/atomic/AtomicReferenceArray serialVersionUID
java/util/concurrent/atomic/AtomicReferenceArray unsafe
java/util/concurrent/atomic/AtomicReferenceArray base
java/util/concurrent/atomic/AtomicReferenceArray scale
java/util/concurrent/atomic/AtomicReferenceArray array
java/util/concurrent/atomic/AtomicReferenceArray rawIndex(I)J
java/util/concurrent/atomic/AtomicReferenceArray <init>(I)V
java/util/concurrent/atomic/AtomicReferenceArray <init>([Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReferenceArray
    length()I
java/util/concurrent/atomic/AtomicReferenceArray get(I)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReferenceArray set(ILjava/lang/Object;)V
java/util/concurrent/atomic/AtomicReferenceArray getAndSet(ILjava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReferenceArray compareAndSet(ILjava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceArray weakCompareAndSet(ILjava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceArray toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicReferenceArray <clinit>()V
class java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair java/lang/Object
java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair reference
java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair integer
java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair <init>(Ljava/lang/Object;I)V
java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair

```



```

access$000(Ljava/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair
access$100(Ljava/util/concurrent/atomic/AtomicStampedReference$ReferenceIntegerPair;)I
class java/util/concurrent/atomic/AtomicStampedReference java/lang/Object
java/util/concurrent/atomic/AtomicStampedReference atomicRef
java/util/concurrent/atomic/AtomicStampedReference <init>(Ljava/lang/Object;I)V
java/util/concurrent/atomic/AtomicStampedReference getReference()Ljava/lang/Object;
java/util/concurrent/atomic/AtomicStampedReference getStamp()I
java/util/concurrent/atomic/AtomicStampedReference get([I)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicStampedReference
weakCompareAndSet(Ljava/lang/Object;Ljava/lang/Object;II)Z
java/util/concurrent/atomic/AtomicStampedReference compareAndSet(Ljava/lang/Object;Ljava/lang/Object;II)Z
java/util/concurrent/atomic/AtomicStampedReference
set(Ljava/lang/Object;I)V
java/util/concurrent/atomic/AtomicStampedReference attemptStamp(Ljava/lang/Object;I)Z
class java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject java/lang/Object
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject serialVersionUID
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject firstWaiter
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject lastWaiter
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject REINTERRUPT
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject THROW_IE
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject this$0
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
<init>(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
addConditionWaiter()Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
doSignal(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
doSignalAll(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject signal()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject signalAll()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject unlinkCancelledWaiters()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject awaitUninterruptibly()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
checkInterruptWhileWaiting(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)I
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject reportInterruptAfterWait(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject await()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
awaitNanos(J)J
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject awaitUntil(Ljava/util/Date;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject await(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject
isOwnedBy(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject hasWaiters()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject getWaitQueueLength()I
java/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject getWaitingThreads()Ljava/util/Collection;
class java/util/concurrent/locks/Condition java/lang/Object

```

```

java/util/concurrent/locks/Condition await()V
java/util/concurrent/locks/Condition awaitUninterruptibly()V
java/util/concurrent/locks/Condition awaitNanos(J)J
java/util/concurrent/locks/Condition await(JL java/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/Condition
    awaitUntil(L java/util/Date;)Z
java/util/concurrent/locks/Condition signal()V
java/util/concurrent/locks/Condition signalAll()V
class java/util/concurrent/locks/LockSupport java/lang/Object
java/util/concurrent/locks/LockSupport unsafe
java/util/concurrent/locks/LockSupport <init>()V
java/util/concurrent/locks/LockSupport unpark(L java/lang/Thread;)V
java/util/concurrent/locks/LockSupport park()V
java/util/concurrent/locks/LockSupport parkNanos(J)V
java/util/concurrent/locks/LockSupport parkUntil(J)V
java/util/concurrent/locks/LockSupport <clinit>()V
class java/util/concurrent/locks/ReadWriteLock java/lang/Object
java/util/concurrent/locks/ReadWriteLock readLock()L java/util/concurrent/locks/Lock;
java/util/concurrent/locks/ReadWriteLock writeLock()L java/util/concurrent/locks/Lock;
class java/util/concurrent/locks/ReentrantLock$FairSync java/util/concurrent/locks/ReentrantLock$Sync
java/util/concurrent/locks/ReentrantLock$FairSync <init>()V
java/util/concurrent/locks/ReentrantLock$FairSync
    lock()V
java/util/concurrent/locks/ReentrantLock$FairSync tryAcquire(I)Z
class java/util/concurrent/locks/ReentrantReadWriteLock$FairSync
java/util/concurrent/locks/ReentrantReadWriteLock$Sync
java/util/concurrent/locks/ReentrantReadWriteLock$FairSync <init>()V
java/util/concurrent/locks/ReentrantReadWriteLock$FairSync tryAcquire(I)Z
java/util/concurrent/locks/ReentrantReadWriteLock$FairSync tryAcquireShared(I)I
java/util/concurrent/locks/ReentrantReadWriteLock$FairSync wlock()V
class java/util/concurrent/locks/ReentrantReadWriteLock$NonfairSync
java/util/concurrent/locks/ReentrantReadWriteLock$Sync
java/util/concurrent/locks/ReentrantReadWriteLock$NonfairSync <init>()V
java/util/concurrent/locks/ReentrantReadWriteLock$NonfairSync tryAcquire(I)Z
java/util/concurrent/locks/ReentrantReadWriteLock$NonfairSync tryAcquireShared(I)I
java/util/concurrent/locks/ReentrantReadWriteLock$NonfairSync wlock()V
class java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock
    java/lang/Object
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock serialVersionUID
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock sync
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock
    <init>(L java/util/concurrent/locks/ReentrantReadWriteLock;)V
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock lock()V
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock lockInterruptibly()V
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock tryLock()Z
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock tryLock(JL java/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock unlock()V
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock

```

```

newCondition()Ljava/util/concurrent/locks/Condition;
java/util/concurrent/locks/ReentrantReadWriteLock$ReadLock toString()Ljava/lang/String;
class java/util/concurrent/locks/ReentrantReadWriteLock$Sync
java/util/concurrent/locks/AbstractQueuedSynchronizer
java/util/concurrent/locks/ReentrantReadWriteLock$Sync
    owner
java/util/concurrent/locks/ReentrantReadWriteLock$Sync <init>()V
java/util/concurrent/locks/ReentrantReadWriteLock$Sync wlock()V
java/util/concurrent/locks/ReentrantReadWriteLock$Sync nonfairTryAcquire(I)Z
java/util/concurrent/locks/ReentrantReadWriteLock$Sync nonfairTryAcquireShared(I)I
java/util/concurrent/locks/ReentrantReadWriteLock$Sync tryRelease(I)Z
java/util/concurrent/locks/ReentrantReadWriteLock$Sync tryReleaseShared(I)Z
java/util/concurrent/locks/ReentrantReadWriteLock$Sync isHeldExclusively()Z
java/util/concurrent/locks/ReentrantReadWriteLock$Sync
newCondition()Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;
java/util/concurrent/locks/ReentrantReadWriteLock$Sync getOwner()Ljava/lang/Thread;
java/util/concurrent/locks/ReentrantReadWriteLock$Sync getReadLockCount()I
java/util/concurrent/locks/ReentrantReadWriteLock$Sync isWriteLocked()Z
java/util/concurrent/locks/ReentrantReadWriteLock$Sync
    getWriteHoldCount()I
java/util/concurrent/locks/ReentrantReadWriteLock$Sync readObject(Ljava/io/ObjectInputStream;)V
java/util/concurrent/locks/ReentrantReadWriteLock$Sync getCount()I
class java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock java/lang/Object
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock serialVersionUID
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock sync
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock
    <init>(Ljava/util/concurrent/locks/ReentrantReadWriteLock;)V
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock lock()V
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock lockInterruptibly()V
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock tryLock()Z
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock tryLock(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock unlock()V
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock
newCondition()Ljava/util/concurrent/locks/Condition;
java/util/concurrent/locks/ReentrantReadWriteLock$WriteLock
    toString()Ljava/lang/String;
class java/util/concurrent/locks/ReentrantReadWriteLock java/lang/Object
java/util/concurrent/locks/ReentrantReadWriteLock serialVersionUID
java/util/concurrent/locks/ReentrantReadWriteLock readerLock
java/util/concurrent/locks/ReentrantReadWriteLock writerLock
java/util/concurrent/locks/ReentrantReadWriteLock sync
java/util/concurrent/locks/ReentrantReadWriteLock SHARED_SHIFT
java/util/concurrent/locks/ReentrantReadWriteLock SHARED_UNIT
java/util/concurrent/locks/ReentrantReadWriteLock EXCLUSIVE_MASK
java/util/concurrent/locks/ReentrantReadWriteLock <init>()V
java/util/concurrent/locks/ReentrantReadWriteLock <init>(Z)V
java/util/concurrent/locks/ReentrantReadWriteLock
writeLock()Ljava/util/concurrent/locks/ReentrantReadWriteLock$WriteLock;

```

```

java/util/concurrent/locks/ReentrantReadWriteLock
readLock()Ljava/util/concurrent/locks/ReentrantReadWriteLock$ReadLock;
java/util/concurrent/locks/ReentrantReadWriteLock
sharedCount()I
java/util/concurrent/locks/ReentrantReadWriteLock exclusiveCount()I
java/util/concurrent/locks/ReentrantReadWriteLock isFair()Z
java/util/concurrent/locks/ReentrantReadWriteLock getOwner()Ljava/lang/Thread;
java/util/concurrent/locks/ReentrantReadWriteLock getReadLockCount()I
java/util/concurrent/locks/ReentrantReadWriteLock isWriteLocked()Z
java/util/concurrent/locks/ReentrantReadWriteLock isWriteLockedByCurrentThread()Z
java/util/concurrent/locks/ReentrantReadWriteLock getWriteHoldCount()I
java/util/concurrent/locks/ReentrantReadWriteLock getQueuedWriterThreads()Ljava/util/Collection;
java/util/concurrent/locks/ReentrantReadWriteLock getQueuedReaderThreads()Ljava/util/Collection;
java/util/concurrent/locks/ReentrantReadWriteLock hasQueuedThreads()Z
java/util/concurrent/locks/ReentrantReadWriteLock hasQueuedThread(Ljava/lang/Thread;)Z
java/util/concurrent/locks/ReentrantReadWriteLock getQueueLength()I
java/util/concurrent/locks/ReentrantReadWriteLock
getQueuedThreads()Ljava/util/Collection;
java/util/concurrent/locks/ReentrantReadWriteLock hasWaiters(Ljava/util/concurrent/locks/Condition;)Z
java/util/concurrent/locks/ReentrantReadWriteLock getWaitQueueLength(Ljava/util/concurrent/locks/Condition;)I
java/util/concurrent/locks/ReentrantReadWriteLock
getWaitingThreads(Ljava/util/concurrent/locks/Condition;)Ljava/util/Collection;
java/util/concurrent/locks/ReentrantReadWriteLock toString()Ljava/lang/String;
java/util/concurrent/locks/ReentrantReadWriteLock writeLock()Ljava/util/concurrent/locks/Lock;
java/util/concurrent/locks/ReentrantReadWriteLock readLock()Ljava/util/concurrent/locks/Lock;
java/util/concurrent/locks/ReentrantReadWriteLock
access$000(Ljava/util/concurrent/locks/ReentrantReadWriteLock;)Ljava/util/concurrent/locks/ReentrantReadWrite
Lock$Sync;
class java/util/jar/JarException java/util/zip/ZipException
java/util/jar/JarException <init>()V
java/util/jar/JarException <init>(Ljava/lang/String;)V
class
java/util/jar/JarOutputStream java/util/zip/ZipOutputStream
java/util/jar/JarOutputStream JAR_MAGIC
java/util/jar/JarOutputStream firstEntry
java/util/jar/JarOutputStream <init>(Ljava/io/OutputStream;Ljava/util/jar/Manifest;)V
java/util/jar/JarOutputStream <init>(Ljava/io/OutputStream;)V
java/util/jar/JarOutputStream putNextEntry(Ljava/util/zip/ZipEntry;)V
java/util/jar/JarOutputStream hasMagic([B)Z
java/util/jar/JarOutputStream get16([BI)I
java/util/jar/JarOutputStream set16([BII)V
class java/util/jar/Pack200$Packer java/lang/Object
java/util/jar/Pack200$Packer SEGMENT_LIMIT
java/util/jar/Pack200$Packer KEEP_FILE_ORDER
java/util/jar/Pack200$Packer EFFORT
java/util/jar/Pack200$Packer DEFLATE_HINT
java/util/jar/Pack200$Packer MODIFICATION_TIME
java/util/jar/Pack200$Packer PASS_FILE_PFX

```

```

java/util/jar/Pack200$Packer UNKNOWN_ATTRIBUTE
java/util/jar/Pack200$Packer CLASS_ATTRIBUTE_PFX
java/util/jar/Pack200$Packer FIELD_ATTRIBUTE_PFX
java/util/jar/Pack200$Packer METHOD_ATTRIBUTE_PFX
java/util/jar/Pack200$Packer
    CODE_ATTRIBUTE_PFX
java/util/jar/Pack200$Packer PROGRESS
java/util/jar/Pack200$Packer KEEP
java/util/jar/Pack200$Packer PASS
java/util/jar/Pack200$Packer STRIP
java/util/jar/Pack200$Packer ERROR
java/util/jar/Pack200$Packer TRUE
java/util/jar/Pack200$Packer FALSE
java/util/jar/Pack200$Packer LATEST
java/util/jar/Pack200$Packer properties()Ljava/util/SortedMap;
java/util/jar/Pack200$Packer pack(Ljava/util/jar/JarFile;Ljava/io/OutputStream;)V
java/util/jar/Pack200$Packer pack(Ljava/util/jar/JarInputStream;Ljava/io/OutputStream;)V
java/util/jar/Pack200$Packer addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/util/jar/Pack200$Packer removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
class java/util/jar/Pack200$Unpacker java/lang/Object
java/util/jar/Pack200$Unpacker KEEP
java/util/jar/Pack200$Unpacker TRUE
java/util/jar/Pack200$Unpacker FALSE
java/util/jar/Pack200$Unpacker DEFLATE_HINT
java/util/jar/Pack200$Unpacker PROGRESS
java/util/jar/Pack200$Unpacker
    properties()Ljava/util/SortedMap;
java/util/jar/Pack200$Unpacker unpack(Ljava/io/InputStream;Ljava/util/jar/JarOutputStream;)V
java/util/jar/Pack200$Unpacker unpack(Ljava/io/File;Ljava/util/jar/JarOutputStream;)V
java/util/jar/Pack200$Unpacker addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/util/jar/Pack200$Unpacker removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
class java/util/jar/Pack200 java/lang/Object
java/util/jar/Pack200 PACK_PROVIDER
java/util/jar/Pack200 UNPACK_PROVIDER
java/util/jar/Pack200 packerImpl
java/util/jar/Pack200 unpackerImpl
java/util/jar/Pack200 <init>()V
java/util/jar/Pack200 newPacker()Ljava/util/jar/Pack200$Packer;
java/util/jar/Pack200 newUnpacker()Ljava/util/jar/Pack200$Unpacker;
java/util/jar/Pack200 newInstance(Ljava/lang/String;)Ljava/lang/Object;
class java/util/logging/ConsoleHandler java/util/logging/StreamHandler
java/util/logging/ConsoleHandler configure()V
java/util/logging/ConsoleHandler
    <init>()V
java/util/logging/ConsoleHandler publish(Ljava/util/logging/LogRecord;)V
java/util/logging/ConsoleHandler close()V
class java/util/logging/ErrorHandler java/lang/Object
java/util/logging/ErrorHandler reported

```

```

java/util/logging/ErrorHandler GENERIC_FAILURE
java/util/logging/ErrorHandler WRITE_FAILURE
java/util/logging/ErrorHandler FLUSH_FAILURE
java/util/logging/ErrorHandler CLOSE_FAILURE
java/util/logging/ErrorHandler OPEN_FAILURE
java/util/logging/ErrorHandler FORMAT_FAILURE
java/util/logging/ErrorHandler <init>()V
java/util/logging/ErrorHandler error(Ljava/lang/String;Ljava/lang/Exception;)V
class java/util/logging/FileHandler$1 java/lang/Object
java/util/logging/FileHandler$1 this$0
java/util/logging/FileHandler$1 <init>(Ljava/util/logging/FileHandler;)V
java/util/logging/FileHandler$1 run(Ljava/lang/Object;
class java/util/logging/FileHandler$InitializationErrorManager java/util/logging/ErrorHandler
java/util/logging/FileHandler$InitializationErrorManager
    lastException
java/util/logging/FileHandler$InitializationErrorManager <init>()V
java/util/logging/FileHandler$InitializationErrorManager error(Ljava/lang/String;Ljava/lang/Exception;)V
java/util/logging/FileHandler$InitializationErrorManager <init>(Ljava/util/logging/FileHandler$1;)V
class java/util/logging/FileHandler$MeteredStream java/io/OutputStream
java/util/logging/FileHandler$MeteredStream out
java/util/logging/FileHandler$MeteredStream written
java/util/logging/FileHandler$MeteredStream this$0
java/util/logging/FileHandler$MeteredStream <init>(Ljava/util/logging/FileHandler;Ljava/io/OutputStream;)V
java/util/logging/FileHandler$MeteredStream write(I)V
java/util/logging/FileHandler$MeteredStream write([B)V
java/util/logging/FileHandler$MeteredStream write([BII)V
java/util/logging/FileHandler$MeteredStream flush()V
java/util/logging/FileHandler$MeteredStream close()V
class java/util/logging/FileHandler java/util/logging/StreamHandler
java/util/logging/FileHandler meter
java/util/logging/FileHandler
    append
java/util/logging/FileHandler limit
java/util/logging/FileHandler count
java/util/logging/FileHandler pattern
java/util/logging/FileHandler lockFileName
java/util/logging/FileHandler lockStream
java/util/logging/FileHandler files
java/util/logging/FileHandler MAX_LOCKS
java/util/logging/FileHandler locks
java/util/logging/FileHandler open(Ljava/io/File;Z)V
java/util/logging/FileHandler configure()V
java/util/logging/FileHandler <init>()V
java/util/logging/FileHandler <init>(Ljava/lang/String;)V
java/util/logging/FileHandler <init>(Ljava/lang/String;Z)V
java/util/logging/FileHandler <init>(Ljava/lang/String;II)V
java/util/logging/FileHandler <init>(Ljava/lang/String;IIZ)V
java/util/logging/FileHandler openFiles()V

```

```

java/util/logging/FileHandler generate(Ljava/lang/String;I)Ljava/io/File;
java/util/logging/FileHandler rotate()V
java/util/logging/FileHandler publish(Ljava/util/logging/LogRecord;)V
java/util/logging/FileHandler close()V
java/util/logging/FileHandler
    isSetUID()Z
java/util/logging/FileHandler access$100(Ljava/util/logging/FileHandler;)V
java/util/logging/FileHandler <clinit>()V
class java/util/logging/Filter java/lang/Object
java/util/logging/Filter isLoggable(Ljava/util/logging/LogRecord;)Z
class java/util/logging/Formatter java/lang/Object
java/util/logging/Formatter <init>()V
java/util/logging/Formatter format(Ljava/util/logging/LogRecord;)Ljava/lang/String;
java/util/logging/Formatter getHead(Ljava/util/logging/Handler;)Ljava/lang/String;
java/util/logging/Formatter getTail(Ljava/util/logging/Handler;)Ljava/lang/String;
java/util/logging/Formatter formatMessage(Ljava/util/logging/LogRecord;)Ljava/lang/String;
class java/util/logging/LogManager$3 java/lang/Object
java/util/logging/LogManager$3 val$name
java/util/logging/LogManager$3 this$0
java/util/logging/LogManager$3 <init>(Ljava/util/logging/LogManager;Ljava/lang/String;)V
java/util/logging/LogManager$3 run()Ljava/lang/Object;
class java/util/logging/LogManager$4 java/lang/Object
java/util/logging/LogManager$4
    val$name
java/util/logging/LogManager$4 this$0
java/util/logging/LogManager$4 <init>(Ljava/util/logging/LogManager;Ljava/lang/String;)V
java/util/logging/LogManager$4 run()Ljava/lang/Object;
class java/util/logging/LogManager$5 java/lang/Object
java/util/logging/LogManager$5 val$logger
java/util/logging/LogManager$5 val$level
java/util/logging/LogManager$5 <init>(Ljava/util/logging/Logger;Ljava/util/logging/Level;)V
java/util/logging/LogManager$5 run()Ljava/lang/Object;
class java/util/logging/LogManager$6 java/lang/Object
java/util/logging/LogManager$6 val$logger
java/util/logging/LogManager$6 val$parent
java/util/logging/LogManager$6 <init>(Ljava/util/logging/Logger;Ljava/util/logging/Logger;)V
java/util/logging/LogManager$6 run()Ljava/lang/Object;
class java/util/logging/LogManager$7 java/lang/Object
java/util/logging/LogManager$7 this$0
java/util/logging/LogManager$7 <init>(Ljava/util/logging/LogManager;)V
java/util/logging/LogManager$7
    run()Ljava/lang/Object;
class java/util/logging/LogRecord java/lang/Object
java/util/logging/LogRecord globalSequenceNumber
java/util/logging/LogRecord nextThreadId
java/util/logging/LogRecord threadIds
java/util/logging/LogRecord level
java/util/logging/LogRecord sequenceNumber

```

```

java/util/logging/LogRecord sourceClassName
java/util/logging/LogRecord sourceMethodName
java/util/logging/LogRecord message
java/util/logging/LogRecord threadID
java/util/logging/LogRecord millis
java/util/logging/LogRecord thrown
java/util/logging/LogRecord loggerName
java/util/logging/LogRecord resourceBundleName
java/util/logging/LogRecord needToInferCaller
java/util/logging/LogRecord parameters
java/util/logging/LogRecord resourceBundle
java/util/logging/LogRecord serialVersionUID
java/util/logging/LogRecord <init>(Ljava/util/logging/Level;Ljava/lang/String;)V
java/util/logging/LogRecord getLoggerName()Ljava/lang/String;
java/util/logging/LogRecord setLoggerName(Ljava/lang/String;)V
java/util/logging/LogRecord
    getResourceBundle()Ljava/util/ResourceBundle;
java/util/logging/LogRecord setResourceBundle(Ljava/util/ResourceBundle;)V
java/util/logging/LogRecord getResourceBundleName()Ljava/lang/String;
java/util/logging/LogRecord setResourceBundleName(Ljava/lang/String;)V
java/util/logging/LogRecord getLevel()Ljava/util/logging/Level;
java/util/logging/LogRecord setLevel(Ljava/util/logging/Level;)V
java/util/logging/LogRecord getSequenceNumber()J
java/util/logging/LogRecord setSequenceNumber(J)V
java/util/logging/LogRecord getSourceClassName()Ljava/lang/String;
java/util/logging/LogRecord setSourceClassName(Ljava/lang/String;)V
java/util/logging/LogRecord getSourceMethodName()Ljava/lang/String;
java/util/logging/LogRecord setSourceMethodName(Ljava/lang/String;)V
java/util/logging/LogRecord getMessage()Ljava/lang/String;
java/util/logging/LogRecord setMessage(Ljava/lang/String;)V
java/util/logging/LogRecord getParameters()[Ljava/lang/Object;
java/util/logging/LogRecord setParameters([Ljava/lang/Object;)V
java/util/logging/LogRecord
    getThreadID()I
java/util/logging/LogRecord setThreadID(I)V
java/util/logging/LogRecord getMillis()J
java/util/logging/LogRecord setMillis(J)V
java/util/logging/LogRecord getThrown()Ljava/lang/Throwable;
java/util/logging/LogRecord setThrown(Ljava/lang/Throwable;)V
java/util/logging/LogRecord writeObject(Ljava/io/ObjectOutputStream;)V
java/util/logging/LogRecord readObject(Ljava/io/ObjectInputStream;)V
java/util/logging/LogRecord inferCaller()V
java/util/logging/LogRecord <clinit>()V
class java/util/logging/Logging sun/management/MXBeanSupport
java/util/logging/Logging logManager
java/util/logging/Logging EMPTY_STRING
java/util/logging/Logging <init>()V
java/util/logging/Logging getLoggerNames()Ljava/util/List;

```



```

java/util/logging/Logging getLoggerLevel(Ljava/lang/String;)Ljava/lang/String;
java/util/logging/Logging setLoggerLevel(Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logging getParentLoggerName(Ljava/lang/String;)Ljava/lang/String;
java/util/logging/Logging
    <clinit>()V
class java/util/logging/LoggingMBean java/lang/Object
java/util/logging/LoggingMBean getLoggerNames()Ljava/util/List;
java/util/logging/LoggingMBean getLoggerLevel(Ljava/lang/String;)Ljava/lang/String;
java/util/logging/LoggingMBean setLoggerLevel(Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/LoggingMBean getParentLoggerName(Ljava/lang/String;)Ljava/lang/String;
class java/util/logging/MemoryHandler java/util/logging/Handler
java/util/logging/MemoryHandler DEFAULT_SIZE
java/util/logging/MemoryHandler pushLevel
java/util/logging/MemoryHandler size
java/util/logging/MemoryHandler target
java/util/logging/MemoryHandler buffer
java/util/logging/MemoryHandler start
java/util/logging/MemoryHandler count
java/util/logging/MemoryHandler configure()V
java/util/logging/MemoryHandler <init>()V
java/util/logging/MemoryHandler init()V
java/util/logging/MemoryHandler <init>(Ljava/util/logging/Handler;ILjava/util/logging/Level;)V
java/util/logging/MemoryHandler
    publish(Ljava/util/logging/LogRecord;)V
java/util/logging/MemoryHandler push()V
java/util/logging/MemoryHandler flush()V
java/util/logging/MemoryHandler close()V
java/util/logging/MemoryHandler setPushLevel(Ljava/util/logging/Level;)V
java/util/logging/MemoryHandler getPushLevel()Ljava/util/logging/Level;
java/util/logging/MemoryHandler isLoggable(Ljava/util/logging/LogRecord;)Z
class java/util/logging/SimpleFormatter java/util/logging/Formatter
java/util/logging/SimpleFormatter dat
java/util/logging/SimpleFormatter format
java/util/logging/SimpleFormatter formatter
java/util/logging/SimpleFormatter args
java/util/logging/SimpleFormatter lineSeparator
java/util/logging/SimpleFormatter <init>()V
java/util/logging/SimpleFormatter format(Ljava/util/logging/LogRecord;)Ljava/lang/String;
class java/util/logging/SocketHandler java/util/logging/StreamHandler
java/util/logging/SocketHandler sock
java/util/logging/SocketHandler host
java/util/logging/SocketHandler port
java/util/logging/SocketHandler
    portProperty
java/util/logging/SocketHandler configure()V
java/util/logging/SocketHandler <init>()V
java/util/logging/SocketHandler <init>(Ljava/lang/String;I)V
java/util/logging/SocketHandler connect()V

```

```

java/util/logging/SocketHandler close()V
java/util/logging/SocketHandler publish(Ljava/util/logging/LogRecord;)V
class java/util/logging/StreamHandler java/util/logging/Handler
java/util/logging/StreamHandler manager
java/util/logging/StreamHandler output
java/util/logging/StreamHandler doneHeader
java/util/logging/StreamHandler writer
java/util/logging/StreamHandler configure()V
java/util/logging/StreamHandler <init>()V
java/util/logging/StreamHandler <init>(Ljava/io/OutputStream;Ljava/util/logging/Formatter;)V
java/util/logging/StreamHandler setOutputStream(Ljava/io/OutputStream;)V
java/util/logging/StreamHandler setEncoding(Ljava/lang/String;)V
java/util/logging/StreamHandler publish(Ljava/util/logging/LogRecord;)V
java/util/logging/StreamHandler isLoggable(Ljava/util/logging/LogRecord;)Z
java/util/logging/StreamHandler
    flush()V
java/util/logging/StreamHandler flushAndClose()V
java/util/logging/StreamHandler close()V
class java/util/logging/XMLFormatter java/util/logging/Formatter
java/util/logging/XMLFormatter manager
java/util/logging/XMLFormatter <init>()V
java/util/logging/XMLFormatter a2(Ljava/lang/StringBuffer;I)V
java/util/logging/XMLFormatter appendISO8601(Ljava/lang/StringBuffer;J)V
java/util/logging/XMLFormatter escape(Ljava/lang/StringBuffer;Ljava/lang/String;)V
java/util/logging/XMLFormatter format(Ljava/util/logging/LogRecord;)Ljava/lang/String;
java/util/logging/XMLFormatter getHead(Ljava/util/logging/Handler;)Ljava/lang/String;
java/util/logging/XMLFormatter getTail(Ljava/util/logging/Handler;)Ljava/lang/String;
class java/util/prefs/AbstractPreferences$1 java/lang/Object
java/util/prefs/AbstractPreferences$1 this$0
java/util/prefs/AbstractPreferences$1 <init>(Ljava/util/prefs/AbstractPreferences;)V
java/util/prefs/AbstractPreferences$1
    run()Ljava/lang/Object;
class java/util/prefs/AbstractPreferences$EventDispatchThread java/lang/Thread
java/util/prefs/AbstractPreferences$EventDispatchThread <init>()V
java/util/prefs/AbstractPreferences$EventDispatchThread run()V
java/util/prefs/AbstractPreferences$EventDispatchThread <init>(Ljava/util/prefs/AbstractPreferences$1;)V
class java/util/prefs/AbstractPreferences$NodeAddedEvent java/util/prefs/NodeChangeEvent
java/util/prefs/AbstractPreferences$NodeAddedEvent serialVersionUID
java/util/prefs/AbstractPreferences$NodeAddedEvent this$0
java/util/prefs/AbstractPreferences$NodeAddedEvent
    <init>(Ljava/util/prefs/AbstractPreferences;Ljava/util/prefs/Preferences;Ljava/util/prefs/Preferences;)V
class java/util/prefs/AbstractPreferences$NodeRemovedEvent java/util/prefs/NodeChangeEvent
java/util/prefs/AbstractPreferences$NodeRemovedEvent serialVersionUID
java/util/prefs/AbstractPreferences$NodeRemovedEvent this$0
java/util/prefs/AbstractPreferences$NodeRemovedEvent
    <init>(Ljava/util/prefs/AbstractPreferences;Ljava/util/prefs/Preferences;Ljava/util/prefs/Preferences;)V
class

```

```

java/util/prefs/AbstractPreferences java/util/prefs/Preferences
java/util/prefs/AbstractPreferences name
java/util/prefs/AbstractPreferences absolutePath
java/util/prefs/AbstractPreferences parent
java/util/prefs/AbstractPreferences root
java/util/prefs/AbstractPreferences newNode
java/util/prefs/AbstractPreferences kidCache
java/util/prefs/AbstractPreferences removed
java/util/prefs/AbstractPreferences prefListeners
java/util/prefs/AbstractPreferences nodeListeners
java/util/prefs/AbstractPreferences lock
java/util/prefs/AbstractPreferences EMPTY_STRING_ARRAY
java/util/prefs/AbstractPreferences EMPTY_ABSTRACT_PREFS_ARRAY
java/util/prefs/AbstractPreferences eventQueue
java/util/prefs/AbstractPreferences eventDispatchThread
java/util/prefs/AbstractPreferences <init>(Ljava/util/prefs/AbstractPreferences;Ljava/lang/String;)V
java/util/prefs/AbstractPreferences put(Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/AbstractPreferences
    get(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/prefs/AbstractPreferences remove(Ljava/lang/String;)V
java/util/prefs/AbstractPreferences clear()V
java/util/prefs/AbstractPreferences putInt(Ljava/lang/String;I)V
java/util/prefs/AbstractPreferences getInt(Ljava/lang/String;I)I
java/util/prefs/AbstractPreferences putLong(Ljava/lang/String;J)V
java/util/prefs/AbstractPreferences getLong(Ljava/lang/String;J)J
java/util/prefs/AbstractPreferences putBoolean(Ljava/lang/String;Z)V
java/util/prefs/AbstractPreferences getBoolean(Ljava/lang/String;Z)Z
java/util/prefs/AbstractPreferences putFloat(Ljava/lang/String;F)V
java/util/prefs/AbstractPreferences getFloat(Ljava/lang/String;F)F
java/util/prefs/AbstractPreferences putDouble(Ljava/lang/String;D)V
java/util/prefs/AbstractPreferences getDouble(Ljava/lang/String;D)D
java/util/prefs/AbstractPreferences putByteArray(Ljava/lang/String;[B)V
java/util/prefs/AbstractPreferences
    getByteArray(Ljava/lang/String;[B)[B
java/util/prefs/AbstractPreferences keys()[Ljava/lang/String;
java/util/prefs/AbstractPreferences childrenNames()[Ljava/lang/String;
java/util/prefs/AbstractPreferences cachedChildren()[Ljava/util/prefs/AbstractPreferences;
java/util/prefs/AbstractPreferences parent()Ljava/util/prefs/Preferences;
java/util/prefs/AbstractPreferences node(Ljava/lang/String;)Ljava/util/prefs/Preferences;
java/util/prefs/AbstractPreferences node(Ljava/util/StringTokenizer;)Ljava/util/prefs/Preferences;
java/util/prefs/AbstractPreferences nodeExists(Ljava/lang/String;)Z
java/util/prefs/AbstractPreferences nodeExists(Ljava/util/StringTokenizer;)Z
java/util/prefs/AbstractPreferences removeNode()V
java/util/prefs/AbstractPreferences removeNode2()V
java/util/prefs/AbstractPreferences name()Ljava/lang/String;
java/util/prefs/AbstractPreferences absolutePath()Ljava/lang/String;
java/util/prefs/AbstractPreferences isUserNode()Z
java/util/prefs/AbstractPreferences addPreferenceChangeListener(Ljava/util/prefs/PreferenceChangeListener;)V

```

```

java/util/prefs/AbstractPreferences
    removeChangeListener(Ljava/util/prefs/ChangeListener;)V
java/util/prefs/AbstractPreferences addNodeChangeListener(Ljava/util/prefs/NodeChangeListener;)V
java/util/prefs/AbstractPreferences removeNodeChangeListener(Ljava/util/prefs/NodeChangeListener;)V
java/util/prefs/AbstractPreferences putSpi(Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/AbstractPreferences getSpi(Ljava/lang/String;)Ljava/lang/String;
java/util/prefs/AbstractPreferences removeSpi(Ljava/lang/String;)V
java/util/prefs/AbstractPreferences removeNodeSpi()V
java/util/prefs/AbstractPreferences keysSpi()[Ljava/lang/String;
java/util/prefs/AbstractPreferences childrenNamesSpi()[Ljava/lang/String;
java/util/prefs/AbstractPreferences getChild(Ljava/lang/String;)Ljava/util/prefs/AbstractPreferences;
java/util/prefs/AbstractPreferences childSpi(Ljava/lang/String;)Ljava/util/prefs/AbstractPreferences;
java/util/prefs/AbstractPreferences
    toString()Ljava/lang/String;
java/util/prefs/AbstractPreferences sync()V
java/util/prefs/AbstractPreferences sync2()V
java/util/prefs/AbstractPreferences syncSpi()V
java/util/prefs/AbstractPreferences flush()V
java/util/prefs/AbstractPreferences flush2()V
java/util/prefs/AbstractPreferences flushSpi()V
java/util/prefs/AbstractPreferences isRemoved()Z
java/util/prefs/AbstractPreferences startEventDispatchThreadIfNecessary()V
java/util/prefs/AbstractPreferences prefListeners()[Ljava/util/prefs/ChangeListener;
java/util/prefs/AbstractPreferences nodeListeners()[Ljava/util/prefs/NodeChangeListener;
java/util/prefs/AbstractPreferences enqueuePreferenceChangeEvent(Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/AbstractPreferences enqueueNodeAddedEvent(Ljava/util/prefs/Preferences;)V
java/util/prefs/AbstractPreferences enqueueNodeRemovedEvent(Ljava/util/prefs/Preferences;)V
java/util/prefs/AbstractPreferences exportNode(Ljava/io/OutputStream;)V
java/util/prefs/AbstractPreferences
    exportSubtree(Ljava/io/OutputStream;)V
java/util/prefs/AbstractPreferences
    access$000(Ljava/util/prefs/AbstractPreferences;)Ljava/util/prefs/AbstractPreferences;
java/util/prefs/AbstractPreferences access$100()Ljava/util/List;
java/util/prefs/AbstractPreferences <clinit>()V
class java/util/prefs/BackingStoreException java/lang/Exception
java/util/prefs/BackingStoreException serialVersionUID
java/util/prefs/BackingStoreException <init>(Ljava/lang/String;)V
java/util/prefs/BackingStoreException <init>(Ljava/lang/Throwable;)V
class java/util/prefs/Base64 java/lang/Object
java/util/prefs/Base64 intToBase64
java/util/prefs/Base64 intToAltBase64
java/util/prefs/Base64 base64ToInt
java/util/prefs/Base64 altBase64ToInt
java/util/prefs/Base64 <init>()V
java/util/prefs/Base64 byteArrayToBase64([B)Ljava/lang/String;
java/util/prefs/Base64 byteArrayToAltBase64([B)Ljava/lang/String;
java/util/prefs/Base64 byteArrayToBase64([BZ)Ljava/lang/String;
java/util/prefs/Base64

```

```

base64ToByteArray(Ljava/lang/String;)[B
java/util/prefs/Base64 altBase64ToByteArray(Ljava/lang/String;)[B
java/util/prefs/Base64 base64ToByteArray(Ljava/lang/String;Z)[B
java/util/prefs/Base64 base64toInt(C[B)I
java/util/prefs/Base64 main([Ljava/lang/String;)V
java/util/prefs/Base64 <clinit>()V
class java/util/prefs/InvalidPreferencesFormatException java/lang/Exception
java/util/prefs/InvalidPreferencesFormatException serialVersionUID
java/util/prefs/InvalidPreferencesFormatException <init>(Ljava/lang/Throwable;)V
java/util/prefs/InvalidPreferencesFormatException <init>(Ljava/lang/String;)V
java/util/prefs/InvalidPreferencesFormatException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
class java/util/prefs/NodeChangeEvent java/util/EventObject
java/util/prefs/NodeChangeEvent child
java/util/prefs/NodeChangeEvent serialVersionUID
java/util/prefs/NodeChangeEvent <init>(Ljava/util/prefs/Preferences;Ljava/util/prefs/Preferences;)V
java/util/prefs/NodeChangeEvent getParent()Ljava/util/prefs/Preferences;
java/util/prefs/NodeChangeEvent
    getChild()Ljava/util/prefs/Preferences;
java/util/prefs/NodeChangeEvent writeObject(Ljava/io/ObjectOutputStream;)V
java/util/prefs/NodeChangeEvent readObject(Ljava/io/ObjectInputStream;)V
class java/util/prefs/NodeChangeListener java/lang/Object
java/util/prefs/NodeChangeListener childAdded(Ljava/util/prefs/NodeChangeEvent;)V
java/util/prefs/NodeChangeListener childRemoved(Ljava/util/prefs/NodeChangeEvent;)V
class java/util/prefs/PreferenceChangeEvent java/util/EventObject
java/util/prefs/PreferenceChangeEvent key
java/util/prefs/PreferenceChangeEvent newValue
java/util/prefs/PreferenceChangeEvent serialVersionUID
java/util/prefs/PreferenceChangeEvent <init>(Ljava/util/prefs/Preferences;Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/PreferenceChangeEvent getNode()Ljava/util/prefs/Preferences;
java/util/prefs/PreferenceChangeEvent getKey()Ljava/lang/String;
java/util/prefs/PreferenceChangeEvent getNewValue()Ljava/lang/String;
java/util/prefs/PreferenceChangeEvent
    writeObject(Ljava/io/ObjectOutputStream;)V
java/util/prefs/PreferenceChangeEvent readObject(Ljava/io/ObjectInputStream;)V
class java/util/prefs/PreferenceChangeListener java/lang/Object
java/util/prefs/PreferenceChangeListener preferenceChange(Ljava/util/prefs/PreferenceChangeEvent;)V
class java/util/prefs/Preferences$1 java/lang/Object
java/util/prefs/Preferences$1 <init>()V
java/util/prefs/Preferences$1 run()Ljava/lang/String;
java/util/prefs/Preferences$1 run()Ljava/lang/Object;
class java/util/prefs/Preferences$2 java/lang/Object
java/util/prefs/Preferences$2 <init>()V
java/util/prefs/Preferences$2 run()Ljava/util/prefs/PreferencesFactory;
java/util/prefs/Preferences$2 run()Ljava/lang/Object;
class java/util/prefs/Preferences java/lang/Object
java/util/prefs/Preferences factory
java/util/prefs/Preferences MAX_KEY_LENGTH
java/util/prefs/Preferences MAX_VALUE_LENGTH

```

```

java/util/prefs/Preferences MAX_NAME_LENGTH
java/util/prefs/Preferences prefsPerm
java/util/prefs/Preferences
    factory()Ljava/util/prefs/PreferencesFactory;
java/util/prefs/Preferences factory1()Ljava/util/prefs/PreferencesFactory;
java/util/prefs/Preferences userNodeForPackage(Ljava/lang/Class;)Ljava/util/prefs/Preferences;
java/util/prefs/Preferences systemNodeForPackage(Ljava/lang/Class;)Ljava/util/prefs/Preferences;
java/util/prefs/Preferences nodeName(Ljava/lang/Class;)Ljava/lang/String;
java/util/prefs/Preferences userRoot()Ljava/util/prefs/Preferences;
java/util/prefs/Preferences systemRoot()Ljava/util/prefs/Preferences;
java/util/prefs/Preferences <init>()V
java/util/prefs/Preferences put(Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/Preferences get(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/prefs/Preferences remove(Ljava/lang/String;)V
java/util/prefs/Preferences clear()V
java/util/prefs/Preferences putInt(Ljava/lang/String;I)V
java/util/prefs/Preferences getInt(Ljava/lang/String;I)I
java/util/prefs/Preferences putLong(Ljava/lang/String;J)V
java/util/prefs/Preferences
    getLong(Ljava/lang/String;J)J
java/util/prefs/Preferences putBoolean(Ljava/lang/String;Z)V
java/util/prefs/Preferences getBoolean(Ljava/lang/String;Z)Z
java/util/prefs/Preferences putFloat(Ljava/lang/String;F)V
java/util/prefs/Preferences getFloat(Ljava/lang/String;F)F
java/util/prefs/Preferences putDouble(Ljava/lang/String;D)V
java/util/prefs/Preferences getDouble(Ljava/lang/String;D)D
java/util/prefs/Preferences putByteArray(Ljava/lang/String;[B)V
java/util/prefs/Preferences getByteArray(Ljava/lang/String;[B)[B
java/util/prefs/Preferences keys()[Ljava/lang/String;
java/util/prefs/Preferences childrenNames()[Ljava/lang/String;
java/util/prefs/Preferences parent()Ljava/util/prefs/Preferences;
java/util/prefs/Preferences node(Ljava/lang/String;)Ljava/util/prefs/Preferences;
java/util/prefs/Preferences nodeExists(Ljava/lang/String;)Z
java/util/prefs/Preferences removeNode()V
java/util/prefs/Preferences name()Ljava/lang/String;
java/util/prefs/Preferences
    absolutePath()Ljava/lang/String;
java/util/prefs/Preferences isUserNode()Z
java/util/prefs/Preferences toString()Ljava/lang/String;
java/util/prefs/Preferences flush()V
java/util/prefs/Preferences sync()V
java/util/prefs/Preferences addPreferenceChangeListener(Ljava/util/prefs/PreferenceChangeListener;)V
java/util/prefs/Preferences removePreferenceChangeListener(Ljava/util/prefs/PreferenceChangeListener;)V
java/util/prefs/Preferences addNodeChangeListener(Ljava/util/prefs/NodeChangeListener;)V
java/util/prefs/Preferences removeNodeChangeListener(Ljava/util/prefs/NodeChangeListener;)V
java/util/prefs/Preferences exportNode(Ljava/io/OutputStream;)V
java/util/prefs/Preferences exportSubtree(Ljava/io/OutputStream;)V
java/util/prefs/Preferences importPreferences(Ljava/io/InputStream;)V

```

```

java/util/prefs/Preferences access$000()Ljava/util/prefs/PreferencesFactory;
java/util/prefs/Preferences <clinit>()V
class java/util/prefs/PreferencesFactory java/lang/Object
java/util/prefs/PreferencesFactory
    systemRoot()Ljava/util/prefs/Preferences;
java/util/prefs/PreferencesFactory userRoot()Ljava/util/prefs/Preferences;
class java/util/prefs/WindowsPreferences java/util/prefs/AbstractPreferences
java/util/prefs/WindowsPreferences logger
java/util/prefs/WindowsPreferences WINDOWS_ROOT_PATH
java/util/prefs/WindowsPreferences HKEY_CURRENT_USER
java/util/prefs/WindowsPreferences HKEY_LOCAL_MACHINE
java/util/prefs/WindowsPreferences USER_ROOT_NATIVE_HANDLE
java/util/prefs/WindowsPreferences SYSTEM_ROOT_NATIVE_HANDLE
java/util/prefs/WindowsPreferences MAX_WINDOWS_PATH_LENGTH
java/util/prefs/WindowsPreferences userRoot
java/util/prefs/WindowsPreferences systemRoot
java/util/prefs/WindowsPreferences ERROR_SUCCESS
java/util/prefs/WindowsPreferences ERROR_FILE_NOT_FOUND
java/util/prefs/WindowsPreferences ERROR_ACCESS_DENIED
java/util/prefs/WindowsPreferences NATIVE_HANDLE
java/util/prefs/WindowsPreferences ERROR_CODE
java/util/prefs/WindowsPreferences SUBKEYS_NUMBER
java/util/prefs/WindowsPreferences
    VALUES_NUMBER
java/util/prefs/WindowsPreferences MAX_KEY_LENGTH
java/util/prefs/WindowsPreferences MAX_VALUE_NAME_LENGTH
java/util/prefs/WindowsPreferences DISPOSITION
java/util/prefs/WindowsPreferences REG_CREATED_NEW_KEY
java/util/prefs/WindowsPreferences REG_OPENED_EXISTING_KEY
java/util/prefs/WindowsPreferences NULL_NATIVE_HANDLE
java/util/prefs/WindowsPreferences DELETE
java/util/prefs/WindowsPreferences KEY_QUERY_VALUE
java/util/prefs/WindowsPreferences KEY_SET_VALUE
java/util/prefs/WindowsPreferences KEY_CREATE_SUB_KEY
java/util/prefs/WindowsPreferences KEY_ENUMERATE_SUB_KEYS
java/util/prefs/WindowsPreferences KEY_READ
java/util/prefs/WindowsPreferences KEY_WRITE
java/util/prefs/WindowsPreferences KEY_ALL_ACCESS
java/util/prefs/WindowsPreferences INIT_SLEEP_TIME
java/util/prefs/WindowsPreferences MAX_ATTEMPTS
java/util/prefs/WindowsPreferences isBackingStoreAvailable
java/util/prefs/WindowsPreferences WindowsRegOpenKey(I[B]I[I
java/util/prefs/WindowsPreferences
    WindowsRegOpenKey1(I[B]I[I
java/util/prefs/WindowsPreferences WindowsRegCloseKey(I)I
java/util/prefs/WindowsPreferences WindowsRegCreateKeyEx(I[B]I[I
java/util/prefs/WindowsPreferences WindowsRegCreateKeyEx1(I[B]I[I
java/util/prefs/WindowsPreferences WindowsRegDeleteKey(I[B]I

```

```

java/util/prefs/WindowsPreferences WindowsRegFlushKey(I)I
java/util/prefs/WindowsPreferences WindowsRegFlushKey1(I)I
java/util/prefs/WindowsPreferences WindowsRegQueryValueEx(I[B])[B
java/util/prefs/WindowsPreferences WindowsRegSetValueEx(I[B]B)I
java/util/prefs/WindowsPreferences WindowsRegSetValueEx1(I[B]B)I
java/util/prefs/WindowsPreferences WindowsRegDeleteValue(I[B])I
java/util/prefs/WindowsPreferences WindowsRegQueryInfoKey(I)[I
java/util/prefs/WindowsPreferences WindowsRegQueryInfoKey1(I)[I
java/util/prefs/WindowsPreferences WindowsRegEnumKeyEx(III)[B
java/util/prefs/WindowsPreferences WindowsRegEnumKeyEx1(III)[B
java/util/prefs/WindowsPreferences WindowsRegEnumValue(III)[B
java/util/prefs/WindowsPreferences
    WindowsRegEnumValue1(III)[B
java/util/prefs/WindowsPreferences <init>(Ljava/util/prefs/WindowsPreferences;Ljava/lang/String;)V
java/util/prefs/WindowsPreferences <init>(I[B)V
java/util/prefs/WindowsPreferences windowsAbsolutePath()[B
java/util/prefs/WindowsPreferences openKey(I)I
java/util/prefs/WindowsPreferences openKey(II)I
java/util/prefs/WindowsPreferences openKey([BII)I
java/util/prefs/WindowsPreferences openKey(I[BII)I
java/util/prefs/WindowsPreferences closeKey(I)V
java/util/prefs/WindowsPreferences putSpi(Ljava/lang/String;Ljava/lang/String;)V
java/util/prefs/WindowsPreferences getSpi(Ljava/lang/String;Ljava/lang/String;
java/util/prefs/WindowsPreferences removeSpi(Ljava/lang/String;)V
java/util/prefs/WindowsPreferences keysSpi()[Ljava/lang/String;
java/util/prefs/WindowsPreferences childrenNamesSpi()[Ljava/lang/String;
java/util/prefs/WindowsPreferences flush()V
java/util/prefs/WindowsPreferences sync()V
java/util/prefs/WindowsPreferences childSpi(Ljava/lang/String;)Ljava/util/prefs/AbstractPreferences;
java/util/prefs/WindowsPreferences
    removeNodeSpi()V
java/util/prefs/WindowsPreferences toJavaName([B)Ljava/lang/String;
java/util/prefs/WindowsPreferences toJavaAlt64Name(Ljava/lang/String;)Ljava/lang/String;
java/util/prefs/WindowsPreferences toWindowsName(Ljava/lang/String;)[B
java/util/prefs/WindowsPreferences toWindowsAlt64Name(Ljava/lang/String;)[B
java/util/prefs/WindowsPreferences toJavaValueString([B)Ljava/lang/String;
java/util/prefs/WindowsPreferences toWindowsValueString(Ljava/lang/String;)[B
java/util/prefs/WindowsPreferences rootNativeHandle()I
java/util/prefs/WindowsPreferences stringToByteArray(Ljava/lang/String;)[B
java/util/prefs/WindowsPreferences byteArrayToString([B)Ljava/lang/String;
java/util/prefs/WindowsPreferences flushSpi()V
java/util/prefs/WindowsPreferences syncSpi()V
java/util/prefs/WindowsPreferences logger()Ljava/util/logging/Logger;
java/util/prefs/WindowsPreferences <clinit>()V
class java/util/prefs/WindowsPreferencesFactory
    java/lang/Object
java/util/prefs/WindowsPreferencesFactory <init>()V
java/util/prefs/WindowsPreferencesFactory userRoot()Ljava/util/prefs/Preferences;

```



```

java/util/prefs/WindowsPreferencesFactory systemRoot()Ljava/util/prefs/Preferences;
class java/util/prefs/XmlSupport$1 java/lang/Object
class java/util/prefs/XmlSupport$EH java/lang/Object
java/util/prefs/XmlSupport$EH <init>()V
java/util/prefs/XmlSupport$EH error(Lorg/xml/sax/SAXParseException;)V
java/util/prefs/XmlSupport$EH fatalError(Lorg/xml/sax/SAXParseException;)V
java/util/prefs/XmlSupport$EH warning(Lorg/xml/sax/SAXParseException;)V
java/util/prefs/XmlSupport$EH <init>(Ljava/util/prefs/XmlSupport$1;)V
class java/util/prefs/XmlSupport$Resolver java/lang/Object
java/util/prefs/XmlSupport$Resolver <init>()V
java/util/prefs/XmlSupport$Resolver resolveEntity(Ljava/lang/String;Ljava/lang/String;)Lorg/xml/sax/InputSource;
java/util/prefs/XmlSupport$Resolver <init>(Ljava/util/prefs/XmlSupport$1;)V
class java/util/prefs/XmlSupport
  java/lang/Object
  java/util/prefs/XmlSupport PREFS_DTD_URI
  java/util/prefs/XmlSupport PREFS_DTD
  java/util/prefs/XmlSupport EXTERNAL_XML_VERSION
  java/util/prefs/XmlSupport MAP_XML_VERSION
  java/util/prefs/XmlSupport <init>()V
  java/util/prefs/XmlSupport export(Ljava/io/OutputStream;Ljava/util/prefs/Preferences;Z)V
  java/util/prefs/XmlSupport
    putPreferencesInXml(Lorg/w3c/dom/Element;Lorg/w3c/dom/Document;Ljava/util/prefs/Preferences;Z)V
  java/util/prefs/XmlSupport importPreferences(Ljava/io/InputStream;)V
  java/util/prefs/XmlSupport createPrefsDoc(Ljava/lang/String;)Lorg/w3c/dom/Document;
  java/util/prefs/XmlSupport loadPrefsDoc(Ljava/io/InputStream;)Lorg/w3c/dom/Document;
  java/util/prefs/XmlSupport writeDoc(Lorg/w3c/dom/Document;Ljava/io/OutputStream;)V
  java/util/prefs/XmlSupport ImportSubtree(Ljava/util/prefs/Preferences;Lorg/w3c/dom/Element;)V
  java/util/prefs/XmlSupport ImportPrefs(Ljava/util/prefs/Preferences;Lorg/w3c/dom/Element;)V
  java/util/prefs/XmlSupport exportMap(Ljava/io/OutputStream;Ljava/util/Map;)V
  java/util/prefs/XmlSupport
    importMap(Ljava/io/InputStream;Ljava/util/Map;)V
class java/util/regex/Pattern$Add java/util/regex/Pattern$Node
java/util/regex/Pattern$Add lhs
java/util/regex/Pattern$Add rhs
java/util/regex/Pattern$Add <init>(Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Add match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Add study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$BackRef java/util/regex/Pattern$Node
java/util/regex/Pattern$BackRef groupIndex
java/util/regex/Pattern$BackRef <init>(I)V
java/util/regex/Pattern$BackRef match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$BackRef study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Behind java/util/regex/Pattern$Node
java/util/regex/Pattern$Behind cond
java/util/regex/Pattern$Behind rmax
java/util/regex/Pattern$Behind rmin
java/util/regex/Pattern$Behind

```

```

<init>(Ljava/util/regex/Pattern$Node;II)V
java/util/regex/Pattern$Behind match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$BehindS java/util/regex/Pattern$Behind
java/util/regex/Pattern$BehindS <init>(Ljava/util/regex/Pattern$Node;II)V
java/util/regex/Pattern$BehindS match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$BnM java/util/regex/Pattern$Node
java/util/regex/Pattern$BnM buffer
java/util/regex/Pattern$BnM lastOcc
java/util/regex/Pattern$BnM optoSft
java/util/regex/Pattern$BnM optimize(Ljava/util/regex/Pattern$Node;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$BnM <init>([I[ILjava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$BnM match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$BnM study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$BnMS java/util/regex/Pattern$BnM
java/util/regex/Pattern$BnMS lengthInChars
java/util/regex/Pattern$BnMS
<init>([I[ILjava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$BnMS match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Both java/util/regex/Pattern$Node
java/util/regex/Pattern$Both lhs
java/util/regex/Pattern$Both rhs
java/util/regex/Pattern$Both <init>(Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Both match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Both study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Bound java/util/regex/Pattern$Node
java/util/regex/Pattern$Bound LEFT
java/util/regex/Pattern$Bound RIGHT
java/util/regex/Pattern$Bound BOTH
java/util/regex/Pattern$Bound NONE
java/util/regex/Pattern$Bound type
java/util/regex/Pattern$Bound <init>(I)V
java/util/regex/Pattern$Bound check(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)I
java/util/regex/Pattern$Bound match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Bound
<clinit>()V
class java/util/regex/Pattern$CIBackRef java/util/regex/Pattern$Node
java/util/regex/Pattern$CIBackRef groupIndex
java/util/regex/Pattern$CIBackRef <init>(I)V
java/util/regex/Pattern$CIBackRef match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$CIBackRef study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$CINotRange java/util/regex/Pattern$NotRange
java/util/regex/Pattern$CINotRange lower
java/util/regex/Pattern$CINotRange upper
java/util/regex/Pattern$CINotRange <init>(I)V
java/util/regex/Pattern$CINotRange <init>(II)V
java/util/regex/Pattern$CINotRange dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$CINotRange match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$CIRange java/util/regex/Pattern$Range

```

```

java/util/regex/Pattern$CIRange <init>(I)V
java/util/regex/Pattern$CIRange <init>(II)V
java/util/regex/Pattern$CIRange dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$CIRange
    match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Caret java/util/regex/Pattern$Node
java/util/regex/Pattern$Caret <init>()V
java/util/regex/Pattern$Caret match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Conditional java/util/regex/Pattern$Node
java/util/regex/Pattern$Conditional cond
java/util/regex/Pattern$Conditional yes
java/util/regex/Pattern$Conditional not
java/util/regex/Pattern$Conditional
    <init>(Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Conditional match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Conditional study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Dollar java/util/regex/Pattern$Node
java/util/regex/Pattern$Dollar multiline
java/util/regex/Pattern$Dollar <init>(Z)V
java/util/regex/Pattern$Dollar match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Dollar
    study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Dot java/util/regex/Pattern$Node
java/util/regex/Pattern$Dot <init>()V
java/util/regex/Pattern$Dot match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Dot study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$End java/util/regex/Pattern$Node
java/util/regex/Pattern$End <init>()V
java/util/regex/Pattern$End match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$GroupRef java/util/regex/Pattern$Node
java/util/regex/Pattern$GroupRef head
java/util/regex/Pattern$GroupRef <init>(Ljava/util/regex/Pattern$GroupHead;)V
java/util/regex/Pattern$GroupRef match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupRef study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$LastMatch java/util/regex/Pattern$Node
java/util/regex/Pattern$LastMatch
    <init>()V
java/util/regex/Pattern$LastMatch match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$LazyLoop java/util/regex/Pattern$Loop
java/util/regex/Pattern$LazyLoop <init>(II)V
java/util/regex/Pattern$LazyLoop match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$LazyLoop matchInit(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$LazyLoop study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Loop java/util/regex/Pattern$Node
java/util/regex/Pattern$Loop body
java/util/regex/Pattern$Loop countIndex
java/util/regex/Pattern$Loop beginIndex
java/util/regex/Pattern$Loop cmin

```

```

java/util/regex/Pattern$Loop cmax
java/util/regex/Pattern$Loop <init>(II)V
java/util/regex/Pattern$Loop match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Loop matchInit(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Loop study(Ljava/util/regex/Pattern$TreeInfo;)Z
class
  java/util/regex/Pattern$Neg java/util/regex/Pattern$Node
  java/util/regex/Pattern$Neg cond
  java/util/regex/Pattern$Neg <init>(Ljava/util/regex/Pattern$Node;)V
  java/util/regex/Pattern$Neg match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
  class java/util/regex/Pattern$Not java/util/regex/Pattern$Node
  java/util/regex/Pattern$Not atom
  java/util/regex/Pattern$Not <init>(Ljava/util/regex/Pattern$Node;)V
  java/util/regex/Pattern$Not match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
  java/util/regex/Pattern$Not study(Ljava/util/regex/Pattern$TreeInfo;)Z
  class java/util/regex/Pattern$NotBehind java/util/regex/Pattern$Node
  java/util/regex/Pattern$NotBehind cond
  java/util/regex/Pattern$NotBehind rmax
  java/util/regex/Pattern$NotBehind rmin
  java/util/regex/Pattern$NotBehind <init>(Ljava/util/regex/Pattern$Node;II)V
  java/util/regex/Pattern$NotBehind match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
  class java/util/regex/Pattern$NotBehindS java/util/regex/Pattern$NotBehind
  java/util/regex/Pattern$NotBehindS
    <init>(Ljava/util/regex/Pattern$Node;II)V
  java/util/regex/Pattern$NotBehindS match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
  class java/util/regex/Pattern$NotCtype java/util/regex/Pattern$Node
  java/util/regex/Pattern$NotCtype ctype
  java/util/regex/Pattern$NotCtype <init>(I)V
  java/util/regex/Pattern$NotCtype dup(Z)Ljava/util/regex/Pattern$Node;
  java/util/regex/Pattern$NotCtype match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
  java/util/regex/Pattern$NotCtype study(Ljava/util/regex/Pattern$TreeInfo;)Z
  class java/util/regex/Pattern$NotRange java/util/regex/Pattern$Node
  java/util/regex/Pattern$NotRange lower
  java/util/regex/Pattern$NotRange upper
  java/util/regex/Pattern$NotRange <init>()V
  java/util/regex/Pattern$NotRange <init>(I)V
  java/util/regex/Pattern$NotRange <init>(II)V
  java/util/regex/Pattern$NotRange dup(Z)Ljava/util/regex/Pattern$Node;
  java/util/regex/Pattern$NotRange match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
  java/util/regex/Pattern$NotRange
    study(Ljava/util/regex/Pattern$TreeInfo;)Z
  class java/util/regex/Pattern$NotSingle java/util/regex/Pattern$Node
  java/util/regex/Pattern$NotSingle ch
  java/util/regex/Pattern$NotSingle <init>(I)V
  java/util/regex/Pattern$NotSingle dup(Z)Ljava/util/regex/Pattern$Node;
  java/util/regex/Pattern$NotSingle match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
  java/util/regex/Pattern$NotSingle study(Ljava/util/regex/Pattern$TreeInfo;)Z
  class java/util/regex/Pattern$NotSingleA java/util/regex/Pattern$Node

```

```

java/util/regex/Pattern$NotSingleA ch
java/util/regex/Pattern$NotSingleA <init>(I)V
java/util/regex/Pattern$NotSingleA dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$NotSingleA match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$NotSingleA study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$NotSingleU java/util/regex/Pattern$Node
java/util/regex/Pattern$NotSingleU ch
java/util/regex/Pattern$NotSingleU
    <init>(I)V
java/util/regex/Pattern$NotSingleU dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$NotSingleU match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$NotSingleU study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Pos java/util/regex/Pattern$Node
java/util/regex/Pattern$Pos cond
java/util/regex/Pattern$Pos <init>(Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Pos match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Prolog java/util/regex/Pattern$Node
java/util/regex/Pattern$Prolog loop
java/util/regex/Pattern$Prolog <init>(Ljava/util/regex/Pattern$Loop;)V
java/util/regex/Pattern$Prolog match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Prolog study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$SingleA java/util/regex/Pattern$Node
java/util/regex/Pattern$SingleA ch
java/util/regex/Pattern$SingleA
    <init>(I)V
java/util/regex/Pattern$SingleA dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$SingleA match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$SingleA study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$SingleU java/util/regex/Pattern$Node
java/util/regex/Pattern$SingleU ch
java/util/regex/Pattern$SingleU len
java/util/regex/Pattern$SingleU <init>(I)V
java/util/regex/Pattern$SingleU dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$SingleU match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$SingleU study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$SliceA java/util/regex/Pattern$Node
java/util/regex/Pattern$SliceA buffer
java/util/regex/Pattern$SliceA <init>([I)V
java/util/regex/Pattern$SliceA match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$SliceA study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$SliceS
    java/util/regex/Pattern$Slice
java/util/regex/Pattern$SliceS <init>([I)V
java/util/regex/Pattern$SliceS match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$SliceU java/util/regex/Pattern$Node
java/util/regex/Pattern$SliceU buffer
java/util/regex/Pattern$SliceU <init>([I)V
java/util/regex/Pattern$SliceU match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z

```

```

java/util/regex/Pattern$SliceU study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Specials java/util/regex/Pattern$Node
java/util/regex/Pattern$Specials <init>()V
java/util/regex/Pattern$Specials dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$Specials match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Specials study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$StartS java/util/regex/Pattern$Start
java/util/regex/Pattern$StartS <init>(Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$StartS
    match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Sub java/util/regex/Pattern$Add
java/util/regex/Pattern$Sub <init>(Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Sub match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Sub study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$UBlock java/util/regex/Pattern$Node
java/util/regex/Pattern$UBlock block
java/util/regex/Pattern$UBlock complementMe
java/util/regex/Pattern$UBlock <init>()V
java/util/regex/Pattern$UBlock <init>(Ljava/lang/Character$UnicodeBlock;Z)V
java/util/regex/Pattern$UBlock dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$UBlock match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$UBlock notMatch(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$UBlock study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$UnixCaret
    java/util/regex/Pattern$Node
java/util/regex/Pattern$UnixCaret <init>()V
java/util/regex/Pattern$UnixCaret match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$UnixDollar java/util/regex/Pattern$Node
java/util/regex/Pattern$UnixDollar multiline
java/util/regex/Pattern$UnixDollar <init>(Z)V
java/util/regex/Pattern$UnixDollar match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$UnixDollar study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$UnixDot java/util/regex/Pattern$Node
java/util/regex/Pattern$UnixDot <init>()V
java/util/regex/Pattern$UnixDot match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$UnixDot study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/PatternSyntaxException java/lang/IllegalArgumentException
java/util/regex/PatternSyntaxException desc
java/util/regex/PatternSyntaxException pattern
java/util/regex/PatternSyntaxException
    index
java/util/regex/PatternSyntaxException nl
java/util/regex/PatternSyntaxException <init>(Ljava/lang/String;Ljava/lang/String;I)V
java/util/regex/PatternSyntaxException getIndex()I
java/util/regex/PatternSyntaxException getDescription()Ljava/lang/String;
java/util/regex/PatternSyntaxException getPattern()Ljava/lang/String;
java/util/regex/PatternSyntaxException getMessage()Ljava/lang/String;
java/util/regex/PatternSyntaxException <clinit>()V

```

```

class java/util/zip/Adler32 java/lang/Object
java/util/zip/Adler32 Adler
java/util/zip/Adler32 <init>()V
java/util/zip/Adler32 update(I)V
java/util/zip/Adler32 update([BII)V
java/util/zip/Adler32 update([B)V
java/util/zip/Adler32 reset()V
java/util/zip/Adler32 getValue()J
java/util/zip/Adler32 update(II)I
java/util/zip/Adler32 updateBytes(I[BI)I
class java/util/zip/CheckedInputStream java/io/FilterInputStream
java/util/zip/CheckedInputStream cksum
java/util/zip/CheckedInputStream <init>(Ljava/io/InputStream;Ljava/util/zip/Checksum;)V
java/util/zip/CheckedInputStream
    read()I
java/util/zip/CheckedInputStream read([BII)I
java/util/zip/CheckedInputStream skip(J)J
java/util/zip/CheckedInputStream getChecksum()Ljava/util/zip/Checksum;
class java/util/zip/CheckedOutputStream java/io/FilterOutputStream
java/util/zip/CheckedOutputStream cksum
java/util/zip/CheckedOutputStream <init>(Ljava/io/OutputStream;Ljava/util/zip/Checksum;)V
java/util/zip/CheckedOutputStream write(I)V
java/util/zip/CheckedOutputStream write([BII)V
java/util/zip/CheckedOutputStream getChecksum()Ljava/util/zip/Checksum;
class java/util/zip/DataFormatException java/lang/Exception
java/util/zip/DataFormatException <init>()V
java/util/zip/DataFormatException <init>(Ljava/lang/String;)V
class java/util/zip/Deflater java/lang/Object
java/util/zip/Deflater strm
java/util/zip/Deflater buf
java/util/zip/Deflater off
java/util/zip/Deflater len
java/util/zip/Deflater level
java/util/zip/Deflater strategy
java/util/zip/Deflater setParams
java/util/zip/Deflater finish
java/util/zip/Deflater
    finished
java/util/zip/Deflater DEFLATED
java/util/zip/Deflater NO_COMPRESSION
java/util/zip/Deflater BEST_SPEED
java/util/zip/Deflater BEST_COMPRESSION
java/util/zip/Deflater DEFAULT_COMPRESSION
java/util/zip/Deflater FILTERED
java/util/zip/Deflater HUFFMAN_ONLY
java/util/zip/Deflater DEFAULT_STRATEGY
java/util/zip/Deflater <init>(IZ)V
java/util/zip/Deflater <init>(I)V

```

```

java/util/zip/Deflater <init>()V
java/util/zip/Deflater setInput([BII)V
java/util/zip/Deflater setInput([B)V
java/util/zip/Deflater setDictionary([BII)V
java/util/zip/Deflater setDictionary([B)V
java/util/zip/Deflater setStrategy(I)V
java/util/zip/Deflater setLevel(I)V
java/util/zip/Deflater needsInput()Z
java/util/zip/Deflater finish()V
java/util/zip/Deflater finished()Z
java/util/zip/Deflater deflate([BII)I
java/util/zip/Deflater deflate([B)I
java/util/zip/Deflater getAdler()I
java/util/zip/Deflater getTotalIn()I
java/util/zip/Deflater getBytesRead()J
java/util/zip/Deflater getTotalOut()I
java/util/zip/Deflater
    getBytesWritten()J
java/util/zip/Deflater reset()V
java/util/zip/Deflater end()V
java/util/zip/Deflater finalize()V
java/util/zip/Deflater ensureOpen()V
java/util/zip/Deflater initIDs()V
java/util/zip/Deflater init(IIZ)J
java/util/zip/Deflater setDictionary(J[BII)V
java/util/zip/Deflater deflateBytes([BII)I
java/util/zip/Deflater getAdler(J)I
java/util/zip/Deflater getBytesRead(J)J
java/util/zip/Deflater getBytesWritten(J)J
java/util/zip/Deflater reset(J)V
java/util/zip/Deflater end(J)V
java/util/zip/Deflater <clinit>()V
class java/util/zip/GZIPOutputStream java/util/zip/DeflaterOutputStream
java/util/zip/GZIPOutputStream crc
java/util/zip/GZIPOutputStream GZIP_MAGIC
java/util/zip/GZIPOutputStream TRAILER_SIZE
java/util/zip/GZIPOutputStream header
java/util/zip/GZIPOutputStream <init>(Ljava/io/OutputStream;I)V
java/util/zip/GZIPOutputStream <init>(Ljava/io/OutputStream;)V
java/util/zip/GZIPOutputStream write([BII)V
java/util/zip/GZIPOutputStream finish()V
java/util/zip/GZIPOutputStream
    writeHeader()V
java/util/zip/GZIPOutputStream writeTrailer([BI)V
java/util/zip/GZIPOutputStream writeInt(I[BI)V
java/util/zip/GZIPOutputStream writeShort(I[BI)V
java/util/zip/GZIPOutputStream <clinit>()V
class java/util/zip/ZipFile$1 java/lang/Object

```



```

java/util/zip/ZipFile$1 <init>()V
java/util/zip/ZipFile$1 run()Ljava/lang/Object;
class java/util/zip/ZipFile$MappedZipFileInputStream java/util/zip/ZipFile$ZipFileInputStream
java/util/zip/ZipFile$MappedZipFileInputStream directBuffer
java/util/zip/ZipFile$MappedZipFileInputStream name
java/util/zip/ZipFile$MappedZipFileInputStream this$0
java/util/zip/ZipFile$MappedZipFileInputStream <init>(Ljava/util/zip/ZipFile;Ljava/lang/String;)V
java/util/zip/ZipFile$MappedZipFileInputStream getByteBuffer()Ljava/nio/ByteBuffer;
java/util/zip/ZipFile$MappedZipFileInputStream read([B)I
java/util/zip/ZipFile$MappedZipFileInputStream read()I
java/util/zip/ZipFile$MappedZipFileInputStream skip(J)J
java/util/zip/ZipFile$MappedZipFileInputStream
    available()I
java/util/zip/ZipFile$MappedZipFileInputStream size()J
java/util/zip/ZipFile$MappedZipFileInputStream close()V
class java/util/zip/ZipFile$ZipCloser java/lang/Object
java/util/zip/ZipFile$ZipCloser mappedFileID
java/util/zip/ZipFile$ZipCloser <init>()V
java/util/zip/ZipFile$ZipCloser setClosed()V
java/util/zip/ZipFile$ZipCloser run()V
java/util/zip/ZipFile$ZipCloser <init>(Ljava/util/zip/ZipFile$1;)V
class java/util/zip/ZipOutputStream java/util/zip/DeflaterOutputStream
java/util/zip/ZipOutputStream entry
java/util/zip/ZipOutputStream entries
java/util/zip/ZipOutputStream names
java/util/zip/ZipOutputStream crc
java/util/zip/ZipOutputStream written
java/util/zip/ZipOutputStream locoff
java/util/zip/ZipOutputStream comment
java/util/zip/ZipOutputStream method
java/util/zip/ZipOutputStream finished
java/util/zip/ZipOutputStream closed
java/util/zip/ZipOutputStream STORED
java/util/zip/ZipOutputStream DEFLATED
java/util/zip/ZipOutputStream ensureOpen()V
java/util/zip/ZipOutputStream
    <init>(Ljava/io/OutputStream;)V
java/util/zip/ZipOutputStream setComment(Ljava/lang/String;)V
java/util/zip/ZipOutputStream setMethod(I)V
java/util/zip/ZipOutputStream setLevel(I)V
java/util/zip/ZipOutputStream putNextEntry(Ljava/util/zip/ZipEntry;)V
java/util/zip/ZipOutputStream closeEntry()V
java/util/zip/ZipOutputStream write([B)V
java/util/zip/ZipOutputStream finish()V
java/util/zip/ZipOutputStream close()V
java/util/zip/ZipOutputStream writeLOC(Ljava/util/zip/ZipEntry;)V
java/util/zip/ZipOutputStream writeEXT(Ljava/util/zip/ZipEntry;)V
java/util/zip/ZipOutputStream writeCEN(Ljava/util/zip/ZipEntry;)V

```

```

java/util/zip/ZipOutputStream writeEND(JJ)V
java/util/zip/ZipOutputStream writeShort(I)V
java/util/zip/ZipOutputStream writeInt(J)V
java/util/zip/ZipOutputStream writeBytes([BII)V
java/util/zip/ZipOutputStream getUTF8Length(Ljava/lang/String;)I
java/util/zip/ZipOutputStream getUTF8Bytes(Ljava/lang/String;)[B
class java/lang/Thread$1 java/lang/Object
java/lang/Thread$1
    val$subcl
java/lang/Thread$1 <init>(Ljava/lang/Class;)V
java/lang/Thread$1 run()Ljava/lang/Object;
class java/security/DomainCombiner java/lang/Object
java/security/DomainCombiner
    combine([Ljava/security/ProtectionDomain;[Ljava/security/ProtectionDomain;)[Ljava/security/ProtectionDomain;
class java/lang/ClassLoader$1 java/lang/Object
java/lang/ClassLoader$1 val$sm
java/lang/ClassLoader$1 val$name
java/lang/ClassLoader$1 val$i
java/lang/ClassLoader$1 this$0
java/lang/ClassLoader$1 <init>(Ljava/lang/ClassLoader;Ljava/lang/SecurityManager;Ljava/lang/String;)V
java/lang/ClassLoader$1 run()Ljava/lang/Object;
class java/lang/System$1 java/lang/Object
java/lang/System$1 val$s
java/lang/System$1 <init>(Ljava/lang/SecurityManager;)V
java/lang/System$1 run()Ljava/lang/Object;
class java/lang/SecurityManager$1 java/lang/Object
java/lang/SecurityManager$1 this$0
java/lang/SecurityManager$1 <init>(Ljava/lang/SecurityManager;)V
java/lang/SecurityManager$1 run()Ljava/lang/Object;
class java/util/WeakHashMap$KeyIterator
    java/util/WeakHashMap$HashIterator
java/util/WeakHashMap$KeyIterator this$0
java/util/WeakHashMap$KeyIterator <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$KeyIterator next()Ljava/lang/Object;
java/util/WeakHashMap$KeyIterator <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/util/WeakHashMap$KeySet java/util/AbstractSet
java/util/WeakHashMap$KeySet this$0
java/util/WeakHashMap$KeySet <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$KeySet iterator()Ljava/util/Iterator;
java/util/WeakHashMap$KeySet size()I
java/util/WeakHashMap$KeySet contains(Ljava/lang/Object;)Z
java/util/WeakHashMap$KeySet remove(Ljava/lang/Object;)Z
java/util/WeakHashMap$KeySet clear()V
java/util/WeakHashMap$KeySet toArray()[Ljava/lang/Object;
java/util/WeakHashMap$KeySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/WeakHashMap$KeySet <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/awt/AWTError java/lang/Error
java/awt/AWTError

```

```

serialVersionUID
java/awt/AWTError <init>(Ljava/lang/String;)V
class java/awt/im/InputMethodHighlight java/lang/Object
java/awt/im/InputMethodHighlight RAW_TEXT
java/awt/im/InputMethodHighlight CONVERTED_TEXT
java/awt/im/InputMethodHighlight UNSELECTED_RAW_TEXT_HIGHLIGHT
java/awt/im/InputMethodHighlight SELECTED_RAW_TEXT_HIGHLIGHT
java/awt/im/InputMethodHighlight UNSELECTED_CONVERTED_TEXT_HIGHLIGHT
java/awt/im/InputMethodHighlight SELECTED_CONVERTED_TEXT_HIGHLIGHT
java/awt/im/InputMethodHighlight selected
java/awt/im/InputMethodHighlight state
java/awt/im/InputMethodHighlight variation
java/awt/im/InputMethodHighlight style
java/awt/im/InputMethodHighlight <init>(ZI)V
java/awt/im/InputMethodHighlight <init>(ZII)V
java/awt/im/InputMethodHighlight <init>(ZIII;Ljava/util/Map;)V
java/awt/im/InputMethodHighlight isSelected()Z
java/awt/im/InputMethodHighlight getState()I
java/awt/im/InputMethodHighlight getVariation()I
java/awt/im/InputMethodHighlight getStyle()Ljava/util/Map;
java/awt/im/InputMethodHighlight
<clinit>()V
class java/awt/datatransfer/Clipboard java/lang/Object
java/awt/datatransfer/Clipboard name
java/awt/datatransfer/Clipboard owner
java/awt/datatransfer/Clipboard contents
java/awt/datatransfer/Clipboard flavorListeners
java/awt/datatransfer/Clipboard currentDataFlavors
java/awt/datatransfer/Clipboard <init>(Ljava/lang/String;)V
java/awt/datatransfer/Clipboard getName()Ljava/lang/String;
java/awt/datatransfer/Clipboard
setContents(Ljava/awt/datatransfer/Transferable;Ljava/awt/datatransfer/ClipboardOwner;)V
java/awt/datatransfer/Clipboard getContents(Ljava/lang/Object;)Ljava/awt/datatransfer/Transferable;
java/awt/datatransfer/Clipboard getAvailableDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/Clipboard isDataFlavorAvailable(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/datatransfer/Clipboard getData(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/Object;
java/awt/datatransfer/Clipboard addFlavorListener(Ljava/awt/datatransfer/FlavorListener;)V
java/awt/datatransfer/Clipboard
removeFlavorListener(Ljava/awt/datatransfer/FlavorListener;)V
java/awt/datatransfer/Clipboard getFlavorListeners()[Ljava/awt/datatransfer/FlavorListener;
java/awt/datatransfer/Clipboard fireFlavorsChanged()V
java/awt/datatransfer/Clipboard getAvailableDataFlavorSet()Ljava/util/Set;
class java/awt/PrintJob java/lang/Object
java/awt/PrintJob <init>()V
java/awt/PrintJob getGraphics()Ljava/awt/Graphics;
java/awt/PrintJob getPageDimension()Ljava/awt/Dimension;
java/awt/PrintJob getPageResolution()I
java/awt/PrintJob lastPageFirst()Z

```

```

java/awt/PrintJob end()V
java/awt/PrintJob finalize()V
class java/awt/PageAttributes java/lang/Object
java/awt/PageAttributes color
java/awt/PageAttributes media
java/awt/PageAttributes orientationRequested
java/awt/PageAttributes origin
java/awt/PageAttributes printQuality
java/awt/PageAttributes printerResolution
java/awt/PageAttributes <init>()V
java/awt/PageAttributes <init>(Ljava/awt/PageAttributes;)V
java/awt/PageAttributes
<init>(Ljava/awt/PageAttributes$ColorType;Ljava/awt/PageAttributes$MediaType;Ljava/awt/PageAttributes$OrientationRequestedType;Ljava/awt/PageAttributes$OriginType;Ljava/awt/PageAttributes$PrintQualityType;I)V
java/awt/PageAttributes clone()Ljava/lang/Object;
java/awt/PageAttributes set(Ljava/awt/PageAttributes;)V
java/awt/PageAttributes getColor()Ljava/awt/PageAttributes$ColorType;
java/awt/PageAttributes setColor(Ljava/awt/PageAttributes$ColorType;)V
java/awt/PageAttributes getMedia()Ljava/awt/PageAttributes$MediaType;
java/awt/PageAttributes setMedia(Ljava/awt/PageAttributes$MediaType;)V
java/awt/PageAttributes setMediaToDefault()V
java/awt/PageAttributes getOrientationRequested()Ljava/awt/PageAttributes$OrientationRequestedType;
java/awt/PageAttributes setOrientationRequested(Ljava/awt/PageAttributes$OrientationRequestedType;)V
java/awt/PageAttributes setOrientationRequested(I)V
java/awt/PageAttributes setOrientationRequestedToDefault()V
java/awt/PageAttributes getOrigin()Ljava/awt/PageAttributes$OriginType;
java/awt/PageAttributes
setOrigin(Ljava/awt/PageAttributes$OriginType;)V
java/awt/PageAttributes getPrintQuality()Ljava/awt/PageAttributes$PrintQualityType;
java/awt/PageAttributes setPrintQuality(Ljava/awt/PageAttributes$PrintQualityType;)V
java/awt/PageAttributes setPrintQuality(I)V
java/awt/PageAttributes setPrintQualityToDefault()V
java/awt/PageAttributes getPrinterResolution()[I
java/awt/PageAttributes setPrinterResolution([I)V
java/awt/PageAttributes setPrinterResolution(I)V
java/awt/PageAttributes setPrinterResolutionToDefault()V
java/awt/PageAttributes equals(Ljava/lang/Object;)Z
java/awt/PageAttributes hashCode()I
java/awt/PageAttributes toString()Ljava/lang/String;
class java/awt/JobAttributes java/lang/Object
java/awt/JobAttributes copies
java/awt/JobAttributes defaultSelection
java/awt/JobAttributes destination
java/awt/JobAttributes dialog
java/awt/JobAttributes fileName
java/awt/JobAttributes fromPage
java/awt/JobAttributes maxPage
java/awt/JobAttributes

```

```

minPage
java/awt/JobAttributes multipleDocumentHandling
java/awt/JobAttributes pageRanges
java/awt/JobAttributes prFirst
java/awt/JobAttributes prLast
java/awt/JobAttributes printer
java/awt/JobAttributes sides
java/awt/JobAttributes toPage
java/awt/JobAttributes <init>()V
java/awt/JobAttributes <init>(Ljava/awt/JobAttributes;)V
java/awt/JobAttributes
<init>(ILjava/awt/JobAttributes$DefaultSelectionType;Ljava/awt/JobAttributes$DestinationType;Ljava/awt/JobAttr
ibutes$DialogType;Ljava/lang/String;IILjava/awt/JobAttributes$MultipleDocumentHandlingType;[[ILjava/lang/Stri
ng;Ljava/awt/JobAttributes$SidesType;)V
java/awt/JobAttributes clone()Ljava/lang/Object;
java/awt/JobAttributes set(Ljava/awt/JobAttributes;)V
java/awt/JobAttributes getCopies()I
java/awt/JobAttributes setCopies(I)V
java/awt/JobAttributes setCopiesToDefault()V
java/awt/JobAttributes getDefaultSelection(Ljava/awt/JobAttributes$DefaultSelectionType;
java/awt/JobAttributes setDefaultSelection(Ljava/awt/JobAttributes$DefaultSelectionType;)V
java/awt/JobAttributes
getDestination()Ljava/awt/JobAttributes$DestinationType;
java/awt/JobAttributes setDestination(Ljava/awt/JobAttributes$DestinationType;)V
java/awt/JobAttributes getDialog()Ljava/awt/JobAttributes$DialogType;
java/awt/JobAttributes setDialog(Ljava/awt/JobAttributes$DialogType;)V
java/awt/JobAttributes getFileName()Ljava/lang/String;
java/awt/JobAttributes setFileName(Ljava/lang/String;)V
java/awt/JobAttributes getFromPage()I
java/awt/JobAttributes setFromPage(I)V
java/awt/JobAttributes getMaxPage()I
java/awt/JobAttributes setMaxPage(I)V
java/awt/JobAttributes getMinPage()I
java/awt/JobAttributes setMinPage(I)V
java/awt/JobAttributes getMultipleDocumentHandling()Ljava/awt/JobAttributes$MultipleDocumentHandlingType;
java/awt/JobAttributes
setMultipleDocumentHandling(Ljava/awt/JobAttributes$MultipleDocumentHandlingType;)V
java/awt/JobAttributes setMultipleDocumentHandlingToDefault()V
java/awt/JobAttributes getPageRanges()[[I
java/awt/JobAttributes
setPageRanges([[I)V
java/awt/JobAttributes getPrinter()Ljava/lang/String;
java/awt/JobAttributes setPrinter(Ljava/lang/String;)V
java/awt/JobAttributes getSides()Ljava/awt/JobAttributes$SidesType;
java/awt/JobAttributes setSides(Ljava/awt/JobAttributes$SidesType;)V
java/awt/JobAttributes setSidesToDefault()V
java/awt/JobAttributes getToPage()I
java/awt/JobAttributes setToPage(I)V

```

```

java/awt/JobAttributes equals(Ljava/lang/Object;)Z
java/awt/JobAttributes hashCode()I
java/awt/JobAttributes toString()Ljava/lang/String;
class java/awt/dnd/InvalidDnDOperationException java/lang/IllegalStateException
java/awt/dnd/InvalidDnDOperationException dft_msg
java/awt/dnd/InvalidDnDOperationException <init>()V
java/awt/dnd/InvalidDnDOperationException <init>(Ljava/lang/String;)V
java/awt/dnd/InvalidDnDOperationException <clinit>()V
class java/awt/dnd/DragGestureEvent java/util/EventObject
java/awt/dnd/DragGestureEvent serialVersionUID
java/awt/dnd/DragGestureEvent events
java/awt/dnd/DragGestureEvent
    dragSource
java/awt/dnd/DragGestureEvent component
java/awt/dnd/DragGestureEvent origin
java/awt/dnd/DragGestureEvent action
java/awt/dnd/DragGestureEvent <init>(Ljava/awt/dnd/DragGestureRecognizer;ILjava/awt/Point;Ljava/util/List;)V
java/awt/dnd/DragGestureEvent getSourceAsDragGestureRecognizer()Ljava/awt/dnd/DragGestureRecognizer;
java/awt/dnd/DragGestureEvent getComponent()Ljava/awt/Component;
java/awt/dnd/DragGestureEvent getDragSource()Ljava/awt/dnd/DragSource;
java/awt/dnd/DragGestureEvent getDragOrigin()Ljava/awt/Point;
java/awt/dnd/DragGestureEvent iterator()Ljava/util/Iterator;
java/awt/dnd/DragGestureEvent toArray()[Ljava/lang/Object;
java/awt/dnd/DragGestureEvent toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/awt/dnd/DragGestureEvent getDragAction()I
java/awt/dnd/DragGestureEvent getTriggerEvent()Ljava/awt/event/InputEvent;
java/awt/dnd/DragGestureEvent startDrag(Ljava/awt/Cursor;Ljava/awt/datatransfer/Transferable;)V
java/awt/dnd/DragGestureEvent
    startDrag(Ljava/awt/Cursor;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragGestureEvent
    startDrag(Ljava/awt/Cursor;Ljava/awt/Image;Ljava/awt/Point;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/Dr
        agSourceListener;)V
java/awt/dnd/DragGestureEvent writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/dnd/DragGestureEvent readObject(Ljava/io/ObjectInputStream;)V
class java/awt/dnd/DragGestureRecognizer java/lang/Object
java/awt/dnd/DragGestureRecognizer serialVersionUID
java/awt/dnd/DragGestureRecognizer dragSource
java/awt/dnd/DragGestureRecognizer component
java/awt/dnd/DragGestureRecognizer dragGestureListener
java/awt/dnd/DragGestureRecognizer sourceActions
java/awt/dnd/DragGestureRecognizer events
java/awt/dnd/DragGestureRecognizer
    <init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;ILjava/awt/dnd/DragGestureListener;)V
java/awt/dnd/DragGestureRecognizer <init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;I)V
java/awt/dnd/DragGestureRecognizer
    <init>(Ljava/awt/dnd/DragSource;Ljava/awt/Component;)V
java/awt/dnd/DragGestureRecognizer <init>(Ljava/awt/dnd/DragSource;)V
java/awt/dnd/DragGestureRecognizer registerListeners()V

```

```

java/awt/dnd/DragGestureRecognizer unregisterListeners()V
java/awt/dnd/DragGestureRecognizer getDragSource()Ljava/awt/dnd/DragSource;
java/awt/dnd/DragGestureRecognizer getComponent()Ljava/awt/Component;
java/awt/dnd/DragGestureRecognizer setComponent(Ljava/awt/Component;)V
java/awt/dnd/DragGestureRecognizer getSourceActions()I
java/awt/dnd/DragGestureRecognizer setSourceActions(I)V
java/awt/dnd/DragGestureRecognizer getTriggerEvent()Ljava/awt/event/InputEvent;
java/awt/dnd/DragGestureRecognizer resetRecognizer()V
java/awt/dnd/DragGestureRecognizer addDragGestureListener(Ljava/awt/dnd/DragGestureListener;)V
java/awt/dnd/DragGestureRecognizer removeDragGestureListener(Ljava/awt/dnd/DragGestureListener;)V
java/awt/dnd/DragGestureRecognizer fireDragGestureRecognized(ILjava/awt/Point;)V
java/awt/dnd/DragGestureRecognizer
    appendEvent(Ljava/awt/event/InputEvent;)V
java/awt/dnd/DragGestureRecognizer writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/dnd/DragGestureRecognizer readObject(Ljava/io/ObjectInputStream;)V
class java/awt/dnd/DragGestureListener java/lang/Object
java/awt/dnd/DragGestureListener dragGestureRecognized(Ljava/awt/dnd/DragGestureEvent;)V
class java/awt/dnd/DragSource java/lang/Object
java/awt/dnd/DragSource serialVersionUID
java/awt/dnd/DragSource DefaultCopyDrop
java/awt/dnd/DragSource DefaultMoveDrop
java/awt/dnd/DragSource DefaultLinkDrop
java/awt/dnd/DragSource DefaultCopyNoDrop
java/awt/dnd/DragSource DefaultMoveNoDrop
java/awt/dnd/DragSource DefaultLinkNoDrop
java/awt/dnd/DragSource dflt
java/awt/dnd/DragSource dragSourceListenerK
java/awt/dnd/DragSource dragSourceMotionListenerK
java/awt/dnd/DragSource flavorMap
java/awt/dnd/DragSource listener
java/awt/dnd/DragSource motionListener
java/awt/dnd/DragSource load(Ljava/lang/String;)Ljava/awt/Cursor;
java/awt/dnd/DragSource
    getDefaultDragSource()Ljava/awt/dnd/DragSource;
java/awt/dnd/DragSource isDragImageSupported()Z
java/awt/dnd/DragSource <init>()V
java/awt/dnd/DragSource
    startDrag(Ljava/awt/dnd/DragGestureEvent;Ljava/awt/Cursor;Ljava/awt/Image;Ljava/awt/Point;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;Ljava/awt/datatransfer/FlavorMap;)V
java/awt/dnd/DragSource
    startDrag(Ljava/awt/dnd/DragGestureEvent;Ljava/awt/Cursor;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;Ljava/awt/datatransfer/FlavorMap;)V
java/awt/dnd/DragSource
    startDrag(Ljava/awt/dnd/DragGestureEvent;Ljava/awt/Cursor;Ljava/awt/Image;Ljava/awt/Point;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSource
    startDrag(Ljava/awt/dnd/DragGestureEvent;Ljava/awt/Cursor;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;)V

```

```

java/awt/dnd/DragSource
createDragSourceContext(Ljava/awt/dnd/peer/DragSourceContextPeer;Ljava/awt/dnd/DragGestureEvent;Ljava/awt/
Cursor;Ljava/awt/Image;Ljava/awt/Point;Ljava/awt/datatransfer/Transferable;Ljava/awt/dnd/DragSourceListener;)L
java/awt/dnd/DragSourceContext;
java/awt/dnd/DragSource
getFlavorMap()Ljava/awt/datatransfer/FlavorMap;
java/awt/dnd/DragSource
createDragGestureRecognizer(Ljava/lang/Class;Ljava/awt/Component;ILjava/awt/dnd/DragGestureListener;)Ljava/
awt/dnd/DragGestureRecognizer;
java/awt/dnd/DragSource
createDefaultDragGestureRecognizer(Ljava/awt/Component;ILjava/awt/dnd/DragGestureListener;)Ljava/awt/dnd/D
ragGestureRecognizer;
java/awt/dnd/DragSource addDragSourceListener(Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSource removeDragSourceListener(Ljava/awt/dnd/DragSourceListener;)V
java/awt/dnd/DragSource getDragSourceListeners()[Ljava/awt/dnd/DragSourceListener;
java/awt/dnd/DragSource addDragSourceMotionListener(Ljava/awt/dnd/DragSourceMotionListener;)V
java/awt/dnd/DragSource removeDragSourceMotionListener(Ljava/awt/dnd/DragSourceMotionListener;)V
java/awt/dnd/DragSource
getDragSourceMotionListeners()[Ljava/awt/dnd/DragSourceMotionListener;
java/awt/dnd/DragSource getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/dnd/DragSource processDragEnter(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSource processDragOver(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSource processDropActionChanged(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSource processDragExit(Ljava/awt/dnd/DragSourceEvent;)V
java/awt/dnd/DragSource processDragDropEnd(Ljava/awt/dnd/DragSourceDropEvent;)V
java/awt/dnd/DragSource processDragMouseMoved(Ljava/awt/dnd/DragSourceDragEvent;)V
java/awt/dnd/DragSource writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/dnd/DragSource readObject(Ljava/io/ObjectInputStream;)V
java/awt/dnd/DragSource getDragThreshold()I
java/awt/dnd/DragSource <clinit>()V
class java/awt/HeadlessException java/lang/UnsupportedOperationException
java/awt/HeadlessException serialVersionUID
java/awt/HeadlessException <init>()V
java/awt/HeadlessException
<init>(Ljava/lang/String;)V
java/awt/HeadlessException getMessage()Ljava/lang/String;
class java/awt/Frame$AccessibleAWTFrame java/awt/Window$AccessibleAWTWindow
java/awt/Frame$AccessibleAWTFrame serialVersionUID
java/awt/Frame$AccessibleAWTFrame this$0
java/awt/Frame$AccessibleAWTFrame <init>(Ljava/awt/Frame;)V
java/awt/Frame$AccessibleAWTFrame getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/Frame$AccessibleAWTFrame getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
class java/awt/Window$AccessibleAWTWindow java/awt/Container$AccessibleAWTContainer
java/awt/Window$AccessibleAWTWindow serialVersionUID
java/awt/Window$AccessibleAWTWindow this$0
java/awt/Window$AccessibleAWTWindow <init>(Ljava/awt/Window;)V
java/awt/Window$AccessibleAWTWindow getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/Window$AccessibleAWTWindow getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;

```



```

class java/util/zip/ZipException java/io/IOException
java/util/zip/ZipException
    <init>()V
java/util/zip/ZipException <init>(Ljava/lang/String;)V
class java/util/Collections$UnmodifiableList$1 java/lang/Object
java/util/Collections$UnmodifiableList$1 i
java/util/Collections$UnmodifiableList$1 val$index
java/util/Collections$UnmodifiableList$1 this$0
java/util/Collections$UnmodifiableList$1 <init>(Ljava/util/Collections$UnmodifiableList;I)V
java/util/Collections$UnmodifiableList$1 hasNext()Z
java/util/Collections$UnmodifiableList$1 next()Ljava/lang/Object;
java/util/Collections$UnmodifiableList$1 hasPrevious()Z
java/util/Collections$UnmodifiableList$1 previous()Ljava/lang/Object;
java/util/Collections$UnmodifiableList$1 nextIndex()I
java/util/Collections$UnmodifiableList$1 previousIndex()I
java/util/Collections$UnmodifiableList$1 remove()V
java/util/Collections$UnmodifiableList$1 set(Ljava/lang/Object;)V
java/util/Collections$UnmodifiableList$1 add(Ljava/lang/Object;)V
class java/lang/Process java/lang/Object
java/lang/Process
    <init>()V
java/lang/Process getOutputStream()Ljava/io/OutputStream;
java/lang/Process getInputStream()Ljava/io/InputStream;
java/lang/Process getErrorStream()Ljava/io/InputStream;
java/lang/Process waitFor()I
java/lang/Process exitValue()I
java/lang/Process destroy()V
class java/beans/Beans java/lang/Object
java/beans/Beans designTime
java/beans/Beans guiAvailable
java/beans/Beans <init>()V
java/beans/Beans instantiate(Ljava/lang/ClassLoader;Ljava/lang/String;)Ljava/lang/Object;
java/beans/Beans
    instantiate(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/beans/beancontext/BeanContext;)Ljava/lang/Object;
java/beans/Beans
    instantiate(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/beans/beancontext/BeanContext;Ljava/beans/AppletIniti
alizer;)Ljava/lang/Object;
java/beans/Beans getInstanceOf(Ljava/lang/Object;Ljava/lang/Class;)Ljava/lang/Object;
java/beans/Beans isInstanceOf(Ljava/lang/Object;Ljava/lang/Class;)Z
java/beans/Beans isDesignTime()Z
java/beans/Beans isGuiAvailable()Z
java/beans/Beans
    setDesignTime(Z)V
java/beans/Beans setGuiAvailable(Z)V
java/beans/Beans <clinit>()V
class java/beans/GenericBeanInfo java/beans/SimpleBeanInfo
java/beans/GenericBeanInfo beanDescriptor
java/beans/GenericBeanInfo events

```

```

java/beans/GenericBeanInfo defaultEvent
java/beans/GenericBeanInfo properties
java/beans/GenericBeanInfo defaultProperty
java/beans/GenericBeanInfo methods
java/beans/GenericBeanInfo targetBeanInfo
java/beans/GenericBeanInfo
<init>(Ljava/beans/BeanDescriptor;[Ljava/beans/EventSetDescriptor;I[Ljava/beans/PropertyDescriptor;I[Ljava/beans/MethodDescriptor;Ljava/beans/BeanInfo;)V
java/beans/GenericBeanInfo <init>(Ljava/beans/GenericBeanInfo;)V
java/beans/GenericBeanInfo getPropertyDescriptors()[Ljava/beans/PropertyDescriptor;
java/beans/GenericBeanInfo getDefaultPropertyIndex()I
java/beans/GenericBeanInfo getEventSetDescriptors()[Ljava/beans/EventSetDescriptor;
java/beans/GenericBeanInfo getDefaultEventIndex()I
java/beans/GenericBeanInfo getMethodDescriptors()[Ljava/beans/MethodDescriptor;
java/beans/GenericBeanInfo
    getBeanDescriptor(Ljava/beans/BeanDescriptor;
java/beans/GenericBeanInfo getIcon(I)Ljava/awt/Image;
class java/util/TreeMap$ValueIterator java/util/TreeMap$PrivateEntryIterator
java/util/TreeMap$ValueIterator this$0
java/util/TreeMap$ValueIterator <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$ValueIterator next()Ljava/lang/Object;
java/util/TreeMap$ValueIterator <init>(Ljava/util/TreeMap;Ljava/util/TreeMap$1;)V
class java/util/TreeMap$2 java/util/AbstractCollection
java/util/TreeMap$2 this$0
java/util/TreeMap$2 <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$2 iterator()Ljava/util/Iterator;
java/util/TreeMap$2 size()I
java/util/TreeMap$2 contains(Ljava/lang/Object;)Z
java/util/TreeMap$2 remove(Ljava/lang/Object;)Z
java/util/TreeMap$2 clear()V
class java/beans/NameGenerator java/lang/Object
java/beans/NameGenerator valueToName
java/beans/NameGenerator nameToCount
java/beans/NameGenerator <init>()V
java/beans/NameGenerator clear()V
java/beans/NameGenerator
    unqualifiedClassName(Ljava/lang/Class;)Ljava/lang/String;
java/beans/NameGenerator capitalize(Ljava/lang/String;)Ljava/lang/String;
java/beans/NameGenerator instanceName(Ljava/lang/Object;)Ljava/lang/String;
class java/beans/MethodDescriptor java/beans/FeatureDescriptor
java/beans/MethodDescriptor methodRef
java/beans/MethodDescriptor paramNames
java/beans/MethodDescriptor params
java/beans/MethodDescriptor parameterDescriptors
java/beans/MethodDescriptor <init>(Ljava/lang/reflect/Method;)V
java/beans/MethodDescriptor <init>(Ljava/lang/reflect/Method;[Ljava/beans/ParameterDescriptor;)V
java/beans/MethodDescriptor getMethod()Ljava/lang/reflect/Method;
java/beans/MethodDescriptor setMethod(Ljava/lang/reflect/Method;)V

```

```

java/beans/MethodDescriptor getMethod0()Ljava/lang/reflect/Method;
java/beans/MethodDescriptor setParams([Ljava/lang/Class;)V
java/beans/MethodDescriptor getParamNames()[Ljava/lang/String;
java/beans/MethodDescriptor getParams()[Ljava/lang/Class;
java/beans/MethodDescriptor
    getParameterDescriptors()[Ljava/beans/ParameterDescriptor;
java/beans/MethodDescriptor <init>(Ljava/beans/MethodDescriptor;Ljava/beans/MethodDescriptor;)V
java/beans/MethodDescriptor <init>(Ljava/beans/MethodDescriptor;)V
class java/beans/Introspector$1 java/lang/Object
java/beans/Introspector$1 val$fclz
java/beans/Introspector$1 <init>(Ljava/lang/Class;)V
java/beans/Introspector$1 run()Ljava/lang/Object;
class java/beans/SimpleBeanInfo java/lang/Object
java/beans/SimpleBeanInfo <init>()V
java/beans/SimpleBeanInfo getBeanDescriptor()Ljava/beans/BeanDescriptor;
java/beans/SimpleBeanInfo getPropertyDescriptors()[Ljava/beans/PropertyDescriptor;
java/beans/SimpleBeanInfo getDefaultPropertyIndex()I
java/beans/SimpleBeanInfo getEventSetDescriptors()[Ljava/beans/EventSetDescriptor;
java/beans/SimpleBeanInfo getDefaultEventIndex()I
java/beans/SimpleBeanInfo getMethodDescriptors()[Ljava/beans/MethodDescriptor;
java/beans/SimpleBeanInfo getAdditionalBeanInfo()[Ljava/beans/BeanInfo;
java/beans/SimpleBeanInfo
    getIcon(I)Ljava/awt/Image;
java/beans/SimpleBeanInfo loadImage(Ljava/lang/String;)Ljava/awt/Image;
class java/security/PermissionsEnumerator java/lang/Object
java/security/PermissionsEnumerator perms
java/security/PermissionsEnumerator permset
java/security/PermissionsEnumerator <init>(Ljava/util/Iterator;)V
java/security/PermissionsEnumerator hasMoreElements()Z
java/security/PermissionsEnumerator nextElement()Ljava/security/Permission;
java/security/PermissionsEnumerator getNextEnumWithMore()Ljava/util/Enumeration;
java/security/PermissionsEnumerator nextElement()Ljava/lang/Object;
class java/util/PropertyPermissionCollection java/security/PermissionCollection
java/util/PropertyPermissionCollection perms
java/util/PropertyPermissionCollection all_allowed
java/util/PropertyPermissionCollection serialVersionUID
java/util/PropertyPermissionCollection serialPersistentFields
java/util/PropertyPermissionCollection <init>()V
java/util/PropertyPermissionCollection
    add(Ljava/security/Permission;)V
java/util/PropertyPermissionCollection implies(Ljava/security/Permission;)Z
java/util/PropertyPermissionCollection elements()Ljava/util/Enumeration;
java/util/PropertyPermissionCollection writeObject(Ljava/io/ObjectOutputStream;)V
java/util/PropertyPermissionCollection readObject(Ljava/io/ObjectInputStream;)V
java/util/PropertyPermissionCollection <clinit>()V
class java/net/SocketPermissionCollection java/security/PermissionCollection
java/net/SocketPermissionCollection perms
java/net/SocketPermissionCollection serialVersionUID

```

```

java/net/SocketPermissionCollection serialPersistentFields
java/net/SocketPermissionCollection <init>()V
java/net/SocketPermissionCollection add(Ljava/security/Permission;)V
java/net/SocketPermissionCollection implies(Ljava/security/Permission;)Z
java/net/SocketPermissionCollection elements()Ljava/util/Enumeration;
java/net/SocketPermissionCollection writeObject(Ljava/io/ObjectOutputStream;)V
java/net/SocketPermissionCollection
    readObject(Ljava/io/ObjectInputStream;)V
java/net/SocketPermissionCollection <clinit>()V
class java/net/ResponseCache java/lang/Object
java/net/ResponseCache theResponseCache
java/net/ResponseCache <init>()V
java/net/ResponseCache getDefault()Ljava/net/ResponseCache;
java/net/ResponseCache setDefault(Ljava/net/ResponseCache;)V
java/net/ResponseCache get(Ljava/net/URI;Ljava/lang/String;Ljava/util/Map;)Ljava/net/CacheResponse;
java/net/ResponseCache put(Ljava/net/URI;Ljava/net/URLConnection;)Ljava/net/CacheRequest;
class java/net/CookieHandler java/lang/Object
java/net/CookieHandler cookieHandler
java/net/CookieHandler <init>()V
java/net/CookieHandler getDefault()Ljava/net/CookieHandler;
java/net/CookieHandler setDefault(Ljava/net/CookieHandler;)V
java/net/CookieHandler get(Ljava/net/URI;Ljava/util/Map;)Ljava/util/Map;
java/net/CookieHandler put(Ljava/net/URI;Ljava/util/Map;)V
class java/net/HttpURLConnection java/net/URLConnection
java/net/HttpURLConnection method
java/net/HttpURLConnection
    chunkLength
java/net/HttpURLConnection fixedContentLength
java/net/HttpURLConnection DEFAULT_CHUNK_SIZE
java/net/HttpURLConnection responseCode
java/net/HttpURLConnection responseMessage
java/net/HttpURLConnection followRedirects
java/net/HttpURLConnection instanceFollowRedirects
java/net/HttpURLConnection methods
java/net/HttpURLConnection HTTP_OK
java/net/HttpURLConnection HTTP_CREATED
java/net/HttpURLConnection HTTP_ACCEPTED
java/net/HttpURLConnection HTTP_NOT_AUTHORITY
java/net/HttpURLConnection HTTP_NO_CONTENT
java/net/HttpURLConnection HTTP_RESET
java/net/HttpURLConnection HTTP_PARTIAL
java/net/HttpURLConnection HTTP_MULT_CHOICE
java/net/HttpURLConnection HTTP_MOVED_PERM
java/net/HttpURLConnection HTTP_MOVED_TEMP
java/net/HttpURLConnection HTTP_SEE_OTHER
java/net/HttpURLConnection HTTP_NOT_MODIFIED
java/net/HttpURLConnection HTTP_USE_PROXY
java/net/HttpURLConnection HTTP_BAD_REQUEST

```

```

java/net/URLConnection HTTP_UNAUTHORIZED
java/net/URLConnection HTTP_PAYMENT_REQUIRED
java/net/URLConnection
    HTTP_FORBIDDEN
java/net/URLConnection HTTP_NOT_FOUND
java/net/URLConnection HTTP_BAD_METHOD
java/net/URLConnection HTTP_NOT_ACCEPTABLE
java/net/URLConnection HTTP_PROXY_AUTH
java/net/URLConnection HTTP_CLIENT_TIMEOUT
java/net/URLConnection HTTP_CONFLICT
java/net/URLConnection HTTP_GONE
java/net/URLConnection HTTP_LENGTH_REQUIRED
java/net/URLConnection HTTP_PRECON_FAILED
java/net/URLConnection HTTP_ENTITY_TOO_LARGE
java/net/URLConnection HTTP_REQ_TOO_LONG
java/net/URLConnection HTTP_UNSUPPORTED_TYPE
java/net/URLConnection HTTP_SERVER_ERROR
java/net/URLConnection HTTP_INTERNAL_ERROR
java/net/URLConnection HTTP_NOT_IMPLEMENTED
java/net/URLConnection HTTP_BAD_GATEWAY
java/net/URLConnection HTTP_UNAVAILABLE
java/net/URLConnection HTTP_GATEWAY_TIMEOUT
java/net/URLConnection HTTP_VERSION
java/net/URLConnection getHeaderFieldKey(I)Ljava/lang/String;
java/net/URLConnection
    setFixedLengthStreamingMode(I)V
java/net/URLConnection setChunkedStreamingMode(I)V
java/net/URLConnection getHeaderField(I)Ljava/lang/String;
java/net/URLConnection <init>(Ljava/net/URL;)V
java/net/URLConnection setFollowRedirects(Z)V
java/net/URLConnection getFollowRedirects()Z
java/net/URLConnection setInstanceFollowRedirects(Z)V
java/net/URLConnection getInstanceFollowRedirects()Z
java/net/URLConnection setRequestMethod(Ljava/lang/String;)V
java/net/URLConnection getRequestMethod()Ljava/lang/String;
java/net/URLConnection getResponseCode()I
java/net/URLConnection getResponseMessage()Ljava/lang/String;
java/net/URLConnection getHeaderFieldDate(Ljava/lang/String;)J
java/net/URLConnection disconnect()V
java/net/URLConnection usingProxy()Z
java/net/URLConnection getPermission()Ljava/security/Permission;
java/net/URLConnection getErrorStream()Ljava/io/InputStream;
java/net/URLConnection <clinit>()V
class java/security/SecurityPermission
    java/security/BasicPermission
java/security/SecurityPermission serialVersionUID
java/security/SecurityPermission <init>(Ljava/lang/String;)V
java/security/SecurityPermission <init>(Ljava/lang/String;Ljava/lang/String;)V

```

```

class java/awt/AWTPermission java/security/BasicPermission
java/awt/AWTPermission serialVersionUID
java/awt/AWTPermission <init>(Ljava/lang/String;)V
java/awt/AWTPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/net/NetPermission java/security/BasicPermission
java/net/NetPermission serialVersionUID
java/net/NetPermission <init>(Ljava/lang/String;)V
java/net/NetPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/net/SocketPermission java/security/Permission
java/net/SocketPermission serialVersionUID
java/net/SocketPermission CONNECT
java/net/SocketPermission LISTEN
java/net/SocketPermission ACCEPT
java/net/SocketPermission RESOLVE
java/net/SocketPermission NONE
java/net/SocketPermission ALL
java/net/SocketPermission PORT_MIN
java/net/SocketPermission
    PORT_MAX
java/net/SocketPermission PRIV_PORT_MAX
java/net/SocketPermission mask
java/net/SocketPermission actions
java/net/SocketPermission hostname
java/net/SocketPermission cname
java/net/SocketPermission addresses
java/net/SocketPermission wildcard
java/net/SocketPermission init_with_ip
java/net/SocketPermission invalid
java/net/SocketPermission portrange
java/net/SocketPermission trustProxy
java/net/SocketPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
java/net/SocketPermission <init>(Ljava/lang/String;)V
java/net/SocketPermission getHost(Ljava/lang/String;)Ljava/lang/String;
java/net/SocketPermission parsePort(Ljava/lang/String;)[I
java/net/SocketPermission init(Ljava/lang/String;)V
java/net/SocketPermission getMask(Ljava/lang/String;)I
java/net/SocketPermission getCanonName()V
java/net/SocketPermission getIP()V
java/net/SocketPermission implies(Ljava/security/Permission;)Z
java/net/SocketPermission impliesIgnoreMask(Ljava/net/SocketPermission;)Z
java/net/SocketPermission
    inProxyWeTrust(Ljava/net/SocketPermission;)Z
java/net/SocketPermission equals(Ljava/lang/Object;)Z
java/net/SocketPermission hashCode()I
java/net/SocketPermission getMask()I
java/net/SocketPermission getActions()Ljava/lang/String;
java/net/SocketPermission getActions()Ljava/lang/String;
java/net/SocketPermission newPermissionCollection()Ljava/security/PermissionCollection;

```

```

java/net/SocketPermission writeObject(Ljava/io/ObjectOutputStream;)V
java/net/SocketPermission readObject(Ljava/io/ObjectInputStream;)V
java/net/SocketPermission <clinit>()V
class java/io/StreamTokenizer java/lang/Object
java/io/StreamTokenizer reader
java/io/StreamTokenizer input
java/io/StreamTokenizer buf
java/io/StreamTokenizer peekc
java/io/StreamTokenizer NEED_CHAR
java/io/StreamTokenizer SKIP_LF
java/io/StreamTokenizer pushedBack
java/io/StreamTokenizer forceLower
java/io/StreamTokenizer LINENO
java/io/StreamTokenizer eolIsSignificantP
java/io/StreamTokenizer slashSlashCommentsP
java/io/StreamTokenizer
    slashStarCommentsP
java/io/StreamTokenizer ctype
java/io/StreamTokenizer CT_WHITESPACE
java/io/StreamTokenizer CT_DIGIT
java/io/StreamTokenizer CT_ALPHA
java/io/StreamTokenizer CT_QUOTE
java/io/StreamTokenizer CT_COMMENT
java/io/StreamTokenizer ttype
java/io/StreamTokenizer TT_EOF
java/io/StreamTokenizer TT_EOL
java/io/StreamTokenizer TT_NUMBER
java/io/StreamTokenizer TT_WORD
java/io/StreamTokenizer TT_NOTHING
java/io/StreamTokenizer sval
java/io/StreamTokenizer nval
java/io/StreamTokenizer <init>()V
java/io/StreamTokenizer <init>(Ljava/io/InputStream;)V
java/io/StreamTokenizer <init>(Ljava/io/Reader;)V
java/io/StreamTokenizer resetSyntax()V
java/io/StreamTokenizer wordChars(II)V
java/io/StreamTokenizer whitespaceChars(II)V
java/io/StreamTokenizer ordinaryChars(II)V
java/io/StreamTokenizer ordinaryChar(I)V
java/io/StreamTokenizer commentChar(I)V
java/io/StreamTokenizer quoteChar(I)V
java/io/StreamTokenizer parseNumbers()V
java/io/StreamTokenizer eolIsSignificant(Z)V
java/io/StreamTokenizer
    slashStarComments(Z)V
java/io/StreamTokenizer slashSlashComments(Z)V
java/io/StreamTokenizer lowerCaseMode(Z)V
java/io/StreamTokenizer read()I

```

```

java/io/StreamTokenizer nextToken()I
java/io/StreamTokenizer pushBack()V
java/io/StreamTokenizer lineno()I
java/io/StreamTokenizer toString()Ljava/lang/String;
class java/security/Policy$1 java/lang/Object
java/security/Policy$1 <init>()V
java/security/Policy$1 run()Ljava/lang/Object;
class java/security/Policy java/lang/Object
java/security/Policy policy
java/security/Policy debug
java/security/Policy pdMapping
java/security/Policy <init>()V
java/security/Policy isSet()Z
java/security/Policy getPolicy()Ljava/security/Policy;
java/security/Policy getPolicyNoCheck()Ljava/security/Policy;
java/security/Policy setPolicy(Ljava/security/Policy;)V
java/security/Policy initPolicy(Ljava/security/Policy;)V
java/security/Policy getPermissions(Ljava/security/CodeSource;)Ljava/security/PermissionCollection;
java/security/Policy
    getPermissions(Ljava/security/ProtectionDomain;)Ljava/security/PermissionCollection;
java/security/Policy addStaticPerms(Ljava/security/PermissionCollection;Ljava/security/PermissionCollection;)V
java/security/Policy implies(Ljava/security/ProtectionDomain;Ljava/security/Permission;)Z
java/security/Policy refresh()V
java/security/Policy <clinit>()V
class java/io/PrintWriter java/io/Writer
java/io/PrintWriter out
java/io/PrintWriter autoFlush
java/io/PrintWriter trouble
java/io/PrintWriter formatter
java/io/PrintWriter lineSeparator
java/io/PrintWriter <init>(Ljava/io/Writer;)V
java/io/PrintWriter <init>(Ljava/io/Writer;Z)V
java/io/PrintWriter <init>(Ljava/io/OutputStream;)V
java/io/PrintWriter <init>(Ljava/io/OutputStream;Z)V
java/io/PrintWriter <init>(Ljava/lang/String;)V
java/io/PrintWriter <init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/PrintWriter <init>(Ljava/io/File;)V
java/io/PrintWriter <init>(Ljava/io/File;Ljava/lang/String;)V
java/io/PrintWriter ensureOpen()V
java/io/PrintWriter
    flush()V
java/io/PrintWriter close()V
java/io/PrintWriter checkError()Z
java/io/PrintWriter setError()V
java/io/PrintWriter write(I)V
java/io/PrintWriter write([CII)V
java/io/PrintWriter write([C)V
java/io/PrintWriter write(Ljava/lang/String;II)V

```



```

java/io/PrintWriter write(Ljava/lang/String;)V
java/io/PrintWriter newLine()V
java/io/PrintWriter print(Z)V
java/io/PrintWriter print(C)V
java/io/PrintWriter print(I)V
java/io/PrintWriter print(J)V
java/io/PrintWriter print(F)V
java/io/PrintWriter print(D)V
java/io/PrintWriter print([C)V
java/io/PrintWriter print(Ljava/lang/String;)V
java/io/PrintWriter print(Ljava/lang/Object;)V
java/io/PrintWriter println()V
java/io/PrintWriter println(Z)V
java/io/PrintWriter println(C)V
java/io/PrintWriter println(I)V
java/io/PrintWriter println(J)V
java/io/PrintWriter println(F)V
java/io/PrintWriter println(D)V
java/io/PrintWriter println([C)V
java/io/PrintWriter println(Ljava/lang/String;)V
java/io/PrintWriter println(Ljava/lang/Object;)V
java/io/PrintWriter
    printf(Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintWriter;
java/io/PrintWriter printf(Ljava/util/Locale;Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintWriter;
java/io/PrintWriter format(Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintWriter;
java/io/PrintWriter format(Ljava/util/Locale;Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintWriter;
java/io/PrintWriter append(Ljava/lang/CharSequence;)Ljava/io/PrintWriter;
java/io/PrintWriter append(Ljava/lang/CharSequence;I)Ljava/io/PrintWriter;
java/io/PrintWriter append(C)Ljava/io/PrintWriter;
java/io/PrintWriter append(C)Ljava/io/Writer;
java/io/PrintWriter append(Ljava/lang/CharSequence;I)Ljava/io/Writer;
java/io/PrintWriter append(Ljava/lang/CharSequence;)Ljava/io/Writer;
java/io/PrintWriter append(C)Ljava/lang/Appendable;
java/io/PrintWriter append(Ljava/lang/CharSequence;I)Ljava/lang/Appendable;
java/io/PrintWriter append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class java/beans/beancontext/BeanContextMembershipEvent
    java/beans/beancontext/BeanContextEvent
java/beans/beancontext/BeanContextMembershipEvent children
java/beans/beancontext/BeanContextMembershipEvent
    <init>(Ljava/beans/beancontext/BeanContext;Ljava/util/Collection;)V
java/beans/beancontext/BeanContextMembershipEvent
    <init>(Ljava/beans/beancontext/BeanContext;[Ljava/lang/Object;)V
java/beans/beancontext/BeanContextMembershipEvent size()I
java/beans/beancontext/BeanContextMembershipEvent contains(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextMembershipEvent toArray()[Ljava/lang/Object;
java/beans/beancontext/BeanContextMembershipEvent iterator()Ljava/util/Iterator;
class java/beans/beancontext/BeanContextEvent java/util/EventObject
java/beans/beancontext/BeanContextEvent propagatedFrom

```

```

java/beans/beancontext/BeanContextEvent <init>(Ljava/beans/beancontext/BeanContext;)V
java/beans/beancontext/BeanContextEvent getBeanContext()Ljava/beans/beancontext/BeanContext;
java/beans/beancontext/BeanContextEvent
    setPropagatedFrom(Ljava/beans/beancontext/BeanContext;)V
java/beans/beancontext/BeanContextEvent getPropagatedFrom()Ljava/beans/beancontext/BeanContext;
java/beans/beancontext/BeanContextEvent isPropagated()Z
class java/beans/beancontext/BeanContextSupport$BCSChild java/lang/Object
java/beans/beancontext/BeanContextSupport$BCSChild serialVersionUID
java/beans/beancontext/BeanContextSupport$BCSChild child
java/beans/beancontext/BeanContextSupport$BCSChild proxyPeer
java/beans/beancontext/BeanContextSupport$BCSChild removePending
java/beans/beancontext/BeanContextSupport$BCSChild this$0
java/beans/beancontext/BeanContextSupport$BCSChild
    <init>(Ljava/beans/beancontext/BeanContextSupport;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextSupport$BCSChild getChild()Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport$BCSChild setRemovePending(Z)V
java/beans/beancontext/BeanContextSupport$BCSChild isRemovePending()Z
java/beans/beancontext/BeanContextSupport$BCSChild
    isProxyPeer()Z
java/beans/beancontext/BeanContextSupport$BCSChild getProxyPeer()Ljava/lang/Object;
class java/awt/print/PageFormat java/lang/Object
java/awt/print/PageFormat LANDSCAPE
java/awt/print/PageFormat PORTRAIT
java/awt/print/PageFormat REVERSE_LANDSCAPE
java/awt/print/PageFormat mPaper
java/awt/print/PageFormat mOrientation
java/awt/print/PageFormat <init>()V
java/awt/print/PageFormat clone()Ljava/lang/Object;
java/awt/print/PageFormat getWidth()D
java/awt/print/PageFormat getHeight()D
java/awt/print/PageFormat getImageableX()D
java/awt/print/PageFormat getImageableY()D
java/awt/print/PageFormat getImageableWidth()D
java/awt/print/PageFormat getImageableHeight()D
java/awt/print/PageFormat getPaper()Ljava/awt/print/Paper;
java/awt/print/PageFormat setPaper(Ljava/awt/print/Paper;)V
java/awt/print/PageFormat setOrientation(I)V
java/awt/print/PageFormat getOrientation()I
java/awt/print/PageFormat getMatrix()[D
class java/beans/beancontext/BeanContextSupport$2 java/lang/Object
java/beans/beancontext/BeanContextSupport$2
    this$0
java/beans/beancontext/BeanContextSupport$2 <init>(Ljava/beans/beancontext/BeanContextSupport;)V
java/beans/beancontext/BeanContextSupport$2 vetoableChange(Ljava/beans/PropertyChangeEvent;)V
class java/beans/beancontext/BeanContextSupport$1 java/lang/Object
java/beans/beancontext/BeanContextSupport$1 this$0
java/beans/beancontext/BeanContextSupport$1 <init>(Ljava/beans/beancontext/BeanContextSupport;)V
java/beans/beancontext/BeanContextSupport$1 propertyChange(Ljava/beans/PropertyChangeEvent;)V

```

```

class java/beans/VetoableChangeSupport java/lang/Object
java/beans/VetoableChangeSupport listeners
java/beans/VetoableChangeSupport children
java/beans/VetoableChangeSupport source
java/beans/VetoableChangeSupport vetoableChangeSupportSerializedDataVersion
java/beans/VetoableChangeSupport serialVersionUID
java/beans/VetoableChangeSupport <init>(Ljava/lang/Object;)V
java/beans/VetoableChangeSupport addVetoableChangeListener(Ljava/beans/VetoableChangeListener;)V
java/beans/VetoableChangeSupport
    removeVetoableChangeListener(Ljava/beans/VetoableChangeListener;)V
java/beans/VetoableChangeSupport getVetoableChangeListeners()[Ljava/beans/VetoableChangeListener;
java/beans/VetoableChangeSupport
    addVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/VetoableChangeSupport
    removeVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/VetoableChangeSupport
    getVetoableChangeListeners(Ljava/lang/String;)[Ljava/beans/VetoableChangeListener;
java/beans/VetoableChangeSupport fireVetoableChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/VetoableChangeSupport fireVetoableChange(Ljava/lang/String;I)V
java/beans/VetoableChangeSupport fireVetoableChange(Ljava/lang/String;ZZ)V
java/beans/VetoableChangeSupport fireVetoableChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/VetoableChangeSupport hasListeners(Ljava/lang/String;)Z
java/beans/VetoableChangeSupport
    writeObject(Ljava/io/ObjectOutputStream;)V
java/beans/VetoableChangeSupport readObject(Ljava/io/ObjectInputStream;)V
class java/beans/beancontext/BeanContextSupport java/beans/beancontext/BeanContextChildSupport
java/beans/beancontext/BeanContextSupport serialVersionUID
java/beans/beancontext/BeanContextSupport children
java/beans/beancontext/BeanContextSupport serializable
java/beans/beancontext/BeanContextSupport bcmListeners
java/beans/beancontext/BeanContextSupport locale
java/beans/beancontext/BeanContextSupport okToUseGui
java/beans/beancontext/BeanContextSupport designTime
java/beans/beancontext/BeanContextSupport childPCL
java/beans/beancontext/BeanContextSupport childVCL
java/beans/beancontext/BeanContextSupport serializing
java/beans/beancontext/BeanContextSupport <init>(Ljava/beans/beancontext/BeanContext;Ljava/util/Locale;ZZ)V
java/beans/beancontext/BeanContextSupport <init>(Ljava/beans/beancontext/BeanContext;Ljava/util/Locale;Z)V
java/beans/beancontext/BeanContextSupport
    <init>(Ljava/beans/beancontext/BeanContext;Ljava/util/Locale;)V
java/beans/beancontext/BeanContextSupport <init>(Ljava/beans/beancontext/BeanContext;)V
java/beans/beancontext/BeanContextSupport <init>()V
java/beans/beancontext/BeanContextSupport getBeanContextPeer()Ljava/beans/beancontext/BeanContext;
java/beans/beancontext/BeanContextSupport instantiateChild(Ljava/lang/String;)Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport size()I
java/beans/beancontext/BeanContextSupport isEmpty()Z
java/beans/beancontext/BeanContextSupport contains(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport containsKey(Ljava/lang/Object;)Z

```

```

java/beans/beancontext/BeanContextSupport iterator()Ljava/util/Iterator;
java/beans/beancontext/BeanContextSupport toArray()[Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport
createBCSChild(Ljava/lang/Object;Ljava/lang/Object;)Ljava/beans/beancontext/BeanContextSupport$BCSChild;
java/beans/beancontext/BeanContextSupport
add(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport remove(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport remove(Ljava/lang/Object;Z)Z
java/beans/beancontext/BeanContextSupport containsAll(Ljava/util/Collection;)Z
java/beans/beancontext/BeanContextSupport addAll(Ljava/util/Collection;)Z
java/beans/beancontext/BeanContextSupport removeAll(Ljava/util/Collection;)Z
java/beans/beancontext/BeanContextSupport retainAll(Ljava/util/Collection;)Z
java/beans/beancontext/BeanContextSupport clear()V
java/beans/beancontext/BeanContextSupport
addBeanContextMembershipListener(Ljava/beans/beancontext/BeanContextMembershipListener;)V
java/beans/beancontext/BeanContextSupport
removeBeanContextMembershipListener(Ljava/beans/beancontext/BeanContextMembershipListener;)V
java/beans/beancontext/BeanContextSupport
getResourceAsStream(Ljava/lang/String;Ljava/beans/beancontext/BeanContextChild;)Ljava/io/InputStream;
java/beans/beancontext/BeanContextSupport
getResource(Ljava/lang/String;Ljava/beans/beancontext/BeanContextChild;)Ljava/net/URL;
java/beans/beancontext/BeanContextSupport setDesignTime(Z)V
java/beans/beancontext/BeanContextSupport isDesignTime()Z
java/beans/beancontext/BeanContextSupport setLocale(Ljava/util/Locale;)V
java/beans/beancontext/BeanContextSupport getLocale()Ljava/util/Locale;
java/beans/beancontext/BeanContextSupport needsGui()Z
java/beans/beancontext/BeanContextSupport dontUseGui()V
java/beans/beancontext/BeanContextSupport okToUseGui()V
java/beans/beancontext/BeanContextSupport avoidingGui()Z
java/beans/beancontext/BeanContextSupport isSerializing()Z
java/beans/beancontext/BeanContextSupport bcsChildren()Ljava/util/Iterator;
java/beans/beancontext/BeanContextSupport bcsPreSerializationHook(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextSupport bcsPreDeserializationHook(Ljava/io/ObjectInputStream;)V
java/beans/beancontext/BeanContextSupport
childDeserializedHook(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextSupport$BCSChild;)V
java/beans/beancontext/BeanContextSupport serialize(Ljava/io/ObjectOutputStream;Ljava/util/Collection;)V
java/beans/beancontext/BeanContextSupport deserialize(Ljava/io/ObjectInputStream;Ljava/util/Collection;)V
java/beans/beancontext/BeanContextSupport writeChildren(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextSupport writeObject(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextSupport readChildren(Ljava/io/ObjectInputStream;)V
java/beans/beancontext/BeanContextSupport readObject(Ljava/io/ObjectInputStream;)V
java/beans/beancontext/BeanContextSupport vetoableChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/beancontext/BeanContextSupport propertyChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/beancontext/BeanContextSupport validatePendingAdd(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport validatePendingRemove(Ljava/lang/Object;)Z
java/beans/beancontext/BeanContextSupport

```

```

childJustAddedHook(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextSupport$BCSChild;)V
java/beans/beancontext/BeanContextSupport
childJustRemovedHook(Ljava/lang/Object;Ljava/beans/beancontext/BeanContextSupport$BCSChild;)V
java/beans/beancontext/BeanContextSupport getChildVisibility(Ljava/lang/Object;)Ljava/beans/Visibility;
java/beans/beancontext/BeanContextSupport getChildSerializable(Ljava/lang/Object;)Ljava/io/Serializable;
java/beans/beancontext/BeanContextSupport
getChildPropertyChangeListener(Ljava/lang/Object;)Ljava/beans/PropertyChangeListener;
java/beans/beancontext/BeanContextSupport
getChildVetoableChangeListener(Ljava/lang/Object;)Ljava/beans/VetoableChangeListener;
java/beans/beancontext/BeanContextSupport
getChildBeanContextMembershipListener(Ljava/lang/Object;)Ljava/beans/beancontext/BeanContextMembershipLi
stener;
java/beans/beancontext/BeanContextSupport
getChildBeanContextChild(Ljava/lang/Object;)Ljava/beans/beancontext/BeanContextChild;
java/beans/beancontext/BeanContextSupport
fireChildrenAdded(Ljava/beans/beancontext/BeanContextMembershipEvent;)V
java/beans/beancontext/BeanContextSupport
fireChildrenRemoved(Ljava/beans/beancontext/BeanContextMembershipEvent;)V
java/beans/beancontext/BeanContextSupport initialize()V
java/beans/beancontext/BeanContextSupport copyChildren()[Ljava/lang/Object;
java/beans/beancontext/BeanContextSupport classEquals(Ljava/lang/Class;Ljava/lang/Class;)Z
class java/beans/beancontext/BeanContextChildSupport java/lang/Object
java/beans/beancontext/BeanContextChildSupport serialVersionUID
java/beans/beancontext/BeanContextChildSupport beanContextChildPeer
java/beans/beancontext/BeanContextChildSupport pcSupport
java/beans/beancontext/BeanContextChildSupport vcSupport
java/beans/beancontext/BeanContextChildSupport beanContext
java/beans/beancontext/BeanContextChildSupport rejectedSetBCOnce
java/beans/beancontext/BeanContextChildSupport <init>()V
java/beans/beancontext/BeanContextChildSupport
<init>(Ljava/beans/beancontext/BeanContextChild;)V
java/beans/beancontext/BeanContextChildSupport setBeanContext(Ljava/beans/beancontext/BeanContext;)V
java/beans/beancontext/BeanContextChildSupport getBeanContext()Ljava/beans/beancontext/BeanContext;
java/beans/beancontext/BeanContextChildSupport
addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/beancontext/BeanContextChildSupport
removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/beancontext/BeanContextChildSupport
addVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/beancontext/BeanContextChildSupport
removeVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/beancontext/BeanContextChildSupport
serviceRevoked(Ljava/beans/beancontext/BeanContextServiceRevokedEvent;)V
java/beans/beancontext/BeanContextChildSupport
serviceAvailable(Ljava/beans/beancontext/BeanContextServiceAvailableEvent;)V
java/beans/beancontext/BeanContextChildSupport
getBeanContextChildPeer()Ljava/beans/beancontext/BeanContextChild;
java/beans/beancontext/BeanContextChildSupport isDelegated()Z

```

```

java/beans/beancontext/BeanContextChildSupport
firePropertyChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextChildSupport
fireVetoableChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/beancontext/BeanContextChildSupport
validatePendingSetBeanContext(Ljava/beans/beancontext/BeanContext;)Z
java/beans/beancontext/BeanContextChildSupport releaseBeanContextResources()V
java/beans/beancontext/BeanContextChildSupport initializeBeanContextResources()V
java/beans/beancontext/BeanContextChildSupport writeObject(Ljava/io/ObjectOutputStream;)V
java/beans/beancontext/BeanContextChildSupport readObject(Ljava/io/ObjectInputStream;)V
class java/beans/beancontext/BeanContextServicesListener java/lang/Object
java/beans/beancontext/BeanContextServicesListener
serviceAvailable(Ljava/beans/beancontext/BeanContextServiceAvailableEvent;)V
class java/beans/beancontext/BeanContextServiceRevokedListener java/lang/Object
java/beans/beancontext/BeanContextServiceRevokedListener
serviceRevoked(Ljava/beans/beancontext/BeanContextServiceRevokedEvent;)V
class java/beans/beancontext/BeanContext java/lang/Object
java/beans/beancontext/BeanContext globalHierarchyLock
java/beans/beancontext/BeanContext instantiateChild(Ljava/lang/String;)Ljava/lang/Object;
java/beans/beancontext/BeanContext
getResourceAsStream(Ljava/lang/String;Ljava/beans/beancontext/BeanContextChild;)Ljava/io/InputStream;
java/beans/beancontext/BeanContext
getResource(Ljava/lang/String;Ljava/beans/beancontext/BeanContextChild;)Ljava/net/URL;
java/beans/beancontext/BeanContext
addBeanContextMembershipListener(Ljava/beans/beancontext/BeanContextMembershipListener;)V
java/beans/beancontext/BeanContext
removeBeanContextMembershipListener(Ljava/beans/beancontext/BeanContextMembershipListener;)V
java/beans/beancontext/BeanContext
<clinit>()V
class java/beans/Visibility java/lang/Object
java/beans/Visibility needsGui()Z
java/beans/Visibility dontUseGui()V
java/beans/Visibility okToUseGui()V
java/beans/Visibility avoidingGui()Z
class java/beans/DesignMode java/lang/Object
java/beans/DesignMode PROPERTYNAME
java/beans/DesignMode setDesignTime(Z)V
java/beans/DesignMode isDesignTime()Z
class java/beans/beancontext/BeanContextChild java/lang/Object
java/beans/beancontext/BeanContextChild setBeanContext(Ljava/beans/beancontext/BeanContext;)V
java/beans/beancontext/BeanContextChild getBeanContext()Ljava/beans/beancontext/BeanContext;
java/beans/beancontext/BeanContextChild
addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/beancontext/BeanContextChild
removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/beancontext/BeanContextChild
addVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/beans/beancontext/BeanContextChild

```

```

removeVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
class java/beans/IndexedPropertyDescriptor java/beans/PropertyDescriptor
java/beans/IndexedPropertyDescriptor indexedPropertyTypeRef
java/beans/IndexedPropertyDescriptor indexedReadMethodRef
java/beans/IndexedPropertyDescriptor indexedWriteMethodRef
java/beans/IndexedPropertyDescriptor indexedReadMethodName
java/beans/IndexedPropertyDescriptor indexedWriteMethodName
java/beans/IndexedPropertyDescriptor <init>(Ljava/lang/String;Ljava/lang/Class;)V
java/beans/IndexedPropertyDescriptor
<init>(Ljava/lang/String;Ljava/lang/Class;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)
V
java/beans/IndexedPropertyDescriptor
<init>(Ljava/lang/String;Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;Ljava/lang
/reflect/Method;)V
java/beans/IndexedPropertyDescriptor getIndexedReadMethod()Ljava/lang/reflect/Method;
java/beans/IndexedPropertyDescriptor
setIndexedReadMethod(Ljava/lang/reflect/Method;)V
java/beans/IndexedPropertyDescriptor setIndexedReadMethod0(Ljava/lang/reflect/Method;)V
java/beans/IndexedPropertyDescriptor getIndexedWriteMethod()Ljava/lang/reflect/Method;
java/beans/IndexedPropertyDescriptor setIndexedWriteMethod(Ljava/lang/reflect/Method;)V
java/beans/IndexedPropertyDescriptor setIndexedWriteMethod0(Ljava/lang/reflect/Method;)V
java/beans/IndexedPropertyDescriptor getIndexedPropertyType()Ljava/lang/Class;
java/beans/IndexedPropertyDescriptor setIndexedPropertyType(Ljava/lang/Class;)V
java/beans/IndexedPropertyDescriptor getIndexedPropertyType0()Ljava/lang/Class;
java/beans/IndexedPropertyDescriptor getIndexedReadMethod0()Ljava/lang/reflect/Method;
java/beans/IndexedPropertyDescriptor getIndexedWriteMethod0()Ljava/lang/reflect/Method;
java/beans/IndexedPropertyDescriptor
findIndexedPropertyType(Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;)Ljava/lang/Class;
java/beans/IndexedPropertyDescriptor
equals(Ljava/lang/Object;)Z
java/beans/IndexedPropertyDescriptor <init>(Ljava/beans/PropertyDescriptor;Ljava/beans/PropertyDescriptor;)V
java/beans/IndexedPropertyDescriptor <init>(Ljava/beans/IndexedPropertyDescriptor;)V
java/beans/IndexedPropertyDescriptor hashCode()I
class java/awt/print/PrinterJob java/lang/Object
java/awt/print/PrinterJob getPrinterJob()Ljava/awt/print/PrinterJob;
java/awt/print/PrinterJob lookupPrintServices()[Ljava/awt/print/PrintService;
java/awt/print/PrinterJob lookupStreamPrintServices(Ljava/lang/String;)[Ljava/awt/print/StreamPrintServiceFactory;
java/awt/print/PrinterJob <init>()V
java/awt/print/PrinterJob getPrintService()Ljava/awt/print/PrintService;
java/awt/print/PrinterJob setPrintService(Ljava/awt/print/PrintService;)V
java/awt/print/PrinterJob setPrintable(Ljava/awt/print/Printable;)V
java/awt/print/PrinterJob setPrintable(Ljava/awt/print/Printable;Ljava/awt/print/PageFormat;)V
java/awt/print/PrinterJob
setPageable(Ljava/awt/print/Pageable;)V
java/awt/print/PrinterJob printDialog()Z
java/awt/print/PrinterJob printDialog(Ljava/awt/print/attribute/PrintRequestAttributeSet;)Z
java/awt/print/PrinterJob pageDialog(Ljava/awt/print/PageFormat;)Ljava/awt/print/PageFormat;
java/awt/print/PrinterJob pageDialog(Ljava/awt/print/attribute/PrintRequestAttributeSet;)Ljava/awt/print/PageFormat;

```

```

java/awt/print/PrinterJob defaultPage(Ljava/awt/print/PageFormat;)Ljava/awt/print/PageFormat;
java/awt/print/PrinterJob defaultPage(Ljava/awt/print/PageFormat;
java/awt/print/PrinterJob validatePage(Ljava/awt/print/PageFormat;)Ljava/awt/print/PageFormat;
java/awt/print/PrinterJob print()V
java/awt/print/PrinterJob print(Ljavax/print/attribute/PrintRequestAttributeSet;)V
java/awt/print/PrinterJob setCopies(I)V
java/awt/print/PrinterJob getCopies(I)
java/awt/print/PrinterJob getUserName()Ljava/lang/String;
java/awt/print/PrinterJob setJobName(Ljava/lang/String;)V
java/awt/print/PrinterJob getJobName()Ljava/lang/String;
java/awt/print/PrinterJob
cancel()V
java/awt/print/PrinterJob isCancelled()Z
class java/awt/print/PrinterAbortException java/awt/print/PrinterException
java/awt/print/PrinterAbortException <init>()V
java/awt/print/PrinterAbortException <init>(Ljava/lang/String;)V
class java/awt/print/PrinterException java/lang/Exception
java/awt/print/PrinterException <init>()V
java/awt/print/PrinterException <init>(Ljava/lang/String;)V
class java/text/BreakIterator java/lang/Object
java/text/BreakIterator DONE
java/text/BreakIterator CHARACTER_INDEX
java/text/BreakIterator WORD_INDEX
java/text/BreakIterator LINE_INDEX
java/text/BreakIterator SENTENCE_INDEX
java/text/BreakIterator iterCache
java/text/BreakIterator <init>()V
java/text/BreakIterator clone()Ljava/lang/Object;
java/text/BreakIterator first()I
java/text/BreakIterator last()I
java/text/BreakIterator next()I
java/text/BreakIterator next()I
java/text/BreakIterator previous()I
java/text/BreakIterator following(I)I
java/text/BreakIterator preceding(I)I
java/text/BreakIterator
isBoundary(I)Z
java/text/BreakIterator current()I
java/text/BreakIterator getText()Ljava/text/CharacterIterator;
java/text/BreakIterator setText(Ljava/lang/String;)V
java/text/BreakIterator setText(Ljava/text/CharacterIterator;)V
java/text/BreakIterator getInstance(Ljava/text/BreakIterator;
java/text/BreakIterator getInstance(Ljava/util/Locale;)Ljava/text/BreakIterator;
java/text/BreakIterator getInstance(Ljava/text/BreakIterator;
java/text/BreakIterator getInstance(Ljava/util/Locale;)Ljava/text/BreakIterator;
java/text/BreakIterator getInstance(Ljava/text/BreakIterator;
java/text/BreakIterator getInstance(Ljava/util/Locale;)Ljava/text/BreakIterator;
java/text/BreakIterator getInstance(Ljava/text/BreakIterator;

```



```

java/text/BreakIterator getSentenceInstance(Ljava/util/Locale;)Ljava/text/BreakIterator;
java/text/BreakIterator
getBreakInstance(Ljava/util/Locale;ILjava/lang/String;Ljava/lang/String;)Ljava/text/BreakIterator;
java/text/BreakIterator
getBundle(Ljava/lang/String;Ljava/util/Locale;)Ljava/util/ResourceBundle;
java/text/BreakIterator
createBreakInstance(Ljava/util/Locale;ILjava/lang/String;Ljava/lang/String;)Ljava/text/BreakIterator;
java/text/BreakIterator getAvailableLocales()[Ljava/util/Locale;
java/text/BreakIterator getLong([BI)J
java/text/BreakIterator getInt([BI)I
java/text/BreakIterator getShort([BI)S
java/text/BreakIterator <clinit>()V
class java/awt/color/ICC_Profile$3 java/lang/Object
java/awt/color/ICC_Profile$3 val$fileName
java/awt/color/ICC_Profile$3 <init>(Ljava/lang/String;)V
java/awt/color/ICC_Profile$3 run()Ljava/lang/Object;
class java/awt/color/ICC_Profile$2 java/lang/Object
java/awt/color/ICC_Profile$2 val$name
java/awt/color/ICC_Profile$2 <init>(Ljava/lang/String;)V
java/awt/color/ICC_Profile$2 run()Ljava/lang/Object;
class java/lang/reflect/UndeclaredThrowableException java/lang/RuntimeException
java/lang/reflect/UndeclaredThrowableException serialVersionUID
java/lang/reflect/UndeclaredThrowableException
undeclaredThrowable
java/lang/reflect/UndeclaredThrowableException <init>(Ljava/lang/Throwable;)V
java/lang/reflect/UndeclaredThrowableException <init>(Ljava/lang/Throwable;Ljava/lang/String;)V
java/lang/reflect/UndeclaredThrowableException getUndeclaredThrowable()Ljava/lang/Throwable;
java/lang/reflect/UndeclaredThrowableException getCause()Ljava/lang/Throwable;
class java/beans/BeanDescriptor java/beans/FeatureDescriptor
java/beans/BeanDescriptor beanClassRef
java/beans/BeanDescriptor customizerClassRef
java/beans/BeanDescriptor <init>(Ljava/lang/Class;)V
java/beans/BeanDescriptor <init>(Ljava/lang/Class;Ljava/lang/Class;)V
java/beans/BeanDescriptor getBeanClass()Ljava/lang/Class;
java/beans/BeanDescriptor getCustomizerClass()Ljava/lang/Class;
java/beans/BeanDescriptor <init>(Ljava/beans/BeanDescriptor;)V
class java/util/PropertyPermission java/security/BasicPermission
java/util/PropertyPermission READ
java/util/PropertyPermission WRITE
java/util/PropertyPermission
ALL
java/util/PropertyPermission NONE
java/util/PropertyPermission mask
java/util/PropertyPermission actions
java/util/PropertyPermission serialVersionUID
java/util/PropertyPermission init(I)V
java/util/PropertyPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
java/util/PropertyPermission implies(Ljava/security/Permission;)Z

```

```

java/util/PropertyPermission equals(Ljava/lang/Object;)Z
java/util/PropertyPermission hashCode()I
java/util/PropertyPermission getMask(Ljava/lang/String;)I
java/util/PropertyPermission getActions(I)Ljava/lang/String;
java/util/PropertyPermission getActions()Ljava/lang/String;
java/util/PropertyPermission getMask()I
java/util/PropertyPermission newPermissionCollection()Ljava/security/PermissionCollection;
java/util/PropertyPermission writeObject(Ljava/io/ObjectOutputStream;)V
java/util/PropertyPermission readObject(Ljava/io/ObjectInputStream;)V
class java/io/OptionalDataException java/io/ObjectStreamException
java/io/OptionalDataException
    length
java/io/OptionalDataException eof
java/io/OptionalDataException <init>(I)V
java/io/OptionalDataException <init>(Z)V
class java/util/WeakHashMap$EntryIterator java/util/WeakHashMap$HashIterator
java/util/WeakHashMap$EntryIterator this$0
java/util/WeakHashMap$EntryIterator <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/WeakHashMap$EntryIterator next()Ljava/lang/Object;
java/util/WeakHashMap$EntryIterator <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/util/WeakHashMap$HashIterator java/lang/Object
java/util/WeakHashMap$HashIterator index
java/util/WeakHashMap$HashIterator entry
java/util/WeakHashMap$HashIterator lastReturned
java/util/WeakHashMap$HashIterator expectedModCount
java/util/WeakHashMap$HashIterator nextKey
java/util/WeakHashMap$HashIterator currentKey
java/util/WeakHashMap$HashIterator this$0
java/util/WeakHashMap$HashIterator <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$HashIterator
    hasNext()Z
java/util/WeakHashMap$HashIterator nextEntry()Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap$HashIterator remove()V
class java/util/WeakHashMap$EntrySet java/util/AbstractSet
java/util/WeakHashMap$EntrySet this$0
java/util/WeakHashMap$EntrySet <init>(Ljava/util/WeakHashMap;)V
java/util/WeakHashMap$EntrySet iterator()Ljava/util/Iterator;
java/util/WeakHashMap$EntrySet contains(Ljava/lang/Object;)Z
java/util/WeakHashMap$EntrySet remove(Ljava/lang/Object;)Z
java/util/WeakHashMap$EntrySet size()I
java/util/WeakHashMap$EntrySet clear()V
java/util/WeakHashMap$EntrySet toArray()[Ljava/lang/Object;
java/util/WeakHashMap$EntrySet toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/WeakHashMap$EntrySet <init>(Ljava/util/WeakHashMap;Ljava/util/WeakHashMap$1;)V
class java/beans/beancontext/BeanContextProxy java/lang/Object
java/beans/beancontext/BeanContextProxy getBeanContextProxy()Ljava/beans/beancontext/BeanContextChild;
class java/io/CharArrayWriter java/io/Writer

```

```

java/io/CharArrayWriter
    buf
java/io/CharArrayWriter count
java/io/CharArrayWriter <init>()V
java/io/CharArrayWriter <init>(I)V
java/io/CharArrayWriter write(I)V
java/io/CharArrayWriter write([CII)V
java/io/CharArrayWriter write(Ljava/lang/String;II)V
java/io/CharArrayWriter writeTo(Ljava/io/Writer;)V
java/io/CharArrayWriter append(Ljava/lang/CharSequence;)Ljava/io/CharArrayWriter;
java/io/CharArrayWriter append(Ljava/lang/CharSequence;II)Ljava/io/CharArrayWriter;
java/io/CharArrayWriter append(C)Ljava/io/CharArrayWriter;
java/io/CharArrayWriter reset()V
java/io/CharArrayWriter toCharArray()[C
java/io/CharArrayWriter size()I
java/io/CharArrayWriter toString()Ljava/lang/String;
java/io/CharArrayWriter flush()V
java/io/CharArrayWriter close()V
java/io/CharArrayWriter append(C)Ljava/io/Writer;
java/io/CharArrayWriter append(Ljava/lang/CharSequence;II)Ljava/io/Writer;
java/io/CharArrayWriter append(Ljava/lang/CharSequence;)Ljava/io/Writer;
java/io/CharArrayWriter append(C)Ljava/lang/Appendable;
java/io/CharArrayWriter
    append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/io/CharArrayWriter append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class java/util/jar/JarInputStream java/util/zip/ZipInputStream
java/util/jar/JarInputStream man
java/util/jar/JarInputStream first
java/util/jar/JarInputStream jv
java/util/jar/JarInputStream mev
java/util/jar/JarInputStream <init>(Ljava/io/InputStream;)V
java/util/jar/JarInputStream <init>(Ljava/io/InputStream;Z)V
java/util/jar/JarInputStream getBytes(Ljava/io/InputStream;)[B
java/util/jar/JarInputStream getManifest()Ljava/util/jar/Manifest;
java/util/jar/JarInputStream getNextEntry()Ljava/util/zip/ZipEntry;
java/util/jar/JarInputStream getNextJarEntry()Ljava/util/jar/JarEntry;
java/util/jar/JarInputStream read([BII)I
java/util/jar/JarInputStream createZipEntry(Ljava/lang/String;)Ljava/util/zip/ZipEntry;
class java/io/CharConversionException java/io/IOException
java/io/CharConversionException <init>()V
java/io/CharConversionException
    <init>(Ljava/lang/String;)V
class java/net/UnknownServiceException java/io/IOException
java/net/UnknownServiceException <init>()V
java/net/UnknownServiceException <init>(Ljava/lang/String;)V
class java/util/jar/JarVerifier$VerifierStream java/io/InputStream
java/util/jar/JarVerifier$VerifierStream is
java/util/jar/JarVerifier$VerifierStream jv

```

```

java/util/jar/JarVerifier$VerifierStream mev
java/util/jar/JarVerifier$VerifierStream numLeft
java/util/jar/JarVerifier$VerifierStream
<init>(Ljava/util/jar/Manifest;Ljava/util/jar/JarEntry;Ljava/io/InputStream;Ljava/util/jar/JarVerifier;)V
java/util/jar/JarVerifier$VerifierStream read()I
java/util/jar/JarVerifier$VerifierStream read([B)I
java/util/jar/JarVerifier$VerifierStream close()V
java/util/jar/JarVerifier$VerifierStream available()I
class java/security/CodeSigner java/lang/Object
java/security/CodeSigner serialVersionUID
java/security/CodeSigner signerCertPath
java/security/CodeSigner timestamp
java/security/CodeSigner
    myhash
java/security/CodeSigner <init>(Ljava/security/cert/CertPath;Ljava/security/Timestamp;)V
java/security/CodeSigner getSignerCertPath()Ljava/security/cert/CertPath;
java/security/CodeSigner getTimestamp()Ljava/security/Timestamp;
java/security/CodeSigner hashCode()I
java/security/CodeSigner equals(Ljava/lang/Object;)Z
java/security/CodeSigner toString()Ljava/lang/String;
class java/security/cert/CertPath java/lang/Object
java/security/cert/CertPath serialVersionUID
java/security/cert/CertPath type
java/security/cert/CertPath <init>(Ljava/lang/String;)V
java/security/cert/CertPath getType()Ljava/lang/String;
java/security/cert/CertPath getEncodings()Ljava/util/Iterator;
java/security/cert/CertPath equals(Ljava/lang/Object;)Z
java/security/cert/CertPath hashCode()I
java/security/cert/CertPath toString()Ljava/lang/String;
java/security/cert/CertPath getEncoded()[B
java/security/cert/CertPath getEncoded(Ljava/lang/String;)[B
java/security/cert/CertPath getCertificates()Ljava/util/List;
java/security/cert/CertPath
    writeReplace()Ljava/lang/Object;
class java/security/spec/DSAPublicKeySpec java/lang/Object
java/security/spec/DSAPublicKeySpec y
java/security/spec/DSAPublicKeySpec p
java/security/spec/DSAPublicKeySpec q
java/security/spec/DSAPublicKeySpec g
java/security/spec/DSAPublicKeySpec
<init>(Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/DSAPublicKeySpec getY()Ljava/math/BigInteger;
java/security/spec/DSAPublicKeySpec getP()Ljava/math/BigInteger;
java/security/spec/DSAPublicKeySpec getQ()Ljava/math/BigInteger;
java/security/spec/DSAPublicKeySpec getG()Ljava/math/BigInteger;
class java/security/interfaces/RSAPrivateCrtKey java/lang/Object
java/security/interfaces/RSAPrivateCrtKey serialVersionUID
java/security/interfaces/RSAPrivateCrtKey getPublicExponent()Ljava/math/BigInteger;

```

```

java/security/interfaces/RSAPrivateCrtKey getPrimeP()Ljava/math/BigInteger;
java/security/interfaces/RSAPrivateCrtKey getPrimeQ()Ljava/math/BigInteger;
java/security/interfaces/RSAPrivateCrtKey
    getPrimeExponentP()Ljava/math/BigInteger;
java/security/interfaces/RSAPrivateCrtKey getPrimeExponentQ()Ljava/math/BigInteger;
java/security/interfaces/RSAPrivateCrtKey getCrtCoefficient()Ljava/math/BigInteger;
class java/security/interfaces/RSAPrivateKey java/lang/Object
java/security/interfaces/RSAPrivateKey serialVersionUID
java/security/interfaces/RSAPrivateKey getPrivateExponent()Ljava/math/BigInteger;
class java/security/interfaces/RSAPublicKey java/lang/Object
java/security/interfaces/RSAPublicKey serialVersionUID
java/security/interfaces/RSAPublicKey getPublicExponent()Ljava/math/BigInteger;
class java/security/interfaces/RSAPrivateKeySpec java/lang/Object
java/security/interfaces/RSAPrivateKeySpec getModulus()Ljava/math/BigInteger;
class java/security/spec/PKCS8EncodedKeySpec java/security/spec/EncodedKeySpec
java/security/spec/PKCS8EncodedKeySpec <init>([B)V
java/security/spec/PKCS8EncodedKeySpec getEncoded()[B
java/security/spec/PKCS8EncodedKeySpec
    getFormat()Ljava/lang/String;
class java/security/spec/RSAPrivateCrtKeySpec java/security/spec/RSAPrivateKeySpec
java/security/spec/RSAPrivateCrtKeySpec publicExponent
java/security/spec/RSAPrivateCrtKeySpec primeP
java/security/spec/RSAPrivateCrtKeySpec primeQ
java/security/spec/RSAPrivateCrtKeySpec primeExponentP
java/security/spec/RSAPrivateCrtKeySpec primeExponentQ
java/security/spec/RSAPrivateCrtKeySpec crtCoefficient
java/security/spec/RSAPrivateCrtKeySpec
    <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/Big
Integer;Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/RSAPrivateCrtKeySpec getPublicExponent()Ljava/math/BigInteger;
java/security/spec/RSAPrivateCrtKeySpec getPrimeP()Ljava/math/BigInteger;
java/security/spec/RSAPrivateCrtKeySpec getPrimeQ()Ljava/math/BigInteger;
java/security/spec/RSAPrivateCrtKeySpec getPrimeExponentP()Ljava/math/BigInteger;
java/security/spec/RSAPrivateCrtKeySpec
    getPrimeExponentQ()Ljava/math/BigInteger;
java/security/spec/RSAPrivateCrtKeySpec getCrtCoefficient()Ljava/math/BigInteger;
class java/security/spec/RSAPrivateKeySpec java/lang/Object
java/security/spec/RSAPrivateKeySpec modulus
java/security/spec/RSAPrivateKeySpec privateExponent
java/security/spec/RSAPrivateKeySpec <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/RSAPrivateKeySpec getModulus()Ljava/math/BigInteger;
java/security/spec/RSAPrivateKeySpec getPrivateExponent()Ljava/math/BigInteger;
class java/security/spec/RSAPublicKeySpec java/lang/Object
java/security/spec/RSAPublicKeySpec modulus
java/security/spec/RSAPublicKeySpec publicExponent
java/security/spec/RSAPublicKeySpec <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/RSAPublicKeySpec getModulus()Ljava/math/BigInteger;
java/security/spec/RSAPublicKeySpec getPublicExponent()Ljava/math/BigInteger;

```

```

class java/security/KeyFactorySpi java/lang/Object
java/security/KeyFactorySpi
    <init>()V
java/security/KeyFactorySpi engineGeneratePublic(Ljava/security/spec/KeySpec;)Ljava/security/PublicKey;
java/security/KeyFactorySpi engineGeneratePrivate(Ljava/security/spec/KeySpec;)Ljava/security/PrivateKey;
java/security/KeyFactorySpi
    engineGetKeySpec(Ljava/security/Key;Ljava/lang/Class;)Ljava/security/spec/KeySpec;
java/security/KeyFactorySpi engineTranslateKey(Ljava/security/Key;)Ljava/security/Key;
class java/security/KeyFactory java/lang/Object
java/security/KeyFactory debug
java/security/KeyFactory algorithm
java/security/KeyFactory provider
java/security/KeyFactory spi
java/security/KeyFactory lock
java/security/KeyFactory serviceIterator
java/security/KeyFactory <init>(Ljava/security/KeyFactorySpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/KeyFactory <init>(Ljava/lang/String;)V
java/security/KeyFactory getInstance(Ljava/lang/String;)Ljava/security/KeyFactory;
java/security/KeyFactory getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/KeyFactory;
java/security/KeyFactory
    getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/KeyFactory;
java/security/KeyFactory getProvider()Ljava/security/Provider;
java/security/KeyFactory getAlgorithm()Ljava/lang/String;
java/security/KeyFactory nextSpi(Ljava/security/KeyFactorySpi;)Ljava/security/KeyFactorySpi;
java/security/KeyFactory generatePublic(Ljava/security/spec/KeySpec;)Ljava/security/PublicKey;
java/security/KeyFactory generatePrivate(Ljava/security/spec/KeySpec;)Ljava/security/PrivateKey;
java/security/KeyFactory getKeySpec(Ljava/security/Key;Ljava/lang/Class;)Ljava/security/spec/KeySpec;
java/security/KeyFactory translateKey(Ljava/security/Key;)Ljava/security/Key;
java/security/KeyFactory <clinit>()V
class java/security/spec/X509EncodedKeySpec java/security/spec/EncodedKeySpec
java/security/spec/X509EncodedKeySpec <init>([B)V
java/security/spec/X509EncodedKeySpec getEncoded()[B
java/security/spec/X509EncodedKeySpec getFormat()Ljava/lang/String;
class
    java/security/spec/EncodedKeySpec java/lang/Object
java/security/spec/EncodedKeySpec encodedKey
java/security/spec/EncodedKeySpec <init>([B)V
java/security/spec/EncodedKeySpec getEncoded()[B
java/security/spec/EncodedKeySpec getFormat()Ljava/lang/String;
class java/security/spec/KeySpec java/lang/Object
class java/security/cert/X509Certificate java/security/cert/Certificate
java/security/cert/X509Certificate serialVersionUID
java/security/cert/X509Certificate subjectX500Principal
java/security/cert/X509Certificate issuerX500Principal
java/security/cert/X509Certificate <init>()V
java/security/cert/X509Certificate checkValidity()V
java/security/cert/X509Certificate checkValidity(Ljava/util/Date;)V
java/security/cert/X509Certificate getVersion()I

```

```

java/security/cert/X509Certificate getSerialNumber()Ljava/math/BigInteger;
java/security/cert/X509Certificate getIssuerDN()Ljava/security/Principal;
java/security/cert/X509Certificate getIssuerX500Principal()Ljava/security/auth/x500/X500Principal;
java/security/cert/X509Certificate
    getSubjectDN()Ljava/security/Principal;
java/security/cert/X509Certificate getSubjectX500Principal()Ljava/security/auth/x500/X500Principal;
java/security/cert/X509Certificate getNotBefore()Ljava/util/Date;
java/security/cert/X509Certificate getNotAfter()Ljava/util/Date;
java/security/cert/X509Certificate getTBSCertificate()[B
java/security/cert/X509Certificate getSignature()[B
java/security/cert/X509Certificate getSigAlgName()Ljava/lang/String;
java/security/cert/X509Certificate getSigAlgOID()Ljava/lang/String;
java/security/cert/X509Certificate getSigAlgParams()[B
java/security/cert/X509Certificate getIssuerUniqueID()[Z
java/security/cert/X509Certificate getSubjectUniqueID()[Z
java/security/cert/X509Certificate getKeyUsage()[Z
java/security/cert/X509Certificate getExtendedKeyUsage()Ljava/util/List;
java/security/cert/X509Certificate getBasicConstraints()I
java/security/cert/X509Certificate getSubjectAlternativeNames()Ljava/util/Collection;
java/security/cert/X509Certificate
    getIssuerAlternativeNames()Ljava/util/Collection;
class java/security/cert/X509Extension java/lang/Object
java/security/cert/X509Extension hasUnsupportedCriticalExtension()Z
java/security/cert/X509Extension getCriticalExtensionOIDs()Ljava/util/Set;
java/security/cert/X509Extension getNonCriticalExtensionOIDs()Ljava/util/Set;
java/security/cert/X509Extension getExtensionValue(Ljava/lang/String;)[B
class java/security/cert/CertificateFactorySpi java/lang/Object
java/security/cert/CertificateFactorySpi <init>()V
java/security/cert/CertificateFactorySpi
    engineGenerateCertificate(Ljava/io/InputStream;)Ljava/security/cert/Certificate;
java/security/cert/CertificateFactorySpi
    engineGenerateCertPath(Ljava/io/InputStream;)Ljava/security/cert/CertPath;
java/security/cert/CertificateFactorySpi
    engineGenerateCertPath(Ljava/io/InputStream;Ljava/lang/String;)Ljava/security/cert/CertPath;
java/security/cert/CertificateFactorySpi engineGenerateCertPath(Ljava/util/List;)Ljava/security/cert/CertPath;
java/security/cert/CertificateFactorySpi
    engineGetCertPathEncodings()Ljava/util/Iterator;
java/security/cert/CertificateFactorySpi engineGenerateCertificates(Ljava/io/InputStream;)Ljava/util/Collection;
java/security/cert/CertificateFactorySpi engineGenerateCRL(Ljava/io/InputStream;)Ljava/security/cert/CRL;
java/security/cert/CertificateFactorySpi engineGenerateCRLs(Ljava/io/InputStream;)Ljava/util/Collection;
class java/security/cert/CertificateFactory java/lang/Object
java/security/cert/CertificateFactory type
java/security/cert/CertificateFactory provider
java/security/cert/CertificateFactory certFacSpi
java/security/cert/CertificateFactory
    <init>(Ljava/security/cert/CertificateFactorySpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/cert/CertificateFactory getInstance(Ljava/lang/String;)Ljava/security/cert/CertificateFactory;
java/security/cert/CertificateFactory

```

```

getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/cert/CertificateFactory;
java/security/cert/CertificateFactory
    getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/cert/CertificateFactory;
java/security/cert/CertificateFactory getProvider()Ljava/security/Provider;
java/security/cert/CertificateFactory getType()Ljava/lang/String;
java/security/cert/CertificateFactory generateCertificate(Ljava/io/InputStream;)Ljava/security/cert/Certificate;
java/security/cert/CertificateFactory getCertPathEncodings()Ljava/util/Iterator;
java/security/cert/CertificateFactory generateCertPath(Ljava/io/InputStream;)Ljava/security/cert/CertPath;
java/security/cert/CertificateFactory
    generateCertPath(Ljava/io/InputStream;Ljava/lang/String;)Ljava/security/cert/CertPath;
java/security/cert/CertificateFactory generateCertPath(Ljava/util/List;)Ljava/security/cert/CertPath;
java/security/cert/CertificateFactory generateCertificates(Ljava/io/InputStream;)Ljava/util/Collection;
java/security/cert/CertificateFactory generateCRL(Ljava/io/InputStream;)Ljava/security/cert/CRL;
java/security/cert/CertificateFactory
    generateCRLs(Ljava/io/InputStream;)Ljava/util/Collection;
class java/lang/IllegalThreadStateException java/lang/IllegalArgumentException
java/lang/IllegalThreadStateException <init>()V
java/lang/IllegalThreadStateException <init>(Ljava/lang/String;)V
class java/beans/BeanInfo java/lang/Object
java/beans/BeanInfo ICON_COLOR_16x16
java/beans/BeanInfo ICON_COLOR_32x32
java/beans/BeanInfo ICON_MONO_16x16
java/beans/BeanInfo ICON_MONO_32x32
java/beans/BeanInfo getBeanDescriptor()Ljava/beans/BeanDescriptor;
java/beans/BeanInfo getEventSetDescriptors()[Ljava/beans/EventSetDescriptor;
java/beans/BeanInfo getDefaultEventIndex()I
java/beans/BeanInfo getPropertyDescriptors()[Ljava/beans/PropertyDescriptor;
java/beans/BeanInfo getDefaultPropertyIndex()I
java/beans/BeanInfo getMethodDescriptors()[Ljava/beans/MethodDescriptor;
java/beans/BeanInfo getAdditionalBeanInfo()[Ljava/beans/BeanInfo;
java/beans/BeanInfo getIcon()Ljava/awt/Image;
class
    java/beans/PropertyEditorSupport java/lang/Object
java/beans/PropertyEditorSupport value
java/beans/PropertyEditorSupport source
java/beans/PropertyEditorSupport listeners
java/beans/PropertyEditorSupport <init>()V
java/beans/PropertyEditorSupport <init>(Ljava/lang/Object;)V
java/beans/PropertyEditorSupport getSource()Ljava/lang/Object;
java/beans/PropertyEditorSupport setSource(Ljava/lang/Object;)V
java/beans/PropertyEditorSupport setValue(Ljava/lang/Object;)V
java/beans/PropertyEditorSupport getValue()Ljava/lang/Object;
java/beans/PropertyEditorSupport isPaintable()Z
java/beans/PropertyEditorSupport paintValue(Ljava/awt/Graphics;Ljava/awt/Rectangle;)V
java/beans/PropertyEditorSupport getJavaInitializationString()Ljava/lang/String;
java/beans/PropertyEditorSupport getAsText()Ljava/lang/String;
java/beans/PropertyEditorSupport setAsText(Ljava/lang/String;)V
java/beans/PropertyEditorSupport getTags()[Ljava/lang/String;

```



```

java/beans/PropertyEditorSupport getCustomEditor()Ljava/awt/Component;
java/beans/PropertyEditorSupport
    supportsCustomEditor()Z
java/beans/PropertyEditorSupport addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyEditorSupport removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyEditorSupport firePropertyChange()V
class java/beans/PropertyEditor java/lang/Object
java/beans/PropertyEditor setValue(Ljava/lang/Object;)V
java/beans/PropertyEditor getValue()Ljava/lang/Object;
java/beans/PropertyEditor isPaintable()Z
java/beans/PropertyEditor paintValue(Ljava/awt/Graphics;Ljava/awt/Rectangle;)V
java/beans/PropertyEditor getJavaInitializationString()Ljava/lang/String;
java/beans/PropertyEditor getAsText()Ljava/lang/String;
java/beans/PropertyEditor setAsText(Ljava/lang/String;)V
java/beans/PropertyEditor getTags()[Ljava/lang/String;
java/beans/PropertyEditor getCustomEditor()Ljava/awt/Component;
java/beans/PropertyEditor supportsCustomEditor()Z
java/beans/PropertyEditor addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyEditor
    removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
class java/beans/PropertyEditorManager java/lang/Object
java/beans/PropertyEditorManager searchPath
java/beans/PropertyEditorManager registry
java/beans/PropertyEditorManager <init>()V
java/beans/PropertyEditorManager registerEditor(Ljava/lang/Class;Ljava/lang/Class;)V
java/beans/PropertyEditorManager findEditor(Ljava/lang/Class;)Ljava/beans/PropertyEditor;
java/beans/PropertyEditorManager getEditorSearchPath()[Ljava/lang/String;
java/beans/PropertyEditorManager setEditorSearchPath([Ljava/lang/String;)V
java/beans/PropertyEditorManager load(Ljava/lang/Class;Ljava/lang/String;)V
java/beans/PropertyEditorManager initialize()V
java/beans/PropertyEditorManager <clinit>()V
class java/beans/EventSetDescriptor java/beans/FeatureDescriptor
java/beans/EventSetDescriptor listenerMethodDescriptors
java/beans/EventSetDescriptor addMethodDescriptor
java/beans/EventSetDescriptor
    removeMethodDescriptor
java/beans/EventSetDescriptor getMethodDescriptor
java/beans/EventSetDescriptor listenerMethodsRef
java/beans/EventSetDescriptor listenerTypeRef
java/beans/EventSetDescriptor unicast
java/beans/EventSetDescriptor inDefaultEventSet
java/beans/EventSetDescriptor <init>(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Class;Ljava/lang/String;)V
java/beans/EventSetDescriptor getListenerClassName(Ljava/lang/Class;)Ljava/lang/String;
java/beans/EventSetDescriptor
    <init>(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Class;[Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)
    V
java/beans/EventSetDescriptor
    <init>(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Class;[Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;

```

```

Ljava/lang/String;)V
java/beans/EventSetDescriptor getMethod(Ljava/lang/Class;Ljava/lang/String;I)Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor
<init>(Ljava/lang/String;Ljava/lang/Class;[Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;Ljava/lang/reflect/
Method;)V
java/beans/EventSetDescriptor
<init>(Ljava/lang/String;Ljava/lang/Class;[Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;Ljava/lang/reflect/
Method;Ljava/lang/reflect/Method;)V
java/beans/EventSetDescriptor
<init>(Ljava/lang/String;Ljava/lang/Class;[Ljava/beans/MethodDescriptor;Ljava/lang/reflect/Method;Ljava/lang/ref
lect/Method;)V
java/beans/EventSetDescriptor getListenerType()Ljava/lang/Class;
java/beans/EventSetDescriptor setListenerType(Ljava/lang/Class;)V
java/beans/EventSetDescriptor getListenerMethods()[Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor setListenerMethods([Ljava/lang/reflect/Method;)V
java/beans/EventSetDescriptor getListenerMethods0()[Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor getListenerMethodDescriptors()[Ljava/beans/MethodDescriptor;
java/beans/EventSetDescriptor getAddListenerMethod(Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor setAddListenerMethod(Ljava/lang/reflect/Method;)V
java/beans/EventSetDescriptor
getRemoveListenerMethod(Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor setRemoveListenerMethod(Ljava/lang/reflect/Method;)V
java/beans/EventSetDescriptor getGetListenerMethod(Ljava/lang/reflect/Method;
java/beans/EventSetDescriptor setGetListenerMethod(Ljava/lang/reflect/Method;)V
java/beans/EventSetDescriptor setUnicast(Z)V
java/beans/EventSetDescriptor isUnicast()Z
java/beans/EventSetDescriptor setInDefaultEventSet(Z)V
java/beans/EventSetDescriptor isInDefaultEventSet()Z
java/beans/EventSetDescriptor <init>(Ljava/beans/EventSetDescriptor;Ljava/beans/EventSetDescriptor;)V
java/beans/EventSetDescriptor <init>(Ljava/beans/EventSetDescriptor;)V
class java/beans/Introspector java/lang/Object
java/beans/Introspector USE_ALL_BEANINFO
java/beans/Introspector IGNORE_IMMEDIATE_BEANINFO
java/beans/Introspector IGNORE_ALL_BEANINFO
java/beans/Introspector declaredMethodCache
java/beans/Introspector beanInfoCache
java/beans/Introspector beanClass
java/beans/Introspector
explicitBeanInfo
java/beans/Introspector superBeanInfo
java/beans/Introspector additionalBeanInfo
java/beans/Introspector propertyChangeSource
java/beans/Introspector eventListenerType
java/beans/Introspector defaultEventName
java/beans/Introspector defaultPropertyName
java/beans/Introspector defaultEventIndex
java/beans/Introspector defaultPropertyIndex
java/beans/Introspector methods

```

```

java/beans/Introspector properties
java/beans/Introspector events
java/beans/Introspector DEFAULT_INFO_PATH
java/beans/Introspector searchPath
java/beans/Introspector EMPTY_EVENTSETDESCRIPTORS
java/beans/Introspector ADD_PREFIX
java/beans/Introspector REMOVE_PREFIX
java/beans/Introspector GET_PREFIX
java/beans/Introspector SET_PREFIX
java/beans/Introspector IS_PREFIX
java/beans/Introspector BEANINFO_SUFFIX
java/beans/Introspector pdStore
java/beans/Introspector getBeanInfo(Ljava/lang/Class;)Ljava/beans/BeanInfo;
java/beans/Introspector getBeanInfo(Ljava/lang/Class;I)Ljava/beans/BeanInfo;
java/beans/Introspector
    getBeanInfo(Ljava/lang/Class;Ljava/lang/Class;)Ljava/beans/BeanInfo;
java/beans/Introspector getBeanInfo(Ljava/lang/Class;Ljava/lang/Class;I)Ljava/beans/BeanInfo;
java/beans/Introspector decapitalize(Ljava/lang/String;)Ljava/lang/String;
java/beans/Introspector getBeanInfoSearchPath()[Ljava/lang/String;
java/beans/Introspector setBeanInfoSearchPath([Ljava/lang/String;)V
java/beans/Introspector flushCaches()V
java/beans/Introspector flushFromCaches(Ljava/lang/Class;)V
java/beans/Introspector <init>(Ljava/lang/Class;Ljava/lang/Class;I)V
java/beans/Introspector getBeanInfo()Ljava/beans/BeanInfo;
java/beans/Introspector findExplicitBeanInfo(Ljava/lang/Class;)Ljava/beans/BeanInfo;
java/beans/Introspector getTargetPropertyInfo()[Ljava/beans/PropertyDescriptor;
java/beans/Introspector addPropertyDescriptor(Ljava/beans/PropertyDescriptor;)V
java/beans/Introspector processPropertyDescriptors()V
java/beans/Introspector
    mergePropertyDescriptor(Ljava/beans/IndexedPropertyDescriptor;Ljava/beans/PropertyDescriptor;)Ljava/beans/Pro
    pertyDescriptor;
java/beans/Introspector
    mergePropertyDescriptor(Ljava/beans/PropertyDescriptor;Ljava/beans/PropertyDescriptor;)Ljava/beans/PropertyDe
    scriptor;
java/beans/Introspector
    mergePropertyDescriptor(Ljava/beans/IndexedPropertyDescriptor;Ljava/beans/IndexedPropertyDescriptor;)Ljava/b
    eans/PropertyDescriptor;
java/beans/Introspector getTargetEventInfo()[Ljava/beans/EventSetDescriptor;
java/beans/Introspector addEvent(Ljava/beans/EventSetDescriptor;)V
java/beans/Introspector getTargetMethodInfo()[Ljava/beans/MethodDescriptor;
java/beans/Introspector addMethod(Ljava/beans/MethodDescriptor;)V
java/beans/Introspector makeQualifiedMethodName(Ljava/lang/String;[Ljava/lang/String;)Ljava/lang/String;
java/beans/Introspector getTargetDefaultEventIndex()I
java/beans/Introspector getTargetDefaultPropertyIndex()I
java/beans/Introspector getTargetBeanDescriptor()Ljava/beans/BeanDescriptor;
java/beans/Introspector isEventHandler(Ljava/lang/reflect/Method;)Z
java/beans/Introspector

```

```

    getPublicDeclaredMethods(Ljava/lang/Class;)[Ljava/lang/reflect/Method;
java/beans/Introspector
internalFindMethod(Ljava/lang/Class;Ljava/lang/String;I[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/Introspector findMethod(Ljava/lang/Class;Ljava/lang/String;I)Ljava/lang/reflect/Method;
java/beans/Introspector
findMethod(Ljava/lang/Class;Ljava/lang/String;I[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/beans/Introspector isSubclass(Ljava/lang/Class;Ljava/lang/Class;)Z
java/beans/Introspector throwsException(Ljava/lang/reflect/Method;Ljava/lang/Class;)Z
java/beans/Introspector instantiate(Ljava/lang/Class;Ljava/lang/String;)Ljava/lang/Object;
java/beans/Introspector <clinit>()V
class java/util/Collections$EmptySet$1 java/lang/Object
java/util/Collections$EmptySet$1 this$0
java/util/Collections$EmptySet$1 <init>(Ljava/util/Collections$EmptySet;)V
java/util/Collections$EmptySet$1 hasNext()Z
java/util/Collections$EmptySet$1 next()Ljava/lang/Object;
java/util/Collections$EmptySet$1
remove()V
class java/util/Collections$SynchronizedRandomAccessList java/util/Collections$SynchronizedList
java/util/Collections$SynchronizedRandomAccessList serialVersionUID
java/util/Collections$SynchronizedRandomAccessList <init>(Ljava/util/List;)V
java/util/Collections$SynchronizedRandomAccessList <init>(Ljava/util/List;Ljava/lang/Object;)V
java/util/Collections$SynchronizedRandomAccessList subList(II)Ljava/util/List;
java/util/Collections$SynchronizedRandomAccessList writeReplace()Ljava/lang/Object;
class java/util/Collections$SynchronizedList java/util/Collections$SynchronizedCollection
java/util/Collections$SynchronizedList serialVersionUID
java/util/Collections$SynchronizedList list
java/util/Collections$SynchronizedList <init>(Ljava/util/List;)V
java/util/Collections$SynchronizedList <init>(Ljava/util/List;Ljava/lang/Object;)V
java/util/Collections$SynchronizedList equals(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedList
hashCode()I
java/util/Collections$SynchronizedList get(I)Ljava/lang/Object;
java/util/Collections$SynchronizedList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/Collections$SynchronizedList add(ILjava/lang/Object;)V
java/util/Collections$SynchronizedList remove(I)Ljava/lang/Object;
java/util/Collections$SynchronizedList indexOf(Ljava/lang/Object;)I
java/util/Collections$SynchronizedList lastIndexOf(Ljava/lang/Object;)I
java/util/Collections$SynchronizedList addAll(ILjava/util/Collection;)Z
java/util/Collections$SynchronizedList listIterator()Ljava/util/ListIterator;
java/util/Collections$SynchronizedList listIterator(I)Ljava/util/ListIterator;
java/util/Collections$SynchronizedList subList(II)Ljava/util/List;
java/util/Collections$SynchronizedList readResolve()Ljava/lang/Object;
class java/util/ConcurrentModificationException java/lang/RuntimeException
java/util/ConcurrentModificationException <init>()V
java/util/ConcurrentModificationException <init>(Ljava/lang/String;)V
class
java/util/Collections$UnmodifiableRandomAccessList java/util/Collections$UnmodifiableList
java/util/Collections$UnmodifiableRandomAccessList serialVersionUID

```

```

java/util/Collections$UnmodifiableRandomAccessList <init>(Ljava/util/List;)V
java/util/Collections$UnmodifiableRandomAccessList subList(II)Ljava/util/List;
java/util/Collections$UnmodifiableRandomAccessList writeReplace()Ljava/lang/Object;
class java/util/Collections$UnmodifiableList java/util/Collections$UnmodifiableCollection
java/util/Collections$UnmodifiableList serialVersionUID
java/util/Collections$UnmodifiableList list
java/util/Collections$UnmodifiableList <init>(Ljava/util/List;)V
java/util/Collections$UnmodifiableList equals(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableList hashCode()I
java/util/Collections$UnmodifiableList get(I)Ljava/lang/Object;
java/util/Collections$UnmodifiableList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/Collections$UnmodifiableList add(ILjava/lang/Object;)V
java/util/Collections$UnmodifiableList
    remove(I)Ljava/lang/Object;
java/util/Collections$UnmodifiableList indexOf(Ljava/lang/Object;)I
java/util/Collections$UnmodifiableList lastIndexOf(Ljava/lang/Object;)I
java/util/Collections$UnmodifiableList addAll(ILjava/util/Collection;)Z
java/util/Collections$UnmodifiableList listIterator()Ljava/util/ListIterator;
java/util/Collections$UnmodifiableList listIterator(I)Ljava/util/ListIterator;
java/util/Collections$UnmodifiableList subList(II)Ljava/util/List;
java/util/Collections$UnmodifiableList readResolve()Ljava/lang/Object;
class java/io/ObjectInputValidation java/lang/Object
java/io/ObjectInputValidation validateObject()V
class java/io/SyncFailedException java/io/IOException
java/io/SyncFailedException <init>(Ljava/lang/String;)V
class java/io/NotSerializableException java/io/ObjectStreamException
java/io/NotSerializableException <init>(Ljava/lang/String;)V
java/io/NotSerializableException <init>()V
class java/beans/PropertyVetoException java/lang/Exception
java/beans/PropertyVetoException
    evt
java/beans/PropertyVetoException <init>(Ljava/lang/String;Ljava/beans/PropertyChangeEvent;)V
java/beans/PropertyVetoException getPropertyChangeEvent()Ljava/beans/PropertyChangeEvent;
class java/util/HashMap$ValueIterator java/util/HashMap$HashIterator
java/util/HashMap$ValueIterator this$0
java/util/HashMap$ValueIterator <init>(Ljava/util/HashMap;)V
java/util/HashMap$ValueIterator next()Ljava/lang/Object;
java/util/HashMap$ValueIterator <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V
class java/util/HashMap$Values java/util/AbstractCollection
java/util/HashMap$Values this$0
java/util/HashMap$Values <init>(Ljava/util/HashMap;)V
java/util/HashMap$Values iterator()Ljava/util/Iterator;
java/util/HashMap$Values size()I
java/util/HashMap$Values contains(Ljava/lang/Object;)Z
java/util/HashMap$Values clear()V
java/util/HashMap$Values <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V
class java/lang/Class$MethodArray java/lang/Object
java/lang/Class$MethodArray

```

```

methods
java/lang/Class$MethodArray length
java/lang/Class$MethodArray <init>()V
java/lang/Class$MethodArray add(Ljava/lang/reflect/Method;)V
java/lang/Class$MethodArray addAll([Ljava/lang/reflect/Method;)V
java/lang/Class$MethodArray addAll(Ljava/lang/Class$MethodArray;)V
java/lang/Class$MethodArray addIfNotPresent(Ljava/lang/reflect/Method;)V
java/lang/Class$MethodArray addAllIfNotPresent(Ljava/lang/Class$MethodArray;)V
java/lang/Class$MethodArray length()I
java/lang/Class$MethodArray get(I)Ljava/lang/reflect/Method;
java/lang/Class$MethodArray removeByNameAndSignature(Ljava/lang/reflect/Method;)V
java/lang/Class$MethodArray compactAndTrim()V
java/lang/Class$MethodArray getArray()[Ljava/lang/reflect/Method;
class java/util/Collections$SingletonSet$1 java/lang/Object
java/util/Collections$SingletonSet$1 hasNext
java/util/Collections$SingletonSet$1 this$0
java/util/Collections$SingletonSet$1 <init>(Ljava/util/Collections$SingletonSet;)V
java/util/Collections$SingletonSet$1 hasNext()Z
java/util/Collections$SingletonSet$1
    next()Ljava/lang/Object;
java/util/Collections$SingletonSet$1 remove()V
class java/util/Collections$SingletonSet java/util/AbstractSet
java/util/Collections$SingletonSet serialVersionUID
java/util/Collections$SingletonSet element
java/util/Collections$SingletonSet <init>(Ljava/lang/Object;)V
java/util/Collections$SingletonSet iterator()Ljava/util/Iterator;
java/util/Collections$SingletonSet size()I
java/util/Collections$SingletonSet contains(Ljava/lang/Object;)Z
java/util/Collections$SingletonSet access$400(Ljava/util/Collections$SingletonSet;)Ljava/lang/Object;
class java/util/Collections$1 java/lang/Object
java/util/Collections$1 i
java/util/Collections$1 val$c
java/util/Collections$1 <init>(Ljava/util/Collection;)V
java/util/Collections$1 hasMoreElements()Z
java/util/Collections$1 nextElement()Ljava/lang/Object;
class java/util/Timer$1 java/lang/Object
java/util/Timer$1 this$0
java/util/Timer$1 <init>(Ljava/util/Timer;)V
java/util/Timer$1 finalize()V
class
    java/util/TimerThread java/lang/Thread
java/util/TimerThread newTasksMayBeScheduled
java/util/TimerThread queue
java/util/TimerThread <init>(Ljava/util/TaskQueue;)V
java/util/TimerThread run()V
java/util/TimerThread mainLoop()V
class java/util/TimerTask java/lang/Object
java/util/TimerTask lock

```

```

java/util/TimerTask state
java/util/TimerTask VIRGIN
java/util/TimerTask SCHEDULED
java/util/TimerTask EXECUTED
java/util/TimerTask CANCELLED
java/util/TimerTask nextExecutionTime
java/util/TimerTask period
java/util/TimerTask <init>()V
java/util/TimerTask run()V
java/util/TimerTask cancel()Z
java/util/TimerTask scheduledExecutionTime()J
class java/util/TaskQueue java/lang/Object
java/util/TaskQueue queue
java/util/TaskQueue size
java/util/TaskQueue $assertionsDisabled
java/util/TaskQueue <init>()V
java/util/TaskQueue size()I
java/util/TaskQueue add(Ljava/util/TimerTask;)V
java/util/TaskQueue getMin()Ljava/util/TimerTask;
java/util/TaskQueue get(I)Ljava/util/TimerTask;
java/util/TaskQueue
    removeMin()V
java/util/TaskQueue quickRemove(I)V
java/util/TaskQueue rescheduleMin(J)V
java/util/TaskQueue isEmpty()Z
java/util/TaskQueue clear()V
java/util/TaskQueue fixUp(I)V
java/util/TaskQueue fixDown(I)V
java/util/TaskQueue heapify()V
java/util/TaskQueue <clinit>()V
class java/util/Timer java/lang/Object
java/util/Timer queue
java/util/Timer thread
java/util/Timer threadReaper
java/util/Timer nextSerialNumber
java/util/Timer serialNumber()I
java/util/Timer <init>()V
java/util/Timer <init>(Z)V
java/util/Timer <init>(Ljava/lang/String;)V
java/util/Timer <init>(Ljava/lang/String;Z)V
java/util/Timer schedule(Ljava/util/TimerTask;J)V
java/util/Timer schedule(Ljava/util/TimerTask;Ljava/util/Date;)V
java/util/Timer schedule(Ljava/util/TimerTask;JJ)V
java/util/Timer schedule(Ljava/util/TimerTask;Ljava/util/Date;J)V
java/util/Timer scheduleAtFixedRate(Ljava/util/TimerTask;JJ)V
java/util/Timer scheduleAtFixedRate(Ljava/util/TimerTask;Ljava/util/Date;J)V
java/util/Timer sched(Ljava/util/TimerTask;JJ)V
java/util/Timer

```

```

cancel()V
java/util/Timer purge()I
java/util/Timer access$000(Ljava/util/Timer;)Ljava/util/TaskQueue;
java/util/Timer access$100(Ljava/util/Timer;)Ljava/util/TimerThread;
java/util/Timer <clinit>()V
class java/beans/PropertyDescriptor java/beans/FeatureDescriptor
java/beans/PropertyDescriptor propertyTypeRef
java/beans/PropertyDescriptor readMethodRef
java/beans/PropertyDescriptor writeMethodRef
java/beans/PropertyDescriptor propertyEditorClassRef
java/beans/PropertyDescriptor bound
java/beans/PropertyDescriptor constrained
java/beans/PropertyDescriptor baseName
java/beans/PropertyDescriptor writeMethodName
java/beans/PropertyDescriptor readMethodName
java/beans/PropertyDescriptor <init>(Ljava/lang/String;Ljava/lang/Class;)V
java/beans/PropertyDescriptor <init>(Ljava/lang/String;Ljava/lang/Class;Ljava/lang/String;Ljava/lang/String;)V
java/beans/PropertyDescriptor <init>(Ljava/lang/String;Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;)V
java/beans/PropertyDescriptor
    getPropertyType()Ljava/lang/Class;
java/beans/PropertyDescriptor setPropertyType(Ljava/lang/Class;)V
java/beans/PropertyDescriptor getPropertyType0(Ljava/lang/Class;
java/beans/PropertyDescriptor getReadMethod()Ljava/lang/reflect/Method;
java/beans/PropertyDescriptor setReadMethod(Ljava/lang/reflect/Method;)V
java/beans/PropertyDescriptor getWriteMethod()Ljava/lang/reflect/Method;
java/beans/PropertyDescriptor setWriteMethod(Ljava/lang/reflect/Method;)V
java/beans/PropertyDescriptor getReadMethod0(Ljava/lang/reflect/Method;
java/beans/PropertyDescriptor getWriteMethod0(Ljava/lang/reflect/Method;
java/beans/PropertyDescriptor setClass0(Ljava/lang/Class;)V
java/beans/PropertyDescriptor isBound()Z
java/beans/PropertyDescriptor setBound(Z)V
java/beans/PropertyDescriptor isConstrained()Z
java/beans/PropertyDescriptor setConstrained(Z)V
java/beans/PropertyDescriptor setPropertyEditorClass(Ljava/lang/Class;)V
java/beans/PropertyDescriptor getPropertyEditorClass()Ljava/lang/Class;
java/beans/PropertyDescriptor
    createPropertyEditor(Ljava/lang/Object;)Ljava/beans/PropertyEditor;
java/beans/PropertyDescriptor equals(Ljava/lang/Object;)Z
java/beans/PropertyDescriptor compareMethods(Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;)Z
java/beans/PropertyDescriptor <init>(Ljava/beans/PropertyDescriptor;Ljava/beans/PropertyDescriptor;)V
java/beans/PropertyDescriptor <init>(Ljava/beans/PropertyDescriptor;)V
java/beans/PropertyDescriptor
    findPropertyType(Ljava/lang/reflect/Method;Ljava/lang/reflect/Method;)Ljava/lang/Class;
java/beans/PropertyDescriptor hashCode()I
java/beans/PropertyDescriptor getBaseName()Ljava/lang/String;
class java/beans/FeatureDescriptor java/lang/Object
java/beans/FeatureDescriptor classRef
java/beans/FeatureDescriptor expert

```



```

java/beans/FeatureDescriptor hidden
java/beans/FeatureDescriptor preferred
java/beans/FeatureDescriptor shortDescription
java/beans/FeatureDescriptor name
java/beans/FeatureDescriptor displayName
java/beans/FeatureDescriptor
    table
java/beans/FeatureDescriptor <init>()V
java/beans/FeatureDescriptor getName()Ljava/lang/String;
java/beans/FeatureDescriptor setName(Ljava/lang/String;)V
java/beans/FeatureDescriptor getDisplayName()Ljava/lang/String;
java/beans/FeatureDescriptor setDisplayName(Ljava/lang/String;)V
java/beans/FeatureDescriptor isExpert()Z
java/beans/FeatureDescriptor setExpert(Z)V
java/beans/FeatureDescriptor isHidden()Z
java/beans/FeatureDescriptor setHidden(Z)V
java/beans/FeatureDescriptor isPreferred()Z
java/beans/FeatureDescriptor setPreferred(Z)V
java/beans/FeatureDescriptor getShortDescription()Ljava/lang/String;
java/beans/FeatureDescriptor setShortDescription(Ljava/lang/String;)V
java/beans/FeatureDescriptor setValue(Ljava/lang/String;Ljava/lang/Object;)V
java/beans/FeatureDescriptor getValue(Ljava/lang/String;)Ljava/lang/Object;
java/beans/FeatureDescriptor attributeNames()Ljava/util/Enumeration;
java/beans/FeatureDescriptor <init>(Ljava/beans/FeatureDescriptor;Ljava/beans/FeatureDescriptor;)V
java/beans/FeatureDescriptor
    <init>(Ljava/beans/FeatureDescriptor;)V
java/beans/FeatureDescriptor addTable(Ljava/util/Hashtable;)V
java/beans/FeatureDescriptor setClass0(Ljava/lang/Class;)V
java/beans/FeatureDescriptor getClass0()Ljava/lang/Class;
java/beans/FeatureDescriptor createReference(Ljava/lang/Object;Z)Ljava/lang/ref/Reference;
java/beans/FeatureDescriptor createReference(Ljava/lang/Object;)Ljava/lang/ref/Reference;
java/beans/FeatureDescriptor getObject(Ljava/lang/ref/Reference;)Ljava/lang/Object;
java/beans/FeatureDescriptor capitalize(Ljava/lang/String;)Ljava/lang/String;
class java/beans/IntrospectionException java/lang/Exception
java/beans/IntrospectionException <init>(Ljava/lang/String;)V
class java/io/InvalidObjectException java/io/ObjectStreamException
java/io/InvalidObjectException <init>(Ljava/lang/String;)V
class java/lang/SecurityManager java/lang/Object
java/lang/SecurityManager inCheck
java/lang/SecurityManager initialized
java/lang/SecurityManager
    rootGroup
java/lang/SecurityManager packageAccessValid
java/lang/SecurityManager packageAccess
java/lang/SecurityManager packageAccessLock
java/lang/SecurityManager packageDefinitionValid
java/lang/SecurityManager packageDefinition
java/lang/SecurityManager packageDefinitionLock

```

```

java/lang/SecurityManager hasAllPermission()Z
java/lang/SecurityManager getInCheck()Z
java/lang/SecurityManager <init>()V
java/lang/SecurityManager getClassContext()[Ljava/lang/Class;
java/lang/SecurityManager currentClassLoader()Ljava/lang/ClassLoader;
java/lang/SecurityManager currentClassLoader0()Ljava/lang/ClassLoader;
java/lang/SecurityManager currentLoadedClass()Ljava/lang/Class;
java/lang/SecurityManager classDepth(Ljava/lang/String;)I
java/lang/SecurityManager classLoaderDepth(I)I
java/lang/SecurityManager classLoaderDepth0(I)I
java/lang/SecurityManager inClass(Ljava/lang/String;)Z
java/lang/SecurityManager inClassLoader()Z
java/lang/SecurityManager getSecurityContext()Ljava/lang/Object;
java/lang/SecurityManager
    checkPermission(Ljava/security/Permission;)V
java/lang/SecurityManager checkPermission(Ljava/security/Permission;Ljava/lang/Object;)V
java/lang/SecurityManager checkCreateClassLoader()V
java/lang/SecurityManager getRootGroup()Ljava/lang/ThreadGroup;
java/lang/SecurityManager checkAccess(Ljava/lang/Thread;)V
java/lang/SecurityManager checkAccess(Ljava/lang/ThreadGroup;)V
java/lang/SecurityManager checkExit(I)V
java/lang/SecurityManager checkExec(Ljava/lang/String;)V
java/lang/SecurityManager checkLink(Ljava/lang/String;)V
java/lang/SecurityManager checkRead(Ljava/io/FileDescriptor;)V
java/lang/SecurityManager checkRead(Ljava/lang/String;)V
java/lang/SecurityManager checkRead(Ljava/lang/String;Ljava/lang/Object;)V
java/lang/SecurityManager checkWrite(Ljava/io/FileDescriptor;)V
java/lang/SecurityManager checkWrite(Ljava/lang/String;)V
java/lang/SecurityManager checkDelete(Ljava/lang/String;)V
java/lang/SecurityManager checkConnect(Ljava/lang/String;)V
java/lang/SecurityManager
    checkConnect(Ljava/lang/String;ILjava/lang/Object;)V
java/lang/SecurityManager checkListen(I)V
java/lang/SecurityManager checkAccept(Ljava/lang/String;)V
java/lang/SecurityManager checkMulticast(Ljava/net/InetAddress;)V
java/lang/SecurityManager checkMulticast(Ljava/net/InetAddress;B)V
java/lang/SecurityManager checkPropertiesAccess()V
java/lang/SecurityManager checkPropertyAccess(Ljava/lang/String;)V
java/lang/SecurityManager checkTopLevelWindow(Ljava/lang/Object;)Z
java/lang/SecurityManager checkPrintJobAccess()V
java/lang/SecurityManager checkSystemClipboardAccess()V
java/lang/SecurityManager checkAwtEventQueueAccess()V
java/lang/SecurityManager getPackages(Ljava/lang/String;)[Ljava/lang/String;
java/lang/SecurityManager checkPackageAccess(Ljava/lang/String;)V
java/lang/SecurityManager checkPackageDefinition(Ljava/lang/String;)V
java/lang/SecurityManager checkSetFactory()V
java/lang/SecurityManager checkMemberAccess(Ljava/lang/Class;)V
java/lang/SecurityManager checkSecurityAccess(Ljava/lang/String;)V

```

```

java/lang/SecurityManager
  currentLoadedClass0()Ljava/lang/Class;
java/lang/SecurityManager getThreadGroup()Ljava/lang/ThreadGroup;
java/lang/SecurityManager <clinit>()V
class java/lang/UnsupportedOperationException java/lang/RuntimeException
java/lang/UnsupportedOperationException serialVersionUID
java/lang/UnsupportedOperationException <init>()V
java/lang/UnsupportedOperationException <init>(Ljava/lang/String;)V
java/lang/UnsupportedOperationException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/UnsupportedOperationException <init>(Ljava/lang/Throwable;)V
class java/security/AllPermissionCollection java/security/PermissionCollection
java/security/AllPermissionCollection serialVersionUID
java/security/AllPermissionCollection all_allowed
java/security/AllPermissionCollection <init>()V
java/security/AllPermissionCollection add(Ljava/security/Permission;)V
java/security/AllPermissionCollection implies(Ljava/security/Permission;)Z
java/security/AllPermissionCollection
  elements()Ljava/util/Enumeration;
java/security/AllPermissionCollection access$000(Ljava/security/AllPermissionCollection;)Z
class java/net/URISyntaxException java/lang/Exception
java/net/URISyntaxException input
java/net/URISyntaxException index
java/net/URISyntaxException <init>(Ljava/lang/String;Ljava/lang/String;I)V
java/net/URISyntaxException <init>(Ljava/lang/String;Ljava/lang/String;)V
java/net/URISyntaxException getInput()Ljava/lang/String;
java/net/URISyntaxException getReason()Ljava/lang/String;
java/net/URISyntaxException getIndex()I
java/net/URISyntaxException getMessage()Ljava/lang/String;
class java/io/FileFilter java/lang/Object
java/io/FileFilter accept(Ljava/io/File;)Z
class java/util/NoSuchElementException java/lang/RuntimeException
java/util/NoSuchElementException <init>()V
java/util/NoSuchElementException <init>(Ljava/lang/String;)V
class java/awt/geom/LineIterator java/lang/Object
java/awt/geom/LineIterator line
java/awt/geom/LineIterator affine
java/awt/geom/LineIterator
  index
java/awt/geom/LineIterator <init>(Ljava/awt/geom/Line2D;Ljava/awt/geom/AffineTransform;)V
java/awt/geom/LineIterator getWindingRule()I
java/awt/geom/LineIterator isDone()Z
java/awt/geom/LineIterator next()V
java/awt/geom/LineIterator currentSegment([F)I
java/awt/geom/LineIterator currentSegment([D)I
class java/awt/geom/PathIterator java/lang/Object
java/awt/geom/PathIterator WIND_EVEN_ODD
java/awt/geom/PathIterator WIND_NON_ZERO
java/awt/geom/PathIterator SEG_MOVETO

```

```

java/awt/geom/PathIterator SEG_LINETO
java/awt/geom/PathIterator SEG_QUADTO
java/awt/geom/PathIterator SEG_CUBICTO
java/awt/geom/PathIterator SEG_CLOSE
java/awt/geom/PathIterator getWindingRule()I
java/awt/geom/PathIterator isDone()Z
java/awt/geom/PathIterator next()V
java/awt/geom/PathIterator currentSegment([F)I
java/awt/geom/PathIterator currentSegment([D)I
class java/awt/geom/Line2D$Float java/awt/geom/Line2D
java/awt/geom/Line2D$Float x1
java/awt/geom/Line2D$Float y1
java/awt/geom/Line2D$Float
x2
java/awt/geom/Line2D$Float y2
java/awt/geom/Line2D$Float <init>()V
java/awt/geom/Line2D$Float <init>(FFFF)V
java/awt/geom/Line2D$Float <init>(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/Line2D$Float getX1()D
java/awt/geom/Line2D$Float getY1()D
java/awt/geom/Line2D$Float getP1()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D$Float getX2()D
java/awt/geom/Line2D$Float getY2()D
java/awt/geom/Line2D$Float getP2()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D$Float setLine(DDDD)V
java/awt/geom/Line2D$Float setLine(FFFF)V
java/awt/geom/Line2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
class java/awt/geom/Line2D java/lang/Object
java/awt/geom/Line2D <init>()V
java/awt/geom/Line2D getX1()D
java/awt/geom/Line2D getY1()D
java/awt/geom/Line2D getP1()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D getX2()D
java/awt/geom/Line2D getY2()D
java/awt/geom/Line2D getP2()Ljava/awt/geom/Point2D;
java/awt/geom/Line2D setLine(DDDD)V
java/awt/geom/Line2D setLine(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/Line2D
setLine(Ljava/awt/geom/Line2D;)V
java/awt/geom/Line2D relativeCCW(DDDDDD)I
java/awt/geom/Line2D relativeCCW(DD)I
java/awt/geom/Line2D relativeCCW(Ljava/awt/geom/Point2D;)I
java/awt/geom/Line2D linesIntersect(DDDDDDDD)Z
java/awt/geom/Line2D intersectsLine(DDDD)Z
java/awt/geom/Line2D intersectsLine(Ljava/awt/geom/Line2D;)Z
java/awt/geom/Line2D ptSegDistSq(DDDDDD)D
java/awt/geom/Line2D ptSegDist(DDDDDD)D
java/awt/geom/Line2D ptSegDistSq(DD)D

```

```

java/awt/geom/Line2D ptSegDistSq(Ljava/awt/geom/Point2D;)D
java/awt/geom/Line2D ptSegDist(DD)D
java/awt/geom/Line2D ptSegDist(Ljava/awt/geom/Point2D;)D
java/awt/geom/Line2D ptLineDistSq(DDDDDD)D
java/awt/geom/Line2D ptLineDist(DDDDDD)D
java/awt/geom/Line2D ptLineDistSq(DD)D
java/awt/geom/Line2D ptLineDistSq(Ljava/awt/geom/Point2D;)D
java/awt/geom/Line2D ptLineDist(DD)D
java/awt/geom/Line2D ptLineDist(Ljava/awt/geom/Point2D;)D
java/awt/geom/Line2D contains(DD)Z
java/awt/geom/Line2D contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/Line2D
    intersects(DDDD)Z
java/awt/geom/Line2D intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/Line2D contains(DDDD)Z
java/awt/geom/Line2D contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/Line2D getBounds()Ljava/awt/Rectangle;
java/awt/geom/Line2D getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/Line2D getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/Line2D clone()Ljava/lang/Object;
class java/awt/EventQueue$1AWTInvocationLock java/lang/Object
java/awt/EventQueue$1AWTInvocationLock <init>()V
class java/net/PlainDatagramSocketImpl java/net/DatagramSocketImpl
java/net/PlainDatagramSocketImpl timeout
java/net/PlainDatagramSocketImpl trafficClass
java/net/PlainDatagramSocketImpl connected
java/net/PlainDatagramSocketImpl connectedAddress
java/net/PlainDatagramSocketImpl connectedPort
java/net/PlainDatagramSocketImpl multicastInterface
java/net/PlainDatagramSocketImpl
    loopbackMode
java/net/PlainDatagramSocketImpl ttl
java/net/PlainDatagramSocketImpl fd1
java/net/PlainDatagramSocketImpl fduse
java/net/PlainDatagramSocketImpl lastfd
java/net/PlainDatagramSocketImpl anyLocalBoundAddr
java/net/PlainDatagramSocketImpl <init>()V
java/net/PlainDatagramSocketImpl create()V
java/net/PlainDatagramSocketImpl bind(ILjava/net/InetAddress;)V
java/net/PlainDatagramSocketImpl bind0(ILjava/net/InetAddress;)V
java/net/PlainDatagramSocketImpl send(Ljava/net/DatagramPacket;)V
java/net/PlainDatagramSocketImpl connect(Ljava/net/InetAddress;I)V
java/net/PlainDatagramSocketImpl disconnect()V
java/net/PlainDatagramSocketImpl peek(Ljava/net/InetAddress;)I
java/net/PlainDatagramSocketImpl peekData(Ljava/net/DatagramPacket;)I
java/net/PlainDatagramSocketImpl receive(Ljava/net/DatagramPacket;)V
java/net/PlainDatagramSocketImpl receive0(Ljava/net/DatagramPacket;)V
java/net/PlainDatagramSocketImpl setTimeToLive(I)V

```

```

java/net/PlainDatagramSocketImpl getTimeToLive()I
java/net/PlainDatagramSocketImpl
    setTTL(B)V
java/net/PlainDatagramSocketImpl getTTL()B
java/net/PlainDatagramSocketImpl join(Ljava/net/InetAddress;)V
java/net/PlainDatagramSocketImpl leave(Ljava/net/InetAddress;)V
java/net/PlainDatagramSocketImpl joinGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/PlainDatagramSocketImpl join(Ljava/net/InetAddress;Ljava/net/NetworkInterface;)V
java/net/PlainDatagramSocketImpl leaveGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/PlainDatagramSocketImpl leave(Ljava/net/InetAddress;Ljava/net/NetworkInterface;)V
java/net/PlainDatagramSocketImpl close()V
java/net/PlainDatagramSocketImpl finalize()V
java/net/PlainDatagramSocketImpl setOption(ILjava/lang/Object;)V
java/net/PlainDatagramSocketImpl getOption(I)Ljava/lang/Object;
java/net/PlainDatagramSocketImpl datagramSocketCreate()V
java/net/PlainDatagramSocketImpl datagramSocketClose()V
java/net/PlainDatagramSocketImpl socketSetOption(ILjava/lang/Object;)V
java/net/PlainDatagramSocketImpl
    socketGetOption(I)Ljava/lang/Object;
java/net/PlainDatagramSocketImpl connect0(Ljava/net/InetAddress;I)V
java/net/PlainDatagramSocketImpl disconnect0(I)V
java/net/PlainDatagramSocketImpl init()V
java/net/PlainDatagramSocketImpl <clinit>()V
class java/net/DatagramSocketImpl java/lang/Object
java/net/DatagramSocketImpl localPort
java/net/DatagramSocketImpl fd
java/net/DatagramSocketImpl <init>()V
java/net/DatagramSocketImpl create()V
java/net/DatagramSocketImpl bind(ILjava/net/InetAddress;)V
java/net/DatagramSocketImpl send(Ljava/net/DatagramPacket;)V
java/net/DatagramSocketImpl connect(Ljava/net/InetAddress;I)V
java/net/DatagramSocketImpl disconnect()V
java/net/DatagramSocketImpl peek(Ljava/net/InetAddress;)I
java/net/DatagramSocketImpl peekData(Ljava/net/DatagramPacket;)I
java/net/DatagramSocketImpl receive(Ljava/net/DatagramPacket;)V
java/net/DatagramSocketImpl setTTL(B)V
java/net/DatagramSocketImpl getTTL()B
java/net/DatagramSocketImpl setTimeToLive(I)V
java/net/DatagramSocketImpl
    getTimeToLive()I
java/net/DatagramSocketImpl join(Ljava/net/InetAddress;)V
java/net/DatagramSocketImpl leave(Ljava/net/InetAddress;)V
java/net/DatagramSocketImpl joinGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/DatagramSocketImpl leaveGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/DatagramSocketImpl close()V
java/net/DatagramSocketImpl getLocalPort()I
java/net/DatagramSocketImpl getFileDescriptor()Ljava/io/FileDescriptor;
class java/math/SignedMutableBigInteger java/math/MutableBigInteger

```

```

java/math/SignedMutableBigInteger sign
java/math/SignedMutableBigInteger <init>()V
java/math/SignedMutableBigInteger <init>(I)V
java/math/SignedMutableBigInteger <init>(Ljava/math/MutableBigInteger;)V
java/math/SignedMutableBigInteger signedAdd(Ljava/math/SignedMutableBigInteger;)V
java/math/SignedMutableBigInteger signedAdd(Ljava/math/MutableBigInteger;)V
java/math/SignedMutableBigInteger signedSubtract(Ljava/math/SignedMutableBigInteger;)V
java/math/SignedMutableBigInteger
    signedSubtract(Ljava/math/MutableBigInteger;)V
java/math/SignedMutableBigInteger toString()Ljava/lang/String;
class java/math/MutableBigInteger java/lang/Object
java/math/MutableBigInteger value
java/math/MutableBigInteger intLen
java/math/MutableBigInteger offset
java/math/MutableBigInteger LONG_MASK
java/math/MutableBigInteger <init>()V
java/math/MutableBigInteger <init>(I)V
java/math/MutableBigInteger <init>([II)V
java/math/MutableBigInteger <init>([I)V
java/math/MutableBigInteger <init>(Ljava/math/BigInteger;)V
java/math/MutableBigInteger <init>(Ljava/math/MutableBigInteger;)V
java/math/MutableBigInteger clear()V
java/math/MutableBigInteger reset()V
java/math/MutableBigInteger compare(Ljava/math/MutableBigInteger;)I
java/math/MutableBigInteger getLowestSetBit()I
java/math/MutableBigInteger getInt()I
java/math/MutableBigInteger getLong()J
java/math/MutableBigInteger normalize()V
java/math/MutableBigInteger ensureCapacity(I)V
java/math/MutableBigInteger toIntArray()[I
java/math/MutableBigInteger
    setInt([II)V
java/math/MutableBigInteger setValue([II)V
java/math/MutableBigInteger copyValue(Ljava/math/MutableBigInteger;)V
java/math/MutableBigInteger copyValue([I)V
java/math/MutableBigInteger isOne()Z
java/math/MutableBigInteger isZero()Z
java/math/MutableBigInteger isEven()Z
java/math/MutableBigInteger isOdd()Z
java/math/MutableBigInteger isNormal()Z
java/math/MutableBigInteger toString()Ljava/lang/String;
java/math/MutableBigInteger rightShift(I)V
java/math/MutableBigInteger leftShift(I)V
java/math/MutableBigInteger divadd([II)I
java/math/MutableBigInteger mulsub([I[III)I
java/math/MutableBigInteger primitiveRightShift(I)V
java/math/MutableBigInteger primitiveLeftShift(I)V
java/math/MutableBigInteger add(Ljava/math/MutableBigInteger;)V

```

```

java/math/MutableBigInteger subtract(Ljava/math/MutableBigInteger;)I
java/math/MutableBigInteger difference(Ljava/math/MutableBigInteger;)I
java/math/MutableBigInteger multiply(Ljava/math/MutableBigInteger;Ljava/math/MutableBigInteger;)V
java/math/MutableBigInteger
    mul(ILjava/math/MutableBigInteger;)V
java/math/MutableBigInteger divideOneWord(ILjava/math/MutableBigInteger;)V
java/math/MutableBigInteger
    divide(Ljava/math/MutableBigInteger;Ljava/math/MutableBigInteger;Ljava/math/MutableBigInteger;)V
java/math/MutableBigInteger unsignedLongCompare(JJ)Z
java/math/MutableBigInteger divWord([IJI)V
java/math/MutableBigInteger hybridGCD(Ljava/math/MutableBigInteger;)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger binaryGCD(Ljava/math/MutableBigInteger;)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger binaryGcd(II)I
java/math/MutableBigInteger mutableModInverse(Ljava/math/MutableBigInteger;)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger modInverseMP2(I)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger inverseMod32(I)I
java/math/MutableBigInteger modInverseBP2(Ljava/math/MutableBigInteger;)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger modInverse(Ljava/math/MutableBigInteger;)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger
    fixup(Ljava/math/MutableBigInteger;Ljava/math/MutableBigInteger;)Ljava/math/MutableBigInteger;
java/math/MutableBigInteger euclidModInverse(I)Ljava/math/MutableBigInteger;
class java/security/spec/DSAParameterSpec java/lang/Object
java/security/spec/DSAParameterSpec p
java/security/spec/DSAParameterSpec q
java/security/spec/DSAParameterSpec g
java/security/spec/DSAParameterSpec
    <init>(Ljava/math/BigInteger;Ljava/math/BigInteger;Ljava/math/BigInteger;)V
java/security/spec/DSAParameterSpec getP()Ljava/math/BigInteger;
java/security/spec/DSAParameterSpec getQ()Ljava/math/BigInteger;
java/security/spec/DSAParameterSpec getG()Ljava/math/BigInteger;
class java/security/spec/AlgorithmParameterSpec java/lang/Object
class java/security/interfaces/DSPrivateKey java/lang/Object
java/security/interfaces/DSPrivateKey serialVersionUID
java/security/interfaces/DSPrivateKey getX()Ljava/math/BigInteger;
class
    java/security/PrivateKey java/lang/Object
java/security/PrivateKey serialVersionUID
class java/security/Signature$Delegate java/security/Signature
java/security/Signature$Delegate sigSpi
java/security/Signature$Delegate lock
java/security/Signature$Delegate firstService
java/security/Signature$Delegate serviceIterator
java/security/Signature$Delegate warnCount
java/security/Signature$Delegate I_PUB
java/security/Signature$Delegate I_PRIV
java/security/Signature$Delegate I_PRIV_SR
java/security/Signature$Delegate <init>(Ljava/security/SignatureSpi;Ljava/lang/String;)V
java/security/Signature$Delegate <init>(Ljava/security/Provider$Service;Ljava/util/Iterator;Ljava/lang/String;)V

```



```

java/security/Signature$Delegate clone()Ljava/lang/Object;
java/security/Signature$Delegate newInstance(Ljava/security/Provider$Service;)Ljava/security/SignatureSpi;
java/security/Signature$Delegate chooseFirstProvider()V
java/security/Signature$Delegate chooseProvider(ILjava/security/Key;Ljava/security/SecureRandom;)V
java/security/Signature$Delegate
    init(Ljava/security/SignatureSpi;ILjava/security/Key;Ljava/security/SecureRandom;)V
java/security/Signature$Delegate engineInitVerify(Ljava/security/PublicKey;)V
java/security/Signature$Delegate engineInitSign(Ljava/security/PrivateKey;)V
java/security/Signature$Delegate engineInitSign(Ljava/security/PrivateKey;Ljava/security/SecureRandom;)V
java/security/Signature$Delegate engineUpdate(B)V
java/security/Signature$Delegate engineUpdate([BII)V
java/security/Signature$Delegate engineUpdate(Ljava/nio/ByteBuffer;)V
java/security/Signature$Delegate engineSign()[B
java/security/Signature$Delegate engineSign([BII)I
java/security/Signature$Delegate engineVerify([B)Z
java/security/Signature$Delegate engineVerify([BII)Z
java/security/Signature$Delegate engineSetParameter(Ljava/lang/String;Ljava/lang/Object;)V
java/security/Signature$Delegate engineSetParameter(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/Signature$Delegate engineGetParameter(Ljava/lang/String;)Ljava/lang/Object;
java/security/Signature$Delegate
    engineGetParameters()Ljava/security/AlgorithmParameters;
java/security/Signature$Delegate <clinit>()V
class java/io/ObjectInputStream$GetFieldImpl java/io/ObjectInputStream$GetField
java/io/ObjectInputStream$GetFieldImpl desc
java/io/ObjectInputStream$GetFieldImpl primVals
java/io/ObjectInputStream$GetFieldImpl objVals
java/io/ObjectInputStream$GetFieldImpl objHandles
java/io/ObjectInputStream$GetFieldImpl this$0
java/io/ObjectInputStream$GetFieldImpl <init>(Ljava/io/ObjectInputStream;Ljava/io/ObjectStreamClass;)V
java/io/ObjectInputStream$GetFieldImpl getObjectStreamClass()Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream$GetFieldImpl defaulted(Ljava/lang/String;)Z
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;Z)Z
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;B)B
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;C)C
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;S)S
java/io/ObjectInputStream$GetFieldImpl
    get(Ljava/lang/String;I)I
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;F)F
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;J)J
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;D)D
java/io/ObjectInputStream$GetFieldImpl get(Ljava/lang/String;Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectInputStream$GetFieldImpl readFields()V
java/io/ObjectInputStream$GetFieldImpl getFieldOffset(Ljava/lang/String;Ljava/lang/Class;)I
class java/io/ObjectInputStream$GetField java/lang/Object
java/io/ObjectInputStream$GetField <init>()V
java/io/ObjectInputStream$GetField getObjectStreamClass()Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream$GetField defaulted(Ljava/lang/String;)Z
java/io/ObjectInputStream$GetField get(Ljava/lang/String;Z)Z

```

```

java/io/ObjectInputStream$GetField get(Ljava/lang/String;B)B
java/io/ObjectInputStream$GetField get(Ljava/lang/String;C)C
java/io/ObjectInputStream$GetField get(Ljava/lang/String;S)S
java/io/ObjectInputStream$GetField
    get(Ljava/lang/String;I)I
java/io/ObjectInputStream$GetField get(Ljava/lang/String;J)J
java/io/ObjectInputStream$GetField get(Ljava/lang/String;F)F
java/io/ObjectInputStream$GetField get(Ljava/lang/String;D)D
java/io/ObjectInputStream$GetField get(Ljava/lang/String;Ljava/lang/Object;)Ljava/lang/Object;
class java/io/InvalidClassException java/io/ObjectStreamException
java/io/InvalidClassException classname
java/io/InvalidClassException <init>(Ljava/lang/String;)V
java/io/InvalidClassException <init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/InvalidClassException getMessage()Ljava/lang/String;
class java/security/AlgorithmParametersSpi java/lang/Object
java/security/AlgorithmParametersSpi <init>()V
java/security/AlgorithmParametersSpi engineInit(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/AlgorithmParametersSpi engineInit([B)V
java/security/AlgorithmParametersSpi engineInit([BLjava/lang/String;)V
java/security/AlgorithmParametersSpi
    engineGetParameterSpec(Ljava/lang/Class;)Ljava/security/spec/AlgorithmParameterSpec;
java/security/AlgorithmParametersSpi engineGetEncoded()[B
java/security/AlgorithmParametersSpi engineGetEncoded(Ljava/lang/String;)[B
java/security/AlgorithmParametersSpi engineToString()Ljava/lang/String;
class java/security/AlgorithmParameters java/lang/Object
java/security/AlgorithmParameters provider
java/security/AlgorithmParameters paramSpi
java/security/AlgorithmParameters algorithm
java/security/AlgorithmParameters initialized
java/security/AlgorithmParameters
    <init>(Ljava/security/AlgorithmParametersSpi;Ljava/security/Provider;Ljava/lang/String;)V
java/security/AlgorithmParameters getAlgorithm(Ljava/lang/String;
java/security/AlgorithmParameters getInstance(Ljava/lang/String;)Ljava/security/AlgorithmParameters;
java/security/AlgorithmParameters
    getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/AlgorithmParameters;
java/security/AlgorithmParameters
    getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/AlgorithmParameters;
java/security/AlgorithmParameters
    getProvider()Ljava/security/Provider;
java/security/AlgorithmParameters init(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/AlgorithmParameters init([B)V
java/security/AlgorithmParameters init([BLjava/lang/String;)V
java/security/AlgorithmParameters
    getParameterSpec(Ljava/lang/Class;)Ljava/security/spec/AlgorithmParameterSpec;
java/security/AlgorithmParameters getEncoded()[B
java/security/AlgorithmParameters getEncoded(Ljava/lang/String;)[B
java/security/AlgorithmParameters toString()Ljava/lang/String;
class java/security/interfaces/DSAParams java/lang/Object

```

```

java/security/interfaces/DSAParams getP()Ljava/math/BigInteger;
java/security/interfaces/DSAParams getQ()Ljava/math/BigInteger;
java/security/interfaces/DSAParams getG()Ljava/math/BigInteger;
class java/math/BigInteger java/lang/Number
java/math/BigInteger signum
java/math/BigInteger mag
java/math/BigInteger bitCount
java/math/BigInteger
    bitLength
java/math/BigInteger lowestSetBit
java/math/BigInteger firstNonzeroByteNum
java/math/BigInteger firstNonzeroIntNum
java/math/BigInteger LONG_MASK
java/math/BigInteger bitsPerDigit
java/math/BigInteger SMALL_PRIME_THRESHOLD
java/math/BigInteger DEFAULT_PRIME_CERTAINTY
java/math/BigInteger SMALL_PRIME_PRODUCT
java/math/BigInteger MAX_CONSTANT
java/math/BigInteger posConst
java/math/BigInteger negConst
java/math/BigInteger ZERO
java/math/BigInteger ONE
java/math/BigInteger TWO
java/math/BigInteger TEN
java/math/BigInteger bnExpModThreshTable
java/math/BigInteger trailingZeroTable
java/math/BigInteger zeros
java/math/BigInteger digitsPerLong
java/math/BigInteger longRadix
java/math/BigInteger digitsPerInt
java/math/BigInteger intRadix
java/math/BigInteger serialVersionUID
java/math/BigInteger serialPersistentFields
java/math/BigInteger $assertionsDisabled
java/math/BigInteger <init>([B)V
java/math/BigInteger <init>([I)V
java/math/BigInteger <init>([B)V
java/math/BigInteger
    <init>([I)V
java/math/BigInteger <init>(Ljava/lang/String;I)V
java/math/BigInteger <init>([C)V
java/math/BigInteger parseInt([CII)I
java/math/BigInteger destructiveMulAdd([III)V
java/math/BigInteger <init>(Ljava/lang/String;)V
java/math/BigInteger <init>(Ljava/util/Random;)V
java/math/BigInteger randomBits(ILjava/util/Random;)[B
java/math/BigInteger <init>([IILjava/util/Random;)V
java/math/BigInteger probablePrime(ILjava/util/Random;)Ljava/math/BigInteger;

```

```

java/math/BigInteger smallPrime(ILjava/util/Random;)Ljava/math/BigInteger;
java/math/BigInteger largePrime(ILjava/util/Random;)Ljava/math/BigInteger;
java/math/BigInteger nextProbablePrime()Ljava/math/BigInteger;
java/math/BigInteger primeToCertainty(I)Z
java/math/BigInteger passesLucasLehmer()Z
java/math/BigInteger jacobiSymbol(ILjava/math/BigInteger;)I
java/math/BigInteger
lucasLehmerSequence(ILjava/math/BigInteger;Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger passesMillerRabin(I)Z
java/math/BigInteger
  <init>([II)V
java/math/BigInteger <init>([BI)V
java/math/BigInteger <init>(Ljava/math/MutableBigInteger;I)V
java/math/BigInteger valueOf(J)Ljava/math/BigInteger;
java/math/BigInteger <init>(J)V
java/math/BigInteger valueOf([I)Ljava/math/BigInteger;
java/math/BigInteger add(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger add([I[I]I
java/math/BigInteger subtract(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger subtract([I[I]I
java/math/BigInteger multiply(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger multiplyToLen([II[I]I
java/math/BigInteger square()Ljava/math/BigInteger;
java/math/BigInteger squareToLen([II[I]I
java/math/BigInteger divide(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger divideAndRemainder(Ljava/math/BigInteger;)(Ljava/math/BigInteger;
java/math/BigInteger remainder(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger pow(I)Ljava/math/BigInteger;
java/math/BigInteger
  gcd(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger leftShift([III)I
java/math/BigInteger primitiveRightShift([III)V
java/math/BigInteger primitiveLeftShift([III)V
java/math/BigInteger bitLength([II)I
java/math/BigInteger abs()Ljava/math/BigInteger;
java/math/BigInteger negate()Ljava/math/BigInteger;
java/math/BigInteger signum()I
java/math/BigInteger mod(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger modPow(Ljava/math/BigInteger;Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger oddModPow(Ljava/math/BigInteger;Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger montReduce([II[III)I
java/math/BigInteger intArrayCmpToLen([II[II)I
java/math/BigInteger subN([II[II)I
java/math/BigInteger mulAdd([II[III)I
java/math/BigInteger addOne([III)I
java/math/BigInteger modPow2(Ljava/math/BigInteger;I)Ljava/math/BigInteger;
java/math/BigInteger mod2(I)Ljava/math/BigInteger;
java/math/BigInteger modInverse(Ljava/math/BigInteger;)Ljava/math/BigInteger;

```

```

java/math/BigInteger
    shiftLeft(I)Ljava/math/BigInteger;
java/math/BigInteger shiftRight(I)Ljava/math/BigInteger;
java/math/BigInteger javaIncrement([I][I
java/math/BigInteger and(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger or(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger xor(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger not(Ljava/math/BigInteger;
java/math/BigInteger andNot(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger testBit(I)Z
java/math/BigInteger setBit(I)Ljava/math/BigInteger;
java/math/BigInteger clearBit(I)Ljava/math/BigInteger;
java/math/BigInteger flipBit(I)Ljava/math/BigInteger;
java/math/BigInteger getLowestSetBit(I
java/math/BigInteger bitLength()I
java/math/BigInteger bitLen(I)I
java/math/BigInteger bitCount()I
java/math/BigInteger bitCnt(I)I
java/math/BigInteger trailingZeroCnt(I)I
java/math/BigInteger isProbablePrime(I)Z
java/math/BigInteger compareTo(Ljava/math/BigInteger;)I
java/math/BigInteger
    intArrayCmp([I][I)I
java/math/BigInteger equals(Ljava/lang/Object;)Z
java/math/BigInteger min(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger max(Ljava/math/BigInteger;)Ljava/math/BigInteger;
java/math/BigInteger hashCode()I
java/math/BigInteger toString(I)Ljava/lang/String;
java/math/BigInteger toString()Ljava/lang/String;
java/math/BigInteger toByteArray()[B
java/math/BigInteger intValue()I
java/math/BigInteger longValue()J
java/math/BigInteger floatValue()F
java/math/BigInteger doubleValue()D
java/math/BigInteger stripLeadingZeroInts([I][I
java/math/BigInteger trustedStripLeadingZeroInts([I][I
java/math/BigInteger stripLeadingZeroBytes([B)[I
java/math/BigInteger makePositive([B)[I
java/math/BigInteger makePositive([I)[I
java/math/BigInteger intLength()I
java/math/BigInteger signBit()I
java/math/BigInteger signInt()I
java/math/BigInteger getInt()I
java/math/BigInteger firstNonzeroIntNum()I
java/math/BigInteger readObject(Ljava/io/ObjectInputStream;)V
java/math/BigInteger
    writeObject(Ljava/io/ObjectOutputStream;)V
java/math/BigInteger magSerializedForm()[B

```

```

java/math/BigInteger compareTo(Ljava/lang/Object;)I
java/math/BigInteger <clinit>()V
class java/io/ObjectStreamException java/io/IOException
java/io/ObjectStreamException <init>(Ljava/lang/String;)V
java/io/ObjectStreamException <init>()V
class java/security/interfaces/DSAPublicKey java/lang/Object
java/security/interfaces/DSAPublicKey serialVersionUID
java/security/interfaces/DSAPublicKey getY()Ljava/math/BigInteger;
class java/security/PublicKey java/lang/Object
java/security/PublicKey serialVersionUID
class java/security/Key java/lang/Object
java/security/Key serialVersionUID
java/security/Key getAlgorithm()Ljava/lang/String;
java/security/Key getFormat()Ljava/lang/String;
java/security/Key getEncoded()[B
class java/security/interfaces/DSAKey java/lang/Object
java/security/interfaces/DSAKey getParams()Ljava/security/interfaces/DSPARAMS;
class java/security/Signature
  java/security/SignatureSpi
  java/security/Signature debug
  java/security/Signature algorithm
  java/security/Signature provider
  java/security/Signature UNINITIALIZED
  java/security/Signature SIGN
  java/security/Signature VERIFY
  java/security/Signature state
  java/security/Signature RSA_SIGNATURE
  java/security/Signature RSA_CIPHER
  java/security/Signature rsaIds
  java/security/Signature signatureInfo
  java/security/Signature <init>(Ljava/lang/String;)V
  java/security/Signature getInstance(Ljava/lang/String;)Ljava/security/Signature;
  java/security/Signature
    getInstance(Lsun/security/jca/GetInstance$Instance;Ljava/lang/String;)Ljava/security/Signature;
  java/security/Signature isSpi(Ljava/security/Provider$Service;)Z
  java/security/Signature getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/Signature;
  java/security/Signature getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/Signature;
  java/security/Signature getInstanceRSA(Ljava/security/Provider;)Ljava/security/Signature;
  java/security/Signature
    getProvider()Ljava/security/Provider;
  java/security/Signature chooseFirstProvider()V
  java/security/Signature initVerify(Ljava/security/PublicKey;)V
  java/security/Signature initVerify(Ljava/security/cert/Certificate;)V
  java/security/Signature initSign(Ljava/security/PrivateKey;)V
  java/security/Signature initSign(Ljava/security/PrivateKey;Ljava/security/SecureRandom;)V
  java/security/Signature sign()[B
  java/security/Signature sign([B)I
  java/security/Signature verify([B)Z

```

```

java/security/Signature verify([BII)Z
java/security/Signature update(B)V
java/security/Signature update([B)V
java/security/Signature update([BII)V
java/security/Signature update(Ljava/nio/ByteBuffer;)V
java/security/Signature getAlgorithm()Ljava/lang/String;
java/security/Signature toString()Ljava/lang/String;
java/security/Signature setParameter(Ljava/lang/String;Ljava/lang/Object;)V
java/security/Signature setParameter(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/Signature
    getParameters()Ljava/security/AlgorithmParameters;
java/security/Signature getParameter(Ljava/lang/String;)Ljava/lang/Object;
java/security/Signature clone()Ljava/lang/Object;
java/security/Signature access$000(Ljava/security/Signature;)Ljava/lang/String;
java/security/Signature access$100(Lsun/security/util/Debug;
java/security/Signature access$200(Ljava/security/Provider$Service;)Z
java/security/Signature <clinit>()V
class java/security/SignatureSpi java/lang/Object
java/security/SignatureSpi appRandom
java/security/SignatureSpi <init>()V
java/security/SignatureSpi engineInitVerify(Ljava/security/PublicKey;)V
java/security/SignatureSpi engineInitSign(Ljava/security/PrivateKey;)V
java/security/SignatureSpi engineInitSign(Ljava/security/PrivateKey;Ljava/security/SecureRandom;)V
java/security/SignatureSpi engineUpdate(B)V
java/security/SignatureSpi engineUpdate([BII)V
java/security/SignatureSpi engineUpdate(Ljava/nio/ByteBuffer;)V
java/security/SignatureSpi engineSign()[B
java/security/SignatureSpi
    engineSign([BII)I
java/security/SignatureSpi engineVerify([B)Z
java/security/SignatureSpi engineVerify([BII)Z
java/security/SignatureSpi engineSetParameter(Ljava/lang/String;Ljava/lang/Object;)V
java/security/SignatureSpi engineSetParameter(Ljava/security/spec/AlgorithmParameterSpec;)V
java/security/SignatureSpi engineGetParameters()Ljava/security/AlgorithmParameters;
java/security/SignatureSpi engineGetParameter(Ljava/lang/String;)Ljava/lang/Object;
java/security/SignatureSpi clone()Ljava/lang/Object;
class java/security/InvalidKeyException java/security/KeyException
java/security/InvalidKeyException serialVersionUID
java/security/InvalidKeyException <init>()V
java/security/InvalidKeyException <init>(Ljava/lang/String;)V
java/security/InvalidKeyException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/InvalidKeyException <init>(Ljava/lang/Throwable;)V
class java/security/KeyException java/security/GeneralSecurityException
java/security/KeyException
    serialVersionUID
java/security/KeyException <init>()V
java/security/KeyException <init>(Ljava/lang/String;)V
java/security/KeyException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V

```

```

java/security/KeyException <init>(Ljava/lang/Throwable;)V
class java/security/SignatureException java/security/GeneralSecurityException
java/security/SignatureException serialVersionUID
java/security/SignatureException <init>()V
java/security/SignatureException <init>(Ljava/lang/String;)V
java/security/SignatureException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/security/SignatureException <init>(Ljava/lang/Throwable;)V
class java/io/ObjectOutputStream$ReplaceTable java/lang/Object
java/io/ObjectOutputStream$ReplaceTable htab
java/io/ObjectOutputStream$ReplaceTable reps
java/io/ObjectOutputStream$ReplaceTable <init>(IF)V
java/io/ObjectOutputStream$ReplaceTable assign(Ljava/lang/Object;Ljava/lang/Object;)V
java/io/ObjectOutputStream$ReplaceTable lookup(Ljava/lang/Object;Ljava/lang/Object;)
java/io/ObjectOutputStream$ReplaceTable
    clear()V
java/io/ObjectOutputStream$ReplaceTable size()I
java/io/ObjectOutputStream$ReplaceTable grow()V
class java/io/ObjectOutputStream$HandleTable java/lang/Object
java/io/ObjectOutputStream$HandleTable size
java/io/ObjectOutputStream$HandleTable threshold
java/io/ObjectOutputStream$HandleTable loadFactor
java/io/ObjectOutputStream$HandleTable spine
java/io/ObjectOutputStream$HandleTable next
java/io/ObjectOutputStream$HandleTable objs
java/io/ObjectOutputStream$HandleTable <init>(IF)V
java/io/ObjectOutputStream$HandleTable assign(Ljava/lang/Object;)I
java/io/ObjectOutputStream$HandleTable lookup(Ljava/lang/Object;)I
java/io/ObjectOutputStream$HandleTable clear()V
java/io/ObjectOutputStream$HandleTable size()I
java/io/ObjectOutputStream$HandleTable insert(Ljava/lang/Object;I)V
java/io/ObjectOutputStream$HandleTable growSpine()V
java/io/ObjectOutputStream$HandleTable growEntries()V
java/io/ObjectOutputStream$HandleTable hash(Ljava/lang/Object;)I
class
    java/io/ObjectOutputStream$BlockDataOutputStream java/io/OutputStream
    java/io/ObjectOutputStream$BlockDataOutputStream MAX_BLOCK_SIZE
    java/io/ObjectOutputStream$BlockDataOutputStream MAX_HEADER_SIZE
    java/io/ObjectOutputStream$BlockDataOutputStream CHAR_BUF_SIZE
    java/io/ObjectOutputStream$BlockDataOutputStream buf
    java/io/ObjectOutputStream$BlockDataOutputStream hbuf
    java/io/ObjectOutputStream$BlockDataOutputStream cbuf
    java/io/ObjectOutputStream$BlockDataOutputStream blkmode
    java/io/ObjectOutputStream$BlockDataOutputStream pos
    java/io/ObjectOutputStream$BlockDataOutputStream out
    java/io/ObjectOutputStream$BlockDataOutputStream dout
    java/io/ObjectOutputStream$BlockDataOutputStream <init>(Ljava/io/OutputStream;)V
    java/io/ObjectOutputStream$BlockDataOutputStream setBlockDataMode(Z)Z
    java/io/ObjectOutputStream$BlockDataOutputStream getBlockDataMode()Z

```



```

java/io/ObjectOutputStream$BlockDataOutputStream write(I)V
java/io/ObjectOutputStream$BlockDataOutputStream write([B)V
java/io/ObjectOutputStream$BlockDataOutputStream
    write([BII)V
java/io/ObjectOutputStream$BlockDataOutputStream flush()V
java/io/ObjectOutputStream$BlockDataOutputStream close()V
java/io/ObjectOutputStream$BlockDataOutputStream write([BIIZ)V
java/io/ObjectOutputStream$BlockDataOutputStream drain()V
java/io/ObjectOutputStream$BlockDataOutputStream writeBlockHeader(I)V
java/io/ObjectOutputStream$BlockDataOutputStream writeBoolean(Z)V
java/io/ObjectOutputStream$BlockDataOutputStream writeByte(I)V
java/io/ObjectOutputStream$BlockDataOutputStream writeChar(I)V
java/io/ObjectOutputStream$BlockDataOutputStream writeShort(I)V
java/io/ObjectOutputStream$BlockDataOutputStream writeInt(I)V
java/io/ObjectOutputStream$BlockDataOutputStream writeFloat(F)V
java/io/ObjectOutputStream$BlockDataOutputStream writeLong(J)V
java/io/ObjectOutputStream$BlockDataOutputStream writeDouble(D)V
java/io/ObjectOutputStream$BlockDataOutputStream writeBytes(Ljava/lang/String;)V
java/io/ObjectOutputStream$BlockDataOutputStream
    writeChars(Ljava/lang/String;)V
java/io/ObjectOutputStream$BlockDataOutputStream writeUTF(Ljava/lang/String;)V
java/io/ObjectOutputStream$BlockDataOutputStream writeBooleans([ZII)V
java/io/ObjectOutputStream$BlockDataOutputStream writeChars([CII)V
java/io/ObjectOutputStream$BlockDataOutputStream writeShorts([SII)V
java/io/ObjectOutputStream$BlockDataOutputStream writeInts([III)V
java/io/ObjectOutputStream$BlockDataOutputStream writeFloats([FII)V
java/io/ObjectOutputStream$BlockDataOutputStream writeLongs([JII)V
java/io/ObjectOutputStream$BlockDataOutputStream writeDoubles([DII)V
java/io/ObjectOutputStream$BlockDataOutputStream getUTFLength(Ljava/lang/String;)J
java/io/ObjectOutputStream$BlockDataOutputStream writeUTF(Ljava/lang/String;)V
java/io/ObjectOutputStream$BlockDataOutputStream writeLongUTF(Ljava/lang/String;)V
java/io/ObjectOutputStream$BlockDataOutputStream writeLongUTF(Ljava/lang/String;J)V
java/io/ObjectOutputStream$BlockDataOutputStream writeUTFBody(Ljava/lang/String;)V
class
    java/io/ObjectOutputStream$1 java/lang/Object
    java/io/ObjectOutputStream$1 val$subcl
    java/io/ObjectOutputStream$1 <init>(Ljava/lang/Class;)V
    java/io/ObjectOutputStream$1 run()Ljava/lang/Object;
class java/io/ObjectStreamClass$ClassDataSlot java/lang/Object
    java/io/ObjectStreamClass$ClassDataSlot desc
    java/io/ObjectStreamClass$ClassDataSlot hasData
    java/io/ObjectStreamClass$ClassDataSlot <init>(Ljava/io/ObjectStreamClass;Z)V
class java/security/MessageDigest$Delegate java/security/MessageDigest
    java/security/MessageDigest$Delegate digestSpi
    java/security/MessageDigest$Delegate <init>(Ljava/security/MessageDigestSpi;Ljava/lang/String;)V
    java/security/MessageDigest$Delegate clone()Ljava/lang/Object;
    java/security/MessageDigest$Delegate engineGetDigestLength()I
    java/security/MessageDigest$Delegate engineUpdate(B)V

```

```

java/security/MessageDigest$Delegate engineUpdate([BII)V
java/security/MessageDigest$Delegate engineUpdate(Ljava/nio/ByteBuffer;)V
java/security/MessageDigest$Delegate
    engineDigest()[B
java/security/MessageDigest$Delegate engineDigest([BII)I
java/security/MessageDigest$Delegate engineReset()V
class java/security/Provider$Service java/lang/Object
java/security/Provider$Service type
java/security/Provider$Service algorithm
java/security/Provider$Service className
java/security/Provider$Service provider
java/security/Provider$Service aliases
java/security/Provider$Service attributes
java/security/Provider$Service classRef
java/security/Provider$Service hasKeyAttributes
java/security/Provider$Service supportedFormats
java/security/Provider$Service supportedClasses
java/security/Provider$Service CLASS0
java/security/Provider$Service <init>(Ljava/security/Provider;)V
java/security/Provider$Service isValid()Z
java/security/Provider$Service addAlias(Ljava/lang/String;)V
java/security/Provider$Service addAttribute(Ljava/lang/String;Ljava/lang/String;)V
java/security/Provider$Service
    <init>(Ljava/security/Provider;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/util/List;Ljava/util/Map;
    )V
java/security/Provider$Service
    getType()Ljava/lang/String;
java/security/Provider$Service getAlgorithm()Ljava/lang/String;
java/security/Provider$Service getProvider()Ljava/security/Provider;
java/security/Provider$Service getClassName()Ljava/lang/String;
java/security/Provider$Service getAliases()Ljava/util/List;
java/security/Provider$Service getAttribute(Ljava/lang/String;)Ljava/lang/String;
java/security/Provider$Service newInstance(Ljava/lang/Object;)Ljava/lang/Object;
java/security/Provider$Service getImplClass()Ljava/lang/Class;
java/security/Provider$Service newInstanceGeneric(Ljava/lang/Object;)Ljava/lang/Object;
java/security/Provider$Service supportsParameter(Ljava/lang/Object;)Z
java/security/Provider$Service hasKeyAttributes()Z
java/security/Provider$Service getKeyClass(Ljava/lang/String;)Ljava/lang/Class;
java/security/Provider$Service supportsKeyFormat(Ljava/security/Key;)Z
java/security/Provider$Service supportsKeyClass(Ljava/security/Key;)Z
java/security/Provider$Service
    toString()Ljava/lang/String;
java/security/Provider$Service access$000(Ljava/security/Provider$Service;)Z
java/security/Provider$Service <init>(Ljava/security/Provider;Ljava/security/Provider$1;)V
java/security/Provider$Service access$302(Ljava/security/Provider$Service;Ljava/lang/String;)Ljava/lang/String;
java/security/Provider$Service access$402(Ljava/security/Provider$Service;Ljava/lang/String;)Ljava/lang/String;
java/security/Provider$Service access$500(Ljava/security/Provider$Service;Ljava/lang/String;)V
java/security/Provider$Service access$602(Ljava/security/Provider$Service;Ljava/lang/String;)Ljava/lang/String;

```

```

java/security/Provider$Service access$700(Ljava/security/Provider$Service;)Ljava/util/List;
java/security/Provider$Service access$800(Ljava/security/Provider$Service;)Ljava/util/Map;
java/security/Provider$Service <clinit>()V
class java/util/LinkedHashMap$EntryIterator java/util/LinkedHashMap$LinkedHashIterator
java/util/LinkedHashMap$EntryIterator
    this$0
java/util/LinkedHashMap$EntryIterator <init>(Ljava/util/LinkedHashMap;)V
java/util/LinkedHashMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/LinkedHashMap$EntryIterator next()Ljava/lang/Object;
java/util/LinkedHashMap$EntryIterator <init>(Ljava/util/LinkedHashMap;Ljava/util/LinkedHashMap$1;)V
class java/security/MessageDigest java/security/MessageDigestSpi
java/security/MessageDigest algorithm
java/security/MessageDigest INITIAL
java/security/MessageDigest IN_PROGRESS
java/security/MessageDigest state
java/security/MessageDigest provider
java/security/MessageDigest <init>(Ljava/lang/String;)V
java/security/MessageDigest getInstance(Ljava/lang/String;)Ljava/security/MessageDigest;
java/security/MessageDigest getInstance(Ljava/lang/String;Ljava/lang/String;)Ljava/security/MessageDigest;
java/security/MessageDigest getInstance(Ljava/lang/String;Ljava/security/Provider;)Ljava/security/MessageDigest;
java/security/MessageDigest getProvider()Ljava/security/Provider;
java/security/MessageDigest
    update(B)V
java/security/MessageDigest update([BII)V
java/security/MessageDigest update([B)V
java/security/MessageDigest update(Ljava/nio/ByteBuffer;)V
java/security/MessageDigest digest()[B
java/security/MessageDigest digest([BII)I
java/security/MessageDigest digest([B)[B
java/security/MessageDigest toString()Ljava/lang/String;
java/security/MessageDigest isEqual([B[B)Z
java/security/MessageDigest reset()V
java/security/MessageDigest getAlgorithm()Ljava/lang/String;
java/security/MessageDigest getDigestLength()I
java/security/MessageDigest clone()Ljava/lang/Object;
java/security/MessageDigest access$000(Ljava/security/MessageDigest;)Ljava/lang/String;
java/security/MessageDigest
    access$102(Ljava/security/MessageDigest;Ljava/security/Provider;)Ljava/security/Provider;
java/security/MessageDigest access$100(Ljava/security/MessageDigest;)Ljava/security/Provider;
java/security/MessageDigest access$202(Ljava/security/MessageDigest;I)I
java/security/MessageDigest
    access$200(Ljava/security/MessageDigest;)I
class java/security/MessageDigestSpi java/lang/Object
java/security/MessageDigestSpi <init>()V
java/security/MessageDigestSpi engineGetDigestLength()I
java/security/MessageDigestSpi engineUpdate(B)V
java/security/MessageDigestSpi engineUpdate([BII)V
java/security/MessageDigestSpi engineUpdate(Ljava/nio/ByteBuffer;)V

```

```

java/security/MessageDigestSpi engineDigest()[B
java/security/MessageDigestSpi engineDigest([BII)I
java/security/MessageDigestSpi engineReset()V
java/security/MessageDigestSpi clone()Ljava/lang/Object;
class java/io/ObjectStreamClass$5 java/lang/Object
java/io/ObjectStreamClass$5 <init>()V
java/io/ObjectStreamClass$5 compare(Ljava/lang/Object;Ljava/lang/Object;)I
class java/io/ObjectStreamClass$4 java/lang/Object
java/io/ObjectStreamClass$4 <init>()V
java/io/ObjectStreamClass$4 compare(Ljava/lang/Object;Ljava/lang/Object;)I
class java/io/ObjectStreamClass$3 java/lang/Object
java/io/ObjectStreamClass$3 <init>()V
java/io/ObjectStreamClass$3
    compare(Ljava/lang/Object;Ljava/lang/Object;)I
class java/io/ObjectStreamClass$MemberSignature java/lang/Object
java/io/ObjectStreamClass$MemberSignature member
java/io/ObjectStreamClass$MemberSignature name
java/io/ObjectStreamClass$MemberSignature signature
java/io/ObjectStreamClass$MemberSignature <init>(Ljava/lang/reflect/Field;)V
java/io/ObjectStreamClass$MemberSignature <init>(Ljava/lang/reflect/Constructor;)V
java/io/ObjectStreamClass$MemberSignature <init>(Ljava/lang/reflect/Method;)V
class java/io/DataOutputStream java/io/FilterOutputStream
java/io/DataOutputStream written
java/io/DataOutputStream bytarr
java/io/DataOutputStream writeBuffer
java/io/DataOutputStream <init>(Ljava/io/OutputStream;)V
java/io/DataOutputStream incCount(I)V
java/io/DataOutputStream write(I)V
java/io/DataOutputStream write([BII)V
java/io/DataOutputStream flush()V
java/io/DataOutputStream writeBoolean(Z)V
java/io/DataOutputStream writeByte(I)V
java/io/DataOutputStream writeShort(I)V
java/io/DataOutputStream
    writeChar(I)V
java/io/DataOutputStream writeInt(I)V
java/io/DataOutputStream writeLong(J)V
java/io/DataOutputStream writeFloat(F)V
java/io/DataOutputStream writeDouble(D)V
java/io/DataOutputStream writeBytes(Ljava/lang/String;)V
java/io/DataOutputStream writeChars(Ljava/lang/String;)V
java/io/DataOutputStream writeUTF(Ljava/lang/String;)V
java/io/DataOutputStream writeUTF(Ljava/lang/String;Ljava/io/DataOutput;)I
java/io/DataOutputStream size()I
class java/io/ObjectStreamClass$1 java/lang/Object
java/io/ObjectStreamClass$1 this$0
java/io/ObjectStreamClass$1 <init>(Ljava/io/ObjectStreamClass;)V
java/io/ObjectStreamClass$1 run()Ljava/lang/Object;

```

```

class java/io/ObjectStreamClass$FieldReflector java/lang/Object
java/io/ObjectStreamClass$FieldReflector unsafe
java/io/ObjectStreamClass$FieldReflector fields
java/io/ObjectStreamClass$FieldReflector numPrimFields
java/io/ObjectStreamClass$FieldReflector keys
java/io/ObjectStreamClass$FieldReflector offsets
java/io/ObjectStreamClass$FieldReflector
    typeCodes
java/io/ObjectStreamClass$FieldReflector types
java/io/ObjectStreamClass$FieldReflector <init>([Ljava/io/ObjectStreamField;)V
java/io/ObjectStreamClass$FieldReflector getFields()[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass$FieldReflector getPrimFieldValues(Ljava/lang/Object;[B)V
java/io/ObjectStreamClass$FieldReflector setPrimFieldValues(Ljava/lang/Object;[B)V
java/io/ObjectStreamClass$FieldReflector getObjFieldValues(Ljava/lang/Object;[Ljava/lang/Object;)V
java/io/ObjectStreamClass$FieldReflector setObjFieldValues(Ljava/lang/Object;[Ljava/lang/Object;)V
java/io/ObjectStreamClass$FieldReflector <clinit>()V
class java/io/ObjectStreamClass$FieldReflectorKey java/lang/ref/WeakReference
java/io/ObjectStreamClass$FieldReflectorKey sigs
java/io/ObjectStreamClass$FieldReflectorKey hash
java/io/ObjectStreamClass$FieldReflectorKey nullClass
java/io/ObjectStreamClass$FieldReflectorKey
    <init>(Ljava/lang/Class;[Ljava/io/ObjectStreamField;Ljava/lang/ref/ReferenceQueue;)V
java/io/ObjectStreamClass$FieldReflectorKey
    hashCode()I
java/io/ObjectStreamClass$FieldReflectorKey equals(Ljava/lang/Object;)Z
class java/io/ObjectOutputStream java/io/OutputStream
java/io/ObjectOutputStream bout
java/io/ObjectOutputStream handles
java/io/ObjectOutputStream subs
java/io/ObjectOutputStream protocol
java/io/ObjectOutputStream depth
java/io/ObjectOutputStream primVals
java/io/ObjectOutputStream enableOverride
java/io/ObjectOutputStream enableReplace
java/io/ObjectOutputStream curObj
java/io/ObjectOutputStream curDesc
java/io/ObjectOutputStream curPut
java/io/ObjectOutputStream <init>(Ljava/io/OutputStream;)V
java/io/ObjectOutputStream <init>()V
java/io/ObjectOutputStream useProtocolVersion(I)V
java/io/ObjectOutputStream writeObject(Ljava/lang/Object;)V
java/io/ObjectOutputStream writeObjectOverride(Ljava/lang/Object;)V
java/io/ObjectOutputStream writeUnshared(Ljava/lang/Object;)V
java/io/ObjectOutputStream defaultWriteObject()V
java/io/ObjectOutputStream
    putFields()Ljava/io/ObjectOutputStream$PutField;
java/io/ObjectOutputStream writeFields()V
java/io/ObjectOutputStream reset()V

```

```

java/io/ObjectOutputStream annotateClass(Ljava/lang/Class;)V
java/io/ObjectOutputStream annotateProxyClass(Ljava/lang/Class;)V
java/io/ObjectOutputStream replaceObject(Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectOutputStream enableReplaceObject(Z)Z
java/io/ObjectOutputStream writeStreamHeader()V
java/io/ObjectOutputStream writeClassDescriptor(Ljava/io/ObjectStreamClass;)V
java/io/ObjectOutputStream write(I)V
java/io/ObjectOutputStream write([B)V
java/io/ObjectOutputStream write([BII)V
java/io/ObjectOutputStream flush()V
java/io/ObjectOutputStream drain()V
java/io/ObjectOutputStream close()V
java/io/ObjectOutputStream writeBoolean(Z)V
java/io/ObjectOutputStream writeByte(I)V
java/io/ObjectOutputStream writeShort(I)V
java/io/ObjectOutputStream writeChar(I)V
java/io/ObjectOutputStream writeInt(I)V
java/io/ObjectOutputStream writeLong(J)V
java/io/ObjectOutputStream
    writeFloat(F)V
java/io/ObjectOutputStream writeDouble(D)V
java/io/ObjectOutputStream writeBytes(Ljava/lang/String;)V
java/io/ObjectOutputStream writeChars(Ljava/lang/String;)V
java/io/ObjectOutputStream writeUTF(Ljava/lang/String;)V
java/io/ObjectOutputStream getProtocolVersion()I
java/io/ObjectOutputStream writeTypeString(Ljava/lang/String;)V
java/io/ObjectOutputStream verifySubclass()V
java/io/ObjectOutputStream auditSubclass(Ljava/lang/Class;)Z
java/io/ObjectOutputStream clear()V
java/io/ObjectOutputStream writeObject0(Ljava/lang/Object;Z)V
java/io/ObjectOutputStream writeNull()V
java/io/ObjectOutputStream writeHandle(I)V
java/io/ObjectOutputStream writeClass(Ljava/lang/Class;Z)V
java/io/ObjectOutputStream writeClassDesc(Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeProxyDesc(Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeNonProxyDesc(Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeString(Ljava/lang/String;Z)V
java/io/ObjectOutputStream
    writeArray(Ljava/lang/Object;Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeEnum(Ljava/lang/Enum;Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeOrdinaryObject(Ljava/lang/Object;Ljava/io/ObjectStreamClass;Z)V
java/io/ObjectOutputStream writeExternalData(Ljava/io/Externalizable;)V
java/io/ObjectOutputStream writeSerialData(Ljava/lang/Object;Ljava/io/ObjectStreamClass;)V
java/io/ObjectOutputStream defaultWriteFields(Ljava/lang/Object;Ljava/io/ObjectStreamClass;)V
java/io/ObjectOutputStream writeFatalException(Ljava/io/IOException;)V
java/io/ObjectOutputStream floatsToBytes([FI[BII)V
java/io/ObjectOutputStream doublesToBytes([DI[BII)V
java/io/ObjectOutputStream

```

```

access$000(Ljava/io/ObjectOutputStream;)Ljava/io/ObjectOutputStream$BlockDataOutputStream;
java/io/ObjectOutputStream access$100(Ljava/io/ObjectOutputStream;Ljava/lang/Object;Z)V
java/io/ObjectOutputStream access$200([FI[BII)V
java/io/ObjectOutputStream access$300([DI[BII)V
class
  java/io/ObjectOutput java/lang/Object
java/io/ObjectOutput writeObject(Ljava/lang/Object;)V
java/io/ObjectOutput write(I)V
java/io/ObjectOutput write([B)V
java/io/ObjectOutput write([BII)V
java/io/ObjectOutput flush()V
java/io/ObjectOutput close()V
class java/io/ObjectStreamClass$2 java/lang/Object
java/io/ObjectStreamClass$2 val$cl
java/io/ObjectStreamClass$2 this$0
java/io/ObjectStreamClass$2 <init>(Ljava/io/ObjectStreamClass;Ljava/lang/Class;)V
java/io/ObjectStreamClass$2 run()Ljava/lang/Object;
class java/io/ObjectStreamClass$EntryFuture java/lang/Object
java/io/ObjectStreamClass$EntryFuture unset
java/io/ObjectStreamClass$EntryFuture owner
java/io/ObjectStreamClass$EntryFuture entry
java/io/ObjectStreamClass$EntryFuture <init>()V
java/io/ObjectStreamClass$EntryFuture set(Ljava/lang/Object;)Z
java/io/ObjectStreamClass$EntryFuture get()Ljava/lang/Object;
java/io/ObjectStreamClass$EntryFuture getOwner()Ljava/lang/Thread;
java/io/ObjectStreamClass$EntryFuture <init>(Ljava/io/ObjectStreamClass$1;)V
java/io/ObjectStreamClass$EntryFuture
  <clinit>()V
class java/io/Bits java/lang/Object
java/io/Bits <init>()V
java/io/Bits getBoolean([BI)Z
java/io/Bits getChar([BI)C
java/io/Bits getShort([BI)S
java/io/Bits getInt([BI)I
java/io/Bits getFloat([BI)F
java/io/Bits getLong([BI)J
java/io/Bits getDouble([BI)D
java/io/Bits putBoolean([BIZ)V
java/io/Bits putChar([BIC)V
java/io/Bits putShort([BIS)V
java/io/Bits putInt([BII)V
java/io/Bits putFloat([BIF)V
java/io/Bits putLong([BIJ)V
java/io/Bits putDouble([BID)V
class java/io/ObjectInputStream$ValidationList java/lang/Object
java/io/ObjectInputStream$ValidationList list
java/io/ObjectInputStream$ValidationList <init>()V
java/io/ObjectInputStream$ValidationList register(Ljava/io/ObjectInputValidation;I)V

```

```

java/io/ObjectInputStream$ValidationList doCallbacks()V
java/io/ObjectInputStream$ValidationList clear()V
class java/io/ObjectInputStream$HandleTable$HandleList java/lang/Object
java/io/ObjectInputStream$HandleTable$HandleList list
java/io/ObjectInputStream$HandleTable$HandleList
size
java/io/ObjectInputStream$HandleTable$HandleList <init>()V
java/io/ObjectInputStream$HandleTable$HandleList add(I)V
java/io/ObjectInputStream$HandleTable$HandleList get(I)I
java/io/ObjectInputStream$HandleTable$HandleList size()I
class java/io/ObjectInputStream$HandleTable java/lang/Object
java/io/ObjectInputStream$HandleTable STATUS_OK
java/io/ObjectInputStream$HandleTable STATUS_UNKNOWN
java/io/ObjectInputStream$HandleTable STATUS_EXCEPTION
java/io/ObjectInputStream$HandleTable status
java/io/ObjectInputStream$HandleTable entries
java/io/ObjectInputStream$HandleTable deps
java/io/ObjectInputStream$HandleTable lowDep
java/io/ObjectInputStream$HandleTable size
java/io/ObjectInputStream$HandleTable <init>(I)V
java/io/ObjectInputStream$HandleTable assign(Ljava/lang/Object;)I
java/io/ObjectInputStream$HandleTable markDependency(II)V
java/io/ObjectInputStream$HandleTable markException(ILjava/lang/ClassNotFoundException;)V
java/io/ObjectInputStream$HandleTable
finish(I)V
java/io/ObjectInputStream$HandleTable setObject(ILjava/lang/Object;)V
java/io/ObjectInputStream$HandleTable lookupObject(I)Ljava/lang/Object;
java/io/ObjectInputStream$HandleTable lookupException(I)Ljava/lang/ClassNotFoundException;
java/io/ObjectInputStream$HandleTable clear()V
java/io/ObjectInputStream$HandleTable size()I
java/io/ObjectInputStream$HandleTable grow()V
class java/io/ObjectInputStream$PeekInputStream java/io/InputStream
java/io/ObjectInputStream$PeekInputStream in
java/io/ObjectInputStream$PeekInputStream peekb
java/io/ObjectInputStream$PeekInputStream <init>(Ljava/io/InputStream;)V
java/io/ObjectInputStream$PeekInputStream peek()I
java/io/ObjectInputStream$PeekInputStream read()I
java/io/ObjectInputStream$PeekInputStream read([BII)I
java/io/ObjectInputStream$PeekInputStream readFully([BII)V
java/io/ObjectInputStream$PeekInputStream skip(J)J
java/io/ObjectInputStream$PeekInputStream available()I
java/io/ObjectInputStream$PeekInputStream
close()V
class java/io/ObjectInputStream$BlockDataInputStream java/io/InputStream
java/io/ObjectInputStream$BlockDataInputStream MAX_BLOCK_SIZE
java/io/ObjectInputStream$BlockDataInputStream MAX_HEADER_SIZE
java/io/ObjectInputStream$BlockDataInputStream CHAR_BUF_SIZE
java/io/ObjectInputStream$BlockDataInputStream HEADER_BLOCKED

```



```

java/io/ObjectInputStream$BlockDataInputStream buf
java/io/ObjectInputStream$BlockDataInputStream hbuf
java/io/ObjectInputStream$BlockDataInputStream cbuf
java/io/ObjectInputStream$BlockDataInputStream blkmode
java/io/ObjectInputStream$BlockDataInputStream pos
java/io/ObjectInputStream$BlockDataInputStream end
java/io/ObjectInputStream$BlockDataInputStream unread
java/io/ObjectInputStream$BlockDataInputStream in
java/io/ObjectInputStream$BlockDataInputStream din
java/io/ObjectInputStream$BlockDataInputStream this$0
java/io/ObjectInputStream$BlockDataInputStream <init>(Ljava/io/ObjectInputStream;Ljava/io/InputStream;)V
java/io/ObjectInputStream$BlockDataInputStream
    setBlockDataMode(Z)Z
java/io/ObjectInputStream$BlockDataInputStream getBlockDataMode()Z
java/io/ObjectInputStream$BlockDataInputStream skipBlockData()V
java/io/ObjectInputStream$BlockDataInputStream readBlockHeader(Z)I
java/io/ObjectInputStream$BlockDataInputStream refill()V
java/io/ObjectInputStream$BlockDataInputStream currentBlockRemaining()I
java/io/ObjectInputStream$BlockDataInputStream peek()I
java/io/ObjectInputStream$BlockDataInputStream peekByte()B
java/io/ObjectInputStream$BlockDataInputStream read()I
java/io/ObjectInputStream$BlockDataInputStream read([BII)I
java/io/ObjectInputStream$BlockDataInputStream skip(J)J
java/io/ObjectInputStream$BlockDataInputStream available()I
java/io/ObjectInputStream$BlockDataInputStream close()V
java/io/ObjectInputStream$BlockDataInputStream read([BIIZ)I
java/io/ObjectInputStream$BlockDataInputStream readFully([B)V
java/io/ObjectInputStream$BlockDataInputStream readFully([BII)V
java/io/ObjectInputStream$BlockDataInputStream readFully([BIIZ)V
java/io/ObjectInputStream$BlockDataInputStream
    skipBytes(I)I
java/io/ObjectInputStream$BlockDataInputStream readBoolean()Z
java/io/ObjectInputStream$BlockDataInputStream readByte()B
java/io/ObjectInputStream$BlockDataInputStream readUnsignedByte()I
java/io/ObjectInputStream$BlockDataInputStream readChar()C
java/io/ObjectInputStream$BlockDataInputStream readShort()S
java/io/ObjectInputStream$BlockDataInputStream readUnsignedShort()I
java/io/ObjectInputStream$BlockDataInputStream readInt()I
java/io/ObjectInputStream$BlockDataInputStream readFloat()F
java/io/ObjectInputStream$BlockDataInputStream readLong()J
java/io/ObjectInputStream$BlockDataInputStream readDouble()D
java/io/ObjectInputStream$BlockDataInputStream readUTF()Ljava/lang/String;
java/io/ObjectInputStream$BlockDataInputStream readLine()Ljava/lang/String;
java/io/ObjectInputStream$BlockDataInputStream readBooleans([ZII)V
java/io/ObjectInputStream$BlockDataInputStream readChars([CII)V
java/io/ObjectInputStream$BlockDataInputStream
    readShorts([SII)V
java/io/ObjectInputStream$BlockDataInputStream readInts([III)V

```

```

java/io/ObjectInputStream$BlockDataInputStream readFloats([FII)V
java/io/ObjectInputStream$BlockDataInputStream readLongs([JII)V
java/io/ObjectInputStream$BlockDataInputStream readDoubles([DII)V
java/io/ObjectInputStream$BlockDataInputStream readLongUTF()Ljava/lang/String;
java/io/ObjectInputStream$BlockDataInputStream readUTFBody(J)Ljava/lang/String;
java/io/ObjectInputStream$BlockDataInputStream readUTFSpan(Ljava/lang/StringBuffer;J)J
java/io/ObjectInputStream$BlockDataInputStream readUTFChar(Ljava/lang/StringBuffer;J)I
class java/io/ObjectInputStream$1 java/lang/Object
java/io/ObjectInputStream$1 val$subcl
java/io/ObjectInputStream$1 <init>(Ljava/lang/Class;)V
java/io/ObjectInputStream$1 run()Ljava/lang/Object;
class java/text/EntryPair java/lang/Object
java/text/EntryPair entryName
java/text/EntryPair value
java/text/EntryPair fwd
java/text/EntryPair <init>(Ljava/lang/String;I)V
java/text/EntryPair
    <init>(Ljava/lang/String;IZ)V
class java/text/PatternEntry java/lang/Object
java/text/PatternEntry RESET
java/text/PatternEntry UNSET
java/text/PatternEntry strength
java/text/PatternEntry chars
java/text/PatternEntry extension
java/text/PatternEntry appendQuotedExtension(Ljava/lang/StringBuffer;)V
java/text/PatternEntry appendQuotedChars(Ljava/lang/StringBuffer;)V
java/text/PatternEntry equals(Ljava/lang/Object;)Z
java/text/PatternEntry hashCode()I
java/text/PatternEntry toString()Ljava/lang/String;
java/text/PatternEntry getStrength()I
java/text/PatternEntry getExtension()Ljava/lang/String;
java/text/PatternEntry getChars()Ljava/lang/String;
java/text/PatternEntry addToBuffer(Ljava/lang/StringBuffer;ZZLjava/text/PatternEntry;)V
java/text/PatternEntry appendQuoted(Ljava/lang/String;Ljava/lang/StringBuffer;)V
java/text/PatternEntry <init>(ILjava/lang/StringBuffer;Ljava/lang/StringBuffer;)V
java/text/PatternEntry isSpecialChar(C)Z
class java/text/PatternEntry$Parser java/lang/Object
java/text/PatternEntry$Parser
    pattern
java/text/PatternEntry$Parser i
java/text/PatternEntry$Parser newChars
java/text/PatternEntry$Parser newExtension
java/text/PatternEntry$Parser <init>(Ljava/lang/String;)V
java/text/PatternEntry$Parser next()Ljava/text/PatternEntry;
class java/text/MergeCollation java/lang/Object
java/text/MergeCollation patterns
java/text/MergeCollation saveEntry
java/text/MergeCollation lastEntry

```

```

java/text/MergeCollation excess
java/text/MergeCollation statusArray
java/text/MergeCollation BITARRAYMASK
java/text/MergeCollation BYTEPOWER
java/text/MergeCollation BYTEMASK
java/text/MergeCollation <init>(Ljava/lang/String;)V
java/text/MergeCollation getPattern()Ljava/lang/String;
java/text/MergeCollation getPattern(Z)Ljava/lang/String;
java/text/MergeCollation findLastWithNoExtension(I)Ljava/text/PatternEntry;
java/text/MergeCollation emitPattern()Ljava/lang/String;
java/text/MergeCollation emitPattern(Z)Ljava/lang/String;
java/text/MergeCollation setPattern(Ljava/lang/String;)V
java/text/MergeCollation
    addPattern(Ljava/lang/String;)V
java/text/MergeCollation getCount()I
java/text/MergeCollation getItemAt(I)Ljava/text/PatternEntry;
java/text/MergeCollation fixEntry(Ljava/text/PatternEntry;)V
java/text/MergeCollation findLastEntry(Ljava/text/PatternEntry;Ljava/lang/StringBuffer;)I
class java/text/RBCollationTables$BuildAPI java/lang/Object
java/text/RBCollationTables$BuildAPI this$0
java/text/RBCollationTables$BuildAPI <init>(Ljava/text/RBCollationTables;)V
java/text/RBCollationTables$BuildAPI
    fillInTables(ZZLsun/text/UCompactIntArray;Ljava/util/Vector;Ljava/util/Vector;Lsun/text/IntHashtable;SS)V
java/text/RBCollationTables$BuildAPI <init>(Ljava/text/RBCollationTables;Ljava/text/RBCollationTables$1;)V
class java/text/RBTableBuilder java/lang/Object
java/text/RBTableBuilder CHARINDEX
java/text/RBTableBuilder IGNORABLEMASK
java/text/RBTableBuilder PRIMARYORDERINCREMENT
java/text/RBTableBuilder SECONDARYORDERINCREMENT
java/text/RBTableBuilder TERTIARYORDERINCREMENT
java/text/RBTableBuilder
    INITIALTABLESIZE
java/text/RBTableBuilder MAXKEYSIZE
java/text/RBTableBuilder tables
java/text/RBTableBuilder mPattern
java/text/RBTableBuilder isOverIgnore
java/text/RBTableBuilder keyBuf
java/text/RBTableBuilder contractFlags
java/text/RBTableBuilder frenchSec
java/text/RBTableBuilder seAsianSwapping
java/text/RBTableBuilder mapping
java/text/RBTableBuilder contractTable
java/text/RBTableBuilder expandTable
java/text/RBTableBuilder maxSecOrder
java/text/RBTableBuilder maxTerOrder
java/text/RBTableBuilder <init>(Ljava/text/RBCollationTables$BuildAPI;)V
java/text/RBTableBuilder build(Ljava/lang/String;I)V
java/text/RBTableBuilder addComposedChars()V

```

```

java/text/RBTableBuilder commit()V
java/text/RBTableBuilder increment(II)I
java/text/RBTableBuilder addOrder(II)V
java/text/RBTableBuilder addContractOrder(Ljava/lang/String;I)V
java/text/RBTableBuilder addContractOrder(Ljava/lang/String;IZ)V
java/text/RBTableBuilder getContractOrder(Ljava/lang/String;)I
java/text/RBTableBuilder
    getCharOrder(I)I
java/text/RBTableBuilder getContractValues(I)Ljava/util/Vector;
java/text/RBTableBuilder getContractValuesImpl(I)Ljava/util/Vector;
java/text/RBTableBuilder addExpandOrder(Ljava/lang/String;Ljava/lang/String;I)V
java/text/RBTableBuilder addExpandOrder(ILjava/lang/String;I)V
java/text/RBTableBuilder addExpansion(ILjava/lang/String;)I
java/text/RBTableBuilder addContractFlags(Ljava/lang/String;)V
class java/text/RBCollationTables java/lang/Object
java/text/RBCollationTables EXPANDCHARINDEX
java/text/RBCollationTables CONTRACTCHARINDEX
java/text/RBCollationTables UNMAPPED
java/text/RBCollationTables PRIMARYORDERMASK
java/text/RBCollationTables SECONDARYORDERMASK
java/text/RBCollationTables TERTIARYORDERMASK
java/text/RBCollationTables PRIMARYDIFFERENCEONLY
java/text/RBCollationTables SECONDARYDIFFERENCEONLY
java/text/RBCollationTables PRIMARYORDERSHIFT
java/text/RBCollationTables SECONDARYORDERSHIFT
java/text/RBCollationTables rules
java/text/RBCollationTables
    frenchSec
java/text/RBCollationTables seAsianSwapping
java/text/RBCollationTables mapping
java/text/RBCollationTables contractTable
java/text/RBCollationTables expandTable
java/text/RBCollationTables contractFlags
java/text/RBCollationTables maxSecOrder
java/text/RBCollationTables maxTerOrder
java/text/RBCollationTables <init>(Ljava/lang/String;I)V
java/text/RBCollationTables getRules()Ljava/lang/String;
java/text/RBCollationTables isFrenchSec()Z
java/text/RBCollationTables isSEAsianSwapping()Z
java/text/RBCollationTables getContractValues(I)Ljava/util/Vector;
java/text/RBCollationTables getContractValuesImpl(I)Ljava/util/Vector;
java/text/RBCollationTables usedInContractSeq(I)Z
java/text/RBCollationTables getMaxExpansion(I)I
java/text/RBCollationTables getExpandValueList(I)[I
java/text/RBCollationTables getUnicodeOrder(I)I
java/text/RBCollationTables getMaxSecOrder()S
java/text/RBCollationTables getMaxTerOrder()S
java/text/RBCollationTables reverse(Ljava/lang/StringBuffer;II)V

```

```

java/text/RBCollationTables
    getEntry(Ljava/util/Vector;Ljava/lang/String;Z)I
java/text/RBCollationTables access$102(Ljava/text/RBCollationTables;Z)Z
java/text/RBCollationTables access$202(Ljava/text/RBCollationTables;Z)Z
java/text/RBCollationTables
    access$302(Ljava/text/RBCollationTables;Lsun/text/UCompactIntArray;)Lsun/text/UCompactIntArray;
java/text/RBCollationTables access$402(Ljava/text/RBCollationTables;Ljava/util/Vector;)Ljava/util/Vector;
java/text/RBCollationTables access$502(Ljava/text/RBCollationTables;Ljava/util/Vector;)Ljava/util/Vector;
java/text/RBCollationTables
    access$602(Ljava/text/RBCollationTables;Lsun/text/IntHashtable;)Lsun/text/IntHashtable;
java/text/RBCollationTables access$702(Ljava/text/RBCollationTables;S)S
java/text/RBCollationTables access$802(Ljava/text/RBCollationTables;S)S
class java/text/CollationRules java/lang/Object
java/text/CollationRules DEFAULTRULES
java/text/CollationRules <init>()V
java/text/CollationRules <clinit>()V
class java/text/RuleBasedCollator
    java/text/Collator
java/text/RuleBasedCollator CHARINDEX
java/text/RuleBasedCollator EXPANDCHARINDEX
java/text/RuleBasedCollator CONTRACTCHARINDEX
java/text/RuleBasedCollator UNMAPPED
java/text/RuleBasedCollator COLLATIONKEYOFFSET
java/text/RuleBasedCollator tables
java/text/RuleBasedCollator primResult
java/text/RuleBasedCollator secResult
java/text/RuleBasedCollator terResult
java/text/RuleBasedCollator sourceCursor
java/text/RuleBasedCollator targetCursor
java/text/RuleBasedCollator <init>(Ljava/lang/String;)V
java/text/RuleBasedCollator <init>(Ljava/lang/String;I)V
java/text/RuleBasedCollator <init>(Ljava/text/RuleBasedCollator;)V
java/text/RuleBasedCollator getRules()Ljava/lang/String;
java/text/RuleBasedCollator getCollationElementIterator(Ljava/lang/String;)Ljava/text/CollationElementIterator;
java/text/RuleBasedCollator
    getCollationElementIterator(Ljava/text/CharacterIterator;)Ljava/text/CollationElementIterator;
java/text/RuleBasedCollator compare(Ljava/lang/String;Ljava/lang/String;)I
java/text/RuleBasedCollator
    getCollationKey(Ljava/lang/String;)Ljava/text/CollationKey;
java/text/RuleBasedCollator clone()Ljava/lang/Object;
java/text/RuleBasedCollator equals(Ljava/lang/Object;)Z
java/text/RuleBasedCollator hashCode()I
java/text/RuleBasedCollator getTables()Ljava/text/RBCollationTables;
class java/text/Collator java/lang/Object
java/text/Collator PRIMARY
java/text/Collator SECONDARY
java/text/Collator TERTIARY
java/text/Collator IDENTICAL

```

```

java/text/Collator NO_DECOMPOSITION
java/text/Collator CANONICAL_DECOMPOSITION
java/text/Collator FULL_DECOMPOSITION
java/text/Collator strength
java/text/Collator decmp
java/text/Collator cache
java/text/Collator LESS
java/text/Collator EQUAL
java/text/Collator GREATER
java/text/Collator getInstance()Ljava/text/Collator;
java/text/Collator getInstance(Ljava/util/Locale;)Ljava/text/Collator;
java/text/Collator compare(Ljava/lang/String;Ljava/lang/String;)I
java/text/Collator compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/text/Collator
    getCollationKey(Ljava/lang/String;)Ljava/text/CollationKey;
java/text/Collator equals(Ljava/lang/String;Ljava/lang/String;)Z
java/text/Collator getStrength()I
java/text/Collator setStrength(I)V
java/text/Collator getDecomposition()I
java/text/Collator setDecomposition(I)V
java/text/Collator getAvailableLocales()[Ljava/util/Locale;
java/text/Collator clone()Ljava/lang/Object;
java/text/Collator equals(Ljava/lang/Object;)Z
java/text/Collator hashCode()I
java/text/Collator <init>()V
java/text/Collator <clinit>()V
class java/net/DatagramPacket java/lang/Object
java/net/DatagramPacket buf
java/net/DatagramPacket offset
java/net/DatagramPacket length
java/net/DatagramPacket bufLength
java/net/DatagramPacket address
java/net/DatagramPacket port
java/net/DatagramPacket <init>([BII)V
java/net/DatagramPacket <init>([BI)V
java/net/DatagramPacket <init>([BILjava/net/InetAddress;)V
java/net/DatagramPacket <init>([BILjava/net/SocketAddress;)V
java/net/DatagramPacket
    <init>([BILjava/net/InetAddress;)V
java/net/DatagramPacket <init>([BILjava/net/SocketAddress;)V
java/net/DatagramPacket getAddress()Ljava/net/InetAddress;
java/net/DatagramPacket getPort()I
java/net/DatagramPacket getData()[B
java/net/DatagramPacket getOffset()I
java/net/DatagramPacket getLength()I
java/net/DatagramPacket setData([BII)V
java/net/DatagramPacket setAddress(Ljava/net/InetAddress;)V
java/net/DatagramPacket setPort(I)V

```

```

java/net/DatagramPacket setSocketAddress(Ljava/net/SocketAddress;)V
java/net/DatagramPacket getSocketAddress()Ljava/net/SocketAddress;
java/net/DatagramPacket setData([B)V
java/net/DatagramPacket setLength(I)V
java/net/DatagramPacket init()V
java/net/DatagramPacket <clinit>()V
class java/net/MulticastSocket java/net/DatagramSocket
java/net/MulticastSocket ttlLock
java/net/MulticastSocket inflLock
java/net/MulticastSocket infAddress
java/net/MulticastSocket <init>()V
java/net/MulticastSocket <init>(I)V
java/net/MulticastSocket <init>(Ljava/net/SocketAddress;)V
java/net/MulticastSocket
    setTTL(B)V
java/net/MulticastSocket setTimeToLive(I)V
java/net/MulticastSocket getTTL()B
java/net/MulticastSocket getTimeToLive()I
java/net/MulticastSocket joinGroup(Ljava/net/InetAddress;)V
java/net/MulticastSocket leaveGroup(Ljava/net/InetAddress;)V
java/net/MulticastSocket joinGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/MulticastSocket leaveGroup(Ljava/net/SocketAddress;Ljava/net/NetworkInterface;)V
java/net/MulticastSocket setInterface(Ljava/net/InetAddress;)V
java/net/MulticastSocket getInterface()Ljava/net/InetAddress;
java/net/MulticastSocket setNetworkInterface(Ljava/net/NetworkInterface;)V
java/net/MulticastSocket getNetworkInterface()Ljava/net/NetworkInterface;
java/net/MulticastSocket setLoopbackMode(Z)V
java/net/MulticastSocket getLoopbackMode()Z
java/net/MulticastSocket send(Ljava/net/DatagramPacket;B)V
class java/net/DatagramSocket java/lang/Object
java/net/DatagramSocket created
java/net/DatagramSocket bound
java/net/DatagramSocket
    closed
java/net/DatagramSocket closeLock
java/net/DatagramSocket impl
java/net/DatagramSocket oldImpl
java/net/DatagramSocket ST_NOT_CONNECTED
java/net/DatagramSocket ST_CONNECTED
java/net/DatagramSocket ST_CONNECTED_NO_IMPL
java/net/DatagramSocket connectState
java/net/DatagramSocket connectedAddress
java/net/DatagramSocket connectedPort
java/net/DatagramSocket implClass
java/net/DatagramSocket factory
java/net/DatagramSocket connectInternal(Ljava/net/InetAddress;I)V
java/net/DatagramSocket <init>()V
java/net/DatagramSocket <init>(Ljava/net/DatagramSocketImpl;)V

```

```

java/net/DatagramSocket <init>(Ljava/net/SocketAddress;)V
java/net/DatagramSocket <init>(I)V
java/net/DatagramSocket <init>(ILjava/net/InetAddress;)V
java/net/DatagramSocket checkOldImpl()V
java/net/DatagramSocket createImpl()V
java/net/DatagramSocket getImpl()Ljava/net/DatagramSocketImpl;
java/net/DatagramSocket bind(Ljava/net/SocketAddress;)V
java/net/DatagramSocket connect(Ljava/net/InetAddress;I)V
java/net/DatagramSocket
    connect(Ljava/net/SocketAddress;)V
java/net/DatagramSocket disconnect()V
java/net/DatagramSocket isBound()Z
java/net/DatagramSocket isConnected()Z
java/net/DatagramSocket getInetAddress()Ljava/net/InetAddress;
java/net/DatagramSocket getPort()I
java/net/DatagramSocket getRemoteSocketAddress()Ljava/net/SocketAddress;
java/net/DatagramSocket getLocalSocketAddress()Ljava/net/SocketAddress;
java/net/DatagramSocket send(Ljava/net/DatagramPacket;)V
java/net/DatagramSocket receive(Ljava/net/DatagramPacket;)V
java/net/DatagramSocket getLocalAddress()Ljava/net/InetAddress;
java/net/DatagramSocket getLocalPort()I
java/net/DatagramSocket setSoTimeout(I)V
java/net/DatagramSocket getSoTimeout()I
java/net/DatagramSocket setSendBufferSize(I)V
java/net/DatagramSocket getSendBufferSize()I
java/net/DatagramSocket setReceiveBufferSize(I)V
java/net/DatagramSocket getReceiveBufferSize()I
java/net/DatagramSocket setReuseAddress(Z)V
java/net/DatagramSocket getReuseAddress()Z
java/net/DatagramSocket
    setBroadcast(Z)V
java/net/DatagramSocket getBroadcast()Z
java/net/DatagramSocket setTrafficClass(I)V
java/net/DatagramSocket getTrafficClass()I
java/net/DatagramSocket close()V
java/net/DatagramSocket isClosed()Z
java/net/DatagramSocket getChannel()Ljava/nio/channels/DatagramChannel;
java/net/DatagramSocket setDatagramSocketImplFactory(Ljava/net/DatagramSocketImplFactory;)V
java/net/DatagramSocket <clinit>()V
class java/net/BindException java/net/SocketException
java/net/BindException <init>(Ljava/lang/String;)V
java/net/BindException <init>()V
class java/net/NoRouteToHostException java/net/SocketException
java/net/NoRouteToHostException <init>(Ljava/lang/String;)V
java/net/NoRouteToHostException <init>()V
class java/util/Collections$UnmodifiableCollection$1 java/lang/Object
java/util/Collections$UnmodifiableCollection$1 i
java/util/Collections$UnmodifiableCollection$1 this$0

```



```

java/util/Collections$UnmodifiableCollection$1 <init>(Ljava/util/Collections$UnmodifiableCollection;)V
java/util/Collections$UnmodifiableCollection$1
  hasNext()Z
java/util/Collections$UnmodifiableCollection$1 next()Ljava/lang/Object;
java/util/Collections$UnmodifiableCollection$1 remove()V
class java/text/NumberFormat$Field java/text/Format$Field
java/text/NumberFormat$Field serialVersionUID
java/text/NumberFormat$Field instanceMap
java/text/NumberFormat$Field INTEGER
java/text/NumberFormat$Field FRACTION
java/text/NumberFormat$Field EXPONENT
java/text/NumberFormat$Field DECIMAL_SEPARATOR
java/text/NumberFormat$Field SIGN
java/text/NumberFormat$Field GROUPING_SEPARATOR
java/text/NumberFormat$Field EXPONENT_SYMBOL
java/text/NumberFormat$Field PERCENT
java/text/NumberFormat$Field PERMILLE
java/text/NumberFormat$Field CURRENCY
java/text/NumberFormat$Field EXPONENT_SIGN
java/text/NumberFormat$Field <init>(Ljava/lang/String;)V
java/text/NumberFormat$Field readResolve()Ljava/lang/Object;
java/text/NumberFormat$Field <clinit>()V
class java/text/ParseException java/lang/Exception
java/text/ParseException
  errorOffset
java/text/ParseException <init>(Ljava/lang/String;I)V
java/text/ParseException getErrorOffset()I
class java/util/TreeMap$KeyIterator java/util/TreeMap$PrivateEntryIterator
java/util/TreeMap$KeyIterator this$0
java/util/TreeMap$KeyIterator <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$KeyIterator next()Ljava/lang/Object;
java/util/TreeMap$KeyIterator <init>(Ljava/util/TreeMap;Ljava/util/TreeMap$1;)V
class java/util/TreeMap$PrivateEntryIterator java/lang/Object
java/util/TreeMap$PrivateEntryIterator expectedModCount
java/util/TreeMap$PrivateEntryIterator lastReturned
java/util/TreeMap$PrivateEntryIterator next
java/util/TreeMap$PrivateEntryIterator this$0
java/util/TreeMap$PrivateEntryIterator <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$PrivateEntryIterator <init>(Ljava/util/TreeMap;Ljava/util/TreeMap$Entry;)V
java/util/TreeMap$PrivateEntryIterator hasNext()Z
java/util/TreeMap$PrivateEntryIterator nextEntry()Ljava/util/TreeMap$Entry;
java/util/TreeMap$PrivateEntryIterator
  remove()V
class java/util/TreeMap$Entry java/lang/Object
java/util/TreeMap$Entry key
java/util/TreeMap$Entry value
java/util/TreeMap$Entry left
java/util/TreeMap$Entry right

```

```

java/util/TreeMap$Entry parent
java/util/TreeMap$Entry color
java/util/TreeMap$Entry <init>(Ljava/lang/Object;Ljava/lang/Object;Ljava/util/TreeMap$Entry;)V
java/util/TreeMap$Entry getKey()Ljava/lang/Object;
java/util/TreeMap$Entry getValue()Ljava/lang/Object;
java/util/TreeMap$Entry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap$Entry equals(Ljava/lang/Object;)Z
java/util/TreeMap$Entry hashCode()I
java/util/TreeMap$Entry toString()Ljava/lang/String;
class java/lang/ExceptionInInitializerError java/lang/LinkageError
java/lang/ExceptionInInitializerError serialVersionUID
java/lang/ExceptionInInitializerError exception
java/lang/ExceptionInInitializerError <init>()V
java/lang/ExceptionInInitializerError <init>(Ljava/lang/Throwable;)V
java/lang/ExceptionInInitializerError <init>(Ljava/lang/String;)V
java/lang/ExceptionInInitializerError
    getException()Ljava/lang/Throwable;
java/lang/ExceptionInInitializerError getCause()Ljava/lang/Throwable;
class java/awt/CardLayout$Card java/lang/Object
java/awt/CardLayout$Card serialVersionUID
java/awt/CardLayout$Card name
java/awt/CardLayout$Card comp
java/awt/CardLayout$Card this$0
java/awt/CardLayout$Card <init>(Ljava/awt/CardLayout;Ljava/lang/String;Ljava/awt/Component;)V
class java/awt/event/ItemEvent java/awt/AWTEvent
java/awt/event/ItemEvent ITEM_FIRST
java/awt/event/ItemEvent ITEM_LAST
java/awt/event/ItemEvent ITEM_STATE_CHANGED
java/awt/event/ItemEvent SELECTED
java/awt/event/ItemEvent DESELECTED
java/awt/event/ItemEvent item
java/awt/event/ItemEvent stateChange
java/awt/event/ItemEvent serialVersionUID
java/awt/event/ItemEvent <init>(Ljava/awt/ItemSelectable;ILjava/lang/Object;I)V
java/awt/event/ItemEvent getItemSelectable()Ljava/awt/ItemSelectable;
java/awt/event/ItemEvent getItem()Ljava/lang/Object;
java/awt/event/ItemEvent
    getStateChange()I
java/awt/event/ItemEvent paramString()Ljava/lang/String;
class java/awt/GridLayout java/lang/Object
java/awt/GridLayout hgap
java/awt/GridLayout vgap
java/awt/GridLayout rows
java/awt/GridLayout cols
java/awt/GridLayout <init>()V
java/awt/GridLayout <init>(II)V
java/awt/GridLayout <init>(III)V
java/awt/GridLayout getRows()I

```

```

java/awt/GridLayout setRows(I)V
java/awt/GridLayout getColumns()I
java/awt/GridLayout setColumns(I)V
java/awt/GridLayout getHgap()I
java/awt/GridLayout setHgap(I)V
java/awt/GridLayout getVgap()I
java/awt/GridLayout setVgap(I)V
java/awt/GridLayout addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/GridLayout removeLayoutComponent(Ljava/awt/Component;)V
java/awt/GridLayout preferredLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/GridLayout minimumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/GridLayout layoutContainer(Ljava/awt/Container;)V
java/awt/GridLayout toString()Ljava/lang/String;
class java/lang/StringIndexOutOfBoundsException
  java/lang/IndexOutOfBoundsException
  java/lang/StringIndexOutOfBoundsException <init>()V
  java/lang/StringIndexOutOfBoundsException <init>(Ljava/lang/String;)V
  java/lang/StringIndexOutOfBoundsException <init>(I)V
class java/util/zip/DeflaterOutputStream java/io/FilterOutputStream
  java/util/zip/DeflaterOutputStream def
  java/util/zip/DeflaterOutputStream buf
  java/util/zip/DeflaterOutputStream closed
  java/util/zip/DeflaterOutputStream usesDefaultDeflater
  java/util/zip/DeflaterOutputStream <init>(Ljava/io/OutputStream;Ljava/util/zip/Deflater;)V
  java/util/zip/DeflaterOutputStream <init>(Ljava/io/OutputStream;Ljava/util/zip/Deflater;)V
  java/util/zip/DeflaterOutputStream <init>(Ljava/io/OutputStream;)V
  java/util/zip/DeflaterOutputStream write(I)V
  java/util/zip/DeflaterOutputStream write([BII)V
  java/util/zip/DeflaterOutputStream finish()V
  java/util/zip/DeflaterOutputStream close()V
  java/util/zip/DeflaterOutputStream deflate()V
class java/util/zip/GZIPInputStream
  java/util/zip/InflaterInputStream
  java/util/zip/GZIPInputStream crc
  java/util/zip/GZIPInputStream eos
  java/util/zip/GZIPInputStream closed
  java/util/zip/GZIPInputStream GZIP_MAGIC
  java/util/zip/GZIPInputStream FTEXT
  java/util/zip/GZIPInputStream FHCRC
  java/util/zip/GZIPInputStream FEXTRA
  java/util/zip/GZIPInputStream FNAME
  java/util/zip/GZIPInputStream FCOMMENT
  java/util/zip/GZIPInputStream tmpbuf
  java/util/zip/GZIPInputStream ensureOpen()V
  java/util/zip/GZIPInputStream <init>(Ljava/io/InputStream;)V
  java/util/zip/GZIPInputStream <init>(Ljava/io/InputStream;)V
  java/util/zip/GZIPInputStream read([BII)I
  java/util/zip/GZIPInputStream close()V

```

```

java/util/zip/GZIPInputStream readHeader()V
java/util/zip/GZIPInputStream readTrailer()V
java/util/zip/GZIPInputStream readUInt(Ljava/io/InputStream;)J
java/util/zip/GZIPInputStream readUShort(Ljava/io/InputStream;)I
java/util/zip/GZIPInputStream readUByte(Ljava/io/InputStream;)I
java/util/zip/GZIPInputStream skipBytes(Ljava/io/InputStream;I)V
class
  java/security/NoSuchAlgorithmException java/security/GeneralSecurityException
  java/security/NoSuchAlgorithmException serialVersionUID
  java/security/NoSuchAlgorithmException <init>()V
  java/security/NoSuchAlgorithmException <init>(Ljava/lang/String;)V
  java/security/NoSuchAlgorithmException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
  java/security/NoSuchAlgorithmException <init>(Ljava/lang/Throwable;)V
  class java/security/GeneralSecurityException java/lang/Exception
  java/security/GeneralSecurityException serialVersionUID
  java/security/GeneralSecurityException <init>()V
  java/security/GeneralSecurityException <init>(Ljava/lang/String;)V
  java/security/GeneralSecurityException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
  java/security/GeneralSecurityException <init>(Ljava/lang/Throwable;)V
  class java/awt/image/FilteredImageSource java/lang/Object
  java/awt/image/FilteredImageSource src
  java/awt/image/FilteredImageSource filter
  java/awt/image/FilteredImageSource proxies
  java/awt/image/FilteredImageSource
    <init>(Ljava/awt/image/ImageProducer;Ljava/awt/image/ImageFilter;)V
  java/awt/image/FilteredImageSource addConsumer(Ljava/awt/image/ImageConsumer;)V
  java/awt/image/FilteredImageSource isConsumer(Ljava/awt/image/ImageConsumer;)Z
  java/awt/image/FilteredImageSource removeConsumer(Ljava/awt/image/ImageConsumer;)V
  java/awt/image/FilteredImageSource startProduction(Ljava/awt/image/ImageConsumer;)V
  java/awt/image/FilteredImageSource requestTopDownLeftRightResend(Ljava/awt/image/ImageConsumer;)V
  class java/awt/image/RGBImageFilter java/awt/image/ImageFilter
  java/awt/image/RGBImageFilter origmodel
  java/awt/image/RGBImageFilter newmodel
  java/awt/image/RGBImageFilter canFilterIndexColorModel
  java/awt/image/RGBImageFilter <init>()V
  java/awt/image/RGBImageFilter setColorModel(Ljava/awt/image/ColorModel;)V
  java/awt/image/RGBImageFilter
    substituteColorModel(Ljava/awt/image/ColorModel;Ljava/awt/image/ColorModel;)V
  java/awt/image/RGBImageFilter
    filterIndexColorModel(Ljava/awt/image/IndexColorModel;)Ljava/awt/image/IndexColorModel;
  java/awt/image/RGBImageFilter
    filterRGBPixels(IIII[III)V
  java/awt/image/RGBImageFilter setPixels(IIII[IIILjava/awt/image/ColorModel;[BII)V
  java/awt/image/RGBImageFilter setPixels(IIII[IIILjava/awt/image/ColorModel;[III)V
  java/awt/image/RGBImageFilter filterRGB(III)I
  class java/awt/image/ImageFilter java/lang/Object
  java/awt/image/ImageFilter consumer
  java/awt/image/ImageFilter <init>()V

```

```

java/awt/image/ImageFilter getFilterInstance(Ljava/awt/image/ImageConsumer;)Ljava/awt/image/ImageFilter;
java/awt/image/ImageFilter setDimensions(II)V
java/awt/image/ImageFilter setProperties(Ljava/util/Hashtable;)V
java/awt/image/ImageFilter setColorModel(Ljava/awt/image/ColorModel;)V
java/awt/image/ImageFilter setHints(I)V
java/awt/image/ImageFilter setPixels(IIIIILjava/awt/image/ColorModel;[BII)V
java/awt/image/ImageFilter setPixels(IIIIILjava/awt/image/ColorModel;[III)V
java/awt/image/ImageFilter imageComplete(I)V
java/awt/image/ImageFilter resendTopDownLeftRight(Ljava/awt/image/ImageProducer;)V
java/awt/image/ImageFilter
    clone()Ljava/lang/Object;
class java/io/ObjectInputStream java/io/InputStream
java/io/ObjectInputStream NULL_HANDLE
java/io/ObjectInputStream unsharedMarker
java/io/ObjectInputStream primClasses
java/io/ObjectInputStream bin
java/io/ObjectInputStream vlist
java/io/ObjectInputStream depth
java/io/ObjectInputStream closed
java/io/ObjectInputStream handles
java/io/ObjectInputStream passHandle
java/io/ObjectInputStream defaultDataEnd
java/io/ObjectInputStream primVals
java/io/ObjectInputStream enableOverride
java/io/ObjectInputStream enableResolve
java/io/ObjectInputStream curContext
java/io/ObjectInputStream <init>(Ljava/io/InputStream;)V
java/io/ObjectInputStream <init>()V
java/io/ObjectInputStream readObject()Ljava/lang/Object;
java/io/ObjectInputStream readObjectOverride()Ljava/lang/Object;
java/io/ObjectInputStream readUnshared()Ljava/lang/Object;
java/io/ObjectInputStream defaultReadObject()V
java/io/ObjectInputStream
    readFields()Ljava/io/ObjectInputStream$GetField;
java/io/ObjectInputStream registerValidation(Ljava/io/ObjectInputValidation;I)V
java/io/ObjectInputStream resolveClass(Ljava/io/ObjectStreamClass;)Ljava/lang/Class;
java/io/ObjectInputStream resolveProxyClass([Ljava/lang/String;)Ljava/lang/Class;
java/io/ObjectInputStream resolveObject(Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectInputStream enableResolveObject(Z)Z
java/io/ObjectInputStream readStreamHeader()V
java/io/ObjectInputStream readClassDescriptor()Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream read()I
java/io/ObjectInputStream read([BII)I
java/io/ObjectInputStream available()I
java/io/ObjectInputStream close()V
java/io/ObjectInputStream readBoolean()Z
java/io/ObjectInputStream readByte()B
java/io/ObjectInputStream readUnsignedByte()I

```

```

java/io/ObjectInputStream readChar()C
java/io/ObjectInputStream readShort()S
java/io/ObjectInputStream readUnsignedShort()I
java/io/ObjectInputStream readInt()I
java/io/ObjectInputStream
    readLong()J
java/io/ObjectInputStream readFloat()F
java/io/ObjectInputStream readDouble()D
java/io/ObjectInputStream readFully([B)V
java/io/ObjectInputStream readFully([BII)V
java/io/ObjectInputStream skipBytes(I)I
java/io/ObjectInputStream readLine()Ljava/lang/String;
java/io/ObjectInputStream readUTF()Ljava/lang/String;
java/io/ObjectInputStream verifySubclass()V
java/io/ObjectInputStream auditSubclass(Ljava/lang/Class;)Z
java/io/ObjectInputStream clear()V
java/io/ObjectInputStream readObject0(Z)Ljava/lang/Object;
java/io/ObjectInputStream checkResolve(Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectInputStream readTypeString()Ljava/lang/String;
java/io/ObjectInputStream readNull()Ljava/lang/Object;
java/io/ObjectInputStream readHandle(Z)Ljava/lang/Object;
java/io/ObjectInputStream readClass(Z)Ljava/lang/Class;
java/io/ObjectInputStream readClassDesc(Z)Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream readProxyDesc(Z)Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream
    readNonProxyDesc(Z)Ljava/io/ObjectStreamClass;
java/io/ObjectInputStream readString(Z)Ljava/lang/String;
java/io/ObjectInputStream readArray(Z)Ljava/lang/Object;
java/io/ObjectInputStream readEnum(Z)Ljava/lang/Enum;
java/io/ObjectInputStream readOrdinaryObject(Z)Ljava/lang/Object;
java/io/ObjectInputStream readExternalData(Ljava/io/Externalizable;Ljava/io/ObjectStreamClass;)V
java/io/ObjectInputStream readSerialData(Ljava/lang/Object;Ljava/io/ObjectStreamClass;)V
java/io/ObjectInputStream skipCustomData()V
java/io/ObjectInputStream defaultReadFields(Ljava/lang/Object;Ljava/io/ObjectStreamClass;)V
java/io/ObjectInputStream readFatalException()Ljava/io/IOException;
java/io/ObjectInputStream handleReset()V
java/io/ObjectInputStream bytesToFloats([BII)V
java/io/ObjectInputStream bytesToDoubles([BII)V
java/io/ObjectInputStream latestUserDefinedLoader()Ljava/lang/ClassLoader;
java/io/ObjectInputStream access$000(Ljava/io/ObjectInputStream;)I
java/io/ObjectInputStream access$100(Ljava/io/ObjectInputStream;)Ljava/io/ObjectInputStream$HandleTable;
java/io/ObjectInputStream
    access$200(Ljava/io/ObjectInputStream;)Ljava/io/ObjectInputStream$BlockDataInputStream;
java/io/ObjectInputStream access$300(Ljava/io/ObjectInputStream;Z)Ljava/lang/Object;
java/io/ObjectInputStream access$002(Ljava/io/ObjectInputStream;I)I
java/io/ObjectInputStream access$400(Ljava/io/ObjectInputStream;)Z
java/io/ObjectInputStream access$500(Ljava/io/ObjectInputStream;)V
java/io/ObjectInputStream access$600([BII)V

```

```

java/io/ObjectInputStream access$700([BI[DII)V
java/io/ObjectInputStream <clinit>()V
class java/io/ObjectStreamConstants java/lang/Object
java/io/ObjectStreamConstants STREAM_MAGIC
java/io/ObjectStreamConstants STREAM_VERSION
java/io/ObjectStreamConstants TC_BASE
java/io/ObjectStreamConstants TC_NULL
java/io/ObjectStreamConstants TC_REFERENCE
java/io/ObjectStreamConstants TC_CLASSDESC
java/io/ObjectStreamConstants TC_OBJECT
java/io/ObjectStreamConstants TC_STRING
java/io/ObjectStreamConstants
    TC_ARRAY
java/io/ObjectStreamConstants TC_CLASS
java/io/ObjectStreamConstants TC_BLOCKDATA
java/io/ObjectStreamConstants TC_ENDBLOCKDATA
java/io/ObjectStreamConstants TC_RESET
java/io/ObjectStreamConstants TC_BLOCKDATA_LONG
java/io/ObjectStreamConstants TC_EXCEPTION
java/io/ObjectStreamConstants TC_LONGSTRING
java/io/ObjectStreamConstants TC_PROXYCLASSDESC
java/io/ObjectStreamConstants TC_ENUM
java/io/ObjectStreamConstants TC_MAX
java/io/ObjectStreamConstants baseWireHandle
java/io/ObjectStreamConstants SC_WRITE_METHOD
java/io/ObjectStreamConstants SC_BLOCK_DATA
java/io/ObjectStreamConstants SC_SERIALIZABLE
java/io/ObjectStreamConstants SC_EXTERNALIZABLE
java/io/ObjectStreamConstants SC_ENUM
java/io/ObjectStreamConstants SUBSTITUTION_PERMISSION
java/io/ObjectStreamConstants SUBCLASS_IMPLEMENTATION_PERMISSION
java/io/ObjectStreamConstants PROTOCOL_VERSION_1
java/io/ObjectStreamConstants PROTOCOL_VERSION_2
java/io/ObjectStreamConstants <clinit>()V
class java/io/ObjectInput java/lang/Object
java/io/ObjectInput
    readObject()Ljava/lang/Object;
java/io/ObjectInput read()I
java/io/ObjectInput read([B)I
java/io/ObjectInput read([BII)I
java/io/ObjectInput skip(J)J
java/io/ObjectInput available()I
java/io/ObjectInput close()V
class java/lang/ClassFormatError java/lang/LinkageError
java/lang/ClassFormatError <init>()V
java/lang/ClassFormatError <init>(Ljava/lang/String;)V
class java/util/zip/CRC32 java/lang/Object
java/util/zip/CRC32 crc

```

```

java/util/zip/CRC32 <init>()V
java/util/zip/CRC32 update(I)V
java/util/zip/CRC32 update([BII)V
java/util/zip/CRC32 update([B)V
java/util/zip/CRC32 reset()V
java/util/zip/CRC32 getValue()J
java/util/zip/CRC32 update(II)I
java/util/zip/CRC32 updateBytes(IFBII)I
class java/util/zip/Checksum java/lang/Object
java/util/zip/Checksum update(I)V
java/util/zip/Checksum update([BII)V
java/util/zip/Checksum getValue()J
java/util/zip/Checksum reset()V
class java/io/PushbackInputStream java/io/FilterInputStream
java/io/PushbackInputStream buf
java/io/PushbackInputStream
    pos
java/io/PushbackInputStream ensureOpen()V
java/io/PushbackInputStream <init>(Ljava/io/InputStream;I)V
java/io/PushbackInputStream <init>(Ljava/io/InputStream;)V
java/io/PushbackInputStream read()I
java/io/PushbackInputStream read([BII)I
java/io/PushbackInputStream unread(I)V
java/io/PushbackInputStream unread([BII)V
java/io/PushbackInputStream unread([B)V
java/io/PushbackInputStream available()I
java/io/PushbackInputStream skip(J)J
java/io/PushbackInputStream markSupported()Z
java/io/PushbackInputStream mark(I)V
java/io/PushbackInputStream reset()V
java/io/PushbackInputStream close()V
class java/util/zip/ZipInputStream java/util/zip/InflaterInputStream
java/util/zip/ZipInputStream entry
java/util/zip/ZipInputStream crc
java/util/zip/ZipInputStream remaining
java/util/zip/ZipInputStream tmpbuf
java/util/zip/ZipInputStream STORED
java/util/zip/ZipInputStream DEFLATED
java/util/zip/ZipInputStream closed
java/util/zip/ZipInputStream entryEOF
java/util/zip/ZipInputStream
    b
java/util/zip/ZipInputStream ensureOpen()V
java/util/zip/ZipInputStream <init>(Ljava/io/InputStream;)V
java/util/zip/ZipInputStream getNextEntry()Ljava/util/zip/ZipEntry;
java/util/zip/ZipInputStream closeEntry()V
java/util/zip/ZipInputStream available()I
java/util/zip/ZipInputStream read([BII)I

```



```

java/util/zip/ZipInputStream skip(J)J
java/util/zip/ZipInputStream close()V
java/util/zip/ZipInputStream readLOC()L java/util/zip/ZipEntry;
java/util/zip/ZipInputStream getUTF8String([BII)L java/lang/String;
java/util/zip/ZipInputStream createZipEntry(L java/lang/String;)L java/util/zip/ZipEntry;
java/util/zip/ZipInputStream readEnd(L java/util/zip/ZipEntry;)V
java/util/zip/ZipInputStream readFully([BII)V
java/util/zip/ZipInputStream get16([BI)I
java/util/zip/ZipInputStream get32([BI)J
class java/text/DontCareFieldPosition$1 java/lang/Object
java/text/DontCareFieldPosition$1 this$0
java/text/DontCareFieldPosition$1 <init>(L java/text/DontCareFieldPosition;)V
java/text/DontCareFieldPosition$1
    formatted(L java/text/Format$Field;L java/lang/Object;IIL java/lang/StringBuffer;)V
java/text/DontCareFieldPosition$1
    formatted(IL java/text/Format$Field;L java/lang/Object;IIL java/lang/StringBuffer;)V
class java/text/Format$FieldDelegate java/lang/Object
java/text/Format$FieldDelegate formatted(L java/text/Format$Field;L java/lang/Object;IIL java/lang/StringBuffer;)V
java/text/Format$FieldDelegate formatted(IL java/text/Format$Field;L java/lang/Object;IIL java/lang/StringBuffer;)V
class java/text/DontCareFieldPosition java/text/FieldPosition
java/text/DontCareFieldPosition INSTANCE
java/text/DontCareFieldPosition noDelegate
java/text/DontCareFieldPosition <init>()V
java/text/DontCareFieldPosition getFieldDelegate()L java/text/Format$FieldDelegate;
java/text/DontCareFieldPosition <clinit>()V
class java/text/DigitList java/lang/Object
java/text/DigitList MAX_COUNT
java/text/DigitList decimalAt
java/text/DigitList count
java/text/DigitList digits
java/text/DigitList data
java/text/DigitList LONG_MIN_REP
java/text/DigitList
    tempBuffer
java/text/DigitList <init>()V
java/text/DigitList isZero(Z)Z
java/text/DigitList clear()V
java/text/DigitList append(C)V
java/text/DigitList getDouble()D
java/text/DigitList getLong()J
java/text/DigitList getBigDecimal()L java/math/BigDecimal;
java/text/DigitList fitsIntoLong(ZZ)Z
java/text/DigitList set(DI)V
java/text/DigitList set(DIZ)V
java/text/DigitList set(L java/lang/String;IZ)V
java/text/DigitList round(I)V
java/text/DigitList shouldRoundUp(I)Z
java/text/DigitList set(J)V

```

```

java/text/DigitList set(JI)V
java/text/DigitList set(Ljava/math/BigDecimal;IZ)V
java/text/DigitList set(Ljava/math/BigInteger;I)V
java/text/DigitList equals(Ljava/lang/Object;)Z
java/text/DigitList hashCode()I
java/text/DigitList clone()Ljava/lang/Object;
java/text/DigitList isLongMIN_VALUE()Z
java/text/DigitList parseInt([CII)I
java/text/DigitList toString()Ljava/lang/String;
java/text/DigitList getStringBuffer()Ljava/lang/StringBuffer;
java/text/DigitList extendDigits(I)V
java/text/DigitList
    getDataChars(I)[C
java/text/DigitList <clinit>()V
class java/text/DecimalFormat java/text/NumberFormat
java/text/DecimalFormat bigIntegerMultiplier
java/text/DecimalFormat bigDecimalMultiplier
java/text/DecimalFormat STATUS_INFINITE
java/text/DecimalFormat STATUS_POSITIVE
java/text/DecimalFormat STATUS_LENGTH
java/text/DecimalFormat digitList
java/text/DecimalFormat positivePrefix
java/text/DecimalFormat positiveSuffix
java/text/DecimalFormat negativePrefix
java/text/DecimalFormat negativeSuffix
java/text/DecimalFormat posPrefixPattern
java/text/DecimalFormat posSuffixPattern
java/text/DecimalFormat negPrefixPattern
java/text/DecimalFormat negSuffixPattern
java/text/DecimalFormat multiplier
java/text/DecimalFormat groupingSize
java/text/DecimalFormat decimalSeparatorAlwaysShown
java/text/DecimalFormat parseBigDecimal
java/text/DecimalFormat isCurrencyFormat
java/text/DecimalFormat symbols
java/text/DecimalFormat useExponentialNotation
java/text/DecimalFormat positivePrefixFieldPositions
java/text/DecimalFormat
    positiveSuffixFieldPositions
java/text/DecimalFormat negativePrefixFieldPositions
java/text/DecimalFormat negativeSuffixFieldPositions
java/text/DecimalFormat minExponentDigits
java/text/DecimalFormat maximumIntegerDigits
java/text/DecimalFormat minimumIntegerDigits
java/text/DecimalFormat maximumFractionDigits
java/text/DecimalFormat minimumFractionDigits
java/text/DecimalFormat currentSerialVersion
java/text/DecimalFormat serialVersionOnStream

```

```

java/text/DecimalFormat PATTERN_ZERO_DIGIT
java/text/DecimalFormat PATTERN_GROUPING_SEPARATOR
java/text/DecimalFormat PATTERN_DECIMAL_SEPARATOR
java/text/DecimalFormat PATTERN_PER_MILLE
java/text/DecimalFormat PATTERN_PERCENT
java/text/DecimalFormat PATTERN_DIGIT
java/text/DecimalFormat PATTERN_SEPARATOR
java/text/DecimalFormat PATTERN_EXPONENT
java/text/DecimalFormat PATTERN_MINUS
java/text/DecimalFormat CURRENCY_SIGN
java/text/DecimalFormat QUOTE
java/text/DecimalFormat EmptyFieldPositionArray
java/text/DecimalFormat
    DOUBLE_INTEGER_DIGITS
java/text/DecimalFormat DOUBLE_FRACTION_DIGITS
java/text/DecimalFormat MAXIMUM_INTEGER_DIGITS
java/text/DecimalFormat MAXIMUM_FRACTION_DIGITS
java/text/DecimalFormat serialVersionUID
java/text/DecimalFormat cachedLocaleData
java/text/DecimalFormat $assertionsDisabled
java/text/DecimalFormat <init>()V
java/text/DecimalFormat <init>(Ljava/lang/String;)V
java/text/DecimalFormat <init>(Ljava/lang/String;Ljava/text/DecimalFormatSymbols;)V
java/text/DecimalFormat
    format(Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DecimalFormat format(DLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
    format(DLjava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;)Ljava/lang/StringBuffer;
java/text/DecimalFormat format(JLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
    format(JLjava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
    format(Ljava/math/BigDecimal;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
    format(Ljava/math/BigDecimal;Ljava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
    format(Ljava/math/BigInteger;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DecimalFormat
    format(Ljava/math/BigInteger;Ljava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;Z)Ljava/lang/StringBuffer;
java/text/DecimalFormat formatToCharacterIterator(Ljava/lang/Object;)Ljava/text/AttributedCharacterIterator;
java/text/DecimalFormat
    subformat(Ljava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;ZZIII)Ljava/lang/StringBuffer;
java/text/DecimalFormat
    append(Ljava/lang/StringBuffer;Ljava/lang/String;Ljava/text/Format$FieldDelegate;[Ljava/text/FieldPosition;Ljava
/text/Format$Field;)V
java/text/DecimalFormat parse(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Number;
java/text/DecimalFormat

```

```

getBigIntegerMultiplier()Ljava/math/BigInteger;
java/text/DecimalFormat getBigDecimalMultiplier()Ljava/math/BigDecimal;
java/text/DecimalFormat
subparse(Ljava/lang/String;Ljava/text/ParsePosition;Ljava/lang/String;Ljava/lang/String;Ljava/text/DigitList;Z[Z]Z
java/text/DecimalFormat getDecimalFormatSymbols()Ljava/text/DecimalFormatSymbols;
java/text/DecimalFormat setDecimalFormatSymbols(Ljava/text/DecimalFormatSymbols;)V
java/text/DecimalFormat getPositivePrefix()Ljava/lang/String;
java/text/DecimalFormat setPositivePrefix(Ljava/lang/String;)V
java/text/DecimalFormat getPositivePrefixFieldPositions()[Ljava/text/FieldPosition;
java/text/DecimalFormat getNegativePrefix()Ljava/lang/String;
java/text/DecimalFormat setNegativePrefix(Ljava/lang/String;)V
java/text/DecimalFormat getNegativePrefixFieldPositions()[Ljava/text/FieldPosition;
java/text/DecimalFormat getPositiveSuffix()Ljava/lang/String;
java/text/DecimalFormat
    setPositiveSuffix(Ljava/lang/String;)V
java/text/DecimalFormat getPositiveSuffixFieldPositions()[Ljava/text/FieldPosition;
java/text/DecimalFormat getNegativeSuffix()Ljava/lang/String;
java/text/DecimalFormat setNegativeSuffix(Ljava/lang/String;)V
java/text/DecimalFormat getNegativeSuffixFieldPositions()[Ljava/text/FieldPosition;
java/text/DecimalFormat getMultiplier()I
java/text/DecimalFormat setMultiplier(I)V
java/text/DecimalFormat getGroupingSize()I
java/text/DecimalFormat setGroupingSize(I)V
java/text/DecimalFormat isDecimalSeparatorAlwaysShown()Z
java/text/DecimalFormat setDecimalSeparatorAlwaysShown(Z)V
java/text/DecimalFormat isParseBigDecimal()Z
java/text/DecimalFormat setParseBigDecimal(Z)V
java/text/DecimalFormat clone()Ljava/lang/Object;
java/text/DecimalFormat equals(Ljava/lang/Object;)Z
java/text/DecimalFormat hashCode()I
java/text/DecimalFormat toPattern()Ljava/lang/String;
java/text/DecimalFormat toLocalizedPattern(Ljava/lang/String;
java/text/DecimalFormat expandAffixes()V
java/text/DecimalFormat
    expandAffix(Ljava/lang/String;Ljava/lang/StringBuffer;)Ljava/lang/String;
java/text/DecimalFormat expandAffix(Ljava/lang/String;)[Ljava/text/FieldPosition;
java/text/DecimalFormat appendAffix(Ljava/lang/StringBuffer;Ljava/lang/String;Ljava/lang/String;Z)V
java/text/DecimalFormat appendAffix(Ljava/lang/StringBuffer;Ljava/lang/String;Z)V
java/text/DecimalFormat toPattern(Z)Ljava/lang/String;
java/text/DecimalFormat applyPattern(Ljava/lang/String;)V
java/text/DecimalFormat applyLocalizedPattern(Ljava/lang/String;)V
java/text/DecimalFormat applyPattern(Ljava/lang/String;Z)V
java/text/DecimalFormat setMaximumIntegerDigits(I)V
java/text/DecimalFormat setMinimumIntegerDigits(I)V
java/text/DecimalFormat setMaximumFractionDigits(I)V
java/text/DecimalFormat setMinimumFractionDigits(I)V
java/text/DecimalFormat getMaximumIntegerDigits()I
java/text/DecimalFormat getMinimumIntegerDigits()I

```

```

java/text/DecimalFormat getMaximumFractionDigits()I
java/text/DecimalFormat
    getMinimumFractionDigits()I
java/text/DecimalFormat getCurrency()Ljava/util/Currency;
java/text/DecimalFormat setCurrency(Ljava/util/Currency;)V
java/text/DecimalFormat adjustForCurrencyDefaultFractionDigits()V
java/text/DecimalFormat readObject(Ljava/io/ObjectInputStream;)V
java/text/DecimalFormat <clinit>()V
class java/util/CurrencyData java/lang/Object
java/util/CurrencyData mainTable
java/util/CurrencyData scCutOverTimes
java/util/CurrencyData scOldCurrencies
java/util/CurrencyData scNewCurrencies
java/util/CurrencyData scOldCurrenciesDFD
java/util/CurrencyData scNewCurrenciesDFD
java/util/CurrencyData otherCurrencies
java/util/CurrencyData otherCurrenciesDFD
java/util/CurrencyData <init>()V
java/util/CurrencyData <clinit>()V
class java/util/Currency$1 java/lang/Object
java/util/Currency$1 <init>()V
java/util/Currency$1 run()Ljava/lang/Object;
class java/util/Currency java/lang/Object
java/util/Currency serialVersionUID
java/util/Currency currencyCode
java/util/Currency defaultFractionDigits
java/util/Currency
    instances
java/util/Currency mainTable
java/util/Currency scCutOverTimes
java/util/Currency scOldCurrencies
java/util/Currency scNewCurrencies
java/util/Currency scOldCurrenciesDFD
java/util/Currency scNewCurrenciesDFD
java/util/Currency otherCurrencies
java/util/Currency otherCurrenciesDFD
java/util/Currency A_TO_Z
java/util/Currency INVALID_COUNTRY_ENTRY
java/util/Currency COUNTRY_WITHOUT_CURRENCY_ENTRY
java/util/Currency SIMPLE_CASE_COUNTRY_MASK
java/util/Currency SIMPLE_CASE_COUNTRY_FINAL_CHAR_MASK
java/util/Currency SIMPLE_CASE_COUNTRY_DEFAULT_DIGITS_MASK
java/util/Currency SIMPLE_CASE_COUNTRY_DEFAULT_DIGITS_SHIFT
java/util/Currency SPECIAL_CASE_COUNTRY_MASK
java/util/Currency SPECIAL_CASE_COUNTRY_INDEX_MASK
java/util/Currency SPECIAL_CASE_COUNTRY_INDEX_DELTA
java/util/Currency COUNTRY_TYPE_MASK
java/util/Currency <init>(Ljava/lang/String;)V

```

```

java/util/Currency getInstance(Ljava/lang/String;)Ljava/util/Currency;
java/util/Currency getInstance(Ljava/lang/String;I)Ljava/util/Currency;
java/util/Currency
    getInstance(Ljava/util/Locale;)Ljava/util/Currency;
java/util/Currency getCurrencyCode()Ljava/lang/String;
java/util/Currency getSymbol()Ljava/lang/String;
java/util/Currency getSymbol(Ljava/util/Locale;)Ljava/lang/String;
java/util/Currency getDefaultFractionDigits()I
java/util/Currency toString()Ljava/lang/String;
java/util/Currency readResolve()Ljava/lang/Object;
java/util/Currency getMainTableEntry(CC)I
java/util/Currency <clinit>()V
class java/text/DecimalFormatSymbols java/lang/Object
java/text/DecimalFormatSymbols zeroDigit
java/text/DecimalFormatSymbols groupingSeparator
java/text/DecimalFormatSymbols decimalSeparator
java/text/DecimalFormatSymbols perMill
java/text/DecimalFormatSymbols percent
java/text/DecimalFormatSymbols digit
java/text/DecimalFormatSymbols patternSeparator
java/text/DecimalFormatSymbols infinity
java/text/DecimalFormatSymbols NaN
java/text/DecimalFormatSymbols minusSign
java/text/DecimalFormatSymbols
    currencySymbol
java/text/DecimalFormatSymbols intlCurrencySymbol
java/text/DecimalFormatSymbols monetarySeparator
java/text/DecimalFormatSymbols exponential
java/text/DecimalFormatSymbols locale
java/text/DecimalFormatSymbols currency
java/text/DecimalFormatSymbols serialVersionUID
java/text/DecimalFormatSymbols currentSerialVersion
java/text/DecimalFormatSymbols serialVersionOnStream
java/text/DecimalFormatSymbols cachedLocaleData
java/text/DecimalFormatSymbols <init>()V
java/text/DecimalFormatSymbols <init>(Ljava/util/Locale;)V
java/text/DecimalFormatSymbols getZeroDigit()C
java/text/DecimalFormatSymbols setZeroDigit(C)V
java/text/DecimalFormatSymbols getGroupingSeparator()C
java/text/DecimalFormatSymbols setGroupingSeparator(C)V
java/text/DecimalFormatSymbols getDecimalSeparator()C
java/text/DecimalFormatSymbols setDecimalSeparator(C)V
java/text/DecimalFormatSymbols getPerMill()C
java/text/DecimalFormatSymbols setPerMill(C)V
java/text/DecimalFormatSymbols getPercent()C
java/text/DecimalFormatSymbols
    setPercent(C)V
java/text/DecimalFormatSymbols getDigit()C

```

```

java/text/DecimalFormatSymbols setDigit(C)V
java/text/DecimalFormatSymbols getPatternSeparator()C
java/text/DecimalFormatSymbols setPatternSeparator(C)V
java/text/DecimalFormatSymbols getInfinity()Ljava/lang/String;
java/text/DecimalFormatSymbols setInfinity(Ljava/lang/String;)V
java/text/DecimalFormatSymbols getNaN()Ljava/lang/String;
java/text/DecimalFormatSymbols setNaN(Ljava/lang/String;)V
java/text/DecimalFormatSymbols getMinusSign()C
java/text/DecimalFormatSymbols setMinusSign(C)V
java/text/DecimalFormatSymbols getCurrencySymbol()Ljava/lang/String;
java/text/DecimalFormatSymbols setCurrencySymbol(Ljava/lang/String;)V
java/text/DecimalFormatSymbols getInternationalCurrencySymbol()Ljava/lang/String;
java/text/DecimalFormatSymbols setInternationalCurrencySymbol(Ljava/lang/String;)V
java/text/DecimalFormatSymbols getCurrency()Ljava/util/Currency;
java/text/DecimalFormatSymbols setCurrency(Ljava/util/Currency;)V
java/text/DecimalFormatSymbols
    getMonetaryDecimalSeparator()C
java/text/DecimalFormatSymbols setMonetaryDecimalSeparator(C)V
java/text/DecimalFormatSymbols getExponentialSymbol()C
java/text/DecimalFormatSymbols setExponentialSymbol(C)V
java/text/DecimalFormatSymbols clone()Ljava/lang/Object;
java/text/DecimalFormatSymbols equals(Ljava/lang/Object;)Z
java/text/DecimalFormatSymbols hashCode()I
java/text/DecimalFormatSymbols initialize(Ljava/util/Locale;)V
java/text/DecimalFormatSymbols readObject(Ljava/io/ObjectInputStream;)V
java/text/DecimalFormatSymbols <clinit>()V
class java/text/NumberFormat java/text/Format
java/text/NumberFormat INTEGER_FIELD
java/text/NumberFormat FRACTION_FIELD
java/text/NumberFormat cachedLocaleData
java/text/NumberFormat NUMBERSTYLE
java/text/NumberFormat CURRENCYSTYLE
java/text/NumberFormat PERCENTSTYLE
java/text/NumberFormat SCIENTIFICSTYLE
java/text/NumberFormat INTEGERSTYLE
java/text/NumberFormat groupingUsed
java/text/NumberFormat maxIntegerDigits
java/text/NumberFormat
    minIntegerDigits
java/text/NumberFormat maxFractionDigits
java/text/NumberFormat minFractionDigits
java/text/NumberFormat parseIntegerOnly
java/text/NumberFormat maximumIntegerDigits
java/text/NumberFormat minimumIntegerDigits
java/text/NumberFormat maximumFractionDigits
java/text/NumberFormat minimumFractionDigits
java/text/NumberFormat currentSerialVersion
java/text/NumberFormat serialVersionOnStream

```

```

java/text/NumberFormat serialVersionUID
java/text/NumberFormat <init>()V
java/text/NumberFormat
format(Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/NumberFormat parseObject(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Object;
java/text/NumberFormat format(D)Ljava/lang/String;
java/text/NumberFormat format(J)Ljava/lang/String;
java/text/NumberFormat format(DLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/NumberFormat format(JLjava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/NumberFormat
    parse(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Number;
java/text/NumberFormat parse(Ljava/lang/String;)Ljava/lang/Number;
java/text/NumberFormat isParseIntegerOnly()Z
java/text/NumberFormat setParseIntegerOnly(Z)V
java/text/NumberFormat getInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat getNumberInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getNumberInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat getIntegerInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getIntegerInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat getCurrencyInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getCurrencyInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat getPercentInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getPercentInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat
    getScientificInstance()Ljava/text/NumberFormat;
java/text/NumberFormat getScientificInstance(Ljava/util/Locale;)Ljava/text/NumberFormat;
java/text/NumberFormat getAvailableLocales()[Ljava/util/Locale;
java/text/NumberFormat hashCode()I
java/text/NumberFormat equals(Ljava/lang/Object;)Z
java/text/NumberFormat clone()Ljava/lang/Object;
java/text/NumberFormat isGroupingUsed()Z
java/text/NumberFormat setGroupingUsed(Z)V
java/text/NumberFormat getMaximumIntegerDigits()I
java/text/NumberFormat setMaximumIntegerDigits(I)V
java/text/NumberFormat getMinimumIntegerDigits()I
java/text/NumberFormat setMinimumIntegerDigits(I)V
java/text/NumberFormat getMaximumFractionDigits()I
java/text/NumberFormat setMaximumFractionDigits(I)V
java/text/NumberFormat getMinimumFractionDigits()I
java/text/NumberFormat setMinimumFractionDigits(I)V
java/text/NumberFormat getCurrency()Ljava/util/Currency;
java/text/NumberFormat setCurrency(Ljava/util/Currency;)V
java/text/NumberFormat
    getInstance(Ljava/util/Locale;I)Ljava/text/NumberFormat;
java/text/NumberFormat readObject(Ljava/io/ObjectInputStream;)V
java/text/NumberFormat writeObject(Ljava/io/ObjectOutputStream;)V
java/text/NumberFormat <clinit>()V

```



```

class java/util/GregorianCalendar java/util/Calendar
java/util/GregorianCalendar BC
java/util/GregorianCalendar BCE
java/util/GregorianCalendar AD
java/util/GregorianCalendar CE
java/util/GregorianCalendar EPOCH_OFFSET
java/util/GregorianCalendar EPOCH_YEAR
java/util/GregorianCalendar MONTH_LENGTH
java/util/GregorianCalendar LEAP_MONTH_LENGTH
java/util/GregorianCalendar ONE_SECOND
java/util/GregorianCalendar ONE_MINUTE
java/util/GregorianCalendar ONE_HOUR
java/util/GregorianCalendar ONE_DAY
java/util/GregorianCalendar ONE_WEEK
java/util/GregorianCalendar MIN_VALUES
java/util/GregorianCalendar LEAST_MAX_VALUES
java/util/GregorianCalendar MAX_VALUES
java/util/GregorianCalendar serialVersionUID
java/util/GregorianCalendar gcal
java/util/GregorianCalendar
    jcal
java/util/GregorianCalendar jeras
java/util/GregorianCalendar DEFAULT_GREGORIAN_CUTOVER
java/util/GregorianCalendar gregorianCutover
java/util/GregorianCalendar gregorianCutoverDate
java/util/GregorianCalendar gregorianCutoverYear
java/util/GregorianCalendar gregorianCutoverYearJulian
java/util/GregorianCalendar gdate
java/util/GregorianCalendar cdate
java/util/GregorianCalendar calsys
java/util/GregorianCalendar zoneOffsets
java/util/GregorianCalendar originalFields
java/util/GregorianCalendar cachedFixedDate
java/util/GregorianCalendar $assertionsDisabled
java/util/GregorianCalendar <init>()V
java/util/GregorianCalendar <init>(Ljava/util/TimeZone;)V
java/util/GregorianCalendar <init>(Ljava/util/Locale;)V
java/util/GregorianCalendar <init>(Ljava/util/TimeZone;Ljava/util/Locale;)V
java/util/GregorianCalendar <init>(III)V
java/util/GregorianCalendar <init>(IIII)V
java/util/GregorianCalendar <init>(IIIII)V
java/util/GregorianCalendar <init>(IIIIII)V
java/util/GregorianCalendar
    setGregorianChange(Ljava/util/Date;)V
java/util/GregorianCalendar setGregorianChange(J)V
java/util/GregorianCalendar getGregorianChange()Ljava/util/Date;
java/util/GregorianCalendar isLeapYear(I)Z
java/util/GregorianCalendar equals(Ljava/lang/Object;)Z

```

```

java/util/GregorianCalendar hashCode()I
java/util/GregorianCalendar add(II)V
java/util/GregorianCalendar roll(IZ)V
java/util/GregorianCalendar roll(II)V
java/util/GregorianCalendar getMinimum(I)I
java/util/GregorianCalendar getMaximum(I)I
java/util/GregorianCalendar getGreatestMinimum(I)I
java/util/GregorianCalendar getLeastMaximum(I)I
java/util/GregorianCalendar getActualMinimum(I)I
java/util/GregorianCalendar getActualMaximum(I)I
java/util/GregorianCalendar getYearOffsetInMillis()J
java/util/GregorianCalendar clone()Ljava/lang/Object;
java/util/GregorianCalendar getTimeZone()Ljava/util/TimeZone;
java/util/GregorianCalendar setTimeZone(Ljava/util/TimeZone;)V
java/util/GregorianCalendar computeFields()V
java/util/GregorianCalendar
    computeFields(II)I
java/util/GregorianCalendar getWeekNumber(JJ)I
java/util/GregorianCalendar computeTime()V
java/util/GregorianCalendar getFixedDate(Lsun/util/calendar/BaseCalendar;II)J
java/util/GregorianCalendar getNormalizedCalendar()Ljava/util/GregorianCalendar;
java/util/GregorianCalendar getJulianCalendarSystem()Lsun/util/calendar/BaseCalendar;
java/util/GregorianCalendar getCutoverCalendarSystem()Lsun/util/calendar/BaseCalendar;
java/util/GregorianCalendar isCutoverYear(I)Z
java/util/GregorianCalendar getFixedDateJan1(Lsun/util/calendar/BaseCalendar$Date;J)J
java/util/GregorianCalendar getFixedDateMonth1(Lsun/util/calendar/BaseCalendar$Date;J)J
java/util/GregorianCalendar getCalendarDate(J)Lsun/util/calendar/BaseCalendar$Date;
java/util/GregorianCalendar getGregorianCutoverDate()Lsun/util/calendar/BaseCalendar$Date;
java/util/GregorianCalendar getLastJulianDate()Lsun/util/calendar/BaseCalendar$Date;
java/util/GregorianCalendar monthLength(II)I
java/util/GregorianCalendar monthLength(I)I
java/util/GregorianCalendar
    actualMonthLength()I
java/util/GregorianCalendar yearLength(I)I
java/util/GregorianCalendar yearLength(I)I
java/util/GregorianCalendar pinDayOfMonth()V
java/util/GregorianCalendar getCurrentFixedDate()J
java/util/GregorianCalendar getRolledValue(III)I
java/util/GregorianCalendar internalGetEra()I
java/util/GregorianCalendar readObject(Ljava/io/ObjectInputStream;)V
java/util/GregorianCalendar <clinit>()V
class java/util/Calendar java/lang/Object
java/util/Calendar ERA
java/util/Calendar YEAR
java/util/Calendar MONTH
java/util/Calendar WEEK_OF_YEAR
java/util/Calendar WEEK_OF_MONTH
java/util/Calendar DATE

```

java/util/Calendar DAY_OF_MONTH
java/util/Calendar DAY_OF_YEAR
java/util/Calendar DAY_OF_WEEK
java/util/Calendar DAY_OF_WEEK_IN_MONTH
java/util/Calendar AM_PM
java/util/Calendar HOUR
java/util/Calendar HOUR_OF_DAY
java/util/Calendar MINUTE
java/util/Calendar SECOND
java/util/Calendar MILLISECOND
java/util/Calendar ZONE_OFFSET
java/util/Calendar
DST_OFFSET
java/util/Calendar FIELD_COUNT
java/util/Calendar SUNDAY
java/util/Calendar MONDAY
java/util/Calendar TUESDAY
java/util/Calendar WEDNESDAY
java/util/Calendar THURSDAY
java/util/Calendar FRIDAY
java/util/Calendar SATURDAY
java/util/Calendar JANUARY
java/util/Calendar FEBRUARY
java/util/Calendar MARCH
java/util/Calendar APRIL
java/util/Calendar MAY
java/util/Calendar JUNE
java/util/Calendar JULY
java/util/Calendar AUGUST
java/util/Calendar SEPTEMBER
java/util/Calendar OCTOBER
java/util/Calendar NOVEMBER
java/util/Calendar DECEMBER
java/util/Calendar UNDECIMBER
java/util/Calendar AM
java/util/Calendar PM
java/util/Calendar fields
java/util/Calendar isSet
java/util/Calendar stamp
java/util/Calendar time
java/util/Calendar isTimeSet
java/util/Calendar areFieldsSet
java/util/Calendar areAllFieldsSet
java/util/Calendar lenient
java/util/Calendar zone
java/util/Calendar sharedZone
java/util/Calendar firstDayOfWeek
java/util/Calendar minimalDaysInFirstWeek

```

java/util/Calendar cachedLocaleData
java/util/Calendar
    UNSET
java/util/Calendar COMPUTED
java/util/Calendar MINIMUM_USER_STAMP
java/util/Calendar ALL_FIELDS
java/util/Calendar nextStamp
java/util/Calendar currentSerialVersion
java/util/Calendar serialVersionOnStream
java/util/Calendar serialVersionUID
java/util/Calendar ERA_MASK
java/util/Calendar YEAR_MASK
java/util/Calendar MONTH_MASK
java/util/Calendar WEEK_OF_YEAR_MASK
java/util/Calendar WEEK_OF_MONTH_MASK
java/util/Calendar DAY_OF_MONTH_MASK
java/util/Calendar DATE_MASK
java/util/Calendar DAY_OF_YEAR_MASK
java/util/Calendar DAY_OF_WEEK_MASK
java/util/Calendar DAY_OF_WEEK_IN_MONTH_MASK
java/util/Calendar AM_PM_MASK
java/util/Calendar HOUR_MASK
java/util/Calendar HOUR_OF_DAY_MASK
java/util/Calendar MINUTE_MASK
java/util/Calendar SECOND_MASK
java/util/Calendar MILLISECOND_MASK
java/util/Calendar ZONE_OFFSET_MASK
java/util/Calendar DST_OFFSET_MASK
java/util/Calendar FIELD_NAME
java/util/Calendar $assertionsDisabled
java/util/Calendar <init>()V
java/util/Calendar
    <init>(Ljava/util/TimeZone;Ljava/util/Locale;)V
java/util/Calendar getInstance()Ljava/util/Calendar;
java/util/Calendar getInstance(Ljava/util/TimeZone;)Ljava/util/Calendar;
java/util/Calendar getInstance(Ljava/util/Locale;)Ljava/util/Calendar;
java/util/Calendar getInstance(Ljava/util/TimeZone;Ljava/util/Locale;)Ljava/util/Calendar;
java/util/Calendar createCalendar(Ljava/util/TimeZone;Ljava/util/Locale;)Ljava/util/Calendar;
java/util/Calendar getAvailableLocales()[Ljava/util/Locale;
java/util/Calendar computeTime()V
java/util/Calendar computeFields()V
java/util/Calendar getTime()Ljava/util/Date;
java/util/Calendar setTime(Ljava/util/Date;)V
java/util/Calendar getTimeInMillis()J
java/util/Calendar setTimeInMillis(J)V
java/util/Calendar get(I)I
java/util/Calendar internalGet(I)I
java/util/Calendar internalSet(II)V

```

java/util/Calendar set(II)V
java/util/Calendar set(III)V
java/util/Calendar set(IIII)V
java/util/Calendar set(IIIII)V
java/util/Calendar clear()V
java/util/Calendar clear(I)V
java/util/Calendar
isSet(I)Z
java/util/Calendar complete()V
java/util/Calendar isExternallySet(I)Z
java/util/Calendar getSetStateFields()I
java/util/Calendar setFieldsComputed(I)V
java/util/Calendar setFieldsNormalized(I)V
java/util/Calendar isPartiallyNormalized()Z
java/util/Calendar isFullyNormalized()Z
java/util/Calendar setUnnormalized()V
java/util/Calendar isFieldSet(II)Z
java/util/Calendar selectFields()I
java/util/Calendar aggregateStamp(II)I
java/util/Calendar equals(Ljava/lang/Object;)Z
java/util/Calendar hashCode()I
java/util/Calendar before(Ljava/lang/Object;)Z
java/util/Calendar after(Ljava/lang/Object;)Z
java/util/Calendar compareTo(Ljava/util/Calendar;)I
java/util/Calendar add(II)V
java/util/Calendar roll(IZ)V
java/util/Calendar roll(II)V
java/util/Calendar setTimeZone(Ljava/util/TimeZone;)V
java/util/Calendar getTimeZone()Ljava/util/TimeZone;
java/util/Calendar getZone()Ljava/util/TimeZone;
java/util/Calendar setZoneShared(Z)V
java/util/Calendar setLenient(Z)V
java/util/Calendar
isLenient()Z
java/util/Calendar setFirstDayOfWeek(I)V
java/util/Calendar getFirstDayOfWeek()I
java/util/Calendar setMinimalDaysInFirstWeek(I)V
java/util/Calendar getMinimalDaysInFirstWeek()I
java/util/Calendar getMinimum(I)I
java/util/Calendar getMaximum(I)I
java/util/Calendar getGreatestMinimum(I)I
java/util/Calendar getLeastMaximum(I)I
java/util/Calendar getActualMinimum(I)I
java/util/Calendar getActualMaximum(I)I
java/util/Calendar clone()Ljava/lang/Object;
java/util/Calendar getFieldName(I)Ljava/lang/String;
java/util/Calendar toString()Ljava/lang/String;
java/util/Calendar appendValue(Ljava/lang/StringBuilder;Ljava/lang/String;ZJ)V

```

java/util/Calendar setWeekCountData(Ljava/util/Locale;)V
java/util/Calendar updateTime()V
java/util/Calendar compareTo(J)I
java/util/Calendar getMillisOf(Ljava/util/Calendar;)J
java/util/Calendar adjustStamp()V
java/util/Calendar invalidateWeekFields()V
java/util/Calendar writeObject(Ljava/io/ObjectOutputStream;)V
java/util/Calendar readObject(Ljava/io/ObjectInputStream;)V
java/util/Calendar
    compareTo(Ljava/lang/Object;)I
java/util/Calendar <clinit>()V
class java/text/DateFormat$Field java/text/Format$Field
java/text/DateFormat$Field serialVersionUID
java/text/DateFormat$Field instanceMap
java/text/DateFormat$Field calendarToFieldMapping
java/text/DateFormat$Field calendarField
java/text/DateFormat$Field ERA
java/text/DateFormat$Field YEAR
java/text/DateFormat$Field MONTH
java/text/DateFormat$Field DAY_OF_MONTH
java/text/DateFormat$Field HOUR_OF_DAY1
java/text/DateFormat$Field HOUR_OF_DAY0
java/text/DateFormat$Field MINUTE
java/text/DateFormat$Field SECOND
java/text/DateFormat$Field MILLISECOND
java/text/DateFormat$Field DAY_OF_WEEK
java/text/DateFormat$Field DAY_OF_YEAR
java/text/DateFormat$Field DAY_OF_WEEK_IN_MONTH
java/text/DateFormat$Field WEEK_OF_YEAR
java/text/DateFormat$Field WEEK_OF_MONTH
java/text/DateFormat$Field AM_PM
java/text/DateFormat$Field HOUR1
java/text/DateFormat$Field HOUR0
java/text/DateFormat$Field
    TIME_ZONE
java/text/DateFormat$Field ofCalendarField(I)Ljava/text/DateFormat$Field;
java/text/DateFormat$Field <init>(Ljava/lang/String;)V
java/text/DateFormat$Field getCalendarField()I
java/text/DateFormat$Field readResolve()Ljava/lang/Object;
java/text/DateFormat$Field <clinit>()V
class java/text/SimpleDateFormat java/text/DateFormat
java/text/SimpleDateFormat serialVersionUID
java/text/SimpleDateFormat currentSerialVersion
java/text/SimpleDateFormat serialVersionOnStream
java/text/SimpleDateFormat pattern
java/text/SimpleDateFormat compiledPattern
java/text/SimpleDateFormat TAG_QUOTE_ASCII_CHAR
java/text/SimpleDateFormat TAG_QUOTE_CHARS

```

```

java/text/SimpleDateFormat zeroDigit
java/text/SimpleDateFormat formatData
java/text/SimpleDateFormat defaultCenturyStart
java/text/SimpleDateFormat defaultCenturyStartYear
java/text/SimpleDateFormat millisPerHour
java/text/SimpleDateFormat millisPerMinute
java/text/SimpleDateFormat GMT
java/text/SimpleDateFormat cachedLocaleData
java/text/SimpleDateFormat
    cachedNumberFormatData
java/text/SimpleDateFormat PATTERN_INDEX_TO_CALENDAR_FIELD
java/text/SimpleDateFormat PATTERN_INDEX_TO_DATE_FORMAT_FIELD
java/text/SimpleDateFormat PATTERN_INDEX_TO_DATE_FORMAT_FIELD_ID
java/text/SimpleDateFormat <init>()V
java/text/SimpleDateFormat <init>(Ljava/lang/String;)V
java/text/SimpleDateFormat <init>(Ljava/lang/String;Ljava/util/Locale;)V
java/text/SimpleDateFormat <init>(Ljava/lang/String;Ljava/text/DateFormatSymbols;)V
java/text/SimpleDateFormat <init>(IIILjava/util/Locale;)V
java/text/SimpleDateFormat initialize(Ljava/util/Locale;)V
java/text/SimpleDateFormat compile(Ljava/lang/String;)[C
java/text/SimpleDateFormat encode(IIILjava/lang/StringBuilder;)V
java/text/SimpleDateFormat initializeDefaultCentury()V
java/text/SimpleDateFormat parseAmbiguousDatesAsAfter(Ljava/util/Date;)V
java/text/SimpleDateFormat set2DigitYearStart(Ljava/util/Date;)V
java/text/SimpleDateFormat get2DigitYearStart()Ljava/util/Date;
java/text/SimpleDateFormat
    format(Ljava/util/Date;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/SimpleDateFormat
    format(Ljava/util/Date;Ljava/lang/StringBuffer;Ljava/text/Format$FieldDelegate;)Ljava/lang/StringBuffer;
java/text/SimpleDateFormat formatToCharacterIterator(Ljava/lang/Object;)Ljava/text/AttributedCharacterIterator;
java/text/SimpleDateFormat subFormat(IIILjava/text/Format$FieldDelegate;Ljava/lang/StringBuffer;)V
java/text/SimpleDateFormat zeroPaddingNumber(IIILjava/lang/StringBuffer;)V
java/text/SimpleDateFormat parse(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/util/Date;
java/text/SimpleDateFormat matchString(Ljava/lang/String;II[Ljava/lang/String;)I
java/text/SimpleDateFormat matchZoneString(Ljava/lang/String;II)I
java/text/SimpleDateFormat matchDSTString(Ljava/lang/String;III)Z
java/text/SimpleDateFormat subParseZoneString(Ljava/lang/String;I)I
java/text/SimpleDateFormat subParse(Ljava/lang/String;IIIZ[Ljava/text/ParsePosition;)I
java/text/SimpleDateFormat
    translatePattern(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/text/SimpleDateFormat
    toPattern()Ljava/lang/String;
java/text/SimpleDateFormat toLocalizedPattern()Ljava/lang/String;
java/text/SimpleDateFormat applyPattern(Ljava/lang/String;)V
java/text/SimpleDateFormat applyLocalizedPattern(Ljava/lang/String;)V
java/text/SimpleDateFormat getDateFormatSymbols()Ljava/text/DateFormatSymbols;
java/text/SimpleDateFormat setDateFormatSymbols(Ljava/text/DateFormatSymbols;)V
java/text/SimpleDateFormat clone()Ljava/lang/Object;

```

```

java/text/SimpleDateFormat hashCode()I
java/text/SimpleDateFormat equals(Ljava/lang/Object;)Z
java/text/SimpleDateFormat readObject(Ljava/io/ObjectInputStream;)V
java/text/SimpleDateFormat <clinit>()V
class java/text/DateFormat java/text/Format
java/text/DateFormat calendar
java/text/DateFormat numberFormat
java/text/DateFormat ERA_FIELD
java/text/DateFormat YEAR_FIELD
java/text/DateFormat MONTH_FIELD
java/text/DateFormat DATE_FIELD
java/text/DateFormat
    HOUR_OF_DAY1_FIELD
java/text/DateFormat HOUR_OF_DAY0_FIELD
java/text/DateFormat MINUTE_FIELD
java/text/DateFormat SECOND_FIELD
java/text/DateFormat MILLISECOND_FIELD
java/text/DateFormat DAY_OF_WEEK_FIELD
java/text/DateFormat DAY_OF_YEAR_FIELD
java/text/DateFormat DAY_OF_WEEK_IN_MONTH_FIELD
java/text/DateFormat WEEK_OF_YEAR_FIELD
java/text/DateFormat WEEK_OF_MONTH_FIELD
java/text/DateFormat AM_PM_FIELD
java/text/DateFormat HOUR1_FIELD
java/text/DateFormat HOUR0_FIELD
java/text/DateFormat TIMEZONE_FIELD
java/text/DateFormat serialVersionUID
java/text/DateFormat FULL
java/text/DateFormat LONG
java/text/DateFormat MEDIUM
java/text/DateFormat SHORT
java/text/DateFormat DEFAULT
java/text/DateFormat
    format(Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DateFormat
    format(Ljava/util/Date;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/DateFormat format(Ljava/util/Date;)Ljava/lang/String;
java/text/DateFormat
    parse(Ljava/lang/String;)Ljava/util/Date;
java/text/DateFormat parse(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/util/Date;
java/text/DateFormat parseObject(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Object;
java/text/DateFormat getTimeInstance(Ljava/text/DateFormat;
java/text/DateFormat getTimeInstance(I)Ljava/text/DateFormat;
java/text/DateFormat getTimeInstance(ILjava/util/Locale;)Ljava/text/DateFormat;
java/text/DateFormat getDateInstance(Ljava/text/DateFormat;
java/text/DateFormat getDateInstance(I)Ljava/text/DateFormat;
java/text/DateFormat getDateInstance(ILjava/util/Locale;)Ljava/text/DateFormat;
java/text/DateFormat getDateTimeInstance(Ljava/text/DateFormat;

```



```

java/text/DateFormat getDateTimeInstance(II)Ljava/text/DateFormat;
java/text/DateFormat getDateTimeInstance(III)Ljava/util/Locale;)Ljava/text/DateFormat;
java/text/DateFormat getInstance()Ljava/text/DateFormat;
java/text/DateFormat getAvailableLocales()[Ljava/util/Locale;
java/text/DateFormat
    setCalendar(Ljava/util/Calendar;)V
java/text/DateFormat getCalendar()Ljava/util/Calendar;
java/text/DateFormat setNumberFormat(Ljava/text/NumberFormat;)V
java/text/DateFormat getNumberFormat()Ljava/text/NumberFormat;
java/text/DateFormat setTimeZone(Ljava/util/TimeZone;)V
java/text/DateFormat getTimeZone()Ljava/util/TimeZone;
java/text/DateFormat setLenient(Z)V
java/text/DateFormat isLenient()Z
java/text/DateFormat hashCode()I
java/text/DateFormat equals(Ljava/lang/Object;)Z
java/text/DateFormat clone()Ljava/lang/Object;
java/text/DateFormat get(IIILjava/util/Locale;)Ljava/text/DateFormat;
java/text/DateFormat <init>()V
class java/net/URLConnection$1 java/lang/Object
java/net/URLConnection$1 map
java/net/URLConnection$1 <init>()V
java/net/URLConnection$1 getContentTypeFor(Ljava/lang/String;)Ljava/lang/String;
class java/net/FileNameMap java/lang/Object
java/net/FileNameMap getContentTypeFor(Ljava/lang/String;)Ljava/lang/String;
class java/lang/UnsatisfiedLinkError java/lang/LinkageError
java/lang/UnsatisfiedLinkError
    <init>()V
java/lang/UnsatisfiedLinkError <init>(Ljava/lang/String;)V
class java/net/SocketTimeoutException java/io/InterruptedIOException
java/net/SocketTimeoutException <init>(Ljava/lang/String;)V
java/net/SocketTimeoutException <init>()V
class java/io/InterruptedIOException java/io/IOException
java/io/InterruptedIOException bytesTransferred
java/io/InterruptedIOException <init>()V
java/io/InterruptedIOException <init>(Ljava/lang/String;)V
class java/net/SocketImplFactory java/lang/Object
java/net/SocketImplFactory createSocketImpl()Ljava/net/SocketImpl;
class java/nio/channels/SocketChannel java/nio/channels/spi/AbstractSelectableChannel
java/nio/channels/SocketChannel <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/SocketChannel open()Ljava/nio/channels/SocketChannel;
java/nio/channels/SocketChannel open(Ljava/net/SocketAddress;)Ljava/nio/channels/SocketChannel;
java/nio/channels/SocketChannel validOps()I
java/nio/channels/SocketChannel
    socket()Ljava/net/Socket;
java/nio/channels/SocketChannel isConnected()Z
java/nio/channels/SocketChannel isConnectionPending()Z
java/nio/channels/SocketChannel connect(Ljava/net/SocketAddress;)Z
java/nio/channels/SocketChannel finishConnect()Z

```

```

java/nio/channels/SocketChannel read(Ljava/nio/ByteBuffer;)I
java/nio/channels/SocketChannel read([Ljava/nio/ByteBuffer;II)J
java/nio/channels/SocketChannel read([Ljava/nio/ByteBuffer;)J
java/nio/channels/SocketChannel write(Ljava/nio/ByteBuffer;)I
java/nio/channels/SocketChannel write([Ljava/nio/ByteBuffer;II)J
java/nio/channels/SocketChannel write([Ljava/nio/ByteBuffer;)J
class java/nio/channels/spi/AbstractSelectableChannel java/nio/channels/SelectableChannel
java/nio/channels/spi/AbstractSelectableChannel provider
java/nio/channels/spi/AbstractSelectableChannel keys
java/nio/channels/spi/AbstractSelectableChannel keyCount
java/nio/channels/spi/AbstractSelectableChannel keyLock
java/nio/channels/spi/AbstractSelectableChannel regLock
java/nio/channels/spi/AbstractSelectableChannel
    blocking
java/nio/channels/spi/AbstractSelectableChannel <init>(Ljava/nio/channels/spi/SelectorProvider;)V
java/nio/channels/spi/AbstractSelectableChannel provider(Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/spi/AbstractSelectableChannel addKey(Ljava/nio/channels/SelectionKey;)V
java/nio/channels/spi/AbstractSelectableChannel
    findKey(Ljava/nio/channels/Selector;)Ljava/nio/channels/SelectionKey;
java/nio/channels/spi/AbstractSelectableChannel removeKey(Ljava/nio/channels/SelectionKey;)V
java/nio/channels/spi/AbstractSelectableChannel haveValidKeys()Z
java/nio/channels/spi/AbstractSelectableChannel isRegistered()Z
java/nio/channels/spi/AbstractSelectableChannel
    keyFor(Ljava/nio/channels/Selector;)Ljava/nio/channels/SelectionKey;
java/nio/channels/spi/AbstractSelectableChannel
    register(Ljava/nio/channels/Selector;ILjava/lang/Object;)Ljava/nio/channels/SelectionKey;
java/nio/channels/spi/AbstractSelectableChannel implCloseChannel()V
java/nio/channels/spi/AbstractSelectableChannel
    implCloseSelectableChannel()V
java/nio/channels/spi/AbstractSelectableChannel isBlocking()Z
java/nio/channels/spi/AbstractSelectableChannel blockingLock()Ljava/lang/Object;
java/nio/channels/spi/AbstractSelectableChannel configureBlocking(Z)Ljava/nio/channels/SelectableChannel;
java/nio/channels/spi/AbstractSelectableChannel implConfigureBlocking(Z)V
class java/nio/channels/SelectableChannel java/nio/channels/spi/AbstractInterruptibleChannel
java/nio/channels/SelectableChannel <init>()V
java/nio/channels/SelectableChannel provider(Ljava/nio/channels/spi/SelectorProvider;
java/nio/channels/SelectableChannel validOps()I
java/nio/channels/SelectableChannel isRegistered()Z
java/nio/channels/SelectableChannel keyFor(Ljava/nio/channels/Selector;)Ljava/nio/channels/SelectionKey;
java/nio/channels/SelectableChannel
    register(Ljava/nio/channels/Selector;ILjava/lang/Object;)Ljava/nio/channels/SelectionKey;
java/nio/channels/SelectableChannel
    register(Ljava/nio/channels/Selector;I)Ljava/nio/channels/SelectionKey;
java/nio/channels/SelectableChannel configureBlocking(Z)Ljava/nio/channels/SelectableChannel;
java/nio/channels/SelectableChannel isBlocking()Z
java/nio/channels/SelectableChannel blockingLock()Ljava/lang/Object;
class java/net/UnknownHostException java/io/IOException
java/net/UnknownHostException <init>(Ljava/lang/String;)V

```

```

java/net/UnknownHostException <init>()V
class java/io/UnsupportedEncodingException java/io/IOException
java/io/UnsupportedEncodingException <init>()V
java/io/UnsupportedEncodingException <init>(Ljava/lang/String;)V
class java/io/StringWriter java/io/Writer
java/io/StringWriter buf
java/io/StringWriter <init>()V
java/io/StringWriter <init>(I)V
java/io/StringWriter write(I)V
java/io/StringWriter write([CII)V
java/io/StringWriter write(Ljava/lang/String;)V
java/io/StringWriter write(Ljava/lang/String;II)V
java/io/StringWriter append(Ljava/lang/CharSequence;)Ljava/io/StringWriter;
java/io/StringWriter
    append(Ljava/lang/CharSequence;II)Ljava/io/StringWriter;
java/io/StringWriter append(C)Ljava/io/StringWriter;
java/io/StringWriter toString()Ljava/lang/String;
java/io/StringWriter getBuffer()Ljava/lang/StringBuffer;
java/io/StringWriter flush()V
java/io/StringWriter close()V
java/io/StringWriter append(C)Ljava/io/Writer;
java/io/StringWriter append(Ljava/lang/CharSequence;II)Ljava/io/Writer;
java/io/StringWriter append(Ljava/lang/CharSequence;)Ljava/io/Writer;
java/io/StringWriter append(C)Ljava/lang/Appendable;
java/io/StringWriter append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/io/StringWriter append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class java/awt/LightweightDispatcher$2 java/lang/Object
java/awt/LightweightDispatcher$2 this$0
java/awt/LightweightDispatcher$2 <init>(Ljava/awt/LightweightDispatcher;)V
java/awt/LightweightDispatcher$2 run()Ljava/lang/Object;
class java/awt/Window$1DisposeAction java/lang/Object
java/awt/Window$1DisposeAction this$0
java/awt/Window$1DisposeAction
    <init>(Ljava/awt/Window;)V
java/awt/Window$1DisposeAction run()V
class java/awt/MenuBar java/awt/MenuComponent
java/awt/MenuBar menus
java/awt/MenuBar helpMenu
java/awt/MenuBar base
java/awt/MenuBar nameCounter
java/awt/MenuBar serialVersionUID
java/awt/MenuBar menuBarSerializedDataVersion
java/awt/MenuBar <init>()V
java/awt/MenuBar constructComponentName(Ljava/lang/String;
java/awt/MenuBar addNotify()V
java/awt/MenuBar removeNotify()V
java/awt/MenuBar getHelpMenu()Ljava/awt/Menu;
java/awt/MenuBar setHelpMenu(Ljava/awt/Menu;)V

```

```

java/awt/MenuBar add(Ljava/awt/Menu;)Ljava/awt/Menu;
java/awt/MenuBar remove(I)V
java/awt/MenuBar remove(Ljava/awt/MenuComponent;)V
java/awt/MenuBar getMenuCount()I
java/awt/MenuBar countMenus()I
java/awt/MenuBar getMenuCountImpl()I
java/awt/MenuBar getMenu(I)Ljava/awt/Menu;
java/awt/MenuBar getMenuImpl(I)Ljava/awt/Menu;
java/awt/MenuBar shortcuts(Ljava/util/Enumeration;
java/awt/MenuBar getShortcutMenuItem(Ljava/awt/MenuShortcut;)Ljava/awt/MenuItem;
java/awt/MenuBar
    handleShortcut(Ljava/awt/event/KeyEvent;)Z
java/awt/MenuBar deleteShortcut(Ljava/awt/MenuShortcut;)V
java/awt/MenuBar writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/MenuBar readObject(Ljava/io/ObjectInputStream;)V
java/awt/MenuBar initIDs()V
java/awt/MenuBar getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/MenuBar getAccessibleChildIndex(Ljava/awt/MenuComponent;)I
java/awt/MenuBar <clinit>()V
class java/awt/event/AdjustmentEvent java/awt/AWTEvent
java/awt/event/AdjustmentEvent ADJUSTMENT_FIRST
java/awt/event/AdjustmentEvent ADJUSTMENT_LAST
java/awt/event/AdjustmentEvent ADJUSTMENT_VALUE_CHANGED
java/awt/event/AdjustmentEvent UNIT_INCREMENT
java/awt/event/AdjustmentEvent UNIT_DECREMENT
java/awt/event/AdjustmentEvent BLOCK_DECREMENT
java/awt/event/AdjustmentEvent BLOCK_INCREMENT
java/awt/event/AdjustmentEvent TRACK
java/awt/event/AdjustmentEvent adjustable
java/awt/event/AdjustmentEvent value
java/awt/event/AdjustmentEvent
    adjustmentType
java/awt/event/AdjustmentEvent isAdjusting
java/awt/event/AdjustmentEvent serialVersionUID
java/awt/event/AdjustmentEvent <init>(Ljava/awt/Adjustable;III)V
java/awt/event/AdjustmentEvent <init>(Ljava/awt/Adjustable;IIIZ)V
java/awt/event/AdjustmentEvent getAdjustable()Ljava/awt/Adjustable;
java/awt/event/AdjustmentEvent getValue()I
java/awt/event/AdjustmentEvent getAdjustmentType()I
java/awt/event/AdjustmentEvent getValueIsAdjusting()Z
java/awt/event/AdjustmentEvent paramString(Ljava/lang/String;
class java/util/Hashtable$KeySet java/util/AbstractSet
java/util/Hashtable$KeySet this$0
java/util/Hashtable$KeySet <init>(Ljava/util/Hashtable;)V
java/util/Hashtable$KeySet iterator()Ljava/util/Iterator;
java/util/Hashtable$KeySet size()I
java/util/Hashtable$KeySet contains(Ljava/lang/Object;)Z
java/util/Hashtable$KeySet remove(Ljava/lang/Object;)Z

```

```

java/util/Hashtable$KeySet clear()V
java/util/Hashtable$KeySet <init>(Ljava/util/Hashtable;Ljava/util/Hashtable$1;)V
class java/applet/Applet
  java/awt/Panel
java/applet/Applet stub
java/applet/Applet serialVersionUID
java/applet/Applet accessibleContext
java/applet/Applet <init>()V
java/applet/Applet readObject(Ljava/io/ObjectInputStream;)V
java/applet/Applet setStub(Ljava/applet/AppletStub;)V
java/applet/Applet isActive()Z
java/applet/Applet getDocumentBase()Ljava/net/URL;
java/applet/Applet getCodeBase()Ljava/net/URL;
java/applet/Applet getParameter(Ljava/lang/String;)Ljava/lang/String;
java/applet/Applet getAppletContext()Ljava/applet/AppletContext;
java/applet/Applet resize(I)V
java/applet/Applet resize(Ljava/awt/Dimension;)V
java/applet/Applet showStatus(Ljava/lang/String;)V
java/applet/Applet getImage(Ljava/net/URL;)Ljava/awt/Image;
java/applet/Applet getImage(Ljava/net/URL;Ljava/lang/String;)Ljava/awt/Image;
java/applet/Applet newAudioClip(Ljava/net/URL;)Ljava/applet/AudioClip;
java/applet/Applet getAudioClip(Ljava/net/URL;)Ljava/applet/AudioClip;
java/applet/Applet getAudioClip(Ljava/net/URL;Ljava/lang/String;)Ljava/applet/AudioClip;
java/applet/Applet
  getAppletInfo()Ljava/lang/String;
java/applet/Applet getLocale()Ljava/util/Locale;
java/applet/Applet getParameterInfo()[Ljava/lang/String;
java/applet/Applet play(Ljava/net/URL;)V
java/applet/Applet play(Ljava/net/URL;Ljava/lang/String;)V
java/applet/Applet init()V
java/applet/Applet start()V
java/applet/Applet stop()V
java/applet/Applet destroy()V
java/applet/Applet getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
class java/awt/Panel java/awt/Container
java/awt/Panel base
java/awt/Panel nameCounter
java/awt/Panel serialVersionUID
java/awt/Panel <init>()V
java/awt/Panel <init>(Ljava/awt/LayoutManager;)V
java/awt/Panel constructComponentName()Ljava/lang/String;
java/awt/Panel addNotify()V
java/awt/Panel getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Panel <clinit>()V
class java/util/LinkedHashMap$KeyIterator java/util/LinkedHashMap$LinkedHashIterator
java/util/LinkedHashMap$KeyIterator this$0
java/util/LinkedHashMap$KeyIterator

```

```

<init>(Ljava/util/LinkedHashMap;)V
java/util/LinkedHashMap$KeyIterator next()Ljava/lang/Object;
java/util/LinkedHashMap$KeyIterator <init>(Ljava/util/LinkedHashMap;Ljava/util/LinkedHashMap$1;)V
class java/util/LinkedHashMap$LinkedHashIterator java/lang/Object
java/util/LinkedHashMap$LinkedHashIterator nextEntry
java/util/LinkedHashMap$LinkedHashIterator lastReturned
java/util/LinkedHashMap$LinkedHashIterator expectedModCount
java/util/LinkedHashMap$LinkedHashIterator this$0
java/util/LinkedHashMap$LinkedHashIterator <init>(Ljava/util/LinkedHashMap;)V
java/util/LinkedHashMap$LinkedHashIterator hasNext()Z
java/util/LinkedHashMap$LinkedHashIterator remove()V
java/util/LinkedHashMap$LinkedHashIterator nextEntry()Ljava/util/LinkedHashMap$Entry;
java/util/LinkedHashMap$LinkedHashIterator <init>(Ljava/util/LinkedHashMap;Ljava/util/LinkedHashMap$1;)V
class java/awt/datatransfer/ClipboardOwner java/lang/Object
java/awt/datatransfer/ClipboardOwner
lostOwnership(Ljava/awt/datatransfer/Clipboard;Ljava/awt/datatransfer/Transferable;)V
class
java/awt/event/ComponentAdapter java/lang/Object
java/awt/event/ComponentAdapter <init>()V
java/awt/event/ComponentAdapter componentResized(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentAdapter componentMoved(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentAdapter componentShown(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentAdapter componentHidden(Ljava/awt/event/ComponentEvent;)V
class java/awt/datatransfer/Transferable java/lang/Object
java/awt/datatransfer/Transferable getTransferDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/Transferable isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/datatransfer/Transferable getTransferData(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/Object;
class java/rmi/Remote java/lang/Object
class java/lang/StringCoding$CharsetSE java/lang/StringCoding$StringEncoder
java/lang/StringCoding$CharsetSE cs
java/lang/StringCoding$CharsetSE
ce
java/lang/StringCoding$CharsetSE <init>(Ljava/nio/charset/Charset;Ljava/lang/String;)V
java/lang/StringCoding$CharsetSE charsetName()Ljava/lang/String;
java/lang/StringCoding$CharsetSE encode([CII)[B
java/lang/StringCoding$CharsetSE
<init>(Ljava/nio/charset/Charset;Ljava/lang/String;Ljava/lang/StringCoding$1;)V
class java/lang/StringCoding$StringEncoder java/lang/Object
java/lang/StringCoding$StringEncoder requestedCharsetName
java/lang/StringCoding$StringEncoder <init>(Ljava/lang/String;)V
java/lang/StringCoding$StringEncoder requestedCharsetName()Ljava/lang/String;
java/lang/StringCoding$StringEncoder charsetName()Ljava/lang/String;
java/lang/StringCoding$StringEncoder encode([CII)[B
class java/awt/datatransfer/DataFlavor$1 java/lang/Object
java/awt/datatransfer/DataFlavor$1 <init>()V
java/awt/datatransfer/DataFlavor$1 run()Ljava/lang/Object;
class java/awt/datatransfer/DataFlavor java/lang/Object
java/awt/datatransfer/DataFlavor serialVersionUID

```

```

java/awt/datatransfer/DataFlavor
ioInputStreamClass
java/awt/datatransfer/DataFlavor stringFlavor
java/awt/datatransfer/DataFlavor imageFlavor
java/awt/datatransfer/DataFlavor plainTextFlavor
java/awt/datatransfer/DataFlavor javaSerializedObjectMimeType
java/awt/datatransfer/DataFlavor javaFileListFlavor
java/awt/datatransfer/DataFlavor javaJVMLocalObjectMimeType
java/awt/datatransfer/DataFlavor javaRemoteObjectMimeType
java/awt/datatransfer/DataFlavor textFlavorComparator
java/awt/datatransfer/DataFlavor atom
java/awt/datatransfer/DataFlavor mimeType
java/awt/datatransfer/DataFlavor humanPresentableName
java/awt/datatransfer/DataFlavor representationClass
java/awt/datatransfer/DataFlavor tryToLoadClass(Ljava/lang/String;Ljava/lang/ClassLoader;)Ljava/lang/Class;
java/awt/datatransfer/DataFlavor
createConstant(Ljava/lang/Class;Ljava/lang/String;)Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/DataFlavor
createConstant(Ljava/lang/String;Ljava/lang/String;)Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/DataFlavor
<init>()V
java/awt/datatransfer/DataFlavor
<init>(Ljava/lang/String;Ljava/lang/String;Ljava/awt/datatransfer/MimeTypeParameterList;Ljava/lang/Class;Ljava/l
ang/String;)V
java/awt/datatransfer/DataFlavor <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/awt/datatransfer/DataFlavor <init>(Ljava/lang/String;Ljava/lang/String;)V
java/awt/datatransfer/DataFlavor <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/ClassLoader;)V
java/awt/datatransfer/DataFlavor <init>(Ljava/lang/String;)V
java/awt/datatransfer/DataFlavor initialize(Ljava/lang/String;Ljava/lang/String;Ljava/lang/ClassLoader;)V
java/awt/datatransfer/DataFlavor toString(Ljava/lang/String;
java/awt/datatransfer/DataFlavor paramString(Ljava/lang/String;
java/awt/datatransfer/DataFlavor getTextPlainUnicodeFlavor()Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/DataFlavor
selectBestTextFlavor([Ljava/awt/datatransfer/DataFlavor;)Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/DataFlavor
getReaderForText(Ljava/awt/datatransfer/Transferable;)Ljava/io/Reader;
java/awt/datatransfer/DataFlavor getMimeType(Ljava/lang/String;
java/awt/datatransfer/DataFlavor getRepresentationClass()Ljava/lang/Class;
java/awt/datatransfer/DataFlavor getHumanPresentableName()Ljava/lang/String;
java/awt/datatransfer/DataFlavor getPrimaryType()Ljava/lang/String;
java/awt/datatransfer/DataFlavor getSubType()Ljava/lang/String;
java/awt/datatransfer/DataFlavor getParameter(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/DataFlavor setHumanPresentableName(Ljava/lang/String;)V
java/awt/datatransfer/DataFlavor equals(Ljava/lang/Object;)Z
java/awt/datatransfer/DataFlavor equals(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/datatransfer/DataFlavor equals(Ljava/lang/String;)Z
java/awt/datatransfer/DataFlavor hashCode()I
java/awt/datatransfer/DataFlavor match(Ljava/awt/datatransfer/DataFlavor;)Z

```

```

java/awt/datatransfer/DataFlavor isMimeTypeEqual(Ljava/lang/String;)Z
java/awt/datatransfer/DataFlavor
    isMimeTypeEqual(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/datatransfer/DataFlavor isMimeTypeEqual(Ljava/awt/datatransfer/MimeType;)Z
java/awt/datatransfer/DataFlavor isMimeTypeSerializedObject()Z
java/awt/datatransfer/DataFlavor getDefaultRepresentationClass()Ljava/lang/Class;
java/awt/datatransfer/DataFlavor getDefaultRepresentationClassAsString()Ljava/lang/String;
java/awt/datatransfer/DataFlavor isRepresentationClassInputStream()Z
java/awt/datatransfer/DataFlavor isRepresentationClassReader()Z
java/awt/datatransfer/DataFlavor isRepresentationClassCharBuffer()Z
java/awt/datatransfer/DataFlavor isRepresentationClassByteBuffer()Z
java/awt/datatransfer/DataFlavor isRepresentationClassSerializable()Z
java/awt/datatransfer/DataFlavor isRepresentationClassRemote()Z
java/awt/datatransfer/DataFlavor isFlavorSerializedObjectType()Z
java/awt/datatransfer/DataFlavor isFlavorRemoteObjectType()Z
java/awt/datatransfer/DataFlavor isFlavorJavaFileListType()Z
java/awt/datatransfer/DataFlavor
    isFlavorTextType()Z
java/awt/datatransfer/DataFlavor writeExternal(Ljava/io/ObjectOutput;)V
java/awt/datatransfer/DataFlavor readExternal(Ljava/io/ObjectInput;)V
java/awt/datatransfer/DataFlavor clone()Ljava/lang/Object;
java/awt/datatransfer/DataFlavor
    normalizeMimeTypeParameter(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/DataFlavor normalizeMimeType(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/DataFlavor <clinit>()V
class java/awt/datatransfer/MimeTypeParameterList java/lang/Object
java/awt/datatransfer/MimeTypeParameterList parameters
java/awt/datatransfer/MimeTypeParameterList TSPECIALS
java/awt/datatransfer/MimeTypeParameterList <init>()V
java/awt/datatransfer/MimeTypeParameterList <init>(Ljava/lang/String;)V
java/awt/datatransfer/MimeTypeParameterList hashCode()I
java/awt/datatransfer/MimeTypeParameterList equals(Ljava/lang/Object;)Z
java/awt/datatransfer/MimeTypeParameterList parse(Ljava/lang/String;)V
java/awt/datatransfer/MimeTypeParameterList
    size()I
java/awt/datatransfer/MimeTypeParameterList isEmpty()Z
java/awt/datatransfer/MimeTypeParameterList get(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/MimeTypeParameterList set(Ljava/lang/String;Ljava/lang/String;)V
java/awt/datatransfer/MimeTypeParameterList remove(Ljava/lang/String;)V
java/awt/datatransfer/MimeTypeParameterList getNames()Ljava/util/Enumeration;
java/awt/datatransfer/MimeTypeParameterList toString()Ljava/lang/String;
java/awt/datatransfer/MimeTypeParameterList clone()Ljava/lang/Object;
java/awt/datatransfer/MimeTypeParameterList isTokenChar(C)Z
java/awt/datatransfer/MimeTypeParameterList skipWhiteSpace(Ljava/lang/String;I)I
java/awt/datatransfer/MimeTypeParameterList quote(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/MimeTypeParameterList unquote(Ljava/lang/String;)Ljava/lang/String;
class java/awt/datatransfer/MimeType java/lang/Object
java/awt/datatransfer/MimeType serialVersionUID

```



```

java/awt/datatransfer/MimeType
    primaryType
java/awt/datatransfer/MimeType subType
java/awt/datatransfer/MimeType parameters
java/awt/datatransfer/MimeType TSPECIALS
java/awt/datatransfer/MimeType <init>()V
java/awt/datatransfer/MimeType <init>(Ljava/lang/String;)V
java/awt/datatransfer/MimeType <init>(Ljava/lang/String;Ljava/lang/String;)V
java/awt/datatransfer/MimeType
    <init>(Ljava/lang/String;Ljava/lang/String;Ljava/awt/datatransfer/MimeTypeParameterList;)V
java/awt/datatransfer/MimeType hashCode()I
java/awt/datatransfer/MimeType equals(Ljava/lang/Object;)Z
java/awt/datatransfer/MimeType parse(Ljava/lang/String;)V
java/awt/datatransfer/MimeType getPrimaryType()Ljava/lang/String;
java/awt/datatransfer/MimeType getSubType()Ljava/lang/String;
java/awt/datatransfer/MimeType getParameters()Ljava/awt/datatransfer/MimeTypeParameterList;
java/awt/datatransfer/MimeType getParameter(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/MimeType setParameter(Ljava/lang/String;Ljava/lang/String;)V
java/awt/datatransfer/MimeType
    removeParameter(Ljava/lang/String;)V
java/awt/datatransfer/MimeType toString()Ljava/lang/String;
java/awt/datatransfer/MimeType getBaseType()Ljava/lang/String;
java/awt/datatransfer/MimeType match(Ljava/awt/datatransfer/MimeType;)Z
java/awt/datatransfer/MimeType match(Ljava/lang/String;)Z
java/awt/datatransfer/MimeType writeExternal(Ljava/io/ObjectOutput;)V
java/awt/datatransfer/MimeType readExternal(Ljava/io/ObjectInput;)V
java/awt/datatransfer/MimeType clone()Ljava/lang/Object;
java/awt/datatransfer/MimeType isTokenChar(C)Z
java/awt/datatransfer/MimeType isValidToken(Ljava/lang/String;)Z
class java/io/Externalizable java/lang/Object
java/io/Externalizable writeExternal(Ljava/io/ObjectOutput;)V
java/io/Externalizable readExternal(Ljava/io/ObjectInput;)V
class java/awt/datatransfer/SystemFlavorMap$2 java/lang/Object
java/awt/datatransfer/SystemFlavorMap$2 this$0
java/awt/datatransfer/SystemFlavorMap$2 <init>(Ljava/awt/datatransfer/SystemFlavorMap;)V
java/awt/datatransfer/SystemFlavorMap$2
    run()Ljava/lang/Object;
class java/awt/datatransfer/SystemFlavorMap$1 java/lang/Object
java/awt/datatransfer/SystemFlavorMap$1 this$0
java/awt/datatransfer/SystemFlavorMap$1 <init>(Ljava/awt/datatransfer/SystemFlavorMap;)V
java/awt/datatransfer/SystemFlavorMap$1 run()Ljava/lang/Object;
class java/awt/datatransfer/SystemFlavorMap java/lang/Object
java/awt/datatransfer/SystemFlavorMap JavaMIME
java/awt/datatransfer/SystemFlavorMap flavorMaps
java/awt/datatransfer/SystemFlavorMap keyValueSeparators
java/awt/datatransfer/SystemFlavorMap strictKeyValueSeparators
java/awt/datatransfer/SystemFlavorMap whiteSpaceChars
java/awt/datatransfer/SystemFlavorMap UNICODE_TEXT_CLASSES

```

```

java/awt/datatransfer/SystemFlavorMap ENCODED_TEXT_CLASSES
java/awt/datatransfer/SystemFlavorMap TEXT_PLAIN_BASE_TYPE
java/awt/datatransfer/SystemFlavorMap SYNTHESIZE_IF_NOT_FOUND
java/awt/datatransfer/SystemFlavorMap nativeToFlavor
java/awt/datatransfer/SystemFlavorMap flavorToNative
java/awt/datatransfer/SystemFlavorMap
    getNativesForFlavorCache
java/awt/datatransfer/SystemFlavorMap getFlavorsForNativeCache
java/awt/datatransfer/SystemFlavorMap disabledMappingGenerationKeys
java/awt/datatransfer/SystemFlavorMap $assertionsDisabled
java/awt/datatransfer/SystemFlavorMap getDefaultFlavorMap()Ljava/awt/datatransfer/FlavorMap;
java/awt/datatransfer/SystemFlavorMap <init>()V
java/awt/datatransfer/SystemFlavorMap parseAndStoreReader(Ljava/io/BufferedReader;)V
java/awt/datatransfer/SystemFlavorMap continueLine(Ljava/lang/String;)Z
java/awt/datatransfer/SystemFlavorMap loadConvert(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/SystemFlavorMap store(Ljava/lang/Object;Ljava/lang/Object;Ljava/util/Map;)V
java/awt/datatransfer/SystemFlavorMap nativeToFlavorLookup(Ljava/lang/String;)Ljava/util/List;
java/awt/datatransfer/SystemFlavorMap
    flavorToNativeLookup(Ljava/awt/datatransfer/DataFlavor;Z)Ljava/util/List;
java/awt/datatransfer/SystemFlavorMap getNativesForFlavor(Ljava/awt/datatransfer/DataFlavor;)Ljava/util/List;
java/awt/datatransfer/SystemFlavorMap
    getFlavorsForNative(Ljava/lang/String;)Ljava/util/List;
java/awt/datatransfer/SystemFlavorMap getNativesForFlavors([Ljava/awt/datatransfer/DataFlavor;)Ljava/util/Map;
java/awt/datatransfer/SystemFlavorMap getFlavorsForNatives([Ljava/lang/String;)Ljava/util/Map;
java/awt/datatransfer/SystemFlavorMap
    addUnencodedNativeForFlavor(Ljava/awt/datatransfer/DataFlavor;Ljava/lang/String;)V
java/awt/datatransfer/SystemFlavorMap
    setNativesForFlavor(Ljava/awt/datatransfer/DataFlavor;[Ljava/lang/String;)V
java/awt/datatransfer/SystemFlavorMap
    addFlavorForUnencodedNative(Ljava/lang/String;Ljava/awt/datatransfer/DataFlavor;)V
java/awt/datatransfer/SystemFlavorMap
    setFlavorsForNative(Ljava/lang/String;[Ljava/awt/datatransfer/DataFlavor;)V
java/awt/datatransfer/SystemFlavorMap encodeJavaMIMEType(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/SystemFlavorMap encodeDataFlavor(Ljava/awt/datatransfer/DataFlavor;)Ljava/lang/String;
java/awt/datatransfer/SystemFlavorMap
    isJavaMIMEType(Ljava/lang/String;)Z
java/awt/datatransfer/SystemFlavorMap decodeJavaMIMEType(Ljava/lang/String;)Ljava/lang/String;
java/awt/datatransfer/SystemFlavorMap decodeDataFlavor(Ljava/lang/String;)Ljava/awt/datatransfer/DataFlavor;
java/awt/datatransfer/SystemFlavorMap <clinit>()V
class java/awt/datatransfer/FlavorTable java/lang/Object
java/awt/datatransfer/FlavorTable getNativesForFlavor(Ljava/awt/datatransfer/DataFlavor;)Ljava/util/List;
java/awt/datatransfer/FlavorTable getFlavorsForNative(Ljava/lang/String;)Ljava/util/List;
class java/awt/datatransfer/FlavorMap java/lang/Object
java/awt/datatransfer/FlavorMap getNativesForFlavors([Ljava/awt/datatransfer/DataFlavor;)Ljava/util/Map;
java/awt/datatransfer/FlavorMap getFlavorsForNatives([Ljava/lang/String;)Ljava/util/Map;
class java/awt/dnd/DropTargetContext java/lang/Object
java/awt/dnd/DropTargetContext serialVersionUID
java/awt/dnd/DropTargetContext dropTarget

```

```

java/awt/dnd/DropTargetContext
    dropTargetContextPeer
java/awt/dnd/DropTargetContext transferable
java/awt/dnd/DropTargetContext <init>(Ljava/awt/dnd/DropTarget;)V
java/awt/dnd/DropTargetContext getDropTarget()Ljava/awt/dnd/DropTarget;
java/awt/dnd/DropTargetContext getComponent()Ljava/awt/Component;
java/awt/dnd/DropTargetContext addNotify(Ljava/awt/dnd/peer/DropTargetContextPeer;)V
java/awt/dnd/DropTargetContext removeNotify()V
java/awt/dnd/DropTargetContext setTargetActions(I)V
java/awt/dnd/DropTargetContext getTargetActions()I
java/awt/dnd/DropTargetContext dropComplete(Z)V
java/awt/dnd/DropTargetContext acceptDrag(I)V
java/awt/dnd/DropTargetContext rejectDrag()V
java/awt/dnd/DropTargetContext acceptDrop(I)V
java/awt/dnd/DropTargetContext rejectDrop()V
java/awt/dnd/DropTargetContext getCurrentDataFlavors()[Ljava/awt/datatransfer/DataFlavor;
java/awt/dnd/DropTargetContext getCurrentDataFlavorsAsList()Ljava/util/List;
java/awt/dnd/DropTargetContext isDataFlavorSupported(Ljava/awt/datatransfer/DataFlavor;)Z
java/awt/dnd/DropTargetContext
    getTransferable(Ljava/awt/datatransfer/Transferable;
java/awt/dnd/DropTargetContext getDropTargetContextPeer()Ljava/awt/dnd/peer/DropTargetContextPeer;
java/awt/dnd/DropTargetContext
    createTransferableProxy(Ljava/awt/datatransfer/Transferable;Z)Ljava/awt/datatransfer/Transferable;
class java/awt/font/LineMetrics java/lang/Object
java/awt/font/LineMetrics <init>()V
java/awt/font/LineMetrics getNumChars()I
java/awt/font/LineMetrics getAscent()F
java/awt/font/LineMetrics getDescent()F
java/awt/font/LineMetrics getLeading()F
java/awt/font/LineMetrics getHeight()F
java/awt/font/LineMetrics getBaselineIndex()I
java/awt/font/LineMetrics getBaselineOffsets()[F
java/awt/font/LineMetrics getStrikethroughOffset()F
java/awt/font/LineMetrics getStrikethroughThickness()F
java/awt/font/LineMetrics getUnderlineOffset()F
java/awt/font/LineMetrics getUnderlineThickness()F
class java/awt/font/GlyphVector java/lang/Object
java/awt/font/GlyphVector FLAG_HAS_TRANSFORMS
java/awt/font/GlyphVector
    FLAG_HAS_POSITION_ADJUSTMENTS
java/awt/font/GlyphVector FLAG_RUN_RTL
java/awt/font/GlyphVector FLAG_COMPLEX_GLYPHS
java/awt/font/GlyphVector FLAG_MASK
java/awt/font/GlyphVector <init>()V
java/awt/font/GlyphVector getFont()Ljava/awt/Font;
java/awt/font/GlyphVector getFontRenderContext()Ljava/awt/font/FontRenderContext;
java/awt/font/GlyphVector performDefaultLayout()V
java/awt/font/GlyphVector getNumGlyphs()I

```

```

java/awt/font/GlyphVector getGlyphCode(I)I
java/awt/font/GlyphVector getGlyphCodes(II[I])I
java/awt/font/GlyphVector getGlyphCharIndex(I)I
java/awt/font/GlyphVector getGlyphCharIndices(II[I])I
java/awt/font/GlyphVector getLogicalBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/GlyphVector getVisualBounds()Ljava/awt/geom/Rectangle2D;
java/awt/font/GlyphVector getPixelBounds(Ljava/awt/font/FontRenderContext;FF)Ljava/awt/Rectangle;
java/awt/font/GlyphVector getOutline()Ljava/awt/Shape;
java/awt/font/GlyphVector getOutline(FF)Ljava/awt/Shape;
java/awt/font/GlyphVector
    getGlyphOutline(I)Ljava/awt/Shape;
java/awt/font/GlyphVector getGlyphOutline(IFF)Ljava/awt/Shape;
java/awt/font/GlyphVector getGlyphPosition(I)Ljava/awt/geom/Point2D;
java/awt/font/GlyphVector setGlyphPosition(ILjava/awt/geom/Point2D;)V
java/awt/font/GlyphVector getGlyphTransform(I)Ljava/awt/geom/AffineTransform;
java/awt/font/GlyphVector setGlyphTransform(ILjava/awt/geom/AffineTransform;)V
java/awt/font/GlyphVector getLayoutFlags()I
java/awt/font/GlyphVector getGlyphPositions(II[F])[F
java/awt/font/GlyphVector getGlyphLogicalBounds(I)Ljava/awt/Shape;
java/awt/font/GlyphVector getGlyphVisualBounds(I)Ljava/awt/Shape;
java/awt/font/GlyphVector getGlyphPixelBounds(ILjava/awt/font/FontRenderContext;FF)Ljava/awt/Rectangle;
java/awt/font/GlyphVector getGlyphMetrics(I)Ljava/awt/font/GlyphMetrics;
java/awt/font/GlyphVector getGlyphJustificationInfo(I)Ljava/awt/font/GlyphJustificationInfo;
java/awt/font/GlyphVector equals(Ljava/awt/font/GlyphVector;)Z
class java/util/HashMap$EntryIterator
    java/util/HashMap$HashIterator
java/util/HashMap$EntryIterator this$0
java/util/HashMap$EntryIterator <init>(Ljava/util/HashMap;)V
java/util/HashMap$EntryIterator next()Ljava/util/Map$Entry;
java/util/HashMap$EntryIterator next()Ljava/lang/Object;
java/util/HashMap$EntryIterator <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V
class java/util/HashMap$EntrySet java/util/AbstractSet
java/util/HashMap$EntrySet this$0
java/util/HashMap$EntrySet <init>(Ljava/util/HashMap;)V
java/util/HashMap$EntrySet iterator()Ljava/util/Iterator;
java/util/HashMap$EntrySet contains(Ljava/lang/Object;)Z
java/util/HashMap$EntrySet remove(Ljava/lang/Object;)Z
java/util/HashMap$EntrySet size()I
java/util/HashMap$EntrySet clear()V
java/util/HashMap$EntrySet <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V
class java/awt/RenderingHints$Key java/lang/Object
java/awt/RenderingHints$Key identitymap
java/awt/RenderingHints$Key privatekey
java/awt/RenderingHints$Key getIdentity()Ljava/lang/String;
java/awt/RenderingHints$Key
    recordIdentity(Ljava/awt/RenderingHints$Key;)V
java/awt/RenderingHints$Key <init>(I)V
java/awt/RenderingHints$Key isCompatibleValue(Ljava/lang/Object;)Z

```

```

java/awt/RenderingHints$Key intKey()I
java/awt/RenderingHints$Key hashCode()I
java/awt/RenderingHints$Key equals(Ljava/lang/Object;)Z
java/awt/RenderingHints$Key <clinit>()V
class java/awt/RenderingHints java/lang/Object
java/awt/RenderingHints hintmap
java/awt/RenderingHints KEY_ANTIALIASING
java/awt/RenderingHints VALUE_ANTIALIAS_ON
java/awt/RenderingHints VALUE_ANTIALIAS_OFF
java/awt/RenderingHints VALUE_ANTIALIAS_DEFAULT
java/awt/RenderingHints KEY_RENDERING
java/awt/RenderingHints VALUE_RENDER_SPEED
java/awt/RenderingHints VALUE_RENDER_QUALITY
java/awt/RenderingHints VALUE_RENDER_DEFAULT
java/awt/RenderingHints KEY_DITHERING
java/awt/RenderingHints VALUE_DITHER_DISABLE
java/awt/RenderingHints VALUE_DITHER_ENABLE
java/awt/RenderingHints VALUE_DITHER_DEFAULT
java/awt/RenderingHints KEY_TEXT_ANTIALIASING
java/awt/RenderingHints
    VALUE_TEXT_ANTIALIAS_ON
java/awt/RenderingHints VALUE_TEXT_ANTIALIAS_OFF
java/awt/RenderingHints VALUE_TEXT_ANTIALIAS_DEFAULT
java/awt/RenderingHints KEY_FRACTIONALMETRICS
java/awt/RenderingHints VALUE_FRACTIONALMETRICS_OFF
java/awt/RenderingHints VALUE_FRACTIONALMETRICS_ON
java/awt/RenderingHints VALUE_FRACTIONALMETRICS_DEFAULT
java/awt/RenderingHints KEY_INTERPOLATION
java/awt/RenderingHints VALUE_INTERPOLATION_NEAREST_NEIGHBOR
java/awt/RenderingHints VALUE_INTERPOLATION_BILINEAR
java/awt/RenderingHints VALUE_INTERPOLATION_BICUBIC
java/awt/RenderingHints KEY_ALPHA_INTERPOLATION
java/awt/RenderingHints VALUE_ALPHA_INTERPOLATION_SPEED
java/awt/RenderingHints VALUE_ALPHA_INTERPOLATION_QUALITY
java/awt/RenderingHints VALUE_ALPHA_INTERPOLATION_DEFAULT
java/awt/RenderingHints KEY_COLOR_RENDERING
java/awt/RenderingHints VALUE_COLOR_RENDER_SPEED
java/awt/RenderingHints VALUE_COLOR_RENDER_QUALITY
java/awt/RenderingHints VALUE_COLOR_RENDER_DEFAULT
java/awt/RenderingHints KEY_STROKE_CONTROL
java/awt/RenderingHints
    VALUE_STROKE_DEFAULT
java/awt/RenderingHints VALUE_STROKE_NORMALIZE
java/awt/RenderingHints VALUE_STROKE_PURE
java/awt/RenderingHints <init>(Ljava/util/Map;)V
java/awt/RenderingHints <init>(Ljava/awt/RenderingHints$Key;Ljava/lang/Object;)V
java/awt/RenderingHints size()I
java/awt/RenderingHints isEmpty()Z

```

```

java/awt/RenderingHints containsKey(Ljava/lang/Object;)Z
java/awt/RenderingHints containsValue(Ljava/lang/Object;)Z
java/awt/RenderingHints get(Ljava/lang/Object;)Ljava/lang/Object;
java/awt/RenderingHints put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/awt/RenderingHints add(Ljava/awt/RenderingHints;)V
java/awt/RenderingHints clear()V
java/awt/RenderingHints remove(Ljava/lang/Object;)Ljava/lang/Object;
java/awt/RenderingHints putAll(Ljava/util/Map;)V
java/awt/RenderingHints keySet()Ljava/util/Set;
java/awt/RenderingHints values()Ljava/util/Collection;
java/awt/RenderingHints entrySet()Ljava/util/Set;
java/awt/RenderingHints equals(Ljava/lang/Object;)Z
java/awt/RenderingHints
    hashCode()I
java/awt/RenderingHints clone()Ljava/lang/Object;
java/awt/RenderingHints toString()Ljava/lang/String;
java/awt/RenderingHints <clinit>()V
class java/awt/Adjustable java/lang/Object
java/awt/Adjustable HORIZONTAL
java/awt/Adjustable VERTICAL
java/awt/Adjustable NO_ORIENTATION
java/awt/Adjustable getOrientation()I
java/awt/Adjustable setMinimum(I)V
java/awt/Adjustable getMinimum()I
java/awt/Adjustable setMaximum(I)V
java/awt/Adjustable getMaximum()I
java/awt/Adjustable setUnitIncrement(I)V
java/awt/Adjustable getUnitIncrement()I
java/awt/Adjustable setBlockIncrement(I)V
java/awt/Adjustable getBlockIncrement()I
java/awt/Adjustable setVisibleAmount(I)V
java/awt/Adjustable getVisibleAmount()I
java/awt/Adjustable setValue(I)V
java/awt/Adjustable getValue()I
java/awt/Adjustable addAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
java/awt/Adjustable removeAdjustmentListener(Ljava/awt/event/AdjustmentListener;)V
class java/awt/event/WindowAdapter
    java/lang/Object
java/awt/event/WindowAdapter <init>()V
java/awt/event/WindowAdapter windowOpened(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowClosing(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowClosed(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowIconified(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowDeiconified(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowActivated(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowDeactivated(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowStateChanged(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowAdapter windowGainedFocus(Ljava/awt/event/WindowEvent;)V

```

```

java/awt/event/WindowAdapter windowLostFocus(Ljava/awt/event/WindowEvent;)V
class java/awt/event/FocusAdapter java/lang/Object
java/awt/event/FocusAdapter <init>()V
java/awt/event/FocusAdapter focusGained(Ljava/awt/event/FocusEvent;)V
java/awt/event/FocusAdapter
    focusLost(Ljava/awt/event/FocusEvent;)V
class java/awt/Toolkit$ToolkitEventMulticaster java/awt/AWTEventMulticaster
java/awt/Toolkit$ToolkitEventMulticaster
    <init>(Ljava/awt/event/AWTEventListener;Ljava/awt/event/AWTEventListener;)V
java/awt/Toolkit$ToolkitEventMulticaster
    add(Ljava/awt/event/AWTEventListener;Ljava/awt/event/AWTEventListener;)Ljava/awt/event/AWTEventListener;
java/awt/Toolkit$ToolkitEventMulticaster
    remove(Ljava/awt/event/AWTEventListener;Ljava/awt/event/AWTEventListener;)Ljava/awt/event/AWTEventListener;
java/awt/Toolkit$ToolkitEventMulticaster remove(Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/Toolkit$ToolkitEventMulticaster eventDispatched(Ljava/awt/AWTEvent;)V
class java/awt/Toolkit$SelectiveAWTEventListener java/lang/Object
java/awt/Toolkit$SelectiveAWTEventListener listener
java/awt/Toolkit$SelectiveAWTEventListener eventMask
java/awt/Toolkit$SelectiveAWTEventListener calls
java/awt/Toolkit$SelectiveAWTEventListener this$0
java/awt/Toolkit$SelectiveAWTEventListener
    getListener()Ljava/awt/event/AWTEventListener;
java/awt/Toolkit$SelectiveAWTEventListener getEventMask()J
java/awt/Toolkit$SelectiveAWTEventListener getCalls()[I
java/awt/Toolkit$SelectiveAWTEventListener orEventMasks(J)V
java/awt/Toolkit$SelectiveAWTEventListener <init>(Ljava/awt/Toolkit;Ljava/awt/event/AWTEventListener;)V
java/awt/Toolkit$SelectiveAWTEventListener eventDispatched(Ljava/awt/AWTEvent;)V
class java/awt/event/AWTEventListenerProxy java/util/EventListenerProxy
java/awt/event/AWTEventListenerProxy eventMask
java/awt/event/AWTEventListenerProxy <init>(Ljava/awt/event/AWTEventListener;)V
java/awt/event/AWTEventListenerProxy eventDispatched(Ljava/awt/AWTEvent;)V
java/awt/event/AWTEventListenerProxy getEventMask()J
class java/awt/Container$AccessibleAWTContainer java/awt/Component$AccessibleAWTComponent
java/awt/Container$AccessibleAWTContainer serialVersionUID
java/awt/Container$AccessibleAWTContainer accessibleContainerHandler
java/awt/Container$AccessibleAWTContainer
    this$0
java/awt/Container$AccessibleAWTContainer <init>(Ljava/awt/Container;)V
java/awt/Container$AccessibleAWTContainer getAccessibleChildrenCount()I
java/awt/Container$AccessibleAWTContainer getAccessibleChild(I)Ljavax/accessibility/Accessible;
java/awt/Container$AccessibleAWTContainer getAccessibleAt(Ljava/awt/Point;)Ljavax/accessibility/Accessible;
java/awt/Container$AccessibleAWTContainer addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
class java/awt/Component$AccessibleAWTComponent javax/accessibility/AccessibleContext
java/awt/Component$AccessibleAWTComponent serialVersionUID
java/awt/Component$AccessibleAWTComponent accessibleAWTComponentHandler
java/awt/Component$AccessibleAWTComponent accessibleAWTFocusHandler
java/awt/Component$AccessibleAWTComponent this$0

```

```

java/awt/Component$AccessibleAWTComponent <init>(Ljava/awt/Component;)V
java/awt/Component$AccessibleAWTComponent
addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/Component$AccessibleAWTComponent
removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/Component$AccessibleAWTComponent getAccessibleName()Ljava/lang/String;
java/awt/Component$AccessibleAWTComponent getAccessibleDescription()Ljava/lang/String;
java/awt/Component$AccessibleAWTComponent getAccessibleRole()Ljava/awt/accessibility/AccessibleRole;
java/awt/Component$AccessibleAWTComponent getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
java/awt/Component$AccessibleAWTComponent getAccessibleParent()Ljava/awt/accessibility/Accessible;
java/awt/Component$AccessibleAWTComponent getAccessibleIndexInParent()I
java/awt/Component$AccessibleAWTComponent getAccessibleChildrenCount()I
java/awt/Component$AccessibleAWTComponent getAccessibleChild(I)Ljava/awt/accessibility/Accessible;
java/awt/Component$AccessibleAWTComponent getLocale()Ljava/util/Locale;
java/awt/Component$AccessibleAWTComponent
getAccessibleComponent()Ljava/awt/accessibility/AccessibleComponent;
java/awt/Component$AccessibleAWTComponent
getBackground()Ljava/awt/Color;
java/awt/Component$AccessibleAWTComponent setBackground(Ljava/awt/Color;)V
java/awt/Component$AccessibleAWTComponent getForeground()Ljava/awt/Color;
java/awt/Component$AccessibleAWTComponent setForeground(Ljava/awt/Color;)V
java/awt/Component$AccessibleAWTComponent getCursor()Ljava/awt/Cursor;
java/awt/Component$AccessibleAWTComponent setCursor(Ljava/awt/Cursor;)V
java/awt/Component$AccessibleAWTComponent getFont()Ljava/awt/Font;
java/awt/Component$AccessibleAWTComponent setFont(Ljava/awt/Font;)V
java/awt/Component$AccessibleAWTComponent getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/Component$AccessibleAWTComponent isEnabled()Z
java/awt/Component$AccessibleAWTComponent setEnabled(Z)V
java/awt/Component$AccessibleAWTComponent isVisible()Z
java/awt/Component$AccessibleAWTComponent setVisible(Z)V
java/awt/Component$AccessibleAWTComponent isShowing()Z
java/awt/Component$AccessibleAWTComponent
contains(Ljava/awt/Point;)Z
java/awt/Component$AccessibleAWTComponent getLocationOnScreen()Ljava/awt/Point;
java/awt/Component$AccessibleAWTComponent getLocation()Ljava/awt/Point;
java/awt/Component$AccessibleAWTComponent setLocation(Ljava/awt/Point;)V
java/awt/Component$AccessibleAWTComponent getBounds()Ljava/awt/Rectangle;
java/awt/Component$AccessibleAWTComponent setBounds(Ljava/awt/Rectangle;)V
java/awt/Component$AccessibleAWTComponent getSize()Ljava/awt/Dimension;
java/awt/Component$AccessibleAWTComponent setSize(Ljava/awt/Dimension;)V
java/awt/Component$AccessibleAWTComponent
getAccessibleAt(Ljava/awt/Point;)Ljava/awt/accessibility/Accessible;
java/awt/Component$AccessibleAWTComponent isFocusTraversable()Z
java/awt/Component$AccessibleAWTComponent requestFocus()V
java/awt/Component$AccessibleAWTComponent addFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/Component$AccessibleAWTComponent removeFocusListener(Ljava/awt/event/FocusListener;)V
class java/awt/event/ContainerEvent

```



```

java/awt/event/ComponentEvent
java/awt/event/ContainerEvent CONTAINER_FIRST
java/awt/event/ContainerEvent CONTAINER_LAST
java/awt/event/ContainerEvent COMPONENT_ADDED
java/awt/event/ContainerEvent COMPONENT_REMOVED
java/awt/event/ContainerEvent child
java/awt/event/ContainerEvent serialVersionUID
java/awt/event/ContainerEvent <init>(Ljava/awt/Component;ILjava/awt/Component;)V
java/awt/event/ContainerEvent getContainer()Ljava/awt/Container;
java/awt/event/ContainerEvent getChild()Ljava/awt/Component;
java/awt/event/ContainerEvent paramString()Ljava/lang/String;
class java/awt/CardLayout java/lang/Object
java/awt/CardLayout serialVersionUID
java/awt/CardLayout vector
java/awt/CardLayout currentCard
java/awt/CardLayout hgap
java/awt/CardLayout vgap
java/awt/CardLayout serialPersistentFields
java/awt/CardLayout <init>()V
java/awt/CardLayout <init>(II)V
java/awt/CardLayout getHgap()I
java/awt/CardLayout setHgap(I)V
java/awt/CardLayout getVgap()I
java/awt/CardLayout setVgap(I)V
java/awt/CardLayout
    addLayoutComponent(Ljava/awt/Component;Ljava/lang/Object;)V
java/awt/CardLayout addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/CardLayout removeLayoutComponent(Ljava/awt/Component;)V
java/awt/CardLayout preferredLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/CardLayout minimumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/CardLayout maximumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/CardLayout getLayoutAlignmentX(Ljava/awt/Container;)F
java/awt/CardLayout getLayoutAlignmentY(Ljava/awt/Container;)F
java/awt/CardLayout invalidateLayout(Ljava/awt/Container;)V
java/awt/CardLayout layoutContainer(Ljava/awt/Container;)V
java/awt/CardLayout checkLayout(Ljava/awt/Container;)V
java/awt/CardLayout first(Ljava/awt/Container;)V
java/awt/CardLayout next(Ljava/awt/Container;)V
java/awt/CardLayout previous(Ljava/awt/Container;)V
java/awt/CardLayout showDefaultComponent(Ljava/awt/Container;)V
java/awt/CardLayout last(Ljava/awt/Container;)V
java/awt/CardLayout
    show(Ljava/awt/Container;Ljava/lang/String;)V
java/awt/CardLayout toString()Ljava/lang/String;
java/awt/CardLayout readObject(Ljava/io/ObjectInputStream;)V
java/awt/CardLayout writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/CardLayout <clinit>()V
class java/beans/VetoableChangeListener java/lang/Object

```

```

java/beans/VetoableChangeListener vetoableChange(Ljava/beans/PropertyChangeEvent;)V
class java/awt/AWTEventMulticaster java/lang/Object
java/awt/AWTEventMulticaster a
java/awt/AWTEventMulticaster b
java/awt/AWTEventMulticaster <init>(Ljava/util/EventListener;Ljava/util/EventListener;)V
java/awt/AWTEventMulticaster remove(Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/AWTEventMulticaster componentResized(Ljava/awt/event/ComponentEvent;)V
java/awt/AWTEventMulticaster componentMoved(Ljava/awt/event/ComponentEvent;)V
java/awt/AWTEventMulticaster componentShown(Ljava/awt/event/ComponentEvent;)V
java/awt/AWTEventMulticaster componentHidden(Ljava/awt/event/ComponentEvent;)V
java/awt/AWTEventMulticaster
    componentAdded(Ljava/awt/event/ContainerEvent;)V
java/awt/AWTEventMulticaster componentRemoved(Ljava/awt/event/ContainerEvent;)V
java/awt/AWTEventMulticaster focusGained(Ljava/awt/event/FocusEvent;)V
java/awt/AWTEventMulticaster focusLost(Ljava/awt/event/FocusEvent;)V
java/awt/AWTEventMulticaster keyTyped(Ljava/awt/event/KeyEvent;)V
java/awt/AWTEventMulticaster keyPressed(Ljava/awt/event/KeyEvent;)V
java/awt/AWTEventMulticaster keyReleased(Ljava/awt/event/KeyEvent;)V
java/awt/AWTEventMulticaster mouseClicked(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mousePressed(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mouseReleased(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mouseEntered(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mouseExited(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mouseDragged(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster mouseMoved(Ljava/awt/event/MouseEvent;)V
java/awt/AWTEventMulticaster
    windowOpened(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowClosing(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowClosed(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowIconified(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowDeiconified(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowActivated(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowDeactivated(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowStateChanged(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowGainedFocus(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster windowLostFocus(Ljava/awt/event/WindowEvent;)V
java/awt/AWTEventMulticaster actionPerformed(Ljava/awt/event/ActionEvent;)V
java/awt/AWTEventMulticaster itemStateChanged(Ljava/awt/event/ItemEvent;)V
java/awt/AWTEventMulticaster adjustmentValueChanged(Ljava/awt/event/AdjustmentEvent;)V
java/awt/AWTEventMulticaster
    textValueChanged(Ljava/awt/event/TextEvent;)V
java/awt/AWTEventMulticaster inputMethodTextChanged(Ljava/awt/event/InputMethodEvent;)V
java/awt/AWTEventMulticaster caretPositionChanged(Ljava/awt/event/InputMethodEvent;)V
java/awt/AWTEventMulticaster hierarchyChanged(Ljava/awt/event/HierarchyEvent;)V
java/awt/AWTEventMulticaster ancestorMoved(Ljava/awt/event/HierarchyEvent;)V
java/awt/AWTEventMulticaster ancestorResized(Ljava/awt/event/HierarchyEvent;)V
java/awt/AWTEventMulticaster mouseWheelMoved(Ljava/awt/event/MouseWheelEvent;)V
java/awt/AWTEventMulticaster

```

```

add(Ljava/awt/event/ComponentListener;Ljava/awt/event/ComponentListener;)Ljava/awt/event/ComponentListener
;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/ContainerListener;Ljava/awt/event/ContainerListener;)Ljava/awt/event/ContainerListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/FocusListener;Ljava/awt/event/FocusListener;)Ljava/awt/event/FocusListener;
java/awt/AWTEventMulticaster
    add(Ljava/awt/event/KeyListener;Ljava/awt/event/KeyListener;)Ljava/awt/event/KeyListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/MouseListener;Ljava/awt/event/MouseListener;)Ljava/awt/event/MouseListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/MouseMotionListener;Ljava/awt/event/MouseMotionListener;)Ljava/awt/event/MouseMotion
Listener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/WindowListener;Ljava/awt/event/WindowListener;)Ljava/awt/event/WindowListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/WindowStateListener;Ljava/awt/event/WindowStateListener;)Ljava/awt/event/WindowStateLi
stener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/WindowFocusListener;Ljava/awt/event/WindowFocusListener;)Ljava/awt/event/WindowFocu
sListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/ActionListener;Ljava/awt/event/ActionListener;)Ljava/awt/event/ActionListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/ItemListener;Ljava/awt/event/ItemListener;)Ljava/awt/event/ItemListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/AdjustmentListener;Ljava/awt/event/AdjustmentListener;)Ljava/awt/event/AdjustmentListener
;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/TextListener;Ljava/awt/event/TextListener;)Ljava/awt/event/TextListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/InputMethodListener;Ljava/awt/event/InputMethodListener;)Ljava/awt/event/InputMethodList
ener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/HierarchyListener;Ljava/awt/event/HierarchyListener;)Ljava/awt/event/HierarchyListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/HierarchyBoundsListener;Ljava/awt/event/HierarchyBoundsListener;)Ljava/awt/event/Hierarc
hyBoundsListener;
java/awt/AWTEventMulticaster
add(Ljava/awt/event/MouseWheelListener;Ljava/awt/event/MouseWheelListener;)Ljava/awt/event/MouseWheelLis
tener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/ComponentListener;Ljava/awt/event/ComponentListener;)Ljava/awt/event/ComponentList
ener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/ContainerListener;Ljava/awt/event/ContainerListener;)Ljava/awt/event/ContainerListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/FocusListener;Ljava/awt/event/FocusListener;)Ljava/awt/event/FocusListener;

```

```

java/awt/AWTEventMulticaster
remove(Ljava/awt/event/KeyListener;Ljava/awt/event/KeyListener;)Ljava/awt/event/KeyListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/MouseListener;Ljava/awt/event/MouseListener;)Ljava/awt/event/MouseListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/MouseMotionListener;Ljava/awt/event/MouseMotionListener;)Ljava/awt/event/MouseMotionListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/WindowListener;Ljava/awt/event/WindowListener;)Ljava/awt/event/WindowListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/WindowStateListener;Ljava/awt/event/WindowStateListener;)Ljava/awt/event/WindowStateListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/WindowFocusListener;Ljava/awt/event/WindowFocusListener;)Ljava/awt/event/WindowFocusListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/ActionListener;Ljava/awt/event/ActionListener;)Ljava/awt/event/ActionListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/ItemListener;Ljava/awt/event/ItemListener;)Ljava/awt/event/ItemListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/AdjustmentListener;Ljava/awt/event/AdjustmentListener;)Ljava/awt/event/AdjustmentListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/TextListener;Ljava/awt/event/TextListener;)Ljava/awt/event/TextListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/InputMethodListener;Ljava/awt/event/InputMethodListener;)Ljava/awt/event/InputMethodListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/HierarchyListener;Ljava/awt/event/HierarchyListener;)Ljava/awt/event/HierarchyListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/HierarchyBoundsListener;Ljava/awt/event/HierarchyBoundsListener;)Ljava/awt/event/HierarchyBoundsListener;
java/awt/AWTEventMulticaster
remove(Ljava/awt/event/MouseWheelListener;Ljava/awt/event/MouseWheelListener;)Ljava/awt/event/MouseWheelListener;
java/awt/AWTEventMulticaster
addInternal(Ljava/util/EventListener;Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/AWTEventMulticaster
removeInternal(Ljava/util/EventListener;Ljava/util/EventListener;)Ljava/util/EventListener;
java/awt/AWTEventMulticaster saveInternal(Ljava/io/ObjectOutputStream;Ljava/lang/String;)V
java/awt/AWTEventMulticaster save(Ljava/io/ObjectOutputStream;Ljava/lang/String;Ljava/util/EventListener;)V
java/awt/AWTEventMulticaster getListenerCount(Ljava/util/EventListener;Ljava/lang/Class;)I
java/awt/AWTEventMulticaster populateListenerArray([Ljava/util/EventListener;Ljava/util/EventListener;)I
java/awt/AWTEventMulticaster getListeners(Ljava/util/EventListener;Ljava/lang/Class;)[Ljava/util/EventListener;
class java/awt/event/TextListener
    java/lang/Object
    java/awt/event/TextListener textValueChanged(Ljava/awt/event/TextEvent;)V
class java/awt/event/AdjustmentListener java/lang/Object

```

```

java/awt/event/AdjustmentListener adjustmentValueChanged(Ljava/awt/event/AdjustmentEvent;)V
class java/awt/event/WindowStateListener java/lang/Object
java/awt/event/WindowStateListener windowStateChanged(Ljava/awt/event/WindowEvent;)V
class java/awt/event/WindowFocusListener java/lang/Object
java/awt/event/WindowFocusListener windowGainedFocus(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowFocusListener windowLostFocus(Ljava/awt/event/WindowEvent;)V
class java/awt/event/ItemListener java/lang/Object
java/awt/event/ItemListener itemStateChanged(Ljava/awt/event/ItemEvent;)V
class java/awt/event/MouseMotionAdapter java/lang/Object
java/awt/event/MouseMotionAdapter <init>()V
java/awt/event/MouseMotionAdapter mouseDragged(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseMotionAdapter mouseMoved(Ljava/awt/event/MouseEvent;)V
class java/awt/event/MouseAdapter
    java/lang/Object
java/awt/event/MouseAdapter <init>()V
java/awt/event/MouseAdapter mouseClicked(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseAdapter mousePressed(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseAdapter mouseReleased(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseAdapter mouseEntered(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseAdapter mouseExited(Ljava/awt/event/MouseEvent;)V
class java/lang/CloneNotSupportedException java/lang/Exception
java/lang/CloneNotSupportedException <init>()V
java/lang/CloneNotSupportedException <init>(Ljava/lang/String;)V
class java/text/MessageFormat$Field java/text/Format$Field
java/text/MessageFormat$Field serialVersionUID
java/text/MessageFormat$Field ARGUMENT
java/text/MessageFormat$Field <init>(Ljava/lang/String;)V
java/text/MessageFormat$Field readResolve()Ljava/lang/Object;
java/text/MessageFormat$Field <clinit>()V
class java/text/Format$Field java/text/AttributedCharacterIterator$Attribute
java/text/Format$Field
    serialVersionUID
java/text/Format$Field <init>(Ljava/lang/String;)V
class java/text/FieldPosition java/lang/Object
java/text/FieldPosition field
java/text/FieldPosition endIndex
java/text/FieldPosition beginIndex
java/text/FieldPosition attribute
java/text/FieldPosition <init>(I)V
java/text/FieldPosition <init>(Ljava/text/Format$Field;)V
java/text/FieldPosition <init>(Ljava/text/Format$Field;I)V
java/text/FieldPosition getFieldAttribute()Ljava/text/Format$Field;
java/text/FieldPosition getField()I
java/text/FieldPosition getBeginIndex()I
java/text/FieldPosition getEndIndex()I
java/text/FieldPosition setBeginIndex(I)V
java/text/FieldPosition setEndIndex(I)V
java/text/FieldPosition getFieldDelegate()Ljava/text/Format$FieldDelegate;

```

```

java/text/FieldPosition equals(Ljava/lang/Object;)Z
java/text/FieldPosition hashCode()I
java/text/FieldPosition toString()Ljava/lang/String;
java/text/FieldPosition matchesField(Ljava/text/Format$Field;)Z
java/text/FieldPosition matchesField(Ljava/text/Format$Field;I)Z
java/text/FieldPosition
    access$100(Ljava/text/FieldPosition;Ljava/text/Format$Field;)Z
java/text/FieldPosition access$200(Ljava/text/FieldPosition;Ljava/text/Format$Field;I)Z
class java/text/MessageFormat java/text/Format
java/text/MessageFormat serialVersionUID
java/text/MessageFormat locale
java/text/MessageFormat pattern
java/text/MessageFormat INITIAL_FORMATS
java/text/MessageFormat formats
java/text/MessageFormat offsets
java/text/MessageFormat argumentNumbers
java/text/MessageFormat maxOffset
java/text/MessageFormat typeList
java/text/MessageFormat modifierList
java/text/MessageFormat dateModifierList
java/text/MessageFormat <init>(Ljava/lang/String;)V
java/text/MessageFormat <init>(Ljava/lang/String;Ljava/util/Locale;)V
java/text/MessageFormat setLocale(Ljava/util/Locale;)V
java/text/MessageFormat getLocale()Ljava/util/Locale;
java/text/MessageFormat applyPattern(Ljava/lang/String;)V
java/text/MessageFormat toPattern()Ljava/lang/String;
java/text/MessageFormat
    setFormatsByArgumentIndex([Ljava/text/Format;)V
java/text/MessageFormat setFormats([Ljava/text/Format;)V
java/text/MessageFormat setFormatByArgumentIndex(ILjava/text/Format;)V
java/text/MessageFormat setFormat(ILjava/text/Format;)V
java/text/MessageFormat getFormatsByArgumentIndex()[Ljava/text/Format;
java/text/MessageFormat getFormats()[Ljava/text/Format;
java/text/MessageFormat
    format([Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/MessageFormat format(Ljava/lang/String;[Ljava/lang/Object;)Ljava/lang/String;
java/text/MessageFormat
    format(Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/MessageFormat formatToCharacterIterator(Ljava/lang/Object;)Ljava/text/AttributedCharacterIterator;
java/text/MessageFormat parse(Ljava/lang/String;Ljava/text/ParsePosition;)[Ljava/lang/Object;
java/text/MessageFormat parse(Ljava/lang/String;)[Ljava/lang/Object;
java/text/MessageFormat
    parseObject(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Object;
java/text/MessageFormat clone()Ljava/lang/Object;
java/text/MessageFormat equals(Ljava/lang/Object;)Z
java/text/MessageFormat hashCode()I
java/text/MessageFormat
    subformat([Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;Ljava/util/List;)Ljava/lang/StringBu

```

```

ffer;
java/text/MessageFormat append(Ljava/lang/StringBuffer;Ljava/text/CharacterIterator;)V
java/text/MessageFormat makeFormat(II[Ljava/lang/StringBuffer;)V
java/text/MessageFormat findKeyword(Ljava/lang/String;[Ljava/lang/String;)I
java/text/MessageFormat copyAndFixQuotes(Ljava/lang/String;II[Ljava/lang/StringBuffer;)V
java/text/MessageFormat readObject(Ljava/io/ObjectInputStream;)V
java/text/MessageFormat <clinit>()V
class java/text/Format java/lang/Object
java/text/Format serialVersionUID
java/text/Format <init>()V
java/text/Format format(Ljava/lang/Object;)Ljava/lang/String;
java/text/Format
format(Ljava/lang/Object;Ljava/lang/StringBuffer;Ljava/text/FieldPosition;)Ljava/lang/StringBuffer;
java/text/Format
formatToCharacterIterator(Ljava/lang/Object;)Ljava/text/AttributedCharacterIterator;
java/text/Format parseObject(Ljava/lang/String;Ljava/text/ParsePosition;)Ljava/lang/Object;
java/text/Format parseObject(Ljava/lang/String;)Ljava/lang/Object;
java/text/Format clone()Ljava/lang/Object;
java/text/Format createAttributedCharacterIterator(Ljava/lang/String;)Ljava/text/AttributedCharacterIterator;
java/text/Format
createAttributedCharacterIterator([Ljava/text/AttributedCharacterIterator;)Ljava/text/AttributedCharacterIterator;
java/text/Format
createAttributedCharacterIterator(Ljava/lang/String;Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Obj
ect;)Ljava/text/AttributedCharacterIterator;
java/text/Format
createAttributedCharacterIterator(Ljava/text/AttributedCharacterIterator;Ljava/text/AttributedCharacterIterator$Attr
ibute;Ljava/lang/Object;)Ljava/text/AttributedCharacterIterator;
class java/lang/IllegalAccessError
java/lang/IncompatibleClassChangeError
java/lang/IllegalAccessError <init>()V
java/lang/IllegalAccessError <init>(Ljava/lang/String;)V
class java/util/Collections$SynchronizedSet java/util/Collections$SynchronizedCollection
java/util/Collections$SynchronizedSet serialVersionUID
java/util/Collections$SynchronizedSet <init>(Ljava/util/Set;)V
java/util/Collections$SynchronizedSet <init>(Ljava/util/Set;Ljava/lang/Object;)V
java/util/Collections$SynchronizedSet equals(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedSet hashCode()I
class java/util/Hashtable$EntrySet java/util/AbstractSet
java/util/Hashtable$EntrySet this$0
java/util/Hashtable$EntrySet <init>(Ljava/util/Hashtable;)V
java/util/Hashtable$EntrySet iterator()Ljava/util/Iterator;
java/util/Hashtable$EntrySet add(Ljava/lang/Object;)Z
java/util/Hashtable$EntrySet contains(Ljava/lang/Object;)Z
java/util/Hashtable$EntrySet remove(Ljava/lang/Object;)Z
java/util/Hashtable$EntrySet size()I
java/util/Hashtable$EntrySet
clear()V
java/util/Hashtable$EntrySet <init>(Ljava/util/Hashtable;Ljava/util/Hashtable$1;)V

```

```

class java/util/PropertyResourceBundle java/util/ResourceBundle
java/util/PropertyResourceBundle lookup
java/util/PropertyResourceBundle <init>(Ljava/io/InputStream;)V
java/util/PropertyResourceBundle handleGetObject(Ljava/lang/String;)Ljava/lang/Object;
java/util/PropertyResourceBundle getKeys(Ljava/util/Enumeration;
class java/util/jar/JarFile$1 java/lang/Object
java/util/jar/JarFile$1 val$enum_
java/util/jar/JarFile$1 this$0
java/util/jar/JarFile$1 <init>(Ljava/util/jar/JarFile;Ljava/util/Enumeration;)V
java/util/jar/JarFile$1 hasMoreElements()Z
java/util/jar/JarFile$1 nextElement()Ljava/util/jar/JarFile$JarFileEntry;
java/util/jar/JarFile$1 nextElement()Ljava/lang/Object;
class java/util/zip/ZipFile$3 java/lang/Object
java/util/zip/ZipFile$3 i
java/util/zip/ZipFile$3 this$0
java/util/zip/ZipFile$3 <init>(Ljava/util/zip/ZipFile;)V
java/util/zip/ZipFile$3 hasMoreElements()Z
java/util/zip/ZipFile$3
    nextElement()Ljava/util/zip/ZipEntry;
java/util/zip/ZipFile$3 nextElement()Ljava/lang/Object;
class java/io/EOFException java/io/IOException
java/io/EOFException <init>()V
java/io/EOFException <init>(Ljava/lang/String;)V
class java/lang/ArrayIndexOutOfBoundsException java/lang/IndexOutOfBoundsException
java/lang/ArrayIndexOutOfBoundsException <init>()V
java/lang/ArrayIndexOutOfBoundsException <init>(I)V
java/lang/ArrayIndexOutOfBoundsException <init>(Ljava/lang/String;)V
class java/lang/IndexOutOfBoundsException java/lang/RuntimeException
java/lang/IndexOutOfBoundsException <init>()V
java/lang/IndexOutOfBoundsException <init>(Ljava/lang/String;)V
class java/lang/InstantiationException java/lang/Exception
java/lang/InstantiationException <init>()V
java/lang/InstantiationException <init>(Ljava/lang/String;)V
class java/lang/IllegalAccessException java/lang/Exception
java/lang/IllegalAccessException <init>()V
java/lang/IllegalAccessException <init>(Ljava/lang/String;)V
class java/lang/NoSuchFieldException
    java/lang/Exception
java/lang/NoSuchFieldException <init>()V
java/lang/NoSuchFieldException <init>(Ljava/lang/String;)V
class java/lang/NoSuchMethodException java/lang/Exception
java/lang/NoSuchMethodException <init>()V
java/lang/NoSuchMethodException <init>(Ljava/lang/String;)V
class java/lang/reflect/InvocationHandler java/lang/Object
java/lang/reflect/InvocationHandler
invoke(Ljava/lang/Object;Ljava/lang/reflect/Method;[Ljava/lang/Object;)Ljava/lang/Object;
class java/lang/reflect/Proxy java/lang/Object
java/lang/reflect/Proxy serialVersionUID

```



```

java/lang/reflect/Proxy proxyClassNamePrefix
java/lang/reflect/Proxy constructorParams
java/lang/reflect/Proxy loaderToCache
java/lang/reflect/Proxy pendingGenerationMarker
java/lang/reflect/Proxy nextUniqueNumber
java/lang/reflect/Proxy nextUniqueNumberLock
java/lang/reflect/Proxy proxyClasses
java/lang/reflect/Proxy h
java/lang/reflect/Proxy <init>()V
java/lang/reflect/Proxy <init>(Ljava/lang/reflect/InvocationHandler;)V
java/lang/reflect/Proxy
    getProxyClass(Ljava/lang/ClassLoader;[Ljava/lang/Class;)Ljava/lang/Class;
java/lang/reflect/Proxy
    newProxyInstance(Ljava/lang/ClassLoader;[Ljava/lang/Class;Ljava/lang/reflect/InvocationHandler;)Ljava/lang/Obj
    ect;
java/lang/reflect/Proxy isProxyClass(Ljava/lang/Class;)Z
java/lang/reflect/Proxy getInvocationHandler(Ljava/lang/Object;)Ljava/lang/reflect/InvocationHandler;
java/lang/reflect/Proxy defineClass0(Ljava/lang/ClassLoader;Ljava/lang/String;[BII)Ljava/lang/Class;
java/lang/reflect/Proxy <clinit>()V
class java/io/FilterReader java/io/Reader
java/io/FilterReader in
java/io/FilterReader <init>(Ljava/io/Reader;)V
java/io/FilterReader read()I
java/io/FilterReader read([CII)I
java/io/FilterReader skip(J)J
java/io/FilterReader ready()Z
java/io/FilterReader markSupported()Z
java/io/FilterReader mark(I)V
java/io/FilterReader reset()V
java/io/FilterReader close()V
class java/lang/SecurityException java/lang/RuntimeException
java/lang/SecurityException serialVersionUID
java/lang/SecurityException
    <init>()V
java/lang/SecurityException <init>(Ljava/lang/String;)V
java/lang/SecurityException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/SecurityException <init>(Ljava/lang/Throwable;)V
class java/io/StringReader java/io/Reader
java/io/StringReader str
java/io/StringReader length
java/io/StringReader next
java/io/StringReader mark
java/io/StringReader <init>(Ljava/lang/String;)V
java/io/StringReader ensureOpen()V
java/io/StringReader read()I
java/io/StringReader read([CII)I
java/io/StringReader skip(J)J
java/io/StringReader ready()Z

```

```

java/io/StringReader markSupported()Z
java/io/StringReader mark(I)V
java/io/StringReader reset()V
java/io/StringReader close()V
class java/lang/InternalError java/lang/VirtualMachineError
java/lang/InternalError <init>()V
java/lang/InternalError <init>(Ljava/lang/String;)V
class java/net/ServerSocket java/lang/Object
java/net/ServerSocket created
java/net/ServerSocket bound
java/net/ServerSocket closed
java/net/ServerSocket
    closeLock
java/net/ServerSocket impl
java/net/ServerSocket oldImpl
java/net/ServerSocket factory
java/net/ServerSocket <init>()V
java/net/ServerSocket <init>(I)V
java/net/ServerSocket <init>(II)V
java/net/ServerSocket <init>(III,java/net/InetAddress;)V
java/net/ServerSocket getImpl()Ljava/net/SocketImpl;
java/net/ServerSocket checkOldImpl()V
java/net/ServerSocket setImpl()V
java/net/ServerSocket createImpl()V
java/net/ServerSocket bind(Ljava/net/SocketAddress;)V
java/net/ServerSocket bind(Ljava/net/SocketAddress;I)V
java/net/ServerSocket getInetAddress()Ljava/net/InetAddress;
java/net/ServerSocket getLocalPort()I
java/net/ServerSocket getLocalSocketAddress()Ljava/net/SocketAddress;
java/net/ServerSocket accept()Ljava/net/Socket;
java/net/ServerSocket implAccept(Ljava/net/Socket;)V
java/net/ServerSocket close()V
java/net/ServerSocket getChannel()Ljava/nio/channels/ServerSocketChannel;
java/net/ServerSocket isBound()Z
java/net/ServerSocket isClosed()Z
java/net/ServerSocket
    setSoTimeout(I)V
java/net/ServerSocket getSoTimeout()I
java/net/ServerSocket setReuseAddress(Z)V
java/net/ServerSocket getReuseAddress(Z)
java/net/ServerSocket toString()Ljava/lang/String;
java/net/ServerSocket setBound()V
java/net/ServerSocket setCreated()V
java/net/ServerSocket setSocketFactory(Ljava/net/SocketImplFactory;)V
java/net/ServerSocket setReceiveBufferSize(I)V
java/net/ServerSocket getReceiveBufferSize()I
java/net/ServerSocket setPerformancePreferences(III)V
java/net/ServerSocket access$000(Ljava/net/ServerSocket;)Ljava/net/SocketImpl;

```

```

java/net/ServerSocket <clinit>()V
class java/util/Vector$1 java/lang/Object
java/util/Vector$1 count
java/util/Vector$1 this$0
java/util/Vector$1 <init>(Ljava/util/Vector;)V
java/util/Vector$1 hasMoreElements()Z
java/util/Vector$1 nextElement()Ljava/lang/Object;
class java/text/DateFormatSymbols java/lang/Object
java/text/DateFormatSymbols eras
java/text/DateFormatSymbols months
java/text/DateFormatSymbols shortMonths
java/text/DateFormatSymbols
    weekdays
java/text/DateFormatSymbols shortWeekdays
java/text/DateFormatSymbols ampms
java/text/DateFormatSymbols zoneStrings
java/text/DateFormatSymbols patternChars
java/text/DateFormatSymbols localPatternChars
java/text/DateFormatSymbols serialVersionUID
java/text/DateFormatSymbols millisPerHour
java/text/DateFormatSymbols cachedLocaleData
java/text/DateFormatSymbols cachedZoneData
java/text/DateFormatSymbols <init>()V
java/text/DateFormatSymbols <init>(Ljava/util/Locale;)V
java/text/DateFormatSymbols getEras()[Ljava/lang/String;
java/text/DateFormatSymbols setEras([Ljava/lang/String;)V
java/text/DateFormatSymbols getMonths()[Ljava/lang/String;
java/text/DateFormatSymbols setMonths([Ljava/lang/String;)V
java/text/DateFormatSymbols getShortMonths()[Ljava/lang/String;
java/text/DateFormatSymbols setShortMonths([Ljava/lang/String;)V
java/text/DateFormatSymbols getWeekdays()[Ljava/lang/String;
java/text/DateFormatSymbols setWeekdays([Ljava/lang/String;)V
java/text/DateFormatSymbols
    getShortWeekdays()[Ljava/lang/String;
java/text/DateFormatSymbols setShortWeekdays([Ljava/lang/String;)V
java/text/DateFormatSymbols getAmPmStrings()[Ljava/lang/String;
java/text/DateFormatSymbols setAmPmStrings([Ljava/lang/String;)V
java/text/DateFormatSymbols getZoneStrings()[Ljava/lang/String;
java/text/DateFormatSymbols setZoneStrings([Ljava/lang/String;)V
java/text/DateFormatSymbols getLocalPatternChars()Ljava/lang/String;
java/text/DateFormatSymbols setLocalPatternChars(Ljava/lang/String;)V
java/text/DateFormatSymbols clone()Ljava/lang/Object;
java/text/DateFormatSymbols hashCode()I
java/text/DateFormatSymbols equals(Ljava/lang/Object;)Z
java/text/DateFormatSymbols cacheLookup(Ljava/util/Locale;)[Ljava/util/ResourceBundle;
java/text/DateFormatSymbols loadZoneStrings(Ljava/util/Locale;Ljava/util/ResourceBundle;)[Ljava/lang/String;
java/text/DateFormatSymbols initializeData(Ljava/util/Locale;)V
java/text/DateFormatSymbols getZoneIndex(Ljava/lang/String;)I

```

```

java/text/DateFormatSymbols
    duplicate([Ljava/lang/String;)[Ljava/lang/String;
java/text/DateFormatSymbols copyMembers(Ljava/text/DateFormatSymbols;Ljava/text/DateFormatSymbols;)V
java/text/DateFormatSymbols equals([Ljava/lang/String;[Ljava/lang/String;)Z
java/text/DateFormatSymbols <clinit>()V
class java/util/TimeZone$1 java/lang/Object
java/util/TimeZone$1 val$id
java/util/TimeZone$1 <init>(Ljava/lang/String;)V
java/util/TimeZone$1 run()Ljava/lang/Object;
class java/lang/InheritableThreadLocal java/lang/ThreadLocal
java/lang/InheritableThreadLocal <init>()V
java/lang/InheritableThreadLocal childValue(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/InheritableThreadLocal getMap(Ljava/lang/Thread;)Ljava/lang/ThreadLocal$ThreadLocalMap;
java/lang/InheritableThreadLocal createMap(Ljava/lang/Thread;Ljava/lang/Object;)V
class java/util/TimeZone java/lang/Object
java/util/TimeZone SHORT
java/util/TimeZone LONG
java/util/TimeZone ONE_MINUTE
java/util/TimeZone ONE_HOUR
java/util/TimeZone ONE_DAY
java/util/TimeZone
    cachedLocaleData
java/util/TimeZone serialVersionUID
java/util/TimeZone NO_TIMEZONE
java/util/TimeZone ID
java/util/TimeZone defaultTimeZone
java/util/TimeZone defaultZoneTL
java/util/TimeZone GMT_ID
java/util/TimeZone GMT_ID_LENGTH
java/util/TimeZone $assertionsDisabled
java/util/TimeZone <init>()V
java/util/TimeZone getOffset(IIII)I
java/util/TimeZone getOffset(J)I
java/util/TimeZone getOffsets(J[I)I
java/util/TimeZone setRawOffset(I)V
java/util/TimeZone getRawOffset()I
java/util/TimeZone getID()Ljava/lang/String;
java/util/TimeZone setID(Ljava/lang/String;)V
java/util/TimeZone getDisplayName()Ljava/lang/String;
java/util/TimeZone getDisplayName(Ljava/util/Locale;)Ljava/lang/String;
java/util/TimeZone getDisplayName(ZI)Ljava/lang/String;
java/util/TimeZone getDisplayName(ZILjava/util/Locale;)Ljava/lang/String;
java/util/TimeZone getDisplayNames(Ljava/lang/String;Ljava/util/Locale;)[Ljava/lang/String;
java/util/TimeZone retrieveDisplayNames(Ljava/lang/String;Ljava/util/Locale;)[Ljava/lang/String;
java/util/TimeZone
    getDSTSavings()I
java/util/TimeZone useDaylightTime()Z
java/util/TimeZone inDaylightTime(Ljava/util/Date;)Z

```

```

java/util/TimeZone getTimeZone(Ljava/lang/String;)Ljava/util/TimeZone;
java/util/TimeZone getTimeZone(Ljava/lang/String;Z)Ljava/util/TimeZone;
java/util/TimeZone getAvailableIDs(I)[Ljava/lang/String;
java/util/TimeZone getAvailableIDs()[Ljava/lang/String;
java/util/TimeZone getSystemTimeZoneID(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/TimeZone getSystemGMTOffsetID(Ljava/lang/String;
java/util/TimeZone getDefault()Ljava/util/TimeZone;
java/util/TimeZone getDefaultRef()Ljava/util/TimeZone;
java/util/TimeZone setDefaultZone()Ljava/util/TimeZone;
java/util/TimeZone hasPermission()Z
java/util/TimeZone setDefault(Ljava/util/TimeZone;)V
java/util/TimeZone hasSameRules(Ljava/util/TimeZone;)Z
java/util/TimeZone clone()Ljava/lang/Object;
java/util/TimeZone parseCustomTimeZone(Ljava/lang/String;)Ljava/util/TimeZone;
java/util/TimeZone
    <clinit>()V
class java/util/Date java/lang/Object
java/util/Date gcal
java/util/Date jcal
java/util/Date fastTime
java/util/Date cdate
java/util/Date defaultCenturyStart
java/util/Date serialVersionUID
java/util/Date wtb
java/util/Date ttb
java/util/Date <init>()V
java/util/Date <init>(J)V
java/util/Date <init>(III)V
java/util/Date <init>(IIII)V
java/util/Date <init>(IIIII)V
java/util/Date <init>(Ljava/lang/String;)V
java/util/Date clone()Ljava/lang/Object;
java/util/Date UTC(IIIII)J
java/util/Date parse(Ljava/lang/String;)J
java/util/Date getYear()I
java/util/Date setYear(I)V
java/util/Date getMonth()I
java/util/Date setMonth(I)V
java/util/Date getDate()I
java/util/Date setDate(I)V
java/util/Date getDay()I
java/util/Date getHours()I
java/util/Date setHours(I)V
java/util/Date getMinutes()I
java/util/Date setMinutes(I)V
java/util/Date getSeconds()I
java/util/Date setSeconds(I)V
java/util/Date getTime()J

```

```

java/util/Date getTimeImpl()J
java/util/Date setTime(J)V
java/util/Date before(Ljava/util/Date;)Z
java/util/Date
    after(Ljava/util/Date;)Z
java/util/Date equals(Ljava/lang/Object;)Z
java/util/Date getMillisOf(Ljava/util/Date;)J
java/util/Date compareTo(Ljava/util/Date;)I
java/util/Date hashCode()I
java/util/Date toString(Ljava/lang/String;
java/util/Date convertToAbbr(Ljava/lang/StringBuilder;Ljava/lang/String;)Ljava/lang/StringBuilder;
java/util/Date toLocaleString()Ljava/lang/String;
java/util/Date toGMTString(Ljava/lang/String;
java/util/Date getTimezoneOffset()I
java/util/Date getCalendarDate(Lsun/util/calendar/BaseCalendar$Date;
java/util/Date normalize(Lsun/util/calendar/BaseCalendar$Date;
java/util/Date normalize(Lsun/util/calendar/BaseCalendar$Date;Lsun/util/calendar/BaseCalendar$Date;
java/util/Date getCalendarSystem(I)Lsun/util/calendar/BaseCalendar;
java/util/Date getCalendarSystem(J)Lsun/util/calendar/BaseCalendar;
java/util/Date getCalendarSystem(Lsun/util/calendar/BaseCalendar$Date;)Lsun/util/calendar/BaseCalendar;
java/util/Date getJulianCalendar(Lsun/util/calendar/BaseCalendar;
java/util/Date
    writeObject(Ljava/io/ObjectOutputStream;)V
java/util/Date readObject(Ljava/io/ObjectInputStream;)V
java/util/Date compareTo(Ljava/lang/Object;)I
java/util/Date <clinit>()V
class java/awt/image/SinglePixelPackedSampleModel java/awt/image/SampleModel
java/awt/image/SinglePixelPackedSampleModel bitMasks
java/awt/image/SinglePixelPackedSampleModel bitOffsets
java/awt/image/SinglePixelPackedSampleModel bitSizes
java/awt/image/SinglePixelPackedSampleModel maxBitSize
java/awt/image/SinglePixelPackedSampleModel scanlineStride
java/awt/image/SinglePixelPackedSampleModel initIDs()V
java/awt/image/SinglePixelPackedSampleModel <init>(III[I)V
java/awt/image/SinglePixelPackedSampleModel <init>(III[I)V
java/awt/image/SinglePixelPackedSampleModel getNumDataElements()I
java/awt/image/SinglePixelPackedSampleModel getBufferSize()J
java/awt/image/SinglePixelPackedSampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/SinglePixelPackedSampleModel
    createDataBuffer(Ljava/awt/image/DataBuffer;
java/awt/image/SinglePixelPackedSampleModel getSampleSize()[I
java/awt/image/SinglePixelPackedSampleModel getSampleSize(I)I
java/awt/image/SinglePixelPackedSampleModel getOffset(II)I
java/awt/image/SinglePixelPackedSampleModel getBitOffsets()[I
java/awt/image/SinglePixelPackedSampleModel getBitMasks()[I
java/awt/image/SinglePixelPackedSampleModel getScanlineStride()I
java/awt/image/SinglePixelPackedSampleModel createSubsetSampleModel([I)Ljava/awt/image/SampleModel;
java/awt/image/SinglePixelPackedSampleModel

```

```

getDataElements(IILjava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/SinglePixelPackedSampleModel getPixel(II[ILjava/awt/image/DataBuffer;)[I
java/awt/image/SinglePixelPackedSampleModel getPixels(IIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/SinglePixelPackedSampleModel getSample(IIILjava/awt/image/DataBuffer;)I
java/awt/image/SinglePixelPackedSampleModel getSamples(IIIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/SinglePixelPackedSampleModel
    setDataElements(IILjava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/SinglePixelPackedSampleModel setPixel(II[ILjava/awt/image/DataBuffer;)V
java/awt/image/SinglePixelPackedSampleModel setPixels(IIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/SinglePixelPackedSampleModel setSample(IIILjava/awt/image/DataBuffer;)V
java/awt/image/SinglePixelPackedSampleModel setSamples(IIIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/SinglePixelPackedSampleModel equals(Ljava/lang/Object;)Z
java/awt/image/SinglePixelPackedSampleModel hashCode()I
java/awt/image/SinglePixelPackedSampleModel <clinit>()V
class java/awt/image/DataBufferInt java/awt/image/DataBuffer
java/awt/image/DataBufferInt data
java/awt/image/DataBufferInt bankdata
java/awt/image/DataBufferInt <init>(I)V
java/awt/image/DataBufferInt <init>(II)V
java/awt/image/DataBufferInt <init>([II)V
java/awt/image/DataBufferInt <init>([III)V
java/awt/image/DataBufferInt
    <init>([II)V
java/awt/image/DataBufferInt <init>([IIII)V
java/awt/image/DataBufferInt getData()[I
java/awt/image/DataBufferInt getData(I)[I
java/awt/image/DataBufferInt getBankData()[I
java/awt/image/DataBufferInt getElem(I)I
java/awt/image/DataBufferInt getElem(II)I
java/awt/image/DataBufferInt setElem(II)V
java/awt/image/DataBufferInt setElem(III)V
class java/awt/Dialog java/awt/Window
java/awt/Dialog resizable
java/awt/Dialog undecorated
java/awt/Dialog modal
java/awt/Dialog title
java/awt/Dialog keepBlocking
java/awt/Dialog base
java/awt/Dialog nameCounter
java/awt/Dialog serialVersionUID
java/awt/Dialog showAppContext
java/awt/Dialog <init>(Ljava/awt/Frame;)V
java/awt/Dialog <init>(Ljava/awt/Frame;Z)V
java/awt/Dialog <init>(Ljava/awt/Frame;Ljava/lang/String;)V
java/awt/Dialog <init>(Ljava/awt/Frame;Ljava/lang/String;Z)V
java/awt/Dialog <init>(Ljava/awt/Frame;Ljava/lang/String;ZLjava/awt/GraphicsConfiguration;)V
java/awt/Dialog <init>(Ljava/awt/Dialog;)V
java/awt/Dialog

```

```

<init>(Ljava/awt/Dialog;Ljava/lang/String;)V
java/awt/Dialog <init>(Ljava/awt/Dialog;Ljava/lang/String;Z)V
java/awt/Dialog <init>(Ljava/awt/Dialog;Ljava/lang/String;ZLjava/awt/GraphicsConfiguration;)V
java/awt/Dialog constructComponentName()Ljava/lang/String;
java/awt/Dialog addNotify()V
java/awt/Dialog isModal()Z
java/awt/Dialog setModal(Z)V
java/awt/Dialog getTitle()Ljava/lang/String;
java/awt/Dialog setTitle(Ljava/lang/String;)V
java/awt/Dialog conditionalShow(Ljava/awt/Component;Ljava/util/concurrent/atomic/AtomicLong;)Z
java/awt/Dialog show()V
java/awt/Dialog interruptBlocking()V
java/awt/Dialog hideAndDisposeHandler()V
java/awt/Dialog hide()V
java/awt/Dialog doDispose()V
java/awt/Dialog isResizable()Z
java/awt/Dialog setResizable(Z)V
java/awt/Dialog setUndecorated(Z)V
java/awt/Dialog isUndecorated()Z
java/awt/Dialog paramString()Ljava/lang/String;
java/awt/Dialog initIDs()V
java/awt/Dialog getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Dialog access$000(Ljava/awt/Dialog;)Z
java/awt/Dialog
  <clinit>()V
class java/awt/Canvas java/awt/Component
java/awt/Canvas base
java/awt/Canvas nameCounter
java/awt/Canvas serialVersionUID
java/awt/Canvas <init>()V
java/awt/Canvas <init>(Ljava/awt/GraphicsConfiguration;)V
java/awt/Canvas constructComponentName()Ljava/lang/String;
java/awt/Canvas addNotify()V
java/awt/Canvas paint(Ljava/awt/Graphics;)V
java/awt/Canvas update(Ljava/awt/Graphics;)V
java/awt/Canvas postsOldMouseEvents()Z
java/awt/Canvas createBufferStrategy(I)V
java/awt/Canvas createBufferStrategy(ILjava/awt/BufferCapabilities;)V
java/awt/Canvas getBufferStrategy()Ljava/awt/image/BufferStrategy;
java/awt/Canvas getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Canvas <clinit>()V
class java/awt/image/WritableRaster java/awt/image/Raster
java/awt/image/WritableRaster <init>(Ljava/awt/image/SampleModel;Ljava/awt/Point;)V
java/awt/image/WritableRaster
  <init>(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Point;)V
java/awt/image/WritableRaster
  <init>(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Rectangle;Ljava/awt/Point;Ljava/awt
/image/WritableRaster;)V

```



```

java/awt/image/WritableRaster getWritableParent()Ljava/awt/image/WritableRaster;
java/awt/image/WritableRaster createWritableTranslatedChild(II)Ljava/awt/image/WritableRaster;
java/awt/image/WritableRaster createWritableChild(IIIII[I)Ljava/awt/image/WritableRaster;
java/awt/image/WritableRaster setDataElements(IIILjava/lang/Object;)V
java/awt/image/WritableRaster setDataElements(IIILjava/awt/image/Raster;)V
java/awt/image/WritableRaster setDataElements(IIIIILjava/lang/Object;)V
java/awt/image/WritableRaster setRect(Ljava/awt/image/Raster;)V
java/awt/image/WritableRaster setRect(IIILjava/awt/image/Raster;)V
java/awt/image/WritableRaster setPixel(II[I)V
java/awt/image/WritableRaster setPixel(II[F)V
java/awt/image/WritableRaster setPixel(II[D)V
java/awt/image/WritableRaster setPixels(IIII[I)V
java/awt/image/WritableRaster setPixels(IIII[F)V
java/awt/image/WritableRaster
    setPixels(IIII[D)V
java/awt/image/WritableRaster setSample(IIII)V
java/awt/image/WritableRaster setSample(IIIF)V
java/awt/image/WritableRaster setSample(IIID)V
java/awt/image/WritableRaster setSamples(IIIII[I)V
java/awt/image/WritableRaster setSamples(IIIII[F)V
java/awt/image/WritableRaster setSamples(IIIII[D)V
class java/awt/image/PixelInterleavedSampleModel java/awt/image/ComponentSampleModel
java/awt/image/PixelInterleavedSampleModel <init>(IIIII[I)V
java/awt/image/PixelInterleavedSampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/PixelInterleavedSampleModel createSubsetSampleModel([I)Ljava/awt/image/SampleModel;
java/awt/image/PixelInterleavedSampleModel hashCode()I
class java/awt/image/ComponentSampleModel java/awt/image/SampleModel
java/awt/image/ComponentSampleModel bandOffsets
java/awt/image/ComponentSampleModel bankIndices
java/awt/image/ComponentSampleModel numBands
java/awt/image/ComponentSampleModel
    numBanks
java/awt/image/ComponentSampleModel scanlineStride
java/awt/image/ComponentSampleModel pixelStride
java/awt/image/ComponentSampleModel initIDs()V
java/awt/image/ComponentSampleModel <init>(IIIII[I)V
java/awt/image/ComponentSampleModel <init>(IIIII[I[I)V
java/awt/image/ComponentSampleModel getBufferSize()J
java/awt/image/ComponentSampleModel orderBands([II)[I
java/awt/image/ComponentSampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/ComponentSampleModel createSubsetSampleModel([I)Ljava/awt/image/SampleModel;
java/awt/image/ComponentSampleModel createDataBuffer()Ljava/awt/image/DataBuffer;
java/awt/image/ComponentSampleModel getOffset(II)I
java/awt/image/ComponentSampleModel getOffset(III)I
java/awt/image/ComponentSampleModel getSampleSize()[I
java/awt/image/ComponentSampleModel getSampleSize(I)I
java/awt/image/ComponentSampleModel getBankIndices()[I
java/awt/image/ComponentSampleModel getBandOffsets()[I

```

```

java/awt/image/ComponentSampleModel
    getScanlineStride()I
java/awt/image/ComponentSampleModel getPixelStride()I
java/awt/image/ComponentSampleModel getNumDataElements()I
java/awt/image/ComponentSampleModel
    getDataElements(IIIILjava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/ComponentSampleModel getPixel(II[ILjava/awt/image/DataBuffer;)[I
java/awt/image/ComponentSampleModel getPixels(IIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/ComponentSampleModel getSample(IIILjava/awt/image/DataBuffer;)I
java/awt/image/ComponentSampleModel getSampleFloat(IIILjava/awt/image/DataBuffer;)F
java/awt/image/ComponentSampleModel getSampleDouble(IIILjava/awt/image/DataBuffer;)D
java/awt/image/ComponentSampleModel getSamples(IIIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/ComponentSampleModel setDataElements(IIIILjava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel setPixel(II[ILjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel setPixels(IIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel
    setSample(IIIIILjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel setSample(IIIFLjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel setSample(IIIDLjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel setSamples(IIIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/ComponentSampleModel equals(Ljava/lang/Object;)Z
java/awt/image/ComponentSampleModel hashCode()I
java/awt/image/ComponentSampleModel <clinit>()V
class java/awt/image/SampleModel java/lang/Object
java/awt/image/SampleModel width
java/awt/image/SampleModel height
java/awt/image/SampleModel numBands
java/awt/image/SampleModel dataType
java/awt/image/SampleModel initIDs()V
java/awt/image/SampleModel <init>(IIII)V
java/awt/image/SampleModel getWidth()I
java/awt/image/SampleModel getHeight()I
java/awt/image/SampleModel getNumBands()I
java/awt/image/SampleModel getNumDataElements()I
java/awt/image/SampleModel getDataType()I
java/awt/image/SampleModel
    getTransferType()I
java/awt/image/SampleModel getPixel(II[ILjava/awt/image/DataBuffer;)[I
java/awt/image/SampleModel
    getDataElements(IIIILjava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/SampleModel
    getDataElements(IIIIILjava/lang/Object;Ljava/awt/image/DataBuffer;)Ljava/lang/Object;
java/awt/image/SampleModel setDataElements(IIIILjava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setDataElements(IIIIILjava/lang/Object;Ljava/awt/image/DataBuffer;)V
java/awt/image/SampleModel getPixel(II[FLjava/awt/image/DataBuffer;)[F
java/awt/image/SampleModel getPixel(II[DLjava/awt/image/DataBuffer;)[D
java/awt/image/SampleModel getPixels(IIIII[ILjava/awt/image/DataBuffer;)[I
java/awt/image/SampleModel getPixels(IIIII[FLjava/awt/image/DataBuffer;)[F

```

```

java/awt/image/SampleModel getPixels(IIII[DLjava/awt/image/DataBuffer;)]D
java/awt/image/SampleModel getSample(IIILjava/awt/image/DataBuffer;)I
java/awt/image/SampleModel getSampleFloat(IIILjava/awt/image/DataBuffer;)F
java/awt/image/SampleModel
    getSampleDouble(IIILjava/awt/image/DataBuffer;)D
java/awt/image/SampleModel getSamples(IIIII[ILjava/awt/image/DataBuffer;)]I
java/awt/image/SampleModel getSamples(IIIII[FLjava/awt/image/DataBuffer;)]F
java/awt/image/SampleModel getSamples(IIIII[DLjava/awt/image/DataBuffer;)]D
java/awt/image/SampleModel setPixel(II[ILjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setPixel(II[FLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setPixel(II[DLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setPixels(IIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setPixels(IIII[FLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setPixels(IIII[DLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setSample(IIII[Ljava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setSample(IIIFLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setSample(IIIDLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setSamples(IIIII[ILjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel
    setSamples(IIIII[FLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel setSamples(IIIII[DLjava/awt/image/DataBuffer;)V
java/awt/image/SampleModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/SampleModel createSubsetSampleModel([I)Ljava/awt/image/SampleModel;
java/awt/image/SampleModel createDataBuffer()Ljava/awt/image/DataBuffer;
java/awt/image/SampleModel getSampleSize()[I
java/awt/image/SampleModel getSampleSize(I)I
java/awt/image/SampleModel <clinit>()V
class java/awt/image/DataBufferByte java/awt/image/DataBuffer
java/awt/image/DataBufferByte data
java/awt/image/DataBufferByte bankdata
java/awt/image/DataBufferByte <init>(I)V
java/awt/image/DataBufferByte <init>(II)V
java/awt/image/DataBufferByte <init>([BI)V
java/awt/image/DataBufferByte <init>([BII)V
java/awt/image/DataBufferByte <init>([[BI)V
java/awt/image/DataBufferByte <init>([[BI]I)V
java/awt/image/DataBufferByte getData()[B
java/awt/image/DataBufferByte
    getData(I)[B
java/awt/image/DataBufferByte getBankData()[[B
java/awt/image/DataBufferByte getElem(I)I
java/awt/image/DataBufferByte getElem(II)I
java/awt/image/DataBufferByte setElem(II)V
java/awt/image/DataBufferByte setElem(III)V
class java/awt/image/DataBuffer java/lang/Object
java/awt/image/DataBuffer TYPE_BYTE
java/awt/image/DataBuffer TYPE_USHORT
java/awt/image/DataBuffer TYPE_SHORT

```

```

java/awt/image/DataBuffer TYPE_INT
java/awt/image/DataBuffer TYPE_FLOAT
java/awt/image/DataBuffer TYPE_DOUBLE
java/awt/image/DataBuffer TYPE_UNDEFINED
java/awt/image/DataBuffer dataType
java/awt/image/DataBuffer banks
java/awt/image/DataBuffer offset
java/awt/image/DataBuffer size
java/awt/image/DataBuffer offsets
java/awt/image/DataBuffer dataTypeSize
java/awt/image/DataBuffer getDataTypeSize(I)I
java/awt/image/DataBuffer <init>(II)V
java/awt/image/DataBuffer <init>(III)V
java/awt/image/DataBuffer <init>(III)V
java/awt/image/DataBuffer <init>(III[I)V
java/awt/image/DataBuffer
    getDataType()I
java/awt/image/DataBuffer getSize()I
java/awt/image/DataBuffer getOffset()I
java/awt/image/DataBuffer getOffsets()[I
java/awt/image/DataBuffer getNumBanks()I
java/awt/image/DataBuffer getElem(I)I
java/awt/image/DataBuffer getElem(II)I
java/awt/image/DataBuffer setElem(II)V
java/awt/image/DataBuffer setElem(III)V
java/awt/image/DataBuffer getElemFloat(I)F
java/awt/image/DataBuffer getElemFloat(II)F
java/awt/image/DataBuffer setElemFloat(IF)V
java/awt/image/DataBuffer setElemFloat(IIF)V
java/awt/image/DataBuffer getElemDouble(I)D
java/awt/image/DataBuffer getElemDouble(II)D
java/awt/image/DataBuffer setElemDouble(ID)V
java/awt/image/DataBuffer setElemDouble(IID)V
java/awt/image/DataBuffer toIntArray(Ljava/lang/Object;)[I
java/awt/image/DataBuffer <clinit>()V
class java/awt/image/Raster java/lang/Object
java/awt/image/Raster sampleModel
java/awt/image/Raster dataBuffer
java/awt/image/Raster minX
java/awt/image/Raster minY
java/awt/image/Raster width
java/awt/image/Raster
    height
java/awt/image/Raster sampleModelTranslateX
java/awt/image/Raster sampleModelTranslateY
java/awt/image/Raster numBands
java/awt/image/Raster numDataElements
java/awt/image/Raster parent

```

```

java/awt/image/Raster initIDs()V
java/awt/image/Raster createInterleavedRaster(IIIIILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createInterleavedRaster(IIIII[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createBandedRaster(IIIIILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createBandedRaster(IIII[I[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createPackedRaster(III[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createPackedRaster(IIIIILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster
createInterleavedRaster(Ljava/awt/image/DataBuffer;IIII[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster
createBandedRaster(Ljava/awt/image/DataBuffer;IIII[I[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster
createPackedRaster(Ljava/awt/image/DataBuffer;III[ILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster
createPackedRaster(Ljava/awt/image/DataBuffer;IIIIILjava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster
createRaster(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Point;)Ljava/awt/image/Raster;
java/awt/image/Raster
createWritableRaster(Ljava/awt/image/SampleModel;Ljava/awt/Point;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster
createWritableRaster(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Point;)Ljava/awt/imag
e/WritableRaster;
java/awt/image/Raster <init>(Ljava/awt/image/SampleModel;Ljava/awt/Point;)V
java/awt/image/Raster <init>(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Point;)V
java/awt/image/Raster
<init>(Ljava/awt/image/SampleModel;Ljava/awt/image/DataBuffer;Ljava/awt/Rectangle;Ljava/awt/Point;Ljava/awt
/image/Raster;)V
java/awt/image/Raster
getParent()Ljava/awt/image/Raster;
java/awt/image/Raster getSampleModelTranslateX()I
java/awt/image/Raster getSampleModelTranslateY()I
java/awt/image/Raster createCompatibleWritableRaster()Ljava/awt/image/WritableRaster;
java/awt/image/Raster createCompatibleWritableRaster(II)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createCompatibleWritableRaster(Ljava/awt/Rectangle;)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createCompatibleWritableRaster(IIII)Ljava/awt/image/WritableRaster;
java/awt/image/Raster createTranslatedChild(II)Ljava/awt/image/Raster;
java/awt/image/Raster createChild(IIIII[I)Ljava/awt/image/Raster;
java/awt/image/Raster getBounds()Ljava/awt/Rectangle;
java/awt/image/Raster getMinX()I
java/awt/image/Raster getMinY()I
java/awt/image/Raster getWidth()I
java/awt/image/Raster getHeight()I
java/awt/image/Raster getNumBands()I
java/awt/image/Raster getNumDataElements()I
java/awt/image/Raster getTransferType()I
java/awt/image/Raster
getDataBuffer()Ljava/awt/image/DataBuffer;
java/awt/image/Raster getSampleModel()Ljava/awt/image/SampleModel;

```

```

java/awt/image/Raster getDataElements(II)Ljava/lang/Object;)Ljava/lang/Object;
java/awt/image/Raster getDataElements(IIII)Ljava/lang/Object;)Ljava/lang/Object;
java/awt/image/Raster getPixel(II[I]I
java/awt/image/Raster getPixel(II[F][F
java/awt/image/Raster getPixel(II[D][D
java/awt/image/Raster getPixels(IIII[I]I
java/awt/image/Raster getPixels(IIII[F][F
java/awt/image/Raster getPixels(IIII[D][D
java/awt/image/Raster getSample(III)I
java/awt/image/Raster getSampleFloat(III)F
java/awt/image/Raster getSampleDouble(III)D
java/awt/image/Raster getSamples(IIII[I]I
java/awt/image/Raster getSamples(IIII[F][F
java/awt/image/Raster getSamples(IIII[D][D
java/awt/image/Raster <clinit>()V
class java/net/JarURLConnection java/net/URLConnection
java/net/JarURLConnection jarFileURL
java/net/JarURLConnection entryName
java/net/JarURLConnection jarFileURLConnection
java/net/JarURLConnection
<init>(Ljava/net/URL;)V
java/net/JarURLConnection parseSpecs(Ljava/net/URL;)V
java/net/JarURLConnection getJarFileURL()Ljava/net/URL;
java/net/JarURLConnection getEntryName()Ljava/lang/String;
java/net/JarURLConnection getJarFile()Ljava/util/jar/JarFile;
java/net/JarURLConnection getManifest()Ljava/util/jar/Manifest;
java/net/JarURLConnection getJarEntry()Ljava/util/jar/JarEntry;
java/net/JarURLConnection getAttributes()Ljava/util/jar/Attributes;
java/net/JarURLConnection getMainAttributes()Ljava/util/jar/Attributes;
java/net/JarURLConnection getCertificates()[Ljava/security/cert/Certificate;
class java/awt/image/ImageConsumer java/lang/Object
java/awt/image/ImageConsumer RANDOMPIXELORDER
java/awt/image/ImageConsumer TOPDOWNLEFTRIGHT
java/awt/image/ImageConsumer COMPLETESCANLINES
java/awt/image/ImageConsumer SINGLEPASS
java/awt/image/ImageConsumer SINGLEFRAME
java/awt/image/ImageConsumer IMAGEERROR
java/awt/image/ImageConsumer SINGLEFRAMEDONE
java/awt/image/ImageConsumer
STATICIMAGEDONE
java/awt/image/ImageConsumer IMAGEABORTED
java/awt/image/ImageConsumer setDimensions(II)V
java/awt/image/ImageConsumer setProperties(Ljava/util/Hashtable;)V
java/awt/image/ImageConsumer setColorModel(Ljava/awt/image/ColorModel;)V
java/awt/image/ImageConsumer setHints(I)V
java/awt/image/ImageConsumer setPixels(IIII)Ljava/awt/image/ColorModel;[BII)V
java/awt/image/ImageConsumer setPixels(IIII)Ljava/awt/image/ColorModel;[III)V
java/awt/image/ImageConsumer imageComplete(I)V

```

```

class java/awt/ImageMediaEntry java/awt/MediaEntry
java/awt/ImageMediaEntry image
java/awt/ImageMediaEntry width
java/awt/ImageMediaEntry height
java/awt/ImageMediaEntry serialVersionUID
java/awt/ImageMediaEntry <init>(Ljava/awt/MediaTracker;Ljava/awt/Image;III)V
java/awt/ImageMediaEntry matches(Ljava/awt/Image;II)Z
java/awt/ImageMediaEntry getMedia()Ljava/lang/Object;
java/awt/ImageMediaEntry getStatus(ZZ)I
java/awt/ImageMediaEntry startLoad()V
java/awt/ImageMediaEntry parseflags(I)I
java/awt/ImageMediaEntry
    imageUpdate(Ljava/awt/Image;IIII)Z
class java/awt/MediaEntry java/lang/Object
java/awt/MediaEntry tracker
java/awt/MediaEntry ID
java/awt/MediaEntry next
java/awt/MediaEntry status
java/awt/MediaEntry cancelled
java/awt/MediaEntry LOADING
java/awt/MediaEntry ABORTED
java/awt/MediaEntry ERRORED
java/awt/MediaEntry COMPLETE
java/awt/MediaEntry LOADSTARTED
java/awt/MediaEntry DONE
java/awt/MediaEntry <init>(Ljava/awt/MediaTracker;I)V
java/awt/MediaEntry getMedia()Ljava/lang/Object;
java/awt/MediaEntry insert(Ljava/awt/MediaEntry;Ljava/awt/MediaEntry;)Ljava/awt/MediaEntry;
java/awt/MediaEntry getID()I
java/awt/MediaEntry startLoad()V
java/awt/MediaEntry cancel()V
java/awt/MediaEntry getStatus(ZZ)I
java/awt/MediaEntry setStatus(I)V
class java/awt/image/ImageProducer java/lang/Object
java/awt/image/ImageProducer addConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/ImageProducer isConsumer(Ljava/awt/image/ImageConsumer;)Z
java/awt/image/ImageProducer removeConsumer(Ljava/awt/image/ImageConsumer;)V
java/awt/image/ImageProducer
    startProduction(Ljava/awt/image/ImageConsumer;)V
java/awt/image/ImageProducer requestTopDownLeftRightResend(Ljava/awt/image/ImageConsumer;)V
class java/awt/MediaTracker java/lang/Object
java/awt/MediaTracker target
java/awt/MediaTracker head
java/awt/MediaTracker serialVersionUID
java/awt/MediaTracker LOADING
java/awt/MediaTracker ABORTED
java/awt/MediaTracker ERRORED
java/awt/MediaTracker COMPLETE

```

```

java/awt/MediaTracker DONE
java/awt/MediaTracker <init>(Ljava/awt/Component;)V
java/awt/MediaTracker addImage(Ljava/awt/Image;)V
java/awt/MediaTracker addImage(Ljava/awt/Image;III)V
java/awt/MediaTracker checkAll()Z
java/awt/MediaTracker checkAll(Z)Z
java/awt/MediaTracker checkAll(ZZ)Z
java/awt/MediaTracker isErrorAny()Z
java/awt/MediaTracker getErrorsAny()[Ljava/lang/Object;
java/awt/MediaTracker waitAll()V
java/awt/MediaTracker waitAll(J)Z
java/awt/MediaTracker statusAll(Z)I
java/awt/MediaTracker statusAll(ZZ)I
java/awt/MediaTracker
    checkID(I)Z
java/awt/MediaTracker checkID(IZ)Z
java/awt/MediaTracker checkID(IZZ)Z
java/awt/MediaTracker isErrorID(I)Z
java/awt/MediaTracker getErrorsID(I)[Ljava/lang/Object;
java/awt/MediaTracker waitID(I)V
java/awt/MediaTracker waitID(IJ)Z
java/awt/MediaTracker statusID(IZ)I
java/awt/MediaTracker statusID(IZZ)I
java/awt/MediaTracker removeImage(Ljava/awt/Image;)V
java/awt/MediaTracker removeImage(Ljava/awt/Image;I)V
java/awt/MediaTracker removeImage(Ljava/awt/Image;III)V
java/awt/MediaTracker setDone()V
class java/net/ConnectException java/net/SocketException
java/net/ConnectException <init>(Ljava/lang/String;)V
java/net/ConnectException <init>()V
class java/net/SocketException java/io/IOException
java/net/SocketException <init>(Ljava/lang/String;)V
java/net/SocketException <init>()V
class java/util/Collections$SynchronizedCollection java/lang/Object
java/util/Collections$SynchronizedCollection serialVersionUID
java/util/Collections$SynchronizedCollection c
java/util/Collections$SynchronizedCollection
    mutex
java/util/Collections$SynchronizedCollection <init>(Ljava/util/Collection;)V
java/util/Collections$SynchronizedCollection <init>(Ljava/util/Collection;Ljava/lang/Object;)V
java/util/Collections$SynchronizedCollection size()I
java/util/Collections$SynchronizedCollection isEmpty()Z
java/util/Collections$SynchronizedCollection contains(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedCollection toArray()[Ljava/lang/Object;
java/util/Collections$SynchronizedCollection toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Collections$SynchronizedCollection iterator()Ljava/util/Iterator;
java/util/Collections$SynchronizedCollection add(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedCollection remove(Ljava/lang/Object;)Z

```



```

java/util/Collections$SynchronizedCollection containsAll(Ljava/util/Collection;)Z
java/util/Collections$SynchronizedCollection addAll(Ljava/util/Collection;)Z
java/util/Collections$SynchronizedCollection removeAll(Ljava/util/Collection;)Z
java/util/Collections$SynchronizedCollection
    retainAll(Ljava/util/Collection;)Z
java/util/Collections$SynchronizedCollection clear()V
java/util/Collections$SynchronizedCollection toString()Ljava/lang/String;
java/util/Collections$SynchronizedCollection writeObject(Ljava/io/ObjectOutputStream;)V
class java/util/Hashtable$ValueCollection java/util/AbstractCollection
java/util/Hashtable$ValueCollection this$0
java/util/Hashtable$ValueCollection <init>(Ljava/util/Hashtable;)V
java/util/Hashtable$ValueCollection iterator()Ljava/util/Iterator;
java/util/Hashtable$ValueCollection size()I
java/util/Hashtable$ValueCollection contains(Ljava/lang/Object;)Z
java/util/Hashtable$ValueCollection clear()V
java/util/Hashtable$ValueCollection <init>(Ljava/util/Hashtable;Ljava/util/Hashtable$1;)V
class java/net/Proxy$Type java/lang/Enum
java/net/Proxy$Type DIRECT
java/net/Proxy$Type HTTP
java/net/Proxy$Type SOCKS
java/net/Proxy$Type $VALUES
java/net/Proxy$Type values()[Ljava/net/Proxy$Type;
java/net/Proxy$Type
    valueOf(Ljava/lang/String;)Ljava/net/Proxy$Type;
java/net/Proxy$Type <init>(Ljava/lang/String;I)V
java/net/Proxy$Type <clinit>()V
class java/net/Proxy java/lang/Object
java/net/Proxy type
java/net/Proxy sa
java/net/Proxy NO_PROXY
java/net/Proxy <init>()V
java/net/Proxy <init>(Ljava/net/Proxy$Type;Ljava/net/SocketAddress;)V
java/net/Proxy type()Ljava/net/Proxy$Type;
java/net/Proxy address()Ljava/net/SocketAddress;
java/net/Proxy toString()Ljava/lang/String;
java/net/Proxy equals(Ljava/lang/Object;)Z
java/net/Proxy hashCode()I
java/net/Proxy <clinit>()V
class java/net/URI$Parser java/lang/Object
java/net/URI$Parser input
java/net/URI$Parser requireServerAuthority
java/net/URI$Parser ipv6byteCount
java/net/URI$Parser this$0
java/net/URI$Parser <init>(Ljava/net/URI;Ljava/lang/String;)V
java/net/URI$Parser fail(Ljava/lang/String;)V
java/net/URI$Parser fail(Ljava/lang/String;I)V
java/net/URI$Parser failExpecting(Ljava/lang/String;I)V
java/net/URI$Parser failExpecting(Ljava/lang/String;Ljava/lang/String;I)V

```

java/net/URI\$Parser
 substring(II)Ljava/lang/String;
java/net/URI\$Parser charAt(I)C
java/net/URI\$Parser at(IIC)Z
java/net/URI\$Parser at(IILjava/lang/String;)Z
java/net/URI\$Parser scan(IIC)I
java/net/URI\$Parser scan(IILjava/lang/String;Ljava/lang/String;)I
java/net/URI\$Parser scanEscape(IIC)I
java/net/URI\$Parser scan(IJJ)I
java/net/URI\$Parser checkChars(IJJLjava/lang/String;)V
java/net/URI\$Parser checkChar(IJJLjava/lang/String;)V
java/net/URI\$Parser parse(Z)V
java/net/URI\$Parser parseHierarchical(II)I
java/net/URI\$Parser parseAuthority(II)I
java/net/URI\$Parser parseServer(II)I
java/net/URI\$Parser scanByte(II)I
java/net/URI\$Parser scanIPv4Address(IIZ)I
java/net/URI\$Parser takeIPv4Address(IILjava/lang/String;)I
java/net/URI\$Parser parseIPv4Address(II)I
java/net/URI\$Parser parseHostname(II)I
java/net/URI\$Parser parseIPv6Reference(II)I
java/net/URI\$Parser scanHexPost(II)I
java/net/URI\$Parser scanHexSeq(II)I
class java/net/URI java/lang/Object
java/net/URI
 serialVersionUID
java/net/URI scheme
java/net/URI fragment
java/net/URI authority
java/net/URI userInfo
java/net/URI host
java/net/URI port
java/net/URI path
java/net/URI query
java/net/URI schemeSpecificPart
java/net/URI hash
java/net/URI decodedUserInfo
java/net/URI decodedAuthority
java/net/URI decodedPath
java/net/URI decodedQuery
java/net/URI decodedFragment
java/net/URI decodedSchemeSpecificPart
java/net/URI string
java/net/URI L_DIGIT
java/net/URI H_DIGIT
java/net/URI L_UPALPHA
java/net/URI H_UPALPHA
java/net/URI L_LOWALPHA

```

java/net/URI H_LOWALPHA
java/net/URI L_ALPHA
java/net/URI H_ALPHA
java/net/URI L_ALPHANUM
java/net/URI H_ALPHANUM
java/net/URI L_HEX
java/net/URI H_HEX
java/net/URI L_MARK
java/net/URI H_MARK
java/net/URI L_UNRESERVED
java/net/URI H_UNRESERVED
java/net/URI L_RESERVED
java/net/URI H_RESERVED
java/net/URI L_ESCAPED
java/net/URI H_ESCAPED
java/net/URI L_URIC
java/net/URI H_URIC
java/net/URI L_PCHAR
java/net/URI H_PCHAR
java/net/URI L_PATH
java/net/URI
H_PATH
java/net/URI L_DASH
java/net/URI H_DASH
java/net/URI L_DOT
java/net/URI H_DOT
java/net/URI L_USERINFO
java/net/URI H_USERINFO
java/net/URI L_REG_NAME
java/net/URI H_REG_NAME
java/net/URI L_SERVER
java/net/URI H_SERVER
java/net/URI L_SERVER_PERCENT
java/net/URI H_SERVER_PERCENT
java/net/URI L_LEFT_BRACKET
java/net/URI H_LEFT_BRACKET
java/net/URI L_SCHEME
java/net/URI H_SCHEME
java/net/URI L_URIC_NO_SLASH
java/net/URI H_URIC_NO_SLASH
java/net/URI hexDigits
java/net/URI $assertionsDisabled
java/net/URI <init>()V
java/net/URI <init>(Ljava/lang/String;)V
java/net/URI
<init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/lang/String;Ljava/lang/String;
)V
java/net/URI <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V

```

```

java/net/URI <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URI <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URI create(Ljava/lang/String;)Ljava/net/URI;
java/net/URI
    parseServerAuthority(Ljava/net/URI;
java/net/URI normalize(Ljava/net/URI;
java/net/URI resolve(Ljava/net/URI;)Ljava/net/URI;
java/net/URI resolve(Ljava/lang/String;)Ljava/net/URI;
java/net/URI relativize(Ljava/net/URI;)Ljava/net/URI;
java/net/URI toURL(Ljava/net/URL;
java/net/URI getScheme()Ljava/lang/String;
java/net/URI isAbsolute()Z
java/net/URI isOpaque()Z
java/net/URI getRawSchemeSpecificPart(Ljava/lang/String;
java/net/URI getSchemeSpecificPart(Ljava/lang/String;
java/net/URI getRawAuthority(Ljava/lang/String;
java/net/URI getAuthority(Ljava/lang/String;
java/net/URI getRawUserInfo(Ljava/lang/String;
java/net/URI getUserInfo(Ljava/lang/String;
java/net/URI getHost(Ljava/lang/String;
java/net/URI getPort()I
java/net/URI getRawPath(Ljava/lang/String;
java/net/URI getPath(Ljava/lang/String;
java/net/URI getRawQuery(Ljava/lang/String;
java/net/URI getQuery(Ljava/lang/String;
java/net/URI getRawFragment(Ljava/lang/String;
java/net/URI
    getFragment(Ljava/lang/String;
java/net/URI equals(Ljava/lang/Object;)Z
java/net/URI hashCode()I
java/net/URI compareTo(Ljava/net/URI;)I
java/net/URI toString()Ljava/lang/String;
java/net/URI toASCIIString(Ljava/lang/String;
java/net/URI writeObject(Ljava/io/ObjectOutputStream;)V
java/net/URI readObject(Ljava/io/ObjectInputStream;)V
java/net/URI toLower(C)I
java/net/URI equal(Ljava/lang/String;Ljava/lang/String;)Z
java/net/URI equalIgnoringCase(Ljava/lang/String;Ljava/lang/String;)Z
java/net/URI hash(ILjava/lang/String;)I
java/net/URI hashIgnoringCase(ILjava/lang/String;)I
java/net/URI compare(Ljava/lang/String;Ljava/lang/String;)I
java/net/URI compareIgnoringCase(Ljava/lang/String;Ljava/lang/String;)I
java/net/URI checkPath(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URI appendAuthority(Ljava/lang/StringBuffer;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;I)V
java/net/URI
    appendSchemeSpecificPart(Ljava/lang/StringBuffer;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/
String;ILjava/lang/String;Ljava/lang/String;)V
java/net/URI

```

```

appendFragment(Ljava/lang/StringBuffer;Ljava/lang/String;)V
java/net/URI
toString(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;
Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/net/URI defineSchemeSpecificPart()V
java/net/URI defineString()V
java/net/URI resolvePath(Ljava/lang/String;Ljava/lang/String;Z)Ljava/lang/String;
java/net/URI resolve(Ljava/net/URI;Ljava/net/URI;)Ljava/net/URI;
java/net/URI normalize(Ljava/net/URI;)Ljava/net/URI;
java/net/URI relativize(Ljava/net/URI;Ljava/net/URI;)Ljava/net/URI;
java/net/URI needsNormalization(Ljava/lang/String;)I
java/net/URI split([C[I)V
java/net/URI join([C[I)I
java/net/URI removeDots([C[I)V
java/net/URI maybeAddLeadingDot([C[I)V
java/net/URI normalize(Ljava/lang/String;)Ljava/lang/String;
java/net/URI lowMask(Ljava/lang/String;)J
java/net/URI highMask(Ljava/lang/String;)J
java/net/URI
    lowMask(CC)J
java/net/URI highMask(CC)J
java/net/URI match(CJJ)Z
java/net/URI appendEscape(Ljava/lang/StringBuffer;B)V
java/net/URI appendEncoded(Ljava/lang/StringBuffer;C)V
java/net/URI quote(Ljava/lang/String;JJ)Ljava/lang/String;
java/net/URI encode(Ljava/lang/String;)Ljava/lang/String;
java/net/URI decode(C)I
java/net/URI decode(CC)B
java/net/URI decode(Ljava/lang/String;)Ljava/lang/String;
java/net/URI compareTo(Ljava/lang/Object;)I
java/net/URI access$002(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$100()J
java/net/URI access$200()J
java/net/URI access$300(CJJ)Z
java/net/URI access$400()J
java/net/URI access$500()J
java/net/URI access$600()J
java/net/URI access$702(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$800()J
java/net/URI access$900()J
java/net/URI access$1002(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$1102(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI
    access$1200()J
java/net/URI access$1300()J
java/net/URI access$1402(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$1502(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$1600()J

```

```

java/net/URI access$1700()J
java/net/URI access$1800()J
java/net/URI access$1900()J
java/net/URI access$2000()J
java/net/URI access$2100()J
java/net/URI access$2202(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$2302(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$2402(Ljava/net/URI;Ljava/lang/String;)Ljava/lang/String;
java/net/URI access$2502(Ljava/net/URI;)I
java/net/URI access$2600()J
java/net/URI access$2700()J
java/net/URI access$2800()J
java/net/URI access$2900()J
java/net/URI access$3000()J
java/net/URI access$3100()J
java/net/URI access$3200()J
java/net/URI access$3300()J
java/net/URI access$3400()J
java/net/URI <clinit>()V
class java/net/Inet6Address java/net/InetAddress
java/net/Inet6Address INADDRSZ
java/net/Inet6Address
    cached_scope_id
java/net/Inet6Address ipaddress
java/net/Inet6Address scope_id
java/net/Inet6Address scope_id_set
java/net/Inet6Address scope_ifname
java/net/Inet6Address scope_ifname_set
java/net/Inet6Address serialVersionUID
java/net/Inet6Address INT16SZ
java/net/Inet6Address ifname
java/net/Inet6Address $assertionsDisabled
java/net/Inet6Address <init>()V
java/net/Inet6Address <init>(Ljava/lang/String;[BI)V
java/net/Inet6Address <init>(Ljava/lang/String;[B)V
java/net/Inet6Address <init>(Ljava/lang/String;[BLjava/net/NetworkInterface;)V
java/net/Inet6Address <init>(Ljava/lang/String;[BLjava/lang/String;)V
java/net/Inet6Address getByAddress(Ljava/lang/String;[BLjava/net/NetworkInterface;)Ljava/net/Inet6Address;
java/net/Inet6Address getByAddress(Ljava/lang/String;[BI)Ljava/net/Inet6Address;
java/net/Inet6Address initstr(Ljava/lang/String;[BLjava/lang/String;)V
java/net/Inet6Address initif(Ljava/lang/String;[BLjava/net/NetworkInterface;)V
java/net/Inet6Address differentLocalAddressTypes(Ljava/net/Inet6Address;)Z
java/net/Inet6Address
    deriveNumericScope(Ljava/net/NetworkInterface;)I
java/net/Inet6Address deriveNumericScope(Ljava/lang/String;)I
java/net/Inet6Address readObject(Ljava/io/ObjectInputStream;)V
java/net/Inet6Address isMulticastAddress()Z
java/net/Inet6Address isAnyLocalAddress()Z

```

```

java/net/Inet6Address isLoopbackAddress()Z
java/net/Inet6Address isLinkLocalAddress()Z
java/net/Inet6Address isSiteLocalAddress()Z
java/net/Inet6Address isMCGlobal()Z
java/net/Inet6Address isMCNodeLocal()Z
java/net/Inet6Address isMCLinkLocal()Z
java/net/Inet6Address isMCSiteLocal()Z
java/net/Inet6Address isMCOrgLocal()Z
java/net/Inet6Address getAddress()[B
java/net/Inet6Address getScopeId()I
java/net/Inet6Address getScopedInterface()Ljava/net/NetworkInterface;
java/net/Inet6Address getHostAddress()Ljava/lang/String;
java/net/Inet6Address hashCode()I
java/net/Inet6Address equals(Ljava/lang/Object;)Z
java/net/Inet6Address isIPv4CompatibleAddress()Z
java/net/Inet6Address
    numericToTextFormat([B)Ljava/lang/String;
java/net/Inet6Address init()V
java/net/Inet6Address writeObject(Ljava/io/ObjectOutputStream;)V
java/net/Inet6Address <clinit>()V
class java/net/InetAddress$CacheEntry java/lang/Object
java/net/InetAddress$CacheEntry address
java/net/InetAddress$CacheEntry expiration
java/net/InetAddress$CacheEntry <init>(Ljava/lang/Object;J)V
class java/util/regex/Pattern$GroupCurly java/util/regex/Pattern$Node
java/util/regex/Pattern$GroupCurly atom
java/util/regex/Pattern$GroupCurly type
java/util/regex/Pattern$GroupCurly cmin
java/util/regex/Pattern$GroupCurly cmax
java/util/regex/Pattern$GroupCurly localIndex
java/util/regex/Pattern$GroupCurly groupIndex
java/util/regex/Pattern$GroupCurly capture
java/util/regex/Pattern$GroupCurly <init>(Ljava/util/regex/Pattern$Node;IIIIIZ)V
java/util/regex/Pattern$GroupCurly match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupCurly match0(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupCurly
    match1(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupCurly match2(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupCurly study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/ASCII java/lang/Object
java/util/regex/ASCII UPPER
java/util/regex/ASCII LOWER
java/util/regex/ASCII DIGIT
java/util/regex/ASCII SPACE
java/util/regex/ASCII PUNCT
java/util/regex/ASCII CNTRL
java/util/regex/ASCII BLANK
java/util/regex/ASCII HEX

```

```

java/util/regex/ASCII UNDER
java/util/regex/ASCII ASCII
java/util/regex/ASCII ALPHA
java/util/regex/ASCII ALNUM
java/util/regex/ASCII GRAPH
java/util/regex/ASCII WORD
java/util/regex/ASCII XDIGIT
java/util/regex/ASCII ctype
java/util/regex/ASCII <init>()V
java/util/regex/ASCII getType(I)I
java/util/regex/ASCII isType(II)Z
java/util/regex/ASCII isAscii(I)Z
java/util/regex/ASCII isAlpha(I)Z
java/util/regex/ASCII isDigit(I)Z
java/util/regex/ASCII isAlnum(I)Z
java/util/regex/ASCII
    isGraph(I)Z
java/util/regex/ASCII isPrint(I)Z
java/util/regex/ASCII isPunct(I)Z
java/util/regex/ASCII isSpace(I)Z
java/util/regex/ASCII isHexDigit(I)Z
java/util/regex/ASCII isOctDigit(I)Z
java/util/regex/ASCII isCntrl(I)Z
java/util/regex/ASCII isLower(I)Z
java/util/regex/ASCII isUpper(I)Z
java/util/regex/ASCII isWord(I)Z
java/util/regex/ASCII toDigit(I)I
java/util/regex/ASCII toLower(I)I
java/util/regex/ASCII toUpper(I)I
java/util/regex/ASCII <clinit>()V
class java/net/ProxySelector java/lang/Object
java/net/ProxySelector theProxySelector
java/net/ProxySelector <init>()V
java/net/ProxySelector getDefault()Ljava/net/ProxySelector;
java/net/ProxySelector setDefault(Ljava/net/ProxySelector;)V
java/net/ProxySelector select(Ljava/net/URI;)Ljava/util/List;
java/net/ProxySelector connectFailed(Ljava/net/URI;Ljava/net/SocketAddress;Ljava/io/IOException;)V
java/net/ProxySelector <clinit>()V
class java/net/SocksSocketImpl$5 java/lang/Object
java/net/SocksSocketImpl$5
    this$0
java/net/SocksSocketImpl$5 <init>(Ljava/net/SocksSocketImpl;)V
java/net/SocksSocketImpl$5 run()Ljava/lang/Object;
class java/net/SocksSocketImpl java/net/PlainSocketImpl
java/net/SocksSocketImpl server
java/net/SocksSocketImpl port
java/net/SocksSocketImpl external_address
java/net/SocksSocketImpl useV4

```



```

java/net/SocksSocketImpl cmdsock
java/net/SocksSocketImpl cmdIn
java/net/SocksSocketImpl cmdOut
java/net/SocksSocketImpl $assertionsDisabled
java/net/SocksSocketImpl <init>()V
java/net/SocksSocketImpl <init>(Ljava/lang/String;I)V
java/net/SocksSocketImpl <init>(Ljava/net/Proxy;)V
java/net/SocksSocketImpl setV4()V
java/net/SocksSocketImpl privilegedConnect(Ljava/lang/String;II)V
java/net/SocksSocketImpl superConnectServer(Ljava/lang/String;II)V
java/net/SocksSocketImpl readSocksReply(Ljava/io/InputStream;[B)I
java/net/SocksSocketImpl authenticate(BLjava/io/InputStream;Ljava/io/BufferedOutputStream;)Z
java/net/SocksSocketImpl connectV4(Ljava/io/InputStream;Ljava/io/OutputStream;Ljava/net/InetSocketAddress;)V
java/net/SocksSocketImpl
    connect(Ljava/net/SocketAddress;I)V
java/net/SocksSocketImpl bindV4(Ljava/io/InputStream;Ljava/io/OutputStream;Ljava/net/InetAddress;I)V
java/net/SocksSocketImpl socksBind(Ljava/net/InetSocketAddress;)V
java/net/SocksSocketImpl acceptFrom(Ljava/net/SocketImpl;Ljava/net/InetSocketAddress;)V
java/net/SocksSocketImpl getInetAddress()Ljava/net/InetAddress;
java/net/SocksSocketImpl getPort()I
java/net/SocksSocketImpl getLocalPort()I
java/net/SocksSocketImpl close()V
java/net/SocksSocketImpl access$000(Ljava/net/SocksSocketImpl;Ljava/lang/String;II)V
java/net/SocksSocketImpl access$102(Ljava/net/SocksSocketImpl;Ljava/io/InputStream;)Ljava/io/InputStream;
java/net/SocksSocketImpl access$202(Ljava/net/SocksSocketImpl;Ljava/io/OutputStream;)Ljava/io/OutputStream;
java/net/SocksSocketImpl access$300(Ljava/net/SocksSocketImpl;)Ljava/lang/String;
java/net/SocksSocketImpl access$400(Ljava/net/SocksSocketImpl;)I
java/net/SocksSocketImpl access$502(Ljava/net/SocksSocketImpl;Ljava/net/Socket;)Ljava/net/Socket;
java/net/SocksSocketImpl
    access$500(Ljava/net/SocksSocketImpl;)Ljava/net/Socket;
java/net/SocksSocketImpl <clinit>()V
class java/net/PlainSocketImpl java/net/SocketImpl
java/net/PlainSocketImpl timeout
java/net/PlainSocketImpl trafficClass
java/net/PlainSocketImpl shut_rd
java/net/PlainSocketImpl shut_wr
java/net/PlainSocketImpl socketInputStream
java/net/PlainSocketImpl fdUseCount
java/net/PlainSocketImpl fdLock
java/net/PlainSocketImpl closePending
java/net/PlainSocketImpl CONNECTION_NOT_RESET
java/net/PlainSocketImpl CONNECTION_RESET_PENDING
java/net/PlainSocketImpl CONNECTION_RESET
java/net/PlainSocketImpl resetState
java/net/PlainSocketImpl resetLock
java/net/PlainSocketImpl fd1
java/net/PlainSocketImpl anyLocalBoundAddr
java/net/PlainSocketImpl lastfd

```

```

java/net/PlainSocketImpl SHUT_RD
java/net/PlainSocketImpl SHUT_WR
java/net/PlainSocketImpl <init>()V
java/net/PlainSocketImpl <init>(Ljava/io/FileDescriptor;)V
java/net/PlainSocketImpl
    create(Z)V
java/net/PlainSocketImpl connect(Ljava/lang/String;I)V
java/net/PlainSocketImpl connect(Ljava/net/InetAddress;I)V
java/net/PlainSocketImpl connect(Ljava/net/SocketAddress;I)V
java/net/PlainSocketImpl connectToAddress(Ljava/net/InetAddress;II)V
java/net/PlainSocketImpl setOption(ILjava/lang/Object;)V
java/net/PlainSocketImpl getOption(ILjava/lang/Object;)
java/net/PlainSocketImpl doConnect(Ljava/net/InetAddress;II)V
java/net/PlainSocketImpl bind(Ljava/net/InetAddress;I)V
java/net/PlainSocketImpl listen(I)V
java/net/PlainSocketImpl accept(Ljava/net/SocketImpl;)V
java/net/PlainSocketImpl getInputStream()Ljava/io/InputStream;
java/net/PlainSocketImpl setInputStream(Ljava/net/SocketInputStream;)V
java/net/PlainSocketImpl getOutputStream()Ljava/io/OutputStream;
java/net/PlainSocketImpl available()I
java/net/PlainSocketImpl close()V
java/net/PlainSocketImpl shutdownInput()V
java/net/PlainSocketImpl shutdownOutput()V
java/net/PlainSocketImpl supportsUrgentData(Z)
java/net/PlainSocketImpl
    sendUrgentData(I)V
java/net/PlainSocketImpl finalize()V
java/net/PlainSocketImpl acquireFD()Ljava/io/FileDescriptor;
java/net/PlainSocketImpl releaseFD()V
java/net/PlainSocketImpl isConnectionReset(Z)
java/net/PlainSocketImpl isConnectionResetPending(Z)
java/net/PlainSocketImpl setConnectionReset(V)
java/net/PlainSocketImpl setConnectionResetPending(V)
java/net/PlainSocketImpl isClosedOrPending(Z)
java/net/PlainSocketImpl getTimeout()I
java/net/PlainSocketImpl socketPreClose()V
java/net/PlainSocketImpl socketClose()V
java/net/PlainSocketImpl socketCreate(Z)V
java/net/PlainSocketImpl socketConnect(Ljava/net/InetAddress;II)V
java/net/PlainSocketImpl socketBind(Ljava/net/InetAddress;I)V
java/net/PlainSocketImpl socketListen(I)V
java/net/PlainSocketImpl socketAccept(Ljava/net/SocketImpl;)V
java/net/PlainSocketImpl socketAvailable()I
java/net/PlainSocketImpl socketClose0(Z)V
java/net/PlainSocketImpl socketShutdown(I)V
java/net/PlainSocketImpl initProto()V
java/net/PlainSocketImpl

```

```

    socketSetOption(IZL java/lang/Object;)V
java/net/PlainSocketImpl socketGetOption(IL java/lang/Object;)I
java/net/PlainSocketImpl socketGetOption1(IL java/lang/Object;L java/io/FileDescriptor;)I
java/net/PlainSocketImpl socketSendUrgentData(I)V
java/net/PlainSocketImpl <clinit>()V
class java/net/SocketImpl java/lang/Object
java/net/SocketImpl socket
java/net/SocketImpl serverSocket
java/net/SocketImpl fd
java/net/SocketImpl address
java/net/SocketImpl port
java/net/SocketImpl localport
java/net/SocketImpl <init>()V
java/net/SocketImpl create(Z)V
java/net/SocketImpl connect(L java/lang/String;)V
java/net/SocketImpl connect(L java/net/InetAddress;)V
java/net/SocketImpl connect(L java/net/SocketAddress;)V
java/net/SocketImpl bind(L java/net/InetAddress;)V
java/net/SocketImpl listen(I)V
java/net/SocketImpl accept(L java/net/SocketImpl;)V
java/net/SocketImpl getInputStream()L java/io/InputStream;
java/net/SocketImpl getOutputStream()L java/io/OutputStream;
java/net/SocketImpl available()I
java/net/SocketImpl
    close()V
java/net/SocketImpl shutdownInput()V
java/net/SocketImpl shutdownOutput()V
java/net/SocketImpl getFileDescriptor()L java/io/FileDescriptor;
java/net/SocketImpl getInetAddress()L java/net/InetAddress;
java/net/SocketImpl getPort()I
java/net/SocketImpl supportsUrgentData()Z
java/net/SocketImpl sendUrgentData(I)V
java/net/SocketImpl getLocalPort()I
java/net/SocketImpl setSocket(L java/net/Socket;)V
java/net/SocketImpl getSocket()L java/net/Socket;
java/net/SocketImpl setServerSocket(L java/net/ServerSocket;)V
java/net/SocketImpl getServerSocket()L java/net/ServerSocket;
java/net/SocketImpl toString()L java/lang/String;
java/net/SocketImpl reset()V
java/net/SocketImpl setPerformancePreferences(III)V
class java/net/SocketOptions java/lang/Object
java/net/SocketOptions TCP_NODELAY
java/net/SocketOptions SO_BINDADDR
java/net/SocketOptions SO_REUSEADDR
java/net/SocketOptions SO_BROADCAST
java/net/SocketOptions IP_MULTICAST_IF
java/net/SocketOptions IP_MULTICAST_IF2
java/net/SocketOptions

```

```

IP_MULTICAST_LOOP
java/net/SocketOptions IP_TOS
java/net/SocketOptions SO_LINGER
java/net/SocketOptions SO_TIMEOUT
java/net/SocketOptions SO_SNDBUF
java/net/SocketOptions SO_RCVBUF
java/net/SocketOptions SO_KEEPALIVE
java/net/SocketOptions SO_OOINLINE
java/net/SocketOptions setOption(ILjava/lang/Object;)V
java/net/SocketOptions getOption(I)Ljava/lang/Object;
class java/net/SocksConsts java/lang/Object
java/net/SocksConsts PROTO_VERS4
java/net/SocksConsts PROTO_VERS
java/net/SocksConsts DEFAULT_PORT
java/net/SocksConsts NO_AUTH
java/net/SocksConsts GSSAPI
java/net/SocksConsts USER_PASSW
java/net/SocksConsts NO_METHODS
java/net/SocksConsts CONNECT
java/net/SocksConsts BIND
java/net/SocksConsts UDP_ASSOC
java/net/SocksConsts IPV4
java/net/SocksConsts DOMAIN_NAME
java/net/SocksConsts IPV6
java/net/SocksConsts REQUEST_OK
java/net/SocksConsts GENERAL_FAILURE
java/net/SocksConsts NOT_ALLOWED
java/net/SocksConsts NET_UNREACHABLE
java/net/SocksConsts HOST_UNREACHABLE
java/net/SocksConsts
    CONN_REFUSED
java/net/SocksConsts TTL_EXPIRED
java/net/SocksConsts CMD_NOT_SUPPORTED
java/net/SocksConsts ADDR_TYPE_NOT_SUP
class java/net/InetSocketAddress java/net/SocketAddress
java/net/InetSocketAddress hostname
java/net/InetSocketAddress addr
java/net/InetSocketAddress port
java/net/InetSocketAddress serialVersionUID
java/net/InetSocketAddress <init>()V
java/net/InetSocketAddress <init>(I)V
java/net/InetSocketAddress <init>(Ljava/net/InetAddress;I)V
java/net/InetSocketAddress <init>(Ljava/lang/String;I)V
java/net/InetSocketAddress createUnresolved(Ljava/lang/String;I)Ljava/net/InetSocketAddress;
java/net/InetSocketAddress readObject(Ljava/io/ObjectInputStream;)V
java/net/InetSocketAddress getPort()I
java/net/InetSocketAddress getAddress()Ljava/net/InetAddress;
java/net/InetSocketAddress getHostName()Ljava/lang/String;

```

```

java/net/InetSocketAddress getHostString()Ljava/lang/String;
java/net/InetSocketAddress isUnresolved()Z
java/net/InetSocketAddress toString()Ljava/lang/String;
java/net/InetSocketAddress
    equals(Ljava/lang/Object;)Z
java/net/InetSocketAddress hashCode()I
class java/net/SocketAddress java/lang/Object
java/net/SocketAddress <init>()V
class java/net/Inet4Address java/net/InetAddress
java/net/Inet4Address INADDRSZ
java/net/Inet4Address serialVersionUID
java/net/Inet4Address loopback
java/net/Inet4Address <init>()V
java/net/Inet4Address <init>(Ljava/lang/String;[B)V
java/net/Inet4Address <init>(Ljava/lang/String;I)V
java/net/Inet4Address writeReplace()Ljava/lang/Object;
java/net/Inet4Address isMulticastAddress()Z
java/net/Inet4Address isAnyLocalAddress()Z
java/net/Inet4Address isLoopbackAddress()Z
java/net/Inet4Address isLinkLocalAddress()Z
java/net/Inet4Address isSiteLocalAddress()Z
java/net/Inet4Address isMCGlobal()Z
java/net/Inet4Address isMCNodeLocal()Z
java/net/Inet4Address isMCLinkLocal()Z
java/net/Inet4Address isMCSiteLocal()Z
java/net/Inet4Address isMCOrgLocal()Z
java/net/Inet4Address getAddress()[B
java/net/Inet4Address getHostAddress()Ljava/lang/String;
java/net/Inet4Address
    hashCode()I
java/net/Inet4Address equals(Ljava/lang/Object;)Z
java/net/Inet4Address numericToTextFormat([B)Ljava/lang/String;
java/net/Inet4Address init()V
java/net/Inet4Address <clinit>()V
class java/util/SubList$1 java/lang/Object
java/util/SubList$1 i
java/util/SubList$1 val$index
java/util/SubList$1 this$0
java/util/SubList$1 <init>(Ljava/util/SubList;I)V
java/util/SubList$1 hasNext()Z
java/util/SubList$1 next()Ljava/lang/Object;
java/util/SubList$1 hasPrevious()Z
java/util/SubList$1 previous()Ljava/lang/Object;
java/util/SubList$1 nextIndex()I
java/util/SubList$1 previousIndex()I
java/util/SubList$1 remove()V
java/util/SubList$1 set(Ljava/lang/Object;)V
java/util/SubList$1 add(Ljava/lang/Object;)V

```

```

class java/util/RandomAccessSubList java/util/SubList
java/util/RandomAccessSubList <init>(Ljava/util/AbstractList;II)V
java/util/RandomAccessSubList subList(II)Ljava/util/List;
class java/util/SubList java/util/AbstractList
java/util/SubList
1
java/util/SubList offset
java/util/SubList size
java/util/SubList expectedModCount
java/util/SubList <init>(Ljava/util/AbstractList;II)V
java/util/SubList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/SubList get(I)Ljava/lang/Object;
java/util/SubList size()I
java/util/SubList add(ILjava/lang/Object;)V
java/util/SubList remove(I)Ljava/lang/Object;
java/util/SubList removeRange(II)V
java/util/SubList addAll(Ljava/util/Collection;)Z
java/util/SubList addAll(ILjava/util/Collection;)Z
java/util/SubList iterator()Ljava/util/Iterator;
java/util/SubList listIterator(I)Ljava/util/ListIterator;
java/util/SubList subList(II)Ljava/util/List;
java/util/SubList rangeCheck(I)V
java/util/SubList checkForComodification()V
java/util/SubList access$000(Ljava/util/SubList;)I
java/util/SubList access$100(Ljava/util/SubList;)Ljava/util/AbstractList;
java/util/SubList access$200(Ljava/util/SubList;)I
java/util/SubList access$302(Ljava/util/SubList;I)I
java/util/SubList access$210(Ljava/util/SubList;)I
java/util/SubList
    access$208(Ljava/util/SubList;)I
class java/util/regex/Matcher java/lang/Object
java/util/regex/Matcher parentPattern
java/util/regex/Matcher groups
java/util/regex/Matcher from
java/util/regex/Matcher to
java/util/regex/Matcher text
java/util/regex/Matcher ENDANCHOR
java/util/regex/Matcher NOANCHOR
java/util/regex/Matcher acceptMode
java/util/regex/Matcher first
java/util/regex/Matcher last
java/util/regex/Matcher oldLast
java/util/regex/Matcher lastAppendPosition
java/util/regex/Matcher locals
java/util/regex/Matcher hitEnd
java/util/regex/Matcher requireEnd
java/util/regex/Matcher transparentBounds
java/util/regex/Matcher anchoringBounds

```

```

java/util/regex/Matcher <init>()V
java/util/regex/Matcher <init>(Ljava/util/regex/Pattern;Ljava/lang/CharSequence;)V
java/util/regex/Matcher pattern()Ljava/util/regex/Pattern;
java/util/regex/Matcher toMatchResult()Ljava/util/regex/MatchResult;
java/util/regex/Matcher usePattern(Ljava/util/regex/Pattern;)Ljava/util/regex/Matcher;
java/util/regex/Matcher
    reset()Ljava/util/regex/Matcher;
java/util/regex/Matcher reset(Ljava/lang/CharSequence;)Ljava/util/regex/Matcher;
java/util/regex/Matcher start()I
java/util/regex/Matcher start(I)I
java/util/regex/Matcher end()I
java/util/regex/Matcher end(I)I
java/util/regex/Matcher group()Ljava/lang/String;
java/util/regex/Matcher group(I)Ljava/lang/String;
java/util/regex/Matcher groupCount()I
java/util/regex/Matcher matches()Z
java/util/regex/Matcher find()Z
java/util/regex/Matcher find(I)Z
java/util/regex/Matcher lookingAt()Z
java/util/regex/Matcher quoteReplacement(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Matcher appendReplacement(Ljava/lang/StringBuffer;Ljava/lang/String;)Ljava/util/regex/Matcher;
java/util/regex/Matcher appendTail(Ljava/lang/StringBuffer;)Ljava/lang/StringBuffer;
java/util/regex/Matcher replaceAll(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Matcher replaceFirst(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Matcher
    region(II)Ljava/util/regex/Matcher;
java/util/regex/Matcher regionStart()I
java/util/regex/Matcher regionEnd()I
java/util/regex/Matcher hasTransparentBounds()Z
java/util/regex/Matcher useTransparentBounds(Z)Ljava/util/regex/Matcher;
java/util/regex/Matcher hasAnchoringBounds()Z
java/util/regex/Matcher useAnchoringBounds(Z)Ljava/util/regex/Matcher;
java/util/regex/Matcher toString()Ljava/lang/String;
java/util/regex/Matcher hitEnd()Z
java/util/regex/Matcher requireEnd()Z
java/util/regex/Matcher search(I)Z
java/util/regex/Matcher match(II)Z
java/util/regex/Matcher getTextLength()I
java/util/regex/Matcher getSubSequence(II)Ljava/lang/CharSequence;
java/util/regex/Matcher charAt(I)C
class java/util/regex/MatchResult java/lang/Object
java/util/regex/MatchResult start()I
java/util/regex/MatchResult start(I)I
java/util/regex/MatchResult end()I
java/util/regex/MatchResult end(I)I
java/util/regex/MatchResult group()Ljava/lang/String;
java/util/regex/MatchResult group(I)Ljava/lang/String;
java/util/regex/MatchResult

```

```

groupCount()I
class java/net/InetAddress$1 java/lang/Object
java/net/InetAddress$1 <init>()V
java/net/InetAddress$1 lookupAllHostAddr(Ljava/lang/String;)[[B
java/net/InetAddress$1 getHostByAddr([B)Ljava/lang/String;
class java/net/Inet4AddressImpl java/lang/Object
java/net/Inet4AddressImpl anyLocalAddress
java/net/Inet4AddressImpl loopbackAddress
java/net/Inet4AddressImpl <init>()V
java/net/Inet4AddressImpl getLocalHostName()Ljava/lang/String;
java/net/Inet4AddressImpl lookupAllHostAddr(Ljava/lang/String;)[[B
java/net/Inet4AddressImpl getHostByAddr([B)Ljava/lang/String;
java/net/Inet4AddressImpl isReachable0([BI[B]I)Z
java/net/Inet4AddressImpl anyLocalAddress()Ljava/net/InetAddress;
java/net/Inet4AddressImpl loopbackAddress()Ljava/net/InetAddress;
java/net/Inet4AddressImpl isReachable(Ljava/net/InetAddress;ILjava/net/NetworkInterface;I)Z
class java/net/InetAddressImpl java/lang/Object
java/net/InetAddressImpl getLocalHostName()Ljava/lang/String;
java/net/InetAddressImpl
    lookupAllHostAddr(Ljava/lang/String;)[[B
java/net/InetAddressImpl getHostByAddr([B)Ljava/lang/String;
java/net/InetAddressImpl anyLocalAddress()Ljava/net/InetAddress;
java/net/InetAddressImpl loopbackAddress()Ljava/net/InetAddress;
java/net/InetAddressImpl isReachable(Ljava/net/InetAddress;ILjava/net/NetworkInterface;I)Z
class java/net/InetAddressImplFactory java/lang/Object
java/net/InetAddressImplFactory <init>()V
java/net/InetAddressImplFactory create()Ljava/net/InetAddressImpl;
java/net/InetAddressImplFactory isIPv6Supported()Z
class java/net/InetAddress$Cache java/lang/Object
java/net/InetAddress$Cache policy
java/net/InetAddress$Cache cache
java/net/InetAddress$Cache <init>(I)V
java/net/InetAddress$Cache put(Ljava/lang/String;Ljava/lang/Object;)Ljava/net/InetAddress$Cache;
java/net/InetAddress$Cache get(Ljava/lang/String;)Ljava/net/InetAddress$CacheEntry;
class java/net/InetAddress java/lang/Object
java/net/InetAddress IPv4
java/net/InetAddress IPv6
java/net/InetAddress preferIPv6Address
java/net/InetAddress
    hostName
java/net/InetAddress address
java/net/InetAddress family
java/net/InetAddress nameService
java/net/InetAddress canonicalHostName
java/net/InetAddress serialVersionUID
java/net/InetAddress addressCache
java/net/InetAddress negativeCache
java/net/InetAddress addressCacheInit

```



```

java/net/InetAddress unknown_array
java/net/InetAddress impl
java/net/InetAddress lookupTable
java/net/InetAddress $assertionsDisabled
java/net/InetAddress <init>()V
java/net/InetAddress readResolve()Ljava/lang/Object;
java/net/InetAddress isMulticastAddress()Z
java/net/InetAddress isAnyLocalAddress()Z
java/net/InetAddress isLoopbackAddress()Z
java/net/InetAddress isLinkLocalAddress()Z
java/net/InetAddress isSiteLocalAddress()Z
java/net/InetAddress isMCGlobal()Z
java/net/InetAddress isMCNodeLocal()Z
java/net/InetAddress isMCLinkLocal()Z
java/net/InetAddress isMCSiteLocal()Z
java/net/InetAddress isMCOrgLocal()Z
java/net/InetAddress isReachable(I)Z
java/net/InetAddress isReachable(Ljava/net/NetworkInterface;II)Z
java/net/InetAddress
    getHostName()Ljava/lang/String;
java/net/InetAddress getHostName(Z)Ljava/lang/String;
java/net/InetAddress getCanonicalHostName()Ljava/lang/String;
java/net/InetAddress getHostFromNameService(Ljava/net/InetAddress;Z)Ljava/lang/String;
java/net/InetAddress getAddress()[B
java/net/InetAddress getHostAddress()Ljava/lang/String;
java/net/InetAddress hashCode()I
java/net/InetAddress equals(Ljava/lang/Object;)Z
java/net/InetAddress toString()Ljava/lang/String;
java/net/InetAddress cacheInitIfNeeded()V
java/net/InetAddress cacheAddress(Ljava/lang/String;Ljava/lang/Object;Z)V
java/net/InetAddress getCachedAddress(Ljava/lang/String;)Ljava/lang/Object;
java/net/InetAddress getByAddress(Ljava/lang/String;[B)Ljava/net/InetAddress;
java/net/InetAddress getByName(Ljava/lang/String;)Ljava/net/InetAddress;
java/net/InetAddress getAllByName(Ljava/lang/String;)[Ljava/net/InetAddress;
java/net/InetAddress checkNumericZone(Ljava/lang/String;)I
java/net/InetAddress
    getAllByName0(Ljava/lang/String;)[Ljava/net/InetAddress;
java/net/InetAddress getAllByName0(Ljava/lang/String;Z)[Ljava/net/InetAddress;
java/net/InetAddress getAddressFromNameService(Ljava/lang/String;)Ljava/lang/Object;
java/net/InetAddress checkLookupTable(Ljava/lang/String;)Ljava/lang/Object;
java/net/InetAddress updateLookupTable(Ljava/lang/String;)V
java/net/InetAddress getByAddress([B)Ljava/net/InetAddress;
java/net/InetAddress getLocalHost()Ljava/net/InetAddress;
java/net/InetAddress init()V
java/net/InetAddress anyLocalAddress()Ljava/net/InetAddress;
java/net/InetAddress loadImpl(Ljava/lang/String;)Ljava/lang/Object;
java/net/InetAddress access$002(Lsun/net/spi/nameservice/NameService;)Lsun/net/spi/nameservice/NameService;
java/net/InetAddress <clinit>()V

```

class java/net/Socket java/lang/Object
java/net/Socket created
java/net/Socket bound
java/net/Socket connected
java/net/Socket closed
java/net/Socket closeLock
java/net/Socket shutIn
java/net/Socket shutOut
java/net/Socket
impl
java/net/Socket oldImpl
java/net/Socket factory
java/net/Socket <init>()V
java/net/Socket <init>(Ljava/net/Proxy;)V
java/net/Socket <init>(Ljava/net/SocketImpl;)V
java/net/Socket <init>(Ljava/lang/String;I)V
java/net/Socket <init>(Ljava/net/InetAddress;I)V
java/net/Socket <init>(Ljava/lang/String;ILjava/net/InetAddress;I)V
java/net/Socket <init>(Ljava/net/InetAddress;ILjava/net/InetAddress;I)V
java/net/Socket <init>(Ljava/lang/String;IZ)V
java/net/Socket <init>(Ljava/net/InetAddress;IZ)V
java/net/Socket <init>(Ljava/net/SocketAddress;Ljava/net/SocketAddress;Z)V
java/net/Socket createImpl(Z)V
java/net/Socket checkOldImpl()V
java/net/Socket setImpl()V
java/net/Socket getImpl()Ljava/net/SocketImpl;
java/net/Socket connect(Ljava/net/SocketAddress;)V
java/net/Socket connect(Ljava/net/SocketAddress;I)V
java/net/Socket bind(Ljava/net/SocketAddress;)V
java/net/Socket postAccept()V
java/net/Socket setCreated()V
java/net/Socket setBound()V
java/net/Socket setConnected()V
java/net/Socket
getInetAddress()Ljava/net/InetAddress;
java/net/Socket getLocalAddress()Ljava/net/InetAddress;
java/net/Socket getPort()I
java/net/Socket getLocalPort()I
java/net/Socket getRemoteSocketAddress()Ljava/net/SocketAddress;
java/net/Socket getLocalSocketAddress()Ljava/net/SocketAddress;
java/net/Socket getChannel()Ljava/nio/channels/SocketChannel;
java/net/Socket getInputStream()Ljava/io/InputStream;
java/net/Socket getOutputStream()Ljava/io/OutputStream;
java/net/Socket setTcpNoDelay(Z)V
java/net/Socket getTcpNoDelay()Z
java/net/Socket setSoLinger(ZI)V
java/net/Socket getSoLinger()I
java/net/Socket sendUrgentData(I)V

```

java/net/Socket setOOBInline(Z)V
java/net/Socket getOOBInline()Z
java/net/Socket setSoTimeout(I)V
java/net/Socket getSoTimeout()I
java/net/Socket setSendBufferSize(I)V
java/net/Socket getSendBufferSize()I
java/net/Socket setReceiveBufferSize(I)V
java/net/Socket getReceiveBufferSize()I
java/net/Socket setKeepAlive(Z)V
java/net/Socket getKeepAlive()Z
java/net/Socket
    setTrafficClass(I)V
java/net/Socket getTrafficClass()I
java/net/Socket setReuseAddress(Z)V
java/net/Socket getReuseAddress()Z
java/net/Socket close()V
java/net/Socket shutdownInput()V
java/net/Socket shutdownOutput()V
java/net/Socket toString()Ljava/lang/String;
java/net/Socket isConnected()Z
java/net/Socket isBound()Z
java/net/Socket isClosed()Z
java/net/Socket isInputShutdown()Z
java/net/Socket isOutputShutdown()Z
java/net/Socket setSocketImplFactory(Ljava/net/SocketImplFactory;)V
java/net/Socket setPerformancePreferences(III)V
java/net/Socket <clinit>()V
class java/text/Bidi java/lang/Object
java/text/Bidi dir
java/text/Bidi baselevel
java/text/Bidi length
java/text/Bidi runs
java/text/Bidi cws
java/text/Bidi DIRECTION_LEFT_TO_RIGHT
java/text/Bidi DIRECTION_RIGHT_TO_LEFT
java/text/Bidi DIRECTION_DEFAULT_LEFT_TO_RIGHT
java/text/Bidi DIRECTION_DEFAULT_RIGHT_TO_LEFT
java/text/Bidi DIR_MIXED
java/text/Bidi NUMLEVELS
java/text/Bidi RMASK
java/text/Bidi <init>(Ljava/lang/String;I)V
java/text/Bidi
    <init>(Ljava/text/AttributedCharacterIterator;)V
java/text/Bidi <init>([CI[BIII)V
java/text/Bidi <init>(III[I[I)V
java/text/Bidi reset(III[I[I)V
java/text/Bidi createLineBidi(II)Ljava/text/Bidi;
java/text/Bidi isMixed()Z

```

```

java/text/Bidi isLeftToRight()Z
java/text/Bidi isRightToLeft()Z
java/text/Bidi getLength()I
java/text/Bidi baseIsLeftToRight()Z
java/text/Bidi getBaseLevel()I
java/text/Bidi getLevelAt(I)I
java/text/Bidi getRunCount()I
java/text/Bidi getRunLevel(I)I
java/text/Bidi getRunStart(I)I
java/text/Bidi getRunLimit(I)I
java/text/Bidi requiresBidi([CII)Z
java/text/Bidi reorderVisually([BI[Ljava/lang/Object;II)V
java/text/Bidi nativeGetDirectionCode(I)I
java/text/Bidi nativeBidiChars(Ljava/text/Bidi;[CI[BIII)V
java/text/Bidi toString()Ljava/lang/String;
java/text/Bidi <clinit>()V
class java/net/MalformedURLException java/io/IOException
java/net/MalformedURLException <init>()V
java/net/MalformedURLException <init>(Ljava/lang/String;)V
class java/net/Authenticator java/lang/Object
java/net/Authenticator
    theAuthenticator
java/net/Authenticator requestingHost
java/net/Authenticator requestingSite
java/net/Authenticator requestingPort
java/net/Authenticator requestingProtocol
java/net/Authenticator requestingPrompt
java/net/Authenticator requestingScheme
java/net/Authenticator requestingURL
java/net/Authenticator requestingAuthType
java/net/Authenticator <init>()V
java/net/Authenticator reset()V
java/net/Authenticator setDefault(Ljava/net/Authenticator;)V
java/net/Authenticator
    requestPasswordAuthentication(Ljava/net/InetAddress;ILjava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava
    a/net/PasswordAuthentication;
java/net/Authenticator
    requestPasswordAuthentication(Ljava/lang/String;Ljava/net/InetAddress;ILjava/lang/String;Ljava/lang/String;Ljava
    /lang/String;)Ljava/net/PasswordAuthentication;
java/net/Authenticator
    requestPasswordAuthentication(Ljava/lang/String;Ljava/net/InetAddress;ILjava/lang/String;Ljava/lang/String;Ljava
    /lang/String;Ljava/net/URL;Ljava/net/Authenticator$RequestorType;)Ljava/net/PasswordAuthentication;
java/net/Authenticator
    getRequestingHost()Ljava/lang/String;
java/net/Authenticator getRequestingSite()Ljava/net/InetAddress;
java/net/Authenticator getRequestingPort()I
java/net/Authenticator getRequestingProtocol()Ljava/lang/String;
java/net/Authenticator getRequestingPrompt()Ljava/lang/String;

```

```

java/net/Authenticator getRequestingScheme()Ljava/lang/String;
java/net/Authenticator getPasswordAuthentication()Ljava/net/PasswordAuthentication;
java/net/Authenticator getRequestingURL()Ljava/net/URL;
java/net/Authenticator getRequestorType()Ljava/net/Authenticator$RequestorType;
class java/io/FileWriter java/io/OutputStreamWriter
java/io/FileWriter <init>(Ljava/lang/String;)V
java/io/FileWriter <init>(Ljava/lang/String;Z)V
java/io/FileWriter <init>(Ljava/io/File;)V
java/io/FileWriter <init>(Ljava/io/File;Z)V
java/io/FileWriter <init>(Ljava/io/FileDescriptor;)V
class java/lang/NumberFormatException java/lang/IllegalArgumentException
java/lang/NumberFormatException
    serialVersionUID
java/lang/NumberFormatException <init>()V
java/lang/NumberFormatException <init>(Ljava/lang/String;)V
java/lang/NumberFormatException forInputString(Ljava/lang/String;)Ljava/lang/NumberFormatException;
class java/lang/IllegalArgumentException java/lang/RuntimeException
java/lang/IllegalArgumentException serialVersionUID
java/lang/IllegalArgumentException <init>()V
java/lang/IllegalArgumentException <init>(Ljava/lang/String;)V
java/lang/IllegalArgumentException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/IllegalArgumentException <init>(Ljava/lang/Throwable;)V
class java/io/FileReader java/io/InputStreamReader
java/io/FileReader <init>(Ljava/lang/String;)V
java/io/FileReader <init>(Ljava/io/File;)V
java/io/FileReader <init>(Ljava/io/FileDescriptor;)V
class java/awt/event/KeyAdapter java/lang/Object
java/awt/event/KeyAdapter <init>()V
java/awt/event/KeyAdapter keyTyped(Ljava/awt/event/KeyEvent;)V
java/awt/event/KeyAdapter
    keyPressed(Ljava/awt/event/KeyEvent;)V
java/awt/event/KeyAdapter keyReleased(Ljava/awt/event/KeyEvent;)V
class java/io/BufferedReader java/io/Reader
java/io/BufferedReader in
java/io/BufferedReader cb
java/io/BufferedReader nChars
java/io/BufferedReader nextChar
java/io/BufferedReader INVALIDATED
java/io/BufferedReader UNMARKED
java/io/BufferedReader markedChar
java/io/BufferedReader readAheadLimit
java/io/BufferedReader skipLF
java/io/BufferedReader markedSkipLF
java/io/BufferedReader defaultCharBufferSize
java/io/BufferedReader defaultExpectedLineLength
java/io/BufferedReader <init>(Ljava/io/Reader;I)V
java/io/BufferedReader <init>(Ljava/io/Reader;)V
java/io/BufferedReader ensureOpen()V

```

```

java/io/BufferedReader fill()V
java/io/BufferedReader read()I
java/io/BufferedReader read1([CII)I
java/io/BufferedReader read([CII)I
java/io/BufferedReader readLine(Z)Ljava/lang/String;
java/io/BufferedReader readLine()Ljava/lang/String;
java/io/BufferedReader skip(J)J
java/io/BufferedReader
    ready()Z
java/io/BufferedReader markSupported()Z
java/io/BufferedReader mark(I)V
java/io/BufferedReader reset()V
java/io/BufferedReader close()V
java/io/BufferedReader <clinit>()V
class java/io/InputStreamReader java/io/Reader
java/io/InputStreamReader sd
java/io/InputStreamReader <init>(Ljava/io/InputStream;)V
java/io/InputStreamReader <init>(Ljava/io/InputStream;Ljava/lang/String;)V
java/io/InputStreamReader <init>(Ljava/io/InputStream;Ljava/nio/charset/Charset;)V
java/io/InputStreamReader <init>(Ljava/io/InputStream;Ljava/nio/charset/CharsetDecoder;)V
java/io/InputStreamReader getEncoding()Ljava/lang/String;
java/io/InputStreamReader read()I
java/io/InputStreamReader read([CII)I
java/io/InputStreamReader ready()Z
java/io/InputStreamReader close()V
class java/io/Reader java/lang/Object
java/io/Reader lock
java/io/Reader maxSkipBufferSize
java/io/Reader skipBuffer
java/io/Reader <init>()V
java/io/Reader <init>(Ljava/lang/Object;)V
java/io/Reader read(Ljava/nio/CharBuffer;)I
java/io/Reader
    read()I
java/io/Reader read([C)I
java/io/Reader read([CII)I
java/io/Reader skip(J)J
java/io/Reader ready()Z
java/io/Reader markSupported()Z
java/io/Reader mark(I)V
java/io/Reader reset()V
java/io/Reader close()V
class java/util/regex/Pattern$TreeInfo java/lang/Object
java/util/regex/Pattern$TreeInfo minLength
java/util/regex/Pattern$TreeInfo maxLength
java/util/regex/Pattern$TreeInfo maxValid
java/util/regex/Pattern$TreeInfo deterministic
java/util/regex/Pattern$TreeInfo <init>()V

```

```

java/util/regex/Pattern$TreeInfo reset()V
class java/util/regex/Pattern$Start java/util/regex/Pattern$Node
java/util/regex/Pattern$Start minLength
java/util/regex/Pattern$Start <init>(Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Start match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Start study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$First java/util/regex/Pattern$Node
java/util/regex/Pattern$First atom
java/util/regex/Pattern$First
  <init>(Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$First match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$First study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Begin java/util/regex/Pattern$Node
java/util/regex/Pattern$Begin <init>()V
java/util/regex/Pattern$Begin match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Slice java/util/regex/Pattern$Node
java/util/regex/Pattern$Slice buffer
java/util/regex/Pattern$Slice <init>((I)V
java/util/regex/Pattern$Slice match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Slice study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Curly java/util/regex/Pattern$Node
java/util/regex/Pattern$Curly atom
java/util/regex/Pattern$Curly type
java/util/regex/Pattern$Curly cmin
java/util/regex/Pattern$Curly cmax
java/util/regex/Pattern$Curly <init>(Ljava/util/regex/Pattern$Node;III)V
java/util/regex/Pattern$Curly
  match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Curly match0(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Curly match1(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Curly match2(Ljava/util/regex/Matcher;IILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Curly study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$JavaMirrored java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaMirrored <init>()V
java/util/regex/Pattern$JavaMirrored isProperty(I)Z
class java/util/regex/Pattern$JavaISOControl java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaISOControl <init>()V
java/util/regex/Pattern$JavaISOControl isProperty(I)Z
class java/util/regex/Pattern$JavaWhitespace java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaWhitespace <init>()V
java/util/regex/Pattern$JavaWhitespace isProperty(I)Z
class java/util/regex/Pattern$JavaSpaceChar
  java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaSpaceChar <init>()V
java/util/regex/Pattern$JavaSpaceChar isProperty(I)Z
class java/util/regex/Pattern$JavaIdentifierIgnorable java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaIdentifierIgnorable <init>()V
java/util/regex/Pattern$JavaIdentifierIgnorable isProperty(I)Z

```

```

class java/util/regex/Pattern$JavaUnicodeIdentifierPart java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaUnicodeIdentifierPart <init>()V
java/util/regex/Pattern$JavaUnicodeIdentifierPart isProperty(I)Z
class java/util/regex/Pattern$JavaUnicodeIdentifierStart java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaUnicodeIdentifierStart <init>()V
java/util/regex/Pattern$JavaUnicodeIdentifierStart isProperty(I)Z
class java/util/regex/Pattern$JavaJavaIdentifierPart java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaJavaIdentifierPart <init>()V
java/util/regex/Pattern$JavaJavaIdentifierPart
isProperty(I)Z
class java/util/regex/Pattern$JavaJavaIdentifierStart java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaJavaIdentifierStart <init>()V
java/util/regex/Pattern$JavaJavaIdentifierStart isProperty(I)Z
class java/util/regex/Pattern$JavaLetterOrDigit java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaLetterOrDigit <init>()V
java/util/regex/Pattern$JavaLetterOrDigit isProperty(I)Z
class java/util/regex/Pattern$JavaLetter java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaLetter <init>()V
java/util/regex/Pattern$JavaLetter isProperty(I)Z
class java/util/regex/Pattern$JavaDefined java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaDefined <init>()V
java/util/regex/Pattern$JavaDefined isProperty(I)Z
class java/util/regex/Pattern$JavaDigit java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaDigit <init>()V
java/util/regex/Pattern$JavaDigit isProperty(I)Z
class java/util/regex/Pattern$JavaTitleCase java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaTitleCase
<init>()V
java/util/regex/Pattern$JavaTitleCase isProperty(I)Z
class java/util/regex/Pattern$JavaUpperCase java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaUpperCase <init>()V
java/util/regex/Pattern$JavaUpperCase isProperty(I)Z
class java/util/regex/Pattern$JavaLowerCase java/util/regex/Pattern$JavaTypeClass
java/util/regex/Pattern$JavaLowerCase <init>()V
java/util/regex/Pattern$JavaLowerCase isProperty(I)Z
class java/util/regex/Pattern$JavaTypeClass java/util/regex/Pattern$Node
java/util/regex/Pattern$JavaTypeClass <init>()V
java/util/regex/Pattern$JavaTypeClass dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$JavaTypeClass isProperty(I)Z
java/util/regex/Pattern$JavaTypeClass match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$JavaTypeClass study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Ctype java/util/regex/Pattern$Node
java/util/regex/Pattern$Ctype
ctype
java/util/regex/Pattern$Ctype <init>(I)V
java/util/regex/Pattern$Ctype dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$Ctype match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Ctype study(Ljava/util/regex/Pattern$TreeInfo;)Z

```



```

class java/util/regex/Pattern$All java/util/regex/Pattern$Node
java/util/regex/Pattern$All <init>()V
java/util/regex/Pattern$All dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$All match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$All study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Range java/util/regex/Pattern$Node
java/util/regex/Pattern$Range lower
java/util/regex/Pattern$Range upper
java/util/regex/Pattern$Range <init>()V
java/util/regex/Pattern$Range <init>(I)V
java/util/regex/Pattern$Range <init>(II)V
java/util/regex/Pattern$Range dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$Range match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Range
    study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Category java/util/regex/Pattern$Node
java/util/regex/Pattern$Category atype
java/util/regex/Pattern$Category <init>(I)V
java/util/regex/Pattern$Category dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$Category match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Category study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$categoryNames java/lang/Object
java/util/regex/Pattern$categoryNames cMap
java/util/regex/Pattern$categoryNames <init>()V
java/util/regex/Pattern$categoryNames <clinit>()V
class java/util/regex/Pattern$Single java/util/regex/Pattern$Node
java/util/regex/Pattern$Single ch
java/util/regex/Pattern$Single len
java/util/regex/Pattern$Single <init>(I)V
java/util/regex/Pattern$Single dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$Single match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Single
    study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Branch java/util/regex/Pattern$Node
java/util/regex/Pattern$Branch prev
java/util/regex/Pattern$Branch <init>(Ljava/util/regex/Pattern$Node;Ljava/util/regex/Pattern$Node;)V
java/util/regex/Pattern$Branch match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Branch study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$Dummy java/util/regex/Pattern$Node
java/util/regex/Pattern$Dummy <init>()V
java/util/regex/Pattern$Dummy match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Ques java/util/regex/Pattern$Node
java/util/regex/Pattern$Ques atom
java/util/regex/Pattern$Ques type
java/util/regex/Pattern$Ques <init>(Ljava/util/regex/Pattern$Node;I)V
java/util/regex/Pattern$Ques match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Ques study(Ljava/util/regex/Pattern$TreeInfo;)Z
class

```

```

java/util/regex/Pattern$BitClass java/util/regex/Pattern$Node
java/util/regex/Pattern$BitClass bits
java/util/regex/Pattern$BitClass complementMe
java/util/regex/Pattern$BitClass <init>(Z)V
java/util/regex/Pattern$BitClass <init>([ZZ)V
java/util/regex/Pattern$BitClass add(II)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$BitClass dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$BitClass match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$BitClass study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern$GroupTail java/util/regex/Pattern$Node
java/util/regex/Pattern$GroupTail localIndex
java/util/regex/Pattern$GroupTail groupIndex
java/util/regex/Pattern$GroupTail <init>(II)V
java/util/regex/Pattern$GroupTail match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$GroupHead java/util/regex/Pattern$Node
java/util/regex/Pattern$GroupHead localIndex
java/util/regex/Pattern$GroupHead
<init>(I)V
java/util/regex/Pattern$GroupHead match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$GroupHead matchRef(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$LastNode java/util/regex/Pattern$Node
java/util/regex/Pattern$LastNode <init>()V
java/util/regex/Pattern$LastNode match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
class java/util/regex/Pattern$Node java/lang/Object
java/util/regex/Pattern$Node next
java/util/regex/Pattern$Node <init>()V
java/util/regex/Pattern$Node dup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern$Node match(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern$Node study(Ljava/util/regex/Pattern$TreeInfo;)Z
class java/util/regex/Pattern java/lang/Object
java/util/regex/Pattern UNIX_LINES
java/util/regex/Pattern CASE_INSENSITIVE
java/util/regex/Pattern COMMENTS
java/util/regex/Pattern MULTILINE
java/util/regex/Pattern LITERAL
java/util/regex/Pattern
DOTALL
java/util/regex/Pattern UNICODE_CASE
java/util/regex/Pattern CANON_EQ
java/util/regex/Pattern serialVersionUID
java/util/regex/Pattern pattern
java/util/regex/Pattern flags
java/util/regex/Pattern compiled
java/util/regex/Pattern normalizedPattern
java/util/regex/Pattern root
java/util/regex/Pattern matchRoot
java/util/regex/Pattern buffer
java/util/regex/Pattern groupNodes

```

java/util/regex/Pattern temp
java/util/regex/Pattern capturingGroupCount
java/util/regex/Pattern localCount
java/util/regex/Pattern cursor
java/util/regex/Pattern patternLength
java/util/regex/Pattern MAX_REPS
java/util/regex/Pattern GREEDY
java/util/regex/Pattern LAZY
java/util/regex/Pattern POSSESSIVE
java/util/regex/Pattern INDEPENDENT
java/util/regex/Pattern accept
java/util/regex/Pattern lastAccept
java/util/regex/Pattern \$assertionsDisabled
java/util/regex/Pattern compile(Ljava/lang/String;)Ljava/util/regex/Pattern;
java/util/regex/Pattern compile(Ljava/lang/String;I)Ljava/util/regex/Pattern;
java/util/regex/Pattern
 pattern()Ljava/lang/String;
java/util/regex/Pattern toString()Ljava/lang/String;
java/util/regex/Pattern matcher(Ljava/lang/CharSequence;)Ljava/util/regex/Matcher;
java/util/regex/Pattern flags()I
java/util/regex/Pattern matches(Ljava/lang/String;Ljava/lang/CharSequence;)Z
java/util/regex/Pattern split(Ljava/lang/CharSequence;I)[Ljava/lang/String;
java/util/regex/Pattern split(Ljava/lang/CharSequence;)[Ljava/lang/String;
java/util/regex/Pattern quote(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Pattern readObject(Ljava/io/ObjectInputStream;)V
java/util/regex/Pattern <init>(Ljava/lang/String;I)V
java/util/regex/Pattern normalize()V
java/util/regex/Pattern normalizeCharClass(Ljava/lang/StringBuilder;I)I
java/util/regex/Pattern produceEquivalentAlternation(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Pattern producePermutations(Ljava/lang/String;)[Ljava/lang/String;
java/util/regex/Pattern getClass()I
java/util/regex/Pattern composeOneStep(Ljava/lang/String;)Ljava/lang/String;
java/util/regex/Pattern
 compile()V
java/util/regex/Pattern printObjectTree(Ljava/util/regex/Pattern\$Node;)V
java/util/regex/Pattern has(I)Z
java/util/regex/Pattern accept(ILjava/lang/String;)V
java/util/regex/Pattern mark(I)V
java/util/regex/Pattern peek()I
java/util/regex/Pattern read()I
java/util/regex/Pattern readEscaped()I
java/util/regex/Pattern next()I
java/util/regex/Pattern nextEscaped()I
java/util/regex/Pattern peekPastWhitespace(I)I
java/util/regex/Pattern parsePastWhitespace(I)I
java/util/regex/Pattern parsePastLine()I
java/util/regex/Pattern peekPastLine()I
java/util/regex/Pattern isLineSeparator(I)Z

```

java/util/regex/Pattern skip()I
java/util/regex/Pattern unread()V
java/util/regex/Pattern error(Ljava/lang/String;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern findSupplementary(II)Z
java/util/regex/Pattern isSupplementary(I)Z
java/util/regex/Pattern expr(Ljava/util/regex/Pattern$Node;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern
    sequence(Ljava/util/regex/Pattern$Node;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern atom(Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern append(II)V
java/util/regex/Pattern ref(I)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern escape(ZZ)I
java/util/regex/Pattern clazz(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern range(Ljava/util/regex/Pattern$BitClass;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern single()I
java/util/regex/Pattern family(ZZ)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern retrieveFamilyNode(Ljava/lang/String;Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern retrieveCategoryNode(Ljava/lang/String;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern familyError(Ljava/lang/String;Ljava/lang/String;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern group0()Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern createGroup(Z)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern addFlag()V
java/util/regex/Pattern
    subFlag()V
java/util/regex/Pattern closure(Ljava/util/regex/Pattern$Node;)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern c()I
java/util/regex/Pattern o()I
java/util/regex/Pattern x()I
java/util/regex/Pattern u()I
java/util/regex/Pattern isSurrogate(I)Z
java/util/regex/Pattern countChars(Ljava/lang/CharSequence;II)I
java/util/regex/Pattern countCodePoints(Ljava/lang/CharSequence;)I
java/util/regex/Pattern newSingle(I)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern newSlice([IIZ)Ljava/util/regex/Pattern$Node;
java/util/regex/Pattern hasBaseCharacter(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern access$000(Ljava/lang/CharSequence;II)I
java/util/regex/Pattern access$100(Ljava/util/regex/Matcher;ILjava/lang/CharSequence;)Z
java/util/regex/Pattern <clinit>()V
class java/util/concurrent/ConcurrentHashMap$HashEntry java/lang/Object
java/util/concurrent/ConcurrentHashMap$HashEntry key
java/util/concurrent/ConcurrentHashMap$HashEntry
    hash
java/util/concurrent/ConcurrentHashMap$HashEntry value
java/util/concurrent/ConcurrentHashMap$HashEntry next
java/util/concurrent/ConcurrentHashMap$HashEntry
    <init>(Ljava/lang/Object;ILjava/util/concurrent/ConcurrentHashMap$HashEntry;Ljava/lang/Object;)V
class java/util/concurrent/locks/AbstractQueuedSynchronizer$Node java/lang/Object
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node CANCELLED

```

```

java/util/concurrent/locks/AbstractQueuedSynchronizer$Node SIGNAL
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node CONDITION
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node SHARED
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node EXCLUSIVE
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node waitStatus
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node prev
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node next
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node thread
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node
    nextWaiter
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node isShared()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node
    predecessor()Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node <init>()V
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node
    <init>(Ljava/lang/Thread;Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node <init>(Ljava/lang/Thread;I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer$Node <clinit>()V
class java/util/concurrent/locks/ReentrantLock$NonfairSync java/util/concurrent/locks/ReentrantLock$Sync
java/util/concurrent/locks/ReentrantLock$NonfairSync <init>()V
java/util/concurrent/locks/ReentrantLock$NonfairSync lock()V
java/util/concurrent/locks/ReentrantLock$NonfairSync tryAcquire(I)Z
class java/util/concurrent/locks/ReentrantLock$Sync java/util/concurrent/locks/AbstractQueuedSynchronizer
java/util/concurrent/locks/ReentrantLock$Sync
    owner
java/util/concurrent/locks/ReentrantLock$Sync <init>()V
java/util/concurrent/locks/ReentrantLock$Sync lock()V
java/util/concurrent/locks/ReentrantLock$Sync nonfairTryAcquire(I)Z
java/util/concurrent/locks/ReentrantLock$Sync tryRelease(I)Z
java/util/concurrent/locks/ReentrantLock$Sync isHeldExclusively()Z
java/util/concurrent/locks/ReentrantLock$Sync
    newCondition()Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;
java/util/concurrent/locks/ReentrantLock$Sync getOwner()Ljava/lang/Thread;
java/util/concurrent/locks/ReentrantLock$Sync getHoldCount()I
java/util/concurrent/locks/ReentrantLock$Sync isLocked()Z
java/util/concurrent/locks/ReentrantLock$Sync readObject(Ljava/io/ObjectInputStream;)V
class java/util/concurrent/locks/AbstractQueuedSynchronizer java/lang/Object
java/util/concurrent/locks/AbstractQueuedSynchronizer serialVersionUID
java/util/concurrent/locks/AbstractQueuedSynchronizer head
java/util/concurrent/locks/AbstractQueuedSynchronizer
    tail
java/util/concurrent/locks/AbstractQueuedSynchronizer state
java/util/concurrent/locks/AbstractQueuedSynchronizer unsafe
java/util/concurrent/locks/AbstractQueuedSynchronizer stateOffset
java/util/concurrent/locks/AbstractQueuedSynchronizer headOffset
java/util/concurrent/locks/AbstractQueuedSynchronizer tailOffset
java/util/concurrent/locks/AbstractQueuedSynchronizer waitStatusOffset
java/util/concurrent/locks/AbstractQueuedSynchronizer nextOffset

```

```

java/util/concurrent/locks/AbstractQueuedSynchronizer <init>()V
java/util/concurrent/locks/AbstractQueuedSynchronizer getState()I
java/util/concurrent/locks/AbstractQueuedSynchronizer setState(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer compareAndSetState(II)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
  enq(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;
java/util/concurrent/locks/AbstractQueuedSynchronizer
  addWaiter(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;
java/util/concurrent/locks/AbstractQueuedSynchronizer
  setHead(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer
  unparkSuccessor(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer
  setHeadAndPropagate(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer
  cancelAcquire(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)V
java/util/concurrent/locks/AbstractQueuedSynchronizer
  shouldParkAfterFailedAcquire(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer selfInterrupt()V
java/util/concurrent/locks/AbstractQueuedSynchronizer
  parkAndCheckInterrupt()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
  acquireQueued(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer doAcquireInterruptibly(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer doAcquireNanos(IJ)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer doAcquireShared(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer doAcquireSharedInterruptibly(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer doAcquireSharedNanos(IJ)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer tryAcquire(I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer tryRelease(I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer tryAcquireShared(I)I
java/util/concurrent/locks/AbstractQueuedSynchronizer tryReleaseShared(I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer isHeldExclusively()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer acquire(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer
  acquireInterruptibly(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer tryAcquireNanos(IJ)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer release(I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer acquireShared(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer acquireSharedInterruptibly(I)V
java/util/concurrent/locks/AbstractQueuedSynchronizer tryAcquireSharedNanos(IJ)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer releaseShared(I)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer hasQueuedThreads()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer hasContended()Z
java/util/concurrent/locks/AbstractQueuedSynchronizer getFirstQueuedThread(Ljava/lang/Thread;

```

```

java/util/concurrent/locks/AbstractQueuedSynchronizer fullGetFirstQueuedThread()Ljava/lang/Thread;
java/util/concurrent/locks/AbstractQueuedSynchronizer isQueued(Ljava/lang/Thread;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer getQueueLength()I
java/util/concurrent/locks/AbstractQueuedSynchronizer
    getQueuedThreads()Ljava/util/Collection;
java/util/concurrent/locks/AbstractQueuedSynchronizer getExclusiveQueuedThreads()Ljava/util/Collection;
java/util/concurrent/locks/AbstractQueuedSynchronizer getSharedQueuedThreads()Ljava/util/Collection;
java/util/concurrent/locks/AbstractQueuedSynchronizer toString()Ljava/lang/String;
java/util/concurrent/locks/AbstractQueuedSynchronizer
    isOnSyncQueue(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
    findNodeFromTail(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
    transferForSignal(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
    transferAfterCancelledWait(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
    fullyRelease(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)I
java/util/concurrent/locks/AbstractQueuedSynchronizer
    owns(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
    hasWaiters(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
    getWaitQueueLength(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;)I
java/util/concurrent/locks/AbstractQueuedSynchronizer
    getWaitingThreads(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$ConditionObject;)Ljava/util/Collection;
java/util/concurrent/locks/AbstractQueuedSynchronizer
    compareAndSetHead(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
    compareAndSetTail(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
    compareAndSetWaitStatus(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;II)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer
    compareAndSetNext(Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;Ljava/util/concurrent/locks/AbstractQueuedSynchronizer$Node;)Z
java/util/concurrent/locks/AbstractQueuedSynchronizer access$000()V
java/util/concurrent/locks/AbstractQueuedSynchronizer <clinit>()V
class java/util/concurrent/ConcurrentHashMap$Segment java/util/concurrent/locks/ReentrantLock
java/util/concurrent/ConcurrentHashMap$Segment serialVersionUID
java/util/concurrent/ConcurrentHashMap$Segment count
java/util/concurrent/ConcurrentHashMap$Segment modCount
java/util/concurrent/ConcurrentHashMap$Segment threshold
java/util/concurrent/ConcurrentHashMap$Segment table
java/util/concurrent/ConcurrentHashMap$Segment loadFactor
java/util/concurrent/ConcurrentHashMap$Segment <init>(IF)V
java/util/concurrent/ConcurrentHashMap$Segment

```

```

    setTable([Ljava/util/concurrent/ConcurrentHashMap$HashEntry;)V
java/util/concurrent/ConcurrentHashMap$Segment
    getFirst(I)Ljava/util/concurrent/ConcurrentHashMap$HashEntry;
java/util/concurrent/ConcurrentHashMap$Segment
    readValueUnderLock(Ljava/util/concurrent/ConcurrentHashMap$HashEntry;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$Segment get(Ljava/lang/Object;I)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$Segment containsKey(Ljava/lang/Object;I)Z
java/util/concurrent/ConcurrentHashMap$Segment containsValue(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$Segment
    replace(Ljava/lang/Object;ILjava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap$Segment
    replace(Ljava/lang/Object;ILjava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$Segment put(Ljava/lang/Object;ILjava/lang/Object;Z)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$Segment rehash()V
java/util/concurrent/ConcurrentHashMap$Segment
    remove(Ljava/lang/Object;ILjava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap$Segment clear()V
class java/util/concurrent/locks/ReentrantLock java/lang/Object
java/util/concurrent/locks/ReentrantLock serialVersionUID
java/util/concurrent/locks/ReentrantLock sync
java/util/concurrent/locks/ReentrantLock <init>()V
java/util/concurrent/locks/ReentrantLock <init>(Z)V
java/util/concurrent/locks/ReentrantLock lock()V
java/util/concurrent/locks/ReentrantLock lockInterruptibly()V
java/util/concurrent/locks/ReentrantLock tryLock()Z
java/util/concurrent/locks/ReentrantLock tryLock(JLjava/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/ReentrantLock unlock()V
java/util/concurrent/locks/ReentrantLock newCondition()Ljava/util/concurrent/locks/Condition;
java/util/concurrent/locks/ReentrantLock getHoldCount()I
java/util/concurrent/locks/ReentrantLock isHeldByCurrentThread()Z
java/util/concurrent/locks/ReentrantLock isLocked()Z
java/util/concurrent/locks/ReentrantLock
    isFair()Z
java/util/concurrent/locks/ReentrantLock getOwner()Ljava/lang/Thread;
java/util/concurrent/locks/ReentrantLock hasQueuedThreads()Z
java/util/concurrent/locks/ReentrantLock hasQueuedThread(Ljava/lang/Thread;)Z
java/util/concurrent/locks/ReentrantLock getQueueLength()I
java/util/concurrent/locks/ReentrantLock getQueuedThreads()Ljava/util/Collection;
java/util/concurrent/locks/ReentrantLock hasWaiters(Ljava/util/concurrent/locks/Condition;)Z
java/util/concurrent/locks/ReentrantLock getWaitQueueLength(Ljava/util/concurrent/locks/Condition;)I
java/util/concurrent/locks/ReentrantLock
    getWaitingThreads(Ljava/util/concurrent/locks/Condition;)Ljava/util/Collection;
java/util/concurrent/locks/ReentrantLock toString()Ljava/lang/String;
class java/util/concurrent/locks/Lock java/lang/Object
java/util/concurrent/locks/Lock lock()V
java/util/concurrent/locks/Lock lockInterruptibly()V
java/util/concurrent/locks/Lock tryLock()Z
java/util/concurrent/locks/Lock

```



```

tryLock(JL.java/util/concurrent/TimeUnit;)Z
java/util/concurrent/locks/Lock unlock()V
java/util/concurrent/locks/Lock newCondition()Ljava/util/concurrent/locks/Condition;
class java/util/concurrent/ConcurrentHashMap java/util/AbstractMap
java/util/concurrent/ConcurrentHashMap serialVersionUID
java/util/concurrent/ConcurrentHashMap DEFAULT_INITIAL_CAPACITY
java/util/concurrent/ConcurrentHashMap MAXIMUM_CAPACITY
java/util/concurrent/ConcurrentHashMap DEFAULT_LOAD_FACTOR
java/util/concurrent/ConcurrentHashMap DEFAULT_SEGMENTS
java/util/concurrent/ConcurrentHashMap MAX_SEGMENTS
java/util/concurrent/ConcurrentHashMap RETRIES_BEFORE_LOCK
java/util/concurrent/ConcurrentHashMap segmentMask
java/util/concurrent/ConcurrentHashMap segmentShift
java/util/concurrent/ConcurrentHashMap segments
java/util/concurrent/ConcurrentHashMap keySet
java/util/concurrent/ConcurrentHashMap entrySet
java/util/concurrent/ConcurrentHashMap values
java/util/concurrent/ConcurrentHashMap hash(Ljava/lang/Object;)I
java/util/concurrent/ConcurrentHashMap
    segmentFor(I)Ljava/util/concurrent/ConcurrentHashMap$Segment;
java/util/concurrent/ConcurrentHashMap <init>(IFI)V
java/util/concurrent/ConcurrentHashMap <init>(I)V
java/util/concurrent/ConcurrentHashMap <init>()V
java/util/concurrent/ConcurrentHashMap <init>(Ljava/util/Map;)V
java/util/concurrent/ConcurrentHashMap isEmpty()Z
java/util/concurrent/ConcurrentHashMap size()I
java/util/concurrent/ConcurrentHashMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap containsKey(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap containsValue(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap contains(Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap putIfAbsent(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap putAll(Ljava/util/Map;)V
java/util/concurrent/ConcurrentHashMap
    remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap remove(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap replace(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentHashMap replace(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentHashMap clear()V
java/util/concurrent/ConcurrentHashMap keySet()Ljava/util/Set;
java/util/concurrent/ConcurrentHashMap values()Ljava/util/Collection;
java/util/concurrent/ConcurrentHashMap entrySet()Ljava/util/Set;
java/util/concurrent/ConcurrentHashMap keys()Ljava/util/Enumeration;
java/util/concurrent/ConcurrentHashMap elements()Ljava/util/Enumeration;
java/util/concurrent/ConcurrentHashMap writeObject(Ljava/io/ObjectOutputStream;)V
java/util/concurrent/ConcurrentHashMap readObject(Ljava/io/ObjectInputStream;)V
java/util/concurrent/ConcurrentHashMap <clinit>()V
class java/util/concurrent/ConcurrentMap

```

```

java/lang/Object
java/util/concurrent/ConcurrentMap putIfAbsent(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/ConcurrentMap remove(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentMap replace(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/ConcurrentMap replace(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
class java/security/Security$1 java/lang/Object
java/security/Security$1 <init>()V
java/security/Security$1 run(Ljava/lang/Object;
class java/security/Security java/lang/Object
java/security/Security sdebug
java/security/Security props
java/security/Security spiMap
java/security/Security initialize()V
java/security/Security initializeStatic()V
java/security/Security <init>()V
java/security/Security securityPropFile(Ljava/lang/String;)Ljava/io/File;
java/security/Security getProviderProperty(Ljava/lang/String;)Ljava/security/Security$ProviderProperty;
java/security/Security getProviderProperty(Ljava/lang/String;Ljava/security/Provider;)Ljava/lang/String;
java/security/Security
    getAlgorithmProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/security/Security insertProviderAt(Ljava/security/Provider;I)I
java/security/Security addProvider(Ljava/security/Provider;)I
java/security/Security removeProvider(Ljava/lang/String;)V
java/security/Security getProviders()[Ljava/security/Provider;
java/security/Security getProvider(Ljava/lang/String;)Ljava/security/Provider;
java/security/Security getProviders(Ljava/lang/String;)[Ljava/security/Provider;
java/security/Security getProviders(Ljava/util/Map;)[Ljava/security/Provider;
java/security/Security getSpiClass(Ljava/lang/String;)Ljava/lang/Class;
java/security/Security getImpl(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)[Ljava/lang/Object;
java/security/Security
    getImpl(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/Object;)[Ljava/lang/Object;
java/security/Security getImpl(Ljava/lang/String;Ljava/lang/String;Ljava/security/Provider;)[Ljava/lang/Object;
java/security/Security
    getImpl(Ljava/lang/String;Ljava/lang/String;Ljava/security/Provider;Ljava/lang/Object;)[Ljava/lang/Object;
java/security/Security getProperty(Ljava/lang/String;)Ljava/lang/String;
java/security/Security setProperty(Ljava/lang/String;Ljava/lang/String;)V
java/security/Security invalidateSMCache(Ljava/lang/String;)V
java/security/Security check(Ljava/lang/String;)V
java/security/Security
    getAllQualifyingCandidates(Ljava/lang/String;Ljava/lang/String;[Ljava/security/Provider;)Ljava/util/LinkedHashSe
    t;
java/security/Security
    getProvidersNotUsingCache(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;[Ljava/securit
    y/Provider;)Ljava/util/LinkedHashSet;
java/security/Security
    isCriterionSatisfied(Ljava/security/Provider;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String
    );Z
java/security/Security isStandardAttr(Ljava/lang/String;)Z

```

```

java/security/Security
  isConstraintSatisfied(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Z
java/security/Security getFilterComponents(Ljava/lang/String;Ljava/lang/String;)[Ljava/lang/String;
java/security/Security getAlgorithms(Ljava/lang/String;)Ljava/util/Set;
java/security/Security access$000()V
java/security/Security <clinit>()V
class java/security/Provider$ServiceKey java/lang/Object
java/security/Provider$ServiceKey type
java/security/Provider$ServiceKey algorithm
java/security/Provider$ServiceKey originalAlgorithm
java/security/Provider$ServiceKey <init>(Ljava/lang/String;Ljava/lang/String;Z)V
java/security/Provider$ServiceKey hashCode()I
java/security/Provider$ServiceKey equals(Ljava/lang/Object;)Z
java/security/Provider$ServiceKey matches(Ljava/lang/String;Ljava/lang/String;)Z
java/security/Provider$ServiceKey <init>(Ljava/lang/String;Ljava/lang/String;ZLjava/security/Provider$1;)V
class java/security/Provider java/util/Properties
java/security/Provider serialVersionUID
java/security/Provider
  debug
java/security/Provider name
java/security/Provider info
java/security/Provider version
java/security/Provider entrySet
java/security/Provider entrySetCallCount
java/security/Provider legacyChanged
java/security/Provider servicesChanged
java/security/Provider legacyStrings
java/security/Provider serviceMap
java/security/Provider legacyMap
java/security/Provider serviceSet
java/security/Provider ALIAS_PREFIX
java/security/Provider ALIAS_PREFIX_LOWER
java/security/Provider ALIAS_LENGTH
java/security/Provider previousKey
java/security/Provider knownEngines
java/security/Provider <init>(Ljava/lang/String;DLjava/lang/String;)V
java/security/Provider getName()Ljava/lang/String;
java/security/Provider getVersion()D
java/security/Provider getInfo()Ljava/lang/String;
java/security/Provider toString()Ljava/lang/String;
java/security/Provider clear()V
java/security/Provider load(Ljava/io/InputStream;)V
java/security/Provider putAll(Ljava/util/Map;)V
java/security/Provider entrySet(Ljava/util/Set;
java/security/Provider
  keySet(Ljava/util/Set;
java/security/Provider values()Ljava/util/Collection;
java/security/Provider put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;

```

```

java/security/Provider remove(Ljava/lang/Object;)Ljava/lang/Object;
java/security/Provider check(Ljava/lang/String;)V
java/security/Provider putId()V
java/security/Provider implPutAll(Ljava/util/Map;)V
java/security/Provider implRemove(Ljava/lang/Object;)Ljava/lang/Object;
java/security/Provider implPut(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/security/Provider implClear()V
java/security/Provider ensureLegacyParsed()V
java/security/Provider removeInvalidServices(Ljava/util/Map;)V
java/security/Provider getTypeAndAlgorithm(Ljava/lang/String;)[Ljava/lang/String;
java/security/Provider parseLegacyPut(Ljava/lang/String;Ljava/lang/String;)V
java/security/Provider getService(Ljava/lang/String;Ljava/lang/String;)Ljava/security/Provider$Service;
java/security/Provider getServices()Ljava/util/Set;
java/security/Provider
    putService(Ljava/security/Provider$Service;)V
java/security/Provider putPropertyStrings(Ljava/security/Provider$Service;)V
java/security/Provider removePropertyStrings(Ljava/security/Provider$Service;)V
java/security/Provider removeService(Ljava/security/Provider$Service;)V
java/security/Provider implRemoveService(Ljava/security/Provider$Service;)V
java/security/Provider addEngine(Ljava/lang/String;ZZ)V
java/security/Provider getEngineName(Ljava/lang/String;)Ljava/lang/String;
java/security/Provider access$900(Ljava/lang/String;)Ljava/lang/String;
java/security/Provider access$1000()Ljava/util/Map;
java/security/Provider <clinit>()V
class java/lang/Package java/lang/Object
java/lang/Package pkgs
java/lang/Package urls
java/lang/Package mans
java/lang/Package pkgName
java/lang/Package specTitle
java/lang/Package specVersion
java/lang/Package specVendor
java/lang/Package implTitle
java/lang/Package implVersion
java/lang/Package implVendor
java/lang/Package
    sealBase
java/lang/Package loader
java/lang/Package packageInfo
java/lang/Package getName()Ljava/lang/String;
java/lang/Package getSpecificationTitle()Ljava/lang/String;
java/lang/Package getSpecificationVersion()Ljava/lang/String;
java/lang/Package getSpecificationVendor()Ljava/lang/String;
java/lang/Package getImplementationTitle()Ljava/lang/String;
java/lang/Package getImplementationVersion()Ljava/lang/String;
java/lang/Package getImplementationVendor()Ljava/lang/String;
java/lang/Package isSealed()Z
java/lang/Package isSealed(Ljava/net/URL;)Z

```

```

java/lang/Package isCompatibleWith(Ljava/lang/String;)Z
java/lang/Package getPackage(Ljava/lang/String;)Ljava/lang/Package;
java/lang/Package getPackages()[Ljava/lang/Package;
java/lang/Package getPackage(Ljava/lang/Class;)Ljava/lang/Package;
java/lang/Package hashCode()I
java/lang/Package toString()Ljava/lang/String;
java/lang/Package getPackageInfo(Ljava/lang/Class;
java/lang/Package getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/Package
    isAnnotationPresent(Ljava/lang/Class;)Z
java/lang/Package getAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/Package getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/Package
    <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;
    Ljava/lang/String;Ljava/net/URL;Ljava/lang/ClassLoader;)V
java/lang/Package <init>(Ljava/lang/String;Ljava/util/jar/Manifest;Ljava/net/URL;Ljava/lang/ClassLoader;)V
java/lang/Package getSystemPackage(Ljava/lang/String;)Ljava/lang/Package;
java/lang/Package getSystemPackages()[Ljava/lang/Package;
java/lang/Package defineSystemPackage(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/Package;
java/lang/Package loadManifest(Ljava/lang/String;)Ljava/util/jar/Manifest;
java/lang/Package getSystemPackage0(Ljava/lang/String;)Ljava/lang/String;
java/lang/Package getSystemPackages0()[Ljava/lang/String;
java/lang/Package access$000()Ljava/util/Map;
java/lang/Package
    access$100(Ljava/lang/String;)Ljava/util/jar/Manifest;
java/lang/Package access$200()Ljava/util/Map;
java/lang/Package
    <init>(Ljava/lang/String;Ljava/util/jar/Manifest;Ljava/net/URL;Ljava/lang/ClassLoader;Ljava/lang/Package$1;)V
java/lang/Package access$400()Ljava/util/Map;
java/lang/Package <clinit>()V
class java/io/ByteArrayOutputStream java/io/OutputStream
java/io/ByteArrayOutputStream buf
java/io/ByteArrayOutputStream count
java/io/ByteArrayOutputStream <init>()V
java/io/ByteArrayOutputStream <init>(I)V
java/io/ByteArrayOutputStream write(I)V
java/io/ByteArrayOutputStream write([BII)V
java/io/ByteArrayOutputStream writeTo(Ljava/io/OutputStream;)V
java/io/ByteArrayOutputStream reset()V
java/io/ByteArrayOutputStream toByteArray()[B
java/io/ByteArrayOutputStream size()I
java/io/ByteArrayOutputStream toString()Ljava/lang/String;
java/io/ByteArrayOutputStream toString(Ljava/lang/String;)Ljava/lang/String;
java/io/ByteArrayOutputStream toString(I)Ljava/lang/String;
java/io/ByteArrayOutputStream
    close()V
class java/util/jar/JarVerifier java/lang/Object
java/util/jar/JarVerifier debug

```

```

java/util/jar/JarVerifier verifiedSigners
java/util/jar/JarVerifier sigFileSigners
java/util/jar/JarVerifier sigFileData
java/util/jar/JarVerifier pendingBlocks
java/util/jar/JarVerifier signerCache
java/util/jar/JarVerifier parsingBlockOrSF
java/util/jar/JarVerifier parsingMeta
java/util/jar/JarVerifier anyToVerify
java/util/jar/JarVerifier baos
java/util/jar/JarVerifier manDig
java/util/jar/JarVerifier manifestRawBytes
java/util/jar/JarVerifier <init>([B)V
java/util/jar/JarVerifier beginEntry(Ljava/util/jar/JarEntry;Lsun/security/util/ManifestEntryVerifier;)V
java/util/jar/JarVerifier update(ILsun/security/util/ManifestEntryVerifier;)V
java/util/jar/JarVerifier update(I[BILsun/security/util/ManifestEntryVerifier;)V
java/util/jar/JarVerifier processEntry(Lsun/security/util/ManifestEntryVerifier;)V
java/util/jar/JarVerifier getCerts(Ljava/lang/String;)[Ljava/security/cert/Certificate;
java/util/jar/JarVerifier
    getCodeSigners(Ljava/lang/String;)[Ljava/security/CodeSigner;
java/util/jar/JarVerifier nothingToVerify()Z
java/util/jar/JarVerifier doneWithMeta()V
java/util/jar/JarVerifier <clinit>()V
class java/util/jar/Attributes$Name java/lang/Object
java/util/jar/Attributes$Name name
java/util/jar/Attributes$Name hashCode
java/util/jar/Attributes$Name MANIFEST_VERSION
java/util/jar/Attributes$Name SIGNATURE_VERSION
java/util/jar/Attributes$Name CONTENT_TYPE
java/util/jar/Attributes$Name CLASS_PATH
java/util/jar/Attributes$Name MAIN_CLASS
java/util/jar/Attributes$Name SEALED
java/util/jar/Attributes$Name EXTENSION_LIST
java/util/jar/Attributes$Name EXTENSION_NAME
java/util/jar/Attributes$Name EXTENSION_INSTALLATION
java/util/jar/Attributes$Name IMPLEMENTATION_TITLE
java/util/jar/Attributes$Name IMPLEMENTATION_VERSION
java/util/jar/Attributes$Name IMPLEMENTATION_VENDOR
java/util/jar/Attributes$Name IMPLEMENTATION_VENDOR_ID
java/util/jar/Attributes$Name IMPLEMENTATION_URL
java/util/jar/Attributes$Name
    SPECIFICATION_TITLE
java/util/jar/Attributes$Name SPECIFICATION_VERSION
java/util/jar/Attributes$Name SPECIFICATION_VENDOR
java/util/jar/Attributes$Name <init>(Ljava/lang/String;)V
java/util/jar/Attributes$Name isValid(Ljava/lang/String;)Z
java/util/jar/Attributes$Name isValid(C)Z
java/util/jar/Attributes$Name isAlpha(C)Z
java/util/jar/Attributes$Name isDigit(C)Z

```

```

java/util/jar/Attributes$Name equals(Ljava/lang/Object;)Z
java/util/jar/Attributes$Name hashCode()I
java/util/jar/Attributes$Name toString()Ljava/lang/String;
java/util/jar/Attributes$Name <clinit>()V
class java/util/jar/Manifest$FastInputStream java/io/FilterInputStream
java/util/jar/Manifest$FastInputStream buf
java/util/jar/Manifest$FastInputStream count
java/util/jar/Manifest$FastInputStream pos
java/util/jar/Manifest$FastInputStream <init>(Ljava/io/InputStream;)V
java/util/jar/Manifest$FastInputStream <init>(Ljava/io/InputStream;I)V
java/util/jar/Manifest$FastInputStream read()I
java/util/jar/Manifest$FastInputStream
    read([BII)I
java/util/jar/Manifest$FastInputStream readLine([BII)I
java/util/jar/Manifest$FastInputStream peek()B
java/util/jar/Manifest$FastInputStream readLine([B)I
java/util/jar/Manifest$FastInputStream skip(J)J
java/util/jar/Manifest$FastInputStream available()I
java/util/jar/Manifest$FastInputStream close()V
java/util/jar/Manifest$FastInputStream fill()V
class java/util/jar/Attributes java/lang/Object
java/util/jar/Attributes map
java/util/jar/Attributes <init>()V
java/util/jar/Attributes <init>(I)V
java/util/jar/Attributes <init>(Ljava/util/jar/Attributes;)V
java/util/jar/Attributes get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/jar/Attributes getValue(Ljava/lang/String;)Ljava/lang/String;
java/util/jar/Attributes getValue(Ljava/util/jar/Attributes$Name;)Ljava/lang/String;
java/util/jar/Attributes put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/jar/Attributes putValue(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/jar/Attributes
    remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/jar/Attributes containsValue(Ljava/lang/Object;)Z
java/util/jar/Attributes containsKey(Ljava/lang/Object;)Z
java/util/jar/Attributes putAll(Ljava/util/Map;)V
java/util/jar/Attributes clear()V
java/util/jar/Attributes size()I
java/util/jar/Attributes isEmpty()Z
java/util/jar/Attributes keySet()Ljava/util/Set;
java/util/jar/Attributes values()Ljava/util/Collection;
java/util/jar/Attributes entrySet()Ljava/util/Set;
java/util/jar/Attributes equals(Ljava/lang/Object;)Z
java/util/jar/Attributes hashCode()I
java/util/jar/Attributes clone()Ljava/lang/Object;
java/util/jar/Attributes write(Ljava/io/DataOutputStream;)V
java/util/jar/Attributes writeMain(Ljava/io/DataOutputStream;)V
java/util/jar/Attributes read(Ljava/util/jar/Manifest$FastInputStream;[B)V
class java/io/ByteArrayInputStream java/io/InputStream

```

```

java/io/ByteArrayInputStream buf
java/io/ByteArrayInputStream pos
java/io/ByteArrayInputStream
    mark
java/io/ByteArrayInputStream count
java/io/ByteArrayInputStream <init>([B)V
java/io/ByteArrayInputStream <init>([BII)V
java/io/ByteArrayInputStream read()I
java/io/ByteArrayInputStream read([BII)I
java/io/ByteArrayInputStream skip(J)J
java/io/ByteArrayInputStream available()I
java/io/ByteArrayInputStream markSupported()Z
java/io/ByteArrayInputStream mark(I)V
java/io/ByteArrayInputStream reset()V
java/io/ByteArrayInputStream close()V
class java/util/jar/Manifest java/lang/Object
java/util/jar/Manifest attr
java/util/jar/Manifest entries
java/util/jar/Manifest <init>()V
java/util/jar/Manifest <init>(Ljava/io/InputStream;)V
java/util/jar/Manifest <init>(Ljava/util/jar/Manifest;)V
java/util/jar/Manifest getMainAttributes()Ljava/util/jar/Attributes;
java/util/jar/Manifest getEntries()Ljava/util/Map;
java/util/jar/Manifest getAttributes(Ljava/lang/String;)Ljava/util/jar/Attributes;
java/util/jar/Manifest clear()V
java/util/jar/Manifest write(Ljava/io/OutputStream;)V
java/util/jar/Manifest
    make72Safe(Ljava/lang/StringBuffer;)V
java/util/jar/Manifest read(Ljava/io/InputStream;)V
java/util/jar/Manifest parseName([BI)Ljava/lang/String;
java/util/jar/Manifest toLower(I)I
java/util/jar/Manifest equals(Ljava/lang/Object;)Z
java/util/jar/Manifest hashCode()I
java/util/jar/Manifest clone()Ljava/lang/Object;
class java/awt/PrintGraphics java/lang/Object
java/awt/PrintGraphics getPrintJob()Ljava/awt/PrintJob;
class java/awt/print/PrinterGraphics java/lang/Object
java/awt/print/PrinterGraphics getPrinterJob()Ljava/awt/print/PrinterJob;
class java/nio/ByteBufferAsCharBufferB java/nio/CharBuffer
java/nio/ByteBufferAsCharBufferB bb
java/nio/ByteBufferAsCharBufferB offset
java/nio/ByteBufferAsCharBufferB $assertionsDisabled
java/nio/ByteBufferAsCharBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsCharBufferB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsCharBufferB slice()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB duplicate()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB

```



```

asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB ix(I)I
java/nio/ByteBufferAsCharBufferB get()C
java/nio/ByteBufferAsCharBufferB get(I)C
java/nio/ByteBufferAsCharBufferB put(C)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB put(IC)Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB compact()Ljava/nio/CharBuffer;
java/nio/ByteBufferAsCharBufferB isDirect()Z
java/nio/ByteBufferAsCharBufferB isReadOnly()Z
java/nio/ByteBufferAsCharBufferB toString()Ljava/lang/String;
java/nio/ByteBufferAsCharBufferB subSequence(II)Ljava/lang/CharSequence;
java/nio/ByteBufferAsCharBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsCharBufferB <clinit>()V
class java/nio/ByteBufferAsShortBufferB java/nio/ShortBuffer
java/nio/ByteBufferAsShortBufferB bb
java/nio/ByteBufferAsShortBufferB offset
java/nio/ByteBufferAsShortBufferB $assertionsDisabled
java/nio/ByteBufferAsShortBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsShortBufferB
<init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsShortBufferB slice()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB duplicate()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB ix(I)I
java/nio/ByteBufferAsShortBufferB get()S
java/nio/ByteBufferAsShortBufferB get(I)S
java/nio/ByteBufferAsShortBufferB put(S)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB put(IS)Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB compact()Ljava/nio/ShortBuffer;
java/nio/ByteBufferAsShortBufferB isDirect()Z
java/nio/ByteBufferAsShortBufferB isReadOnly()Z
java/nio/ByteBufferAsShortBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsShortBufferB <clinit>()V
class java/nio/ShortBuffer java/nio/Buffer
java/nio/ShortBuffer hb
java/nio/ShortBuffer offset
java/nio/ShortBuffer isReadOnly
java/nio/ShortBuffer <init>(III[SI)V
java/nio/ShortBuffer <init>(III)V
java/nio/ShortBuffer allocate(I)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer
wrap([SII)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer wrap([S)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer slice()Ljava/nio/ShortBuffer;
java/nio/ShortBuffer duplicate()Ljava/nio/ShortBuffer;
java/nio/ShortBuffer asReadOnlyBuffer()Ljava/nio/ShortBuffer;
java/nio/ShortBuffer get()S
java/nio/ShortBuffer put(S)Ljava/nio/ShortBuffer;

```

```

java/nio/ShortBuffer get(I)S
java/nio/ShortBuffer put(IS)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer get([SII)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer get([S)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer put(Ljava/nio/ShortBuffer;)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer put([SII)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer put([S)Ljava/nio/ShortBuffer;
java/nio/ShortBuffer hasArray()Z
java/nio/ShortBuffer array()[S
java/nio/ShortBuffer arrayOffset(I)I
java/nio/ShortBuffer compact()Ljava/nio/ShortBuffer;
java/nio/ShortBuffer isDirect()Z
java/nio/ShortBuffer toString()Ljava/lang/String;
java/nio/ShortBuffer hashCode()I
java/nio/ShortBuffer
    equals(Ljava/lang/Object;)Z
java/nio/ShortBuffer compareTo(Ljava/nio/ShortBuffer;)I
java/nio/ShortBuffer order()Ljava/nio/ByteOrder;
java/nio/ShortBuffer compareTo(Ljava/lang/Object;)I
class java/nio/ByteBufferAsIntBufferB java/nio/IntBuffer
java/nio/ByteBufferAsIntBufferB bb
java/nio/ByteBufferAsIntBufferB offset
java/nio/ByteBufferAsIntBufferB $assertionsDisabled
java/nio/ByteBufferAsIntBufferB <init>(Ljava/nio/ByteBuffer;)V
java/nio/ByteBufferAsIntBufferB <init>(Ljava/nio/ByteBuffer;IIII)V
java/nio/ByteBufferAsIntBufferB slice()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB duplicate()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB ix(I)I
java/nio/ByteBufferAsIntBufferB get()I
java/nio/ByteBufferAsIntBufferB get(I)I
java/nio/ByteBufferAsIntBufferB put(I)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB put(II)Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB compact()Ljava/nio/IntBuffer;
java/nio/ByteBufferAsIntBufferB
    isDirect()Z
java/nio/ByteBufferAsIntBufferB isReadOnly()Z
java/nio/ByteBufferAsIntBufferB order()Ljava/nio/ByteOrder;
java/nio/ByteBufferAsIntBufferB <clinit>()V
class java/nio/IntBuffer java/nio/Buffer
java/nio/IntBuffer hb
java/nio/IntBuffer offset
java/nio/IntBuffer isReadOnly
java/nio/IntBuffer <init>(IIII[II)V
java/nio/IntBuffer <init>(IIII)V
java/nio/IntBuffer allocate(I)Ljava/nio/IntBuffer;
java/nio/IntBuffer wrap([III)Ljava/nio/IntBuffer;
java/nio/IntBuffer wrap([I)Ljava/nio/IntBuffer;

```

```

java/nio/IntBuffer slice()Ljava/nio/IntBuffer;
java/nio/IntBuffer duplicate()Ljava/nio/IntBuffer;
java/nio/IntBuffer asReadOnlyBuffer()Ljava/nio/IntBuffer;
java/nio/IntBuffer get()I
java/nio/IntBuffer put(I)Ljava/nio/IntBuffer;
java/nio/IntBuffer get(I)I
java/nio/IntBuffer put(II)Ljava/nio/IntBuffer;
java/nio/IntBuffer get(III)Ljava/nio/IntBuffer;
java/nio/IntBuffer get([I)Ljava/nio/IntBuffer;
java/nio/IntBuffer put(Ljava/nio/IntBuffer;)Ljava/nio/IntBuffer;
java/nio/IntBuffer
    put(III)Ljava/nio/IntBuffer;
java/nio/IntBuffer put([I)Ljava/nio/IntBuffer;
java/nio/IntBuffer hasArray()Z
java/nio/IntBuffer array()[I
java/nio/IntBuffer arrayOffset()I
java/nio/IntBuffer compact()Ljava/nio/IntBuffer;
java/nio/IntBuffer isDirect()Z
java/nio/IntBuffer toString()Ljava/lang/String;
java/nio/IntBuffer hashCode()I
java/nio/IntBuffer equals(Ljava/lang/Object;)Z
java/nio/IntBuffer compareTo(Ljava/nio/IntBuffer;)I
java/nio/IntBuffer order()Ljava/nio/ByteOrder;
java/nio/IntBuffer compareTo(Ljava/lang/Object;)I
class java/lang/Void java/lang/Object
java/lang/Void TYPE
java/lang/Void <init>()V
java/lang/Void <clinit>()V
class java/nio/DirectByteBuffer$Deallocator java/lang/Object
java/nio/DirectByteBuffer$Deallocator unsafe
java/nio/DirectByteBuffer$Deallocator address
java/nio/DirectByteBuffer$Deallocator capacity
java/nio/DirectByteBuffer$Deallocator $assertionsDisabled
java/nio/DirectByteBuffer$Deallocator <init>()V
java/nio/DirectByteBuffer$Deallocator
    run()V
java/nio/DirectByteBuffer$Deallocator <init>(JILjava/nio/DirectByteBuffer$1;)V
java/nio/DirectByteBuffer$Deallocator <clinit>()V
class java/nio/DirectByteBuffer java/nio/MappedByteBuffer
java/nio/DirectByteBuffer unsafe
java/nio/DirectByteBuffer unaligned
java/nio/DirectByteBuffer viewedBuffer
java/nio/DirectByteBuffer cleaner
java/nio/DirectByteBuffer $assertionsDisabled
java/nio/DirectByteBuffer viewedBuffer()Ljava/lang/Object;
java/nio/DirectByteBuffer cleaner()Lsun/misc/Cleaner;
java/nio/DirectByteBuffer <init>()V
java/nio/DirectByteBuffer <init>(J)V

```

```

java/nio/DirectByteBuffer <init>(IJLjava/lang/Runnable;)V
java/nio/DirectByteBuffer <init>(Lsun/nio/ch/DirectBuffer;IIII)V
java/nio/DirectByteBuffer slice()Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer duplicate()Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer asReadOnlyBuffer()Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer address()J
java/nio/DirectByteBuffer ix(I)J
java/nio/DirectByteBuffer get()B
java/nio/DirectByteBuffer
    get(I)B
java/nio/DirectByteBuffer get([BII)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer put(B)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer put(IB)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer put(Ljava/nio/ByteBuffer;)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer put([BII)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer compact()Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer isDirect()Z
java/nio/DirectByteBuffer isReadOnly()Z
java/nio/DirectByteBuffer _get(I)B
java/nio/DirectByteBuffer _put(IB)V
java/nio/DirectByteBuffer getChar(J)C
java/nio/DirectByteBuffer getChar()C
java/nio/DirectByteBuffer getChar(I)C
java/nio/DirectByteBuffer putChar(JC)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putChar(C)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putChar(IC)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer asCharBuffer()Ljava/nio/CharBuffer;
java/nio/DirectByteBuffer getShort(J)S
java/nio/DirectByteBuffer getShort()S
java/nio/DirectByteBuffer getShort(I)S
java/nio/DirectByteBuffer
    putShort(JS)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putShort(S)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putShort(IS)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer asShortBuffer()Ljava/nio/ShortBuffer;
java/nio/DirectByteBuffer getInt(J)I
java/nio/DirectByteBuffer getInt()I
java/nio/DirectByteBuffer getInt(I)I
java/nio/DirectByteBuffer putInt(JI)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putInt(I)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putInt(II)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer asIntBuffer()Ljava/nio/IntBuffer;
java/nio/DirectByteBuffer getLong(J)J
java/nio/DirectByteBuffer getLong()J
java/nio/DirectByteBuffer getLong(I)J
java/nio/DirectByteBuffer putLong(JJ)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putLong(J)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putLong(IJ)Ljava/nio/ByteBuffer;

```

```

java/nio/DirectByteBuffer asLongBuffer()Ljava/nio/LongBuffer;
java/nio/DirectByteBuffer getFloat(J)F
java/nio/DirectByteBuffer getFloat()F
java/nio/DirectByteBuffer
    getFloat(I)F
java/nio/DirectByteBuffer putFloat(JF)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putFloat(F)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putFloat(IF)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer asFloatBuffer()Ljava/nio/FloatBuffer;
java/nio/DirectByteBuffer getDouble(J)D
java/nio/DirectByteBuffer getDouble()D
java/nio/DirectByteBuffer getDouble(I)D
java/nio/DirectByteBuffer putDouble(JD)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putDouble(D)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer putDouble(ID)Ljava/nio/ByteBuffer;
java/nio/DirectByteBuffer asDoubleBuffer()Ljava/nio/DoubleBuffer;
java/nio/DirectByteBuffer <clinit>()V
class java/nio/MappedByteBuffer java/nio/ByteBuffer
java/nio/MappedByteBuffer isAMappedBuffer
java/nio/MappedByteBuffer <init>(IIIZ)V
java/nio/MappedByteBuffer <init>(III)V
java/nio/MappedByteBuffer checkMapped()V
java/nio/MappedByteBuffer isLoading()Z
java/nio/MappedByteBuffer load()Ljava/nio/MappedByteBuffer;
java/nio/MappedByteBuffer
    force()Ljava/nio/MappedByteBuffer;
java/nio/MappedByteBuffer isLoading0(JJ)Z
java/nio/MappedByteBuffer load0(JJI)I
java/nio/MappedByteBuffer force0(JJ)V
class java/lang/Thread$State java/lang/Enum
java/lang/Thread$State NEW
java/lang/Thread$State RUNNABLE
java/lang/Thread$State BLOCKED
java/lang/Thread$State WAITING
java/lang/Thread$State TIMED_WAITING
java/lang/Thread$State TERMINATED
java/lang/Thread$State $VALUES
java/lang/Thread$State values()[Ljava/lang/Thread$State;
java/lang/Thread$State valueOf(Ljava/lang/String;)Ljava/lang/Thread$State;
java/lang/Thread$State <init>(Ljava/lang/String;)V
java/lang/Thread$State <clinit>()V
class java/lang/Enum java/lang/Object
java/lang/Enum name
java/lang/Enum ordinal
java/lang/Enum name()Ljava/lang/String;
java/lang/Enum ordinal()I
java/lang/Enum <init>(Ljava/lang/String;)V
java/lang/Enum toString()Ljava/lang/String;

```

```

java/lang/Enum equals(Ljava/lang/Object;)Z
java/lang/Enum hashCode()I
java/lang/Enum clone()Ljava/lang/Object;
java/lang/Enum
    compareTo(Ljava/lang/Enum;)I
java/lang/Enum getDeclaringClass()Ljava/lang/Class;
java/lang/Enum valueOf(Ljava/lang/Class;Ljava/lang/String;)Ljava/lang/Enum;
java/lang/Enum compareTo(Ljava/lang/Object;)I
class java/nio/channels/spi/AbstractInterruptibleChannel$1 java/lang/Object
java/nio/channels/spi/AbstractInterruptibleChannel$1 this$0
java/nio/channels/spi/AbstractInterruptibleChannel$1
    <init>(Ljava/nio/channels/spi/AbstractInterruptibleChannel;)V
java/nio/channels/spi/AbstractInterruptibleChannel$1 interrupt()V
class java/nio/channels/FileChannel java/nio/channels/spi/AbstractInterruptibleChannel
java/nio/channels/FileChannel <init>()V
java/nio/channels/FileChannel read(Ljava/nio/ByteBuffer;)I
java/nio/channels/FileChannel read([Ljava/nio/ByteBuffer;II)J
java/nio/channels/FileChannel read([Ljava/nio/ByteBuffer;)J
java/nio/channels/FileChannel write(Ljava/nio/ByteBuffer;)I
java/nio/channels/FileChannel write([Ljava/nio/ByteBuffer;II)J
java/nio/channels/FileChannel
    write([Ljava/nio/ByteBuffer;)J
java/nio/channels/FileChannel position()J
java/nio/channels/FileChannel position(J)Ljava/nio/channels/FileChannel;
java/nio/channels/FileChannel size()J
java/nio/channels/FileChannel truncate(J)Ljava/nio/channels/FileChannel;
java/nio/channels/FileChannel force(Z)V
java/nio/channels/FileChannel transferTo(JJLjava/nio/channels/WritableByteChannel;)J
java/nio/channels/FileChannel transferFrom(Ljava/nio/channels/ReadableByteChannel;JJ)J
java/nio/channels/FileChannel read(Ljava/nio/ByteBuffer;)I
java/nio/channels/FileChannel write(Ljava/nio/ByteBuffer;)I
java/nio/channels/FileChannel map(Ljava/nio/channels/FileChannel$MapMode;JJ)Ljava/nio/MappedByteBuffer;
java/nio/channels/FileChannel lock(JJZ)Ljava/nio/channels/FileLock;
java/nio/channels/FileChannel lock()Ljava/nio/channels/FileLock;
java/nio/channels/FileChannel tryLock(JJZ)Ljava/nio/channels/FileLock;
java/nio/channels/FileChannel tryLock()Ljava/nio/channels/FileLock;
class java/nio/channels/spi/AbstractInterruptibleChannel
    java/lang/Object
java/nio/channels/spi/AbstractInterruptibleChannel closeLock
java/nio/channels/spi/AbstractInterruptibleChannel open
java/nio/channels/spi/AbstractInterruptibleChannel interruptor
java/nio/channels/spi/AbstractInterruptibleChannel interrupted
java/nio/channels/spi/AbstractInterruptibleChannel <init>()V
java/nio/channels/spi/AbstractInterruptibleChannel close()V
java/nio/channels/spi/AbstractInterruptibleChannel implCloseChannel()V
java/nio/channels/spi/AbstractInterruptibleChannel isOpen()Z
java/nio/channels/spi/AbstractInterruptibleChannel begin()V
java/nio/channels/spi/AbstractInterruptibleChannel end(Z)V

```

```

java/nio/channels/spi/AbstractInterruptibleChannel blockedOn(Lsun/nio/ch/Interruptible;)V
java/nio/channels/spi/AbstractInterruptibleChannel
access$000(Ljava/nio/channels/spi/AbstractInterruptibleChannel;)Ljava/lang/Object;
java/nio/channels/spi/AbstractInterruptibleChannel
access$100(Ljava/nio/channels/spi/AbstractInterruptibleChannel;)Z
java/nio/channels/spi/AbstractInterruptibleChannel
access$202(Ljava/nio/channels/spi/AbstractInterruptibleChannel;Z)Z
java/nio/channels/spi/AbstractInterruptibleChannel
access$102(Ljava/nio/channels/spi/AbstractInterruptibleChannel;Z)Z
class java/nio/channels/InterruptibleChannel java/lang/Object
java/nio/channels/InterruptibleChannel close()V
class java/nio/channels/ScatteringByteChannel java/lang/Object
java/nio/channels/ScatteringByteChannel read([Ljava/nio/ByteBuffer;II)J
java/nio/channels/ScatteringByteChannel read([Ljava/nio/ByteBuffer;)J
class java/nio/channels/GatheringByteChannel java/lang/Object
java/nio/channels/GatheringByteChannel write([Ljava/nio/ByteBuffer;II)J
java/nio/channels/GatheringByteChannel write([Ljava/nio/ByteBuffer;)J
class java/nio/channels/ByteChannel java/lang/Object
class java/nio/channels/WritableByteChannel java/lang/Object
java/nio/channels/WritableByteChannel write(Ljava/nio/ByteBuffer;)I
class java/nio/channels/ReadableByteChannel java/lang/Object
java/nio/channels/ReadableByteChannel
read(Ljava/nio/ByteBuffer;)I
class java/nio/channels/Channel java/lang/Object
java/nio/channels/Channel isOpen()Z
java/nio/channels/Channel close()V
class java/io/RandomAccessFile java/lang/Object
java/io/RandomAccessFile fd
java/io/RandomAccessFile channel
java/io/RandomAccessFile rw
java/io/RandomAccessFile O_RDONLY
java/io/RandomAccessFile O_RDWR
java/io/RandomAccessFile O_SYNC
java/io/RandomAccessFile O_DSYNC
java/io/RandomAccessFile <init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/RandomAccessFile <init>(Ljava/io/File;Ljava/lang/String;)V
java/io/RandomAccessFile getFD()Ljava/io/FileDescriptor;
java/io/RandomAccessFile getChannel()Ljava/nio/channels/FileChannel;
java/io/RandomAccessFile open(Ljava/lang/String;I)V
java/io/RandomAccessFile read()I
java/io/RandomAccessFile readBytes([BII)I
java/io/RandomAccessFile read([BII)I
java/io/RandomAccessFile read([B)I
java/io/RandomAccessFile readFully([B)V
java/io/RandomAccessFile readFully([BII)V
java/io/RandomAccessFile
skipBytes(I)I
java/io/RandomAccessFile write(I)V

```

```

java/io/RandomAccessFile writeBytes([BII)V
java/io/RandomAccessFile write([B)V
java/io/RandomAccessFile write([BII)V
java/io/RandomAccessFile getFilePointer()J
java/io/RandomAccessFile seek(J)V
java/io/RandomAccessFile length()J
java/io/RandomAccessFile setLength(J)V
java/io/RandomAccessFile close()V
java/io/RandomAccessFile readBoolean()Z
java/io/RandomAccessFile readByte()B
java/io/RandomAccessFile readUnsignedByte()I
java/io/RandomAccessFile readShort()S
java/io/RandomAccessFile readUnsignedShort()I
java/io/RandomAccessFile readChar()C
java/io/RandomAccessFile readInt()I
java/io/RandomAccessFile readLong()J
java/io/RandomAccessFile readFloat()F
java/io/RandomAccessFile readDouble()D
java/io/RandomAccessFile readLine()Ljava/lang/String;
java/io/RandomAccessFile readUTF()Ljava/lang/String;
java/io/RandomAccessFile writeBoolean(Z)V
java/io/RandomAccessFile writeByte(I)V
java/io/RandomAccessFile writeShort(I)V
java/io/RandomAccessFile
    writeChar(I)V
java/io/RandomAccessFile writeInt(I)V
java/io/RandomAccessFile writeLong(J)V
java/io/RandomAccessFile writeFloat(F)V
java/io/RandomAccessFile writeDouble(D)V
java/io/RandomAccessFile writeBytes(Ljava/lang/String;)V
java/io/RandomAccessFile writeChars(Ljava/lang/String;)V
java/io/RandomAccessFile writeUTF(Ljava/lang/String;)V
java/io/RandomAccessFile initIDs()V
java/io/RandomAccessFile close0()V
java/io/RandomAccessFile <clinit>()V
class java/io/DataOutput java/lang/Object
java/io/DataOutput write(I)V
java/io/DataOutput write([B)V
java/io/DataOutput write([BII)V
java/io/DataOutput writeBoolean(Z)V
java/io/DataOutput writeByte(I)V
java/io/DataOutput writeShort(I)V
java/io/DataOutput writeChar(I)V
java/io/DataOutput writeInt(I)V
java/io/DataOutput writeLong(J)V
java/io/DataOutput writeFloat(F)V
java/io/DataOutput writeDouble(D)V
java/io/DataOutput writeBytes(Ljava/lang/String;)V

```



```

java/io/DataOutput writeChars(Ljava/lang/String;)V
java/io/DataOutput
    writeUTF(Ljava/lang/String;)V
class java/text/AttributedString$AttributedStringIterator java/lang/Object
java/text/AttributedString$AttributedStringIterator beginIndex
java/text/AttributedString$AttributedStringIterator endIndex
java/text/AttributedString$AttributedStringIterator relevantAttributes
java/text/AttributedString$AttributedStringIterator currentIndex
java/text/AttributedString$AttributedStringIterator currentRunIndex
java/text/AttributedString$AttributedStringIterator currentRunStart
java/text/AttributedString$AttributedStringIterator currentRunLimit
java/text/AttributedString$AttributedStringIterator this$0
java/text/AttributedString$AttributedStringIterator
    <init>(Ljava/text/AttributedString;[Ljava/text/AttributedCharacterIterator$Attribute;II)V
java/text/AttributedString$AttributedStringIterator equals(Ljava/lang/Object;)Z
java/text/AttributedString$AttributedStringIterator hashCode()I
java/text/AttributedString$AttributedStringIterator clone()Ljava/lang/Object;
java/text/AttributedString$AttributedStringIterator
    first()C
java/text/AttributedString$AttributedStringIterator last()C
java/text/AttributedString$AttributedStringIterator current()C
java/text/AttributedString$AttributedStringIterator next()C
java/text/AttributedString$AttributedStringIterator previous()C
java/text/AttributedString$AttributedStringIterator setIndex(I)C
java/text/AttributedString$AttributedStringIterator getBeginIndex()I
java/text/AttributedString$AttributedStringIterator getEndIndex()I
java/text/AttributedString$AttributedStringIterator getIndex()I
java/text/AttributedString$AttributedStringIterator getRunStart()I
java/text/AttributedString$AttributedStringIterator getRunStart(Ljava/text/AttributedCharacterIterator$Attribute;)I
java/text/AttributedString$AttributedStringIterator getRunStart(Ljava/util/Set;)I
java/text/AttributedString$AttributedStringIterator getRunLimit()I
java/text/AttributedString$AttributedStringIterator getRunLimit(Ljava/text/AttributedCharacterIterator$Attribute;)I
java/text/AttributedString$AttributedStringIterator
    getRunLimit(Ljava/util/Set;)I
java/text/AttributedString$AttributedStringIterator getAttributes()Ljava/util/Map;
java/text/AttributedString$AttributedStringIterator getAllAttributeKeys()Ljava/util/Set;
java/text/AttributedString$AttributedStringIterator
    getAttribute(Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/lang/Object;
java/text/AttributedString$AttributedStringIterator getString()Ljava/text/AttributedString;
java/text/AttributedString$AttributedStringIterator internalSetIndex(I)C
java/text/AttributedString$AttributedStringIterator updateRunInfo()V
class java/text/AttributedCharacterIterator java/lang/Object
java/text/AttributedCharacterIterator getRunStart()I
java/text/AttributedCharacterIterator getRunStart(Ljava/text/AttributedCharacterIterator$Attribute;)I
java/text/AttributedCharacterIterator getRunStart(Ljava/util/Set;)I
java/text/AttributedCharacterIterator getRunLimit()I
java/text/AttributedCharacterIterator

```

```

getRunLimit(Ljava/text/AttributedCharacterIterator$Attribute;)I
java/text/AttributedCharacterIterator getRunLimit(Ljava/util/Set;)I
java/text/AttributedCharacterIterator getAttributes(Ljava/util/Map;
java/text/AttributedCharacterIterator
getAttribute(Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/lang/Object;
java/text/AttributedCharacterIterator getAllAttributeKeys(Ljava/util/Set;
class java/text/CharacterIterator java/lang/Object
java/text/CharacterIterator DONE
java/text/CharacterIterator first()C
java/text/CharacterIterator last()C
java/text/CharacterIterator current()C
java/text/CharacterIterator next()C
java/text/CharacterIterator previous()C
java/text/CharacterIterator setIndex(I)C
java/text/CharacterIterator getBeginIndex()I
java/text/CharacterIterator getEndIndex()I
java/text/CharacterIterator getIndex()I
java/text/CharacterIterator clone()Ljava/lang/Object;
class java/text/AttributedString java/lang/Object
java/text/AttributedString ARRAY_SIZE_INCREMENT
java/text/AttributedString
text
java/text/AttributedString runArraySize
java/text/AttributedString runCount
java/text/AttributedString runStarts
java/text/AttributedString runAttributes
java/text/AttributedString runAttributeValues
java/text/AttributedString <init>(Ljava/text/AttributedCharacterIterator;)V
java/text/AttributedString <init>(Ljava/lang/String;)V
java/text/AttributedString <init>(Ljava/lang/String;Ljava/util/Map;)V
java/text/AttributedString <init>(Ljava/text/AttributedCharacterIterator;)V
java/text/AttributedString <init>(Ljava/text/AttributedCharacterIterator;II)V
java/text/AttributedString
<init>(Ljava/text/AttributedCharacterIterator;II[Ljava/text/AttributedCharacterIterator$Attribute;)V
java/text/AttributedString addAttribute(Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;)V
java/text/AttributedString addAttribute(Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;II)V
java/text/AttributedString addAttributes(Ljava/util/Map;II)V
java/text/AttributedString
addAttributeImpl(Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;II)V
java/text/AttributedString createRunAttributeDataVectors()V
java/text/AttributedString ensureRunBreak(I)I
java/text/AttributedString ensureRunBreak(IZ)I
java/text/AttributedString
addAttributeRunData(Ljava/text/AttributedCharacterIterator$Attribute;Ljava/lang/Object;II)V
java/text/AttributedString getIterator()Ljava/text/AttributedCharacterIterator;
java/text/AttributedString
getIterator([Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/text/AttributedCharacterIterator;
java/text/AttributedString

```

```

getIterator([Ljava/text/AttributedCharacterIterator$Attribute;II)Ljava/text/AttributedCharacterIterator;
java/text/AttributedString length()I
java/text/AttributedString charAt(I)C
java/text/AttributedString getAttribute(Ljava/text/AttributedCharacterIterator$Attribute;I)Ljava/lang/Object;
java/text/AttributedString
getAttributeCheckRange(Ljava/text/AttributedCharacterIterator$Attribute;III)Ljava/lang/Object;
java/text/AttributedString
attributeValuesMatch(Ljava/util/Set;II)Z
java/text/AttributedString valuesMatch(Ljava/lang/Object;Ljava/lang/Object;)Z
java/text/AttributedString appendContents(Ljava/lang/StringBuffer;Ljava/text/CharacterIterator;)V
java/text/AttributedString setAttributes(Ljava/util/Map;I)V
java/text/AttributedString mapsDiffer(Ljava/util/Map;Ljava/util/Map;)Z
java/text/AttributedString access$000(Ljava/text/AttributedString;I)C
java/text/AttributedString
access$100(Ljava/text/AttributedString;Ljava/text/AttributedCharacterIterator$Attribute;I)Ljava/lang/Object;
java/text/AttributedString access$200(Ljava/lang/Object;Ljava/lang/Object;)Z
java/text/AttributedString access$300(Ljava/text/AttributedString;Ljava/util/Set;II)Z
java/text/AttributedString
access$400(Ljava/text/AttributedString;Ljava/text/AttributedCharacterIterator$Attribute;III)Ljava/lang/Object;
class java/util/Collections$UnmodifiableMap java/lang/Object
java/util/Collections$UnmodifiableMap
serialVersionUID
java/util/Collections$UnmodifiableMap m
java/util/Collections$UnmodifiableMap keySet
java/util/Collections$UnmodifiableMap entrySet
java/util/Collections$UnmodifiableMap values
java/util/Collections$UnmodifiableMap <init>(Ljava/util/Map;)V
java/util/Collections$UnmodifiableMap size()I
java/util/Collections$UnmodifiableMap isEmpty()Z
java/util/Collections$UnmodifiableMap containsKey(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableMap containsValue(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$UnmodifiableMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$UnmodifiableMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$UnmodifiableMap putAll(Ljava/util/Map;)V
java/util/Collections$UnmodifiableMap clear()V
java/util/Collections$UnmodifiableMap keySet()Ljava/util/Set;
java/util/Collections$UnmodifiableMap entrySet()Ljava/util/Set;
java/util/Collections$UnmodifiableMap
values()Ljava/util/Collection;
java/util/Collections$UnmodifiableMap equals(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableMap hashCode()I
java/util/Collections$UnmodifiableMap toString()Ljava/lang/String;
class java/awt/font/TextAttribute java/text/AttributedCharacterIterator$Attribute
java/awt/font/TextAttribute instanceMap
java/awt/font/TextAttribute serialVersionUID
java/awt/font/TextAttribute FAMILY
java/awt/font/TextAttribute WEIGHT

```

java/awt/font/TextAttribute WEIGHT_EXTRA_LIGHT
java/awt/font/TextAttribute WEIGHT_LIGHT
java/awt/font/TextAttribute WEIGHT_DEMILIGHT
java/awt/font/TextAttribute WEIGHT_REGULAR
java/awt/font/TextAttribute WEIGHT_SEMIBOLD
java/awt/font/TextAttribute WEIGHT_MEDIUM
java/awt/font/TextAttribute WEIGHT_DEMIBOLD
java/awt/font/TextAttribute WEIGHT_BOLD
java/awt/font/TextAttribute WEIGHT_HEAVY
java/awt/font/TextAttribute WEIGHT_EXTRABOLD
java/awt/font/TextAttribute WEIGHT_ULTRABOLD
java/awt/font/TextAttribute
WIDTH
java/awt/font/TextAttribute WIDTH_CONDENSED
java/awt/font/TextAttribute WIDTH_SEMI_CONDENSED
java/awt/font/TextAttribute WIDTH_REGULAR
java/awt/font/TextAttribute WIDTH_SEMI_EXTENDED
java/awt/font/TextAttribute WIDTH_EXTENDED
java/awt/font/TextAttribute POSTURE
java/awt/font/TextAttribute POSTURE_REGULAR
java/awt/font/TextAttribute POSTURE_OBLIQUE
java/awt/font/TextAttribute SIZE
java/awt/font/TextAttribute TRANSFORM
java/awt/font/TextAttribute SUPERScript
java/awt/font/TextAttribute SUPERScript_SUPER
java/awt/font/TextAttribute SUPERScript_SUB
java/awt/font/TextAttribute FONT
java/awt/font/TextAttribute CHAR_REPLACEMENT
java/awt/font/TextAttribute FOREGROUND
java/awt/font/TextAttribute BACKGROUND
java/awt/font/TextAttribute UNDERLINE
java/awt/font/TextAttribute UNDERLINE_ON
java/awt/font/TextAttribute STRIKETHROUGH
java/awt/font/TextAttribute STRIKETHROUGH_ON
java/awt/font/TextAttribute RUN_DIRECTION
java/awt/font/TextAttribute RUN_DIRECTION_LTR
java/awt/font/TextAttribute
RUN_DIRECTION_RTL
java/awt/font/TextAttribute BIDI_EMBEDDING
java/awt/font/TextAttribute JUSTIFICATION
java/awt/font/TextAttribute JUSTIFICATION_FULL
java/awt/font/TextAttribute JUSTIFICATION_NONE
java/awt/font/TextAttribute INPUT_METHOD_HIGHLIGHT
java/awt/font/TextAttribute INPUT_METHOD_UNDERLINE
java/awt/font/TextAttribute UNDERLINE_LOW_ONE_PIXEL
java/awt/font/TextAttribute UNDERLINE_LOW_TWO_PIXEL
java/awt/font/TextAttribute UNDERLINE_LOW_DOTTED
java/awt/font/TextAttribute UNDERLINE_LOW_GRAY

```

java/awt/font/TextAttribute UNDERLINE_LOW_DASHED
java/awt/font/TextAttribute SWAP_COLORS
java/awt/font/TextAttribute SWAP_COLORS_ON
java/awt/font/TextAttribute NUMERIC_SHAPING
java/awt/font/TextAttribute <init>(Ljava/lang/String;)V
java/awt/font/TextAttribute readResolve()Ljava/lang/Object;
java/awt/font/TextAttribute <clinit>()V
class java/text/AttributedCharacterIterator$Attribute java/lang/Object
java/text/AttributedCharacterIterator$Attribute name
java/text/AttributedCharacterIterator$Attribute
    instanceMap
java/text/AttributedCharacterIterator$Attribute LANGUAGE
java/text/AttributedCharacterIterator$Attribute READING
java/text/AttributedCharacterIterator$Attribute INPUT_METHOD_SEGMENT
java/text/AttributedCharacterIterator$Attribute serialVersionUID
java/text/AttributedCharacterIterator$Attribute <init>(Ljava/lang/String;)V
java/text/AttributedCharacterIterator$Attribute equals(Ljava/lang/Object;)Z
java/text/AttributedCharacterIterator$Attribute hashCode()I
java/text/AttributedCharacterIterator$Attribute toString()Ljava/lang/String;
java/text/AttributedCharacterIterator$Attribute getName()Ljava/lang/String;
java/text/AttributedCharacterIterator$Attribute readResolve()Ljava/lang/Object;
java/text/AttributedCharacterIterator$Attribute <clinit>()V
class java/awt/im/spi/InputMethod java/lang/Object
java/awt/im/spi/InputMethod setInputMethodContext(Ljava/awt/im/spi/InputMethodContext;)V
java/awt/im/spi/InputMethod setLocale(Ljava/util/Locale;)Z
java/awt/im/spi/InputMethod getLocale()Ljava/util/Locale;
java/awt/im/spi/InputMethod
    setCharacterSubsets([Ljava/lang/Character$Subset;)V
java/awt/im/spi/InputMethod setCompositionEnabled(Z)V
java/awt/im/spi/InputMethod isCompositionEnabled()Z
java/awt/im/spi/InputMethod reconvert()V
java/awt/im/spi/InputMethod dispatchEvent(Ljava/awt/AWTEvent;)V
java/awt/im/spi/InputMethod notifyClientWindowChange(Ljava/awt/Rectangle;)V
java/awt/im/spi/InputMethod activate()V
java/awt/im/spi/InputMethod deactivate(Z)V
java/awt/im/spi/InputMethod hideWindows()V
java/awt/im/spi/InputMethod removeNotify()V
java/awt/im/spi/InputMethod endComposition()V
java/awt/im/spi/InputMethod dispose()V
java/awt/im/spi/InputMethod getControlObject()Ljava/lang/Object;
class java/awt/event/WindowListener java/lang/Object
java/awt/event/WindowListener windowOpened(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowListener windowClosing(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowListener windowClosed(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowListener
    windowIconified(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowListener windowDeiconified(Ljava/awt/event/WindowEvent;)V
java/awt/event/WindowListener windowActivated(Ljava/awt/event/WindowEvent;)V

```

```

java/awt/event/WindowListener windowDeactivated(Ljava/awt/event/WindowEvent;)V
class java/awt/im/spi/InputMethodContext java/lang/Object
java/awt/im/spi/InputMethodContext
dispatchInputMethodEvent(ILjava/text/AttributedCharacterIterator;ILjava/awt/font/TextHitInfo;Ljava/awt/font/Text
HitInfo;)V
java/awt/im/spi/InputMethodContext createInputMethodWindow(Ljava/lang/String;Z)Ljava/awt/Window;
java/awt/im/spi/InputMethodContext createInputMethodJFrame(Ljava/lang/String;Z)Ljavax/swing/JFrame;
java/awt/im/spi/InputMethodContext enableClientWindowNotification(Ljava/awt/im/spi/InputMethod;Z)V
class java/awt/im/InputMethodRequests java/lang/Object
java/awt/im/InputMethodRequests getLocation(Ljava/awt/font/TextHitInfo;)Ljava/awt/Rectangle;
java/awt/im/InputMethodRequests getLocationOffset(II)Ljava/awt/font/TextHitInfo;
java/awt/im/InputMethodRequests
getInsertPositionOffset(I)I
java/awt/im/InputMethodRequests
getCommittedText(II[Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/text/AttributedCharacterIterator;
java/awt/im/InputMethodRequests getCommittedTextLength(I)I
java/awt/im/InputMethodRequests
cancelLatestCommittedText([Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/text/AttributedCharacterIterat
or;
java/awt/im/InputMethodRequests
getSelectedText([Ljava/text/AttributedCharacterIterator$Attribute;)Ljava/text/AttributedCharacterIterator;
class java/awt/im/InputContext java/lang/Object
java/awt/im/InputContext <init>()V
java/awt/im/InputContext getInstance()Ljava/awt/im/InputContext;
java/awt/im/InputContext selectInputMethod(Ljava/util/Locale;)Z
java/awt/im/InputContext getLocale()Ljava/util/Locale;
java/awt/im/InputContext setCharacterSubsets([Ljava/lang/Character$Subset;)V
java/awt/im/InputContext setCompositionEnabled(Z)V
java/awt/im/InputContext
isCompositionEnabled()Z
java/awt/im/InputContext reconvert()V
java/awt/im/InputContext dispatchEvent(Ljava/awt/AWTEvent;)V
java/awt/im/InputContext removeNotify(Ljava/awt/Component;)V
java/awt/im/InputContext endComposition()V
java/awt/im/InputContext dispose()V
java/awt/im/InputContext getInputMethodControlObject()Ljava/lang/Object;
class java/awt/event/ActionListener java/lang/Object
java/awt/event/ActionListener actionPerformed(Ljava/awt/event/ActionEvent;)V
class java/awt/ItemSelectable java/lang/Object
java/awt/ItemSelectable getSelectedObjects()[Ljava/lang/Object;
java/awt/ItemSelectable addItemListener(Ljava/awt/event/ItemListener;)V
java/awt/ItemSelectable removeItemListener(Ljava/awt/event/ItemListener;)V
class java/util/AbstractList$ListItr java/util/AbstractList$Itr
java/util/AbstractList$ListItr this$0
java/util/AbstractList$ListItr <init>(Ljava/util/AbstractList;I)V
java/util/AbstractList$ListItr hasPrevious()Z
java/util/AbstractList$ListItr previous()Ljava/lang/Object;
java/util/AbstractList$ListItr

```

```

    nextIndex()I
java/util/AbstractList$ListItr previousIndex()I
java/util/AbstractList$ListItr set(Ljava/lang/Object;)V
java/util/AbstractList$ListItr add(Ljava/lang/Object;)V
class java/util/AbstractList$Itr java/lang/Object
java/util/AbstractList$Itr cursor
java/util/AbstractList$Itr lastRet
java/util/AbstractList$Itr expectedModCount
java/util/AbstractList$Itr this$0
java/util/AbstractList$Itr <init>(Ljava/util/AbstractList;)V
java/util/AbstractList$Itr hasNext()Z
java/util/AbstractList$Itr next()Ljava/lang/Object;
java/util/AbstractList$Itr remove()V
java/util/AbstractList$Itr checkForComodification()V
java/util/AbstractList$Itr <init>(Ljava/util/AbstractList;Ljava/util/AbstractList$1;)V
class java/awt/VKCollection java/lang/Object
java/awt/VKCollection code2name
java/awt/VKCollection name2code
java/awt/VKCollection $assertionsDisabled
java/awt/VKCollection <init>()V
java/awt/VKCollection put(Ljava/lang/String;Ljava/lang/Integer;)V
java/awt/VKCollection
    findCode(Ljava/lang/String;)Ljava/lang/Integer;
java/awt/VKCollection findName(Ljava/lang/Integer;)Ljava/lang/String;
java/awt/VKCollection <clinit>()V
class java/beans/PropertyChangeListenerProxy java/util/EventListenerProxy
java/beans/PropertyChangeListenerProxy propertyName
java/beans/PropertyChangeListenerProxy <init>(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyChangeListenerProxy propertyChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/PropertyChangeListenerProxy getPropertyName()Ljava/lang/String;
class java/util/EventListenerProxy java/lang/Object
java/util/EventListenerProxy listener
java/util/EventListenerProxy <init>(Ljava/util/EventListener;)V
java/util/EventListenerProxy getListener()Ljava/util/EventListener;
class java/util/ResourceBundleEnumeration java/lang/Object
java/util/ResourceBundleEnumeration set
java/util/ResourceBundleEnumeration iterator
java/util/ResourceBundleEnumeration enumeration
java/util/ResourceBundleEnumeration
    next
java/util/ResourceBundleEnumeration <init>(Ljava/util/Set;Ljava/util/Enumeration;)V
java/util/ResourceBundleEnumeration hasMoreElements()Z
java/util/ResourceBundleEnumeration nextElement()Ljava/lang/String;
java/util/ResourceBundleEnumeration nextElement()Ljava/lang/Object;
class java/util/Arrays$ArrayList java/util/AbstractList
java/util/Arrays$ArrayList serialVersionUID
java/util/Arrays$ArrayList a
java/util/Arrays$ArrayList <init>([Ljava/lang/Object;)V

```

```

java/util/Arrays$ArrayList size()I
java/util/Arrays$ArrayList toArray()[Ljava/lang/Object;
java/util/Arrays$ArrayList get(I)Ljava/lang/Object;
java/util/Arrays$ArrayList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/Arrays$ArrayList indexOf(Ljava/lang/Object;)I
java/util/Arrays$ArrayList contains(Ljava/lang/Object;)Z
class java/awt/FlowLayout java/lang/Object
java/awt/FlowLayout LEFT
java/awt/FlowLayout CENTER
java/awt/FlowLayout RIGHT
java/awt/FlowLayout LEADING
java/awt/FlowLayout TRAILING
java/awt/FlowLayout align
java/awt/FlowLayout
    newAlign
java/awt/FlowLayout hgap
java/awt/FlowLayout vgap
java/awt/FlowLayout serialVersionUID
java/awt/FlowLayout currentSerialVersion
java/awt/FlowLayout serialVersionOnStream
java/awt/FlowLayout <init>()V
java/awt/FlowLayout <init>(I)V
java/awt/FlowLayout <init>(III)V
java/awt/FlowLayout getAlignment()I
java/awt/FlowLayout setAlignment(I)V
java/awt/FlowLayout getHgap()I
java/awt/FlowLayout setHgap(I)V
java/awt/FlowLayout getVgap()I
java/awt/FlowLayout setVgap(I)V
java/awt/FlowLayout addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/FlowLayout removeLayoutComponent(Ljava/awt/Component;)V
java/awt/FlowLayout preferredLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/FlowLayout minimumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/FlowLayout moveComponents(Ljava/awt/Container;IIIIIZ)V
java/awt/FlowLayout layoutContainer(Ljava/awt/Container;)V
java/awt/FlowLayout readObject(Ljava/io/ObjectInputStream;)V
java/awt/FlowLayout
    toString()Ljava/lang/String;
class java/awt/GraphicsCallback$PaintCallback java/awt/GraphicsCallback
java/awt/GraphicsCallback$PaintCallback instance
java/awt/GraphicsCallback$PaintCallback <init>()V
java/awt/GraphicsCallback$PaintCallback run(Ljava/awt/Component;Ljava/awt/Graphics;)V
java/awt/GraphicsCallback$PaintCallback getInstance()Ljava/awt/GraphicsCallback$PaintCallback;
java/awt/GraphicsCallback$PaintCallback <clinit>()V
class java/awt/GraphicsCallback sun/awt/SunGraphicsCallback
java/awt/GraphicsCallback <init>()V
class java/awt/Event java/lang/Object
java/awt/Event data

```


java/awt/Event SHIFT_MASK
java/awt/Event CTRL_MASK
java/awt/Event META_MASK
java/awt/Event ALT_MASK
java/awt/Event HOME
java/awt/Event END
java/awt/Event PGUP
java/awt/Event PGDN
java/awt/Event UP
java/awt/Event DOWN
java/awt/Event LEFT
java/awt/Event RIGHT
java/awt/Event F1
java/awt/Event F2
java/awt/Event F3
java/awt/Event F4
java/awt/Event F5
java/awt/Event F6
java/awt/Event F7
java/awt/Event F8
java/awt/Event
F9
java/awt/Event F10
java/awt/Event F11
java/awt/Event F12
java/awt/Event PRINT_SCREEN
java/awt/Event SCROLL_LOCK
java/awt/Event CAPS_LOCK
java/awt/Event NUM_LOCK
java/awt/Event PAUSE
java/awt/Event INSERT
java/awt/Event ENTER
java/awt/Event BACK_SPACE
java/awt/Event TAB
java/awt/Event ESCAPE
java/awt/Event DELETE
java/awt/Event WINDOW_EVENT
java/awt/Event WINDOW_DESTROY
java/awt/Event WINDOW_EXPOSE
java/awt/Event WINDOW_ICONIFY
java/awt/Event WINDOW_DEICONIFY
java/awt/Event WINDOW_MOVED
java/awt/Event KEY_EVENT
java/awt/Event KEY_PRESS
java/awt/Event KEY_RELEASE
java/awt/Event KEY_ACTION
java/awt/Event KEY_ACTION_RELEASE
java/awt/Event MOUSE_EVENT

java/awt/Event MOUSE_DOWN
java/awt/Event MOUSE_UP
java/awt/Event MOUSE_MOVE
java/awt/Event MOUSE_ENTER
java/awt/Event MOUSE_EXIT
java/awt/Event MOUSE_DRAG
java/awt/Event SCROLL_EVENT
java/awt/Event SCROLL_LINE_UP
java/awt/Event SCROLL_LINE_DOWN
java/awt/Event SCROLL_PAGE_UP
java/awt/Event SCROLL_PAGE_DOWN
java/awt/Event SCROLL_ABSOLUTE
java/awt/Event
 SCROLL_BEGIN
java/awt/Event SCROLL_END
java/awt/Event LIST_EVENT
java/awt/Event LIST_SELECT
java/awt/Event LIST_DESELECT
java/awt/Event MISC_EVENT
java/awt/Event ACTION_EVENT
java/awt/Event LOAD_FILE
java/awt/Event SAVE_FILE
java/awt/Event GOT_FOCUS
java/awt/Event LOST_FOCUS
java/awt/Event target
java/awt/Event when
java/awt/Event id
java/awt/Event x
java/awt/Event y
java/awt/Event key
java/awt/Event modifiers
java/awt/Event clickCount
java/awt/Event arg
java/awt/Event evt
java/awt/Event actionKeyCodes
java/awt/Event consumed
java/awt/Event serialVersionUID
java/awt/Event initIDs()V
java/awt/Event <init>(Ljava/lang/Object;JIIIIILjava/lang/Object;)V
java/awt/Event <init>(Ljava/lang/Object;JIIII)V
java/awt/Event <init>(Ljava/lang/Object;ILjava/lang/Object;)V
java/awt/Event translate(II)V
java/awt/Event shiftDown()Z
java/awt/Event controlDown()Z
java/awt/Event metaDown()Z
java/awt/Event consume()V
java/awt/Event isConsumed()Z
java/awt/Event getOldEventKey(Ljava/awt/event/KeyEvent;)I

```

java/awt/Event
  getKeyEventChar()C
java/awt/Event paramString()Ljava/lang/String;
java/awt/Event toString()Ljava/lang/String;
java/awt/Event <clinit>()V
class java/awt/KeyboardFocusManager$LightweightFocusRequest java/lang/Object
java/awt/KeyboardFocusManager$LightweightFocusRequest component
java/awt/KeyboardFocusManager$LightweightFocusRequest temporary
java/awt/KeyboardFocusManager$LightweightFocusRequest <init>(Ljava/awt/Component;Z)V
java/awt/KeyboardFocusManager$LightweightFocusRequest toString()Ljava/lang/String;
class java/awt/DefaultKeyboardFocusManager$TypeAheadMarker java/lang/Object
java/awt/DefaultKeyboardFocusManager$TypeAheadMarker after
java/awt/DefaultKeyboardFocusManager$TypeAheadMarker untilFocused
java/awt/DefaultKeyboardFocusManager$TypeAheadMarker <init>(Ljava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager$TypeAheadMarker toString()Ljava/lang/String;
class java/util/LinkedList$ListItr java/lang/Object
java/util/LinkedList$ListItr lastReturned
java/util/LinkedList$ListItr
  next
java/util/LinkedList$ListItr nextIndex
java/util/LinkedList$ListItr expectedModCount
java/util/LinkedList$ListItr this$0
java/util/LinkedList$ListItr <init>(Ljava/util/LinkedList;I)V
java/util/LinkedList$ListItr hasNext()Z
java/util/LinkedList$ListItr next()Ljava/lang/Object;
java/util/LinkedList$ListItr hasPrevious()Z
java/util/LinkedList$ListItr previous()Ljava/lang/Object;
java/util/LinkedList$ListItr nextIndex()I
java/util/LinkedList$ListItr previousIndex()I
java/util/LinkedList$ListItr remove()V
java/util/LinkedList$ListItr set(Ljava/lang/Object;)V
java/util/LinkedList$ListItr add(Ljava/lang/Object;)V
java/util/LinkedList$ListItr checkForComodification()V
class java/util/ListIterator java/lang/Object
java/util/ListIterator hasNext()Z
java/util/ListIterator next()Ljava/lang/Object;
java/util/ListIterator hasPrevious()Z
java/util/ListIterator previous()Ljava/lang/Object;
java/util/ListIterator nextIndex()I
java/util/ListIterator previousIndex()I
java/util/ListIterator
  remove()V
java/util/ListIterator set(Ljava/lang/Object;)V
java/util/ListIterator add(Ljava/lang/Object;)V
class java/awt/KeyboardFocusManager$HeavyweightFocusRequest java/lang/Object
java/awt/KeyboardFocusManager$HeavyweightFocusRequest heavyweight
java/awt/KeyboardFocusManager$HeavyweightFocusRequest lightweightRequests
java/awt/KeyboardFocusManager$HeavyweightFocusRequest CLEAR_GLOBAL_FOCUS_OWNER

```

```

java/awt/KeyboardFocusManager$HeavyweightFocusRequest <init>()V
java/awt/KeyboardFocusManager$HeavyweightFocusRequest
<init>(Ljava/awt/Component;Ljava/awt/Component;Z)V
java/awt/KeyboardFocusManager$HeavyweightFocusRequest addLightweightRequest(Ljava/awt/Component;Z)Z
java/awt/KeyboardFocusManager$HeavyweightFocusRequest
getFirstLightweightRequest(Ljava/awt/KeyboardFocusManager$LightweightFocusRequest;
java/awt/KeyboardFocusManager$HeavyweightFocusRequest toString()Ljava/lang/String;
java/awt/KeyboardFocusManager$HeavyweightFocusRequest <clinit>()V
class java/awt/event/FocusEvent
java/awt/event/ComponentEvent
java/awt/event/FocusEvent FOCUS_FIRST
java/awt/event/FocusEvent FOCUS_LAST
java/awt/event/FocusEvent FOCUS_GAINED
java/awt/event/FocusEvent FOCUS_LOST
java/awt/event/FocusEvent temporary
java/awt/event/FocusEvent opposite
java/awt/event/FocusEvent serialVersionUID
java/awt/event/FocusEvent <init>(Ljava/awt/Component;IZLjava/awt/Component;)V
java/awt/event/FocusEvent <init>(Ljava/awt/Component;IZ)V
java/awt/event/FocusEvent <init>(Ljava/awt/Component;I)V
java/awt/event/FocusEvent isTemporary()Z
java/awt/event/FocusEvent getOppositeComponent()Ljava/awt/Component;
java/awt/event/FocusEvent paramString()Ljava/lang/String;
class java/awt/DefaultKeyboardFocusManager$DefaultKeyboardFocusManagerSentEvent java/awt/SentEvent
java/awt/DefaultKeyboardFocusManager$DefaultKeyboardFocusManagerSentEvent
<init>(Ljava/awt/AWTEvent;Lsun/awt/AppContext;)V
java/awt/DefaultKeyboardFocusManager$DefaultKeyboardFocusManagerSentEvent dispatch()V
class java/awt/SentEvent java/awt/AWTEvent
java/awt/SentEvent
ID
java/awt/SentEvent dispatched
java/awt/SentEvent nested
java/awt/SentEvent toNotify
java/awt/SentEvent <init>()V
java/awt/SentEvent <init>(Ljava/awt/AWTEvent;)V
java/awt/SentEvent <init>(Ljava/awt/AWTEvent;Lsun/awt/AppContext;)V
java/awt/SentEvent dispatch()V
java/awt/SentEvent dispose()V
class java/awt/event/MouseEvent java/awt/event/InputEvent
java/awt/event/MouseEvent MOUSE_FIRST
java/awt/event/MouseEvent MOUSE_LAST
java/awt/event/MouseEvent MOUSE_CLICKED
java/awt/event/MouseEvent MOUSE_PRESSED
java/awt/event/MouseEvent MOUSE_RELEASED
java/awt/event/MouseEvent MOUSE_MOVED
java/awt/event/MouseEvent MOUSE_ENTERED
java/awt/event/MouseEvent MOUSE_EXITED
java/awt/event/MouseEvent MOUSE_DRAGGED

```

```

java/awt/event/MouseEvent MOUSE_WHEEL
java/awt/event/MouseEvent NOBUTTON
java/awt/event/MouseEvent BUTTON1
java/awt/event/MouseEvent BUTTON2
java/awt/event/MouseEvent BUTTON3
java/awt/event/MouseEvent x
java/awt/event/MouseEvent y
java/awt/event/MouseEvent clickCount
java/awt/event/MouseEvent
    button
java/awt/event/MouseEvent popupTrigger
java/awt/event/MouseEvent serialVersionUID
java/awt/event/MouseEvent initIDs()V
java/awt/event/MouseEvent <init>(Ljava/awt/Component;IJJJJZI)V
java/awt/event/MouseEvent <init>(Ljava/awt/Component;IJJJJZI)V
java/awt/event/MouseEvent getX()I
java/awt/event/MouseEvent getY()I
java/awt/event/MouseEvent getPoint()Ljava/awt/Point;
java/awt/event/MouseEvent translatePoint(II)V
java/awt/event/MouseEvent getClickCount()I
java/awt/event/MouseEvent getButton()I
java/awt/event/MouseEvent isPopupTrigger()Z
java/awt/event/MouseEvent getMouseModifiersText(I)Ljava/lang/String;
java/awt/event/MouseEvent paramString()Ljava/lang/String;
java/awt/event/MouseEvent setNewModifiers()V
java/awt/event/MouseEvent setOldModifiers()V
java/awt/event/MouseEvent readObject(Ljava/io/ObjectInputStream;)V
java/awt/event/MouseEvent <clinit>()V
class java/awt/event/PaintEvent java/awt/event/ComponentEvent
java/awt/event/PaintEvent PAINT_FIRST
java/awt/event/PaintEvent
    PAINT_LAST
java/awt/event/PaintEvent PAINT
java/awt/event/PaintEvent UPDATE
java/awt/event/PaintEvent updateRect
java/awt/event/PaintEvent serialVersionUID
java/awt/event/PaintEvent <init>(Ljava/awt/Component;ILjava/awt/Rectangle;)V
java/awt/event/PaintEvent getUpdateRect()Ljava/awt/Rectangle;
java/awt/event/PaintEvent setUpdateRect(Ljava/awt/Rectangle;)V
java/awt/event/PaintEvent paramString()Ljava/lang/String;
class java/lang/reflect/InvocationTargetException java/lang/Exception
java/lang/reflect/InvocationTargetException serialVersionUID
java/lang/reflect/InvocationTargetException target
java/lang/reflect/InvocationTargetException <init>()V
java/lang/reflect/InvocationTargetException <init>(Ljava/lang/Throwable;)V
java/lang/reflect/InvocationTargetException <init>(Ljava/lang/Throwable;Ljava/lang/String;)V
java/lang/reflect/InvocationTargetException getTargetException()Ljava/lang/Throwable;
java/lang/reflect/InvocationTargetException getCause()Ljava/lang/Throwable;

```

```

class
  java/util/EmptyStackException java/lang/RuntimeException
java/util/EmptyStackException <init>()V
class java/awt/SequencedEvent java/awt/AWTEvent
java/awt/SequencedEvent ID
java/awt/SequencedEvent list
java/awt/SequencedEvent nested
java/awt/SequencedEvent appContext
java/awt/SequencedEvent disposed
java/awt/SequencedEvent <init>(Ljava/awt/AWTEvent;)V
java/awt/SequencedEvent dispatch()V
java/awt/SequencedEvent isOwnerAppContextDisposed(Ljava/awt/SequencedEvent;)Z
java/awt/SequencedEvent isFirstOrDisposed()Z
java/awt/SequencedEvent getFirst()Ljava/awt/SequencedEvent;
java/awt/SequencedEvent getFirstWithContext()Ljava/awt/SequencedEvent;
java/awt/SequencedEvent dispose()V
java/awt/SequencedEvent <clinit>()V
class java/awt/event/WindowEvent java/awt/event/ComponentEvent
java/awt/event/WindowEvent WINDOW_FIRST
java/awt/event/WindowEvent WINDOW_OPENED
java/awt/event/WindowEvent WINDOW_CLOSING
java/awt/event/WindowEvent WINDOW_CLOSED
java/awt/event/WindowEvent WINDOW_ICONIFIED
java/awt/event/WindowEvent
  WINDOW_DEICONIFIED
java/awt/event/WindowEvent WINDOW_ACTIVATED
java/awt/event/WindowEvent WINDOW_DEACTIVATED
java/awt/event/WindowEvent WINDOW_GAINED_FOCUS
java/awt/event/WindowEvent WINDOW_LOST_FOCUS
java/awt/event/WindowEvent WINDOW_STATE_CHANGED
java/awt/event/WindowEvent WINDOW_LAST
java/awt/event/WindowEvent opposite
java/awt/event/WindowEvent oldState
java/awt/event/WindowEvent newState
java/awt/event/WindowEvent serialVersionUID
java/awt/event/WindowEvent <init>(Ljava/awt/Window;ILjava/awt/Window;II)V
java/awt/event/WindowEvent <init>(Ljava/awt/Window;ILjava/awt/Window;)V
java/awt/event/WindowEvent <init>(Ljava/awt/Window;III)V
java/awt/event/WindowEvent <init>(Ljava/awt/Window;I)V
java/awt/event/WindowEvent getWindow()Ljava/awt/Window;
java/awt/event/WindowEvent getOppositeWindow()Ljava/awt/Window;
java/awt/event/WindowEvent getOldState()I
java/awt/event/WindowEvent getNewState()I
java/awt/event/WindowEvent paramString()Ljava/lang/String;
class java/awt/peer/LabelPeer
  java/lang/Object
java/awt/peer/LabelPeer setText(Ljava/lang/String;)V
java/awt/peer/LabelPeer setAlignment(I)V

```

```

class java/awt/peer/LightweightPeer java/lang/Object
class java/awt/peer/MenuComponentPeer java/lang/Object
java/awt/peer/MenuComponentPeer dispose()V
java/awt/peer/MenuComponentPeer setFont(Ljava/awt/Font;)V
class java/awt/MenuComponent java/lang/Object
java/awt/MenuComponent peer
java/awt/MenuComponent parent
java/awt/MenuComponent appContext
java/awt/MenuComponent font
java/awt/MenuComponent name
java/awt/MenuComponent nameExplicitlySet
java/awt/MenuComponent newEventsOnly
java/awt/MenuComponent actionListenerK
java/awt/MenuComponent itemListenerK
java/awt/MenuComponent serialVersionUID
java/awt/MenuComponent privateKey
java/awt/MenuComponent accessibleContext
java/awt/MenuComponent <init>()V
java/awt/MenuComponent constructComponentName()Ljava/lang/String;
java/awt/MenuComponent getName()Ljava/lang/String;
java/awt/MenuComponent setName(Ljava/lang/String;)V
java/awt/MenuComponent
    getParent()Ljava/awt/MenuContainer;
java/awt/MenuComponent getParent_NoClientCode()Ljava/awt/MenuContainer;
java/awt/MenuComponent getPeer()Ljava/awt/peer/MenuComponentPeer;
java/awt/MenuComponent getFont()Ljava/awt/Font;
java/awt/MenuComponent getFont_NoClientCode()Ljava/awt/Font;
java/awt/MenuComponent setFont(Ljava/awt/Font;)V
java/awt/MenuComponent removeNotify()V
java/awt/MenuComponent postEvent(Ljava/awt/Event;)Z
java/awt/MenuComponent dispatchEvent(Ljava/awt/AWTEvent;)V
java/awt/MenuComponent dispatchEventImpl(Ljava/awt/AWTEvent;)V
java/awt/MenuComponent eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/MenuComponent processEvent(Ljava/awt/AWTEvent;)V
java/awt/MenuComponent paramString()Ljava/lang/String;
java/awt/MenuComponent toString()Ljava/lang/String;
java/awt/MenuComponent getTreeLock()Ljava/lang/Object;
java/awt/MenuComponent readObject(Ljava/io/ObjectInputStream;)V
java/awt/MenuComponent initIDs()V
java/awt/MenuComponent getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/MenuComponent
    getAccessibleIndexInParent()I
java/awt/MenuComponent getAccessibleChildIndex(Ljava/awt/MenuComponent;)I
java/awt/MenuComponent getAccessibleStateSet()Ljava/awt/accessibility/AccessibleStateSet;
java/awt/MenuComponent <clinit>()V
class java/awt/Component$NativeInLightFixer java/lang/Object
java/awt/Component$NativeInLightFixer lightParents
java/awt/Component$NativeInLightFixer nativeHost

```

```

java/awt/Component$NativeInLightFixer this$0
java/awt/Component$NativeInLightFixer <init>(Ljava/awt/Component;)V
java/awt/Component$NativeInLightFixer install(Ljava/awt/Container;)V
java/awt/Component$NativeInLightFixer componentResized(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$NativeInLightFixer componentMoved(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$NativeInLightFixer componentShown(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$NativeInLightFixer componentHidden(Ljava/awt/event/ComponentEvent;)V
java/awt/Component$NativeInLightFixer
    componentAdded(Ljava/awt/event/ContainerEvent;)V
java/awt/Component$NativeInLightFixer componentRemoved(Ljava/awt/event/ContainerEvent;)V
java/awt/Component$NativeInLightFixer removeReferences()V
class java/awt/event/ContainerListener java/lang/Object
java/awt/event/ContainerListener componentAdded(Ljava/awt/event/ContainerEvent;)V
java/awt/event/ContainerListener componentRemoved(Ljava/awt/event/ContainerEvent;)V
class java/awt/event/InputMethodListener java/lang/Object
java/awt/event/InputMethodListener inputMethodTextChanged(Ljava/awt/event/InputMethodEvent;)V
java/awt/event/InputMethodListener caretPositionChanged(Ljava/awt/event/InputMethodEvent;)V
class java/awt/event/MouseWheelListener java/lang/Object
java/awt/event/MouseWheelListener mouseWheelMoved(Ljava/awt/event/MouseWheelEvent;)V
class java/awt/event/MouseMotionListener java/lang/Object
java/awt/event/MouseMotionListener mouseDragged(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseMotionListener mouseMoved(Ljava/awt/event/MouseEvent;)V
class
    java/awt/event/MouseListener java/lang/Object
java/awt/event/MouseListener mouseClicked(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseListener mousePressed(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseListener mouseReleased(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseListener mouseEntered(Ljava/awt/event/MouseEvent;)V
java/awt/event/MouseListener mouseExited(Ljava/awt/event/MouseEvent;)V
class java/awt/event/KeyListener java/lang/Object
java/awt/event/KeyListener keyTyped(Ljava/awt/event/KeyEvent;)V
java/awt/event/KeyListener keyPressed(Ljava/awt/event/KeyEvent;)V
java/awt/event/KeyListener keyReleased(Ljava/awt/event/KeyEvent;)V
class java/awt/event/HierarchyBoundsListener java/lang/Object
java/awt/event/HierarchyBoundsListener ancestorMoved(Ljava/awt/event/HierarchyEvent;)V
java/awt/event/HierarchyBoundsListener ancestorResized(Ljava/awt/event/HierarchyEvent;)V
class java/awt/event/HierarchyListener java/lang/Object
java/awt/event/HierarchyListener
    hierarchyChanged(Ljava/awt/event/HierarchyEvent;)V
class java/awt/event/FocusListener java/lang/Object
java/awt/event/FocusListener focusGained(Ljava/awt/event/FocusEvent;)V
java/awt/event/FocusListener focusLost(Ljava/awt/event/FocusEvent;)V
class java/awt/event/ComponentListener java/lang/Object
java/awt/event/ComponentListener componentResized(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentListener componentMoved(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentListener componentShown(Ljava/awt/event/ComponentEvent;)V
java/awt/event/ComponentListener componentHidden(Ljava/awt/event/ComponentEvent;)V
class java/awt/dnd/DropTarget java/lang/Object

```



```

java/awt/dnd/DropTarget serialVersionUID
java/awt/dnd/DropTarget dropTargetContext
java/awt/dnd/DropTarget component
java/awt/dnd/DropTarget componentPeer
java/awt/dnd/DropTarget nativePeer
java/awt/dnd/DropTarget actions
java/awt/dnd/DropTarget active
java/awt/dnd/DropTarget autoScroller
java/awt/dnd/DropTarget
    dtListener
java/awt/dnd/DropTarget flavorMap
java/awt/dnd/DropTarget
    <init>(Ljava/awt/Component;ILjava/awt/dnd/DropTargetListener;ZLjava/awt/datatransfer/FlavorMap;)V
java/awt/dnd/DropTarget <init>(Ljava/awt/Component;ILjava/awt/dnd/DropTargetListener;Z)V
java/awt/dnd/DropTarget <init>()V
java/awt/dnd/DropTarget <init>(Ljava/awt/Component;Ljava/awt/dnd/DropTargetListener;)V
java/awt/dnd/DropTarget <init>(Ljava/awt/Component;ILjava/awt/dnd/DropTargetListener;)V
java/awt/dnd/DropTarget setComponent(Ljava/awt/Component;)V
java/awt/dnd/DropTarget getComponent()Ljava/awt/Component;
java/awt/dnd/DropTarget setDefaultActions(I)V
java/awt/dnd/DropTarget doSetDefaultActions(I)V
java/awt/dnd/DropTarget getDefaultActions()I
java/awt/dnd/DropTarget setActive(Z)V
java/awt/dnd/DropTarget isActive()Z
java/awt/dnd/DropTarget addDropTargetListener(Ljava/awt/dnd/DropTargetListener;)V
java/awt/dnd/DropTarget removeDropTargetListener(Ljava/awt/dnd/DropTargetListener;)V
java/awt/dnd/DropTarget dragEnter(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTarget
    dragOver(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTarget dropActionChanged(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTarget dragExit(Ljava/awt/dnd/DropTargetEvent;)V
java/awt/dnd/DropTarget drop(Ljava/awt/dnd/DropTargetDropEvent;)V
java/awt/dnd/DropTarget getFlavorMap()Ljava/awt/datatransfer/FlavorMap;
java/awt/dnd/DropTarget setFlavorMap(Ljava/awt/datatransfer/FlavorMap;)V
java/awt/dnd/DropTarget addNotify(Ljava/awt/peer/ComponentPeer;)V
java/awt/dnd/DropTarget removeNotify(Ljava/awt/peer/ComponentPeer;)V
java/awt/dnd/DropTarget getDropTargetContext()Ljava/awt/dnd/DropTargetContext;
java/awt/dnd/DropTarget createDropTargetContext()Ljava/awt/dnd/DropTargetContext;
java/awt/dnd/DropTarget writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/dnd/DropTarget readObject(Ljava/io/ObjectInputStream;)V
java/awt/dnd/DropTarget
    createDropTargetAutoScroller(Ljava/awt/Component;Ljava/awt/Point;)Ljava/awt/dnd/DropTarget$DropTargetAuto
    Scroller;
java/awt/dnd/DropTarget
    initializeAutoscrolling(Ljava/awt/Point;)V
java/awt/dnd/DropTarget updateAutoscroll(Ljava/awt/Point;)V
java/awt/dnd/DropTarget clearAutoscroll()V
class java/awt/dnd/DropTargetListener java/lang/Object

```

```

java/awt/dnd/DropTargetListener dragEnter(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetListener dragOver(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetListener dropActionChanged(Ljava/awt/dnd/DropTargetDragEvent;)V
java/awt/dnd/DropTargetListener dragExit(Ljava/awt/dnd/DropTargetEvent;)V
java/awt/dnd/DropTargetListener drop(Ljava/awt/dnd/DropTargetDropEvent;)V
class java/awt/image/BufferStrategy java/lang/Object
java/awt/image/BufferStrategy <init>()V
java/awt/image/BufferStrategy getCapabilities()Ljava/awt/BufferCapabilities;
java/awt/image/BufferStrategy getDrawGraphics()Ljava/awt/Graphics;
java/awt/image/BufferStrategy contentsLost()Z
java/awt/image/BufferStrategy contentsRestored()Z
java/awt/image/BufferStrategy
    show()V
class java/net/URLClassLoader$3$1 java/lang/Object
java/net/URLClassLoader$3$1 this$1
java/net/URLClassLoader$3$1 <init>(Ljava/net/URLClassLoader$3;)V
java/net/URLClassLoader$3$1 run()Ljava/lang/Object;
class java/net/URLClassLoader$3 java/lang/Object
java/net/URLClassLoader$3 url
java/net/URLClassLoader$3 val$e
java/net/URLClassLoader$3 this$0
java/net/URLClassLoader$3 <init>(Ljava/net/URLClassLoader;Ljava/util/Enumeration;)V
java/net/URLClassLoader$3 next()Z
java/net/URLClassLoader$3 nextElement()Ljava/net/URL;
java/net/URLClassLoader$3 hasMoreElements()Z
java/net/URLClassLoader$3 nextElement()Ljava/lang/Object;
class java/lang/ClassLoader$2 java/lang/Object
java/lang/ClassLoader$2 val$e
java/lang/ClassLoader$2 <init>(Ljava/util/Enumeration;)V
java/lang/ClassLoader$2 nextElement()Ljava/lang/Object;
java/lang/ClassLoader$2 hasMoreElements()Z
class java/util/TreeMap$1 java/util/AbstractSet
java/util/TreeMap$1 this$0
java/util/TreeMap$1 <init>(Ljava/util/TreeMap;)V
java/util/TreeMap$1
    iterator()Ljava/util/Iterator;
java/util/TreeMap$1 size()I
java/util/TreeMap$1 contains(Ljava/lang/Object;)Z
java/util/TreeMap$1 remove(Ljava/lang/Object;)Z
java/util/TreeMap$1 clear()V
class java/util/TreeMap java/util/AbstractMap
java/util/TreeMap comparator
java/util/TreeMap root
java/util/TreeMap size
java/util/TreeMap modCount
java/util/TreeMap entrySet
java/util/TreeMap RED
java/util/TreeMap BLACK

```

```

java/util/TreeMap serialVersionUID
java/util/TreeMap incrementSize()V
java/util/TreeMap decrementSize()V
java/util/TreeMap <init>()V
java/util/TreeMap <init>(Ljava/util/Comparator;)V
java/util/TreeMap <init>(Ljava/util/Map;)V
java/util/TreeMap <init>(Ljava/util/SortedMap;)V
java/util/TreeMap size()I
java/util/TreeMap containsKey(Ljava/lang/Object;)Z
java/util/TreeMap containsValue(Ljava/lang/Object;)Z
java/util/TreeMap valueSearchNull(Ljava/util/TreeMap$Entry;)Z
java/util/TreeMap valueSearchNonNull(Ljava/util/TreeMap$Entry;Ljava/lang/Object;)Z
java/util/TreeMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap
    comparator()Ljava/util/Comparator;
java/util/TreeMap firstKey()Ljava/lang/Object;
java/util/TreeMap lastKey()Ljava/lang/Object;
java/util/TreeMap putAll(Ljava/util/Map;)V
java/util/TreeMap getEntry(Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap getCeilEntry(Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap getPrecedingEntry(Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap key(Ljava/util/TreeMap$Entry;)Ljava/lang/Object;
java/util/TreeMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/TreeMap clear()V
java/util/TreeMap clone()Ljava/lang/Object;
java/util/TreeMap keySet()Ljava/util/Set;
java/util/TreeMap values()Ljava/util/Collection;
java/util/TreeMap entrySet()Ljava/util/Set;
java/util/TreeMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap
    tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/TreeMap compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/util/TreeMap valEquals(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/TreeMap firstEntry()Ljava/util/TreeMap$Entry;
java/util/TreeMap lastEntry()Ljava/util/TreeMap$Entry;
java/util/TreeMap successor(Ljava/util/TreeMap$Entry;)Ljava/util/TreeMap$Entry;
java/util/TreeMap colorOf(Ljava/util/TreeMap$Entry;)Z
java/util/TreeMap parentOf(Ljava/util/TreeMap$Entry;)Ljava/util/TreeMap$Entry;
java/util/TreeMap setColor(Ljava/util/TreeMap$Entry;Z)V
java/util/TreeMap leftOf(Ljava/util/TreeMap$Entry;)Ljava/util/TreeMap$Entry;
java/util/TreeMap rightOf(Ljava/util/TreeMap$Entry;)Ljava/util/TreeMap$Entry;
java/util/TreeMap rotateLeft(Ljava/util/TreeMap$Entry;)V
java/util/TreeMap rotateRight(Ljava/util/TreeMap$Entry;)V
java/util/TreeMap fixAfterInsertion(Ljava/util/TreeMap$Entry;)V
java/util/TreeMap deleteEntry(Ljava/util/TreeMap$Entry;)V
java/util/TreeMap

```

```

fixAfterDeletion(Ljava/util/TreeMap$Entry;)V
java/util/TreeMap writeObject(Ljava/io/ObjectOutputStream;)V
java/util/TreeMap readObject(Ljava/io/ObjectInputStream;)V
java/util/TreeMap readTreeSet(ILjava/io/ObjectInputStream;Ljava/lang/Object;)V
java/util/TreeMap addAllForTreeSet(Ljava/util/SortedSet;Ljava/lang/Object;)V
java/util/TreeMap buildFromSorted(ILjava/util/Iterator;Ljava/io/ObjectInputStream;Ljava/lang/Object;)V
java/util/TreeMap
buildFromSorted(IIILjava/util/Iterator;Ljava/io/ObjectInputStream;Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap computeRedLevel(I)I
java/util/TreeMap access$100(Ljava/util/TreeMap;)I
java/util/TreeMap access$300(Ljava/util/TreeMap;)Ljava/util/TreeMap$Entry;
java/util/TreeMap access$400(Ljava/util/TreeMap;Ljava/util/TreeMap$Entry;)Ljava/util/TreeMap$Entry;
java/util/TreeMap access$500(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/TreeMap access$600(Ljava/util/TreeMap;Ljava/util/TreeMap$Entry;)V
java/util/TreeMap access$800(Ljava/util/TreeMap;Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap
access$900(Ljava/util/TreeMap;Ljava/lang/Object;Ljava/lang/Object;)I
java/util/TreeMap access$1000(Ljava/util/TreeMap;)Ljava/util/Comparator;
java/util/TreeMap access$1100(Ljava/util/TreeMap;Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap access$1200(Ljava/util/TreeMap$Entry;)Ljava/lang/Object;
java/util/TreeMap access$1300(Ljava/util/TreeMap;)Ljava/util/TreeMap$Entry;
java/util/TreeMap access$1400(Ljava/util/TreeMap;Ljava/lang/Object;)Ljava/util/TreeMap$Entry;
java/util/TreeMap access$1600(Ljava/util/TreeMap;)I
class java/util/SortedMap java/lang/Object
java/util/SortedMap comparator()Ljava/util/Comparator;
java/util/SortedMap subMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/SortedMap headMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/SortedMap tailMap(Ljava/lang/Object;)Ljava/util/SortedMap;
java/util/SortedMap firstKey()Ljava/lang/Object;
java/util/SortedMap
lastKey()Ljava/lang/Object;
class java/util/TreeSet java/util/AbstractSet
java/util/TreeSet m
java/util/TreeSet keySet
java/util/TreeSet PRESENT
java/util/TreeSet serialVersionUID
java/util/TreeSet <init>(Ljava/util/SortedMap;)V
java/util/TreeSet <init>()V
java/util/TreeSet <init>(Ljava/util/Comparator;)V
java/util/TreeSet <init>(Ljava/util/Collection;)V
java/util/TreeSet <init>(Ljava/util/SortedSet;)V
java/util/TreeSet iterator()Ljava/util/Iterator;
java/util/TreeSet size()I
java/util/TreeSet isEmpty()Z
java/util/TreeSet contains(Ljava/lang/Object;)Z
java/util/TreeSet add(Ljava/lang/Object;)Z
java/util/TreeSet remove(Ljava/lang/Object;)Z
java/util/TreeSet clear()V

```

```

java/util/TreeSet addAll(Ljava/util/Collection;)Z
java/util/TreeSet subSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/TreeSet headSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/TreeSet tailSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/TreeSet comparator()Ljava/util/Comparator;
java/util/TreeSet
    first()Ljava/lang/Object;
java/util/TreeSet last()Ljava/lang/Object;
java/util/TreeSet clone()Ljava/lang/Object;
java/util/TreeSet writeObject(Ljava/io/ObjectOutputStream;)V
java/util/TreeSet readObject(Ljava/io/ObjectInputStream;)V
java/util/TreeSet <clinit>()V
class java/util/SortedSet java/lang/Object
java/util/SortedSet comparator()Ljava/util/Comparator;
java/util/SortedSet subSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/SortedSet headSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/SortedSet tailSet(Ljava/lang/Object;)Ljava/util/SortedSet;
java/util/SortedSet first()Ljava/lang/Object;
java/util/SortedSet last()Ljava/lang/Object;
class java/awt/im/spi/InputMethodDescriptor java/lang/Object
java/awt/im/spi/InputMethodDescriptor getAvailableLocales()[Ljava/util/Locale;
java/awt/im/spi/InputMethodDescriptor hasDynamicLocaleList()Z
java/awt/im/spi/InputMethodDescriptor
    getInputMethodDisplayName(Ljava/util/Locale;Ljava/util/Locale;)Ljava/lang/String;
java/awt/im/spi/InputMethodDescriptor
    getInputMethodIcon(Ljava/util/Locale;)Ljava/awt/Image;
java/awt/im/spi/InputMethodDescriptor createInputMethod()Ljava/awt/im/spi/InputMethod;
class java/awt/peer/FontPeer java/lang/Object
class java/awt/peer/FileDialogPeer java/lang/Object
java/awt/peer/FileDialogPeer setFile(Ljava/lang/String;)V
java/awt/peer/FileDialogPeer setDirectory(Ljava/lang/String;)V
java/awt/peer/FileDialogPeer setFilenameFilter(Ljava/io/FilenameFilter;)V
class java/awt/peer/DialogPeer java/lang/Object
java/awt/peer/DialogPeer setTitle(Ljava/lang/String;)V
java/awt/peer/DialogPeer setResizable(Z)V
class java/util/Arrays java/lang/Object
java/util/Arrays INSERTIONSORT_THRESHOLD
java/util/Arrays <init>()V
java/util/Arrays sort([J)V
java/util/Arrays sort([JII)V
java/util/Arrays sort([I)V
java/util/Arrays sort([III)V
java/util/Arrays sort([S)V
java/util/Arrays sort([SII)V
java/util/Arrays sort([C)V
java/util/Arrays sort([CII)V
java/util/Arrays sort([B)V
java/util/Arrays

```

```

sort([BII)V
java/util/Arrays sort([D)V
java/util/Arrays sort([DII)V
java/util/Arrays sort([F)V
java/util/Arrays sort([FII)V
java/util/Arrays sort2([DII)V
java/util/Arrays sort2([FII)V
java/util/Arrays sort1([JII)V
java/util/Arrays swap([JII)V
java/util/Arrays vecswap([JIII)V
java/util/Arrays med3([JIII)I
java/util/Arrays sort1([III)V
java/util/Arrays swap([III)V
java/util/Arrays vecswap([III)V
java/util/Arrays med3([III)I
java/util/Arrays sort1([SII)V
java/util/Arrays swap([SII)V
java/util/Arrays vecswap([SIII)V
java/util/Arrays med3([SIII)I
java/util/Arrays sort1([CII)V
java/util/Arrays swap([CII)V
java/util/Arrays vecswap([CIII)V
java/util/Arrays med3([CIII)I
java/util/Arrays sort1([BII)V
java/util/Arrays swap([BII)V
java/util/Arrays vecswap([BIII)V
java/util/Arrays med3([BIII)I
java/util/Arrays sort1([DII)V
java/util/Arrays swap([DII)V
java/util/Arrays vecswap([DIII)V
java/util/Arrays med3([DIII)I
java/util/Arrays sort1([FII)V
java/util/Arrays swap([FII)V
java/util/Arrays
    vecswap([FIII)V
java/util/Arrays med3([FIII)I
java/util/Arrays sort([Ljava/lang/Object;)V
java/util/Arrays sort([Ljava/lang/Object;II)V
java/util/Arrays cloneSubarray([Ljava/lang/Object;II)[Ljava/lang/Object;
java/util/Arrays mergeSort([Ljava/lang/Object;[Ljava/lang/Object;III)V
java/util/Arrays swap([Ljava/lang/Object;II)V
java/util/Arrays sort([Ljava/lang/Object;Ljava/util/Comparator;)V
java/util/Arrays sort([Ljava/lang/Object;IILjava/util/Comparator;)V
java/util/Arrays mergeSort([Ljava/lang/Object;[Ljava/lang/Object;IIILjava/util/Comparator;)V
java/util/Arrays rangeCheck(III)V
java/util/Arrays binarySearch([JJ)I
java/util/Arrays binarySearch([II)I
java/util/Arrays binarySearch([SS)I

```

```

java/util/Arrays binarySearch([CC)I
java/util/Arrays binarySearch([BB)I
java/util/Arrays binarySearch([DD)I
java/util/Arrays binarySearch([DDII)I
java/util/Arrays binarySearch([FF)I
java/util/Arrays binarySearch([FFII)I
java/util/Arrays binarySearch([Ljava/lang/Object;Ljava/lang/Object;)I
java/util/Arrays
    binarySearch([Ljava/lang/Object;Ljava/lang/Object;Ljava/util/Comparator;)I
java/util/Arrays equals([J)Z
java/util/Arrays equals([I)Z
java/util/Arrays equals([S)Z
java/util/Arrays equals([C)Z
java/util/Arrays equals([B)Z
java/util/Arrays equals([Z)Z
java/util/Arrays equals([D)Z
java/util/Arrays equals([F)Z
java/util/Arrays equals([Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/Arrays fill([J)V
java/util/Arrays fill([I)V
java/util/Arrays fill([II)V
java/util/Arrays fill([III)V
java/util/Arrays fill([SS)V
java/util/Arrays fill([SI)V
java/util/Arrays fill([CC)V
java/util/Arrays fill([CI)V
java/util/Arrays fill([BB)V
java/util/Arrays fill([BI)V
java/util/Arrays fill([ZZ)V
java/util/Arrays fill([ZI)V
java/util/Arrays fill([DD)V
java/util/Arrays fill([DI)V
java/util/Arrays fill([FF)V
java/util/Arrays fill([FI)V
java/util/Arrays fill([Ljava/lang/Object;Ljava/lang/Object;)V
java/util/Arrays fill([Ljava/lang/Object;ILjava/lang/Object;)V
java/util/Arrays
    asList([Ljava/lang/Object;)Ljava/util/List;
java/util/Arrays hashCode([J)I
java/util/Arrays hashCode([I)I
java/util/Arrays hashCode([S)I
java/util/Arrays hashCode([C)I
java/util/Arrays hashCode([B)I
java/util/Arrays hashCode([Z)I
java/util/Arrays hashCode([F)I
java/util/Arrays hashCode([D)I
java/util/Arrays hashCode([Ljava/lang/Object;)I
java/util/Arrays deepHashCode([Ljava/lang/Object;)I

```

```

java/util/Arrays deepEquals([Ljava/lang/Object;[Ljava/lang/Object;)Z
java/util/Arrays toString([J)Ljava/lang/String;
java/util/Arrays toString([I)Ljava/lang/String;
java/util/Arrays toString([S)Ljava/lang/String;
java/util/Arrays toString([C)Ljava/lang/String;
java/util/Arrays toString([B)Ljava/lang/String;
java/util/Arrays toString([Z)Ljava/lang/String;
java/util/Arrays toString([F)Ljava/lang/String;
java/util/Arrays toString([D)Ljava/lang/String;
java/util/Arrays toString([Ljava/lang/Object;)Ljava/lang/String;
java/util/Arrays deepToString([Ljava/lang/Object;)Ljava/lang/String;
java/util/Arrays deepToString([Ljava/lang/Object;Ljava/lang/StringBuilder;Ljava/util/Set;)V
class
  java/awt/event/ActionEvent java/awt/AWTEvent
  java/awt/event/ActionEvent SHIFT_MASK
  java/awt/event/ActionEvent CTRL_MASK
  java/awt/event/ActionEvent META_MASK
  java/awt/event/ActionEvent ALT_MASK
  java/awt/event/ActionEvent ACTION_FIRST
  java/awt/event/ActionEvent ACTION_LAST
  java/awt/event/ActionEvent ACTION_PERFORMED
  java/awt/event/ActionEvent actionCommand
  java/awt/event/ActionEvent when
  java/awt/event/ActionEvent modifiers
  java/awt/event/ActionEvent serialVersionUID
  java/awt/event/ActionEvent <init>(Ljava/lang/Object;ILjava/lang/String;)V
  java/awt/event/ActionEvent <init>(Ljava/lang/Object;ILjava/lang/String;I)V
  java/awt/event/ActionEvent <init>(Ljava/lang/Object;ILjava/lang/String;JI)V
  java/awt/event/ActionEvent getActionCommand()Ljava/lang/String;
  java/awt/event/ActionEvent getWhen()J
  java/awt/event/ActionEvent getModifiers()I
  java/awt/event/ActionEvent paramString()Ljava/lang/String;
class java/awt/event/InputMethodEvent
  java/awt/AWTEvent
  java/awt/event/InputMethodEvent serialVersionUID
  java/awt/event/InputMethodEvent INPUT_METHOD_FIRST
  java/awt/event/InputMethodEvent INPUT_METHOD_TEXT_CHANGED
  java/awt/event/InputMethodEvent CARET_POSITION_CHANGED
  java/awt/event/InputMethodEvent INPUT_METHOD_LAST
  java/awt/event/InputMethodEvent when
  java/awt/event/InputMethodEvent text
  java/awt/event/InputMethodEvent committedCharacterCount
  java/awt/event/InputMethodEvent caret
  java/awt/event/InputMethodEvent visiblePosition
  java/awt/event/InputMethodEvent
  <init>(Ljava/awt/Component;IJLjava/text/AttributedCharacterIterator;ILjava/awt/font/TextHitInfo;Ljava/awt/font/T
  extHitInfo;)V
  java/awt/event/InputMethodEvent

```



```

<init>(Ljava/awt/Component;ILjava/text/AttributedCharacterIterator;ILjava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)V
java/awt/event/InputMethodEvent
<init>(Ljava/awt/Component;ILjava/awt/font/TextHitInfo;Ljava/awt/font/TextHitInfo;)V
java/awt/event/InputMethodEvent getText()Ljava/text/AttributedCharacterIterator;
java/awt/event/InputMethodEvent
    getCommittedCharacterCount()I
java/awt/event/InputMethodEvent getCaret()Ljava/awt/font/TextHitInfo;
java/awt/event/InputMethodEvent getVisiblePosition()Ljava/awt/font/TextHitInfo;
java/awt/event/InputMethodEvent consume()V
java/awt/event/InputMethodEvent isConsumed()Z
java/awt/event/InputMethodEvent getWhen()J
java/awt/event/InputMethodEvent paramString()Ljava/lang/String;
java/awt/event/InputMethodEvent readObject(Ljava/io/ObjectInputStream;)V
class java/awt/dnd/peer/DragSourceContextPeer java/lang/Object
java/awt/dnd/peer/DragSourceContextPeer
    startDrag(Ljava/awt/dnd/DragSourceContext;Ljava/awt/Cursor;Ljava/awt/Image;Ljava/awt/Point;)V
java/awt/dnd/peer/DragSourceContextPeer getCursor()Ljava/awt/Cursor;
java/awt/dnd/peer/DragSourceContextPeer setCursor(Ljava/awt/Cursor;)V
java/awt/dnd/peer/DragSourceContextPeer transferablesFlavorsChanged()V
class java/awt/EventDispatchThread$1 java/lang/Object
java/awt/EventDispatchThread$1 this$0
java/awt/EventDispatchThread$1
    <init>(Ljava/awt/EventDispatchThread;)V
java/awt/EventDispatchThread$1 evaluate()Z
class java/awt/Conditional java/lang/Object
java/awt/Conditional evaluate()Z
class java/awt/EventQueueItem java/lang/Object
java/awt/EventQueueItem event
java/awt/EventQueueItem id
java/awt/EventQueueItem next
java/awt/EventQueueItem <init>(Ljava/awt/AWTEvent;)V
class java/awt/EventDispatchThread java/lang/Thread
java/awt/EventDispatchThread dbg
java/awt/EventDispatchThread theQueue
java/awt/EventDispatchThread doDispatch
java/awt/EventDispatchThread ANY_EVENT
java/awt/EventDispatchThread handlerPropName
java/awt/EventDispatchThread handlerClassName
java/awt/EventDispatchThread NO_HANDLER
java/awt/EventDispatchThread <init>(Ljava/lang/ThreadGroup;Ljava/lang/String;Ljava/awt/EventQueue;)V
java/awt/EventDispatchThread stopDispatchingImpl(Z)V
java/awt/EventDispatchThread stopDispatching()V
java/awt/EventDispatchThread stopDispatchingLater()V
java/awt/EventDispatchThread
    run()V
java/awt/EventDispatchThread pumpEvents(Ljava/awt/Conditional;)V
java/awt/EventDispatchThread pumpEventsForHierarchy(Ljava/awt/Conditional;Ljava/awt/Component;)V

```

```

java/awt/EventDispatchThread pumpEvents(ILjava/awt/Conditional;)V
java/awt/EventDispatchThread pumpEventsForHierarchy(ILjava/awt/Conditional;Ljava/awt/Component;)V
java/awt/EventDispatchThread
checkMouseEventForModalJInternalFrame(Ljava/awt/event/MouseEvent;Ljava/awt/Component;)Z
java/awt/EventDispatchThread pumpOneEventForHierarchy(ILjava/awt/Component;)Z
java/awt/EventDispatchThread processException(Ljava/lang/Throwable;Z)V
java/awt/EventDispatchThread handleException(Ljava/lang/Throwable;)Z
java/awt/EventDispatchThread isDispatching(Ljava/awt/EventQueue;)Z
java/awt/EventDispatchThread getEventQueue()Ljava/awt/EventQueue;
java/awt/EventDispatchThread access$002(Ljava/awt/EventDispatchThread;Z)Z
java/awt/EventDispatchThread <clinit>()V
class java/awt/EventQueue$1 java/lang/Object
java/awt/EventQueue$1 this$0
java/awt/EventQueue$1
<init>(Ljava/awt/EventQueue;)V
java/awt/EventQueue$1 run()Ljava/lang/Object;
class java/awt/event/InvocationEvent java/awt/AWTEvent
java/awt/event/InvocationEvent INVOCATION_FIRST
java/awt/event/InvocationEvent INVOCATION_DEFAULT
java/awt/event/InvocationEvent INVOCATION_LAST
java/awt/event/InvocationEvent runnable
java/awt/event/InvocationEvent notifier
java/awt/event/InvocationEvent catchExceptions
java/awt/event/InvocationEvent exception
java/awt/event/InvocationEvent throwable
java/awt/event/InvocationEvent when
java/awt/event/InvocationEvent serialVersionUID
java/awt/event/InvocationEvent <init>(Ljava/lang/Object;Ljava/lang/Runnable;)V
java/awt/event/InvocationEvent <init>(Ljava/lang/Object;Ljava/lang/Runnable;Ljava/lang/Object;Z)V
java/awt/event/InvocationEvent <init>(Ljava/lang/Object;ILjava/lang/Runnable;Ljava/lang/Object;Z)V
java/awt/event/InvocationEvent dispatch()V
java/awt/event/InvocationEvent getException()Ljava/lang/Exception;
java/awt/event/InvocationEvent getThrowable()Ljava/lang/Throwable;
java/awt/event/InvocationEvent
getWhen()J
java/awt/event/InvocationEvent paramString()Ljava/lang/String;
class java/awt/ActiveEvent java/lang/Object
java/awt/ActiveEvent dispatch()V
class java/beans/PropertyChangeListener java/lang/Object
java/beans/PropertyChangeListener propertyChange(Ljava/beans/PropertyChangeEvent;)V
class java/awt/peer/CanvasPeer java/lang/Object
class java/awt/peer/PanelPeer java/lang/Object
class java/awt/peer/FramePeer java/lang/Object
java/awt/peer/FramePeer setTitle(Ljava/lang/String;)V
java/awt/peer/FramePeer setIconImage(Ljava/awt/Image;)V
java/awt/peer/FramePeer setMenuBar(Ljava/awt/MenuBar;)V
java/awt/peer/FramePeer setResizable(Z)V
java/awt/peer/FramePeer setState(I)V

```

```

java/awt/peer/FramePeer getState()I
java/awt/peer/FramePeer setMaximizedBounds(Ljava/awt/Rectangle;)V
java/awt/peer/FramePeer setBoundsPrivate(III)V
class java/awt/peer/WindowPeer java/lang/Object
java/awt/peer/WindowPeer toFront()V
java/awt/peer/WindowPeer
    toBack()V
java/awt/peer/WindowPeer updateAlwaysOnTop()V
java/awt/peer/WindowPeer updateFocusableWindowState()V
java/awt/peer/WindowPeer requestWindowFocus()Z
class java/awt/peer/ContainerPeer java/lang/Object
java/awt/peer/ContainerPeer getInsets()Ljava/awt/Insets;
java/awt/peer/ContainerPeer beginValidate()V
java/awt/peer/ContainerPeer endValidate()V
java/awt/peer/ContainerPeer beginLayout()V
java/awt/peer/ContainerPeer endLayout()V
java/awt/peer/ContainerPeer isPaintPending()Z
java/awt/peer/ContainerPeer cancelPendingPaint(III)V
java/awt/peer/ContainerPeer restack()V
java/awt/peer/ContainerPeer isRestackSupported()Z
java/awt/peer/ContainerPeer insets()Ljava/awt/Insets;
class java/awt/peer/KeyboardFocusManagerPeer java/lang/Object
java/awt/peer/KeyboardFocusManagerPeer setCurrentFocusedWindow(Ljava/awt/Window;)V
java/awt/peer/KeyboardFocusManagerPeer getCurrentFocusedWindow()Ljava/awt/Window;
java/awt/peer/KeyboardFocusManagerPeer setCurrentFocusOwner(Ljava/awt/Component;)V
java/awt/peer/KeyboardFocusManagerPeer
    getCurrentFocusOwner()Ljava/awt/Component;
java/awt/peer/KeyboardFocusManagerPeer clearGlobalFocusOwner(Ljava/awt/Window;)V
class java/util/Collections$UnmodifiableSet java/util/Collections$UnmodifiableCollection
java/util/Collections$UnmodifiableSet serialVersionUID
java/util/Collections$UnmodifiableSet <init>(Ljava/util/Set;)V
java/util/Collections$UnmodifiableSet equals(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableSet hashCode()I
class java/util/Collections$UnmodifiableCollection java/lang/Object
java/util/Collections$UnmodifiableCollection serialVersionUID
java/util/Collections$UnmodifiableCollection c
java/util/Collections$UnmodifiableCollection <init>(Ljava/util/Collection;)V
java/util/Collections$UnmodifiableCollection size()I
java/util/Collections$UnmodifiableCollection isEmpty()Z
java/util/Collections$UnmodifiableCollection contains(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableCollection toArray()[Ljava/lang/Object;
java/util/Collections$UnmodifiableCollection
    toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Collections$UnmodifiableCollection toString()Ljava/lang/String;
java/util/Collections$UnmodifiableCollection iterator()Ljava/util/Iterator;
java/util/Collections$UnmodifiableCollection add(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableCollection remove(Ljava/lang/Object;)Z
java/util/Collections$UnmodifiableCollection containsAll(Ljava/util/Collection;)Z

```

```

java/util/Collections$UnmodifiableCollection addAll(Ljava/util/Collection;)Z
java/util/Collections$UnmodifiableCollection removeAll(Ljava/util/Collection;)Z
java/util/Collections$UnmodifiableCollection retainAll(Ljava/util/Collection;)Z
java/util/Collections$UnmodifiableCollection clear()V
class java/awt/MutableBoolean java/lang/Object
java/awt/MutableBoolean value
java/awt/MutableBoolean <init>()V
class java/awt/DefaultFocusTraversalPolicy java/awt/ContainerOrderFocusTraversalPolicy
java/awt/DefaultFocusTraversalPolicy <init>()V
java/awt/DefaultFocusTraversalPolicy
    accept(Ljava/awt/Component;)Z
class java/awt/ContainerOrderFocusTraversalPolicy java/awt/FocusTraversalPolicy
java/awt/ContainerOrderFocusTraversalPolicy found
java/awt/ContainerOrderFocusTraversalPolicy log
java/awt/ContainerOrderFocusTraversalPolicy serialVersionUID
java/awt/ContainerOrderFocusTraversalPolicy implicitDownCycleTraversal
java/awt/ContainerOrderFocusTraversalPolicy <init>()V
java/awt/ContainerOrderFocusTraversalPolicy
    getComponentAfter(Ljava/awt/Container;Ljava/awt/Component;)Ljava/awt/Component;
java/awt/ContainerOrderFocusTraversalPolicy
    getComponentAfter(Ljava/awt/Container;Ljava/awt/Component;Ljava/awt/MutableBoolean;)Ljava/awt/Component
;
java/awt/ContainerOrderFocusTraversalPolicy
    getComponentBefore(Ljava/awt/Container;Ljava/awt/Component;)Ljava/awt/Component;
java/awt/ContainerOrderFocusTraversalPolicy
    getComponentBefore(Ljava/awt/Container;Ljava/awt/Component;Ljava/awt/MutableBoolean;)Ljava/awt/Component;
nt;
java/awt/ContainerOrderFocusTraversalPolicy
    getFirstComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/ContainerOrderFocusTraversalPolicy getLastComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/ContainerOrderFocusTraversalPolicy getDefaultComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/ContainerOrderFocusTraversalPolicy setImplicitDownCycleTraversal(Z)V
java/awt/ContainerOrderFocusTraversalPolicy getImplicitDownCycleTraversal()Z
java/awt/ContainerOrderFocusTraversalPolicy accept(Ljava/awt/Component;)Z
java/awt/ContainerOrderFocusTraversalPolicy <clinit>()V
class java/awt/FocusTraversalPolicy java/lang/Object
java/awt/FocusTraversalPolicy <init>()V
java/awt/FocusTraversalPolicy
    getComponentAfter(Ljava/awt/Container;Ljava/awt/Component;)Ljava/awt/Component;
java/awt/FocusTraversalPolicy
    getComponentBefore(Ljava/awt/Container;Ljava/awt/Component;)Ljava/awt/Component;
java/awt/FocusTraversalPolicy getFirstComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/FocusTraversalPolicy
    getLastComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/FocusTraversalPolicy getDefaultComponent(Ljava/awt/Container;)Ljava/awt/Component;
java/awt/FocusTraversalPolicy getInitialComponent(Ljava/awt/Window;)Ljava/awt/Component;
class java/awt/DefaultKeyboardFocusManager java/awt/KeyboardFocusManager
java/awt/DefaultKeyboardFocusManager focusLog

```

```

java/awt/DefaultKeyboardFocusManager realOppositeWindow
java/awt/DefaultKeyboardFocusManager realOppositeComponent
java/awt/DefaultKeyboardFocusManager inSendMessage
java/awt/DefaultKeyboardFocusManager enqueuedKeyEvents
java/awt/DefaultKeyboardFocusManager typeAheadMarkers
java/awt/DefaultKeyboardFocusManager consumeNextKeyTyped
java/awt/DefaultKeyboardFocusManager <init>()V
java/awt/DefaultKeyboardFocusManager getOwningFrameDialog(Ljava/awt/Window;)Ljava/awt/Window;
java/awt/DefaultKeyboardFocusManager restoreFocus(Ljava/awt/event/FocusEvent;Ljava/awt/Window;)V
java/awt/DefaultKeyboardFocusManager restoreFocus(Ljava/awt/event/WindowEvent;)V
java/awt/DefaultKeyboardFocusManager
    restoreFocus(Ljava/awt/Window;Ljava/awt/Component;Z)Z
java/awt/DefaultKeyboardFocusManager restoreFocus(Ljava/awt/Component;Z)Z
java/awt/DefaultKeyboardFocusManager sendMessage(Ljava/awt/Component;Ljava/awt/AWTEvent;)Z
java/awt/DefaultKeyboardFocusManager dispatchEvent(Ljava/awt/AWTEvent;)Z
java/awt/DefaultKeyboardFocusManager dispatchKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/DefaultKeyboardFocusManager postProcessKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/DefaultKeyboardFocusManager pumpApprovedKeyEvents()V
java/awt/DefaultKeyboardFocusManager dumpMarkers()V
java/awt/DefaultKeyboardFocusManager typeAheadAssertions(Ljava/awt/Component;Ljava/awt/AWTEvent;)Z
java/awt/DefaultKeyboardFocusManager hasMarker(Ljava/awt/Component;)Z
java/awt/DefaultKeyboardFocusManager clearMarkers()V
java/awt/DefaultKeyboardFocusManager preDispatchKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/DefaultKeyboardFocusManager consumeTraversalKey(Ljava/awt/event/KeyEvent;)V
java/awt/DefaultKeyboardFocusManager
    consumeProcessedKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/DefaultKeyboardFocusManager processKeyEvent(Ljava/awt/Component;Ljava/awt/event/KeyEvent;)V
java/awt/DefaultKeyboardFocusManager enqueueKeyEvents(JLjava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager dequeueKeyEvents(JLjava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager discardKeyEvents(Ljava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager purgeStampedEvents(J)V
java/awt/DefaultKeyboardFocusManager focusPreviousComponent(Ljava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager focusNextComponent(Ljava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager upFocusCycle(Ljava/awt/Component;)V
java/awt/DefaultKeyboardFocusManager downFocusCycle(Ljava/awt/Container;)V
java/awt/DefaultKeyboardFocusManager access$008(Ljava/awt/DefaultKeyboardFocusManager;)I
java/awt/DefaultKeyboardFocusManager access$010(Ljava/awt/DefaultKeyboardFocusManager;)I
java/awt/DefaultKeyboardFocusManager
    <clinit>()V
class java/util/LinkedList$Entry java/lang/Object
java/util/LinkedList$Entry element
java/util/LinkedList$Entry next
java/util/LinkedList$Entry previous
java/util/LinkedList$Entry <init>(Ljava/lang/Object;Ljava/util/LinkedList$Entry;Ljava/util/LinkedList$Entry;)V
class java/util/LinkedList java/util/AbstractSequentialList
java/util/LinkedList header
java/util/LinkedList size
java/util/LinkedList serialVersionUID

```

```

java/util/LinkedList <init>()V
java/util/LinkedList <init>(Ljava/util/Collection;)V
java/util/LinkedList getFirst()Ljava/lang/Object;
java/util/LinkedList getLast()Ljava/lang/Object;
java/util/LinkedList removeFirst()Ljava/lang/Object;
java/util/LinkedList removeLast()Ljava/lang/Object;
java/util/LinkedList addFirst(Ljava/lang/Object;)V
java/util/LinkedList addLast(Ljava/lang/Object;)V
java/util/LinkedList contains(Ljava/lang/Object;)Z
java/util/LinkedList size()I
java/util/LinkedList add(Ljava/lang/Object;)Z
java/util/LinkedList remove(Ljava/lang/Object;)Z
java/util/LinkedList
    addAll(Ljava/util/Collection;)Z
java/util/LinkedList addAll(ILjava/util/Collection;)Z
java/util/LinkedList clear()V
java/util/LinkedList get(I)Ljava/lang/Object;
java/util/LinkedList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/LinkedList add(ILjava/lang/Object;)V
java/util/LinkedList remove(I)Ljava/lang/Object;
java/util/LinkedList entry(I)Ljava/util/LinkedList$Entry;
java/util/LinkedList indexOf(Ljava/lang/Object;)I
java/util/LinkedList lastIndexOf(Ljava/lang/Object;)I
java/util/LinkedList peek()Ljava/lang/Object;
java/util/LinkedList element()Ljava/lang/Object;
java/util/LinkedList poll()Ljava/lang/Object;
java/util/LinkedList remove()Ljava/lang/Object;
java/util/LinkedList offer(Ljava/lang/Object;)Z
java/util/LinkedList listIterator(I)Ljava/util/ListIterator;
java/util/LinkedList addBefore(Ljava/lang/Object;Ljava/util/LinkedList$Entry;)Ljava/util/LinkedList$Entry;
java/util/LinkedList remove(Ljava/util/LinkedList$Entry;)Ljava/lang/Object;
java/util/LinkedList
    clone()Ljava/lang/Object;
java/util/LinkedList toArray()[Ljava/lang/Object;
java/util/LinkedList toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/LinkedList writeObject(Ljava/io/ObjectOutputStream;)V
java/util/LinkedList readObject(Ljava/io/ObjectInputStream;)V
java/util/LinkedList access$000(Ljava/util/LinkedList;)Ljava/util/LinkedList$Entry;
java/util/LinkedList access$100(Ljava/util/LinkedList;)I
java/util/LinkedList access$200(Ljava/util/LinkedList;Ljava/util/LinkedList$Entry;)Ljava/lang/Object;
java/util/LinkedList
    access$300(Ljava/util/LinkedList;Ljava/lang/Object;Ljava/util/LinkedList$Entry;)Ljava/util/LinkedList$Entry;
class java/util/AbstractSequentialList java/util/AbstractList
java/util/AbstractSequentialList <init>()V
java/util/AbstractSequentialList get(I)Ljava/lang/Object;
java/util/AbstractSequentialList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/AbstractSequentialList add(ILjava/lang/Object;)V
java/util/AbstractSequentialList

```

```

remove()Ljava/lang/Object;
java/util/AbstractSequentialList addAll(ILjava/util/Collection;)Z
java/util/AbstractSequentialList iterator()Ljava/util/Iterator;
java/util/AbstractSequentialList listIterator(I)Ljava/util/ListIterator;
class java/util/Queue java/lang/Object
java/util/Queue offer(Ljava/lang/Object;)Z
java/util/Queue poll()Ljava/lang/Object;
java/util/Queue remove()Ljava/lang/Object;
java/util/Queue peek()Ljava/lang/Object;
java/util/Queue element()Ljava/lang/Object;
class java/awt/AWTKeyStroke$1 java/lang/Object
java/awt/AWTKeyStroke$1 val$clazz
java/awt/AWTKeyStroke$1 <init>(Ljava/lang/Class;)V
java/awt/AWTKeyStroke$1 run()Ljava/lang/Object;
class java/awt/AWTKeyStroke java/lang/Object
java/awt/AWTKeyStroke serialVersionUID
java/awt/AWTKeyStroke cache
java/awt/AWTKeyStroke cacheKey
java/awt/AWTKeyStroke ctor
java/awt/AWTKeyStroke modifierKeywords
java/awt/AWTKeyStroke vks
java/awt/AWTKeyStroke keyChar
java/awt/AWTKeyStroke keyCode
java/awt/AWTKeyStroke modifiers
java/awt/AWTKeyStroke
onKeyRelease
java/awt/AWTKeyStroke $assertionsDisabled
java/awt/AWTKeyStroke <init>()V
java/awt/AWTKeyStroke <init>(CIIZ)V
java/awt/AWTKeyStroke registerSubclass(Ljava/lang/Class;)V
java/awt/AWTKeyStroke getCtor(Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/awt/AWTKeyStroke getCachedStroke(CIIZ)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStroke(C)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStroke(Ljava/lang/Character;I)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStroke(IIZ)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStroke(II)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStrokeForEvent(Ljava/awt/event/KeyEvent;)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getAWTKeyStroke(Ljava/lang/String;)Ljava/awt/AWTKeyStroke;
java/awt/AWTKeyStroke getVKCollection()Ljava/awt/VKCollection;
java/awt/AWTKeyStroke getVKValue(Ljava/lang/String;)I
java/awt/AWTKeyStroke getKeyChar()C
java/awt/AWTKeyStroke getKeyCode()I
java/awt/AWTKeyStroke
getModifiers()I
java/awt/AWTKeyStroke isOnKeyRelease()Z
java/awt/AWTKeyStroke getKeyEventType()I
java/awt/AWTKeyStroke hashCode()I
java/awt/AWTKeyStroke equals(Ljava/lang/Object;)Z

```

```

java/awt/AWTKeyStroke toString()Ljava/lang/String;
java/awt/AWTKeyStroke getModifiersText(I)Ljava/lang/String;
java/awt/AWTKeyStroke getVKText(I)Ljava/lang/String;
java/awt/AWTKeyStroke readResolve()Ljava/lang/Object;
java/awt/AWTKeyStroke mapOldModifiers(I)I
java/awt/AWTKeyStroke mapNewModifiers(I)I
java/awt/AWTKeyStroke <clinit>()V
class java/awt/event/NativeLibLoader java/lang/Object
java/awt/event/NativeLibLoader <init>()V
java/awt/event/NativeLibLoader loadLibraries()V
class java/awt/event/KeyEvent java/awt/event/InputEvent
java/awt/event/KeyEvent isProxyActive
java/awt/event/KeyEvent KEY_FIRST
java/awt/event/KeyEvent KEY_LAST
java/awt/event/KeyEvent KEY_TYPED
java/awt/event/KeyEvent KEY_PRESSED
java/awt/event/KeyEvent KEY_RELEASED
java/awt/event/KeyEvent VK_ENTER
java/awt/event/KeyEvent VK_BACK_SPACE
java/awt/event/KeyEvent
    VK_TAB
java/awt/event/KeyEvent VK_CANCEL
java/awt/event/KeyEvent VK_CLEAR
java/awt/event/KeyEvent VK_SHIFT
java/awt/event/KeyEvent VK_CONTROL
java/awt/event/KeyEvent VK_ALT
java/awt/event/KeyEvent VK_PAUSE
java/awt/event/KeyEvent VK_CAPS_LOCK
java/awt/event/KeyEvent VK_ESCAPE
java/awt/event/KeyEvent VK_SPACE
java/awt/event/KeyEvent VK_PAGE_UP
java/awt/event/KeyEvent VK_PAGE_DOWN
java/awt/event/KeyEvent VK_END
java/awt/event/KeyEvent VK_HOME
java/awt/event/KeyEvent VK_LEFT
java/awt/event/KeyEvent VK_UP
java/awt/event/KeyEvent VK_RIGHT
java/awt/event/KeyEvent VK_DOWN
java/awt/event/KeyEvent VK_COMMA
java/awt/event/KeyEvent VK_MINUS
java/awt/event/KeyEvent VK_PERIOD
java/awt/event/KeyEvent VK_SLASH
java/awt/event/KeyEvent VK_0
java/awt/event/KeyEvent VK_1
java/awt/event/KeyEvent VK_2
java/awt/event/KeyEvent VK_3
java/awt/event/KeyEvent VK_4
java/awt/event/KeyEvent VK_5

```


java/awt/event/KeyEvent VK_6
java/awt/event/KeyEvent VK_7
java/awt/event/KeyEvent VK_8
java/awt/event/KeyEvent
VK_9
java/awt/event/KeyEvent VK_SEMICOLON
java/awt/event/KeyEvent VK_EQUALS
java/awt/event/KeyEvent VK_A
java/awt/event/KeyEvent VK_B
java/awt/event/KeyEvent VK_C
java/awt/event/KeyEvent VK_D
java/awt/event/KeyEvent VK_E
java/awt/event/KeyEvent VK_F
java/awt/event/KeyEvent VK_G
java/awt/event/KeyEvent VK_H
java/awt/event/KeyEvent VK_I
java/awt/event/KeyEvent VK_J
java/awt/event/KeyEvent VK_K
java/awt/event/KeyEvent VK_L
java/awt/event/KeyEvent VK_M
java/awt/event/KeyEvent VK_N
java/awt/event/KeyEvent VK_O
java/awt/event/KeyEvent VK_P
java/awt/event/KeyEvent VK_Q
java/awt/event/KeyEvent VK_R
java/awt/event/KeyEvent VK_S
java/awt/event/KeyEvent VK_T
java/awt/event/KeyEvent VK_U
java/awt/event/KeyEvent VK_V
java/awt/event/KeyEvent VK_W
java/awt/event/KeyEvent VK_X
java/awt/event/KeyEvent VK_Y
java/awt/event/KeyEvent VK_Z
java/awt/event/KeyEvent VK_OPEN_BRACKET
java/awt/event/KeyEvent VK_BACK_SLASH
java/awt/event/KeyEvent VK_CLOSE_BRACKET
java/awt/event/KeyEvent VK_NUMPAD0
java/awt/event/KeyEvent
VK_NUMPAD1
java/awt/event/KeyEvent VK_NUMPAD2
java/awt/event/KeyEvent VK_NUMPAD3
java/awt/event/KeyEvent VK_NUMPAD4
java/awt/event/KeyEvent VK_NUMPAD5
java/awt/event/KeyEvent VK_NUMPAD6
java/awt/event/KeyEvent VK_NUMPAD7
java/awt/event/KeyEvent VK_NUMPAD8
java/awt/event/KeyEvent VK_NUMPAD9
java/awt/event/KeyEvent VK_MULTIPLY

java/awt/event/KeyEvent VK_ADD
java/awt/event/KeyEvent VK_SEPARATER
java/awt/event/KeyEvent VK_SEPARATOR
java/awt/event/KeyEvent VK_SUBTRACT
java/awt/event/KeyEvent VK_DECIMAL
java/awt/event/KeyEvent VK_DIVIDE
java/awt/event/KeyEvent VK_DELETE
java/awt/event/KeyEvent VK_NUM_LOCK
java/awt/event/KeyEvent VK_SCROLL_LOCK
java/awt/event/KeyEvent VK_F1
java/awt/event/KeyEvent VK_F2
java/awt/event/KeyEvent VK_F3
java/awt/event/KeyEvent VK_F4
java/awt/event/KeyEvent VK_F5
java/awt/event/KeyEvent VK_F6
java/awt/event/KeyEvent VK_F7
java/awt/event/KeyEvent VK_F8
java/awt/event/KeyEvent VK_F9
java/awt/event/KeyEvent VK_F10
java/awt/event/KeyEvent
VK_F11
java/awt/event/KeyEvent VK_F12
java/awt/event/KeyEvent VK_F13
java/awt/event/KeyEvent VK_F14
java/awt/event/KeyEvent VK_F15
java/awt/event/KeyEvent VK_F16
java/awt/event/KeyEvent VK_F17
java/awt/event/KeyEvent VK_F18
java/awt/event/KeyEvent VK_F19
java/awt/event/KeyEvent VK_F20
java/awt/event/KeyEvent VK_F21
java/awt/event/KeyEvent VK_F22
java/awt/event/KeyEvent VK_F23
java/awt/event/KeyEvent VK_F24
java/awt/event/KeyEvent VK_PRINTSCREEN
java/awt/event/KeyEvent VK_INSERT
java/awt/event/KeyEvent VK_HELP
java/awt/event/KeyEvent VK_META
java/awt/event/KeyEvent VK_BACK_QUOTE
java/awt/event/KeyEvent VK_QUOTE
java/awt/event/KeyEvent VK_KP_UP
java/awt/event/KeyEvent VK_KP_DOWN
java/awt/event/KeyEvent VK_KP_LEFT
java/awt/event/KeyEvent VK_KP_RIGHT
java/awt/event/KeyEvent VK_DEAD_GRAVE
java/awt/event/KeyEvent VK_DEAD_ACUTE
java/awt/event/KeyEvent VK_DEAD_CIRCUMFLEX
java/awt/event/KeyEvent VK_DEAD_TILDE

java/awt/event/KeyEvent VK_DEAD_MACRON
java/awt/event/KeyEvent VK_DEAD_BREVE
java/awt/event/KeyEvent
VK_DEAD_ABOVEDOT
java/awt/event/KeyEvent VK_DEAD_DIAERESIS
java/awt/event/KeyEvent VK_DEAD_ABOVEERING
java/awt/event/KeyEvent VK_DEAD_DOUBLEACUTE
java/awt/event/KeyEvent VK_DEAD_CARON
java/awt/event/KeyEvent VK_DEAD_CEDILLA
java/awt/event/KeyEvent VK_DEAD_OGONEK
java/awt/event/KeyEvent VK_DEAD_IOTA
java/awt/event/KeyEvent VK_DEAD_VOICED_SOUND
java/awt/event/KeyEvent VK_DEAD_SEMIVOICED_SOUND
java/awt/event/KeyEvent VK_AMPERSAND
java/awt/event/KeyEvent VK_ASTERISK
java/awt/event/KeyEvent VK_QUOTEDBL
java/awt/event/KeyEvent VK_LESS
java/awt/event/KeyEvent VK_GREATER
java/awt/event/KeyEvent VK_BRACELEFT
java/awt/event/KeyEvent VK_BRACERIGHT
java/awt/event/KeyEvent VK_AT
java/awt/event/KeyEvent VK_COLON
java/awt/event/KeyEvent VK_CIRCUMFLEX
java/awt/event/KeyEvent VK_DOLLAR
java/awt/event/KeyEvent VK_EURO_SIGN
java/awt/event/KeyEvent VK_EXCLAMATION_MARK
java/awt/event/KeyEvent VK_INVERTED_EXCLAMATION_MARK
java/awt/event/KeyEvent VK_LEFT_PARENTHESIS
java/awt/event/KeyEvent VK_NUMBER_SIGN
java/awt/event/KeyEvent
VK_PLUS
java/awt/event/KeyEvent VK_RIGHT_PARENTHESIS
java/awt/event/KeyEvent VK_UNDERSCORE
java/awt/event/KeyEvent VK_WINDOWS
java/awt/event/KeyEvent VK_CONTEXT_MENU
java/awt/event/KeyEvent VK_FINAL
java/awt/event/KeyEvent VK_CONVERT
java/awt/event/KeyEvent VK_NONCONVERT
java/awt/event/KeyEvent VK_ACCEPT
java/awt/event/KeyEvent VK_MODECHANGE
java/awt/event/KeyEvent VK_KANA
java/awt/event/KeyEvent VK_KANJI
java/awt/event/KeyEvent VK_ALPHANUMERIC
java/awt/event/KeyEvent VK_KATAKANA
java/awt/event/KeyEvent VK_HIRAGANA
java/awt/event/KeyEvent VK_FULL_WIDTH
java/awt/event/KeyEvent VK_HALF_WIDTH
java/awt/event/KeyEvent VK_ROMAN_CHARACTERS

```

java/awt/event/KeyEvent VK_ALL_CANDIDATES
java/awt/event/KeyEvent VK_PREVIOUS_CANDIDATE
java/awt/event/KeyEvent VK_CODE_INPUT
java/awt/event/KeyEvent VK_JAPANESE_KATAKANA
java/awt/event/KeyEvent VK_JAPANESE_HIRAGANA
java/awt/event/KeyEvent VK_JAPANESE_ROMAN
java/awt/event/KeyEvent VK_KANA_LOCK
java/awt/event/KeyEvent VK_INPUT_METHOD_ON_OFF
java/awt/event/KeyEvent
    VK_CUT
java/awt/event/KeyEvent VK_COPY
java/awt/event/KeyEvent VK_PASTE
java/awt/event/KeyEvent VK_UNDO
java/awt/event/KeyEvent VK_AGAIN
java/awt/event/KeyEvent VK_FIND
java/awt/event/KeyEvent VK_PROPS
java/awt/event/KeyEvent VK_STOP
java/awt/event/KeyEvent VK_COMPOSE
java/awt/event/KeyEvent VK_ALT_GRAPH
java/awt/event/KeyEvent VK_BEGIN
java/awt/event/KeyEvent VK_UNDEFINED
java/awt/event/KeyEvent CHAR_UNDEFINED
java/awt/event/KeyEvent KEY_LOCATION_UNKNOWN
java/awt/event/KeyEvent KEY_LOCATION_STANDARD
java/awt/event/KeyEvent KEY_LOCATION_LEFT
java/awt/event/KeyEvent KEY_LOCATION_RIGHT
java/awt/event/KeyEvent KEY_LOCATION_NUMPAD
java/awt/event/KeyEvent keyCode
java/awt/event/KeyEvent keyChar
java/awt/event/KeyEvent keyLocation
java/awt/event/KeyEvent serialVersionUID
java/awt/event/KeyEvent initIDs()V
java/awt/event/KeyEvent <init>(Ljava/awt/Component;IJICIZ)V
java/awt/event/KeyEvent <init>(Ljava/awt/Component;IJICI)V
java/awt/event/KeyEvent
    <init>(Ljava/awt/Component;IJIC)V
java/awt/event/KeyEvent <init>(Ljava/awt/Component;IJII)V
java/awt/event/KeyEvent getKeyCode()I
java/awt/event/KeyEvent setKeyCode(I)V
java/awt/event/KeyEvent getKeyChar()C
java/awt/event/KeyEvent setKeyChar(C)V
java/awt/event/KeyEvent setModifiers(I)V
java/awt/event/KeyEvent getKeyLocation()I
java/awt/event/KeyEvent getKeyText()Ljava/lang/String;
java/awt/event/KeyEvent getKeyModifiersText()Ljava/lang/String;
java/awt/event/KeyEvent isActionKey()Z
java/awt/event/KeyEvent paramString()Ljava/lang/String;
java/awt/event/KeyEvent setNewModifiers()V

```

```

java/awt/event/KeyEvent setOldModifiers()V
java/awt/event/KeyEvent readObject(Ljava/io/ObjectInputStream;)V
java/awt/event/KeyEvent <clinit>()V
class java/awt/event/InputEvent java/awt/event/ComponentEvent
java/awt/event/InputEvent SHIFT_MASK
java/awt/event/InputEvent CTRL_MASK
java/awt/event/InputEvent META_MASK
java/awt/event/InputEvent ALT_MASK
java/awt/event/InputEvent ALT_GRAPH_MASK
java/awt/event/InputEvent
    BUTTON1_MASK
java/awt/event/InputEvent BUTTON2_MASK
java/awt/event/InputEvent BUTTON3_MASK
java/awt/event/InputEvent SHIFT_DOWN_MASK
java/awt/event/InputEvent CTRL_DOWN_MASK
java/awt/event/InputEvent META_DOWN_MASK
java/awt/event/InputEvent ALT_DOWN_MASK
java/awt/event/InputEvent BUTTON1_DOWN_MASK
java/awt/event/InputEvent BUTTON2_DOWN_MASK
java/awt/event/InputEvent BUTTON3_DOWN_MASK
java/awt/event/InputEvent ALT_GRAPH_DOWN_MASK
java/awt/event/InputEvent JDK_1_3_MODIFIERS
java/awt/event/InputEvent when
java/awt/event/InputEvent modifiers
java/awt/event/InputEvent canAccessSystemClipboard
java/awt/event/InputEvent serialVersionUID
java/awt/event/InputEvent initIDs()V
java/awt/event/InputEvent <init>(Ljava/awt/Component;IJI)V
java/awt/event/InputEvent canAccessSystemClipboard()Z
java/awt/event/InputEvent isShiftDown()Z
java/awt/event/InputEvent isControlDown()Z
java/awt/event/InputEvent isMetaDown()Z
java/awt/event/InputEvent isAltDown()Z
java/awt/event/InputEvent isAltGraphDown()Z
java/awt/event/InputEvent
    getWhen()J
java/awt/event/InputEvent getModifiers()I
java/awt/event/InputEvent getModifiersEx()I
java/awt/event/InputEvent consume()V
java/awt/event/InputEvent isConsumed()Z
java/awt/event/InputEvent getModifiersExText(I)Ljava/lang/String;
java/awt/event/InputEvent <clinit>()V
class java/awt/event/ComponentEvent java/awt/AWTEvent
java/awt/event/ComponentEvent COMPONENT_FIRST
java/awt/event/ComponentEvent COMPONENT_LAST
java/awt/event/ComponentEvent COMPONENT_MOVED
java/awt/event/ComponentEvent COMPONENT_RESIZED
java/awt/event/ComponentEvent COMPONENT_SHOWN

```

```

java/awt/event/ComponentEvent COMPONENT_HIDDEN
java/awt/event/ComponentEvent serialVersionUID
java/awt/event/ComponentEvent <init>(Ljava/awt/Component;I)V
java/awt/event/ComponentEvent getComponent()Ljava/awt/Component;
java/awt/event/ComponentEvent paramString(Ljava/lang/String;
class java/awt/AWTEvent java/util/EventObject
java/awt/AWTEvent bdata
java/awt/AWTEvent id
java/awt/AWTEvent consumed
java/awt/AWTEvent
    focusManagerIsDispatching
java/awt/AWTEvent isPosted
java/awt/AWTEvent COMPONENT_EVENT_MASK
java/awt/AWTEvent CONTAINER_EVENT_MASK
java/awt/AWTEvent FOCUS_EVENT_MASK
java/awt/AWTEvent KEY_EVENT_MASK
java/awt/AWTEvent MOUSE_EVENT_MASK
java/awt/AWTEvent MOUSE_MOTION_EVENT_MASK
java/awt/AWTEvent WINDOW_EVENT_MASK
java/awt/AWTEvent ACTION_EVENT_MASK
java/awt/AWTEvent ADJUSTMENT_EVENT_MASK
java/awt/AWTEvent ITEM_EVENT_MASK
java/awt/AWTEvent TEXT_EVENT_MASK
java/awt/AWTEvent INPUT_METHOD_EVENT_MASK
java/awt/AWTEvent INPUT_METHODS_ENABLED_MASK
java/awt/AWTEvent PAINT_EVENT_MASK
java/awt/AWTEvent INVOCATION_EVENT_MASK
java/awt/AWTEvent HIERARCHY_EVENT_MASK
java/awt/AWTEvent HIERARCHY_BOUNDS_EVENT_MASK
java/awt/AWTEvent MOUSE_WHEEL_EVENT_MASK
java/awt/AWTEvent WINDOW_STATE_EVENT_MASK
java/awt/AWTEvent WINDOW_FOCUS_EVENT_MASK
java/awt/AWTEvent RESERVED_ID_MAX
java/awt/AWTEvent inputEvent_CanAccessSystemClipboard_Field
java/awt/AWTEvent serialVersionUID
java/awt/AWTEvent get_InputEvent_CanAccessSystemClipboard()Ljava/lang/reflect/Field;
java/awt/AWTEvent
    initIDs()V
java/awt/AWTEvent <init>(Ljava/awt/Event;)V
java/awt/AWTEvent <init>(Ljava/lang/Object;I)V
java/awt/AWTEvent setSource(Ljava/lang/Object;)V
java/awt/AWTEvent nativeSetSource(Ljava/awt/peer/ComponentPeer;)V
java/awt/AWTEvent getID()I
java/awt/AWTEvent toString()Ljava/lang/String;
java/awt/AWTEvent paramString(Ljava/lang/String;
java/awt/AWTEvent consume()V
java/awt/AWTEvent isConsumed()Z
java/awt/AWTEvent convertToOld()Ljava/awt/Event;

```

```

java/awt/AWTEvent copyPrivateDataInto(Ljava/awt/AWTEvent;)V
java/awt/AWTEvent dispatched()V
java/awt/AWTEvent <clinit>()V
class java/awt/KeyboardFocusManager java/lang/Object
java/awt/KeyboardFocusManager focusLog
java/awt/KeyboardFocusManager peer
java/awt/KeyboardFocusManager dbg
java/awt/KeyboardFocusManager FORWARD_TRAVERSAL_KEYS
java/awt/KeyboardFocusManager BACKWARD_TRAVERSAL_KEYS
java/awt/KeyboardFocusManager UP_CYCLE_TRAVERSAL_KEYS
java/awt/KeyboardFocusManager DOWN_CYCLE_TRAVERSAL_KEYS
java/awt/KeyboardFocusManager
    TRAVERSAL_KEY_LENGTH
java/awt/KeyboardFocusManager inActivation
java/awt/KeyboardFocusManager focusOwner
java/awt/KeyboardFocusManager permanentFocusOwner
java/awt/KeyboardFocusManager focusedWindow
java/awt/KeyboardFocusManager activeWindow
java/awt/KeyboardFocusManager defaultPolicy
java/awt/KeyboardFocusManager defaultFocusTraversalKeyPropertyNames
java/awt/KeyboardFocusManager defaultFocusTraversalKeyStrokes
java/awt/KeyboardFocusManager defaultFocusTraversalKeys
java/awt/KeyboardFocusManager currentFocusCycleRoot
java/awt/KeyboardFocusManager vetoableSupport
java/awt/KeyboardFocusManager changeSupport
java/awt/KeyboardFocusManager keyEventDispatchers
java/awt/KeyboardFocusManager keyEventPostProcessors
java/awt/KeyboardFocusManager mostRecentFocusOwners
java/awt/KeyboardFocusManager notPrivileged
java/awt/KeyboardFocusManager replaceKeyboardFocusManagerPermission
java/awt/KeyboardFocusManager currentSequencedEvent
java/awt/KeyboardFocusManager
    heavyweightRequests
java/awt/KeyboardFocusManager currentLightweightRequests
java/awt/KeyboardFocusManager clearingCurrentLightweightRequests
java/awt/KeyboardFocusManager allowSyncFocusRequests
java/awt/KeyboardFocusManager newFocusOwner
java/awt/KeyboardFocusManager disableRestoreFocus
java/awt/KeyboardFocusManager SNFH_FAILURE
java/awt/KeyboardFocusManager SNFH_SUCCESS_HANDLED
java/awt/KeyboardFocusManager SNFH_SUCCESS_PROCEED
java/awt/KeyboardFocusManager proxyActive
java/awt/KeyboardFocusManager $assertionsDisabled
java/awt/KeyboardFocusManager initIDs()V
java/awt/KeyboardFocusManager isInActivation()Z
java/awt/KeyboardFocusManager setInActivation(Z)V
java/awt/KeyboardFocusManager getCurrentKeyboardFocusManager()Ljava/awt/KeyboardFocusManager;
java/awt/KeyboardFocusManager

```

```

getCurrentKeyboardFocusManager(Lsun/awt/AppContext;)Ljava/awt/KeyboardFocusManager;
java/awt/KeyboardFocusManager setCurrentKeyboardFocusManager(Ljava/awt/KeyboardFocusManager;)V
java/awt/KeyboardFocusManager
    setCurrentSequencedEvent(Ljava/awt/SequencedEvent;)V
java/awt/KeyboardFocusManager getCurrentSequencedEvent()Ljava/awt/SequencedEvent;
java/awt/KeyboardFocusManager initFocusTraversalKeysSet(Ljava/lang/String;Ljava/util/Set;)Ljava/util/Set;
java/awt/KeyboardFocusManager <init>()V
java/awt/KeyboardFocusManager initPeer()V
java/awt/KeyboardFocusManager getFocusOwner()Ljava/awt/Component;
java/awt/KeyboardFocusManager getGlobalFocusOwner()Ljava/awt/Component;
java/awt/KeyboardFocusManager setGlobalFocusOwner(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager clearGlobalFocusOwner()V
java/awt/KeyboardFocusManager _clearGlobalFocusOwner()V
java/awt/KeyboardFocusManager getNativeFocusOwner()Ljava/awt/Component;
java/awt/KeyboardFocusManager setNativeFocusOwner(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager getNativeFocusedWindow()Ljava/awt/Window;
java/awt/KeyboardFocusManager setNativeFocusedWindow(Ljava/awt/Window;)V
java/awt/KeyboardFocusManager getPermanentFocusOwner()Ljava/awt/Component;
java/awt/KeyboardFocusManager
    getGlobalPermanentFocusOwner()Ljava/awt/Component;
java/awt/KeyboardFocusManager setGlobalPermanentFocusOwner(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager getFocusedWindow()Ljava/awt/Window;
java/awt/KeyboardFocusManager getGlobalFocusedWindow()Ljava/awt/Window;
java/awt/KeyboardFocusManager setGlobalFocusedWindow(Ljava/awt/Window;)V
java/awt/KeyboardFocusManager getActiveWindow()Ljava/awt/Window;
java/awt/KeyboardFocusManager getGlobalActiveWindow()Ljava/awt/Window;
java/awt/KeyboardFocusManager setGlobalActiveWindow(Ljava/awt/Window;)V
java/awt/KeyboardFocusManager getDefaultFocusTraversalPolicy()Ljava/awt/FocusTraversalPolicy;
java/awt/KeyboardFocusManager setDefaultFocusTraversalPolicy(Ljava/awt/FocusTraversalPolicy;)V
java/awt/KeyboardFocusManager setDefaultFocusTraversalKeys(ILjava/util/Set;)V
java/awt/KeyboardFocusManager getDefaultFocusTraversalKeys(I)Ljava/util/Set;
java/awt/KeyboardFocusManager getCurrentFocusCycleRoot()Ljava/awt/Container;
java/awt/KeyboardFocusManager
    getGlobalCurrentFocusCycleRoot()Ljava/awt/Container;
java/awt/KeyboardFocusManager setGlobalCurrentFocusCycleRoot(Ljava/awt/Container;)V
java/awt/KeyboardFocusManager addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/KeyboardFocusManager removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/KeyboardFocusManager getPropertyChangeListeners()[Ljava/beans/PropertyChangeListener;
java/awt/KeyboardFocusManager
    addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/KeyboardFocusManager
    removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/KeyboardFocusManager
    getPropertyChangeListeners(Ljava/lang/String;)[Ljava/beans/PropertyChangeListener;
java/awt/KeyboardFocusManager firePropertyChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/awt/KeyboardFocusManager addVetoableChangeListener(Ljava/beans/VetoableChangeListener;)V
java/awt/KeyboardFocusManager

```



```

removeVetoableChangeListener(Ljava/beans/VetoableChangeListener;)V
java/awt/KeyboardFocusManager getVetoableChangeListeners()[Ljava/beans/VetoableChangeListener;
java/awt/KeyboardFocusManager
addVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/awt/KeyboardFocusManager
removeVetoableChangeListener(Ljava/lang/String;Ljava/beans/VetoableChangeListener;)V
java/awt/KeyboardFocusManager
getVetoableChangeListeners(Ljava/lang/String;)[Ljava/beans/VetoableChangeListener;
java/awt/KeyboardFocusManager fireVetoableChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/awt/KeyboardFocusManager addKeyEventDispatcher(Ljava/awt/KeyEventDispatcher;)V
java/awt/KeyboardFocusManager removeKeyEventDispatcher(Ljava/awt/KeyEventDispatcher;)V
java/awt/KeyboardFocusManager getKeyEventDispatchers()Ljava/util/List;
java/awt/KeyboardFocusManager addKeyEventPostProcessor(Ljava/awt/KeyEventPostProcessor;)V
java/awt/KeyboardFocusManager
removeKeyEventPostProcessor(Ljava/awt/KeyEventPostProcessor;)V
java/awt/KeyboardFocusManager getKeyEventPostProcessors()Ljava/util/List;
java/awt/KeyboardFocusManager setMostRecentFocusOwner(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager setMostRecentFocusOwner(Ljava/awt/Window;Ljava/awt/Component;)V
java/awt/KeyboardFocusManager clearMostRecentFocusOwner(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager getMostRecentFocusOwner(Ljava/awt/Window;)Ljava/awt/Component;
java/awt/KeyboardFocusManager dispatchEvent(Ljava/awt/AWTEvent;)Z
java/awt/KeyboardFocusManager redisplayEvent(Ljava/awt/Component;Ljava/awt/AWTEvent;)V
java/awt/KeyboardFocusManager dispatchKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/KeyboardFocusManager postProcessKeyEvent(Ljava/awt/event/KeyEvent;)Z
java/awt/KeyboardFocusManager processKeyEvent(Ljava/awt/Component;Ljava/awt/event/KeyEvent;)V
java/awt/KeyboardFocusManager enqueueKeyEvents(JLjava/awt/Component;)V
java/awt/KeyboardFocusManager dequeueKeyEvents(JLjava/awt/Component;)V
java/awt/KeyboardFocusManager
discardKeyEvents(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager focusNextComponent(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager focusPreviousComponent(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager upFocusCycle(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager downFocusCycle(Ljava/awt/Container;)V
java/awt/KeyboardFocusManager focusNextComponent()V
java/awt/KeyboardFocusManager focusPreviousComponent()V
java/awt/KeyboardFocusManager upFocusCycle()V
java/awt/KeyboardFocusManager downFocusCycle()V
java/awt/KeyboardFocusManager dumpRequests()V
java/awt/KeyboardFocusManager
processSynchronousLightweightTransfer(Ljava/awt/Component;Ljava/awt/Component;ZZJ)Z
java/awt/KeyboardFocusManager
shouldNativelyFocusHeavyweight(Ljava/awt/Component;Ljava/awt/Component;ZZJ)I
java/awt/KeyboardFocusManager heavyweightButtonDown(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager heavyweightButtonDown(Ljava/awt/Component;JZ)V
java/awt/KeyboardFocusManager
markClearGlobalFocusOwner(Ljava/awt/Window;
java/awt/KeyboardFocusManager getCurrentWaitingRequest(Ljava/awt/Component;)Ljava/awt/Component;
java/awt/KeyboardFocusManager

```

```

dispatchAndCatchException(Ljava/lang/Throwable;Ljava/awt/Component;Ljava/awt/event/FocusEvent;)Ljava/lang/
Throwable;
java/awt/KeyboardFocusManager handleException(Ljava/lang/Throwable;)V
java/awt/KeyboardFocusManager hasFocusRequests()Z
java/awt/KeyboardFocusManager processCurrentLightweightRequests()V
java/awt/KeyboardFocusManager
retargetUnexpectedFocusEvent(Ljava/awt/event/FocusEvent;)Ljava/awt/event/FocusEvent;
java/awt/KeyboardFocusManager retargetFocusGained(Ljava/awt/event/FocusEvent;)Ljava/awt/event/FocusEvent;
java/awt/KeyboardFocusManager retargetFocusLost(Ljava/awt/event/FocusEvent;)Ljava/awt/event/FocusEvent;
java/awt/KeyboardFocusManager retargetFocusEvent(Ljava/awt/AWTEvent;)Ljava/awt/AWTEvent;
java/awt/KeyboardFocusManager clearMarkers()V
java/awt/KeyboardFocusManager
removeFirstRequest()Z
java/awt/KeyboardFocusManager removeLastFocusRequest(Ljava/awt/Component;)V
java/awt/KeyboardFocusManager focusedWindowChanged(Ljava/awt/Component;Ljava/awt/Component;)Z
java/awt/KeyboardFocusManager isTemporary(Ljava/awt/Component;Ljava/awt/Component;)Z
java/awt/KeyboardFocusManager getHeavyweight(Ljava/awt/Component;)Ljava/awt/Component;
java/awt/KeyboardFocusManager isProxyActiveImpl(Ljava/awt/event/KeyEvent;)Z
java/awt/KeyboardFocusManager isProxyActive(Ljava/awt/event/KeyEvent;)Z
java/awt/KeyboardFocusManager access$000()Lsun/awt/DebugHelper;
java/awt/KeyboardFocusManager <clinit>()V
class java/awt/KeyEventPostProcessor java/lang/Object
java/awt/KeyEventPostProcessor postProcessKeyEvent(Ljava/awt/event/KeyEvent;)Z
class java/awt/KeyEventDispatcher java/lang/Object
java/awt/KeyEventDispatcher dispatchKeyEvent(Ljava/awt/event/KeyEvent;)Z
class java/awt/Queue java/lang/Object
java/awt/Queue head
java/awt/Queue tail
java/awt/Queue <init>()V
class java/awt/EventQueue
java/lang/Object
java/awt/EventQueue dbg
java/awt/EventQueue threadInitNumber
java/awt/EventQueue LOW_PRIORITY
java/awt/EventQueue NORM_PRIORITY
java/awt/EventQueue HIGH_PRIORITY
java/awt/EventQueue ULTIMATE_PRIORITY
java/awt/EventQueue NUM_PRIORITIES
java/awt/EventQueue queues
java/awt/EventQueue nextQueue
java/awt/EventQueue previousQueue
java/awt/EventQueue dispatchThread
java/awt/EventQueue threadGroup
java/awt/EventQueue classLoader
java/awt/EventQueue debug
java/awt/EventQueue mostRecentEventTime
java/awt/EventQueue currentEvent
java/awt/EventQueue waitForID

```

```

java/awt/EventQueue name
java/awt/EventQueue nextThreadNum()I
java/awt/EventQueue <init>()V
java/awt/EventQueue postEvent(Ljava/awt/AWTEvent;)V
java/awt/EventQueue postEventPrivate(Ljava/awt/AWTEvent;)V
java/awt/EventQueue postEvent(Ljava/awt/AWTEvent;I)V
java/awt/EventQueue noEvents()Z
java/awt/EventQueue getNextEvent()Ljava/awt/AWTEvent;
java/awt/EventQueue getNextEvent(I)Ljava/awt/AWTEvent;
java/awt/EventQueue
    peekEvent()Ljava/awt/AWTEvent;
java/awt/EventQueue peekEvent(I)Ljava/awt/AWTEvent;
java/awt/EventQueue dispatchEvent(Ljava/awt/AWTEvent;)V
java/awt/EventQueue getMostRecentEventTime()J
java/awt/EventQueue getMostRecentEventTimeImpl()J
java/awt/EventQueue getMostRecentEventTimeEx()J
java/awt/EventQueue getCurrentEvent()Ljava/awt/AWTEvent;
java/awt/EventQueue getCurrentEventImpl()Ljava/awt/AWTEvent;
java/awt/EventQueue push(Ljava/awt/EventQueue;)V
java/awt/EventQueue pop()V
java/awt/EventQueue isDispatchThread()Z
java/awt/EventQueue initDispatchThread()V
java/awt/EventQueue detachDispatchThread()V
java/awt/EventQueue getDispatchThread()Ljava/awt/EventDispatchThread;
java/awt/EventQueue removeSourceEvents(Ljava/lang/Object;Z)V
java/awt/EventQueue setCurrentEventAndMostRecentTime(Ljava/awt/AWTEvent;)V
java/awt/EventQueue setCurrentEventAndMostRecentTimeImpl(Ljava/awt/AWTEvent;)V
java/awt/EventQueue invokeLater(Ljava/lang/Runnable;)V
java/awt/EventQueue invokeAndWait(Ljava/lang/Runnable;)V
java/awt/EventQueue
    wakeup(Z)V
java/awt/EventQueue access$000(Ljava/awt/EventQueue;)Ljava/lang/ThreadGroup;
java/awt/EventQueue access$100(Ljava/awt/EventQueue;)Ljava/lang/String;
java/awt/EventQueue access$200(Ljava/awt/EventQueue;)Ljava/lang/ClassLoader;
java/awt/EventQueue <clinit>()V
class java/util/MissingResourceException java/lang/RuntimeException
java/util/MissingResourceException className
java/util/MissingResourceException key
java/util/MissingResourceException <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/util/MissingResourceException getClassName()Ljava/lang/String;
java/util/MissingResourceException getKey()Ljava/lang/String;
class java/awt/Toolkit$2 java/lang/Object
java/awt/Toolkit$2 <init>()V
java/awt/Toolkit$2 run()Ljava/lang/Object;
class java/awt/Rectangle java/awt/geom/Rectangle2D
java/awt/Rectangle x
java/awt/Rectangle y
java/awt/Rectangle width

```

```

java/awt/Rectangle height
java/awt/Rectangle serialVersionUID
java/awt/Rectangle initIDs()V
java/awt/Rectangle
    <init>()V
java/awt/Rectangle <init>(Ljava/awt/Rectangle;)V
java/awt/Rectangle <init>(III)V
java/awt/Rectangle <init>(II)V
java/awt/Rectangle <init>(Ljava/awt/Point;Ljava/awt/Dimension;)V
java/awt/Rectangle <init>(Ljava/awt/Point;)V
java/awt/Rectangle <init>(Ljava/awt/Dimension;)V
java/awt/Rectangle getX()D
java/awt/Rectangle getY()D
java/awt/Rectangle getWidth()D
java/awt/Rectangle getHeight()D
java/awt/Rectangle getBounds()Ljava/awt/Rectangle;
java/awt/Rectangle getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/Rectangle setBounds(Ljava/awt/Rectangle;)V
java/awt/Rectangle setBounds(III)V
java/awt/Rectangle setRect(DDDD)V
java/awt/Rectangle reshape(III)V
java/awt/Rectangle getLocation()Ljava/awt/Point;
java/awt/Rectangle setLocation(Ljava/awt/Point;)V
java/awt/Rectangle setLocation(II)V
java/awt/Rectangle move(II)V
java/awt/Rectangle translate(II)V
java/awt/Rectangle getSize()Ljava/awt/Dimension;
java/awt/Rectangle setSize(Ljava/awt/Dimension;)V
java/awt/Rectangle setSize(II)V
java/awt/Rectangle
    resize(II)V
java/awt/Rectangle contains(Ljava/awt/Point;)Z
java/awt/Rectangle contains(II)Z
java/awt/Rectangle contains(Ljava/awt/Rectangle;)Z
java/awt/Rectangle contains(III)Z
java/awt/Rectangle inside(II)Z
java/awt/Rectangle intersects(Ljava/awt/Rectangle;)Z
java/awt/Rectangle intersection(Ljava/awt/Rectangle;)Ljava/awt/Rectangle;
java/awt/Rectangle union(Ljava/awt/Rectangle;)Ljava/awt/Rectangle;
java/awt/Rectangle add(II)V
java/awt/Rectangle add(Ljava/awt/Point;)V
java/awt/Rectangle add(Ljava/awt/Rectangle;)V
java/awt/Rectangle grow(II)V
java/awt/Rectangle isEmpty()Z
java/awt/Rectangle outcode(DD)I
java/awt/Rectangle createIntersection(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/Rectangle createUnion(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/Rectangle equals(Ljava/lang/Object;)Z

```

```

java/awt/Rectangle toString()Ljava/lang/String;
java/awt/Rectangle <clinit>()V
class java/awt/BorderLayout java/lang/Object
java/awt/BorderLayout
    hgap
java/awt/BorderLayout vgap
java/awt/BorderLayout north
java/awt/BorderLayout west
java/awt/BorderLayout east
java/awt/BorderLayout south
java/awt/BorderLayout center
java/awt/BorderLayout firstLine
java/awt/BorderLayout lastLine
java/awt/BorderLayout firstItem
java/awt/BorderLayout lastItem
java/awt/BorderLayout NORTH
java/awt/BorderLayout SOUTH
java/awt/BorderLayout EAST
java/awt/BorderLayout WEST
java/awt/BorderLayout CENTER
java/awt/BorderLayout BEFORE_FIRST_LINE
java/awt/BorderLayout AFTER_LAST_LINE
java/awt/BorderLayout BEFORE_LINE_BEGINS
java/awt/BorderLayout AFTER_LINE_ENDS
java/awt/BorderLayout PAGE_START
java/awt/BorderLayout PAGE_END
java/awt/BorderLayout LINE_START
java/awt/BorderLayout LINE_END
java/awt/BorderLayout serialVersionUID
java/awt/BorderLayout <init>()V
java/awt/BorderLayout <init>(II)V
java/awt/BorderLayout getHgap()I
java/awt/BorderLayout setHgap(I)V
java/awt/BorderLayout getVgap()I
java/awt/BorderLayout setVgap(I)V
java/awt/BorderLayout addLayoutComponent(Ljava/awt/Component;Ljava/lang/Object;)V
java/awt/BorderLayout
    addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/BorderLayout removeLayoutComponent(Ljava/awt/Component;)V
java/awt/BorderLayout getLayoutComponent(Ljava/lang/Object;)Ljava/awt/Component;
java/awt/BorderLayout getLayoutComponent(Ljava/awt/Container;Ljava/lang/Object;)Ljava/awt/Component;
java/awt/BorderLayout getConstraints(Ljava/awt/Component;)Ljava/lang/Object;
java/awt/BorderLayout minimumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/BorderLayout preferredLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/BorderLayout maximumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/BorderLayout getLayoutAlignmentX(Ljava/awt/Container;)F
java/awt/BorderLayout getLayoutAlignmentY(Ljava/awt/Container;)F
java/awt/BorderLayout invalidateLayout(Ljava/awt/Container;)V

```

```

java/awt/BorderLayout layoutContainer(Ljava/awt/Container;)V
java/awt/BorderLayout getChild(Ljava/lang/String;Z)Ljava/awt/Component;
java/awt/BorderLayout
    toString()Ljava/lang/String;
class java/awt/LayoutManager2 java/lang/Object
java/awt/LayoutManager2 addLayoutComponent(Ljava/awt/Component;Ljava/lang/Object;)V
java/awt/LayoutManager2 maximumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/LayoutManager2 getLayoutAlignmentX(Ljava/awt/Container;)F
java/awt/LayoutManager2 getLayoutAlignmentY(Ljava/awt/Container;)F
java/awt/LayoutManager2 invalidateLayout(Ljava/awt/Container;)V
class java/awt/GraphicsConfiguration java/lang/Object
java/awt/GraphicsConfiguration defaultBufferCaps
java/awt/GraphicsConfiguration defaultImageCaps
java/awt/GraphicsConfiguration <init>()V
java/awt/GraphicsConfiguration getDevice()Ljava/awt/GraphicsDevice;
java/awt/GraphicsConfiguration createCompatibleImage(II)Ljava/awt/image/BufferedImage;
java/awt/GraphicsConfiguration createCompatibleVolatileImage(II)Ljava/awt/image/VolatileImage;
java/awt/GraphicsConfiguration createCompatibleVolatileImage(III)Ljava/awt/image/VolatileImage;
java/awt/GraphicsConfiguration
    createCompatibleVolatileImage(III,Ljava/awt/ImageCapabilities;)Ljava/awt/image/VolatileImage;
java/awt/GraphicsConfiguration
    createCompatibleVolatileImage(III,Ljava/awt/ImageCapabilities;I)Ljava/awt/image/VolatileImage;
java/awt/GraphicsConfiguration createCompatibleImage(III)Ljava/awt/image/BufferedImage;
java/awt/GraphicsConfiguration getColorModel()Ljava/awt/image/ColorModel;
java/awt/GraphicsConfiguration getColorModel(I)Ljava/awt/image/ColorModel;
java/awt/GraphicsConfiguration getDefaultTransform()Ljava/awt/geom/AffineTransform;
java/awt/GraphicsConfiguration getNormalizingTransform()Ljava/awt/geom/AffineTransform;
java/awt/GraphicsConfiguration getBounds()Ljava/awt/Rectangle;
java/awt/GraphicsConfiguration getBufferCapabilities()Ljava/awt/BufferCapabilities;
java/awt/GraphicsConfiguration getImageCapabilities()Ljava/awt/ImageCapabilities;
class java/awt/GraphicsDevice java/lang/Object
java/awt/GraphicsDevice fullScreenWindow
java/awt/GraphicsDevice
    windowedModeBounds
java/awt/GraphicsDevice TYPE_RASTER_SCREEN
java/awt/GraphicsDevice TYPE_PRINTER
java/awt/GraphicsDevice TYPE_IMAGE_BUFFER
java/awt/GraphicsDevice <init>()V
java/awt/GraphicsDevice getType()I
java/awt/GraphicsDevice getIDstring()Ljava/lang/String;
java/awt/GraphicsDevice getConfigurations()[Ljava/awt/GraphicsConfiguration;
java/awt/GraphicsDevice getDefaultConfiguration()Ljava/awt/GraphicsConfiguration;
java/awt/GraphicsDevice
    getBestConfiguration(Ljava/awt/GraphicsConfigTemplate;)Ljava/awt/GraphicsConfiguration;
java/awt/GraphicsDevice isFullScreenSupported()Z
java/awt/GraphicsDevice setFullScreenWindow(Ljava/awt/Window;)V
java/awt/GraphicsDevice getFullScreenWindow()Ljava/awt/Window;
java/awt/GraphicsDevice isDisplayChangeSupported()Z

```

```

java/awt/GraphicsDevice setDisplayMode(Ljava/awt/DisplayMode;)V
java/awt/GraphicsDevice getDisplayMode()Ljava/awt/DisplayMode;
java/awt/GraphicsDevice getDisplayModes()[Ljava/awt/DisplayMode;
java/awt/GraphicsDevice
    getAvailableAcceleratedMemory()I
class java/util/HashMap$KeyIterator java/util/HashMap$HashIterator
java/util/HashMap$KeyIterator this$0
java/util/HashMap$KeyIterator <init>(Ljava/util/HashMap;)V
java/util/HashMap$KeyIterator next()Ljava/lang/Object;
java/util/HashMap$KeyIterator <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V
class java/util/HashMap$HashIterator java/lang/Object
java/util/HashMap$HashIterator next
java/util/HashMap$HashIterator expectedModCount
java/util/HashMap$HashIterator index
java/util/HashMap$HashIterator current
java/util/HashMap$HashIterator this$0
java/util/HashMap$HashIterator <init>(Ljava/util/HashMap;)V
java/util/HashMap$HashIterator hasNext()Z
java/util/HashMap$HashIterator nextEntry()Ljava/util/HashMap$Entry;
java/util/HashMap$HashIterator remove()V
class java/util/HashMap$KeySet java/util/AbstractSet
java/util/HashMap$KeySet this$0
java/util/HashMap$KeySet <init>(Ljava/util/HashMap;)V
java/util/HashMap$KeySet iterator()Ljava/util/Iterator;
java/util/HashMap$KeySet
    size()I
java/util/HashMap$KeySet contains(Ljava/lang/Object;)Z
java/util/HashMap$KeySet remove(Ljava/lang/Object;)Z
java/util/HashMap$KeySet clear()V
java/util/HashMap$KeySet <init>(Ljava/util/HashMap;Ljava/util/HashMap$1;)V
class java/lang/Short$ShortCache java/lang/Object
java/lang/Short$ShortCache cache
java/lang/Short$ShortCache <init>()V
java/lang/Short$ShortCache <clinit>()V
class java/lang/Integer$IntegerCache java/lang/Object
java/lang/Integer$IntegerCache cache
java/lang/Integer$IntegerCache <init>()V
java/lang/Integer$IntegerCache <clinit>()V
class java/awt/geom/Rectangle2D$Float java/awt/geom/Rectangle2D
java/awt/geom/Rectangle2D$Float x
java/awt/geom/Rectangle2D$Float y
java/awt/geom/Rectangle2D$Float width
java/awt/geom/Rectangle2D$Float height
java/awt/geom/Rectangle2D$Float <init>()V
java/awt/geom/Rectangle2D$Float <init>(FFFF)V
java/awt/geom/Rectangle2D$Float getX()D
java/awt/geom/Rectangle2D$Float getY()D
java/awt/geom/Rectangle2D$Float getWidth()D

```

```

java/awt/geom/Rectangle2D$Float
getHeight()D
java/awt/geom/Rectangle2D$Float isEmpty()Z
java/awt/geom/Rectangle2D$Float setRect(FFFF)V
java/awt/geom/Rectangle2D$Float setRect(DDDD)V
java/awt/geom/Rectangle2D$Float setRect(Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D$Float outcode(DD)I
java/awt/geom/Rectangle2D$Float getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D$Float createIntersection(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D$Float createUnion(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D$Float toString()Ljava/lang/String;
class java/awt/geom/Rectangle2D java/awt/geom/RectangularShape
java/awt/geom/Rectangle2D OUT_LEFT
java/awt/geom/Rectangle2D OUT_TOP
java/awt/geom/Rectangle2D OUT_RIGHT
java/awt/geom/Rectangle2D OUT_BOTTOM
java/awt/geom/Rectangle2D <init>()V
java/awt/geom/Rectangle2D setRect(DDDD)V
java/awt/geom/Rectangle2D setRect(Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D
intersectsLine(DDDD)Z
java/awt/geom/Rectangle2D intersectsLine(Ljava/awt/geom/Line2D;)Z
java/awt/geom/Rectangle2D outcode(DD)I
java/awt/geom/Rectangle2D outcode(Ljava/awt/geom/Point2D;)I
java/awt/geom/Rectangle2D setFrame(DDDD)V
java/awt/geom/Rectangle2D getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D contains(DD)Z
java/awt/geom/Rectangle2D intersects(DDDD)Z
java/awt/geom/Rectangle2D contains(DDDD)Z
java/awt/geom/Rectangle2D createIntersection(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D
intersect(Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D createUnion(Ljava/awt/geom/Rectangle2D;)Ljava/awt/geom/Rectangle2D;
java/awt/geom/Rectangle2D
union(Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D add(DD)V
java/awt/geom/Rectangle2D add(Ljava/awt/geom/Point2D;)V
java/awt/geom/Rectangle2D add(Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/Rectangle2D
getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/Rectangle2D getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/Rectangle2D hashCode()I
java/awt/geom/Rectangle2D equals(Ljava/lang/Object;)Z
class java/awt/geom/RectangularShape java/lang/Object
java/awt/geom/RectangularShape <init>()V
java/awt/geom/RectangularShape getX()D
java/awt/geom/RectangularShape getY()D
java/awt/geom/RectangularShape getWidth()D

```



```

java/awt/geom/RectangularShape getHeight()D
java/awt/geom/RectangularShape getMinX()D
java/awt/geom/RectangularShape getMinY()D
java/awt/geom/RectangularShape getMaxX()D
java/awt/geom/RectangularShape getMaxY()D
java/awt/geom/RectangularShape getCenterX()D
java/awt/geom/RectangularShape getCenterY()D
java/awt/geom/RectangularShape getFrame()Ljava/awt/geom/Rectangle2D;
java/awt/geom/RectangularShape isEmpty()Z
java/awt/geom/RectangularShape setFrame(DDDD)V
java/awt/geom/RectangularShape
    setFrame(Ljava/awt/geom/Point2D;Ljava/awt/geom/Dimension2D;)V
java/awt/geom/RectangularShape setFrame(Ljava/awt/geom/Rectangle2D;)V
java/awt/geom/RectangularShape setFrameFromDiagonal(DDDD)V
java/awt/geom/RectangularShape setFrameFromDiagonal(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/RectangularShape setFrameFromCenter(DDDD)V
java/awt/geom/RectangularShape setFrameFromCenter(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)V
java/awt/geom/RectangularShape contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/RectangularShape intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/RectangularShape contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/RectangularShape getBounds()Ljava/awt/Rectangle;
java/awt/geom/RectangularShape getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/RectangularShape clone()Ljava/lang/Object;
class java/awt/geom/Point2D$Float java/awt/geom/Point2D
java/awt/geom/Point2D$Float x
java/awt/geom/Point2D$Float
    y
java/awt/geom/Point2D$Float <init>()V
java/awt/geom/Point2D$Float <init>(FF)V
java/awt/geom/Point2D$Float getX()D
java/awt/geom/Point2D$Float getY()D
java/awt/geom/Point2D$Float setLocation(DD)V
java/awt/geom/Point2D$Float setLocation(FF)V
java/awt/geom/Point2D$Float toString()Ljava/lang/String;
class java/awt/font/FontRenderContext java/lang/Object
java/awt/font/FontRenderContext tx
java/awt/font/FontRenderContext bIsAntiAliased
java/awt/font/FontRenderContext bUsesFractionalMetrics
java/awt/font/FontRenderContext <init>()V
java/awt/font/FontRenderContext <init>(Ljava/awt/geom/AffineTransform;ZZ)V
java/awt/font/FontRenderContext getTransform()Ljava/awt/geom/AffineTransform;
java/awt/font/FontRenderContext isAntiAliased()Z
java/awt/font/FontRenderContext usesFractionalMetrics()Z
java/awt/font/FontRenderContext equals(Ljava/lang/Object;)Z
java/awt/font/FontRenderContext equals(Ljava/awt/font/FontRenderContext;)Z
java/awt/font/FontRenderContext hashCode()I
class

```

```

java/lang/reflect/Array java/lang/Object
java/lang/reflect/Array <init>()V
java/lang/reflect/Array newInstance(Ljava/lang/Class;I)Ljava/lang/Object;
java/lang/reflect/Array newInstance(Ljava/lang/Class;[I)Ljava/lang/Object;
java/lang/reflect/Array getLength(Ljava/lang/Object;)I
java/lang/reflect/Array get(Ljava/lang/Object;I)Ljava/lang/Object;
java/lang/reflect/Array getBoolean(Ljava/lang/Object;I)Z
java/lang/reflect/Array getByte(Ljava/lang/Object;I)B
java/lang/reflect/Array getChar(Ljava/lang/Object;I)C
java/lang/reflect/Array getShort(Ljava/lang/Object;I)S
java/lang/reflect/Array getInt(Ljava/lang/Object;I)I
java/lang/reflect/Array getLong(Ljava/lang/Object;I)J
java/lang/reflect/Array getFloat(Ljava/lang/Object;I)F
java/lang/reflect/Array getDouble(Ljava/lang/Object;I)D
java/lang/reflect/Array set(Ljava/lang/Object;ILjava/lang/Object;)V
java/lang/reflect/Array setBoolean(Ljava/lang/Object;IZ)V
java/lang/reflect/Array setByte(Ljava/lang/Object;IB)V
java/lang/reflect/Array setChar(Ljava/lang/Object;IC)V
java/lang/reflect/Array
    setShort(Ljava/lang/Object;IS)V
java/lang/reflect/Array setInt(Ljava/lang/Object;II)V
java/lang/reflect/Array setLong(Ljava/lang/Object;IJ)V
java/lang/reflect/Array setFloat(Ljava/lang/Object;IF)V
java/lang/reflect/Array setDouble(Ljava/lang/Object;ID)V
java/lang/reflect/Array newArray(Ljava/lang/Class;I)Ljava/lang/Object;
java/lang/reflect/Array multiNewArray(Ljava/lang/Class;[I)Ljava/lang/Object;
class java/awt/geom/GeneralPath java/lang/Object
java/awt/geom/GeneralPath WIND_EVEN_ODD
java/awt/geom/GeneralPath WIND_NON_ZERO
java/awt/geom/GeneralPath SEG_MOVETO
java/awt/geom/GeneralPath SEG_LINETO
java/awt/geom/GeneralPath SEG_QUADTO
java/awt/geom/GeneralPath SEG_CUBICTO
java/awt/geom/GeneralPath SEG_CLOSE
java/awt/geom/GeneralPath pointTypes
java/awt/geom/GeneralPath pointCoords
java/awt/geom/GeneralPath numTypes
java/awt/geom/GeneralPath numCoords
java/awt/geom/GeneralPath windingRule
java/awt/geom/GeneralPath INIT_SIZE
java/awt/geom/GeneralPath
    EXPAND_MAX
java/awt/geom/GeneralPath <init>()V
java/awt/geom/GeneralPath <init>(I)V
java/awt/geom/GeneralPath <init>(II)V
java/awt/geom/GeneralPath <init>(III)V
java/awt/geom/GeneralPath <init>(Ljava/awt/Shape;)V
java/awt/geom/GeneralPath needRoom(II)Z)V

```

```

java/awt/geom/GeneralPath moveTo(FF)V
java/awt/geom/GeneralPath lineTo(FF)V
java/awt/geom/GeneralPath quadTo(FFFF)V
java/awt/geom/GeneralPath curveTo(FFFFFF)V
java/awt/geom/GeneralPath closePath()V
java/awt/geom/GeneralPath append(Ljava/awt/Shape;Z)V
java/awt/geom/GeneralPath append(Ljava/awt/geom/PathIterator;Z)V
java/awt/geom/GeneralPath getWindingRule()I
java/awt/geom/GeneralPath setWindingRule(I)V
java/awt/geom/GeneralPath getCurrentPoint()Ljava/awt/geom/Point2D;
java/awt/geom/GeneralPath reset()V
java/awt/geom/GeneralPath transform(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/GeneralPath createTransformedShape(Ljava/awt/geom/AffineTransform;)Ljava/awt/Shape;
java/awt/geom/GeneralPath getBounds()Ljava/awt/Rectangle;
java/awt/geom/GeneralPath
    getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/geom/GeneralPath contains(DD)Z
java/awt/geom/GeneralPath contains(Ljava/awt/geom/Point2D;)Z
java/awt/geom/GeneralPath contains(DDDD)Z
java/awt/geom/GeneralPath contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/GeneralPath intersects(DDDD)Z
java/awt/geom/GeneralPath intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/geom/GeneralPath getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/geom/GeneralPath getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
java/awt/geom/GeneralPath clone()Ljava/lang/Object;
java/awt/geom/GeneralPath <init>(I[BI[FI)V
class java/awt/Shape java/lang/Object
java/awt/Shape getBounds()Ljava/awt/Rectangle;
java/awt/Shape getBounds2D()Ljava/awt/geom/Rectangle2D;
java/awt/Shape contains(DD)Z
java/awt/Shape contains(Ljava/awt/geom/Point2D;)Z
java/awt/Shape intersects(DDDD)Z
java/awt/Shape intersects(Ljava/awt/geom/Rectangle2D;)Z
java/awt/Shape
    contains(DDDD)Z
java/awt/Shape contains(Ljava/awt/geom/Rectangle2D;)Z
java/awt/Shape getPathIterator(Ljava/awt/geom/AffineTransform;)Ljava/awt/geom/PathIterator;
java/awt/Shape getPathIterator(Ljava/awt/geom/AffineTransform;D)Ljava/awt/geom/PathIterator;
class java/awt/BasicStroke java/lang/Object
java/awt/BasicStroke JOIN_MITER
java/awt/BasicStroke JOIN_ROUND
java/awt/BasicStroke JOIN_BEVEL
java/awt/BasicStroke CAP_BUTT
java/awt/BasicStroke CAP_ROUND
java/awt/BasicStroke CAP_SQUARE
java/awt/BasicStroke width
java/awt/BasicStroke join
java/awt/BasicStroke cap

```

```

java/awt/BasicStroke miterlimit
java/awt/BasicStroke dash
java/awt/BasicStroke dash_phase
java/awt/BasicStroke RasterizerCaps
java/awt/BasicStroke RasterizerCorners
java/awt/BasicStroke <init>(FIIF[FF)V
java/awt/BasicStroke <init>(FIIF)V
java/awt/BasicStroke <init>(FII)V
java/awt/BasicStroke <init>(F)V
java/awt/BasicStroke <init>()V
java/awt/BasicStroke createStrokedShape(Ljava/awt/Shape;)Ljava/awt/Shape;
java/awt/BasicStroke
    feedConsumer(Lsun/dc/path/PathConsumer;Ljava/awt/geom/PathIterator;)V
java/awt/BasicStroke getLineWidth()F
java/awt/BasicStroke getEndCap()I
java/awt/BasicStroke getLineJoin()I
java/awt/BasicStroke getMiterLimit()F
java/awt/BasicStroke getDashArray()[F
java/awt/BasicStroke getDashPhase()F
java/awt/BasicStroke hashCode()I
java/awt/BasicStroke equals(Ljava/lang/Object;)Z
java/awt/BasicStroke <clinit>()V
class java/awt/Stroke java/lang/Object
java/awt/Stroke createStrokedShape(Ljava/awt/Shape;)Ljava/awt/Shape;
class java/awt/AlphaComposite java/lang/Object
java/awt/AlphaComposite CLEAR
java/awt/AlphaComposite SRC
java/awt/AlphaComposite DST
java/awt/AlphaComposite SRC_OVER
java/awt/AlphaComposite DST_OVER
java/awt/AlphaComposite SRC_IN
java/awt/AlphaComposite DST_IN
java/awt/AlphaComposite SRC_OUT
java/awt/AlphaComposite DST_OUT
java/awt/AlphaComposite SRC_ATOP
java/awt/AlphaComposite DST_ATOP
java/awt/AlphaComposite XOR
java/awt/AlphaComposite Clear
java/awt/AlphaComposite Src
java/awt/AlphaComposite
    Dst
java/awt/AlphaComposite SrcOver
java/awt/AlphaComposite DstOver
java/awt/AlphaComposite SrcIn
java/awt/AlphaComposite DstIn
java/awt/AlphaComposite SrcOut
java/awt/AlphaComposite DstOut
java/awt/AlphaComposite SrcAtop

```

```

java/awt/AlphaComposite DstAtop
java/awt/AlphaComposite Xor
java/awt/AlphaComposite MIN_RULE
java/awt/AlphaComposite MAX_RULE
java/awt/AlphaComposite extraAlpha
java/awt/AlphaComposite rule
java/awt/AlphaComposite <init>(I)V
java/awt/AlphaComposite <init>(IF)V
java/awt/AlphaComposite getInstance(I)Ljava/awt/AlphaComposite;
java/awt/AlphaComposite getInstance(IF)Ljava/awt/AlphaComposite;
java/awt/AlphaComposite
createContext(Ljava/awt/image/ColorModel;Ljava/awt/image/ColorModel;Ljava/awt/RenderingHints;)Ljava/awt/C
ompositeContext;
java/awt/AlphaComposite getAlpha()F
java/awt/AlphaComposite getRule()I
java/awt/AlphaComposite hashCode()I
java/awt/AlphaComposite equals(Ljava/lang/Object;)Z
java/awt/AlphaComposite <clinit>()V
class java/awt/Composite java/lang/Object
java/awt/Composite
createContext(Ljava/awt/image/ColorModel;Ljava/awt/image/ColorModel;Ljava/awt/RenderingHints;)Ljava/awt/C
ompositeContext;
class java/awt/Color java/lang/Object
java/awt/Color white
java/awt/Color WHITE
java/awt/Color lightGray
java/awt/Color LIGHT_GRAY
java/awt/Color gray
java/awt/Color GRAY
java/awt/Color darkGray
java/awt/Color DARK_GRAY
java/awt/Color black
java/awt/Color BLACK
java/awt/Color red
java/awt/Color RED
java/awt/Color pink
java/awt/Color PINK
java/awt/Color orange
java/awt/Color ORANGE
java/awt/Color yellow
java/awt/Color YELLOW
java/awt/Color green
java/awt/Color GREEN
java/awt/Color magenta
java/awt/Color MAGENTA
java/awt/Color cyan
java/awt/Color CYAN
java/awt/Color blue

```

```

java/awt/Color BLUE
java/awt/Color pData
java/awt/Color value
java/awt/Color frgbvalue
java/awt/Color fvalue
java/awt/Color falpha
java/awt/Color cs
java/awt/Color serialVersionUID
java/awt/Color FACTOR
java/awt/Color theContext
java/awt/Color initIDs()V
java/awt/Color
    testColorValueRange(III)V
java/awt/Color testColorValueRange(FFFF)V
java/awt/Color <init>(III)V
java/awt/Color <init>(III)V
java/awt/Color <init>(I)V
java/awt/Color <init>(IZ)V
java/awt/Color <init>(FFF)V
java/awt/Color <init>(FFFF)V
java/awt/Color <init>(Ljava/awt/color/ColorSpace;[FF)V
java/awt/Color getRed()I
java/awt/Color getGreen()I
java/awt/Color getBlue()I
java/awt/Color getAlpha()I
java/awt/Color getRGB()I
java/awt/Color brighter()Ljava/awt/Color;
java/awt/Color darker()Ljava/awt/Color;
java/awt/Color hashCode()I
java/awt/Color equals(Ljava/lang/Object;)Z
java/awt/Color toString()Ljava/lang/String;
java/awt/Color decode(Ljava/lang/String;)Ljava/awt/Color;
java/awt/Color getColor(Ljava/lang/String;)Ljava/awt/Color;
java/awt/Color getColor(Ljava/lang/String;Ljava/awt/Color;)Ljava/awt/Color;
java/awt/Color getColor(Ljava/lang/String;I)Ljava/awt/Color;
java/awt/Color HSBtoRGB(FFF)I
java/awt/Color RGBtoHSB(III[F)[F
java/awt/Color getHSBColor(FFF)Ljava/awt/Color;
java/awt/Color
    getRGBComponents([F)[F
java/awt/Color getRGBColorComponents([F)[F
java/awt/Color getComponents([F)[F
java/awt/Color getColorComponents([F)[F
java/awt/Color getComponents(Ljava/awt/color/ColorSpace;[F)[F
java/awt/Color getColorComponents(Ljava/awt/color/ColorSpace;[F)[F
java/awt/Color getColorSpace()Ljava/awt/color/ColorSpace;
java/awt/Color
    createContext(Ljava/awt/image/ColorModel;Ljava/awt/Rectangle;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Af

```

```

fineTransform;Ljava/awt/RenderingHints;)Ljava/awt/PaintContext;
java/awt/Color getTransparency()I
java/awt/Color <clinit>()V
class java/awt/Paint java/lang/Object
java/awt/Paint
createContext(Ljava/awt/image/ColorModel;Ljava/awt/Rectangle;Ljava/awt/geom/Rectangle2D;Ljava/awt/geom/Af
fineTransform;Ljava/awt/RenderingHints;)Ljava/awt/PaintContext;
class java/awt/Graphics2D java/awt/Graphics
java/awt/Graphics2D <init>()V
java/awt/Graphics2D draw3DRect(IIIZ)V
java/awt/Graphics2D fill3DRect(IIIZ)V
java/awt/Graphics2D draw(Ljava/awt/Shape;)V
java/awt/Graphics2D
drawImage(Ljava/awt/Image;Ljava/awt/geom/AffineTransform;Ljava/awt/image/ImageObserver;)Z
java/awt/Graphics2D drawImage(Ljava/awt/image/BufferedImage;Ljava/awt/image/BufferedImageOp;II)V
java/awt/Graphics2D drawRenderedImage(Ljava/awt/image/RenderedImage;Ljava/awt/geom/AffineTransform;)V
java/awt/Graphics2D
drawRenderableImage(Ljava/awt/image/renderable/RenderableImage;Ljava/awt/geom/AffineTransform;)V
java/awt/Graphics2D drawString(Ljava/lang/String;II)V
java/awt/Graphics2D drawString(Ljava/lang/String;FF)V
java/awt/Graphics2D drawString(Ljava/text/AttributedCharacterIterator;II)V
java/awt/Graphics2D drawString(Ljava/text/AttributedCharacterIterator;FF)V
java/awt/Graphics2D drawGlyphVector(Ljava/awt/font/GlyphVector;FF)V
java/awt/Graphics2D fill(Ljava/awt/Shape;)V
java/awt/Graphics2D hit(Ljava/awt/Rectangle;Ljava/awt/Shape;Z)Z
java/awt/Graphics2D getDeviceConfiguration()Ljava/awt/GraphicsConfiguration;
java/awt/Graphics2D setComposite(Ljava/awt/Composite;)V
java/awt/Graphics2D
setPaint(Ljava/awt/Paint;)V
java/awt/Graphics2D setStroke(Ljava/awt/Stroke;)V
java/awt/Graphics2D setRenderingHint(Ljava/awt/RenderingHints$Key;Ljava/lang/Object;)V
java/awt/Graphics2D getRenderingHint(Ljava/awt/RenderingHints$Key;)Ljava/lang/Object;
java/awt/Graphics2D setRenderingHints(Ljava/util/Map;)V
java/awt/Graphics2D addRenderingHints(Ljava/util/Map;)V
java/awt/Graphics2D getRenderingHints()Ljava/awt/RenderingHints;
java/awt/Graphics2D translate(II)V
java/awt/Graphics2D translate(DD)V
java/awt/Graphics2D rotate(D)V
java/awt/Graphics2D rotate(DDD)V
java/awt/Graphics2D scale(DD)V
java/awt/Graphics2D shear(DD)V
java/awt/Graphics2D transform(Ljava/awt/geom/AffineTransform;)V
java/awt/Graphics2D setTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/Graphics2D getTransform()Ljava/awt/geom/AffineTransform;
java/awt/Graphics2D getPaint()Ljava/awt/Paint;
java/awt/Graphics2D getComposite()Ljava/awt/Composite;
java/awt/Graphics2D setBackground(Ljava/awt/Color;)V
java/awt/Graphics2D

```

```

getBackground()Ljava/awt/Color;
java/awt/Graphics2D getStroke()Ljava/awt/Stroke;
java/awt/Graphics2D clip(Ljava/awt/Shape;)V
java/awt/Graphics2D getFontRenderContext()Ljava/awt/font/FontRenderContext;
class java/awt/Graphics java/lang/Object
java/awt/Graphics <init>()V
java/awt/Graphics create()Ljava/awt/Graphics;
java/awt/Graphics create(III)Ljava/awt/Graphics;
java/awt/Graphics translate(II)V
java/awt/Graphics getColor()Ljava/awt/Color;
java/awt/Graphics setColor(Ljava/awt/Color;)V
java/awt/Graphics setPaintMode()V
java/awt/Graphics setXORMode(Ljava/awt/Color;)V
java/awt/Graphics getFont()Ljava/awt/Font;
java/awt/Graphics setFont(Ljava/awt/Font;)V
java/awt/Graphics getFontMetrics()Ljava/awt/FontMetrics;
java/awt/Graphics getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/Graphics getClipBounds()Ljava/awt/Rectangle;
java/awt/Graphics clipRect(III)V
java/awt/Graphics setClip(III)V
java/awt/Graphics getClip()Ljava/awt/Shape;
java/awt/Graphics setClip(Ljava/awt/Shape;)V
java/awt/Graphics
copyArea(IIIII)V
java/awt/Graphics drawLine(III)V
java/awt/Graphics fillRect(III)V
java/awt/Graphics drawRect(III)V
java/awt/Graphics clearRect(III)V
java/awt/Graphics drawRoundRect(IIIII)V
java/awt/Graphics fillRoundRect(IIIII)V
java/awt/Graphics draw3DRect(IIIZ)V
java/awt/Graphics fill3DRect(IIIZ)V
java/awt/Graphics drawOval(III)V
java/awt/Graphics fillOval(III)V
java/awt/Graphics drawArc(IIIII)V
java/awt/Graphics fillArc(IIIII)V
java/awt/Graphics drawPolyline([I[II)V
java/awt/Graphics drawPolygon([I[II)V
java/awt/Graphics drawPolygon(Ljava/awt/Polygon;)V
java/awt/Graphics fillPolygon([I[II)V
java/awt/Graphics fillPolygon(Ljava/awt/Polygon;)V
java/awt/Graphics drawString(Ljava/lang/String;II)V
java/awt/Graphics drawString(Ljava/text/AttributedCharacterIterator;II)V
java/awt/Graphics drawChars([CIII)V
java/awt/Graphics drawBytes([BIII)V
java/awt/Graphics drawImage(Ljava/awt/Image;IILjava/awt/image/ImageObserver;)Z
java/awt/Graphics drawImage(Ljava/awt/Image;IIILjava/awt/image/ImageObserver;)Z
java/awt/Graphics

```



```

drawImage(Ljava/awt/Image;IILjava/awt/Color;Ljava/awt/image/ImageObserver;)Z
java/awt/Graphics drawImage(Ljava/awt/Image;IIILjava/awt/Color;Ljava/awt/image/ImageObserver;)Z
java/awt/Graphics drawImage(Ljava/awt/Image;IIIIILjava/awt/image/ImageObserver;)Z
java/awt/Graphics drawImage(Ljava/awt/Image;IIIIIIILjava/awt/Color;Ljava/awt/image/ImageObserver;)Z
java/awt/Graphics dispose()V
java/awt/Graphics finalize()V
java/awt/Graphics toString()Ljava/lang/String;
java/awt/Graphics getClipRect()Ljava/awt/Rectangle;
java/awt/Graphics hitClip(III)Z
java/awt/Graphics getClipBounds(Ljava/awt/Rectangle;)Ljava/awt/Rectangle;
class java/awt/image/BufferedImage java/awt/Image
java/awt/image/BufferedImage imageType
java/awt/image/BufferedImage colorModel
java/awt/image/BufferedImage raster
java/awt/image/BufferedImage osis
java/awt/image/BufferedImage properties
java/awt/image/BufferedImage isAlphaPremultiplied
java/awt/image/BufferedImage
    surfaceManager
java/awt/image/BufferedImage TYPE_CUSTOM
java/awt/image/BufferedImage TYPE_INT_RGB
java/awt/image/BufferedImage TYPE_INT_ARGB
java/awt/image/BufferedImage TYPE_INT_ARGB_PRE
java/awt/image/BufferedImage TYPE_INT_BGR
java/awt/image/BufferedImage TYPE_3BYTE_BGR
java/awt/image/BufferedImage TYPE_4BYTE_ABGR
java/awt/image/BufferedImage TYPE_4BYTE_ABGR_PRE
java/awt/image/BufferedImage TYPE_USHORT_565_RGB
java/awt/image/BufferedImage TYPE_USHORT_555_RGB
java/awt/image/BufferedImage TYPE_BYTE_GRAY
java/awt/image/BufferedImage TYPE_USHORT_GRAY
java/awt/image/BufferedImage TYPE_BYTE_BINARY
java/awt/image/BufferedImage TYPE_BYTE_INDEXED
java/awt/image/BufferedImage DCM_RED_MASK
java/awt/image/BufferedImage DCM_GREEN_MASK
java/awt/image/BufferedImage DCM_BLUE_MASK
java/awt/image/BufferedImage DCM_ALPHA_MASK
java/awt/image/BufferedImage DCM_565_RED_MASK
java/awt/image/BufferedImage DCM_565_GRN_MASK
java/awt/image/BufferedImage DCM_565_BLU_MASK
java/awt/image/BufferedImage DCM_555_RED_MASK
java/awt/image/BufferedImage
    DCM_555_GRN_MASK
java/awt/image/BufferedImage DCM_555_BLU_MASK
java/awt/image/BufferedImage DCM_BGR_RED_MASK
java/awt/image/BufferedImage DCM_BGR_GRN_MASK
java/awt/image/BufferedImage DCM_BGR_BLU_MASK
java/awt/image/BufferedImage initIDs()V

```

```

java/awt/image/BufferedImage <init>(III)V
java/awt/image/BufferedImage <init>(IIILjava/awt/image/IndexColorModel;)V
java/awt/image/BufferedImage
<init>(Ljava/awt/image/ColorModel;Ljava/awt/image/WritableRaster;ZLjava/util/Hashtable;)V
java/awt/image/BufferedImage getType()I
java/awt/image/BufferedImage getColorModel()Ljava/awt/image/ColorModel;
java/awt/image/BufferedImage getRaster()Ljava/awt/image/WritableRaster;
java/awt/image/BufferedImage getAlphaRaster()Ljava/awt/image/WritableRaster;
java/awt/image/BufferedImage getRGB(II)I
java/awt/image/BufferedImage getRGB(III[III)I
java/awt/image/BufferedImage setRGB(III)V
java/awt/image/BufferedImage setRGB(III[III)V
java/awt/image/BufferedImage getWidth()I
java/awt/image/BufferedImage
getHeight()I
java/awt/image/BufferedImage getWidth(Ljava/awt/image/ImageObserver;)I
java/awt/image/BufferedImage getHeight(Ljava/awt/image/ImageObserver;)I
java/awt/image/BufferedImage getSource()Ljava/awt/image/ImageProducer;
java/awt/image/BufferedImage getProperty(Ljava/lang/String;Ljava/awt/image/ImageObserver;)Ljava/lang/Object;
java/awt/image/BufferedImage getProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/image/BufferedImage flush()V
java/awt/image/BufferedImage getGraphics()Ljava/awt/Graphics;
java/awt/image/BufferedImage createGraphics()Ljava/awt/Graphics2D;
java/awt/image/BufferedImage getSubimage(III)Ljava/awt/image/BufferedImage;
java/awt/image/BufferedImage isAlphaPremultiplied()Z
java/awt/image/BufferedImage coerceData(Z)V
java/awt/image/BufferedImage toString()Ljava/lang/String;
java/awt/image/BufferedImage getSources()Ljava/util/Vector;
java/awt/image/BufferedImage getPropertyNames()[Ljava/lang/String;
java/awt/image/BufferedImage getMinX()I
java/awt/image/BufferedImage
getMinY()I
java/awt/image/BufferedImage getSampleModel()Ljava/awt/image/SampleModel;
java/awt/image/BufferedImage getNumXTiles()I
java/awt/image/BufferedImage getNumYTiles()I
java/awt/image/BufferedImage getMinTileX()I
java/awt/image/BufferedImage getMinTileY()I
java/awt/image/BufferedImage getTileWidth()I
java/awt/image/BufferedImage getTileHeight()I
java/awt/image/BufferedImage getTileGridXOffset()I
java/awt/image/BufferedImage getTileGridYOffset()I
java/awt/image/BufferedImage getTile(II)Ljava/awt/image/Raster;
java/awt/image/BufferedImage getData()Ljava/awt/image/Raster;
java/awt/image/BufferedImage getData(Ljava/awt/Rectangle;)Ljava/awt/image/Raster;
java/awt/image/BufferedImage copyData(Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/BufferedImage setData(Ljava/awt/image/Raster;)V
java/awt/image/BufferedImage addTileObserver(Ljava/awt/image/TileObserver;)V
java/awt/image/BufferedImage removeTileObserver(Ljava/awt/image/TileObserver;)V

```

```

java/awt/image/BufferedImage
    isTileWritable(II)Z
java/awt/image/BufferedImage getWritableTileIndices()[Ljava/awt/Point;
java/awt/image/BufferedImage hasTileWriters()Z
java/awt/image/BufferedImage getWritableTile(II)Ljava/awt/image/WritableRaster;
java/awt/image/BufferedImage releaseWritableTile(II)V
java/awt/image/BufferedImage getTransparency()I
java/awt/image/BufferedImage getCapabilities(Ljava/awt/GraphicsConfiguration;)Ljava/awt/ImageCapabilities;
java/awt/image/BufferedImage <clinit>()V
class java/awt/image/WritableRenderedImage java/lang/Object
java/awt/image/WritableRenderedImage addTileObserver(Ljava/awt/image/TileObserver;)V
java/awt/image/WritableRenderedImage removeTileObserver(Ljava/awt/image/TileObserver;)V
java/awt/image/WritableRenderedImage getWritableTile(II)Ljava/awt/image/WritableRaster;
java/awt/image/WritableRenderedImage releaseWritableTile(II)V
java/awt/image/WritableRenderedImage isTileWritable(II)Z
java/awt/image/WritableRenderedImage getWritableTileIndices()[Ljava/awt/Point;
java/awt/image/WritableRenderedImage
    hasTileWriters()Z
java/awt/image/WritableRenderedImage setData(Ljava/awt/image/Raster;)V
class java/awt/image/RenderedImage java/lang/Object
java/awt/image/RenderedImage getSources()Ljava/util/Vector;
java/awt/image/RenderedImage getProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/image/RenderedImage getPropertyNames()[Ljava/lang/String;
java/awt/image/RenderedImage getColorModel()Ljava/awt/image/ColorModel;
java/awt/image/RenderedImage getSampleModel()Ljava/awt/image/SampleModel;
java/awt/image/RenderedImage getWidth()I
java/awt/image/RenderedImage getHeight()I
java/awt/image/RenderedImage getMinX()I
java/awt/image/RenderedImage getMinY()I
java/awt/image/RenderedImage getNumXTiles()I
java/awt/image/RenderedImage getNumYTiles()I
java/awt/image/RenderedImage getMinTileX()I
java/awt/image/RenderedImage getMinTileY()I
java/awt/image/RenderedImage getTileWidth()I
java/awt/image/RenderedImage getTileHeight()I
java/awt/image/RenderedImage
    getTileGridXOffset()I
java/awt/image/RenderedImage getTileGridYOffset()I
java/awt/image/RenderedImage getTile(II)Ljava/awt/image/Raster;
java/awt/image/RenderedImage getData(Ljava/awt/image/Raster;
java/awt/image/RenderedImage getData(Ljava/awt/Rectangle;)Ljava/awt/image/Raster;
java/awt/image/RenderedImage copyData(Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
class java/awt/ImageCapabilities java/lang/Object
java/awt/ImageCapabilities accelerated
java/awt/ImageCapabilities <init>(Z)V
java/awt/ImageCapabilities isAccelerated()Z
java/awt/ImageCapabilities isTrueVolatile()Z
java/awt/ImageCapabilities clone()Ljava/lang/Object;

```

```

class java/awt/image/VolatileImage java/awt/Image
java/awt/image/VolatileImage IMAGE_OK
java/awt/image/VolatileImage IMAGE_RESTORED
java/awt/image/VolatileImage IMAGE_INCOMPATIBLE
java/awt/image/VolatileImage transparency
java/awt/image/VolatileImage <init>()V
java/awt/image/VolatileImage getSnapshot()Ljava/awt/image/BufferedImage;
java/awt/image/VolatileImage
    getWidth()I
java/awt/image/VolatileImage getHeight()I
java/awt/image/VolatileImage getSource()Ljava/awt/image/ImageProducer;
java/awt/image/VolatileImage flush()V
java/awt/image/VolatileImage getGraphics()Ljava/awt/Graphics;
java/awt/image/VolatileImage createGraphics()Ljava/awt/Graphics2D;
java/awt/image/VolatileImage validate(Ljava/awt/GraphicsConfiguration;)I
java/awt/image/VolatileImage contentsLost()Z
java/awt/image/VolatileImage getCapabilities()Ljava/awt/ImageCapabilities;
java/awt/image/VolatileImage getTransparency()I
class java/awt/Image java/lang/Object
java/awt/Image defaultImageCaps
java/awt/Image accelerationPriority
java/awt/Image UndefinedProperty
java/awt/Image SCALE_DEFAULT
java/awt/Image SCALE_FAST
java/awt/Image SCALE_SMOOTH
java/awt/Image SCALE_REPLICATE
java/awt/Image SCALE_AREA_AVERAGING
java/awt/Image <init>()V
java/awt/Image getWidth(Ljava/awt/image/ImageObserver;)I
java/awt/Image getHeight(Ljava/awt/image/ImageObserver;)I
java/awt/Image
    getSource()Ljava/awt/image/ImageProducer;
java/awt/Image getGraphics()Ljava/awt/Graphics;
java/awt/Image getProperty(Ljava/lang/String;Ljava/awt/image/ImageObserver;)Ljava/lang/Object;
java/awt/Image getScaledInstance(III)Ljava/awt/Image;
java/awt/Image flush()V
java/awt/Image getCapabilities(Ljava/awt/GraphicsConfiguration;)Ljava/awt/ImageCapabilities;
java/awt/Image setAccelerationPriority(F)V
java/awt/Image getAccelerationPriority()F
java/awt/Image <clinit>()V
class java/awt/image/IndexColorModel java/awt/image/ColorModel
java/awt/image/IndexColorModel rgb
java/awt/image/IndexColorModel map_size
java/awt/image/IndexColorModel transparent_index
java/awt/image/IndexColorModel allgrayopaque
java/awt/image/IndexColorModel validBits
java/awt/image/IndexColorModel opaqueBits
java/awt/image/IndexColorModel alphaBits

```

```

java/awt/image/IndexColorModel CACHESIZE
java/awt/image/IndexColorModel lookupcache
java/awt/image/IndexColorModel initIDs()V
java/awt/image/IndexColorModel <init>(II[B[B[B)V
java/awt/image/IndexColorModel
    <init>(II[B[B[B]I)V
java/awt/image/IndexColorModel <init>(II[B[B[B[B)V
java/awt/image/IndexColorModel <init>(II[BIZ)V
java/awt/image/IndexColorModel <init>(II[BIZI)V
java/awt/image/IndexColorModel <init>(II[IIZI)V
java/awt/image/IndexColorModel <init>(II[IILjava/math/BigInteger;)V
java/awt/image/IndexColorModel setRGBs(I[B[B[B[B)V
java/awt/image/IndexColorModel setRGBs(I[IIZ)V
java/awt/image/IndexColorModel calcRealMapSize(II)I
java/awt/image/IndexColorModel getAllValid()Ljava/math/BigInteger;
java/awt/image/IndexColorModel getTransparency()I
java/awt/image/IndexColorModel getComponentSize()[I
java/awt/image/IndexColorModel getMapSize()I
java/awt/image/IndexColorModel getTransparentPixel()I
java/awt/image/IndexColorModel getReds([B)V
java/awt/image/IndexColorModel getGreens([B)V
java/awt/image/IndexColorModel getBlues([B)V
java/awt/image/IndexColorModel getAlphas([B)V
java/awt/image/IndexColorModel getRGBs([I)V
java/awt/image/IndexColorModel
    setTransparentPixel(I)V
java/awt/image/IndexColorModel setTransparency(I)V
java/awt/image/IndexColorModel getRed(I)I
java/awt/image/IndexColorModel getGreen(I)I
java/awt/image/IndexColorModel getBlue(I)I
java/awt/image/IndexColorModel getAlpha(I)I
java/awt/image/IndexColorModel getRGB(I)I
java/awt/image/IndexColorModel getDataElements(ILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/IndexColorModel installpixel(Ljava/lang/Object;I)Ljava/lang/Object;
java/awt/image/IndexColorModel getComponents([II)[I
java/awt/image/IndexColorModel getComponents(Ljava/lang/Object;[II)[I
java/awt/image/IndexColorModel getDataElement([II)I
java/awt/image/IndexColorModel getDataElements([IILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/IndexColorModel createCompatibleWritableRaster(II)Ljava/awt/image/WritableRaster;
java/awt/image/IndexColorModel isCompatibleRaster(Ljava/awt/image/Raster;)Z
java/awt/image/IndexColorModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/IndexColorModel
    isCompatibleSampleModel(Ljava/awt/image/SampleModel;)Z
java/awt/image/IndexColorModel convertToIntDiscrete(Ljava/awt/image/Raster;Z)Ljava/awt/image/BufferedImage;
java/awt/image/IndexColorModel isValid(I)Z
java/awt/image/IndexColorModel isValid()Z
java/awt/image/IndexColorModel getValidPixels()Ljava/math/BigInteger;
java/awt/image/IndexColorModel finalize()V

```

```

java/awt/image/IndexColorModel toString()Ljava/lang/String;
java/awt/image/IndexColorModel <clinit>()V
class java/awt/color/ICC_ColorSpace java/awt/color/ColorSpace
java/awt/color/ICC_ColorSpace serialVersionUID
java/awt/color/ICC_ColorSpace thisProfile
java/awt/color/ICC_ColorSpace minVal
java/awt/color/ICC_ColorSpace maxVal
java/awt/color/ICC_ColorSpace diffMinMax
java/awt/color/ICC_ColorSpace invDiffMinMax
java/awt/color/ICC_ColorSpace needScaleInit
java/awt/color/ICC_ColorSpace this2srgb
java/awt/color/ICC_ColorSpace srgb2this
java/awt/color/ICC_ColorSpace this2xyz
java/awt/color/ICC_ColorSpace xyz2this
java/awt/color/ICC_ColorSpace
  <init>(Ljava/awt/color/ICC_Profile;)V
java/awt/color/ICC_ColorSpace getProfile()Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_ColorSpace toRGB([F)[F
java/awt/color/ICC_ColorSpace fromRGB([F)[F
java/awt/color/ICC_ColorSpace toCIEXYZ([F)[F
java/awt/color/ICC_ColorSpace fromCIEXYZ([F)[F
java/awt/color/ICC_ColorSpace getMinValue(I)F
java/awt/color/ICC_ColorSpace getMaxValue(I)F
java/awt/color/ICC_ColorSpace setMinMax()V
java/awt/color/ICC_ColorSpace setComponentScaling()V
class java/awt/color/ICC_Profile$1 java/lang/Object
java/awt/color/ICC_Profile$1 this$0
java/awt/color/ICC_Profile$1 <init>(Ljava/awt/color/ICC_Profile;)V
java/awt/color/ICC_Profile$1 activate()V
class java/awt/color/ICC_ProfileRGB java/awt/color/ICC_Profile
java/awt/color/ICC_ProfileRGB REDCOMPONENT
java/awt/color/ICC_ProfileRGB GREENCOMPONENT
java/awt/color/ICC_ProfileRGB BLUECOMPONENT
java/awt/color/ICC_ProfileRGB <init>(J)V
java/awt/color/ICC_ProfileRGB <init>(Lsun/awt/color/ProfileDeferralInfo;)V
java/awt/color/ICC_ProfileRGB
  getMediaWhitePoint()[F
java/awt/color/ICC_ProfileRGB getMatrix()[[F
java/awt/color/ICC_ProfileRGB getGamma(I)F
java/awt/color/ICC_ProfileRGB getTRC(I)[S
class java/awt/color/ICC_Profile java/lang/Object
java/awt/color/ICC_Profile serialVersionUID
java/awt/color/ICC_Profile ID
java/awt/color/ICC_Profile deferralInfo
java/awt/color/ICC_Profile profileActivator
java/awt/color/ICC_Profile sRGBprofile
java/awt/color/ICC_Profile XYZprofile
java/awt/color/ICC_Profile PYCCprofile

```

java/awt/color/ICC_Profile GRAYprofile
java/awt/color/ICC_Profile LINEAR_RGBprofile
java/awt/color/ICC_Profile CLASS_INPUT
java/awt/color/ICC_Profile CLASS_DISPLAY
java/awt/color/ICC_Profile CLASS_OUTPUT
java/awt/color/ICC_Profile CLASS_DEVICELINK
java/awt/color/ICC_Profile CLASS_COLORSPACECONVERSION
java/awt/color/ICC_Profile CLASS_ABSTRACT
java/awt/color/ICC_Profile CLASS_NAMEDCOLOR
java/awt/color/ICC_Profile icSigXYZData
java/awt/color/ICC_Profile icSigLabData
java/awt/color/ICC_Profile
 icSigLuvData
java/awt/color/ICC_Profile icSigYCbCrData
java/awt/color/ICC_Profile icSigYxyData
java/awt/color/ICC_Profile icSigRgbData
java/awt/color/ICC_Profile icSigGrayData
java/awt/color/ICC_Profile icSigHsvData
java/awt/color/ICC_Profile icSigHlsData
java/awt/color/ICC_Profile icSigCmykData
java/awt/color/ICC_Profile icSigCmyData
java/awt/color/ICC_Profile icSigSpace2CLR
java/awt/color/ICC_Profile icSigSpace3CLR
java/awt/color/ICC_Profile icSigSpace4CLR
java/awt/color/ICC_Profile icSigSpace5CLR
java/awt/color/ICC_Profile icSigSpace6CLR
java/awt/color/ICC_Profile icSigSpace7CLR
java/awt/color/ICC_Profile icSigSpace8CLR
java/awt/color/ICC_Profile icSigSpace9CLR
java/awt/color/ICC_Profile icSigSpaceACLR
java/awt/color/ICC_Profile icSigSpaceBCLR
java/awt/color/ICC_Profile icSigSpaceCCLR
java/awt/color/ICC_Profile icSigSpaceDCLR
java/awt/color/ICC_Profile icSigSpaceECLR
java/awt/color/ICC_Profile icSigSpaceFCLR
java/awt/color/ICC_Profile icSigInputClass
java/awt/color/ICC_Profile
 icSigDisplayClass
java/awt/color/ICC_Profile icSigOutputClass
java/awt/color/ICC_Profile icSigLinkClass
java/awt/color/ICC_Profile icSigAbstractClass
java/awt/color/ICC_Profile icSigColorSpaceClass
java/awt/color/ICC_Profile icSigNamedColorClass
java/awt/color/ICC_Profile icPerceptual
java/awt/color/ICC_Profile icRelativeColorimetric
java/awt/color/ICC_Profile icMediaRelativeColorimetric
java/awt/color/ICC_Profile icSaturation
java/awt/color/ICC_Profile icAbsoluteColorimetric

java/awt/color/ICC_Profile icICCAbsoluteColorimetric
java/awt/color/ICC_Profile icSigHead
java/awt/color/ICC_Profile icSigAToB0Tag
java/awt/color/ICC_Profile icSigAToB1Tag
java/awt/color/ICC_Profile icSigAToB2Tag
java/awt/color/ICC_Profile icSigBlueColorantTag
java/awt/color/ICC_Profile icSigBlueMatrixColumnTag
java/awt/color/ICC_Profile icSigBlueTRCTag
java/awt/color/ICC_Profile icSigBToA0Tag
java/awt/color/ICC_Profile icSigBToA1Tag
java/awt/color/ICC_Profile icSigBToA2Tag
java/awt/color/ICC_Profile icSigCalibrationDateTimeTag
java/awt/color/ICC_Profile
icSigCharTargetTag
java/awt/color/ICC_Profile icSigCopyrightTag
java/awt/color/ICC_Profile icSigCrdInfoTag
java/awt/color/ICC_Profile icSigDeviceMfgDescTag
java/awt/color/ICC_Profile icSigDeviceModelDescTag
java/awt/color/ICC_Profile icSigDeviceSettingsTag
java/awt/color/ICC_Profile icSigGamutTag
java/awt/color/ICC_Profile icSigGrayTRCTag
java/awt/color/ICC_Profile icSigGreenColorantTag
java/awt/color/ICC_Profile icSigGreenMatrixColumnTag
java/awt/color/ICC_Profile icSigGreenTRCTag
java/awt/color/ICC_Profile icSigLuminanceTag
java/awt/color/ICC_Profile icSigMeasurementTag
java/awt/color/ICC_Profile icSigMediaBlackPointTag
java/awt/color/ICC_Profile icSigMediaWhitePointTag
java/awt/color/ICC_Profile icSigNamedColor2Tag
java/awt/color/ICC_Profile icSigOutputResponseTag
java/awt/color/ICC_Profile icSigPreview0Tag
java/awt/color/ICC_Profile icSigPreview1Tag
java/awt/color/ICC_Profile icSigPreview2Tag
java/awt/color/ICC_Profile icSigProfileDescriptionTag
java/awt/color/ICC_Profile
icSigProfileSequenceDescTag
java/awt/color/ICC_Profile icSigPs2CRD0Tag
java/awt/color/ICC_Profile icSigPs2CRD1Tag
java/awt/color/ICC_Profile icSigPs2CRD2Tag
java/awt/color/ICC_Profile icSigPs2CRD3Tag
java/awt/color/ICC_Profile icSigPs2CSATag
java/awt/color/ICC_Profile icSigPs2RenderingIntentTag
java/awt/color/ICC_Profile icSigRedColorantTag
java/awt/color/ICC_Profile icSigRedMatrixColumnTag
java/awt/color/ICC_Profile icSigRedTRCTag
java/awt/color/ICC_Profile icSigScreeningDescTag
java/awt/color/ICC_Profile icSigScreeningTag
java/awt/color/ICC_Profile icSigTechnologyTag


```

java/awt/color/ICC_Profile icSigUcrBgTag
java/awt/color/ICC_Profile icSigViewingCondDescTag
java/awt/color/ICC_Profile icSigViewingConditionsTag
java/awt/color/ICC_Profile icSigChromaticityTag
java/awt/color/ICC_Profile icSigChromaticAdaptationTag
java/awt/color/ICC_Profile icSigColorantOrderTag
java/awt/color/ICC_Profile icSigColorantTableTag
java/awt/color/ICC_Profile icHdrSize
java/awt/color/ICC_Profile
    icHdrCmmId
java/awt/color/ICC_Profile icHdrVersion
java/awt/color/ICC_Profile icHdrDeviceClass
java/awt/color/ICC_Profile icHdrColorSpace
java/awt/color/ICC_Profile icHdrPcs
java/awt/color/ICC_Profile icHdrDate
java/awt/color/ICC_Profile icHdrMagic
java/awt/color/ICC_Profile icHdrPlatform
java/awt/color/ICC_Profile icHdrFlags
java/awt/color/ICC_Profile icHdrManufacturer
java/awt/color/ICC_Profile icHdrModel
java/awt/color/ICC_Profile icHdrAttributes
java/awt/color/ICC_Profile icHdrRenderingIntent
java/awt/color/ICC_Profile icHdrIlluminant
java/awt/color/ICC_Profile icHdrCreator
java/awt/color/ICC_Profile icHdrProfileID
java/awt/color/ICC_Profile icTagType
java/awt/color/ICC_Profile icTagReserved
java/awt/color/ICC_Profile icCurveCount
java/awt/color/ICC_Profile icCurveData
java/awt/color/ICC_Profile icXYZNumberX
java/awt/color/ICC_Profile iccProfileSerializedDataVersion
java/awt/color/ICC_Profile resolvedDeserializedProfile
java/awt/color/ICC_Profile <init>(J)V
java/awt/color/ICC_Profile
    <init>(Lsun/awt/color/ProfileDeferralInfo;)V
java/awt/color/ICC_Profile finalize()V
java/awt/color/ICC_Profile getInstance([B)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile getInstance(I)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile getStandardProfile(Ljava/lang/String;)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile getInstance(Ljava/lang/String;)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile getInstance(Ljava/io/InputStream;)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile getProfileDataFromStream(Ljava/io/InputStream;)[B
java/awt/color/ICC_Profile getDeferredInstance(Lsun/awt/color/ProfileDeferralInfo;)Ljava/awt/color/ICC_Profile;
java/awt/color/ICC_Profile activateDeferredProfile()V
java/awt/color/ICC_Profile getMajorVersion()I
java/awt/color/ICC_Profile getMinorVersion()I
java/awt/color/ICC_Profile getProfileClass()I
java/awt/color/ICC_Profile getColorSpaceType()I

```

```

java/awt/color/ICC_Profile getColorSpaceType(J)I
java/awt/color/ICC_Profile
    getPCSType()I
java/awt/color/ICC_Profile getPCSType(J)I
java/awt/color/ICC_Profile write(Ljava/lang/String;)V
java/awt/color/ICC_Profile write(Ljava/io/OutputStream;)V
java/awt/color/ICC_Profile getData()[B
java/awt/color/ICC_Profile getData(I)[B
java/awt/color/ICC_Profile getData(JI)[B
java/awt/color/ICC_Profile setData(I[B)V
java/awt/color/ICC_Profile setRenderingIntent(I)V
java/awt/color/ICC_Profile getRenderingIntent()I
java/awt/color/ICC_Profile getNumComponents()I
java/awt/color/ICC_Profile getMediaWhitePoint()[F
java/awt/color/ICC_Profile getXYZTag(I)[F
java/awt/color/ICC_Profile getGamma(I)F
java/awt/color/ICC_Profile getTRC(I)[S
java/awt/color/ICC_Profile iccCStoJCS(I)I
java/awt/color/ICC_Profile intFromBigEndian([BI)I
java/awt/color/ICC_Profile intToBigEndian(I[BI)V
java/awt/color/ICC_Profile shortFromBigEndian([BI)S
java/awt/color/ICC_Profile shortToBigEndian(S[BI)V
java/awt/color/ICC_Profile openProfile(Ljava/lang/String;)Ljava/io/FileInputStream;
java/awt/color/ICC_Profile
    privilegedOpenProfile(Ljava/lang/String;)Ljava/io/FileInputStream;
java/awt/color/ICC_Profile writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/color/ICC_Profile readObject(Ljava/io/ObjectInputStream;)V
java/awt/color/ICC_Profile readResolve()Ljava/lang/Object;
java/awt/color/ICC_Profile access$000(Ljava/lang/String;)Ljava/io/FileInputStream;
class java/awt/color/ColorSpace java/lang/Object
java/awt/color/ColorSpace serialVersionUID
java/awt/color/ColorSpace type
java/awt/color/ColorSpace numComponents
java/awt/color/ColorSpace sRGBspace
java/awt/color/ColorSpace XYZspace
java/awt/color/ColorSpace PYCCspace
java/awt/color/ColorSpace GRAYspace
java/awt/color/ColorSpace LINEAR_RGBspace
java/awt/color/ColorSpace TYPE_XYZ
java/awt/color/ColorSpace TYPE_Lab
java/awt/color/ColorSpace TYPE_Luv
java/awt/color/ColorSpace TYPE_YCbCr
java/awt/color/ColorSpace TYPE_Yxy
java/awt/color/ColorSpace TYPE_RGB
java/awt/color/ColorSpace TYPE_GRAY
java/awt/color/ColorSpace
    TYPE_HSV
java/awt/color/ColorSpace TYPE_HLS

```

```

java/awt/color/ColorSpace TYPE_CMYK
java/awt/color/ColorSpace TYPE_CMY
java/awt/color/ColorSpace TYPE_2CLR
java/awt/color/ColorSpace TYPE_3CLR
java/awt/color/ColorSpace TYPE_4CLR
java/awt/color/ColorSpace TYPE_5CLR
java/awt/color/ColorSpace TYPE_6CLR
java/awt/color/ColorSpace TYPE_7CLR
java/awt/color/ColorSpace TYPE_8CLR
java/awt/color/ColorSpace TYPE_9CLR
java/awt/color/ColorSpace TYPE_ACLR
java/awt/color/ColorSpace TYPE_BCLR
java/awt/color/ColorSpace TYPE_CCLR
java/awt/color/ColorSpace TYPE_DCLR
java/awt/color/ColorSpace TYPE_ECLR
java/awt/color/ColorSpace TYPE_FCLR
java/awt/color/ColorSpace CS_sRGB
java/awt/color/ColorSpace CS_LINEAR_RGB
java/awt/color/ColorSpace CS_CIEXYZ
java/awt/color/ColorSpace CS_PYCC
java/awt/color/ColorSpace CS_GRAY
java/awt/color/ColorSpace <init>(II)V
java/awt/color/ColorSpace getInstance(I)Ljava/awt/color/ColorSpace;
java/awt/color/ColorSpace isCS_sRGB()Z
java/awt/color/ColorSpace toRGB([F)[F
java/awt/color/ColorSpace
    fromRGB([F)[F
java/awt/color/ColorSpace toCIEXYZ([F)[F
java/awt/color/ColorSpace fromCIEXYZ([F)[F
java/awt/color/ColorSpace getType()I
java/awt/color/ColorSpace getNumComponents()I
java/awt/color/ColorSpace getName(I)Ljava/lang/String;
java/awt/color/ColorSpace getMinValue(I)F
java/awt/color/ColorSpace getMaxValue(I)F
java/awt/color/ColorSpace isCS_CIEXYZ(Ljava/awt/color/ColorSpace;)Z
class java/awt/image/DirectColorModel java/awt/image/PackedColorModel
java/awt/image/DirectColorModel red_mask
java/awt/image/DirectColorModel green_mask
java/awt/image/DirectColorModel blue_mask
java/awt/image/DirectColorModel alpha_mask
java/awt/image/DirectColorModel red_offset
java/awt/image/DirectColorModel green_offset
java/awt/image/DirectColorModel blue_offset
java/awt/image/DirectColorModel alpha_offset
java/awt/image/DirectColorModel red_scale
java/awt/image/DirectColorModel green_scale
java/awt/image/DirectColorModel blue_scale
java/awt/image/DirectColorModel alpha_scale

```

```

java/awt/image/DirectColorModel
  is_LinearRGB
java/awt/image/DirectColorModel lRGBprecision
java/awt/image/DirectColorModel toRGB8LUT
java/awt/image/DirectColorModel fromRGB8LUT8
java/awt/image/DirectColorModel fromRGB8LUT16
java/awt/image/DirectColorModel <init>(III)V
java/awt/image/DirectColorModel <init>(IIII)V
java/awt/image/DirectColorModel <init>(Ljava/awt/color/ColorSpace;IIIIZI)V
java/awt/image/DirectColorModel getRedMask()I
java/awt/image/DirectColorModel getGreenMask()I
java/awt/image/DirectColorModel getBlueMask()I
java/awt/image/DirectColorModel getAlphaMask()I
java/awt/image/DirectColorModel getDefaultRGBComponents(I)[F
java/awt/image/DirectColorModel getRGBComponentFromsRGB(II)I
java/awt/image/DirectColorModel getRGBComponentFromLinearRGB(II)I
java/awt/image/DirectColorModel getRed(I)I
java/awt/image/DirectColorModel getGreen(I)I
java/awt/image/DirectColorModel getBlue(I)I
java/awt/image/DirectColorModel getAlpha(I)I
java/awt/image/DirectColorModel getRGB(I)I
java/awt/image/DirectColorModel
  getRed(Ljava/lang/Object;)I
java/awt/image/DirectColorModel getGreen(Ljava/lang/Object;)I
java/awt/image/DirectColorModel getBlue(Ljava/lang/Object;)I
java/awt/image/DirectColorModel getAlpha(Ljava/lang/Object;)I
java/awt/image/DirectColorModel getRGB(Ljava/lang/Object;)I
java/awt/image/DirectColorModel getDataElements(ILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/DirectColorModel getComponents(I[II)I
java/awt/image/DirectColorModel getComponents(Ljava/lang/Object;[II)I
java/awt/image/DirectColorModel createCompatibleWritableRaster(II)Ljava/awt/image/WritableRaster;
java/awt/image/DirectColorModel getDataElement([II)I
java/awt/image/DirectColorModel getDataElements([IILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/DirectColorModel coerceData(Ljava/awt/image/WritableRaster;Z)Ljava/awt/image/ColorModel;
java/awt/image/DirectColorModel isCompatibleRaster(Ljava/awt/image/Raster;)Z
java/awt/image/DirectColorModel setFields()V
java/awt/image/DirectColorModel toString()Ljava/lang/String;
class
  java/awt/image/PackedColorModel java/awt/image/ColorModel
java/awt/image/PackedColorModel maskArray
java/awt/image/PackedColorModel maskOffsets
java/awt/image/PackedColorModel scaleFactors
java/awt/image/PackedColorModel <init>(Ljava/awt/color/ColorSpace;I[IIIZ)V
java/awt/image/PackedColorModel <init>(Ljava/awt/color/ColorSpace;IIIIIZ)V
java/awt/image/PackedColorModel getMask(I)I
java/awt/image/PackedColorModel getMasks()[I
java/awt/image/PackedColorModel DecomposeMask(IILjava/lang/String;)V
java/awt/image/PackedColorModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;

```

```

java/awt/image/PackedColorModel isCompatibleSampleModel(Ljava/awt/image/SampleModel;)Z
java/awt/image/PackedColorModel
getAlphaRaster(Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/PackedColorModel equals(Ljava/lang/Object;)Z
java/awt/image/PackedColorModel createBitsArray(II)[I
java/awt/image/PackedColorModel createBitsArray(III)[I
java/awt/image/PackedColorModel
countBits(I)I
class java/awt/image/ColorModel java/lang/Object
java/awt/image/ColorModel pData
java/awt/image/ColorModel pixel_bits
java/awt/image/ColorModel nBits
java/awt/image/ColorModel transparency
java/awt/image/ColorModel supportsAlpha
java/awt/image/ColorModel isAlphaPremultiplied
java/awt/image/ColorModel numComponents
java/awt/image/ColorModel numColorComponents
java/awt/image/ColorModel colorSpace
java/awt/image/ColorModel colorSpaceType
java/awt/image/ColorModel maxBits
java/awt/image/ColorModel is_sRGB
java/awt/image/ColorModel transferType
java/awt/image/ColorModel loaded
java/awt/image/ColorModel RGBdefault
java/awt/image/ColorModel l8Tos8
java/awt/image/ColorModel s8Tol8
java/awt/image/ColorModel l16Tos8
java/awt/image/ColorModel s8Tol16
java/awt/image/ColorModel g8Tos8Map
java/awt/image/ColorModel lg16Toog8Map
java/awt/image/ColorModel g16Tos8Map
java/awt/image/ColorModel lg16Toog16Map
java/awt/image/ColorModel loadLibraries()V
java/awt/image/ColorModel
initIDs()V
java/awt/image/ColorModel getRGBdefault()Ljava/awt/image/ColorModel;
java/awt/image/ColorModel <init>(I)V
java/awt/image/ColorModel <init>(IILjava/awt/color/ColorSpace;ZZII)V
java/awt/image/ColorModel hasAlpha()Z
java/awt/image/ColorModel isAlphaPremultiplied()Z
java/awt/image/ColorModel getTransferType()I
java/awt/image/ColorModel getPixelSize()I
java/awt/image/ColorModel getComponentSize(I)I
java/awt/image/ColorModel getComponentSize()[I
java/awt/image/ColorModel getTransparency()I
java/awt/image/ColorModel getNumComponents()I
java/awt/image/ColorModel getNumColorComponents()I
java/awt/image/ColorModel getRed(I)I

```

```

java/awt/image/ColorModel getGreen(I)I
java/awt/image/ColorModel getBlue(I)I
java/awt/image/ColorModel getAlpha(I)I
java/awt/image/ColorModel getRGB(I)I
java/awt/image/ColorModel getRed(Ljava/lang/Object;)I
java/awt/image/ColorModel getGreen(Ljava/lang/Object;)I
java/awt/image/ColorModel getBlue(Ljava/lang/Object;)I
java/awt/image/ColorModel getAlpha(Ljava/lang/Object;)I
java/awt/image/ColorModel
    getRGB(Ljava/lang/Object;)I
java/awt/image/ColorModel getDataElements(ILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/ColorModel getComponents(I[II)I
java/awt/image/ColorModel getComponents(Ljava/lang/Object;[II)I
java/awt/image/ColorModel getUnnormalizedComponents([FI[II)I
java/awt/image/ColorModel getNormalizedComponents([II[FI)[F
java/awt/image/ColorModel getDataElement([II)I
java/awt/image/ColorModel getDataElements([IILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/ColorModel getDataElement([FI)I
java/awt/image/ColorModel getDataElements([FILjava/lang/Object;)Ljava/lang/Object;
java/awt/image/ColorModel getNormalizedComponents(Ljava/lang/Object;[FI)[F
java/awt/image/ColorModel equals(Ljava/lang/Object;)Z
java/awt/image/ColorModel hashCode()I
java/awt/image/ColorModel getColorSpace()Ljava/awt/color/ColorSpace;
java/awt/image/ColorModel coerceData(Ljava/awt/image/WritableRaster;Z)Ljava/awt/image/ColorModel;
java/awt/image/ColorModel
    isCompatibleRaster(Ljava/awt/image/Raster;)Z
java/awt/image/ColorModel createCompatibleWritableRaster(II)Ljava/awt/image/WritableRaster;
java/awt/image/ColorModel createCompatibleSampleModel(II)Ljava/awt/image/SampleModel;
java/awt/image/ColorModel isCompatibleSampleModel(Ljava/awt/image/SampleModel;)Z
java/awt/image/ColorModel finalize()V
java/awt/image/ColorModel getAlphaRaster(Ljava/awt/image/WritableRaster;)Ljava/awt/image/WritableRaster;
java/awt/image/ColorModel toString()Ljava/lang/String;
java/awt/image/ColorModel getDefaultTransferType()I
java/awt/image/ColorModel isLinearRGBspace(Ljava/awt/color/ColorSpace;)Z
java/awt/image/ColorModel isLinearGRAYspace(Ljava/awt/color/ColorSpace;)Z
java/awt/image/ColorModel getLinearRGB8ToRGB8LUT()[B
java/awt/image/ColorModel getsRGB8ToLinearRGB8LUT()[B
java/awt/image/ColorModel getLinearRGB16ToRGB8LUT()[B
java/awt/image/ColorModel getsRGB8ToLinearRGB16LUT()[S
java/awt/image/ColorModel getGray8ToRGB8LUT(Ljava/awt/color/ICC_ColorSpace;)[B
java/awt/image/ColorModel
    getLinearGray16ToOtherGray8LUT(Ljava/awt/color/ICC_ColorSpace;)[B
java/awt/image/ColorModel getGray16ToRGB8LUT(Ljava/awt/color/ICC_ColorSpace;)[B
java/awt/image/ColorModel getLinearGray16ToOtherGray16LUT(Ljava/awt/color/ICC_ColorSpace;)[S
java/awt/image/ColorModel <clinit>()V
class java/lang/IllegalStateException java/lang/RuntimeException
java/lang/IllegalStateException serialVersionUID
java/lang/IllegalStateException <init>()V

```

```

java/lang/IllegalStateException <init>(Ljava/lang/String;)V
java/lang/IllegalStateException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/IllegalStateException <init>(Ljava/lang/Throwable;)V
class java/awt/Transparency java/lang/Object
java/awt/Transparency OPAQUE
java/awt/Transparency BITMASK
java/awt/Transparency TRANSLUCENT
java/awt/Transparency getTransparency()I
class java/awt/FontMetrics java/lang/Object
java/awt/FontMetrics font
java/awt/FontMetrics serialVersionUID
java/awt/FontMetrics <init>(Ljava/awt/Font;)V
java/awt/FontMetrics
    getFont()Ljava/awt/Font;
java/awt/FontMetrics getLeading()I
java/awt/FontMetrics getAscent()I
java/awt/FontMetrics getDescent()I
java/awt/FontMetrics getHeight()I
java/awt/FontMetrics getMaxAscent()I
java/awt/FontMetrics getMaxDescent()I
java/awt/FontMetrics getMaxDecent()I
java/awt/FontMetrics getMaxAdvance()I
java/awt/FontMetrics charWidth(I)I
java/awt/FontMetrics charWidth(C)I
java/awt/FontMetrics stringWidth(Ljava/lang/String;)I
java/awt/FontMetrics charsWidth([CII)I
java/awt/FontMetrics bytesWidth([BII)I
java/awt/FontMetrics getWidths()[I
java/awt/FontMetrics hasUniformLineMetrics()Z
java/awt/FontMetrics getLineMetrics(Ljava/lang/String;Ljava/awt/Graphics;)Ljava/awt/font/LineMetrics;
java/awt/FontMetrics getLineMetrics(Ljava/lang/String;IILjava/awt/Graphics;)Ljava/awt/font/LineMetrics;
java/awt/FontMetrics getLineMetrics([CIILjava/awt/Graphics;)Ljava/awt/font/LineMetrics;
java/awt/FontMetrics
    getLineMetrics(Ljava/text/CharacterIterator;IILjava/awt/Graphics;)Ljava/awt/font/LineMetrics;
java/awt/FontMetrics
    getStringBounds(Ljava/lang/String;Ljava/awt/Graphics;)Ljava/awt/geom/Rectangle2D;
java/awt/FontMetrics getStringBounds(Ljava/lang/String;IILjava/awt/Graphics;)Ljava/awt/geom/Rectangle2D;
java/awt/FontMetrics getStringBounds([CIILjava/awt/Graphics;)Ljava/awt/geom/Rectangle2D;
java/awt/FontMetrics
    getStringBounds(Ljava/text/CharacterIterator;IILjava/awt/Graphics;)Ljava/awt/geom/Rectangle2D;
java/awt/FontMetrics getMaxCharBounds(Ljava/awt/Graphics;)Ljava/awt/geom/Rectangle2D;
java/awt/FontMetrics myFRC(Ljava/awt/Graphics;)Ljava/awt/font/FontRenderContext;
java/awt/FontMetrics toString()Ljava/lang/String;
java/awt/FontMetrics initIDs()V
java/awt/FontMetrics <clinit>()V
class java/util/WeakHashMap$Entry java/lang/ref/WeakReference
java/util/WeakHashMap$Entry value
java/util/WeakHashMap$Entry hash

```

```

java/util/WeakHashMap$Entry next
java/util/WeakHashMap$Entry
<init>(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;ILjava/util/WeakHashMap$Entry;)V
java/util/WeakHashMap$Entry
    getKey()Ljava/lang/Object;
java/util/WeakHashMap$Entry getValue()Ljava/lang/Object;
java/util/WeakHashMap$Entry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap$Entry equals(Ljava/lang/Object;)Z
java/util/WeakHashMap$Entry hashCode()I
java/util/WeakHashMap$Entry toString()Ljava/lang/String;
java/util/WeakHashMap$Entry access$000(Ljava/util/WeakHashMap$Entry;)I
java/util/WeakHashMap$Entry access$100(Ljava/util/WeakHashMap$Entry;)Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap$Entry
    access$102(Ljava/util/WeakHashMap$Entry;Ljava/util/WeakHashMap$Entry;)Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap$Entry access$202(Ljava/util/WeakHashMap$Entry;Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap$Entry access$200(Ljava/util/WeakHashMap$Entry;)Ljava/lang/Object;
class java/util/WeakHashMap java/util/AbstractMap
java/util/WeakHashMap DEFAULT_INITIAL_CAPACITY
java/util/WeakHashMap MAXIMUM_CAPACITY
java/util/WeakHashMap
    DEFAULT_LOAD_FACTOR
java/util/WeakHashMap table
java/util/WeakHashMap size
java/util/WeakHashMap threshold
java/util/WeakHashMap loadFactor
java/util/WeakHashMap queue
java/util/WeakHashMap modCount
java/util/WeakHashMap NULL_KEY
java/util/WeakHashMap entrySet
java/util/WeakHashMap <init>(IF)V
java/util/WeakHashMap <init>(I)V
java/util/WeakHashMap <init>()V
java/util/WeakHashMap <init>(Ljava/util/Map;)V
java/util/WeakHashMap maskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap unmaskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap eq(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/WeakHashMap indexFor(II)I
java/util/WeakHashMap expungeStaleEntries()V
java/util/WeakHashMap getTable()[Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap size()I
java/util/WeakHashMap isEmpty()Z
java/util/WeakHashMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap containsKey(Ljava/lang/Object;)Z
java/util/WeakHashMap getEntry(Ljava/lang/Object;)Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap
    put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap resize(I)V
java/util/WeakHashMap transfer([Ljava/util/WeakHashMap$Entry;[Ljava/util/WeakHashMap$Entry;)V

```



```

java/util/WeakHashMap putAll(Ljava/util/Map;)V
java/util/WeakHashMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap removeMapping(Ljava/lang/Object;)Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap clear()V
java/util/WeakHashMap containsValue(Ljava/lang/Object;)Z
java/util/WeakHashMap containsNullValue()Z
java/util/WeakHashMap keySet()Ljava/util/Set;
java/util/WeakHashMap values()Ljava/util/Collection;
java/util/WeakHashMap entrySet()Ljava/util/Set;
java/util/WeakHashMap access$300(Ljava/lang/Object;)Ljava/lang/Object;
java/util/WeakHashMap access$400(Ljava/util/WeakHashMap;)I
java/util/WeakHashMap access$500(Ljava/util/WeakHashMap;)[Ljava/util/WeakHashMap$Entry;
java/util/WeakHashMap <clinit>()V
class java/io/FilenameFilter java/lang/Object
java/io/FilenameFilter
    accept(Ljava/io/File;Ljava/lang/String;)Z
class java/awt/Point java/awt/geom/Point2D
java/awt/Point x
java/awt/Point y
java/awt/Point serialVersionUID
java/awt/Point <init>()V
java/awt/Point <init>(Ljava/awt/Point;)V
java/awt/Point <init>(II)V
java/awt/Point getX()D
java/awt/Point getY()D
java/awt/Point getLocation()Ljava/awt/Point;
java/awt/Point setLocation(Ljava/awt/Point;)V
java/awt/Point setLocation(II)V
java/awt/Point setLocation(DD)V
java/awt/Point move(II)V
java/awt/Point translate(II)V
java/awt/Point equals(Ljava/lang/Object;)Z
java/awt/Point toString()Ljava/lang/String;
class java/awt/geom/Point2D java/lang/Object
java/awt/geom/Point2D <init>()V
java/awt/geom/Point2D getX()D
java/awt/geom/Point2D getY()D
java/awt/geom/Point2D setLocation(DD)V
java/awt/geom/Point2D setLocation(Ljava/awt/geom/Point2D;)V
java/awt/geom/Point2D distanceSq(DDDD)D
java/awt/geom/Point2D distance(DDDD)D
java/awt/geom/Point2D distanceSq(DD)D
java/awt/geom/Point2D distanceSq(Ljava/awt/geom/Point2D;)D
java/awt/geom/Point2D
    distance(DD)D
java/awt/geom/Point2D distance(Ljava/awt/geom/Point2D;)D
java/awt/geom/Point2D clone()Ljava/lang/Object;
java/awt/geom/Point2D hashCode()I

```

java/awt/geom/Point2D equals(Ljava/lang/Object;)Z
class java/awt/Cursor java/lang/Object
java/awt/Cursor DEFAULT_CURSOR
java/awt/Cursor CROSSHAIR_CURSOR
java/awt/Cursor TEXT_CURSOR
java/awt/Cursor WAIT_CURSOR
java/awt/Cursor SW_RESIZE_CURSOR
java/awt/Cursor SE_RESIZE_CURSOR
java/awt/Cursor NW_RESIZE_CURSOR
java/awt/Cursor NE_RESIZE_CURSOR
java/awt/Cursor N_RESIZE_CURSOR
java/awt/Cursor S_RESIZE_CURSOR
java/awt/Cursor W_RESIZE_CURSOR
java/awt/Cursor E_RESIZE_CURSOR
java/awt/Cursor HAND_CURSOR
java/awt/Cursor MOVE_CURSOR
java/awt/Cursor predefined
java/awt/Cursor cursorProperties
java/awt/Cursor type
java/awt/Cursor CUSTOM_CURSOR
java/awt/Cursor systemCustomCursors
java/awt/Cursor systemCustomCursorDirPrefix
java/awt/Cursor systemCustomCursorPropertiesFile
java/awt/Cursor systemCustomCursorProperties
java/awt/Cursor
CursorDotPrefix
java/awt/Cursor DotFileSuffix
java/awt/Cursor DotHotspotSuffix
java/awt/Cursor DotNameSuffix
java/awt/Cursor serialVersionUID
java/awt/Cursor dbg
java/awt/Cursor pData
java/awt/Cursor anchor
java/awt/Cursor disposer
java/awt/Cursor name
java/awt/Cursor initCursorDir()Ljava/lang/String;
java/awt/Cursor initIDs()V
java/awt/Cursor setPData(J)V
java/awt/Cursor getPredefinedCursor(I)Ljava/awt/Cursor;
java/awt/Cursor getSystemCustomCursor(Ljava/lang/String;)Ljava/awt/Cursor;
java/awt/Cursor getDefaultCursor()Ljava/awt/Cursor;
java/awt/Cursor <init>(I)V
java/awt/Cursor <init>(Ljava/lang/String;)V
java/awt/Cursor getType()I
java/awt/Cursor getName()Ljava/lang/String;
java/awt/Cursor toString()Ljava/lang/String;
java/awt/Cursor loadSystemCustomCursorProperties()V
java/awt/Cursor finalizeImpl(J)V

```

java/awt/Cursor access$000(J)V
java/awt/Cursor access$100(Ljava/lang/String;
java/awt/Cursor access$200(Ljava/lang/String;
java/awt/Cursor access$300(Ljava/util/Properties;
java/awt/Cursor
    <clinit>()V
class java/awt/ComponentOrientation java/lang/Object
java/awt/ComponentOrientation UNK_BIT
java/awt/ComponentOrientation HORIZ_BIT
java/awt/ComponentOrientation LTR_BIT
java/awt/ComponentOrientation LEFT_TO_RIGHT
java/awt/ComponentOrientation RIGHT_TO_LEFT
java/awt/ComponentOrientation UNKNOWN
java/awt/ComponentOrientation orientation
java/awt/ComponentOrientation isHorizontal()Z
java/awt/ComponentOrientation isLeftToRight()Z
java/awt/ComponentOrientation getOrientation(Ljava/util/Locale;)Ljava/awt/ComponentOrientation;
java/awt/ComponentOrientation getOrientation(Ljava/util/ResourceBundle;)Ljava/awt/ComponentOrientation;
java/awt/ComponentOrientation <init>()V
java/awt/ComponentOrientation <clinit>()V
class java/awt/Dimension java/awt/geom/Dimension2D
java/awt/Dimension width
java/awt/Dimension height
java/awt/Dimension serialVersionUID
java/awt/Dimension initIDs()V
java/awt/Dimension <init>()V
java/awt/Dimension <init>(Ljava/awt/Dimension;)V
java/awt/Dimension
    <init>(II)V
java/awt/Dimension getWidth()D
java/awt/Dimension getHeight()D
java/awt/Dimension setSize(DD)V
java/awt/Dimension getSize()Ljava/awt/Dimension;
java/awt/Dimension setSize(Ljava/awt/Dimension;)V
java/awt/Dimension setSize(II)V
java/awt/Dimension equals(Ljava/lang/Object;)Z
java/awt/Dimension hashCode()I
java/awt/Dimension toString()Ljava/lang/String;
java/awt/Dimension <clinit>()V
class java/awt/geom/Dimension2D java/lang/Object
java/awt/geom/Dimension2D <init>()V
java/awt/geom/Dimension2D getWidth()D
java/awt/geom/Dimension2D getHeight()D
java/awt/geom/Dimension2D setSize(DD)V
java/awt/geom/Dimension2D setSize(Ljava/awt/geom/Dimension2D;)V
java/awt/geom/Dimension2D clone()Ljava/lang/Object;
class java/awt/LightweightDispatcher java/lang/Object
java/awt/LightweightDispatcher serialVersionUID

```

```

java/awt/LightweightDispatcher LWD_MOUSE_DRAGGED_OVER
java/awt/LightweightDispatcher dbg
java/awt/LightweightDispatcher nativeContainer
java/awt/LightweightDispatcher
    focus
java/awt/LightweightDispatcher mouseEventTarget
java/awt/LightweightDispatcher targetLastEntered
java/awt/LightweightDispatcher isMouseInNativeContainer
java/awt/LightweightDispatcher nativeCursor
java/awt/LightweightDispatcher eventMask
java/awt/LightweightDispatcher PROXY_EVENT_MASK
java/awt/LightweightDispatcher MOUSE_MASK
java/awt/LightweightDispatcher $assertionsDisabled
java/awt/LightweightDispatcher <init>(Ljava/awt/Container;)V
java/awt/LightweightDispatcher dispose()V
java/awt/LightweightDispatcher enableEvents(J)V
java/awt/LightweightDispatcher dispatchEvent(Ljava/awt/AWTEvent;)Z
java/awt/LightweightDispatcher isMouseGrab(Ljava/awt/event/MouseEvent;)Z
java/awt/LightweightDispatcher processMouseEvent(Ljava/awt/event/MouseEvent;)Z
java/awt/LightweightDispatcher processDropTargetEvent(Lsun/awt/dnd/SunDropTargetEvent;)Z
java/awt/LightweightDispatcher trackMouseEnterExit(Ljava/awt/Component;Ljava/awt/event/MouseEvent;)V
java/awt/LightweightDispatcher startListeningForOtherDrags()V
java/awt/LightweightDispatcher
    stopListeningForOtherDrags()V
java/awt/LightweightDispatcher eventDispatched(Ljava/awt/AWTEvent;)V
java/awt/LightweightDispatcher retargetMouseEvent(Ljava/awt/Component;ILjava/awt/event/MouseEvent;)V
java/awt/LightweightDispatcher access$000(Ljava/awt/LightweightDispatcher;Ljava/awt/Container;
java/awt/LightweightDispatcher
    access$100(Ljava/awt/LightweightDispatcher;Ljava/awt/Component;Ljava/awt/event/MouseEvent;)V
java/awt/LightweightDispatcher <clinit>()V
class java/awt/event/AWTEventListener java/lang/Object
java/awt/event/AWTEventListener eventDispatched(Ljava/awt/AWTEvent;)V
class java/awt/LayoutManager java/lang/Object
java/awt/LayoutManager addLayoutComponent(Ljava/lang/String;Ljava/awt/Component;)V
java/awt/LayoutManager removeLayoutComponent(Ljava/awt/Component;)V
java/awt/LayoutManager preferredLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/LayoutManager minimumLayoutSize(Ljava/awt/Container;)Ljava/awt/Dimension;
java/awt/LayoutManager
    layoutContainer(Ljava/awt/Container;)V
class java/awt/geom/AffineTransform java/lang/Object
java/awt/geom/AffineTransform TYPE_UNKNOWN
java/awt/geom/AffineTransform TYPE_IDENTITY
java/awt/geom/AffineTransform TYPE_TRANSLATION
java/awt/geom/AffineTransform TYPE_UNIFORM_SCALE
java/awt/geom/AffineTransform TYPE_GENERAL_SCALE
java/awt/geom/AffineTransform TYPE_MASK_SCALE
java/awt/geom/AffineTransform TYPE_FLIP
java/awt/geom/AffineTransform TYPE_QUADRANT_ROTATION

```

```

java/awt/geom/AffineTransform TYPE_GENERAL_ROTATION
java/awt/geom/AffineTransform TYPE_MASK_ROTATION
java/awt/geom/AffineTransform TYPE_GENERAL_TRANSFORM
java/awt/geom/AffineTransform APPLY_IDENTITY
java/awt/geom/AffineTransform APPLY_TRANSLATE
java/awt/geom/AffineTransform APPLY_SCALE
java/awt/geom/AffineTransform APPLY_SHEAR
java/awt/geom/AffineTransform HI_SHIFT
java/awt/geom/AffineTransform HI_IDENTITY
java/awt/geom/AffineTransform HI_TRANSLATE
java/awt/geom/AffineTransform HI_SCALE
java/awt/geom/AffineTransform
    HI_SHEAR
java/awt/geom/AffineTransform m00
java/awt/geom/AffineTransform m10
java/awt/geom/AffineTransform m01
java/awt/geom/AffineTransform m11
java/awt/geom/AffineTransform m02
java/awt/geom/AffineTransform m12
java/awt/geom/AffineTransform state
java/awt/geom/AffineTransform type
java/awt/geom/AffineTransform rot90conversion
java/awt/geom/AffineTransform <init>(DDDDDDI)V
java/awt/geom/AffineTransform <init>()V
java/awt/geom/AffineTransform <init>(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/AffineTransform <init>(FFFFFF)V
java/awt/geom/AffineTransform <init>(IF)V
java/awt/geom/AffineTransform <init>(DDDDDD)V
java/awt/geom/AffineTransform <init>([D)V
java/awt/geom/AffineTransform getTranslateInstance(DD)Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform getRotateInstance(D)Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform getRotateInstance(DDD)Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform getScaleInstance(DD)Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform
    getShearInstance(DD)Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform getType()I
java/awt/geom/AffineTransform calculateType()V
java/awt/geom/AffineTransform getDeterminant()D
java/awt/geom/AffineTransform updateState()V
java/awt/geom/AffineTransform stateError()V
java/awt/geom/AffineTransform getMatrix([D)V
java/awt/geom/AffineTransform getScaleX()D
java/awt/geom/AffineTransform getScaleY()D
java/awt/geom/AffineTransform getShearX()D
java/awt/geom/AffineTransform getShearY()D
java/awt/geom/AffineTransform getTranslateX()D
java/awt/geom/AffineTransform getTranslateY()D
java/awt/geom/AffineTransform translate(DD)V

```

```

java/awt/geom/AffineTransform rotate(D)V
java/awt/geom/AffineTransform rotate(DDD)V
java/awt/geom/AffineTransform scale(DD)V
java/awt/geom/AffineTransform shear(DD)V
java/awt/geom/AffineTransform setToIdentity()V
java/awt/geom/AffineTransform setToTranslation(DD)V
java/awt/geom/AffineTransform setToRotation(D)V
java/awt/geom/AffineTransform
    setToRotation(DDD)V
java/awt/geom/AffineTransform setToScale(DD)V
java/awt/geom/AffineTransform setToShear(DD)V
java/awt/geom/AffineTransform setTransform(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/AffineTransform setTransform(DDDDDD)V
java/awt/geom/AffineTransform concatenate(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/AffineTransform preConcatenate(Ljava/awt/geom/AffineTransform;)V
java/awt/geom/AffineTransform createInverse()Ljava/awt/geom/AffineTransform;
java/awt/geom/AffineTransform
    transform(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/geom/AffineTransform transform([Ljava/awt/geom/Point2D;I[Ljava/awt/geom/Point2D;II)V
java/awt/geom/AffineTransform transform([FI[FII)V
java/awt/geom/AffineTransform transform([DI[DII)V
java/awt/geom/AffineTransform transform([FI[DII)V
java/awt/geom/AffineTransform transform([DI[FII)V
java/awt/geom/AffineTransform
    inverseTransform(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/geom/AffineTransform
    inverseTransform([DI[DII)V
java/awt/geom/AffineTransform
    deltaTransform(Ljava/awt/geom/Point2D;Ljava/awt/geom/Point2D;)Ljava/awt/geom/Point2D;
java/awt/geom/AffineTransform deltaTransform([DI[DII)V
java/awt/geom/AffineTransform createTransformedShape(Ljava/awt/Shape;)Ljava/awt/Shape;
java/awt/geom/AffineTransform _matround(D)D
java/awt/geom/AffineTransform toString()Ljava/lang/String;
java/awt/geom/AffineTransform isIdentity()Z
java/awt/geom/AffineTransform clone()Ljava/lang/Object;
java/awt/geom/AffineTransform hashCode()I
java/awt/geom/AffineTransform equals(Ljava/lang/Object;)Z
java/awt/geom/AffineTransform writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/geom/AffineTransform readObject(Ljava/io/ObjectInputStream;)V
java/awt/geom/AffineTransform <clinit>()V
class java/awt/font/TransformAttribute java/lang/Object
java/awt/font/TransformAttribute transform
java/awt/font/TransformAttribute serialVersionUID
java/awt/font/TransformAttribute <init>(Ljava/awt/geom/AffineTransform;)V
java/awt/font/TransformAttribute
    getTransform()Ljava/awt/geom/AffineTransform;
java/awt/font/TransformAttribute isIdentity()Z
java/awt/font/TransformAttribute writeObject(Ljava/io/ObjectOutputStream;)V

```

```

class java/awt/Font java/lang/Object
java/awt/Font fRequestedAttributes
java/awt/Font EMPTY_MAP
java/awt/Font IDENT_TX_ATTRIBUTE
java/awt/Font PLAIN
java/awt/Font BOLD
java/awt/Font ITALIC
java/awt/Font ROMAN_BASELINE
java/awt/Font CENTER_BASELINE
java/awt/Font HANGING_BASELINE
java/awt/Font TRUETYPE_FONT
java/awt/Font TYPE1_FONT
java/awt/Font name
java/awt/Font style
java/awt/Font size
java/awt/Font pointSize
java/awt/Font peer
java/awt/Font pData
java/awt/Font font2DHandle
java/awt/Font superscript
java/awt/Font width
java/awt/Font createdFont
java/awt/Font matrix
java/awt/Font nonIdentityTx
java/awt/Font identityTx
java/awt/Font serialVersionUID
java/awt/Font cacheRef
java/awt/Font ssinfo
java/awt/Font fontSerializedDataVersion
java/awt/Font cachedMat
java/awt/Font
    flmref
java/awt/Font LAYOUT_LEFT_TO_RIGHT
java/awt/Font LAYOUT_RIGHT_TO_LEFT
java/awt/Font LAYOUT_NO_START_CONTEXT
java/awt/Font LAYOUT_NO_LIMIT_CONTEXT
java/awt/Font getPeer()Ljava/awt/peer/FontPeer;
java/awt/Font getPeer_NoClientCode()Ljava/awt/peer/FontPeer;
java/awt/Font getRequestedAttributes()Ljava/util/Hashtable;
java/awt/Font initializeFont(Ljava/util/Hashtable;)V
java/awt/Font getFont2D()Lsun/font/Font2D;
java/awt/Font getFont2DHandleForCreatedFont()Lsun/font/Font2DHandle;
java/awt/Font <init>(Ljava/lang/String;I)V
java/awt/Font <init>(Ljava/lang/String;I)V
java/awt/Font <init>(Ljava/io/File;I)V
java/awt/Font <init>(Ljava/util/Map;ZLsun/font/Font2DHandle;)V
java/awt/Font <init>(Ljava/util/Map;)V
java/awt/Font initFromMap(Ljava/util/Map;)V

```

```

java/awt/Font getFont(Ljava/util/Map;)Ljava/awt/Font;
java/awt/Font get(Ljava/awt/Font$Key;)Ljava/awt/Font;
java/awt/Font createFont(ILjava/io/InputStream;)Ljava/awt/Font;
java/awt/Font createFont(ILjava/io/File;)Ljava/awt/Font;
java/awt/Font
    getTransform()Ljava/awt/geom/AffineTransform;
java/awt/Font getFamily()Ljava/lang/String;
java/awt/Font getFamily_NoClientCode()Ljava/lang/String;
java/awt/Font getFamily(Ljava/util/Locale;)Ljava/lang/String;
java/awt/Font getPSName()Ljava/lang/String;
java/awt/Font getName()Ljava/lang/String;
java/awt/Font getFontName()Ljava/lang/String;
java/awt/Font getFontName(Ljava/util/Locale;)Ljava/lang/String;
java/awt/Font getStyle()I
java/awt/Font getSize()I
java/awt/Font getSize2D()F
java/awt/Font isPlain()Z
java/awt/Font isBold()Z
java/awt/Font isItalic()Z
java/awt/Font isTransformed()Z
java/awt/Font getFont(Ljava/lang/String;)Ljava/awt/Font;
java/awt/Font decode(Ljava/lang/String;)Ljava/awt/Font;
java/awt/Font getFont(Ljava/lang/String;Ljava/awt/Font;)Ljava/awt/Font;
java/awt/Font hashCode()I
java/awt/Font equals(Ljava/lang/Object;)Z
java/awt/Font toString()Ljava/lang/String;
java/awt/Font writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Font readObject(Ljava/io/ObjectInputStream;)V
java/awt/Font
    getNumGlyphs()I
java/awt/Font getMissingGlyphCode()I
java/awt/Font getMatrix()[D
java/awt/Font getBaselineFor(C)B
java/awt/Font getAttributes()Ljava/util/Map;
java/awt/Font getAvailableAttributes()[Ljava/text/AttributedCharacterIterator$Attribute;
java/awt/Font deriveFont(IF)Ljava/awt/Font;
java/awt/Font deriveFont(ILjava/awt/geom/AffineTransform;)Ljava/awt/Font;
java/awt/Font deriveFont(F)Ljava/awt/Font;
java/awt/Font deriveFont(Ljava/awt/geom/AffineTransform;)Ljava/awt/Font;
java/awt/Font deriveFont(I)Ljava/awt/Font;
java/awt/Font deriveFont(Ljava/util/Map;)Ljava/awt/Font;
java/awt/Font canDisplay(C)Z
java/awt/Font canDisplay(I)Z
java/awt/Font canDisplayUpTo(Ljava/lang/String;)I
java/awt/Font canDisplayUpTo([CII)I
java/awt/Font canDisplayUpTo(Ljava/text/CharacterIterator;II)I
java/awt/Font getItalicAngle()F
java/awt/Font hasUniformLineMetrics()Z

```



```

java/awt/Font defaultLineMetrics(Ljava/awt/font/FontRenderContext;)Ljava/awt/font/FontLineMetrics;
java/awt/Font getLineMetrics(Ljava/lang/String;Ljava/awt/font/FontRenderContext;)Ljava/awt/font/LineMetrics;
java/awt/Font
    getLineMetrics(Ljava/lang/String;IILjava/awt/font/FontRenderContext;)Ljava/awt/font/LineMetrics;
java/awt/Font getLineMetrics([CIILjava/awt/font/FontRenderContext;)Ljava/awt/font/LineMetrics;
java/awt/Font
    getLineMetrics(Ljava/text/CharacterIterator;IILjava/awt/font/FontRenderContext;)Ljava/awt/font/LineMetrics;
java/awt/Font
    getStringBounds(Ljava/lang/String;Ljava/awt/font/FontRenderContext;)Ljava/awt/geom/Rectangle2D;
java/awt/Font
    getStringBounds(Ljava/lang/String;IILjava/awt/font/FontRenderContext;)Ljava/awt/geom/Rectangle2D;
java/awt/Font getStringBounds([CIILjava/awt/font/FontRenderContext;)Ljava/awt/geom/Rectangle2D;
java/awt/Font
    getStringBounds(Ljava/text/CharacterIterator;IILjava/awt/font/FontRenderContext;)Ljava/awt/geom/Rectangle2D;
java/awt/Font getMaxCharBounds(Ljava/awt/font/FontRenderContext;)Ljava/awt/geom/Rectangle2D;
java/awt/Font
    createGlyphVector(Ljava/awt/font/FontRenderContext;Ljava/lang/String;)Ljava/awt/font/GlyphVector;
java/awt/Font
    createGlyphVector(Ljava/awt/font/FontRenderContext;[C)Ljava/awt/font/GlyphVector;
java/awt/Font
    createGlyphVector(Ljava/awt/font/FontRenderContext;Ljava/text/CharacterIterator;)Ljava/awt/font/GlyphVector;
java/awt/Font createGlyphVector(Ljava/awt/font/FontRenderContext;[I)Ljava/awt/font/GlyphVector;
java/awt/Font layoutGlyphVector(Ljava/awt/font/FontRenderContext;[CIILjava/awt/font/GlyphVector;
java/awt/Font applyTransform(Ljava/awt/geom/AffineTransform;Ljava/util/Map;)V
java/awt/Font applyStyle(ILjava/util/Map;)V
java/awt/Font applySize(FLjava/util/Map;)V
java/awt/Font initIDs()V
java/awt/Font pDispose()V
java/awt/Font finalize()V
java/awt/Font <clinit>()V
class java/util/EventListener java/lang/Object
class java/awt/dnd/peer/DropTargetPeer java/lang/Object
java/awt/dnd/peer/DropTargetPeer addDropTarget(Ljava/awt/dnd/DropTarget;)V
java/awt/dnd/peer/DropTargetPeer removeDropTarget(Ljava/awt/dnd/DropTarget;)V
class
    java/awt/peer/ComponentPeer java/lang/Object
java/awt/peer/ComponentPeer SET_LOCATION
java/awt/peer/ComponentPeer SET_SIZE
java/awt/peer/ComponentPeer SET_BOUNDS
java/awt/peer/ComponentPeer SET_CLIENT_SIZE
java/awt/peer/ComponentPeer RESET_OPERATION
java/awt/peer/ComponentPeer NO_EMBEDDED_CHECK
java/awt/peer/ComponentPeer DEFAULT_OPERATION
java/awt/peer/ComponentPeer isObscured()Z
java/awt/peer/ComponentPeer canDetermineObscurity()Z
java/awt/peer/ComponentPeer setVisible(Z)V
java/awt/peer/ComponentPeer setEnabled(Z)V
java/awt/peer/ComponentPeer paint(Ljava/awt/Graphics;)V

```

```

java/awt/peer/ComponentPeer repaint(JIII)V
java/awt/peer/ComponentPeer print(Ljava/awt/Graphics;)V
java/awt/peer/ComponentPeer setBounds(IIII)V
java/awt/peer/ComponentPeer handleEvent(Ljava/awt/AWTEvent;)V
java/awt/peer/ComponentPeer coalescePaintEvent(Ljava/awt/event/PaintEvent;)V
java/awt/peer/ComponentPeer getLocationOnScreen()Ljava/awt/Point;
java/awt/peer/ComponentPeer getPreferredSize()Ljava/awt/Dimension;
java/awt/peer/ComponentPeer
    getMinimumSize()Ljava/awt/Dimension;
java/awt/peer/ComponentPeer getColorModel()Ljava/awt/image/ColorModel;
java/awt/peer/ComponentPeer getToolkit()Ljava/awt/Toolkit;
java/awt/peer/ComponentPeer getGraphics()Ljava/awt/Graphics;
java/awt/peer/ComponentPeer getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/peer/ComponentPeer dispose()V
java/awt/peer/ComponentPeer setForeground(Ljava/awt/Color;)V
java/awt/peer/ComponentPeer setBackground(Ljava/awt/Color;)V
java/awt/peer/ComponentPeer setFont(Ljava/awt/Font;)V
java/awt/peer/ComponentPeer updateCursorImmediately()V
java/awt/peer/ComponentPeer requestFocus(Ljava/awt/Component;ZZJ)Z
java/awt/peer/ComponentPeer isFocusable()Z
java/awt/peer/ComponentPeer createImage(Ljava/awt/image/ImageProducer;)Ljava/awt/Image;
java/awt/peer/ComponentPeer createImage(II)Ljava/awt/Image;
java/awt/peer/ComponentPeer createVolatileImage(II)Ljava/awt/image/VolatileImage;
java/awt/peer/ComponentPeer prepareImage(Ljava/awt/Image;IILjava/awt/image/ImageObserver;)Z
java/awt/peer/ComponentPeer
    checkImage(Ljava/awt/Image;IILjava/awt/image/ImageObserver;)I
java/awt/peer/ComponentPeer getGraphicsConfiguration()Ljava/awt/GraphicsConfiguration;
java/awt/peer/ComponentPeer handlesWheelScrolling()Z
java/awt/peer/ComponentPeer createBuffers(ILjava/awt/BufferCapabilities;)V
java/awt/peer/ComponentPeer getBackBuffer()Ljava/awt/Image;
java/awt/peer/ComponentPeer flip(Ljava/awt/BufferCapabilities$FlipContents;)V
java/awt/peer/ComponentPeer destroyBuffers()V
java/awt/peer/ComponentPeer reparent(Ljava/awt/peer/ContainerPeer;)V
java/awt/peer/ComponentPeer isReparentSupported()Z
java/awt/peer/ComponentPeer layout()V
java/awt/peer/ComponentPeer getBounds()Ljava/awt/Rectangle;
java/awt/peer/ComponentPeer preferredSize()Ljava/awt/Dimension;
java/awt/peer/ComponentPeer minimumSize()Ljava/awt/Dimension;
java/awt/peer/ComponentPeer show()V
java/awt/peer/ComponentPeer hide()V
java/awt/peer/ComponentPeer enable()V
java/awt/peer/ComponentPeer
    disable()V
java/awt/peer/ComponentPeer reshape(III)V
class java/awt/Insets java/lang/Object
java/awt/Insets top
java/awt/Insets left
java/awt/Insets bottom

```

```

java/awt/Insets right
java/awt/Insets serialVersionUID
java/awt/Insets <init>(III)V
java/awt/Insets set(III)V
java/awt/Insets equals(Ljava/lang/Object;)Z
java/awt/Insets hashCode()I
java/awt/Insets toString(Ljava/lang/String;
java/awt/Insets clone()Ljava/lang/Object;
java/awt/Insets initIDs()V
java/awt/Insets <clinit>()V
class java/awt/GraphicsEnvironment$1 java/lang/Object
java/awt/GraphicsEnvironment$1 <init>()V
java/awt/GraphicsEnvironment$1 run()Ljava/lang/Object;
class java/awt/GraphicsEnvironment java/lang/Object
java/awt/GraphicsEnvironment localEnv
java/awt/GraphicsEnvironment headless
java/awt/GraphicsEnvironment defaultHeadless
java/awt/GraphicsEnvironment <init>()V
java/awt/GraphicsEnvironment getLocalGraphicsEnvironment()Ljava/awt/GraphicsEnvironment;
java/awt/GraphicsEnvironment isHeadless()Z
java/awt/GraphicsEnvironment
    getHeadlessMessage()Ljava/lang/String;
java/awt/GraphicsEnvironment getHeadlessProperty()Z
java/awt/GraphicsEnvironment checkHeadless()V
java/awt/GraphicsEnvironment isHeadlessInstance()Z
java/awt/GraphicsEnvironment getScreenDevices()[Ljava/awt/GraphicsDevice;
java/awt/GraphicsEnvironment getDefaultScreenDevice()Ljava/awt/GraphicsDevice;
java/awt/GraphicsEnvironment createGraphics(Ljava/awt/image/BufferedImage;Ljava/awt/Graphics2D;
java/awt/GraphicsEnvironment getAllFonts()[Ljava/awt/Font;
java/awt/GraphicsEnvironment getAvailableFontFamilyNames()[Ljava/lang/String;
java/awt/GraphicsEnvironment getAvailableFontFamilyNames(Ljava/util/Locale;)[Ljava/lang/String;
java/awt/GraphicsEnvironment preferLocaleFonts()V
java/awt/GraphicsEnvironment preferProportionalFonts()V
java/awt/GraphicsEnvironment getCenterPoint()Ljava/awt/Point;
java/awt/GraphicsEnvironment getMaximumWindowBounds()Ljava/awt/Rectangle;
java/awt/GraphicsEnvironment access$002(Ljava/lang/Boolean;)Ljava/lang/Boolean;
java/awt/GraphicsEnvironment
    access$102(Ljava/lang/Boolean;)Ljava/lang/Boolean;
class java/awt/Toolkit$1 java/lang/Object
java/awt/Toolkit$1 val$sep
java/awt/Toolkit$1 val$properties
java/awt/Toolkit$1 <init>(Ljava/lang/String;Ljava/util/Properties;)V
java/awt/Toolkit$1 run()Ljava/lang/Object;
class java/net/URLClassLoader$2 java/lang/Object
java/net/URLClassLoader$2 val$name
java/net/URLClassLoader$2 this$0
java/net/URLClassLoader$2 <init>(Ljava/net/URLClassLoader;Ljava/lang/String;)V
java/net/URLClassLoader$2 run()Ljava/lang/Object;

```

```

class java/util/ResourceBundle$1 java/lang/Object
java/util/ResourceBundle$1 val$loader
java/util/ResourceBundle$1 val$resName
java/util/ResourceBundle$1 <init>(Ljava/lang/ClassLoader;Ljava/lang/String;)V
java/util/ResourceBundle$1 run()Ljava/lang/Object;
class java/io/FileNotFoundException java/io/IOException
java/io/FileNotFoundException <init>()V
java/io/FileNotFoundException <init>(Ljava/lang/String;)V
java/io/FileNotFoundException
    <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/io/IOException java/lang/Exception
java/io/IOException <init>()V
java/io/IOException <init>(Ljava/lang/String;)V
class java/util/ListResourceBundle java/util/ResourceBundle
java/util/ListResourceBundle lookup
java/util/ListResourceBundle <init>()V
java/util/ListResourceBundle handleGetObject(Ljava/lang/String;)Ljava/lang/Object;
java/util/ListResourceBundle getKeys()Ljava/util/Enumeration;
java/util/ListResourceBundle getContents()[Ljava/lang/Object;
java/util/ListResourceBundle loadLookup()V
class java/util/ResourceBundle$LoaderReference java/lang/ref/WeakReference
java/util/ResourceBundle$LoaderReference cacheKey
java/util/ResourceBundle$LoaderReference
    <init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;Ljava/util/ResourceBundle$ResourceCacheKey;)V
java/util/ResourceBundle$LoaderReference getCacheKey(Ljava/util/ResourceBundle$ResourceCacheKey;
class java/util/ResourceBundle$ResourceCacheKey java/lang/Object
java/util/ResourceBundle$ResourceCacheKey
    loaderRef
java/util/ResourceBundle$ResourceCacheKey searchName
java/util/ResourceBundle$ResourceCacheKey defaultLocale
java/util/ResourceBundle$ResourceCacheKey hashCodeCache
java/util/ResourceBundle$ResourceCacheKey <init>()V
java/util/ResourceBundle$ResourceCacheKey equals(Ljava/lang/Object;)Z
java/util/ResourceBundle$ResourceCacheKey hashCode()I
java/util/ResourceBundle$ResourceCacheKey clone()Ljava/lang/Object;
java/util/ResourceBundle$ResourceCacheKey
    setKeyValues(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/Locale;)V
java/util/ResourceBundle$ResourceCacheKey clear()V
java/util/ResourceBundle$ResourceCacheKey <init>(Ljava/util/ResourceBundle$1;)V
class java/util/ResourceBundle java/lang/Object
java/util/ResourceBundle cacheKey
java/util/ResourceBundle INITIAL_CACHE_SIZE
java/util/ResourceBundle CACHE_LOAD_FACTOR
java/util/ResourceBundle MAX_BUNDLES_SEARCHED
java/util/ResourceBundle underConstruction
java/util/ResourceBundle NOT_FOUND
java/util/ResourceBundle

```

```

cacheList
java/util/ResourceBundle referenceQueue
java/util/ResourceBundle parent
java/util/ResourceBundle locale
java/util/ResourceBundle <init>()V
java/util/ResourceBundle getString(Ljava/lang/String;)Ljava/lang/String;
java/util/ResourceBundle getStringArray(Ljava/lang/String;)[Ljava/lang/String;
java/util/ResourceBundle getObject(Ljava/lang/String;)Ljava/lang/Object;
java/util/ResourceBundle getLocale()Ljava/util/Locale;
java/util/ResourceBundle setLocale(Ljava/lang/String;Ljava/lang/String;)V
java/util/ResourceBundle getLoader()Ljava/lang/ClassLoader;
java/util/ResourceBundle getClassContext()[Ljava/lang/Class;
java/util/ResourceBundle setParent(Ljava/util/ResourceBundle;)V
java/util/ResourceBundle getBundle(Ljava/lang/String;)Ljava/util/ResourceBundle;
java/util/ResourceBundle getBundle(Ljava/lang/String;Ljava/util/Locale;)Ljava/util/ResourceBundle;
java/util/ResourceBundle
getBundle(Ljava/lang/String;Ljava/util/Locale;Ljava/lang/ClassLoader;)Ljava/util/ResourceBundle;
java/util/ResourceBundle
getBundleImpl(Ljava/lang/String;Ljava/util/Locale;Ljava/lang/ClassLoader;)Ljava/util/ResourceBundle;
java/util/ResourceBundle
propagate(Ljava/lang/ClassLoader;Ljava/util/Vector;Ljava/util/Vector;Ljava/util/Locale;Ljava/lang/Object;)Ljava/lang/Object;
java/util/ResourceBundle throwMissingResourceException(Ljava/lang/String;Ljava/util/Locale;)V
java/util/ResourceBundle cleanUpConstructionList()V
java/util/ResourceBundle
findBundle(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/Locale;Ljava/lang/String;Ljava/lang/Object;)Ljava/lang/Object;
java/util/ResourceBundle calculateBundleNames(Ljava/lang/String;Ljava/util/Locale;)Ljava/util/Vector;
java/util/ResourceBundle
findBundleInCache(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/Locale;)Ljava/lang/Object;
java/util/ResourceBundle
putBundleInCache(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/Locale;Ljava/lang/Object;)V
java/util/ResourceBundle
loadBundle(Ljava/lang/ClassLoader;Ljava/lang/String;Ljava/util/Locale;)Ljava/lang/Object;
java/util/ResourceBundle
handleGetObject(Ljava/lang/String;)Ljava/lang/Object;
java/util/ResourceBundle getKeys()Ljava/util/Enumeration;
java/util/ResourceBundle access$100()Ljava/lang/ref/ReferenceQueue;
java/util/ResourceBundle <clinit>()V
class java/awt/Toolkit$3 java/lang/Object
java/awt/Toolkit$3 <init>()V
java/awt/Toolkit$3 run()Ljava/lang/Object;
class java/awt/Toolkit java/lang/Object
java/awt/Toolkit lightweightMarker
java/awt/Toolkit toolkit
java/awt/Toolkit atNames
java/awt/Toolkit resources
java/awt/Toolkit loaded

```

```

java/awt/Toolkit desktopProperties
java/awt/Toolkit desktopPropsSupport
java/awt/Toolkit dbg
java/awt/Toolkit LONG_BITS
java/awt/Toolkit calls
java/awt/Toolkit enabledOnToolkitMask
java/awt/Toolkit eventListener
java/awt/Toolkit listener2SelectiveListener
java/awt/Toolkit $assertionsDisabled
java/awt/Toolkit <init>()V
java/awt/Toolkit createButton(Ljava/awt/Button;)Ljava/awt/peer/ButtonPeer;
java/awt/Toolkit createTextField(Ljava/awt/TextField;)Ljava/awt/peer/TextFieldPeer;
java/awt/Toolkit
    createLabel(Ljava/awt/Label;)Ljava/awt/peer/LabelPeer;
java/awt/Toolkit createList(Ljava/awt/List;)Ljava/awt/peer/ListPeer;
java/awt/Toolkit createCheckbox(Ljava/awt/Checkbox;)Ljava/awt/peer/CheckboxPeer;
java/awt/Toolkit createScrollbar(Ljava/awt/Scrollbar;)Ljava/awt/peer/ScrollbarPeer;
java/awt/Toolkit createScrollPane(Ljava/awt/ScrollPane;)Ljava/awt/peer/ScrollPanePeer;
java/awt/Toolkit createTextArea(Ljava/awt/TextArea;)Ljava/awt/peer/TextAreaPeer;
java/awt/Toolkit createChoice(Ljava/awt/Choice;)Ljava/awt/peer/ChoicePeer;
java/awt/Toolkit createFrame(Ljava/awt/Frame;)Ljava/awt/peer/FramePeer;
java/awt/Toolkit createCanvas(Ljava/awt/Canvas;)Ljava/awt/peer/CanvasPeer;
java/awt/Toolkit createPanel(Ljava/awt/Panel;)Ljava/awt/peer/PanelPeer;
java/awt/Toolkit createWindow(Ljava/awt/Window;)Ljava/awt/peer/WindowPeer;
java/awt/Toolkit createDialog(Ljava/awt/Dialog;)Ljava/awt/peer/DialogPeer;
java/awt/Toolkit createMenuBar(Ljava/awt/MenuBar;)Ljava/awt/peer/MenuBarPeer;
java/awt/Toolkit
    createMenu(Ljava/awt/Menu;)Ljava/awt/peer/MenuPeer;
java/awt/Toolkit createPopupMenu(Ljava/awt/PopupMenu;)Ljava/awt/peer/PopupMenuPeer;
java/awt/Toolkit createMenuItem(Ljava/awt/MenuItem;)Ljava/awt/peer/MenuItemPeer;
java/awt/Toolkit createFileDialog(Ljava/awt/FileDialog;)Ljava/awt/peer/FileDialogPeer;
java/awt/Toolkit
    createCheckboxMenuItem(Ljava/awt/CheckboxMenuItem;)Ljava/awt/peer/CheckboxMenuItemPeer;
java/awt/Toolkit getMouseInfoPeer()Ljava/awt/peer/MouseInfoPeer;
java/awt/Toolkit createComponent(Ljava/awt/Component;)Ljava/awt/peer/LightweightPeer;
java/awt/Toolkit getFontPeer(Ljava/lang/String;)Ljava/awt/peer/FontPeer;
java/awt/Toolkit loadSystemColors()I
java/awt/Toolkit setDynamicLayout(Z)V
java/awt/Toolkit isDynamicLayoutSet()Z
java/awt/Toolkit isDynamicLayoutActive()Z
java/awt/Toolkit getScreenSize()Ljava/awt/Dimension;
java/awt/Toolkit getScreenResolution()I
java/awt/Toolkit getScreenInsets(Ljava/awt/GraphicsConfiguration;)Ljava/awt/Insets;
java/awt/Toolkit
    getColorModel()Ljava/awt/image/ColorModel;
java/awt/Toolkit getFontList()[Ljava/lang/String;
java/awt/Toolkit getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/Toolkit sync()V

```

```

java/awt/Toolkit initAssistiveTechnologies()V
java/awt/Toolkit loadAssistiveTechnologies()V
java/awt/Toolkit getDefaultToolkit()Ljava/awt/Toolkit;
java/awt/Toolkit getImage(Ljava/lang/String;)Ljava/awt/Image;
java/awt/Toolkit getImage(Ljava/net/URL;)Ljava/awt/Image;
java/awt/Toolkit createImage(Ljava/lang/String;)Ljava/awt/Image;
java/awt/Toolkit createImage(Ljava/net/URL;)Ljava/awt/Image;
java/awt/Toolkit prepareImage(Ljava/awt/Image;IILjava/awt/image/ImageObserver;)Z
java/awt/Toolkit checkImage(Ljava/awt/Image;IILjava/awt/image/ImageObserver;)I
java/awt/Toolkit createImage(Ljava/awt/image/ImageProducer;)Ljava/awt/Image;
java/awt/Toolkit createImage([B)Ljava/awt/Image;
java/awt/Toolkit createImage([BII)Ljava/awt/Image;
java/awt/Toolkit getPrintJob(Ljava/awt/Frame;Ljava/lang/String;Ljava/util/Properties;)Ljava/awt/PrintJob;
java/awt/Toolkit
getPrintJob(Ljava/awt/Frame;Ljava/lang/String;Ljava/awt/JobAttributes;Ljava/awt/PageAttributes;)Ljava/awt/PrintJ
ob;
java/awt/Toolkit beep()V
java/awt/Toolkit getSystemClipboard()Ljava/awt/datatransfer/Clipboard;
java/awt/Toolkit getSystemSelection()Ljava/awt/datatransfer/Clipboard;
java/awt/Toolkit getMenuShortcutKeyMask()I
java/awt/Toolkit getLockingKeyState()IZ
java/awt/Toolkit setLockingKeyState(IZ)V
java/awt/Toolkit getNativeContainer(Ljava/awt/Component;)Ljava/awt/Container;
java/awt/Toolkit createCustomCursor(Ljava/awt/Image;Ljava/awt/Point;Ljava/lang/String;)Ljava/awt/Cursor;
java/awt/Toolkit getBestCursorSize(II)Ljava/awt/Dimension;
java/awt/Toolkit getMaximumCursorColors()I
java/awt/Toolkit isFrameStateSupported()IZ
java/awt/Toolkit initIDs()V
java/awt/Toolkit loadLibraries()V
java/awt/Toolkit getProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/awt/Toolkit getSystemEventQueue()Ljava/awt/EventQueue;
java/awt/Toolkit
getSystemEventQueueImpl()Ljava/awt/EventQueue;
java/awt/Toolkit getEventQueue()Ljava/awt/EventQueue;
java/awt/Toolkit
createDragSourceContextPeer(Ljava/awt/dnd/DragGestureEvent;)Ljava/awt/dnd/peer/DragSourceContextPeer;
java/awt/Toolkit
createDragGestureRecognizer(Ljava/lang/Class;Ljava/awt/dnd/DragSource;Ljava/awt/Component;ILjava/awt/dnd/
DragGestureListener;)Ljava/awt/dnd/DragGestureRecognizer;
java/awt/Toolkit getDesktopProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/Toolkit setDesktopProperty(Ljava/lang/String;Ljava/lang/Object;)V
java/awt/Toolkit lazilyLoadDesktopProperty(Ljava/lang/String;)Ljava/lang/Object;
java/awt/Toolkit initializeDesktopProperties()V
java/awt/Toolkit addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/Toolkit removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/Toolkit getPropertyChangeListeners()[Ljava/beans/PropertyChangeListener;
java/awt/Toolkit

```

```

    getChangeListenerListeners(Ljava/lang/String;)[Ljava/beans/PropertyChangeListener;
java/awt/Toolkit
deProxyAWTEventListener(Ljava/awt/event/AWTEventListener;)Ljava/awt/event/AWTEventListener;
java/awt/Toolkit addAWTEventListener(Ljava/awt/event/AWTEventListener;)V
java/awt/Toolkit removeAWTEventListener(Ljava/awt/event/AWTEventListener;)V
java/awt/Toolkit enabledOnToolkit(J)Z
java/awt/Toolkit countAWTEventListener(J)I
java/awt/Toolkit getAWTEventListener()[Ljava/awt/event/AWTEventListener;
java/awt/Toolkit getAWTEventListener(J)[Ljava/awt/event/AWTEventListener;
java/awt/Toolkit notifyAWTEventListener(Ljava/awt/AWTEvent;)V
java/awt/Toolkit mapInputMethodHighlight(Ljava/awt/im/InputMethodHighlight;Ljava/util/Map;
java/awt/Toolkit access$002(Ljava/awt/Toolkit;)Ljava/awt/Toolkit;
java/awt/Toolkit access$000(Ljava/awt/Toolkit;
java/awt/Toolkit access$102(Ljava/util/ResourceBundle;)Ljava/util/ResourceBundle;
java/awt/Toolkit <clinit>()V
class java/awt/Component$AWTTreeLock
    java/lang/Object
java/awt/Component$AWTTreeLock <init>()V
class java/beans/PropertyChangeEvent java/util/EventObject
java/beans/PropertyChangeEvent propertyName
java/beans/PropertyChangeEvent newValue
java/beans/PropertyChangeEvent oldValue
java/beans/PropertyChangeEvent propagationId
java/beans/PropertyChangeEvent
    <init>(Ljava/lang/Object;Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/PropertyChangeEvent getPropertyName()Ljava/lang/String;
java/beans/PropertyChangeEvent getNewValue()Ljava/lang/Object;
java/beans/PropertyChangeEvent getOldValue()Ljava/lang/Object;
java/beans/PropertyChangeEvent setPropagationId(Ljava/lang/Object;)V
java/beans/PropertyChangeEvent getPropagationId()Ljava/lang/Object;
class java/util/EventObject java/lang/Object
java/util/EventObject serialVersionUID
java/util/EventObject source
java/util/EventObject <init>(Ljava/lang/Object;)V
java/util/EventObject getSource()Ljava/lang/Object;
java/util/EventObject toString()Ljava/lang/String;
class
    java/util/Hashtable$Enumerator java/lang/Object
java/util/Hashtable$Enumerator table
java/util/Hashtable$Enumerator index
java/util/Hashtable$Enumerator entry
java/util/Hashtable$Enumerator lastReturned
java/util/Hashtable$Enumerator type
java/util/Hashtable$Enumerator iterator
java/util/Hashtable$Enumerator expectedModCount
java/util/Hashtable$Enumerator this$0
java/util/Hashtable$Enumerator <init>(Ljava/util/Hashtable;IZ)V
java/util/Hashtable$Enumerator hasMoreElements()Z

```



```

java/util/Hashtable$Enumerator nextElement()Ljava/lang/Object;
java/util/Hashtable$Enumerator hasNext()Z
java/util/Hashtable$Enumerator next()Ljava/lang/Object;
java/util/Hashtable$Enumerator remove()V
class java/util/Properties$LineReader java/lang/Object
java/util/Properties$LineReader inBuf
java/util/Properties$LineReader lineBuf
java/util/Properties$LineReader inLimit
java/util/Properties$LineReader inOff
java/util/Properties$LineReader inStream
java/util/Properties$LineReader this$0
java/util/Properties$LineReader
  <init>(Ljava/util/Properties;Ljava/io/InputStream;)V
java/util/Properties$LineReader readLine()I
class java/util/logging/LogManager$2 java/lang/Object
java/util/logging/LogManager$2 this$0
java/util/logging/LogManager$2 <init>(Ljava/util/logging/LogManager;)V
java/util/logging/LogManager$2 run()Ljava/lang/Object;
class java/util/logging/LogManager$RootLogger java/util/logging/Logger
java/util/logging/LogManager$RootLogger this$0
java/util/logging/LogManager$RootLogger <init>(Ljava/util/logging/LogManager;)V
java/util/logging/LogManager$RootLogger log(Ljava/util/logging/LogRecord;)V
java/util/logging/LogManager$RootLogger addHandler(Ljava/util/logging/Handler;)V
java/util/logging/LogManager$RootLogger removeHandler(Ljava/util/logging/Handler;)V
java/util/logging/LogManager$RootLogger getHandlers()[Ljava/util/logging/Handler;
java/util/logging/LogManager$RootLogger
  <init>(Ljava/util/logging/LogManager;Ljava/util/logging/LogManager$1;)V
class java/lang/Shutdown$WrappedHook
  java/lang/Object
java/lang/Shutdown$WrappedHook hook
java/lang/Shutdown$WrappedHook <init>(Ljava/lang/Thread;)V
java/lang/Shutdown$WrappedHook hashCode()I
java/lang/Shutdown$WrappedHook equals(Ljava/lang/Object;)Z
java/lang/Shutdown$WrappedHook access$100(Ljava/lang/Shutdown$WrappedHook;)Ljava/lang/Thread;
class java/util/logging/LogManager$Cleaner java/lang/Thread
java/util/logging/LogManager$Cleaner this$0
java/util/logging/LogManager$Cleaner <init>(Ljava/util/logging/LogManager;)V
java/util/logging/LogManager$Cleaner run()V
java/util/logging/LogManager$Cleaner <init>(Ljava/util/logging/LogManager;Ljava/util/logging/LogManager$1;)V
class java/util/logging/LoggingPermission java/security/BasicPermission
java/util/logging/LoggingPermission serialVersionUID
java/util/logging/LoggingPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/util/logging/LogManager$LogNode java/lang/Object
java/util/logging/LogManager$LogNode children
java/util/logging/LogManager$LogNode logger
java/util/logging/LogManager$LogNode
  parent
java/util/logging/LogManager$LogNode <init>(Ljava/util/logging/LogManager$LogNode;)V

```

```

java/util/logging/LogManager$LogNode walkAndSetParent(Ljava/util/logging/Logger;)V
class java/beans/PropertyChangeSupport java/lang/Object
java/beans/PropertyChangeSupport listeners
java/beans/PropertyChangeSupport children
java/beans/PropertyChangeSupport source
java/beans/PropertyChangeSupport propertyChangeSupportSerializedDataVersion
java/beans/PropertyChangeSupport serialVersionUID
java/beans/PropertyChangeSupport <init>(Ljava/lang/Object;)V
java/beans/PropertyChangeSupport addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyChangeSupport removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyChangeSupport getPropertyChangeListeners()[Ljava/beans/PropertyChangeListener;
java/beans/PropertyChangeSupport
addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyChangeSupport
removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/beans/PropertyChangeSupport
getPropertyChangeListeners(Ljava/lang/String;)[Ljava/beans/PropertyChangeListener;
java/beans/PropertyChangeSupport firePropertyChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/beans/PropertyChangeSupport firePropertyChange(Ljava/lang/String;I)V
java/beans/PropertyChangeSupport firePropertyChange(Ljava/lang/String;ZZ)V
java/beans/PropertyChangeSupport firePropertyChange(Ljava/beans/PropertyChangeEvent;)V
java/beans/PropertyChangeSupport
fireIndexedPropertyChange(Ljava/lang/String;ILjava/lang/Object;Ljava/lang/Object;)V
java/beans/PropertyChangeSupport fireIndexedPropertyChange(Ljava/lang/String;III)V
java/beans/PropertyChangeSupport fireIndexedPropertyChange(Ljava/lang/String;IZZ)V
java/beans/PropertyChangeSupport hasListeners(Ljava/lang/String;)Z
java/beans/PropertyChangeSupport writeObject(Ljava/io/ObjectOutputStream;)V
java/beans/PropertyChangeSupport
readObject(Ljava/io/ObjectInputStream;)V
class java/util/logging/LogManager$1 java/lang/Object
java/util/logging/LogManager$1 <init>()V
java/util/logging/LogManager$1 run()Ljava/lang/Object;
class java/util/logging/LogManager java/lang/Object
java/util/logging/LogManager manager
java/util/logging/LogManager emptyHandlers
java/util/logging/LogManager props
java/util/logging/LogManager changes
java/util/logging/LogManager defaultLevel
java/util/logging/LogManager loggers
java/util/logging/LogManager root
java/util/logging/LogManager rootLogger
java/util/logging/LogManager readPrimordialConfiguration
java/util/logging/LogManager initializedGlobalHandlers
java/util/logging/LogManager deathImminent
java/util/logging/LogManager ourPermission
java/util/logging/LogManager loggingMXBean
java/util/logging/LogManager LOGGING_MXBEAN_NAME
java/util/logging/LogManager <init>()V

```

```

java/util/logging/LogManager getLogManager()Ljava/util/logging/LogManager;
java/util/logging/LogManager
    readPrimordialConfiguration()V
java/util/logging/LogManager addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/util/logging/LogManager removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/util/logging/LogManager addLogger(Ljava/util/logging/Logger;)Z
java/util/logging/LogManager doSetLevel(Ljava/util/logging/Logger;Ljava/util/logging/Level;)V
java/util/logging/LogManager doSetParent(Ljava/util/logging/Logger;Ljava/util/logging/Logger;)V
java/util/logging/LogManager findNode(Ljava/lang/String;)Ljava/util/logging/LogManager$LogNode;
java/util/logging/LogManager getLogger(Ljava/lang/String;)Ljava/util/logging/Logger;
java/util/logging/LogManager getLoggerNames()Ljava/util/Enumeration;
java/util/logging/LogManager readConfiguration()V
java/util/logging/LogManager reset()V
java/util/logging/LogManager resetLogger(Ljava/lang/String;)V
java/util/logging/LogManager parseClassNames(Ljava/lang/String;)[Ljava/lang/String;
java/util/logging/LogManager
    readConfiguration(Ljava/io/InputStream;)V
java/util/logging/LogManager getProperty(Ljava/lang/String;)Ljava/lang/String;
java/util/logging/LogManager getStringProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/logging/LogManager getIntProperty(Ljava/lang/String;)I
java/util/logging/LogManager getBooleanProperty(Ljava/lang/String;)Z
java/util/logging/LogManager
    getLevelProperty(Ljava/lang/String;Ljava/util/logging/Level;)Ljava/util/logging/Level;
java/util/logging/LogManager
    getFilterProperty(Ljava/lang/String;Ljava/util/logging/Filter;)Ljava/util/logging/Filter;
java/util/logging/LogManager
    getFormatterProperty(Ljava/lang/String;Ljava/util/logging/Formatter;)Ljava/util/logging/Formatter;
java/util/logging/LogManager initializeGlobalHandlers()V
java/util/logging/LogManager checkAccess()V
java/util/logging/LogManager setLevelsOnExistingLoggers()V
java/util/logging/LogManager getLoggingMXBean()Ljava/util/logging/LoggingMXBean;
java/util/logging/LogManager access$002(Ljava/util/logging/LogManager;)Ljava/util/logging/LogManager;
java/util/logging/LogManager
    access$000()Ljava/util/logging/LogManager;
java/util/logging/LogManager
    access$102(Ljava/util/logging/LogManager;Ljava/util/logging/Logger;)Ljava/util/logging/Logger;
java/util/logging/LogManager access$100(Ljava/util/logging/LogManager;)Ljava/util/logging/Logger;
java/util/logging/LogManager access$302(Ljava/util/logging/LogManager;)Z
java/util/logging/LogManager access$402(Ljava/util/logging/LogManager;)Z
java/util/logging/LogManager access$600(Ljava/util/logging/LogManager;Ljava/lang/String;)[Ljava/lang/String;
java/util/logging/LogManager access$700(Ljava/util/logging/Logger;Ljava/util/logging/Logger;)V
java/util/logging/LogManager access$800()Ljava/util/logging/Level;
java/util/logging/LogManager access$900(Ljava/util/logging/LogManager;)V
java/util/logging/LogManager <clinit>()V
class java/util/logging/Level java/lang/Object
java/util/logging/Level known
java/util/logging/Level

```

```

defaultBundle
java/util/logging/Level name
java/util/logging/Level value
java/util/logging/Level resourceBundleName
java/util/logging/Level OFF
java/util/logging/Level SEVERE
java/util/logging/Level WARNING
java/util/logging/Level INFO
java/util/logging/Level CONFIG
java/util/logging/Level FINE
java/util/logging/Level FINER
java/util/logging/Level FINEST
java/util/logging/Level ALL
java/util/logging/Level serialVersionUID
java/util/logging/Level <init>(Ljava/lang/String;)V
java/util/logging/Level <init>(Ljava/lang/String;ILjava/lang/String;)V
java/util/logging/Level getResourceBundleName(Ljava/lang/String;
java/util/logging/Level getName(Ljava/lang/String;
java/util/logging/Level getLocalizedName(Ljava/lang/String;
java/util/logging/Level toString()Ljava/lang/String;
java/util/logging/Level intValue()I
java/util/logging/Level readResolve()Ljava/lang/Object;
java/util/logging/Level parse(Ljava/lang/String;)Ljava/util/logging/Level;
java/util/logging/Level equals(Ljava/lang/Object;)Z
java/util/logging/Level
hashCode()I
java/util/logging/Level <clinit>()V
class java/util/logging/Handler java/lang/Object
java/util/logging/Handler offValue
java/util/logging/Handler manager
java/util/logging/Handler filter
java/util/logging/Handler formatter
java/util/logging/Handler logLevel
java/util/logging/Handler errorManager
java/util/logging/Handler encoding
java/util/logging/Handler sealed
java/util/logging/Handler <init>()V
java/util/logging/Handler publish(Ljava/util/logging/LogRecord;)V
java/util/logging/Handler flush()V
java/util/logging/Handler close()V
java/util/logging/Handler setFormatter(Ljava/util/logging/Formatter;)V
java/util/logging/Handler getFormatter()Ljava/util/logging/Formatter;
java/util/logging/Handler setEncoding(Ljava/lang/String;)V
java/util/logging/Handler getEncoding()Ljava/lang/String;
java/util/logging/Handler setFilter(Ljava/util/logging/Filter;)V
java/util/logging/Handler getFilter()Ljava/util/logging/Filter;
java/util/logging/Handler setErrorManager(Ljava/util/logging/ErrorHandler;)V
java/util/logging/Handler

```

```

getEventManager()Ljava/util/logging/EventManager;
java/util/logging/Handler reportError(Ljava/lang/String;Ljava/lang/Exception;)V
java/util/logging/Handler setLevel(Ljava/util/logging/Level;)V
java/util/logging/Handler getLevel()Ljava/util/logging/Level;
java/util/logging/Handler isLoggable(Ljava/util/logging/LogRecord;)Z
java/util/logging/Handler checkAccess()V
java/util/logging/Handler <clinit>()V
class java/util/logging/Logger java/lang/Object
java/util/logging/Logger emptyHandlers
java/util/logging/Logger offValue
java/util/logging/Logger manager
java/util/logging/Logger name
java/util/logging/Logger handlers
java/util/logging/Logger resourceBundleName
java/util/logging/Logger useParentHandlers
java/util/logging/Logger filter
java/util/logging/Logger anonymous
java/util/logging/Logger catalog
java/util/logging/Logger catalogName
java/util/logging/Logger catalogLocale
java/util/logging/Logger treeLock
java/util/logging/Logger
    parent
java/util/logging/Logger kids
java/util/logging/Logger levelObject
java/util/logging/Logger levelValue
java/util/logging/Logger global
java/util/logging/Logger <init>(Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logger <init>(Ljava/lang/String;)V
java/util/logging/Logger setLogManager(Ljava/util/logging/LogManager;)V
java/util/logging/Logger checkAccess()V
java/util/logging/Logger getLogger(Ljava/lang/String;)Ljava/util/logging/Logger;
java/util/logging/Logger getLogger(Ljava/lang/String;Ljava/lang/String;)Ljava/util/logging/Logger;
java/util/logging/Logger getAnonymousLogger(Ljava/util/logging/Logger;
java/util/logging/Logger getAnonymousLogger(Ljava/lang/String;)Ljava/util/logging/Logger;
java/util/logging/Logger getResourceBundle()Ljava/util/ResourceBundle;
java/util/logging/Logger getResourceBundleName()Ljava/lang/String;
java/util/logging/Logger setFilter(Ljava/util/logging/Filter;)V
java/util/logging/Logger getFilter()Ljava/util/logging/Filter;
java/util/logging/Logger
    log(Ljava/util/logging/LogRecord;)V
java/util/logging/Logger doLog(Ljava/util/logging/LogRecord;)V
java/util/logging/Logger log(Ljava/util/logging/Level;Ljava/lang/String;)V
java/util/logging/Logger log(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/Object;)V
java/util/logging/Logger log(Ljava/util/logging/Level;Ljava/lang/String;[Ljava/lang/Object;)V
java/util/logging/Logger log(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/Throwable;)V
java/util/logging/Logger logp(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logger

```

```

logp(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/Object;)V
java/util/logging/Logger
logp(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;[Ljava/lang/Object;)V
java/util/logging/Logger
logp(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/Throwable;)V
java/util/logging/Logger
    doLog(Ljava/util/logging/LogRecord;Ljava/lang/String;)V
java/util/logging/Logger
logrb(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logger
logrb(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/
Object;)V
java/util/logging/Logger
logrb(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;[Ljava/lang/
Object;)V
java/util/logging/Logger
logrb(Ljava/util/logging/Level;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/T
hrowable;)V
java/util/logging/Logger entering(Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logger entering(Ljava/lang/String;Ljava/lang/String;Ljava/lang/Object;)V
java/util/logging/Logger entering(Ljava/lang/String;Ljava/lang/String;[Ljava/lang/Object;)V
java/util/logging/Logger exiting(Ljava/lang/String;Ljava/lang/String;)V
java/util/logging/Logger exiting(Ljava/lang/String;Ljava/lang/String;Ljava/lang/Object;)V
java/util/logging/Logger
    throwing(Ljava/lang/String;Ljava/lang/String;Ljava/lang/Throwable;)V
java/util/logging/Logger severe(Ljava/lang/String;)V
java/util/logging/Logger warning(Ljava/lang/String;)V
java/util/logging/Logger info(Ljava/lang/String;)V
java/util/logging/Logger config(Ljava/lang/String;)V
java/util/logging/Logger fine(Ljava/lang/String;)V
java/util/logging/Logger finer(Ljava/lang/String;)V
java/util/logging/Logger finest(Ljava/lang/String;)V
java/util/logging/Logger setLevel(Ljava/util/logging/Level;)V
java/util/logging/Logger getLevel()Ljava/util/logging/Level;
java/util/logging/Logger isLoggable(Ljava/util/logging/Level;)Z
java/util/logging/Logger getName()Ljava/lang/String;
java/util/logging/Logger addHandler(Ljava/util/logging/Handler;)V
java/util/logging/Logger removeHandler(Ljava/util/logging/Handler;)V
java/util/logging/Logger getHandlers()[Ljava/util/logging/Handler;
java/util/logging/Logger setUseParentHandlers(Z)V
java/util/logging/Logger
    getUseParentHandlers()Z
java/util/logging/Logger findResourceBundle(Ljava/lang/String;)Ljava/util/ResourceBundle;
java/util/logging/Logger setupResourceInfo(Ljava/lang/String;)V
java/util/logging/Logger getParent()Ljava/util/logging/Logger;
java/util/logging/Logger setParent(Ljava/util/logging/Logger;)V
java/util/logging/Logger doSetParent(Ljava/util/logging/Logger;)V
java/util/logging/Logger updateEffectiveLevel()V

```

```

java/util/logging/Logger getEffectiveResourceBundleName()Ljava/lang/String;
java/util/logging/Logger <clinit>()V
class java/awt/Label java/awt/Component
java/awt/Label LEFT
java/awt/Label CENTER
java/awt/Label RIGHT
java/awt/Label text
java/awt/Label alignment
java/awt/Label base
java/awt/Label nameCounter
java/awt/Label serialVersionUID
java/awt/Label <init>()V
java/awt/Label <init>(Ljava/lang/String;)V
java/awt/Label <init>(Ljava/lang/String;I)V
java/awt/Label readObject(Ljava/io/ObjectInputStream;)V
java/awt/Label constructComponentName()Ljava/lang/String;
java/awt/Label
    addNotify()V
java/awt/Label getAlignment()I
java/awt/Label setAlignment(I)V
java/awt/Label getText()Ljava/lang/String;
java/awt/Label setText(Ljava/lang/String;)V
java/awt/Label paramString()Ljava/lang/String;
java/awt/Label initIDs()V
java/awt/Label getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Label <clinit>()V
class java/lang/InterruptedException java/lang/Exception
java/lang/InterruptedException <init>()V
java/lang/InterruptedException <init>(Ljava/lang/String;)V
class java/awt/Frame java/awt/Window
java/awt/Frame DEFAULT_CURSOR
java/awt/Frame CROSSHAIR_CURSOR
java/awt/Frame TEXT_CURSOR
java/awt/Frame WAIT_CURSOR
java/awt/Frame SW_RESIZE_CURSOR
java/awt/Frame SE_RESIZE_CURSOR
java/awt/Frame NW_RESIZE_CURSOR
java/awt/Frame NE_RESIZE_CURSOR
java/awt/Frame N_RESIZE_CURSOR
java/awt/Frame S_RESIZE_CURSOR
java/awt/Frame W_RESIZE_CURSOR
java/awt/Frame E_RESIZE_CURSOR
java/awt/Frame HAND_CURSOR
java/awt/Frame MOVE_CURSOR
java/awt/Frame
    NORMAL
java/awt/Frame ICONIFIED
java/awt/Frame MAXIMIZED_HORIZ

```

java/awt/Frame MAXIMIZED_VERT
java/awt/Frame MAXIMIZED_BOTH
java/awt/Frame maximizedBounds
java/awt/Frame title
java/awt/Frame icon
java/awt/Frame menuBar
java/awt/Frame resizable
java/awt/Frame undecorated
java/awt/Frame mbManagement
java/awt/Frame state
java/awt/Frame ownedWindows
java/awt/Frame weakThis
java/awt/Frame base
java/awt/Frame nameCounter
java/awt/Frame serialVersionUID
java/awt/Frame frameSerializedDataVersion
java/awt/Frame <init>()V
java/awt/Frame <init>(Ljava/awt/GraphicsConfiguration;)V
java/awt/Frame <init>(Ljava/lang/String;)V
java/awt/Frame <init>(Ljava/lang/String;Ljava/awt/GraphicsConfiguration;)V
java/awt/Frame init(Ljava/lang/String;Ljava/awt/GraphicsConfiguration;)V
java/awt/Frame finalize()V
java/awt/Frame constructComponentName(Ljava/lang/String;
java/awt/Frame addNotify()V
java/awt/Frame getTitle()Ljava/lang/String;
java/awt/Frame setTitle(Ljava/lang/String;)V
java/awt/Frame getIconImage()Ljava/awt/Image;
java/awt/Frame
 setIconImage(Ljava/awt/Image;)V
java/awt/Frame getMenuBar()Ljava/awt/MenuBar;
java/awt/Frame setMenuBar(Ljava/awt/MenuBar;)V
java/awt/Frame isResizable()Z
java/awt/Frame setResizable(Z)V
java/awt/Frame setState(I)V
java/awt/Frame setExtendedState(I)V
java/awt/Frame isFrameStateSupported(I)Z
java/awt/Frame getState()I
java/awt/Frame getExtendedState()I
java/awt/Frame setMaximizedBounds(Ljava/awt/Rectangle;)V
java/awt/Frame getMaximizedBounds()Ljava/awt/Rectangle;
java/awt/Frame setUndecorated(Z)V
java/awt/Frame isUndecorated()Z
java/awt/Frame remove(Ljava/awt/MenuComponent;)V
java/awt/Frame removeNotify()V
java/awt/Frame postProcessKeyEvent(Ljava/awt/event/KeyEvent;)V
java/awt/Frame paramString()Ljava/lang/String;
java/awt/Frame setCursor(I)V
java/awt/Frame getCursorType()I


```

java/awt/Frame getFrames()[Ljava/awt/Frame;
java/awt/Frame addToFrameList()V
java/awt/Frame removeFromFrameList()V
java/awt/Frame writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Frame
    readObject(Ljava/io/ObjectInputStream;)V
java/awt/Frame initIDs()V
java/awt/Frame getAccessibleContext()Ljava/awt/Accessibility/AccessibleContext;
java/awt/Frame <clinit>()V
class java/awt/Window java/awt/Container
java/awt/Window warningString
java/awt/Window temporaryLostComponent
java/awt/Window systemSyncLWRequests
java/awt/Window syncLWRequests
java/awt/Window beforeFirstShow
java/awt/Window OPENED
java/awt/Window state
java/awt/Window alwaysOnTop
java/awt/Window ownedWindowList
java/awt/Window weakThis
java/awt/Window showWithParent
java/awt/Window windowListener
java/awt/Window windowStateListener
java/awt/Window windowFocusListener
java/awt/Window inputContext
java/awt/Window inputContextLock
java/awt/Window focusMgr
java/awt/Window focusableWindowState
java/awt/Window base
java/awt/Window nameCounter
java/awt/Window serialVersionUID
java/awt/Window dbg
java/awt/Window locationByPlatformProp
java/awt/Window modalExcluded
java/awt/Window windowSerializedDataVersion
java/awt/Window
    locationByPlatform
java/awt/Window initIDs()V
java/awt/Window <init>(Ljava/awt/GraphicsConfiguration;)V
java/awt/Window init(Ljava/awt/GraphicsConfiguration;)V
java/awt/Window <init>()V
java/awt/Window <init>(Ljava/awt/Frame;)V
java/awt/Window <init>(Ljava/awt/Window;)V
java/awt/Window <init>(Ljava/awt/Window;Ljava/awt/GraphicsConfiguration;)V
java/awt/Window ownedInit(Ljava/awt/Window;)V
java/awt/Window finalize()V
java/awt/Window constructComponentName()Ljava/lang/String;
java/awt/Window addNotify()V

```

```

java/awt/Window pack()V
java/awt/Window setClientSize(II)V
java/awt/Window show()V
java/awt/Window updateChildFocusableWindowState(Ljava/awt/Window;)V
java/awt/Window postWindowEvent(I)V
java/awt/Window hide()V
java/awt/Window clearMostRecentFocusOwnerOnHide()V
java/awt/Window dispose()V
java/awt/Window disposeImpl()V
java/awt/Window doDispose()V
java/awt/Window adjustListeningChildrenOnParent(JI)V
java/awt/Window adjustDecendantsOnParent(I)V
java/awt/Window toFront()V
java/awt/Window
    toBack()V
java/awt/Window getToolkit()Ljava/awt/Toolkit;
java/awt/Window getWarningString()Ljava/lang/String;
java/awt/Window setWarningString()V
java/awt/Window getLocale()Ljava/util/Locale;
java/awt/Window getInputContext()Ljava/awt/im/InputContext;
java/awt/Window setCursor(Ljava/awt/Cursor;)V
java/awt/Window getOwner()Ljava/awt/Window;
java/awt/Window getOwnedWindows()[Ljava/awt/Window;
java/awt/Window addWindowListener(Ljava/awt/event/WindowListener;)V
java/awt/Window addWindowStateListener(Ljava/awt/event/WindowStateListener;)V
java/awt/Window addWindowFocusListener(Ljava/awt/event/WindowFocusListener;)V
java/awt/Window removeWindowListener(Ljava/awt/event/WindowListener;)V
java/awt/Window removeWindowStateListener(Ljava/awt/event/WindowStateListener;)V
java/awt/Window removeWindowFocusListener(Ljava/awt/event/WindowFocusListener;)V
java/awt/Window getWindowListeners()[Ljava/awt/event/WindowListener;
java/awt/Window getWindowFocusListeners()[Ljava/awt/event/WindowFocusListener;
java/awt/Window
    getWindowStateListeners()[Ljava/awt/event/WindowStateListener;
java/awt/Window getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Window eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Window processEvent(Ljava/awt/AWTEvent;)V
java/awt/Window processWindowEvent(Ljava/awt/event/WindowEvent;)V
java/awt/Window processWindowFocusEvent(Ljava/awt/event/WindowEvent;)V
java/awt/Window processWindowStateEvent(Ljava/awt/event/WindowEvent;)V
java/awt/Window preProcessKeyEvent(Ljava/awt/event/KeyEvent;)V
java/awt/Window postProcessKeyEvent(Ljava/awt/event/KeyEvent;)V
java/awt/Window setAlwaysOnTop(Z)V
java/awt/Window isAlwaysOnTop()Z
java/awt/Window getFocusOwner()Ljava/awt/Component;
java/awt/Window getMostRecentFocusOwner()Ljava/awt/Component;
java/awt/Window isActive()Z
java/awt/Window isFocused()Z
java/awt/Window getFocusTraversalKeys(I)Ljava/util/Set;

```

```

java/awt/Window setFocusCycleRoot(Z)V
java/awt/Window isFocusCycleRoot()Z
java/awt/Window getFocusCycleRootAncestor()Ljava/awt/Container;
java/awt/Window
    isFocusableWindow()Z
java/awt/Window getFocusableWindowState()Z
java/awt/Window setFocusableWindowState(Z)V
java/awt/Window addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/Window addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/Window dispatchEventImpl(Ljava/awt/AWTEvent;)V
java/awt/Window postEvent(Ljava/awt/Event;)Z
java/awt/Window isShowing()Z
java/awt/Window applyResourceBundle(Ljava/util/ResourceBundle;)V
java/awt/Window applyResourceBundle(Ljava/lang/String;)V
java/awt/Window addOwnedWindow(Ljava/lang/ref/WeakReference;)V
java/awt/Window removeOwnedWindow(Ljava/lang/ref/WeakReference;)V
java/awt/Window connectOwnedWindow(Ljava/awt/Window;)V
java/awt/Window writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Window readObject(Ljava/io/ObjectInputStream;)V
java/awt/Window getAccessibleContext()Ljava/awt/accessibility/AccessibleContext;
java/awt/Window getGraphicsConfiguration()Ljava/awt/GraphicsConfiguration;
java/awt/Window
    resetGC()V
java/awt/Window setLocationRelativeTo(Ljava/awt/Component;)V
java/awt/Window deliverMouseWheelToAncestor(Ljava/awt/event/MouseWheelEvent;)V
java/awt/Window dispatchMouseWheelToAncestor(Ljava/awt/event/MouseWheelEvent;)Z
java/awt/Window createBufferStrategy(I)V
java/awt/Window createBufferStrategy(ILjava/awt/BufferCapabilities;)V
java/awt/Window getBufferStrategy()Ljava/awt/image/BufferStrategy;
java/awt/Window getTemporaryLostComponent()Ljava/awt/Component;
java/awt/Window setTemporaryLostComponent(Ljava/awt/Component;)Ljava/awt/Component;
java/awt/Window canContainFocusOwner(Ljava/awt/Component;)Z
java/awt/Window setLocationByPlatform(Z)V
java/awt/Window isLocationByPlatform()Z
java/awt/Window setBounds(III)V
java/awt/Window access$000(Ljava/awt/Window;)Ljava/lang/Object;
java/awt/Window <clinit>()V
class java/awt/Container java/awt/Component
java/awt/Container ncomponents
java/awt/Container component
java/awt/Container
    layoutMgr
java/awt/Container dispatcher
java/awt/Container focusTraversalPolicy
java/awt/Container focusCycleRoot
java/awt/Container focusTraversalPolicyProvider
java/awt/Container printingThreads
java/awt/Container printing

```

```

java/awt/Container containerListener
java/awt/Container listeningChildren
java/awt/Container listeningBoundsChildren
java/awt/Container descendantsCount
java/awt/Container serialVersionUID
java/awt/Container dbg
java/awt/Container INCLUDE_SELF
java/awt/Container SEARCH_HEAVYWEIGHTS
java/awt/Container serialPersistentFields
java/awt/Container modalComp
java/awt/Container modalAppContext
java/awt/Container containerSerializedDataVersion
java/awt/Container $assertionsDisabled
java/awt/Container initIDs()V
java/awt/Container <init>()V
java/awt/Container initializeFocusTraversalKeys()V
java/awt/Container getComponentCount()I
java/awt/Container countComponents()I
java/awt/Container getComponent(I)Ljava/awt/Component;
java/awt/Container getComponents()[Ljava/awt/Component;
java/awt/Container
    getComponents_NoClientCode()[Ljava/awt/Component;
java/awt/Container getInsets()Ljava/awt/Insets;
java/awt/Container insets()Ljava/awt/Insets;
java/awt/Container add(Ljava/awt/Component;)Ljava/awt/Component;
java/awt/Container add(Ljava/lang/String;Ljava/awt/Component;)Ljava/awt/Component;
java/awt/Container add(Ljava/awt/Component;I)Ljava/awt/Component;
java/awt/Container checkTreeLock()V
java/awt/Container checkAdding(Ljava/awt/Component;I)V
java/awt/Container removeDelicately(Ljava/awt/Component;Ljava/awt/Container;I)V
java/awt/Container canContainFocusOwner(Ljava/awt/Component;)Z
java/awt/Container hasHeavyweightChildren()Z
java/awt/Container getHeavyweightContainer()Ljava/awt/Container;
java/awt/Container isRemoveNotifyNeeded(Ljava/awt/Component;Ljava/awt/Container;Ljava/awt/Container;)Z
java/awt/Container setComponentZOrder(Ljava/awt/Component;I)V
java/awt/Container reparentTraverse(Ljava/awt/peer/ContainerPeer;Ljava/awt/Container;)V
java/awt/Container reparentChild(Ljava/awt/Component;)V
java/awt/Container
    addDelicately(Ljava/awt/Component;Ljava/awt/Container;I)V
java/awt/Container getComponentZOrder(Ljava/awt/Component;)I
java/awt/Container add(Ljava/awt/Component;Ljava/lang/Object;)V
java/awt/Container add(Ljava/awt/Component;Ljava/lang/Object;I)V
java/awt/Container addImpl(Ljava/awt/Component;Ljava/lang/Object;I)V
java/awt/Container checkGD(Ljava/lang/String;)V
java/awt/Container remove(I)V
java/awt/Container remove(Ljava/awt/Component;)V
java/awt/Container removeAll()V
java/awt/Container numListening(J)I

```

```

java/awt/Container adjustListeningChildren(JI)V
java/awt/Container adjustDescendants(I)V
java/awt/Container adjustDecendantsOnParent(I)V
java/awt/Container countHierarchyMembers(I)
java/awt/Container getListenersCount(IZ)I
java/awt/Container createHierarchyEvents(ILjava/awt/Component;Ljava/awt/Container;JZ)I
java/awt/Container createChildHierarchyEvents(IJZ)V
java/awt/Container getLayout()Ljava/awt/LayoutManager;
java/awt/Container
    setLayout(Ljava/awt/LayoutManager;)V
java/awt/Container doLayout()V
java/awt/Container layout()V
java/awt/Container invalidate()V
java/awt/Container validate()V
java/awt/Container validateTree()V
java/awt/Container invalidateTree()V
java/awt/Container setFont(Ljava/awt/Font;)V
java/awt/Container getPreferredSize()Ljava/awt/Dimension;
java/awt/Container preferredSize()Ljava/awt/Dimension;
java/awt/Container getMinimumSize()Ljava/awt/Dimension;
java/awt/Container minimumSize()Ljava/awt/Dimension;
java/awt/Container getMaximumSize()Ljava/awt/Dimension;
java/awt/Container getAlignmentX()F
java/awt/Container getAlignmentY()F
java/awt/Container paint(Ljava/awt/Graphics;)V
java/awt/Container update(Ljava/awt/Graphics;)V
java/awt/Container print(Ljava/awt/Graphics;)V
java/awt/Container paintComponents(Ljava/awt/Graphics;)V
java/awt/Container lightweightPaint(Ljava/awt/Graphics;)V
java/awt/Container paintHeavyweightComponents(Ljava/awt/Graphics;)V
java/awt/Container printComponents(Ljava/awt/Graphics;)V
java/awt/Container
    lightweightPrint(Ljava/awt/Graphics;)V
java/awt/Container printHeavyweightComponents(Ljava/awt/Graphics;)V
java/awt/Container addContainerListener(Ljava/awt/event/ContainerListener;)V
java/awt/Container removeContainerListener(Ljava/awt/event/ContainerListener;)V
java/awt/Container getContainerListeners()[Ljava/awt/event/ContainerListener;
java/awt/Container getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Container eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Container processEvent(Ljava/awt/AWTEvent;)V
java/awt/Container processContainerEvent(Ljava/awt/event/ContainerEvent;)V
java/awt/Container dispatchEventImpl(Ljava/awt/AWTEvent;)V
java/awt/Container dispatchEventToSelf(Ljava/awt/AWTEvent;)V
java/awt/Container getMouseEventTarget(IIZ)Ljava/awt/Component;
java/awt/Container getDropTargetEventTarget(IIZ)Ljava/awt/Component;
java/awt/Container getMouseEventTarget(IIZLjava/awt/Container$EventTargetFilter;Z)Ljava/awt/Component;
java/awt/Container

```

```

getMouseEventTargetImpl(IIZL java/awt/Container$EventTargetFilter;ZZ)L java/awt/Component;
java/awt/Container proxyEnableEvents(J)V
java/awt/Container deliverEvent(L java/awt/Event;)V
java/awt/Container GetComponentAt(II)L java/awt/Component;
java/awt/Container locate(II)L java/awt/Component;
java/awt/Container GetComponentAt(L java/awt/Point;)L java/awt/Component;
java/awt/Container getMousePosition(Z)L java/awt/Point;
java/awt/Container isSameOrAncestorOf(L java/awt/Component;Z)Z
java/awt/Container findComponentAt(II)L java/awt/Component;
java/awt/Container findComponentAt(IIZ)L java/awt/Component;
java/awt/Container findComponentAtImpl(IIZ)L java/awt/Component;
java/awt/Container findComponentAt(L java/awt/Point;)L java/awt/Component;
java/awt/Container addNotify()V
java/awt/Container removeNotify()V
java/awt/Container isAncestorOf(L java/awt/Component;)Z
java/awt/Container startLWModal()V
java/awt/Container stopLWModal()V
java/awt/Container paramString()L java/lang/String;
java/awt/Container
    list(L java/io/PrintStream;I)V
java/awt/Container list(L java/io/PrintWriter;I)V
java/awt/Container setFocusTraversalKeys(IL java/util/Set;)V
java/awt/Container getFocusTraversalKeys(I)L java/util/Set;
java/awt/Container areFocusTraversalKeysSet(I)Z
java/awt/Container isFocusCycleRoot(L java/awt/Container;)Z
java/awt/Container findTraversalRoot()L java/awt/Container;
java/awt/Container containsFocus()Z
java/awt/Container isParentOf(L java/awt/Component;)Z
java/awt/Container clearMostRecentFocusOwnerOnHide()V
java/awt/Container clearCurrentFocusCycleRootOnHide()V
java/awt/Container nextFocusHelper()Z
java/awt/Container transferFocusBackward()V
java/awt/Container setFocusTraversalPolicy(L java/awt/FocusTraversalPolicy;)V
java/awt/Container getFocusTraversalPolicy()L java/awt/FocusTraversalPolicy;
java/awt/Container isFocusTraversalPolicySet()Z
java/awt/Container setFocusCycleRoot(Z)V
java/awt/Container isFocusCycleRoot()Z
java/awt/Container setFocusTraversalPolicyProvider(Z)V
java/awt/Container
    isFocusTraversalPolicyProvider()Z
java/awt/Container transferFocusDownCycle()V
java/awt/Container preProcessKeyEvent(L java/awt/event/KeyEvent;)V
java/awt/Container postProcessKeyEvent(L java/awt/event/KeyEvent;)V
java/awt/Container postsOldMouseEvents()Z
java/awt/Container applyComponentOrientation(L java/awt/ComponentOrientation;)V
java/awt/Container addPropertyChangeListener(L java/beans/PropertyChangeListener;)V
java/awt/Container addPropertyChangeListener(L java/lang/String;L java/beans/PropertyChangeListener;)V
java/awt/Container writeObject(L java/io/ObjectOutputStream;)V

```

java/awt/Container readObject(Ljava/io/ObjectInputStream;)V
java/awt/Container getAccessibleAt(Ljava/awt/Point;)Ljava/awt/accessibility/Accessible;
java/awt/Container getAccessibleChildrenCount()I
java/awt/Container getAccessibleChild(I)Ljava/awt/accessibility/Accessible;
java/awt/Container <clinit>()V
class java/awt/Component java/lang/Object
java/awt/Component focusLog
java/awt/Component log
java/awt/Component peer
java/awt/Component
 parent
java/awt/Component appContext
java/awt/Component x
java/awt/Component y
java/awt/Component width
java/awt/Component height
java/awt/Component foreground
java/awt/Component background
java/awt/Component font
java/awt/Component peerFont
java/awt/Component cursor
java/awt/Component locale
java/awt/Component graphicsConfig
java/awt/Component bufferStrategy
java/awt/Component ignoreRepaint
java/awt/Component visible
java/awt/Component enabled
java/awt/Component valid
java/awt/Component dropTarget
java/awt/Component popups
java/awt/Component name
java/awt/Component nameExplicitlySet
java/awt/Component focusable
java/awt/Component FOCUS_TRAVERSABLE_UNKNOWN
java/awt/Component FOCUS_TRAVERSABLE_DEFAULT
java/awt/Component FOCUS_TRAVERSABLE_SET
java/awt/Component isFocusTraversableOverridden
java/awt/Component focusTraversalKeys
java/awt/Component focusTraversalKeyPropertyNames
java/awt/Component focusTraversalKeysEnabled
java/awt/Component LOCK
java/awt/Component minSize
java/awt/Component
 minSizeSet
java/awt/Component prefSize
java/awt/Component prefSizeSet
java/awt/Component maxSize
java/awt/Component maxSizeSet

java/awt/Component componentOrientation
java/awt/Component newEventsOnly
java/awt/Component componentListener
java/awt/Component focusListener
java/awt/Component hierarchyListener
java/awt/Component hierarchyBoundsListener
java/awt/Component keyListener
java/awt/Component mouseListener
java/awt/Component mouseMotionListener
java/awt/Component mouseWheelListener
java/awt/Component inputMethodListener
java/awt/Component windowClosingException
java/awt/Component actionListenerK
java/awt/Component adjustmentListenerK
java/awt/Component componentListenerK
java/awt/Component containerListenerK
java/awt/Component focusListenerK
java/awt/Component itemListenerK
java/awt/Component keyListenerK
java/awt/Component mouseListenerK
java/awt/Component mouseMotionListenerK
java/awt/Component mouseWheelListenerK
java/awt/Component textListenerK
java/awt/Component
 ownedWindowK
java/awt/Component windowListenerK
java/awt/Component inputMethodListenerK
java/awt/Component hierarchyListenerK
java/awt/Component hierarchyBoundsListenerK
java/awt/Component windowStateListenerK
java/awt/Component windowFocusListenerK
java/awt/Component eventMask
java/awt/Component dbg
java/awt/Component isInc
java/awt/Component incRate
java/awt/Component TOP_ALIGNMENT
java/awt/Component CENTER_ALIGNMENT
java/awt/Component BOTTOM_ALIGNMENT
java/awt/Component LEFT_ALIGNMENT
java/awt/Component RIGHT_ALIGNMENT
java/awt/Component serialVersionUID
java/awt/Component changeSupport
java/awt/Component isPacked
java/awt/Component privateKey
java/awt/Component boundsOp
java/awt/Component metrics
java/awt/Component componentSerializedDataVersion
java/awt/Component nativeInLightFixer


```

java/awt/Component accessibleContext
java/awt/Component $assertionsDisabled
java/awt/Component getBoundsOp()I
java/awt/Component setBoundsOp(I)V
java/awt/Component <init>()V
java/awt/Component initializeFocusTraversalKeys()V
java/awt/Component
    constructComponentName()Ljava/lang/String;
java/awt/Component getName()Ljava/lang/String;
java/awt/Component setName(Ljava/lang/String;)V
java/awt/Component getParent()Ljava/awt/Container;
java/awt/Component getParent_NoClientCode()Ljava/awt/Container;
java/awt/Component getPeer()Ljava/awt/peer/ComponentPeer;
java/awt/Component setDropTarget(Ljava/awt/dnd/DropTarget;)V
java/awt/Component getDropTarget()Ljava/awt/dnd/DropTarget;
java/awt/Component getGraphicsConfiguration()Ljava/awt/GraphicsConfiguration;
java/awt/Component resetGC()V
java/awt/Component setGCFromPeer()V
java/awt/Component checkGD(Ljava/lang/String;)V
java/awt/Component getTreeLock()Ljava/lang/Object;
java/awt/Component getToolkit()Ljava/awt/Toolkit;
java/awt/Component getToolkitImpl()Ljava/awt/Toolkit;
java/awt/Component isValid()Z
java/awt/Component isDisplayable()Z
java/awt/Component isVisible()Z
java/awt/Component isRecursivelyVisible()Z
java/awt/Component pointRelativeToComponent(Ljava/awt/Point;)Ljava/awt/Point;
java/awt/Component
    findUnderMouseInWindow(Ljava/awt/PointerInfo;)Ljava/awt/Component;
java/awt/Component getMousePosition()Ljava/awt/Point;
java/awt/Component isSameOrAncestorOf(Ljava/awt/Component;Z)Z
java/awt/Component isShowing()Z
java/awt/Component isEnabled()Z
java/awt/Component isEnabledImpl()Z
java/awt/Component setEnabled(Z)V
java/awt/Component enable()V
java/awt/Component enable(Z)V
java/awt/Component disable()V
java/awt/Component isDoubleBuffered()Z
java/awt/Component enableInputMethods(Z)V
java/awt/Component setVisible(Z)V
java/awt/Component show()V
java/awt/Component show(Z)V
java/awt/Component containsFocus()Z
java/awt/Component clearMostRecentFocusOwnerOnHide()V
java/awt/Component clearCurrentFocusCycleRootOnHide()V
java/awt/Component hide()V
java/awt/Component getForeground()Ljava/awt/Color;

```

```

java/awt/Component setForeground(Ljava/awt/Color;)V
java/awt/Component isForegroundSet()Z
java/awt/Component getBackground()Ljava/awt/Color;
java/awt/Component
    setBackground(Ljava/awt/Color;)V
java/awt/Component isBackgroundSet()Z
java/awt/Component getFont()Ljava/awt/Font;
java/awt/Component getFont_NoClientCode()Ljava/awt/Font;
java/awt/Component setFont(Ljava/awt/Font;)V
java/awt/Component isFontSet()Z
java/awt/Component getLocale()Ljava/util/Locale;
java/awt/Component setLocale(Ljava/util/Locale;)V
java/awt/Component getColorModel()Ljava/awt/image/ColorModel;
java/awt/Component getLocation()Ljava/awt/Point;
java/awt/Component getLocationOnScreen()Ljava/awt/Point;
java/awt/Component getLocationOnScreen_NoTreeLock()Ljava/awt/Point;
java/awt/Component location()Ljava/awt/Point;
java/awt/Component setLocation(II)V
java/awt/Component move(II)V
java/awt/Component setLocation(Ljava/awt/Point;)V
java/awt/Component getSize()Ljava/awt/Dimension;
java/awt/Component size()Ljava/awt/Dimension;
java/awt/Component setSize(II)V
java/awt/Component resize(II)V
java/awt/Component setSize(Ljava/awt/Dimension;)V
java/awt/Component resize(Ljava/awt/Dimension;)V
java/awt/Component
    getBounds()Ljava/awt/Rectangle;
java/awt/Component bounds()Ljava/awt/Rectangle;
java/awt/Component setBounds(III)V
java/awt/Component reshape(III)V
java/awt/Component repaintParentIfNeeded(III)V
java/awt/Component reshapeNativePeer(IIII)V
java/awt/Component notifyNewBounds(ZZ)V
java/awt/Component setBounds(Ljava/awt/Rectangle;)V
java/awt/Component getX()I
java/awt/Component getY()I
java/awt/Component getWidth()I
java/awt/Component getHeight()I
java/awt/Component getBounds(Ljava/awt/Rectangle;)Ljava/awt/Rectangle;
java/awt/Component getSize(Ljava/awt/Dimension;)Ljava/awt/Dimension;
java/awt/Component getLocation(Ljava/awt/Point;)Ljava/awt/Point;
java/awt/Component isOpaque()Z
java/awt/Component isLightweight()Z
java/awt/Component setPreferredSize(Ljava/awt/Dimension;)V
java/awt/Component isPreferredSizeSet()Z
java/awt/Component getPreferredSize()Ljava/awt/Dimension;
java/awt/Component preferredSize()Ljava/awt/Dimension;

```

```

java/awt/Component setMinimumSize(Ljava/awt/Dimension;)V
java/awt/Component
    isMinimumSizeSet()Z
java/awt/Component getMinimumSize()Ljava/awt/Dimension;
java/awt/Component minimumSize()Ljava/awt/Dimension;
java/awt/Component setMaximumSize(Ljava/awt/Dimension;)V
java/awt/Component isMaximumSizeSet()Z
java/awt/Component getMaximumSize()Ljava/awt/Dimension;
java/awt/Component getAlignmentX()F
java/awt/Component getAlignmentY()F
java/awt/Component doLayout()V
java/awt/Component layout()V
java/awt/Component validate()V
java/awt/Component invalidate()V
java/awt/Component getGraphics()Ljava/awt/Graphics;
java/awt/Component getFontMetrics(Ljava/awt/Font;)Ljava/awt/FontMetrics;
java/awt/Component setCursor(Ljava/awt/Cursor;)V
java/awt/Component updateCursorImmediately()V
java/awt/Component getCursor()Ljava/awt/Cursor;
java/awt/Component isCursorSet()Z
java/awt/Component paint(Ljava/awt/Graphics;)V
java/awt/Component update(Ljava/awt/Graphics;)V
java/awt/Component paintAll(Ljava/awt/Graphics;)V
java/awt/Component lightweightPaint(Ljava/awt/Graphics;)V
java/awt/Component
    paintHeavyweightComponents(Ljava/awt/Graphics;)V
java/awt/Component repaint()V
java/awt/Component repaint(J)V
java/awt/Component repaint(III)V
java/awt/Component repaint(JIII)V
java/awt/Component print(Ljava/awt/Graphics;)V
java/awt/Component printAll(Ljava/awt/Graphics;)V
java/awt/Component lightweightPrint(Ljava/awt/Graphics;)V
java/awt/Component printHeavyweightComponents(Ljava/awt/Graphics;)V
java/awt/Component imageUpdate(Ljava/awt/Image;IIII)Z
java/awt/Component createImage(Ljava/awt/image/ImageProducer;)Ljava/awt/Image;
java/awt/Component createImage(II)Ljava/awt/Image;
java/awt/Component createVolatileImage(II)Ljava/awt/image/VolatileImage;
java/awt/Component createVolatileImage(IIILjava/awt/ImageCapabilities;)Ljava/awt/image/VolatileImage;
java/awt/Component prepareImage(Ljava/awt/Image;Ljava/awt/image/ImageObserver;)Z
java/awt/Component prepareImage(Ljava/awt/Image;IIILjava/awt/image/ImageObserver;)Z
java/awt/Component checkImage(Ljava/awt/Image;Ljava/awt/image/ImageObserver;)I
java/awt/Component
    checkImage(Ljava/awt/Image;IIILjava/awt/image/ImageObserver;)I
java/awt/Component createBufferStrategy(I)V
java/awt/Component createBufferStrategy(ILjava/awt/BufferCapabilities;)V
java/awt/Component getBufferStrategy()Ljava/awt/image/BufferStrategy;
java/awt/Component getBackBuffer()Ljava/awt/Image;

```

```

java/awt/Component setIgnoreRepaint(Z)V
java/awt/Component getIgnoreRepaint()Z
java/awt/Component contains(II)Z
java/awt/Component inside(II)Z
java/awt/Component contains(Ljava/awt/Point;)Z
java/awt/Component getComponentAt(II)Ljava/awt/Component;
java/awt/Component locate(II)Ljava/awt/Component;
java/awt/Component getComponentAt(Ljava/awt/Point;)Ljava/awt/Component;
java/awt/Component deliverEvent(Ljava/awt/Event;)V
java/awt/Component dispatchEvent(Ljava/awt/AWTEvent;)V
java/awt/Component dispatchEventImpl(Ljava/awt/AWTEvent;)V
java/awt/Component autoProcessMouseWheel(Ljava/awt/event/MouseWheelEvent;)V
java/awt/Component
    dispatchMouseWheelToAncestor(Ljava/awt/event/MouseWheelEvent;)Z
java/awt/Component checkWindowClosingException()Z
java/awt/Component areInputMethodsEnabled()Z
java/awt/Component eventEnabled(Ljava/awt/AWTEvent;)Z
java/awt/Component eventTypeEnabled(I)Z
java/awt/Component postEvent(Ljava/awt/Event;)Z
java/awt/Component addComponentListener(Ljava/awt/event/ComponentListener;)V
java/awt/Component removeComponentListener(Ljava/awt/event/ComponentListener;)V
java/awt/Component getComponentListeners()[Ljava/awt/event/ComponentListener;
java/awt/Component addFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/Component removeFocusListener(Ljava/awt/event/FocusListener;)V
java/awt/Component getFocusListeners()[Ljava/awt/event/FocusListener;
java/awt/Component addHierarchyListener(Ljava/awt/event/HierarchyListener;)V
java/awt/Component removeHierarchyListener(Ljava/awt/event/HierarchyListener;)V
java/awt/Component getHierarchyListeners()[Ljava/awt/event/HierarchyListener;
java/awt/Component
    addHierarchyBoundsListener(Ljava/awt/event/HierarchyBoundsListener;)V
java/awt/Component removeHierarchyBoundsListener(Ljava/awt/event/HierarchyBoundsListener;)V
java/awt/Component numListening(J)I
java/awt/Component countHierarchyMembers()I
java/awt/Component createHierarchyEvents(ILjava/awt/Component;Ljava/awt/Container;JZ)I
java/awt/Component getHierarchyBoundsListeners()[Ljava/awt/event/HierarchyBoundsListener;
java/awt/Component adjustListeningChildrenOnParent(JI)V
java/awt/Component addKeyListener(Ljava/awt/event/KeyListener;)V
java/awt/Component removeKeyListener(Ljava/awt/event/KeyListener;)V
java/awt/Component getKeyListeners()[Ljava/awt/event/KeyListener;
java/awt/Component addMouseListener(Ljava/awt/event/MouseListener;)V
java/awt/Component removeMouseListener(Ljava/awt/event/MouseListener;)V
java/awt/Component getMouseListeners()[Ljava/awt/event/MouseListener;
java/awt/Component addMouseMotionListener(Ljava/awt/event/MouseMotionListener;)V
java/awt/Component removeMouseMotionListener(Ljava/awt/event/MouseMotionListener;)V
java/awt/Component
    getMouseMotionListeners()[Ljava/awt/event/MouseMotionListener;
java/awt/Component addMouseWheelListener(Ljava/awt/event/MouseWheelListener;)V
java/awt/Component removeMouseWheelListener(Ljava/awt/event/MouseWheelListener;)V

```

```

java/awt/Component getMouseWheelListeners()[Ljava/awt/event/MouseWheelListener;
java/awt/Component addInputMethodListener(Ljava/awt/event/InputMethodListener;)V
java/awt/Component removeInputMethodListener(Ljava/awt/event/InputMethodListener;)V
java/awt/Component getInputMethodListeners()[Ljava/awt/event/InputMethodListener;
java/awt/Component getListeners(Ljava/lang/Class;)[Ljava/util/EventListener;
java/awt/Component getInputMethodRequests()Ljava/awt/im/InputMethodRequests;
java/awt/Component getInputContext()Ljava/awt/im/InputContext;
java/awt/Component enableEvents(J)V
java/awt/Component disableEvents(J)V
java/awt/Component coalesceEvents(Ljava/awt/AWTEvent;Ljava/awt/AWTEvent;)Ljava/awt/AWTEvent;
java/awt/Component
    processEvent(Ljava/awt/AWTEvent;)V
java/awt/Component processComponentEvent(Ljava/awt/event/ComponentEvent;)V
java/awt/Component processFocusEvent(Ljava/awt/event/FocusEvent;)V
java/awt/Component processKeyEvent(Ljava/awt/event/KeyEvent;)V
java/awt/Component processMouseEvent(Ljava/awt/event/MouseEvent;)V
java/awt/Component processMouseMotionEvent(Ljava/awt/event/MouseEvent;)V
java/awt/Component processMouseWheelEvent(Ljava/awt/event/MouseWheelEvent;)V
java/awt/Component postsOldMouseEvents()Z
java/awt/Component processInputMethodEvent(Ljava/awt/event/InputMethodEvent;)V
java/awt/Component processHierarchyEvent(Ljava/awt/event/HierarchyEvent;)V
java/awt/Component processHierarchyBoundsEvent(Ljava/awt/event/HierarchyEvent;)V
java/awt/Component handleEvent(Ljava/awt/Event;)Z
java/awt/Component mouseDown(Ljava/awt/Event;I)Z
java/awt/Component mouseDrag(Ljava/awt/Event;I)Z
java/awt/Component mouseUp(Ljava/awt/Event;I)Z
java/awt/Component mouseMove(Ljava/awt/Event;I)Z
java/awt/Component
    mouseEnter(Ljava/awt/Event;I)Z
java/awt/Component mouseExit(Ljava/awt/Event;I)Z
java/awt/Component keyDown(Ljava/awt/Event;I)Z
java/awt/Component keyUp(Ljava/awt/Event;I)Z
java/awt/Component action(Ljava/awt/Event;Ljava/lang/Object;)Z
java/awt/Component addNotify()V
java/awt/Component removeNotify()V
java/awt/Component gotFocus(Ljava/awt/Event;Ljava/lang/Object;)Z
java/awt/Component lostFocus(Ljava/awt/Event;Ljava/lang/Object;)Z
java/awt/Component isFocusTraversable()Z
java/awt/Component isFocusable()Z
java/awt/Component setFocusable(Z)V
java/awt/Component isFocusTraversableOverridden()Z
java/awt/Component setFocusTraversalKeys(ILjava/util/Set;)V
java/awt/Component getFocusTraversalKeys(I)Ljava/util/Set;
java/awt/Component setFocusTraversalKeys_NoIDCheck(ILjava/util/Set;)V
java/awt/Component getFocusTraversalKeys_NoIDCheck(I)Ljava/util/Set;
java/awt/Component areFocusTraversalKeysSet(I)Z
java/awt/Component setFocusTraversalKeysEnabled(Z)V
java/awt/Component

```

```

getFocusTraversalKeysEnabled()Z
java/awt/Component requestFocus()V
java/awt/Component requestFocus(Z)Z
java/awt/Component requestFocusInWindow()Z
java/awt/Component requestFocusInWindow(Z)Z
java/awt/Component requestFocusHelper(ZZ)Z
java/awt/Component autoTransferFocus(Z)V
java/awt/Component doAutoTransfer(Z)V
java/awt/Component transferFocus()V
java/awt/Component getFocusCycleRootAncestor()Ljava/awt/Container;
java/awt/Component isFocusCycleRoot(Ljava/awt/Container;)Z
java/awt/Component nextFocus()V
java/awt/Component nextFocusHelper()Z
java/awt/Component transferFocusBackward()V
java/awt/Component transferFocusUpCycle()V
java/awt/Component hasFocus()Z
java/awt/Component isFocusOwner()Z
java/awt/Component add(Ljava/awt/PopupMenu;)V
java/awt/Component remove(Ljava/awt/MenuComponent;)V
java/awt/Component paramString()Ljava/lang/String;
java/awt/Component toString()Ljava/lang/String;
java/awt/Component list()V
java/awt/Component list(Ljava/io/PrintStream;)V
java/awt/Component list(Ljava/io/PrintStream;I)V
java/awt/Component
    list(Ljava/io/PrintWriter;)V
java/awt/Component list(Ljava/io/PrintWriter;I)V
java/awt/Component getNativeContainer()Ljava/awt/Container;
java/awt/Component addPropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/Component removePropertyChangeListener(Ljava/beans/PropertyChangeListener;)V
java/awt/Component getPropertyChangeListeners()[Ljava/beans/PropertyChangeListener;
java/awt/Component addPropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/Component removePropertyChangeListener(Ljava/lang/String;Ljava/beans/PropertyChangeListener;)V
java/awt/Component getPropertyChangeListeners(Ljava/lang/String;)[Ljava/beans/PropertyChangeListener;
java/awt/Component firePropertyChange(Ljava/lang/String;Ljava/lang/Object;Ljava/lang/Object;)V
java/awt/Component firePropertyChange(Ljava/lang/String;ZZ)V
java/awt/Component firePropertyChange(Ljava/lang/String;II)V
java/awt/Component firePropertyChange(Ljava/lang/String;BB)V
java/awt/Component
    firePropertyChange(Ljava/lang/String;CC)V
java/awt/Component firePropertyChange(Ljava/lang/String;SS)V
java/awt/Component firePropertyChange(Ljava/lang/String;JJ)V
java/awt/Component firePropertyChange(Ljava/lang/String;FF)V
java/awt/Component firePropertyChange(Ljava/lang/String;DD)V
java/awt/Component doSwingSerialization()V
java/awt/Component writeObject(Ljava/io/ObjectOutputStream;)V
java/awt/Component readObject(Ljava/io/ObjectInputStream;)V
java/awt/Component setComponentOrientation(Ljava/awt/ComponentOrientation;)V

```

```

java/awt/Component getComponentOrientation()Ljava/awt/ComponentOrientation;
java/awt/Component applyComponentOrientation(Ljava/awt/ComponentOrientation;)V
java/awt/Component canBeFocusOwner()Z
java/awt/Component getContainingWindow()Ljava/awt/Window;
java/awt/Component getContainingWindow(Ljava/awt/Component;)Ljava/awt/Window;
java/awt/Component initIDs()V
java/awt/Component getAccessibleContext()Ljava/awt/Component$AccessibleContext;
java/awt/Component
    getAccessibleIndexInParent()I
java/awt/Component getAccessibleStateSet()Ljava/awt/Component$AccessibleStateSet;
java/awt/Component <clinit>()V
class java/awt/image/ImageObserver java/lang/Object
java/awt/image/ImageObserver WIDTH
java/awt/image/ImageObserver HEIGHT
java/awt/image/ImageObserver PROPERTIES
java/awt/image/ImageObserver SOMEBITS
java/awt/image/ImageObserver FRAMEBITS
java/awt/image/ImageObserver ALLBITS
java/awt/image/ImageObserver ERROR
java/awt/image/ImageObserver ABORT
java/awt/image/ImageObserver imageUpdate(Ljava/awt/Image;IIII)Z
class java/awt/MenuContainer java/lang/Object
java/awt/MenuContainer getFont()Ljava/awt/Font;
java/awt/MenuContainer remove(Ljava/awt/MenuComponent;)V
java/awt/MenuContainer postEvent(Ljava/awt/Event;)Z
class java/lang/Shutdown$Lock java/lang/Object
java/lang/Shutdown$Lock <init>()V
java/lang/Shutdown$Lock <init>(Ljava/lang/Shutdown$1;)V
class java/lang/Shutdown java/lang/Object
java/lang/Shutdown RUNNING
java/lang/Shutdown
    HOOKS
java/lang/Shutdown FINALIZERS
java/lang/Shutdown state
java/lang/Shutdown runFinalizersOnExit
java/lang/Shutdown hooks
java/lang/Shutdown lock
java/lang/Shutdown haltLock
java/lang/Shutdown <init>()V
java/lang/Shutdown setRunFinalizersOnExit(Z)V
java/lang/Shutdown add(Ljava/lang/Thread;)V
java/lang/Shutdown remove(Ljava/lang/Thread;)Z
java/lang/Shutdown runHooks()V
java/lang/Shutdown halt(I)V
java/lang/Shutdown halt0(I)V
java/lang/Shutdown runAllFinalizers()V
java/lang/Shutdown sequence()V
java/lang/Shutdown exit(I)V

```

```

java/lang/Shutdown shutdown()V
java/lang/Shutdown <clinit>()V
class java/security/cert/Certificate java/lang/Object
java/security/cert/Certificate serialVersionUID
java/security/cert/Certificate type
java/security/cert/Certificate <init>(Ljava/lang/String;)V
java/security/cert/Certificate getType(Ljava/lang/String;
java/security/cert/Certificate equals(Ljava/lang/Object;)Z
java/security/cert/Certificate hashCode()I
java/security/cert/Certificate getEncoded()[B
java/security/cert/Certificate
    verify(Ljava/security/PublicKey;)V
java/security/cert/Certificate verify(Ljava/security/PublicKey;Ljava/lang/String;)V
java/security/cert/Certificate toString(Ljava/lang/String;
java/security/cert/Certificate getPublicKey(Ljava/security/PublicKey;
java/security/cert/Certificate writeReplace()Ljava/lang/Object;
class java/security/Principal java/lang/Object
java/security/Principal equals(Ljava/lang/Object;)Z
java/security/Principal toString(Ljava/lang/String;
java/security/Principal hashCode()I
java/security/Principal getName()Ljava/lang/String;
class java/security/BasicPermissionCollection java/security/PermissionCollection
java/security/BasicPermissionCollection serialVersionUID
java/security/BasicPermissionCollection perms
java/security/BasicPermissionCollection all_allowed
java/security/BasicPermissionCollection permClass
java/security/BasicPermissionCollection serialPersistentFields
java/security/BasicPermissionCollection <init>()V
java/security/BasicPermissionCollection
    add(Ljava/security/Permission;)V
java/security/BasicPermissionCollection implies(Ljava/security/Permission;)Z
java/security/BasicPermissionCollection elements()Ljava/util/Enumeration;
java/security/BasicPermissionCollection writeObject(Ljava/io/ObjectOutputStream;)V
java/security/BasicPermissionCollection readObject(Ljava/io/ObjectInputStream;)V
java/security/BasicPermissionCollection <clinit>()V
class java/security/UnresolvedPermission java/security/Permission
java/security/UnresolvedPermission serialVersionUID
java/security/UnresolvedPermission debug
java/security/UnresolvedPermission type
java/security/UnresolvedPermission name
java/security/UnresolvedPermission actions
java/security/UnresolvedPermission certs
java/security/UnresolvedPermission PARAMS0
java/security/UnresolvedPermission PARAMS1
java/security/UnresolvedPermission PARAMS2
java/security/UnresolvedPermission
    <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;[Ljava/security/cert/Certificate;)V
java/security/UnresolvedPermission

```



```

    resolve(Ljava/security/Permission;[Ljava/security/cert/Certificate;)Ljava/security/Permission;
java/security/UnresolvedPermission implies(Ljava/security/Permission;)Z
java/security/UnresolvedPermission equals(Ljava/lang/Object;)Z
java/security/UnresolvedPermission hashCode()I
java/security/UnresolvedPermission getActions()Ljava/lang/String;
java/security/UnresolvedPermission getUnresolvedType()Ljava/lang/String;
java/security/UnresolvedPermission getUnresolvedName()Ljava/lang/String;
java/security/UnresolvedPermission getUnresolvedActions()Ljava/lang/String;
java/security/UnresolvedPermission getUnresolvedCerts()[Ljava/security/cert/Certificate;
java/security/UnresolvedPermission toString()Ljava/lang/String;
java/security/UnresolvedPermission newPermissionCollection()Ljava/security/PermissionCollection;
java/security/UnresolvedPermission writeObject(Ljava/io/ObjectOutputStream;)V
java/security/UnresolvedPermission readObject(Ljava/io/ObjectInputStream;)V
java/security/UnresolvedPermission
    <clinit>()V
class java/security/AllPermission java/security/Permission
java/security/AllPermission serialVersionUID
java/security/AllPermission <init>()V
java/security/AllPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
java/security/AllPermission implies(Ljava/security/Permission;)Z
java/security/AllPermission equals(Ljava/lang/Object;)Z
java/security/AllPermission hashCode()I
java/security/AllPermission getActions()Ljava/lang/String;
java/security/AllPermission newPermissionCollection()Ljava/security/PermissionCollection;
class java/io/FilePermissionCollection java/security/PermissionCollection
java/io/FilePermissionCollection perms
java/io/FilePermissionCollection serialVersionUID
java/io/FilePermissionCollection serialPersistentFields
java/io/FilePermissionCollection <init>()V
java/io/FilePermissionCollection add(Ljava/security/Permission;)V
java/io/FilePermissionCollection implies(Ljava/security/Permission;)Z
java/io/FilePermissionCollection
    elements()Ljava/util/Enumeration;
java/io/FilePermissionCollection writeObject(Ljava/io/ObjectOutputStream;)V
java/io/FilePermissionCollection readObject(Ljava/io/ObjectInputStream;)V
java/io/FilePermissionCollection <clinit>()V
class java/io/FilePermission$1 java/lang/Object
java/io/FilePermission$1 this$0
java/io/FilePermission$1 <init>(Ljava/io/FilePermission;)V
java/io/FilePermission$1 run()Ljava/lang/Object;
class java/io/FilePermission java/security/Permission
java/io/FilePermission EXECUTE
java/io/FilePermission WRITE
java/io/FilePermission READ
java/io/FilePermission DELETE
java/io/FilePermission ALL
java/io/FilePermission NONE
java/io/FilePermission mask

```

```

java/io/FilePermission directory
java/io/FilePermission recursive
java/io/FilePermission actions
java/io/FilePermission cpath
java/io/FilePermission RECURSIVE_CHAR
java/io/FilePermission WILD_CHAR
java/io/FilePermission serialVersionUID
java/io/FilePermission init(I)V
java/io/FilePermission <init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/FilePermission
    <init>(Ljava/lang/String;I)V
java/io/FilePermission implies(Ljava/security/Permission;)Z
java/io/FilePermission impliesIgnoreMask(Ljava/io/FilePermission;)Z
java/io/FilePermission equals(Ljava/lang/Object;)Z
java/io/FilePermission hashCode()I
java/io/FilePermission getMask(Ljava/lang/String;)I
java/io/FilePermission getMask()I
java/io/FilePermission getActions(I)Ljava/lang/String;
java/io/FilePermission getActions()Ljava/lang/String;
java/io/FilePermission newPermissionCollection(Ljava/security/PermissionCollection;
java/io/FilePermission writeObject(Ljava/io/ObjectOutputStream;)V
java/io/FilePermission readObject(Ljava/io/ObjectInputStream;)V
java/io/FilePermission access$000(Ljava/io/FilePermission;)Ljava/lang/String;
java/io/FilePermission access$100(Ljava/io/FilePermission;)Z
class java/net/UnknownContentHandler java/net/ContentHandler
java/net/UnknownContentHandler <init>()V
java/net/UnknownContentHandler getContent(Ljava/net/URLConnection;)Ljava/lang/Object;
class
    java/net/ContentHandler java/lang/Object
java/net/ContentHandler <init>()V
java/net/ContentHandler getContent(Ljava/net/URLConnection;)Ljava/lang/Object;
java/net/ContentHandler getContent(Ljava/net/URLConnection;[Ljava/lang/Class;)Ljava/lang/Object;
class java/net/URLConnection java/lang/Object
java/net/URLConnection url
java/net/URLConnection doInput
java/net/URLConnection doOutput
java/net/URLConnection defaultAllowUserInteraction
java/net/URLConnection allowUserInteraction
java/net/URLConnection defaultUseCaches
java/net/URLConnection useCaches
java/net/URLConnection ifModifiedSince
java/net/URLConnection connected
java/net/URLConnection connectTimeout
java/net/URLConnection readTimeout
java/net/URLConnection fileNameMap
java/net/URLConnection fileNameMapLoaded
java/net/URLConnection factory
java/net/URLConnection handlers

```

```

java/net/URLConnection UnknownContentHandlerP
java/net/URLConnection contentClassPrefix
java/net/URLConnection contentPathProp
java/net/URLConnection
    getFileNameMap()Ljava/net/FileNameMap;
java/net/URLConnection setFileNameMap(Ljava/net/FileNameMap;)V
java/net/URLConnection connect()V
java/net/URLConnection setConnectTimeout(I)V
java/net/URLConnection getConnectTimeout(I)
java/net/URLConnection setReadTimeout(I)V
java/net/URLConnection getReadTimeout(I)
java/net/URLConnection <init>(Ljava/net/URL;)V
java/net/URLConnection getURL()Ljava/net/URL;
java/net/URLConnection getContentLength()I
java/net/URLConnection getContentType()Ljava/lang/String;
java/net/URLConnection getContentEncoding()Ljava/lang/String;
java/net/URLConnection getExpiration()J
java/net/URLConnection getDate()J
java/net/URLConnection getLastModified()J
java/net/URLConnection getHeaderField(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection getHeaderFields()Ljava/util/Map;
java/net/URLConnection getHeaderFieldInt(Ljava/lang/String;I)I
java/net/URLConnection getHeaderFieldDate(Ljava/lang/String;J)J
java/net/URLConnection getHeaderFieldKey(I)Ljava/lang/String;
java/net/URLConnection
    getHeaderField(I)Ljava/lang/String;
java/net/URLConnection getContent()Ljava/lang/Object;
java/net/URLConnection getContent([Ljava/lang/Class;)Ljava/lang/Object;
java/net/URLConnection getPermission()Ljava/security/Permission;
java/net/URLConnection getInputStream()Ljava/io/InputStream;
java/net/URLConnection getOutputStream()Ljava/io/OutputStream;
java/net/URLConnection toString()Ljava/lang/String;
java/net/URLConnection setDoInput(Z)V
java/net/URLConnection getDoInput()Z
java/net/URLConnection setDoOutput(Z)V
java/net/URLConnection getDoOutput()Z
java/net/URLConnection setAllowUserInteraction(Z)V
java/net/URLConnection getAllowUserInteraction()Z
java/net/URLConnection setDefaultAllowUserInteraction(Z)V
java/net/URLConnection getDefaultAllowUserInteraction()Z
java/net/URLConnection setUseCaches(Z)V
java/net/URLConnection getUseCaches()Z
java/net/URLConnection setIfModifiedSince(J)V
java/net/URLConnection getIfModifiedSince()J
java/net/URLConnection
    getDefaultUseCaches()Z
java/net/URLConnection setDefaultUseCaches(Z)V
java/net/URLConnection setRequestProperty(Ljava/lang/String;Ljava/lang/String;)V

```

```

java/net/URLConnection addRequestProperty(Ljava/lang/String;Ljava/lang/String;)V
java/net/URLConnection getRequestProperty(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection getRequestProperties()Ljava/util/Map;
java/net/URLConnection setDefaultRequestProperty(Ljava/lang/String;Ljava/lang/String;)V
java/net/URLConnection getDefaultRequestProperty(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection setContentHandlerFactory(Ljava/net/ContentHandlerFactory;)V
java/net/URLConnection getContentHandler()Ljava/net/ContentHandler;
java/net/URLConnection stripOffParameters(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection lookupContentHandlerClassFor(Ljava/lang/String;)Ljava/net/ContentHandler;
java/net/URLConnection typeToPackageName(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection getContentHandlerPkgPrefixes()Ljava/lang/String;
java/net/URLConnection
    guessContentTypeFromName(Ljava/lang/String;)Ljava/lang/String;
java/net/URLConnection guessContentTypeFromStream(Ljava/io/InputStream;)Ljava/lang/String;
java/net/URLConnection checkFpx(Ljava/io/InputStream;)Z
java/net/URLConnection readBytes([IILjava/io/InputStream;)I
java/net/URLConnection skipForward(Ljava/io/InputStream;J)J
java/net/URLConnection access$000(Ljava/net/URLConnection;)V
java/net/URLConnection <clinit>()V
class java/security/Permissions java/security/PermissionCollection
java/security/Permissions permsMap
java/security/Permissions hasUnresolved
java/security/Permissions allPermission
java/security/Permissions serialVersionUID
java/security/Permissions serialPersistentFields
java/security/Permissions <init>()V
java/security/Permissions add(Ljava/security/Permission;)V
java/security/Permissions implies(Ljava/security/Permission;)Z
java/security/Permissions elements()Ljava/util/Enumeration;
java/security/Permissions
    getPermissionCollection(Ljava/security/Permission;)Ljava/security/PermissionCollection;
java/security/Permissions
    getUnresolvedPermissions(Ljava/security/Permission;)Ljava/security/PermissionCollection;
java/security/Permissions writeObject(Ljava/io/ObjectOutputStream;)V
java/security/Permissions readObject(Ljava/io/ObjectInputStream;)V
java/security/Permissions <clinit>()V
class java/security/PermissionCollection java/lang/Object
java/security/PermissionCollection serialVersionUID
java/security/PermissionCollection readOnly
java/security/PermissionCollection <init>()V
java/security/PermissionCollection add(Ljava/security/Permission;)V
java/security/PermissionCollection implies(Ljava/security/Permission;)Z
java/security/PermissionCollection elements()Ljava/util/Enumeration;
java/security/PermissionCollection setReadOnly()V
java/security/PermissionCollection isReadOnly()Z
java/security/PermissionCollection toString()Ljava/lang/String;
class java/security/CodeSource java/lang/Object
java/security/CodeSource

```

```

serialVersionUID
java/security/CodeSource location
java/security/CodeSource signers
java/security/CodeSource certs
java/security/CodeSource sp
java/security/CodeSource factory
java/security/CodeSource <init>(Ljava/net/URL;[Ljava/security/cert/Certificate;)V
java/security/CodeSource <init>(Ljava/net/URL;[Ljava/security/CodeSigner;)V
java/security/CodeSource hashCode()I
java/security/CodeSource equals(Ljava/lang/Object;)Z
java/security/CodeSource getLocation()Ljava/net/URL;
java/security/CodeSource getCertificates()[Ljava/security/cert/Certificate;
java/security/CodeSource getCodeSigners()[Ljava/security/CodeSigner;
java/security/CodeSource implies(Ljava/security/CodeSource;)Z
java/security/CodeSource matchCerts(Ljava/security/CodeSource;Z)Z
java/security/CodeSource matchLocation(Ljava/security/CodeSource;)Z
java/security/CodeSource toString()Ljava/lang/String;
java/security/CodeSource writeObject(Ljava/io/ObjectOutputStream;)V
java/security/CodeSource readObject(Ljava/io/ObjectInputStream;)V
java/security/CodeSource
    convertCertArrayToSignerArray([Ljava/security/cert/Certificate;)[Ljava/security/CodeSigner;
class java/security/PrivilegedActionException java/lang/Exception
java/security/PrivilegedActionException serialVersionUID
java/security/PrivilegedActionException exception
java/security/PrivilegedActionException <init>(Ljava/lang/Exception;)V
java/security/PrivilegedActionException getException()Ljava/lang/Exception;
java/security/PrivilegedActionException getCause()Ljava/lang/Throwable;
java/security/PrivilegedActionException toString()Ljava/lang/String;
class java/lang/Math java/lang/Object
java/lang/Math E
java/lang/Math PI
java/lang/Math randomNumberGenerator
java/lang/Math negativeZeroFloatBits
java/lang/Math negativeZeroDoubleBits
java/lang/Math <init>()V
java/lang/Math sin(D)D
java/lang/Math cos(D)D
java/lang/Math tan(D)D
java/lang/Math asin(D)D
java/lang/Math acos(D)D
java/lang/Math atan(D)D
java/lang/Math toRadians(D)D
java/lang/Math
    toDegrees(D)D
java/lang/Math exp(D)D
java/lang/Math log(D)D
java/lang/Math log10(D)D
java/lang/Math sqrt(D)D

```

```

java/lang/Math cbrt(D)D
java/lang/Math IEEERemainder(DD)D
java/lang/Math ceil(D)D
java/lang/Math floor(D)D
java/lang/Math rint(D)D
java/lang/Math atan2(DD)D
java/lang/Math pow(DD)D
java/lang/Math round(F)I
java/lang/Math round(D)J
java/lang/Math initRNG()V
java/lang/Math random()D
java/lang/Math abs(I)I
java/lang/Math abs(J)J
java/lang/Math abs(F)F
java/lang/Math abs(D)D
java/lang/Math max(II)I
java/lang/Math max(JJ)J
java/lang/Math max(FF)F
java/lang/Math max(DD)D
java/lang/Math min(II)I
java/lang/Math min(JJ)J
java/lang/Math min(FF)F
java/lang/Math min(DD)D
java/lang/Math ulp(D)D
java/lang/Math ulp(F)F
java/lang/Math signum(D)D
java/lang/Math signum(F)F
java/lang/Math sinh(D)D
java/lang/Math cosh(D)D
java/lang/Math tanh(D)D
java/lang/Math hypot(DD)D
java/lang/Math expm1(D)D
java/lang/Math log1p(D)D
java/lang/Math <clinit>()V
class java/util/zip/Inflater java/lang/Object
java/util/zip/Inflater
    strm
java/util/zip/Inflater buf
java/util/zip/Inflater off
java/util/zip/Inflater len
java/util/zip/Inflater finished
java/util/zip/Inflater needDict
java/util/zip/Inflater <init>(Z)V
java/util/zip/Inflater <init>()V
java/util/zip/Inflater setInput([BII)V
java/util/zip/Inflater setInput([B)V
java/util/zip/Inflater setDictionary([BII)V
java/util/zip/Inflater setDictionary([B)V

```

```

java/util/zip/Inflater getRemaining()I
java/util/zip/Inflater needsInput()Z
java/util/zip/Inflater needsDictionary()Z
java/util/zip/Inflater finished()Z
java/util/zip/Inflater inflate([BII)I
java/util/zip/Inflater inflate([B)I
java/util/zip/Inflater getAdler()I
java/util/zip/Inflater getTotalIn()I
java/util/zip/Inflater getBytesRead()J
java/util/zip/Inflater getTotalOut()I
java/util/zip/Inflater getBytesWritten()J
java/util/zip/Inflater reset()V
java/util/zip/Inflater end()V
java/util/zip/Inflater finalize()V
java/util/zip/Inflater ensureOpen()V
java/util/zip/Inflater initIDs()V
java/util/zip/Inflater
  init(Z)J
java/util/zip/Inflater setDictionary(J[BII)V
java/util/zip/Inflater inflateBytes([BII)I
java/util/zip/Inflater getAdler(J)I
java/util/zip/Inflater getBytesRead(J)J
java/util/zip/Inflater getBytesWritten(J)J
java/util/zip/Inflater reset(J)V
java/util/zip/Inflater end(J)V
java/util/zip/Inflater <clinit>()V
class java/util/zip/ZipFile$2 java/util/zip/InflaterInputStream
java/util/zip/ZipFile$2 isClosed
java/util/zip/ZipFile$2 eof
java/util/zip/ZipFile$2 val$zfin
java/util/zip/ZipFile$2 this$0
java/util/zip/ZipFile$2
  <init>(Ljava/util/zip/ZipFile;Ljava/io/InputStream;Ljava/util/zip/Inflater;ILjava/util/zip/ZipFile$ZipFileInputStream
  ;)V
java/util/zip/ZipFile$2 close()V
java/util/zip/ZipFile$2 fill()V
java/util/zip/ZipFile$2 available()I
class java/util/zip/InflaterInputStream java/io/FilterInputStream
java/util/zip/InflaterInputStream inf
java/util/zip/InflaterInputStream buf
java/util/zip/InflaterInputStream len
java/util/zip/InflaterInputStream closed
java/util/zip/InflaterInputStream
  reachEOF
java/util/zip/InflaterInputStream usesDefaultInflater
java/util/zip/InflaterInputStream singleByteBuf
java/util/zip/InflaterInputStream b
java/util/zip/InflaterInputStream ensureOpen()V

```

```

java/util/zip/InflaterInputStream <init>(Ljava/io/InputStream;Ljava/util/zip/Inflater;I)V
java/util/zip/InflaterInputStream <init>(Ljava/io/InputStream;Ljava/util/zip/Inflater;)V
java/util/zip/InflaterInputStream <init>(Ljava/io/InputStream;)V
java/util/zip/InflaterInputStream read()I
java/util/zip/InflaterInputStream read([BII)I
java/util/zip/InflaterInputStream available()I
java/util/zip/InflaterInputStream skip(J)J
java/util/zip/InflaterInputStream close()V
java/util/zip/InflaterInputStream fill()V
java/util/zip/InflaterInputStream markSupported()Z
java/util/zip/InflaterInputStream mark(I)V
java/util/zip/InflaterInputStream reset()V
class java/util/zip/ZipFile$ZipFileInputStream java/io/InputStream
java/util/zip/ZipFile$ZipFileInputStream jzentry
java/util/zip/ZipFile$ZipFileInputStream
    pos
java/util/zip/ZipFile$ZipFileInputStream rem
java/util/zip/ZipFile$ZipFileInputStream size
java/util/zip/ZipFile$ZipFileInputStream this$0
java/util/zip/ZipFile$ZipFileInputStream <init>(Ljava/util/zip/ZipFile;J)V
java/util/zip/ZipFile$ZipFileInputStream read([BII)I
java/util/zip/ZipFile$ZipFileInputStream read()I
java/util/zip/ZipFile$ZipFileInputStream skip(J)J
java/util/zip/ZipFile$ZipFileInputStream available()I
java/util/zip/ZipFile$ZipFileInputStream size()J
java/util/zip/ZipFile$ZipFileInputStream close()V
class java/io/DataInputStream java/io/FilterInputStream
java/io/DataInputStream bytearr
java/io/DataInputStream chararr
java/io/DataInputStream readBuffer
java/io/DataInputStream lineBuffer
java/io/DataInputStream <init>(Ljava/io/InputStream;)V
java/io/DataInputStream read([B)I
java/io/DataInputStream read([BII)I
java/io/DataInputStream readFully([B)V
java/io/DataInputStream readFully([BII)V
java/io/DataInputStream skipBytes(I)I
java/io/DataInputStream readBoolean()Z
java/io/DataInputStream
    readByte()B
java/io/DataInputStream readUnsignedByte()I
java/io/DataInputStream readShort()S
java/io/DataInputStream readUnsignedShort()I
java/io/DataInputStream readChar()C
java/io/DataInputStream readInt()I
java/io/DataInputStream readLong()J
java/io/DataInputStream readFloat()F
java/io/DataInputStream readDouble()D

```



```

java/io/DataInputStream readLine()Ljava/lang/String;
java/io/DataInputStream readUTF()Ljava/lang/String;
java/io/DataInputStream readUTF(Ljava/io/DataInput;)Ljava/lang/String;
class java/io/DataInput java/lang/Object
java/io/DataInput readFully([B)V
java/io/DataInput readFully([BII)V
java/io/DataInput skipBytes(I)I
java/io/DataInput readBoolean()Z
java/io/DataInput readByte()B
java/io/DataInput readUnsignedByte()I
java/io/DataInput readShort()S
java/io/DataInput readUnsignedShort()I
java/io/DataInput readChar()C
java/io/DataInput readInt()I
java/io/DataInput readLong()J
java/io/DataInput readFloat()F
java/io/DataInput readDouble()D
java/io/DataInput
    readLine()Ljava/lang/String;
java/io/DataInput readUTF()Ljava/lang/String;
class java/util/jar/JarFile$JarFileEntry java/util/jar/JarEntry
java/util/jar/JarFile$JarFileEntry this$0
java/util/jar/JarFile$JarFileEntry <init>(Ljava/util/jar/JarFile;Ljava/util/zip/ZipEntry;)V
java/util/jar/JarFile$JarFileEntry getAttributes()Ljava/util/jar/Attributes;
java/util/jar/JarFile$JarFileEntry getCertificates()[Ljava/security/cert/Certificate;
java/util/jar/JarFile$JarFileEntry getCodeSigners()[Ljava/security/CodeSigner;
class java/util/jar/JarEntry java/util/zip/ZipEntry
java/util/jar/JarEntry attr
java/util/jar/JarEntry certs
java/util/jar/JarEntry signers
java/util/jar/JarEntry <init>(Ljava/lang/String;)V
java/util/jar/JarEntry <init>(Ljava/util/zip/ZipEntry;)V
java/util/jar/JarEntry <init>(Ljava/util/jar/JarEntry;)V
java/util/jar/JarEntry getAttributes()Ljava/util/jar/Attributes;
java/util/jar/JarEntry getCertificates()[Ljava/security/cert/Certificate;
java/util/jar/JarEntry getCodeSigners()[Ljava/security/CodeSigner;
class
    java/util/zip/ZipEntry java/lang/Object
java/util/zip/ZipEntry name
java/util/zip/ZipEntry time
java/util/zip/ZipEntry crc
java/util/zip/ZipEntry size
java/util/zip/ZipEntry csize
java/util/zip/ZipEntry method
java/util/zip/ZipEntry extra
java/util/zip/ZipEntry comment
java/util/zip/ZipEntry flag
java/util/zip/ZipEntry version

```

```

java/util/zip/ZipEntry offset
java/util/zip/ZipEntry STORED
java/util/zip/ZipEntry DEFLATED
java/util/zip/ZipEntry initIDs()V
java/util/zip/ZipEntry <init>(Ljava/lang/String;)V
java/util/zip/ZipEntry <init>(Ljava/util/zip/ZipEntry;)V
java/util/zip/ZipEntry <init>(Ljava/lang/String;J)V
java/util/zip/ZipEntry initFields(J)V
java/util/zip/ZipEntry <init>(J)V
java/util/zip/ZipEntry getName()Ljava/lang/String;
java/util/zip/ZipEntry setTime(J)V
java/util/zip/ZipEntry getTime()J
java/util/zip/ZipEntry setSize(J)V
java/util/zip/ZipEntry getSize()J
java/util/zip/ZipEntry getCompressedSize()J
java/util/zip/ZipEntry setCompressedSize(J)V
java/util/zip/ZipEntry
    setCrc(J)V
java/util/zip/ZipEntry getCrc()J
java/util/zip/ZipEntry setMethod(I)V
java/util/zip/ZipEntry getMethod()I
java/util/zip/ZipEntry setExtra([B)V
java/util/zip/ZipEntry getExtra()[B
java/util/zip/ZipEntry setComment(Ljava/lang/String;)V
java/util/zip/ZipEntry getComment()Ljava/lang/String;
java/util/zip/ZipEntry isDirectory()Z
java/util/zip/ZipEntry toString()Ljava/lang/String;
java/util/zip/ZipEntry dosToJavaTime(J)J
java/util/zip/ZipEntry javaToDosTime(J)J
java/util/zip/ZipEntry hashCode()I
java/util/zip/ZipEntry clone()Ljava/lang/Object;
java/util/zip/ZipEntry <clinit>()V
class java/util/jar/JavaUtilJarAccessImpl java/lang/Object
java/util/jar/JavaUtilJarAccessImpl <init>()V
java/util/jar/JavaUtilJarAccessImpl jarFileHasClassPathAttribute(Ljava/util/jar/JarFile;)Z
class java/util/jar/JarFile java/util/zip/ZipFile
java/util/jar/JarFile manRef
java/util/jar/JarFile manEntry
java/util/jar/JarFile jv
java/util/jar/JarFile jvInitialized
java/util/jar/JarFile
    verify
java/util/jar/JarFile computedHasClassPathAttribute
java/util/jar/JarFile hasClassPathAttribute
java/util/jar/JarFile MANIFEST_NAME
java/util/jar/JarFile lastOcc
java/util/jar/JarFile optoSft
java/util/jar/JarFile src

```

```

java/util/jar/JarFile javaHome
java/util/jar/JarFile <init>(Ljava/lang/String;)V
java/util/jar/JarFile <init>(Ljava/lang/String;Z)V
java/util/jar/JarFile <init>(Ljava/io/File;)V
java/util/jar/JarFile <init>(Ljava/io/File;Z)V
java/util/jar/JarFile <init>(Ljava/io/File;ZI)V
java/util/jar/JarFile getManifest()Ljava/util/jar/Manifest;
java/util/jar/JarFile getManifestFromReference()Ljava/util/jar/Manifest;
java/util/jar/JarFile getMetaInfEntryNames()[Ljava/lang/String;
java/util/jar/JarFile getJarEntry(Ljava/lang/String;)Ljava/util/jar/JarEntry;
java/util/jar/JarFile getEntry(Ljava/lang/String;)Ljava/util/zip/ZipEntry;
java/util/jar/JarFile entries()Ljava/util/Enumeration;
java/util/jar/JarFile maybeInstantiateVerifier()V
java/util/jar/JarFile initializeVerifier()V
java/util/jar/JarFile
    getBytes(Ljava/util/zip/ZipEntry;)[B
java/util/jar/JarFile getInputStream(Ljava/util/zip/ZipEntry;)Ljava/io/InputStream;
java/util/jar/JarFile getManEntry()Ljava/util/jar/JarEntry;
java/util/jar/JarFile hasClassPathAttribute()Z
java/util/jar/JarFile isKnownToNotHaveClassPathAttribute()Z
java/util/jar/JarFile access$000(Ljava/util/jar/JarFile;)V
java/util/jar/JarFile access$100(Ljava/util/jar/JarFile;)Ljava/util/jar/JarVerifier;
java/util/jar/JarFile <clinit>()V
class java/util/zip/ZipFile java/lang/Object
java/util/zip/ZipFile jzfile
java/util/zip/ZipFile name
java/util/zip/ZipFile total
java/util/zip/ZipFile mappedBuffer
java/util/zip/ZipFile closer
java/util/zip/ZipFile mbUsed
java/util/zip/ZipFile closeRequested
java/util/zip/ZipFile STORED
java/util/zip/ZipFile DEFLATED
java/util/zip/ZipFile OPEN_READ
java/util/zip/ZipFile OPEN_DELETE
java/util/zip/ZipFile directByteBufferConstructor
java/util/zip/ZipFile inflaters
java/util/zip/ZipFile initIDs()V
java/util/zip/ZipFile
    <init>(Ljava/lang/String;)V
java/util/zip/ZipFile initDBBConstructor()V
java/util/zip/ZipFile newMappedByteBuffer(IJLjava/lang/Runnable;)Ljava/nio/MappedByteBuffer;
java/util/zip/ZipFile <init>(Ljava/io/File;I)V
java/util/zip/ZipFile open(Ljava/lang/String;IJ)J
java/util/zip/ZipFile getTotal()J
java/util/zip/ZipFile getMappedAddr()J
java/util/zip/ZipFile getMappedLen()J
java/util/zip/ZipFile <init>(Ljava/io/File;)V

```

```

java/util/zip/ZipFile getEntry(Ljava/lang/String;)Ljava/util/zip/ZipEntry;
java/util/zip/ZipFile getEntry(JLjava/lang/String;Z)J
java/util/zip/ZipFile freeEntry(JJ)V
java/util/zip/ZipFile getInputStream(Ljava/util/zip/ZipEntry;)Ljava/io/InputStream;
java/util/zip/ZipFile getInputStream(Ljava/lang/String;)Ljava/io/InputStream;
java/util/zip/ZipFile getMethod(J)I
java/util/zip/ZipFile getInflater()Ljava/util/zip/Inflater;
java/util/zip/ZipFile releaseInflater(Ljava/util/zip/Inflater;)V
java/util/zip/ZipFile getName()Ljava/lang/String;
java/util/zip/ZipFile
    entries()Ljava/util/Enumeration;
java/util/zip/ZipFile getNextEntry(JI)J
java/util/zip/ZipFile size()I
java/util/zip/ZipFile close()V
java/util/zip/ZipFile finalize()V
java/util/zip/ZipFile close(J)V
java/util/zip/ZipFile ensureOpen()V
java/util/zip/ZipFile ensureOpenOrZipException()V
java/util/zip/ZipFile read(JJJ[BII)I
java/util/zip/ZipFile getCSize(J)J
java/util/zip/ZipFile getSize(J)J
java/util/zip/ZipFile getEntryOffset(J)J
java/util/zip/ZipFile getZipMessage(J)Ljava/lang/String;
java/util/zip/ZipFile access$000(J)V
java/util/zip/ZipFile access$102(Ljava/lang/reflect/Constructor;)Ljava/lang/reflect/Constructor;
java/util/zip/ZipFile access$100()Ljava/lang/reflect/Constructor;
java/util/zip/ZipFile access$300(Ljava/util/zip/ZipFile;Ljava/util/zip/Inflater;)V
java/util/zip/ZipFile access$400(Ljava/util/zip/ZipFile;)V
java/util/zip/ZipFile access$500(Ljava/util/zip/ZipFile;)I
java/util/zip/ZipFile access$600(Ljava/util/zip/ZipFile;)J
java/util/zip/ZipFile access$700(JI)J
java/util/zip/ZipFile
    access$800(Ljava/util/zip/ZipFile;)Z
java/util/zip/ZipFile access$900(J)Ljava/lang/String;
java/util/zip/ZipFile access$1000(Ljava/util/zip/ZipFile;)Ljava/lang/String;
java/util/zip/ZipFile access$1100(JJ)V
java/util/zip/ZipFile access$1200(J)J
java/util/zip/ZipFile access$1300(J)J
java/util/zip/ZipFile access$1400(Ljava/util/zip/ZipFile;)V
java/util/zip/ZipFile access$1500(JJJ[BII)I
java/util/zip/ZipFile access$1600(J)J
java/util/zip/ZipFile access$1700(Ljava/util/zip/ZipFile;)Ljava/nio/MappedByteBuffer;
java/util/zip/ZipFile access$1802(Ljava/util/zip/ZipFile;Z)Z
java/util/zip/ZipFile <clinit>()V
class java/util/zip/ZipConstants java/lang/Object
java/util/zip/ZipConstants LOCSIG
java/util/zip/ZipConstants EXTSIG
java/util/zip/ZipConstants CENSIG

```

```

java/util/zip/ZipConstants END SIG
java/util/zip/ZipConstants LOCHDR
java/util/zip/ZipConstants EXTHDR
java/util/zip/ZipConstants CENHDR
java/util/zip/ZipConstants ENHDR
java/util/zip/ZipConstants LOCVER
java/util/zip/ZipConstants
    LOCFLG
java/util/zip/ZipConstants LOCHOW
java/util/zip/ZipConstants LOCTIM
java/util/zip/ZipConstants LOCCRC
java/util/zip/ZipConstants LOCSIZ
java/util/zip/ZipConstants LOCLEN
java/util/zip/ZipConstants LOCNAM
java/util/zip/ZipConstants LOCEXT
java/util/zip/ZipConstants EXTCRC
java/util/zip/ZipConstants EXTSIZ
java/util/zip/ZipConstants EXTLEN
java/util/zip/ZipConstants CENVEM
java/util/zip/ZipConstants CENVER
java/util/zip/ZipConstants CENFLG
java/util/zip/ZipConstants CENHOW
java/util/zip/ZipConstants CENTIM
java/util/zip/ZipConstants CENCRC
java/util/zip/ZipConstants CENSIZ
java/util/zip/ZipConstants CENLEN
java/util/zip/ZipConstants CENNAM
java/util/zip/ZipConstants CENEXT
java/util/zip/ZipConstants CENCOM
java/util/zip/ZipConstants CENDSK
java/util/zip/ZipConstants CENATT
java/util/zip/ZipConstants CENATX
java/util/zip/ZipConstants CENOFF
java/util/zip/ZipConstants END SUB
java/util/zip/ZipConstants END TOT
java/util/zip/ZipConstants END SIZ
java/util/zip/ZipConstants END OFF
java/util/zip/ZipConstants
    END COM
class java/net/URLClassLoader$1 java/lang/Object
java/net/URLClassLoader$1 val$name
java/net/URLClassLoader$1 this$0
java/net/URLClassLoader$1 <init>(Ljava/net/URLClassLoader;Ljava/lang/String;)V
java/net/URLClassLoader$1 run()Ljava/lang/Object;
class java/lang/StringCoding$CharsetSD java/lang/StringCoding$StringDecoder
java/lang/StringCoding$CharsetSD cs
java/lang/StringCoding$CharsetSD cd
java/lang/StringCoding$CharsetSD <init>(Ljava/nio/charset/Charset;Ljava/lang/String;)V

```

```

java/lang/StringCoding$CharsetSD charsetName()Ljava/lang/String;
java/lang/StringCoding$CharsetSD decode([BII)[C
java/lang/StringCoding$CharsetSD
<init>(Ljava/nio/charset/Charset;Ljava/lang/String;Ljava/lang/StringCoding$1;)V
class java/lang/StringCoding$StringDecoder java/lang/Object
java/lang/StringCoding$StringDecoder requestedCharsetName
java/lang/StringCoding$StringDecoder <init>(Ljava/lang/String;)V
java/lang/StringCoding$StringDecoder requestedCharsetName()Ljava/lang/String;
java/lang/StringCoding$StringDecoder
charsetName()Ljava/lang/String;
java/lang/StringCoding$StringDecoder decode([BII)[C
class java/lang/ThreadLocal$ThreadLocalMap$Entry java/lang/ref/WeakReference
java/lang/ThreadLocal$ThreadLocalMap$Entry value
java/lang/ThreadLocal$ThreadLocalMap$Entry <init>(Ljava/lang/ThreadLocal;Ljava/lang/Object;)V
java/lang/ThreadLocal$ThreadLocalMap$Entry
<init>(Ljava/lang/ThreadLocal;Ljava/lang/Object;Ljava/lang/ThreadLocal$1;)V
java/lang/ThreadLocal$ThreadLocalMap$Entry
access$600(Ljava/lang/ThreadLocal$ThreadLocalMap$Entry;)Ljava/lang/Object;
java/lang/ThreadLocal$ThreadLocalMap$Entry
access$602(Ljava/lang/ThreadLocal$ThreadLocalMap$Entry;Ljava/lang/Object;)Ljava/lang/Object;
class java/lang/ThreadLocal$ThreadLocalMap java/lang/Object
java/lang/ThreadLocal$ThreadLocalMap INITIAL_CAPACITY
java/lang/ThreadLocal$ThreadLocalMap table
java/lang/ThreadLocal$ThreadLocalMap size
java/lang/ThreadLocal$ThreadLocalMap threshold
java/lang/ThreadLocal$ThreadLocalMap setThreshold(I)V
java/lang/ThreadLocal$ThreadLocalMap
nextIndex(II)I
java/lang/ThreadLocal$ThreadLocalMap prevIndex(II)I
java/lang/ThreadLocal$ThreadLocalMap <init>(Ljava/lang/ThreadLocal;Ljava/lang/Object;)V
java/lang/ThreadLocal$ThreadLocalMap <init>(Ljava/lang/ThreadLocal$ThreadLocalMap;)V
java/lang/ThreadLocal$ThreadLocalMap get(Ljava/lang/ThreadLocal;)Ljava/lang/Object;
java/lang/ThreadLocal$ThreadLocalMap
getAfterMiss(Ljava/lang/ThreadLocal;ILjava/lang/ThreadLocal$ThreadLocalMap$Entry;)Ljava/lang/Object;
java/lang/ThreadLocal$ThreadLocalMap set(Ljava/lang/ThreadLocal;Ljava/lang/Object;)V
java/lang/ThreadLocal$ThreadLocalMap remove(Ljava/lang/ThreadLocal;)V
java/lang/ThreadLocal$ThreadLocalMap
replaceStaleEntry(Ljava/lang/ThreadLocal;Ljava/lang/Object;IZ)Ljava/lang/Object;
java/lang/ThreadLocal$ThreadLocalMap expungeStaleEntry(I)I
java/lang/ThreadLocal$ThreadLocalMap cleanSomeSlots(II)Z
java/lang/ThreadLocal$ThreadLocalMap rehash()V
java/lang/ThreadLocal$ThreadLocalMap resize()V
java/lang/ThreadLocal$ThreadLocalMap
expungeStaleEntries()V
java/lang/ThreadLocal$ThreadLocalMap
access$000(Ljava/lang/ThreadLocal$ThreadLocalMap;Ljava/lang/ThreadLocal;)Ljava/lang/Object;
java/lang/ThreadLocal$ThreadLocalMap
access$100(Ljava/lang/ThreadLocal$ThreadLocalMap;Ljava/lang/ThreadLocal;Ljava/lang/Object;)V

```

```

java/lang/ThreadLocal$ThreadLocalMap
access$200(Ljava/lang/ThreadLocal$ThreadLocalMap;Ljava/lang/ThreadLocal;)V
java/lang/ThreadLocal$ThreadLocalMap
<init>(Ljava/lang/ThreadLocal$ThreadLocalMap;Ljava/lang/ThreadLocal$1;)V
class java/lang/StringCoding java/lang/Object
java/lang/StringCoding decoder
java/lang/StringCoding encoder
java/lang/StringCoding warnUnsupportedCharset
java/lang/StringCoding <init>()V
java/lang/StringCoding deref(Ljava/lang/ThreadLocal;)Ljava/lang/Object;
java/lang/StringCoding set(Ljava/lang/ThreadLocal;Ljava/lang/Object;)V
java/lang/StringCoding trim([BI)[B
java/lang/StringCoding trim([CI)[C
java/lang/StringCoding scale(IF)I
java/lang/StringCoding lookupCharset(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/lang/StringCoding
    warnUnsupportedCharset(Ljava/lang/String;)V
java/lang/StringCoding decode(Ljava/lang/String;[BII)[C
java/lang/StringCoding decode([BII)[C
java/lang/StringCoding encode(Ljava/lang/String;[CII)[B
java/lang/StringCoding encode([CII)[B
java/lang/StringCoding access$000(IF)I
java/lang/StringCoding access$100([CI)[C
java/lang/StringCoding access$400([BI)[B
java/lang/StringCoding <clinit>()V
class java/lang/SystemClassLoaderAction java/lang/Object
java/lang/SystemClassLoaderAction parent
java/lang/SystemClassLoaderAction <init>(Ljava/lang/ClassLoader;)V
java/lang/SystemClassLoaderAction run()Ljava/lang/Object;
class java/util/ArrayList java/util/AbstractList
java/util/ArrayList serialVersionUID
java/util/ArrayList elementData
java/util/ArrayList size
java/util/ArrayList <init>(I)V
java/util/ArrayList <init>()V
java/util/ArrayList <init>(Ljava/util/Collection;)V
java/util/ArrayList trimToSize()V
java/util/ArrayList ensureCapacity(I)V
java/util/ArrayList
    size()I
java/util/ArrayList isEmpty()Z
java/util/ArrayList contains(Ljava/lang/Object;)Z
java/util/ArrayList indexOf(Ljava/lang/Object;)I
java/util/ArrayList lastIndexOf(Ljava/lang/Object;)I
java/util/ArrayList clone()Ljava/lang/Object;
java/util/ArrayList toArray()[Ljava/lang/Object;
java/util/ArrayList toArray([Ljava/lang/Object;)Ljava/lang/Object;
java/util/ArrayList get(I)Ljava/lang/Object;

```

```

java/util/ArrayList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/ArrayList add(Ljava/lang/Object;)Z
java/util/ArrayList add(ILjava/lang/Object;)V
java/util/ArrayList remove(I)Ljava/lang/Object;
java/util/ArrayList remove(Ljava/lang/Object;)Z
java/util/ArrayList fastRemove(I)V
java/util/ArrayList clear()V
java/util/ArrayList addAll(Ljava/util/Collection;)Z
java/util/ArrayList addAll(ILjava/util/Collection;)Z
java/util/ArrayList removeRange(II)V
java/util/ArrayList RangeCheck(I)V
java/util/ArrayList writeObject(Ljava/io/ObjectOutputStream;)V
java/util/ArrayList
    readObject(Ljava/io/ObjectInputStream;)V
class java/util/HashSet java/util/AbstractSet
java/util/HashSet serialVersionUID
java/util/HashSet map
java/util/HashSet PRESENT
java/util/HashSet <init>()V
java/util/HashSet <init>(Ljava/util/Collection;)V
java/util/HashSet <init>(IF)V
java/util/HashSet <init>(I)V
java/util/HashSet <init>(IFZ)V
java/util/HashSet iterator()Ljava/util/Iterator;
java/util/HashSet size()I
java/util/HashSet isEmpty()Z
java/util/HashSet contains(Ljava/lang/Object;)Z
java/util/HashSet add(Ljava/lang/Object;)Z
java/util/HashSet remove(Ljava/lang/Object;)Z
java/util/HashSet clear()V
java/util/HashSet clone()Ljava/lang/Object;
java/util/HashSet writeObject(Ljava/io/ObjectOutputStream;)V
java/util/HashSet readObject(Ljava/io/ObjectInputStream;)V
java/util/HashSet <clinit>()V
class java/net/URLStreamHandler java/lang/Object
java/net/URLStreamHandler <init>()V
java/net/URLStreamHandler openConnection(Ljava/net/URL;)Ljava/net/URLConnection;
java/net/URLStreamHandler openConnection(Ljava/net/URL;Ljava/net/Proxy;)Ljava/net/URLConnection;
java/net/URLStreamHandler
    parseURL(Ljava/net/URL;Ljava/lang/String;II)V
java/net/URLStreamHandler getDefaultPort()I
java/net/URLStreamHandler equals(Ljava/net/URL;Ljava/net/URL;)Z
java/net/URLStreamHandler hashCode(Ljava/net/URL;)I
java/net/URLStreamHandler sameFile(Ljava/net/URL;Ljava/net/URL;)Z
java/net/URLStreamHandler getHostAddress(Ljava/net/URL;)Ljava/net/InetAddress;
java/net/URLStreamHandler hostsEqual(Ljava/net/URL;Ljava/net/URL;)Z
java/net/URLStreamHandler toExternalForm(Ljava/net/URL;)Ljava/lang/String;
java/net/URLStreamHandler

```



```

setURL(Ljava/net/URL;Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/lang/String;Ljava/lang/String;
Ljava/lang/String;Ljava/lang/String;)V
java/net/URLStreamHandler
setURL(Ljava/net/URL;Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/lang/String;)V
class java/net/Parts java/lang/Object
java/net/Parts path
java/net/Parts query
java/net/Parts ref
java/net/Parts
  <init>(Ljava/lang/String;)V
java/net/Parts getPath()Ljava/lang/String;
java/net/Parts getQuery()Ljava/lang/String;
java/net/Parts getRef()Ljava/lang/String;
class java/lang/CharacterDataLatin1 java/lang/Object
java/lang/CharacterDataLatin1 sharpsMap
java/lang/CharacterDataLatin1 A
java/lang/CharacterDataLatin1 A_DATA
java/lang/CharacterDataLatin1 $assertionsDisabled
java/lang/CharacterDataLatin1 <init>()V
java/lang/CharacterDataLatin1 getProperties()I
java/lang/CharacterDataLatin1 getType()I
java/lang/CharacterDataLatin1 isLowerCase()Z
java/lang/CharacterDataLatin1 isUpperCase()Z
java/lang/CharacterDataLatin1 isTitleCase()Z
java/lang/CharacterDataLatin1 isDigit()Z
java/lang/CharacterDataLatin1 isDefined()Z
java/lang/CharacterDataLatin1 isLetter()Z
java/lang/CharacterDataLatin1 isLetterOrDigit()Z
java/lang/CharacterDataLatin1 isSpaceChar()Z
java/lang/CharacterDataLatin1 isJavaIdentifierStart()Z
java/lang/CharacterDataLatin1 isJavaIdentifierPart()Z
java/lang/CharacterDataLatin1
  isUnicodeIdentifierStart()Z
java/lang/CharacterDataLatin1 isUnicodeIdentifierPart()Z
java/lang/CharacterDataLatin1 isIdentifierIgnorable()Z
java/lang/CharacterDataLatin1 toLowerCase()I
java/lang/CharacterDataLatin1 toUpperCase()I
java/lang/CharacterDataLatin1 toTitleCase()I
java/lang/CharacterDataLatin1 digit()I
java/lang/CharacterDataLatin1 getNumericValue()I
java/lang/CharacterDataLatin1 isWhitespace()Z
java/lang/CharacterDataLatin1 getDirectionality()B
java/lang/CharacterDataLatin1 isMirrored()Z
java/lang/CharacterDataLatin1 toUpperCaseEx()I
java/lang/CharacterDataLatin1 toUpperCaseCharArray()I[C
java/lang/CharacterDataLatin1 <clinit>()V
class java/util/Locale java/lang/Object
java/util/Locale ENGLISH

```

java/util/Locale FRENCH
java/util/Locale GERMAN
java/util/Locale ITALIAN
java/util/Locale JAPANESE
java/util/Locale KOREAN
java/util/Locale CHINESE
java/util/Locale SIMPLIFIED_CHINESE
java/util/Locale TRADITIONAL_CHINESE
java/util/Locale FRANCE
java/util/Locale GERMANY
java/util/Locale
ITALY
java/util/Locale JAPAN
java/util/Locale KOREA
java/util/Locale CHINA
java/util/Locale PRC
java/util/Locale TAIWAN
java/util/Locale UK
java/util/Locale US
java/util/Locale CANADA
java/util/Locale CANADA_FRENCH
java/util/Locale serialVersionUID
java/util/Locale language
java/util/Locale country
java/util/Locale variant
java/util/Locale hashCode
java/util/Locale hashCodeValue
java/util/Locale defaultLocale
java/util/Locale isoLanguages
java/util/Locale compressedIsoLanguages
java/util/Locale isoCountries
java/util/Locale compressedIsoCountries
java/util/Locale <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/util/Locale <init>(Ljava/lang/String;Ljava/lang/String;)V
java/util/Locale <init>(Ljava/lang/String;)V
java/util/Locale getDefault()Ljava/util/Locale;
java/util/Locale setDefault(Ljava/util/Locale;)V
java/util/Locale getAvailableLocales()[Ljava/util/Locale;
java/util/Locale getISOCountries()[Ljava/lang/String;
java/util/Locale getISOLanguages()[Ljava/lang/String;
java/util/Locale
getLanguage()Ljava/lang/String;
java/util/Locale getCountry()Ljava/lang/String;
java/util/Locale getVariant()Ljava/lang/String;
java/util/Locale toString()Ljava/lang/String;
java/util/Locale getISO3Language()Ljava/lang/String;
java/util/Locale getISO3Country()Ljava/lang/String;
java/util/Locale getDisplayLanguage()Ljava/lang/String;

```

java/util/Locale getDisplayLanguage(Ljava/util/Locale;)Ljava/lang/String;
java/util/Locale getDisplayCountry()Ljava/lang/String;
java/util/Locale getDisplayCountry(Ljava/util/Locale;)Ljava/lang/String;
java/util/Locale getDisplayVariant()Ljava/lang/String;
java/util/Locale getDisplayVariant(Ljava/util/Locale;)Ljava/lang/String;
java/util/Locale getDisplayName()Ljava/lang/String;
java/util/Locale getDisplayName(Ljava/util/Locale;)Ljava/lang/String;
java/util/Locale clone()Ljava/lang/Object;
java/util/Locale hashCode()I
java/util/Locale equals(Ljava/lang/Object;)Z
java/util/Locale getDisplayVariantArray(Ljava/util/ResourceBundle;)[Ljava/lang/String;
java/util/Locale
    formatList([Ljava/lang/String;[Ljava/lang/String;)Ljava/lang/String;
java/util/Locale composeList(Ljava/text/MessageFormat;[Ljava/lang/String;)[Ljava/lang/String;
java/util/Locale readResolve()Ljava/lang/Object;
java/util/Locale toLowerCase(Ljava/lang/String;)Ljava/lang/String;
java/util/Locale toUpperCase(Ljava/lang/String;)Ljava/lang/String;
java/util/Locale findStringMatch([Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/Locale convertOldISOCodes(Ljava/lang/String;)Ljava/lang/String;
java/util/Locale <clinit>()V
class java/net/URL java/lang/Object
java/net/URL serialVersionUID
java/net/URL protocolPathProp
java/net/URL protocol
java/net/URL host
java/net/URL port
java/net/URL file
java/net/URL query
java/net/URL authority
java/net/URL path
java/net/URL userInfo
java/net/URL ref
java/net/URL hostAddress
java/net/URL handler
java/net/URL hashCode
java/net/URL factory
java/net/URL handlers
java/net/URL
    streamHandlerLock
java/net/URL <init>(Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;)V
java/net/URL <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URL <init>(Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/net/URLStreamHandler;)V
java/net/URL <init>(Ljava/lang/String;)V
java/net/URL <init>(Ljava/net/URL;Ljava/lang/String;)V
java/net/URL <init>(Ljava/net/URL;Ljava/lang/String;Ljava/net/URLStreamHandler;)V
java/net/URL isValidProtocol(Ljava/lang/String;)Z
java/net/URL checkSpecifyHandler(Ljava/lang/SecurityManager;)V
java/net/URL set(Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/lang/String;)V

```

```

java/net/URL
set(Ljava/lang/String;Ljava/lang/String;ILjava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;)V
java/net/URL getQuery()Ljava/lang/String;
java/net/URL getPath()Ljava/lang/String;
java/net/URL getUserInfo()Ljava/lang/String;
java/net/URL getAuthority()Ljava/lang/String;
java/net/URL getPort()I
java/net/URL
getDefaultPort()I
java/net/URL getProtocol()Ljava/lang/String;
java/net/URL getHost()Ljava/lang/String;
java/net/URL getFile()Ljava/lang/String;
java/net/URL getRef()Ljava/lang/String;
java/net/URL equals(Ljava/lang/Object;)Z
java/net/URL hashCode()I
java/net/URL sameFile(Ljava/net/URL;)Z
java/net/URL toString()Ljava/lang/String;
java/net/URL toExternalForm()Ljava/lang/String;
java/net/URL toURI()Ljava/net/URI;
java/net/URL openConnection()Ljava/net/URLConnection;
java/net/URL openConnection(Ljava/net/Proxy;)Ljava/net/URLConnection;
java/net/URL openStream()Ljava/io/InputStream;
java/net/URL getContent()Ljava/lang/Object;
java/net/URL getContent([Ljava/lang/Class;)Ljava/lang/Object;
java/net/URL setURLStreamHandlerFactory(Ljava/net/URLStreamHandlerFactory;)V
java/net/URL getURLStreamHandler(Ljava/lang/String;)Ljava/net/URLStreamHandler;
java/net/URL writeObject(Ljava/io/ObjectOutputStream;)V
java/net/URL readObject(Ljava/io/ObjectInputStream;)V
java/net/URL <clinit>()V
class
java/util/BitSet java/lang/Object
java/util/BitSet ADDRESS_BITS_PER_UNIT
java/util/BitSet BITS_PER_UNIT
java/util/BitSet BIT_INDEX_MASK
java/util/BitSet WORD_MASK
java/util/BitSet bits
java/util/BitSet unitsInUse
java/util/BitSet serialVersionUID
java/util/BitSet trailingZeroTable
java/util/BitSet unitIndex(I)I
java/util/BitSet bit(I)J
java/util/BitSet recalculateUnitsInUse()V
java/util/BitSet <init>()V
java/util/BitSet <init>(I)V
java/util/BitSet ensureCapacity(I)V
java/util/BitSet flip(I)V
java/util/BitSet flip(II)V

```

```

java/util/BitSet bitsRightOf(I)J
java/util/BitSet bitsLeftOf(I)J
java/util/BitSet set(I)V
java/util/BitSet set(IZ)V
java/util/BitSet set(II)V
java/util/BitSet set(IIZ)V
java/util/BitSet clear(I)V
java/util/BitSet clear(II)V
java/util/BitSet clear()V
java/util/BitSet get(I)Z
java/util/BitSet get(II)Ljava/util/BitSet;
java/util/BitSet getBits(I)J
java/util/BitSet nextSetBit(I)I
java/util/BitSet trailingZeroCnt(J)I
java/util/BitSet nextClearBit(I)I
java/util/BitSet
    length()I
java/util/BitSet bitLen(I)I
java/util/BitSet isEmpty()Z
java/util/BitSet intersects(Ljava/util/BitSet;)Z
java/util/BitSet cardinality()I
java/util/BitSet bitCount(J)I
java/util/BitSet and(Ljava/util/BitSet;)V
java/util/BitSet or(Ljava/util/BitSet;)V
java/util/BitSet xor(Ljava/util/BitSet;)V
java/util/BitSet andNot(Ljava/util/BitSet;)V
java/util/BitSet hashCode()I
java/util/BitSet size()I
java/util/BitSet equals(Ljava/lang/Object;)Z
java/util/BitSet clone()Ljava/lang/Object;
java/util/BitSet readObject(Ljava/io/ObjectInputStream;)V
java/util/BitSet toString()Ljava/lang/String;
java/util/BitSet <clinit>()V
class java/security/PrivilegedExceptionAction java/lang/Object
java/security/PrivilegedExceptionAction run()Ljava/lang/Object;
class java/util/StringTokenizer java/lang/Object
java/util/StringTokenizer currentPosition
java/util/StringTokenizer newPosition
java/util/StringTokenizer maxPosition
java/util/StringTokenizer str
java/util/StringTokenizer delimiters
java/util/StringTokenizer
    retDelims
java/util/StringTokenizer delimsChanged
java/util/StringTokenizer maxDelimCodePoint
java/util/StringTokenizer hasSurrogates
java/util/StringTokenizer delimiterCodePoints
java/util/StringTokenizer setMaxDelimCodePoint()V

```

```

java/util/StringTokenizer <init>(Ljava/lang/String;Ljava/lang/String;Z)V
java/util/StringTokenizer <init>(Ljava/lang/String;Ljava/lang/String;)V
java/util/StringTokenizer <init>(Ljava/lang/String;)V
java/util/StringTokenizer skipDelimiters(I)I
java/util/StringTokenizer scanToken(I)I
java/util/StringTokenizer isDelimiter(I)Z
java/util/StringTokenizer hasMoreTokens()Z
java/util/StringTokenizer nextToken()Ljava/lang/String;
java/util/StringTokenizer nextToken(Ljava/lang/String;)Ljava/lang/String;
java/util/StringTokenizer hasMoreElements()Z
java/util/StringTokenizer nextElement()Ljava/lang/Object;
java/util/StringTokenizer countTokens()I
class java/net/URLClassLoader java/security/SecureClassLoader
java/net/URLClassLoader ucp
java/net/URLClassLoader acc
java/net/URLClassLoader
  <init>([Ljava/net/URL;Ljava/lang/ClassLoader;)V
java/net/URLClassLoader <init>([Ljava/net/URL;)V
java/net/URLClassLoader <init>([Ljava/net/URL;Ljava/lang/ClassLoader;Ljava/net/URLStreamHandlerFactory;)V
java/net/URLClassLoader addURL(Ljava/net/URL;)V
java/net/URLClassLoader getURLs()[Ljava/net/URL;
java/net/URLClassLoader findClass(Ljava/lang/String;)Ljava/lang/Class;
java/net/URLClassLoader defineClass(Ljava/lang/String;Lsun/misc/Resource;)Ljava/lang/Class;
java/net/URLClassLoader
  definePackage(Ljava/lang/String;Ljava/util/jar/Manifest;Ljava/net/URL;)Ljava/lang/Package;
java/net/URLClassLoader isSealed(Ljava/lang/String;Ljava/util/jar/Manifest;)Z
java/net/URLClassLoader findResource(Ljava/lang/String;)Ljava/net/URL;
java/net/URLClassLoader findResources(Ljava/lang/String;)Ljava/util/Enumeration;
java/net/URLClassLoader getPermissions(Ljava/security/CodeSource;)Ljava/security/PermissionCollection;
java/net/URLClassLoader newInstance([Ljava/net/URL;Ljava/lang/ClassLoader;)Ljava/net/URLClassLoader;
java/net/URLClassLoader
  newInstance([Ljava/net/URL;)Ljava/net/URLClassLoader;
java/net/URLClassLoader access$000(Ljava/net/URLClassLoader;)Lsun/misc/URLClassPath;
java/net/URLClassLoader
  access$100(Ljava/net/URLClassLoader;Ljava/lang/String;Lsun/misc/Resource;)Ljava/lang/Class;
java/net/URLClassLoader access$200(Ljava/net/URLClassLoader;)Ljava/security/AccessControlContext;
class java/security/SecureClassLoader java/lang/ClassLoader
java/security/SecureClassLoader initialized
java/security/SecureClassLoader pdccache
java/security/SecureClassLoader debug
java/security/SecureClassLoader <init>(Ljava/lang/ClassLoader;)V
java/security/SecureClassLoader <init>()V
java/security/SecureClassLoader defineClass(Ljava/lang/String;[BILjava/security/CodeSource;)Ljava/lang/Class;
java/security/SecureClassLoader
  defineClass(Ljava/lang/String;Ljava/nio/ByteBuffer;Ljava/security/CodeSource;)Ljava/lang/Class;
java/security/SecureClassLoader getPermissions(Ljava/security/CodeSource;)Ljava/security/PermissionCollection;
java/security/SecureClassLoader

```

```

getProtectionDomain(Ljava/security/CodeSource;)Ljava/security/ProtectionDomain;
java/security/SecureClassLoader check()V
java/security/SecureClassLoader <clinit>()V
class java/net/URLStreamHandlerFactory java/lang/Object
java/net/URLStreamHandlerFactory createURLStreamHandler(Ljava/lang/String;)Ljava/net/URLStreamHandler;
class java/lang/Compiler$1 java/lang/Object
java/lang/Compiler$1 <init>()V
java/lang/Compiler$1 run()Ljava/lang/Object;
class java/lang/Compiler java/lang/Object
java/lang/Compiler <init>()V
java/lang/Compiler initialize()V
java/lang/Compiler registerNatives()V
java/lang/Compiler compileClass(Ljava/lang/Class;)Z
java/lang/Compiler compileClasses(Ljava/lang/String;)Z
java/lang/Compiler command(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/Compiler enable()V
java/lang/Compiler disable()V
java/lang/Compiler access$000()V
java/lang/Compiler <clinit>()V
class java/lang/System$2 java/lang/Object
java/lang/System$2
<init>()V
java/lang/System$2 getConstantPool(Ljava/lang/Class;)Lsun/reflect/ConstantPool;
java/lang/System$2 setAnnotationType(Ljava/lang/Class;Lsun/reflect/annotation/AnnotationType;)V
java/lang/System$2 getAnnotationType(Ljava/lang/Class;)Lsun/reflect/annotation/AnnotationType;
java/lang/System$2 blockedOn(Ljava/lang/Thread;Lsun/nio/ch/Interruptible;)V
class java/lang/Terminator$1 java/lang/Object
java/lang/Terminator$1 <init>()V
java/lang/Terminator$1 handle(Lsun/misc/Signal;)V
class java/lang/Terminator java/lang/Object
java/lang/Terminator handler
java/lang/Terminator <init>()V
java/lang/Terminator setup()V
java/lang/Terminator teardown()V
java/lang/Terminator <clinit>()V
class java/lang/ClassLoader$NativeLibrary java/lang/Object
java/lang/ClassLoader$NativeLibrary handle
java/lang/ClassLoader$NativeLibrary jniVersion
java/lang/ClassLoader$NativeLibrary fromClass
java/lang/ClassLoader$NativeLibrary name
java/lang/ClassLoader$NativeLibrary load(Ljava/lang/String;)V
java/lang/ClassLoader$NativeLibrary
find(Ljava/lang/String;)J
java/lang/ClassLoader$NativeLibrary unload()V
java/lang/ClassLoader$NativeLibrary <init>(Ljava/lang/Class;Ljava/lang/String;)V
java/lang/ClassLoader$NativeLibrary finalize()V
java/lang/ClassLoader$NativeLibrary getFromClass()Ljava/lang/Class;
java/lang/ClassLoader$NativeLibrary access$200(Ljava/lang/ClassLoader$NativeLibrary;)Ljava/lang/Class;

```

```

class java/io/ExpiringCache$Entry java/lang/Object
java/io/ExpiringCache$Entry timestamp
java/io/ExpiringCache$Entry val
java/io/ExpiringCache$Entry <init>(Ljava/lang/String;)V
java/io/ExpiringCache$Entry timestamp()J
java/io/ExpiringCache$Entry setTimestamp(J)V
java/io/ExpiringCache$Entry val()Ljava/lang/String;
java/io/ExpiringCache$Entry setVal(Ljava/lang/String;)V
class java/lang/ClassLoader$3 java/lang/Object
java/lang/ClassLoader$3 val$file
java/lang/ClassLoader$3 <init>(Ljava/io/File;)V
java/lang/ClassLoader$3 run()Ljava/lang/Object;
class java/util/LinkedHashMap$Entry
java/util/HashMap$Entry
java/util/LinkedHashMap$Entry before
java/util/LinkedHashMap$Entry after
java/util/LinkedHashMap$Entry <init>(ILjava/lang/Object;Ljava/lang/Object;Ljava/util/HashMap$Entry;)V
java/util/LinkedHashMap$Entry remove()V
java/util/LinkedHashMap$Entry addBefore(Ljava/util/LinkedHashMap$Entry;)V
java/util/LinkedHashMap$Entry recordAccess(Ljava/util/HashMap;)V
java/util/LinkedHashMap$Entry recordRemoval(Ljava/util/HashMap;)V
java/util/LinkedHashMap$Entry
access$600(Ljava/util/LinkedHashMap$Entry;Ljava/util/LinkedHashMap$Entry;)V
class java/io/ExpiringCache$1 java/util/LinkedHashMap
java/io/ExpiringCache$1 this$0
java/io/ExpiringCache$1 <init>(Ljava/io/ExpiringCache;)V
java/io/ExpiringCache$1 removeEldestEntry(Ljava/util/Map$Entry;)Z
class java/util/LinkedHashMap java/util/HashMap
java/util/LinkedHashMap serialVersionUID
java/util/LinkedHashMap header
java/util/LinkedHashMap accessOrder
java/util/LinkedHashMap <init>(IF)V
java/util/LinkedHashMap <init>(I)V
java/util/LinkedHashMap
<init>()V
java/util/LinkedHashMap <init>(Ljava/util/Map;)V
java/util/LinkedHashMap <init>(IFZ)V
java/util/LinkedHashMap init()V
java/util/LinkedHashMap transfer([Ljava/util/HashMap$Entry;)V
java/util/LinkedHashMap containsValue(Ljava/lang/Object;)Z
java/util/LinkedHashMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/LinkedHashMap clear()V
java/util/LinkedHashMap newKeyIterator()Ljava/util/Iterator;
java/util/LinkedHashMap newValueIterator()Ljava/util/Iterator;
java/util/LinkedHashMap newEntryIterator()Ljava/util/Iterator;
java/util/LinkedHashMap addEntry(ILjava/lang/Object;Ljava/lang/Object;I)V
java/util/LinkedHashMap createEntry(ILjava/lang/Object;Ljava/lang/Object;I)V
java/util/LinkedHashMap removeEldestEntry(Ljava/util/Map$Entry;)Z

```



```

java/util/LinkedHashMap access$000(Ljava/util/LinkedHashMap;)Z
java/util/LinkedHashMap access$100(Ljava/util/LinkedHashMap;)Ljava/util/LinkedHashMap$Entry;
class java/io/ExpiringCache java/lang/Object
java/io/ExpiringCache millisUntilExpiration
java/io/ExpiringCache
    map
java/io/ExpiringCache queryCount
java/io/ExpiringCache queryOverflow
java/io/ExpiringCache MAX_ENTRIES
java/io/ExpiringCache <init>()V
java/io/ExpiringCache <init>(J)V
java/io/ExpiringCache get(Ljava/lang/String;)Ljava/lang/String;
java/io/ExpiringCache put(Ljava/lang/String;Ljava/lang/String;)V
java/io/ExpiringCache clear()V
java/io/ExpiringCache entryFor(Ljava/lang/String;)Ljava/io/ExpiringCache$Entry;
java/io/ExpiringCache cleanup()V
java/io/ExpiringCache access$000(Ljava/io/ExpiringCache;)I
class java/io/WinNTFileSystem java/io/Win32FileSystem
java/io/WinNTFileSystem <init>()V
java/io/WinNTFileSystem canonicalize0(Ljava/lang/String;)Ljava/lang/String;
java/io/WinNTFileSystem canonicalizeWithPrefix0(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/io/WinNTFileSystem getBooleanAttributes(Ljava/io/File;)I
java/io/WinNTFileSystem checkAccess(Ljava/io/File;Z)Z
java/io/WinNTFileSystem getLastModifiedTime(Ljava/io/File;)J
java/io/WinNTFileSystem
    getLength(Ljava/io/File;)J
java/io/WinNTFileSystem createFileExclusively(Ljava/lang/String;)Z
java/io/WinNTFileSystem delete0(Ljava/io/File;)Z
java/io/WinNTFileSystem deleteOnExit(Ljava/io/File;)Z
java/io/WinNTFileSystem list(Ljava/io/File;)[Ljava/lang/String;
java/io/WinNTFileSystem createDirectory(Ljava/io/File;)Z
java/io/WinNTFileSystem rename0(Ljava/io/File;Ljava/io/File;)Z
java/io/WinNTFileSystem setLastModifiedTime(Ljava/io/File;J)Z
java/io/WinNTFileSystem setReadOnly(Ljava/io/File;)Z
java/io/WinNTFileSystem getDriveDirectory(I)Ljava/lang/String;
java/io/WinNTFileSystem initIDs()V
java/io/WinNTFileSystem <clinit>()V
class java/io/Win32FileSystem java/io/FileSystem
java/io/Win32FileSystem slash
java/io/Win32FileSystem altSlash
java/io/Win32FileSystem semicolon
java/io/Win32FileSystem driveDirCache
java/io/Win32FileSystem cache
java/io/Win32FileSystem prefixCache
java/io/Win32FileSystem $assertionsDisabled
java/io/Win32FileSystem <init>()V
java/io/Win32FileSystem isSlash(C)Z
java/io/Win32FileSystem

```

```

isLetter(C)Z
java/io/Win32FileSystem slashify(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem getSeparator()C
java/io/Win32FileSystem getPathSeparator()C
java/io/Win32FileSystem normalizePrefix(Ljava/lang/String;ILjava/lang/StringBuffer;)I
java/io/Win32FileSystem normalize(Ljava/lang/String;II)Ljava/lang/String;
java/io/Win32FileSystem normalize(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem prefixLength(Ljava/lang/String;)I
java/io/Win32FileSystem resolve(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem getDefaultParent(Ljava/lang/String;
java/io/Win32FileSystem fromURIPath(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem isAbsolute(Ljava/io/File;)Z
java/io/Win32FileSystem getDriveDirectory(I)Ljava/lang/String;
java/io/Win32FileSystem driveIndex(C)I
java/io/Win32FileSystem getDriveDirectory(C)Ljava/lang/String;
java/io/Win32FileSystem getUserPath(Ljava/lang/String;
java/io/Win32FileSystem
    getDrive(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem resolve(Ljava/io/File;)Ljava/lang/String;
java/io/Win32FileSystem canonicalize(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem canonicalize0(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem canonicalizeWithPrefix(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem canonicalizeWithPrefix0(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem parentOrNull(Ljava/lang/String;)Ljava/lang/String;
java/io/Win32FileSystem getBooleanAttributes(Ljava/io/File;)I
java/io/Win32FileSystem checkAccess(Ljava/io/File;Z)Z
java/io/Win32FileSystem getLastModifiedTime(Ljava/io/File;)J
java/io/Win32FileSystem getLength(Ljava/io/File;)J
java/io/Win32FileSystem createFileExclusively(Ljava/lang/String;)Z
java/io/Win32FileSystem delete(Ljava/io/File;)Z
java/io/Win32FileSystem delete0(Ljava/io/File;)Z
java/io/Win32FileSystem deleteOnExit(Ljava/io/File;)Z
java/io/Win32FileSystem
    list(Ljava/io/File;)[Ljava/lang/String;
java/io/Win32FileSystem createDirectory(Ljava/io/File;)Z
java/io/Win32FileSystem rename(Ljava/io/File;Ljava/io/File;)Z
java/io/Win32FileSystem rename0(Ljava/io/File;Ljava/io/File;)Z
java/io/Win32FileSystem setLastModifiedTime(Ljava/io/File;J)Z
java/io/Win32FileSystem setReadOnly(Ljava/io/File;)Z
java/io/Win32FileSystem access(Ljava/lang/String;)Z
java/io/Win32FileSystem listRoots0()I
java/io/Win32FileSystem listRoots()[Ljava/io/File;
java/io/Win32FileSystem compare(Ljava/io/File;Ljava/io/File;)I
java/io/Win32FileSystem hashCode(Ljava/io/File;)I
java/io/Win32FileSystem initIDs()V
java/io/Win32FileSystem <clinit>()V
class java/io/FileSystem java/lang/Object
java/io/FileSystem BA_EXISTS

```

```

java/io/FileSystem BA_REGULAR
java/io/FileSystem BA_DIRECTORY
java/io/FileSystem BA_HIDDEN
java/io/FileSystem useCanonCaches
java/io/FileSystem useCanonPrefixCache
java/io/FileSystem <init>()V
java/io/FileSystem getFileSystem()Ljava/io/FileSystem;
java/io/FileSystem
    getSeparator()C
java/io/FileSystem getPathSeparator()C
java/io/FileSystem normalize(Ljava/lang/String;)Ljava/lang/String;
java/io/FileSystem prefixLength(Ljava/lang/String;)I
java/io/FileSystem resolve(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/io/FileSystem getDefaultParent()Ljava/lang/String;
java/io/FileSystem fromURIPath(Ljava/lang/String;)Ljava/lang/String;
java/io/FileSystem isAbsolute(Ljava/io/File;)Z
java/io/FileSystem resolve(Ljava/io/File;)Ljava/lang/String;
java/io/FileSystem canonicalize(Ljava/lang/String;)Ljava/lang/String;
java/io/FileSystem getBooleanAttributes(Ljava/io/File;)I
java/io/FileSystem checkAccess(Ljava/io/File;Z)Z
java/io/FileSystem getLastModifiedTime(Ljava/io/File;)J
java/io/FileSystem getLength(Ljava/io/File;)J
java/io/FileSystem createFileExclusively(Ljava/lang/String;)Z
java/io/FileSystem delete(Ljava/io/File;)Z
java/io/FileSystem deleteOnExit(Ljava/io/File;)Z
java/io/FileSystem list(Ljava/io/File;)[Ljava/lang/String;
java/io/FileSystem
    createDirectory(Ljava/io/File;)Z
java/io/FileSystem rename(Ljava/io/File;Ljava/io/File;)Z
java/io/FileSystem setLastModifiedTime(Ljava/io/File;J)Z
java/io/FileSystem setReadOnly(Ljava/io/File;)Z
java/io/FileSystem listRoots()[Ljava/io/File;
java/io/FileSystem compare(Ljava/io/File;Ljava/io/File;)I
java/io/FileSystem hashCode(Ljava/io/File;)I
java/io/FileSystem getBooleanProperty(Ljava/lang/String;Z)Z
java/io/FileSystem <clinit>()V
class java/io/File java/lang/Object
java/io/File fs
java/io/File path
java/io/File prefixLength
java/io/File separatorChar
java/io/File separator
java/io/File pathSeparatorChar
java/io/File pathSeparator
java/io/File tmpFileLock
java/io/File counter
java/io/File tmpdir
java/io/File serialVersionUID

```

```

java/io/File $assertionsDisabled
java/io/File getPrefixLength()I
java/io/File <init>(Ljava/lang/String;I)V
java/io/File <init>(Ljava/lang/String;Ljava/io/File;)V
java/io/File <init>(Ljava/lang/String;)V
java/io/File <init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/File
    <init>(Ljava/io/File;Ljava/lang/String;)V
java/io/File <init>(Ljava/net/URI;)V
java/io/File getName()Ljava/lang/String;
java/io/File getParent()Ljava/lang/String;
java/io/File getParentFile()Ljava/io/File;
java/io/File getPath()Ljava/lang/String;
java/io/File isAbsolute()Z
java/io/File getAbsolutePath()Ljava/lang/String;
java/io/File getAbsoluteFile()Ljava/io/File;
java/io/File getCanonicalPath()Ljava/lang/String;
java/io/File getCanonicalFile()Ljava/io/File;
java/io/File slashify(Ljava/lang/String;Z)Ljava/lang/String;
java/io/File toURL()Ljava/net/URL;
java/io/File toURI()Ljava/net/URI;
java/io/File canRead()Z
java/io/File canWrite()Z
java/io/File exists()Z
java/io/File isDirectory()Z
java/io/File isFile()Z
java/io/File isHidden()Z
java/io/File lastModified()J
java/io/File length()J
java/io/File createNewFile()Z
java/io/File delete()Z
java/io/File deleteOnExit()V
java/io/File list()[Ljava/lang/String;
java/io/File list(Ljava/io/FilenameFilter;)[Ljava/lang/String;
java/io/File
    listFiles()[Ljava/io/File;
java/io/File listFiles(Ljava/io/FilenameFilter;)[Ljava/io/File;
java/io/File listFiles(Ljava/io/FileFilter;)[Ljava/io/File;
java/io/File mkdir()Z
java/io/File mkdirs()Z
java/io/File renameTo(Ljava/io/File;)Z
java/io/File setLastModified(J)Z
java/io/File setReadOnly()Z
java/io/File listRoots()[Ljava/io/File;
java/io/File generateFile(Ljava/lang/String;Ljava/lang/String;Ljava/io/File;)Ljava/io/File;
java/io/File getTempDir()Ljava/lang/String;
java/io/File checkAndCreate(Ljava/lang/String;Ljava/lang/SecurityManager;)Z
java/io/File createTempFile(Ljava/lang/String;Ljava/lang/String;Ljava/io/File;)Ljava/io/File;

```

```

java/io/File createTempFile(Ljava/lang/String;Ljava/lang/String;)Ljava/io/File;
java/io/File compareTo(Ljava/io/File;)I
java/io/File equals(Ljava/lang/Object;)Z
java/io/File hashCode()I
java/io/File toString()Ljava/lang/String;
java/io/File writeObject(Ljava/io/ObjectOutputStream;)V
java/io/File readObject(Ljava/io/ObjectInputStream;)V
java/io/File
    compareTo(Ljava/lang/Object;)I
java/io/File <clinit>()V
class java/io/BufferedWriter java/io/Writer
java/io/BufferedWriter out
java/io/BufferedWriter cb
java/io/BufferedWriter nChars
java/io/BufferedWriter nextChar
java/io/BufferedWriter defaultCharBufferSize
java/io/BufferedWriter lineSeparator
java/io/BufferedWriter <init>(Ljava/io/Writer;)V
java/io/BufferedWriter <init>(Ljava/io/Writer;I)V
java/io/BufferedWriter ensureOpen()V
java/io/BufferedWriter flushBuffer()V
java/io/BufferedWriter write(I)V
java/io/BufferedWriter min(II)I
java/io/BufferedWriter write([CII)V
java/io/BufferedWriter write(Ljava/lang/String;II)V
java/io/BufferedWriter newLine()V
java/io/BufferedWriter flush()V
java/io/BufferedWriter close()V
java/io/BufferedWriter <clinit>()V
class java/nio/charset/CoderResult$2 java/nio/charset/CoderResult$Cache
java/nio/charset/CoderResult$2 <init>()V
java/nio/charset/CoderResult$2 create(I)Ljava/nio/charset/CoderResult;
class java/nio/charset/CoderResult$1 java/nio/charset/CoderResult$Cache
java/nio/charset/CoderResult$1
    <init>()V
java/nio/charset/CoderResult$1 create(I)Ljava/nio/charset/CoderResult;
class java/nio/charset/CoderResult$Cache java/lang/Object
java/nio/charset/CoderResult$Cache cache
java/nio/charset/CoderResult$Cache <init>()V
java/nio/charset/CoderResult$Cache create(I)Ljava/nio/charset/CoderResult;
java/nio/charset/CoderResult$Cache get(I)Ljava/nio/charset/CoderResult;
java/nio/charset/CoderResult$Cache <init>(Ljava/nio/charset/CoderResult$1;)V
java/nio/charset/CoderResult$Cache
    access$200(Ljava/nio/charset/CoderResult$Cache;I)Ljava/nio/charset/CoderResult;
class java/nio/charset/CoderResult java/lang/Object
java/nio/charset/CoderResult CR_UNDERFLOW
java/nio/charset/CoderResult CR_OVERFLOW
java/nio/charset/CoderResult CR_ERROR_MIN

```

```

java/nio/charset/CoderResult CR_MALFORMED
java/nio/charset/CoderResult CR_UNMAPPABLE
java/nio/charset/CoderResult names
java/nio/charset/CoderResult type
java/nio/charset/CoderResult length
java/nio/charset/CoderResult
    UNDERFLOW
java/nio/charset/CoderResult OVERFLOW
java/nio/charset/CoderResult malformedCache
java/nio/charset/CoderResult unmappableCache
java/nio/charset/CoderResult $assertionsDisabled
java/nio/charset/CoderResult <init>(II)V
java/nio/charset/CoderResult toString()Ljava/lang/String;
java/nio/charset/CoderResult isUnderflow()Z
java/nio/charset/CoderResult isOverflow()Z
java/nio/charset/CoderResult isError()Z
java/nio/charset/CoderResult isMalformed()Z
java/nio/charset/CoderResult isUnmappable()Z
java/nio/charset/CoderResult length()I
java/nio/charset/CoderResult malformedForLength(I)Ljava/nio/charset/CoderResult;
java/nio/charset/CoderResult unmappableForLength(I)Ljava/nio/charset/CoderResult;
java/nio/charset/CoderResult throwException()V
java/nio/charset/CoderResult <init>(IILjava/nio/charset/CoderResult$1;)V
java/nio/charset/CoderResult <clinit>()V
class java/nio/HeapCharBuffer java/nio/CharBuffer
java/nio/HeapCharBuffer <init>(II)V
java/nio/HeapCharBuffer <init>([CII)V
java/nio/HeapCharBuffer
    <init>([CIIII)V
java/nio/HeapCharBuffer slice()Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer duplicate()Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer ix()I
java/nio/HeapCharBuffer get()C
java/nio/HeapCharBuffer get(I)C
java/nio/HeapCharBuffer get([CII)Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer isDirect()Z
java/nio/HeapCharBuffer isReadOnly()Z
java/nio/HeapCharBuffer put(C)Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer put(IC)Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer put([CII)Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer compact()Ljava/nio/CharBuffer;
java/nio/HeapCharBuffer toString(II)Ljava/lang/String;
java/nio/HeapCharBuffer subSequence(II)Ljava/lang/CharSequence;
java/nio/HeapCharBuffer order()Ljava/nio/ByteOrder;
class java/nio/CharBuffer java/nio/Buffer
java/nio/CharBuffer hb

```

```

java/nio/CharBuffer offset
java/nio/CharBuffer
  isReadOnly
java/nio/CharBuffer <init>(IIII[CI)V
java/nio/CharBuffer <init>(IIII)V
java/nio/CharBuffer allocate(I)Ljava/nio/CharBuffer;
java/nio/CharBuffer wrap([CII)Ljava/nio/CharBuffer;
java/nio/CharBuffer wrap([C)Ljava/nio/CharBuffer;
java/nio/CharBuffer read(Ljava/nio/CharBuffer;)I
java/nio/CharBuffer wrap(Ljava/lang/CharSequence;II)Ljava/nio/CharBuffer;
java/nio/CharBuffer wrap(Ljava/lang/CharSequence;)Ljava/nio/CharBuffer;
java/nio/CharBuffer slice()Ljava/nio/CharBuffer;
java/nio/CharBuffer duplicate()Ljava/nio/CharBuffer;
java/nio/CharBuffer asReadOnlyBuffer()Ljava/nio/CharBuffer;
java/nio/CharBuffer get()C
java/nio/CharBuffer put(C)Ljava/nio/CharBuffer;
java/nio/CharBuffer get(I)C
java/nio/CharBuffer put(IC)Ljava/nio/CharBuffer;
java/nio/CharBuffer get([CII)Ljava/nio/CharBuffer;
java/nio/CharBuffer get([C)Ljava/nio/CharBuffer;
java/nio/CharBuffer put(Ljava/nio/CharBuffer;)Ljava/nio/CharBuffer;
java/nio/CharBuffer put([CII)Ljava/nio/CharBuffer;
java/nio/CharBuffer put([C)Ljava/nio/CharBuffer;
java/nio/CharBuffer
  put(Ljava/lang/String;II)Ljava/nio/CharBuffer;
java/nio/CharBuffer put(Ljava/lang/String;)Ljava/nio/CharBuffer;
java/nio/CharBuffer hasArray()Z
java/nio/CharBuffer array()[C
java/nio/CharBuffer arrayOffset()I
java/nio/CharBuffer compact()Ljava/nio/CharBuffer;
java/nio/CharBuffer isDirect()Z
java/nio/CharBuffer hashCode()I
java/nio/CharBuffer equals(Ljava/lang/Object;)Z
java/nio/CharBuffer compareTo(Ljava/nio/CharBuffer;)I
java/nio/CharBuffer toString()Ljava/lang/String;
java/nio/CharBuffer toString(II)Ljava/lang/String;
java/nio/CharBuffer length()I
java/nio/CharBuffer charAt(I)C
java/nio/CharBuffer subSequence(II)Ljava/lang/CharSequence;
java/nio/CharBuffer append(Ljava/lang/CharSequence;)Ljava/nio/CharBuffer;
java/nio/CharBuffer append(Ljava/lang/CharSequence;II)Ljava/nio/CharBuffer;
java/nio/CharBuffer append(C)Ljava/nio/CharBuffer;
java/nio/CharBuffer order()Ljava/nio/ByteOrder;
java/nio/CharBuffer compareTo(Ljava/lang/Object;)I
java/nio/CharBuffer
  append(C)Ljava/lang/Appendable;
java/nio/CharBuffer append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/nio/CharBuffer append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;

```

```

class java/lang/Readable java/lang/Object
java/lang/Readable read(Ljava/nio/CharBuffer;)I
class java/nio/ByteOrder java/lang/Object
java/nio/ByteOrder name
java/nio/ByteOrder BIG_ENDIAN
java/nio/ByteOrder LITTLE_ENDIAN
java/nio/ByteOrder <init>(Ljava/lang/String;)V
java/nio/ByteOrder nativeOrder()Ljava/nio/ByteOrder;
java/nio/ByteOrder toString()Ljava/lang/String;
java/nio/ByteOrder <clinit>()V
class java/lang/Runtime java/lang/Object
java/lang/Runtime currentRuntime
java/lang/Runtime getRuntime()Ljava/lang/Runtime;
java/lang/Runtime <init>()V
java/lang/Runtime exit(I)V
java/lang/Runtime addShutdownHook(Ljava/lang/Thread;)V
java/lang/Runtime removeShutdownHook(Ljava/lang/Thread;)Z
java/lang/Runtime halt(I)V
java/lang/Runtime runFinalizersOnExit(Z)V
java/lang/Runtime exec(Ljava/lang/String;)Ljava/lang/Process;
java/lang/Runtime
    exec(Ljava/lang/String;[Ljava/lang/String;)Ljava/lang/Process;
java/lang/Runtime exec(Ljava/lang/String;[Ljava/lang/String;Ljava/io/File;)Ljava/lang/Process;
java/lang/Runtime exec([Ljava/lang/String;)Ljava/lang/Process;
java/lang/Runtime exec([Ljava/lang/String;[Ljava/lang/String;)Ljava/lang/Process;
java/lang/Runtime exec([Ljava/lang/String;[Ljava/lang/String;Ljava/io/File;)Ljava/lang/Process;
java/lang/Runtime availableProcessors()I
java/lang/Runtime freeMemory()J
java/lang/Runtime totalMemory()J
java/lang/Runtime maxMemory()J
java/lang/Runtime gc()V
java/lang/Runtime runFinalization0()V
java/lang/Runtime runFinalization()V
java/lang/Runtime traceInstructions(Z)V
java/lang/Runtime traceMethodCalls(Z)V
java/lang/Runtime load(Ljava/lang/String;)V
java/lang/Runtime load0(Ljava/lang/Class;Ljava/lang/String;)V
java/lang/Runtime loadLibrary(Ljava/lang/String;)V
java/lang/Runtime loadLibrary0(Ljava/lang/Class;Ljava/lang/String;)V
java/lang/Runtime getLocalizedInputStream(Ljava/io/InputStream;)Ljava/io/InputStream;
java/lang/Runtime
    getLocalizedOutputStream(Ljava/io/OutputStream;)Ljava/io/OutputStream;
java/lang/Runtime <clinit>()V
class java/nio/Bits java/lang/Object
java/nio/Bits unsafe
java/nio/Bits byteOrder
java/nio/Bits pageSize
java/nio/Bits unaligned

```


java/nio/Bits unalignedKnown
java/nio/Bits maxMemory
java/nio/Bits reservedMemory
java/nio/Bits memoryLimitSet
java/nio/Bits JNI_COPY_TO_ARRAY_THRESHOLD
java/nio/Bits JNI_COPY_FROM_ARRAY_THRESHOLD
java/nio/Bits \$assertionsDisabled
java/nio/Bits <init>()V
java/nio/Bits swap(S)S
java/nio/Bits swap(C)C
java/nio/Bits swap(I)I
java/nio/Bits swap(J)J
java/nio/Bits makeChar(BB)C
java/nio/Bits getCharL(Ljava/nio/ByteBuffer;I)C
java/nio/Bits getCharL(J)C
java/nio/Bits getCharB(Ljava/nio/ByteBuffer;I)C
java/nio/Bits getCharB(J)C
java/nio/Bits getChar(Ljava/nio/ByteBuffer;IZ)C
java/nio/Bits getChar(JZ)C
java/nio/Bits char1(C)B
java/nio/Bits char0(C)B
java/nio/Bits putCharL(Ljava/nio/ByteBuffer;IC)V
java/nio/Bits
 putCharL(JC)V
java/nio/Bits putCharB(Ljava/nio/ByteBuffer;IC)V
java/nio/Bits putCharB(JC)V
java/nio/Bits putChar(Ljava/nio/ByteBuffer;ICZ)V
java/nio/Bits putChar(JCZ)V
java/nio/Bits makeShort(BB)S
java/nio/Bits getShortL(Ljava/nio/ByteBuffer;I)S
java/nio/Bits getShortL(J)S
java/nio/Bits getShortB(Ljava/nio/ByteBuffer;I)S
java/nio/Bits getShortB(J)S
java/nio/Bits getShort(Ljava/nio/ByteBuffer;IZ)S
java/nio/Bits getShort(JZ)S
java/nio/Bits short1(S)B
java/nio/Bits short0(S)B
java/nio/Bits putShortL(Ljava/nio/ByteBuffer;IS)V
java/nio/Bits putShortL(JS)V
java/nio/Bits putShortB(Ljava/nio/ByteBuffer;IS)V
java/nio/Bits putShortB(JS)V
java/nio/Bits putShort(Ljava/nio/ByteBuffer;ISZ)V
java/nio/Bits putShort(JSZ)V
java/nio/Bits makeInt(BBBB)I
java/nio/Bits getIntL(Ljava/nio/ByteBuffer;I)I
java/nio/Bits getIntL(J)I
java/nio/Bits getIntB(Ljava/nio/ByteBuffer;I)I
java/nio/Bits getIntB(J)I

java/nio/Bits getInt(Ljava/nio/ByteBuffer;IZ)I
java/nio/Bits getInt(JZ)I
java/nio/Bits int3(I)B
java/nio/Bits
 int2(I)B
java/nio/Bits int1(I)B
java/nio/Bits int0(I)B
java/nio/Bits putIntL(Ljava/nio/ByteBuffer;II)V
java/nio/Bits putIntL(JI)V
java/nio/Bits putIntB(Ljava/nio/ByteBuffer;II)V
java/nio/Bits putIntB(JI)V
java/nio/Bits putInt(Ljava/nio/ByteBuffer;IIZ)V
java/nio/Bits putInt(JIZ)V
java/nio/Bits makeLong(BBBBBBBB)J
java/nio/Bits getLongL(Ljava/nio/ByteBuffer;I)J
java/nio/Bits getLongL(J)J
java/nio/Bits getLongB(Ljava/nio/ByteBuffer;I)J
java/nio/Bits getLongB(J)J
java/nio/Bits getLong(Ljava/nio/ByteBuffer;IZ)J
java/nio/Bits getLong(JZ)J
java/nio/Bits long7(J)B
java/nio/Bits long6(J)B
java/nio/Bits long5(J)B
java/nio/Bits long4(J)B
java/nio/Bits long3(J)B
java/nio/Bits long2(J)B
java/nio/Bits long1(J)B
java/nio/Bits long0(J)B
java/nio/Bits putLongL(Ljava/nio/ByteBuffer;IJ)V
java/nio/Bits putLongL(JJ)V
java/nio/Bits putLongB(Ljava/nio/ByteBuffer;IJ)V
java/nio/Bits putLongB(JJ)V
java/nio/Bits putLong(Ljava/nio/ByteBuffer;IJZ)V
java/nio/Bits putLong(JJZ)V
java/nio/Bits getFloatL(Ljava/nio/ByteBuffer;I)F
java/nio/Bits
 getFloatL(J)F
java/nio/Bits getFloatB(Ljava/nio/ByteBuffer;I)F
java/nio/Bits getFloatB(J)F
java/nio/Bits getFloat(Ljava/nio/ByteBuffer;IZ)F
java/nio/Bits getFloat(JZ)F
java/nio/Bits putFloatL(Ljava/nio/ByteBuffer;IF)V
java/nio/Bits putFloatL(JF)V
java/nio/Bits putFloatB(Ljava/nio/ByteBuffer;IF)V
java/nio/Bits putFloatB(JF)V
java/nio/Bits putFloat(Ljava/nio/ByteBuffer;IFZ)V
java/nio/Bits putFloat(JFZ)V
java/nio/Bits getDoubleL(Ljava/nio/ByteBuffer;I)D

```

java/nio/Bits getDoubleL(J)D
java/nio/Bits getDoubleB(Ljava/nio/ByteBuffer;I)D
java/nio/Bits getDoubleB(J)D
java/nio/Bits getDouble(Ljava/nio/ByteBuffer;IZ)D
java/nio/Bits getDouble(JZ)D
java/nio/Bits putDoubleL(Ljava/nio/ByteBuffer;ID)V
java/nio/Bits putDoubleL(JD)V
java/nio/Bits putDoubleB(Ljava/nio/ByteBuffer;ID)V
java/nio/Bits putDoubleB(JD)V
java/nio/Bits putDouble(Ljava/nio/ByteBuffer;IDZ)V
java/nio/Bits putDouble(JDZ)V
java/nio/Bits _get(J)B
java/nio/Bits _put(JB)V
java/nio/Bits unsafe()Lsun/misc/Unsafe;
java/nio/Bits
    byteOrder()Ljava/nio/ByteOrder;
java/nio/Bits pageSize()I
java/nio/Bits unaligned()Z
java/nio/Bits reserveMemory(J)V
java/nio/Bits unreserveMemory(J)V
java/nio/Bits copyFromByteArray(Ljava/lang/Object;JJJ)V
java/nio/Bits copyToByteArray(JLjava/lang/Object;JJ)V
java/nio/Bits copyFromCharArray(Ljava/lang/Object;JJJ)V
java/nio/Bits copyToCharArray(JLjava/lang/Object;JJ)V
java/nio/Bits copyFromShortArray(Ljava/lang/Object;JJJ)V
java/nio/Bits copyToShortArray(JLjava/lang/Object;JJ)V
java/nio/Bits copyFromIntArray(Ljava/lang/Object;JJJ)V
java/nio/Bits copyToIntArray(JLjava/lang/Object;JJ)V
java/nio/Bits copyFromLongArray(Ljava/lang/Object;JJJ)V
java/nio/Bits copyToLongArray(JLjava/lang/Object;JJ)V
java/nio/Bits <clinit>()V
class java/nio/HeapByteBuffer java/nio/ByteBuffer
java/nio/HeapByteBuffer <init>(II)V
java/nio/HeapByteBuffer <init>([BII)V
java/nio/HeapByteBuffer <init>([BIIII)V
java/nio/HeapByteBuffer slice()Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer
    duplicate()Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asReadOnlyBuffer()Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer ix()I
java/nio/HeapByteBuffer get()B
java/nio/HeapByteBuffer get(I)B
java/nio/HeapByteBuffer get([BII)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer isDirect()Z
java/nio/HeapByteBuffer isReadOnly()Z
java/nio/HeapByteBuffer put(B)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer put(IB)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer put([BII)Ljava/nio/ByteBuffer;

```

```

java/nio/HeapByteBuffer put(Ljava/nio/ByteBuffer;)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer compact()Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer _get(I)B
java/nio/HeapByteBuffer _put(IB)V
java/nio/HeapByteBuffer getChar()C
java/nio/HeapByteBuffer getChar(I)C
java/nio/HeapByteBuffer putChar(C)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putChar(IC)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asCharBuffer()Ljava/nio/CharBuffer;
java/nio/HeapByteBuffer getShort()S
java/nio/HeapByteBuffer getShort(I)S
java/nio/HeapByteBuffer
    putShort(S)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putShort(IS)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asShortBuffer()Ljava/nio/ShortBuffer;
java/nio/HeapByteBuffer getInt()I
java/nio/HeapByteBuffer getInt(I)I
java/nio/HeapByteBuffer putInt(I)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putInt(II)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asIntBuffer()Ljava/nio/IntBuffer;
java/nio/HeapByteBuffer getLong()J
java/nio/HeapByteBuffer getLong(I)J
java/nio/HeapByteBuffer putLong(J)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putLong(IJ)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asLongBuffer()Ljava/nio/LongBuffer;
java/nio/HeapByteBuffer getFloat()F
java/nio/HeapByteBuffer getFloat(I)F
java/nio/HeapByteBuffer putFloat(F)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putFloat(IF)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asFloatBuffer()Ljava/nio/FloatBuffer;
java/nio/HeapByteBuffer getDouble()D
java/nio/HeapByteBuffer getDouble(ID)D
java/nio/HeapByteBuffer
    putDouble(D)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer putDouble(ID)Ljava/nio/ByteBuffer;
java/nio/HeapByteBuffer asDoubleBuffer()Ljava/nio/DoubleBuffer;
class java/nio/ByteBuffer java/nio/Buffer
java/nio/ByteBuffer hb
java/nio/ByteBuffer offset
java/nio/ByteBuffer isReadOnly
java/nio/ByteBuffer bigEndian
java/nio/ByteBuffer nativeByteOrder
java/nio/ByteBuffer <init>(IIII[BI)V
java/nio/ByteBuffer <init>(IIII)V
java/nio/ByteBuffer allocateDirect(I)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer allocate(I)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer wrap([BII)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer wrap([B)Ljava/nio/ByteBuffer;

```

```

java/nio/ByteBuffer slice()Ljava/nio/ByteBuffer;
java/nio/ByteBuffer duplicate()Ljava/nio/ByteBuffer;
java/nio/ByteBuffer asReadOnlyBuffer()Ljava/nio/ByteBuffer;
java/nio/ByteBuffer get()B
java/nio/ByteBuffer put(B)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer get(I)B
java/nio/ByteBuffer put(IB)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer get([BII)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer
    get([B)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer put(Ljava/nio/ByteBuffer;)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer put([BII)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer put([B)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer hasArray()Z
java/nio/ByteBuffer array()[B
java/nio/ByteBuffer arrayOffset()I
java/nio/ByteBuffer compact()Ljava/nio/ByteBuffer;
java/nio/ByteBuffer isDirect()Z
java/nio/ByteBuffer toString()Ljava/lang/String;
java/nio/ByteBuffer hashCode()I
java/nio/ByteBuffer equals(Ljava/lang/Object;)Z
java/nio/ByteBuffer compareTo(Ljava/nio/ByteBuffer;)I
java/nio/ByteBuffer order()Ljava/nio/ByteOrder;
java/nio/ByteBuffer order(Ljava/nio/ByteOrder;)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer _get(I)B
java/nio/ByteBuffer _put(IB)V
java/nio/ByteBuffer getChar()C
java/nio/ByteBuffer putChar(C)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer getChar(I)C
java/nio/ByteBuffer putChar(IC)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer asCharBuffer()Ljava/nio/CharBuffer;
java/nio/ByteBuffer getShort()S
java/nio/ByteBuffer
    putShort(S)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer getShort(I)S
java/nio/ByteBuffer putShort(IS)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer asShortBuffer()Ljava/nio/ShortBuffer;
java/nio/ByteBuffer getInt()I
java/nio/ByteBuffer putInt(I)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer getInt(I)I
java/nio/ByteBuffer putInt(II)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer asIntBuffer()Ljava/nio/IntBuffer;
java/nio/ByteBuffer getLong()J
java/nio/ByteBuffer putLong(J)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer getLong(I)J
java/nio/ByteBuffer putLong(IJ)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer asLongBuffer()Ljava/nio/LongBuffer;
java/nio/ByteBuffer getFloat()F

```

```

java/nio/ByteBuffer putFloat(F)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer getFloat(I)F
java/nio/ByteBuffer putFloat(IF)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer asFloatBuffer()Ljava/nio/FloatBuffer;
java/nio/ByteBuffer getDouble(D)
java/nio/ByteBuffer putDouble(D)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer getDouble(I)D
java/nio/ByteBuffer
    putDouble(ID)Ljava/nio/ByteBuffer;
java/nio/ByteBuffer asDoubleBuffer()Ljava/nio/DoubleBuffer;
java/nio/ByteBuffer compareTo(Ljava/lang/Object;)I
class java/nio/charset/CharsetDecoder java/lang/Object
java/nio/charset/CharsetDecoder charset
java/nio/charset/CharsetDecoder averageCharsPerByte
java/nio/charset/CharsetDecoder maxCharsPerByte
java/nio/charset/CharsetDecoder replacement
java/nio/charset/CharsetDecoder malformedInputAction
java/nio/charset/CharsetDecoder unmappableCharacterAction
java/nio/charset/CharsetDecoder ST_RESET
java/nio/charset/CharsetDecoder ST_CODING
java/nio/charset/CharsetDecoder ST_END
java/nio/charset/CharsetDecoder ST_FLUSHED
java/nio/charset/CharsetDecoder state
java/nio/charset/CharsetDecoder stateNames
java/nio/charset/CharsetDecoder $assertionsDisabled
java/nio/charset/CharsetDecoder <init>(Ljava/nio/charset/Charset;FFLjava/lang/String;)V
java/nio/charset/CharsetDecoder <init>(Ljava/nio/charset/Charset;FF)V
java/nio/charset/CharsetDecoder
    charset()Ljava/nio/charset/Charset;
java/nio/charset/CharsetDecoder replacement()Ljava/lang/String;
java/nio/charset/CharsetDecoder replaceWith(Ljava/lang/String;)Ljava/nio/charset/CharsetDecoder;
java/nio/charset/CharsetDecoder implReplaceWith(Ljava/lang/String;)V
java/nio/charset/CharsetDecoder malformedInputAction()Ljava/nio/charset/CodingErrorAction;
java/nio/charset/CharsetDecoder
    onMalformedInput(Ljava/nio/charset/CodingErrorAction;)Ljava/nio/charset/CharsetDecoder;
java/nio/charset/CharsetDecoder implOnMalformedInput(Ljava/nio/charset/CodingErrorAction;)V
java/nio/charset/CharsetDecoder unmappableCharacterAction()Ljava/nio/charset/CodingErrorAction;
java/nio/charset/CharsetDecoder
    onUnmappableCharacter(Ljava/nio/charset/CodingErrorAction;)Ljava/nio/charset/CharsetDecoder;
java/nio/charset/CharsetDecoder implOnUnmappableCharacter(Ljava/nio/charset/CodingErrorAction;)V
java/nio/charset/CharsetDecoder averageCharsPerByte(F)
java/nio/charset/CharsetDecoder maxCharsPerByte(F)
java/nio/charset/CharsetDecoder
    decode(Ljava/nio/ByteBuffer;Ljava/nio/CharBuffer;Z)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetDecoder flush(Ljava/nio/CharBuffer;)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetDecoder implFlush(Ljava/nio/CharBuffer;)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetDecoder reset()Ljava/nio/charset/CharsetDecoder;
java/nio/charset/CharsetDecoder implReset()V

```

```

java/nio/charset/CharsetDecoder
decodeLoop(Ljava/nio/ByteBuffer;Ljava/nio/CharBuffer;)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetDecoder decode(Ljava/nio/ByteBuffer;)Ljava/nio/CharBuffer;
java/nio/charset/CharsetDecoder isAutoDetecting()Z
java/nio/charset/CharsetDecoder isCharsetDetected()Z
java/nio/charset/CharsetDecoder detectedCharset()Ljava/nio/charset/Charset;
java/nio/charset/CharsetDecoder throwIllegalStateException(II)V
java/nio/charset/CharsetDecoder <clinit>()V
class java/nio/charset/CodingErrorAction java/lang/Object
java/nio/charset/CodingErrorAction name
java/nio/charset/CodingErrorAction
    IGNORE
java/nio/charset/CodingErrorAction REPLACE
java/nio/charset/CodingErrorAction REPORT
java/nio/charset/CodingErrorAction <init>(Ljava/lang/String;)V
java/nio/charset/CodingErrorAction toString()Ljava/lang/String;
java/nio/charset/CodingErrorAction <clinit>()V
class java/nio/charset/CharsetEncoder java/lang/Object
java/nio/charset/CharsetEncoder charset
java/nio/charset/CharsetEncoder averageBytesPerChar
java/nio/charset/CharsetEncoder maxBytesPerChar
java/nio/charset/CharsetEncoder replacement
java/nio/charset/CharsetEncoder malformedInputAction
java/nio/charset/CharsetEncoder unmappableCharacterAction
java/nio/charset/CharsetEncoder ST_RESET
java/nio/charset/CharsetEncoder ST_CODING
java/nio/charset/CharsetEncoder ST_END
java/nio/charset/CharsetEncoder ST_FLUSHED
java/nio/charset/CharsetEncoder state
java/nio/charset/CharsetEncoder stateNames
java/nio/charset/CharsetEncoder cachedDecoder
java/nio/charset/CharsetEncoder $assertionsDisabled
java/nio/charset/CharsetEncoder
    <init>(Ljava/nio/charset/Charset;FF[B)V
java/nio/charset/CharsetEncoder <init>(Ljava/nio/charset/Charset;FF)V
java/nio/charset/CharsetEncoder charset(Ljava/nio/charset/Charset;
java/nio/charset/CharsetEncoder replacement()[B
java/nio/charset/CharsetEncoder replaceWith([B)Ljava/nio/charset/CharsetEncoder;
java/nio/charset/CharsetEncoder implReplaceWith([B)V
java/nio/charset/CharsetEncoder isLegalReplacement([B)Z
java/nio/charset/CharsetEncoder malformedInputAction()Ljava/nio/charset/CodingErrorAction;
java/nio/charset/CharsetEncoder
    onMalformedInput(Ljava/nio/charset/CodingErrorAction;)Ljava/nio/charset/CharsetEncoder;
java/nio/charset/CharsetEncoder implOnMalformedInput(Ljava/nio/charset/CodingErrorAction;)V
java/nio/charset/CharsetEncoder unmappableCharacterAction()Ljava/nio/charset/CodingErrorAction;
java/nio/charset/CharsetEncoder
    onUnmappableCharacter(Ljava/nio/charset/CodingErrorAction;)Ljava/nio/charset/CharsetEncoder;
java/nio/charset/CharsetEncoder

```

```

implOnUnmappableCharacter(Ljava/nio/charset/CodingErrorAction;)V
java/nio/charset/CharsetEncoder averageBytesPerChar()F
java/nio/charset/CharsetEncoder maxBytesPerChar()F
java/nio/charset/CharsetEncoder
encode(Ljava/nio/CharBuffer;Ljava/nio/ByteBuffer;Z)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetEncoder flush(Ljava/nio/ByteBuffer;)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetEncoder implFlush(Ljava/nio/ByteBuffer;)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetEncoder reset()Ljava/nio/charset/CharsetEncoder;
java/nio/charset/CharsetEncoder implReset()V
java/nio/charset/CharsetEncoder
encodeLoop(Ljava/nio/CharBuffer;Ljava/nio/ByteBuffer;)Ljava/nio/charset/CoderResult;
java/nio/charset/CharsetEncoder encode(Ljava/nio/CharBuffer;)Ljava/nio/ByteBuffer;
java/nio/charset/CharsetEncoder canEncode(Ljava/nio/CharBuffer;)Z
java/nio/charset/CharsetEncoder canEncode(C)Z
java/nio/charset/CharsetEncoder canEncode(Ljava/lang/CharSequence;)Z
java/nio/charset/CharsetEncoder
throwIllegalStateException(II)V
java/nio/charset/CharsetEncoder <clinit>()V
class java/lang/Class$1 java/lang/Object
java/lang/Class$1 val$c
java/lang/Class$1 this$0
java/lang/Class$1 <init>(Ljava/lang/Class;Ljava/lang/reflect/Constructor;)V
java/lang/Class$1 run()Ljava/lang/Object;
class java/lang/StringBuilder java/lang/AbstractStringBuilder
java/lang/StringBuilder serialVersionUID
java/lang/StringBuilder <init>()V
java/lang/StringBuilder <init>(I)V
java/lang/StringBuilder <init>(Ljava/lang/String;)V
java/lang/StringBuilder <init>(Ljava/lang/CharSequence;)V
java/lang/StringBuilder append(Ljava/lang/Object;)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Ljava/lang/String;)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Ljava/lang/StringBuilder;)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Ljava/lang/StringBuffer;)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Ljava/lang/CharSequence;)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Ljava/lang/CharSequence;II)Ljava/lang/StringBuilder;
java/lang/StringBuilder
append([C)Ljava/lang/StringBuilder;
java/lang/StringBuilder append([CII)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(Z)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(C)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(I)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(J)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(F)Ljava/lang/StringBuilder;
java/lang/StringBuilder append(D)Ljava/lang/StringBuilder;
java/lang/StringBuilder appendCodePoint(I)Ljava/lang/StringBuilder;
java/lang/StringBuilder delete(II)Ljava/lang/StringBuilder;
java/lang/StringBuilder deleteCharAt(I)Ljava/lang/StringBuilder;
java/lang/StringBuilder replace(IIILjava/lang/String;)Ljava/lang/StringBuilder;

```



```

java/lang/StringBuilder insert(I[CII)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(ILjava/lang/Object;)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(ILjava/lang/String;)Ljava/lang/StringBuilder;
java/lang/StringBuilder
    insert(I[C)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(ILjava/lang/CharSequence;)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(ILjava/lang/CharSequence;II)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(IZ)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(IC)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(II)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(IJ)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(IF)Ljava/lang/StringBuilder;
java/lang/StringBuilder insert(ID)Ljava/lang/StringBuilder;
java/lang/StringBuilder indexOf(Ljava/lang/String;)I
java/lang/StringBuilder indexOf(Ljava/lang/String;I)I
java/lang/StringBuilder lastIndexOf(Ljava/lang/String;)I
java/lang/StringBuilder lastIndexOf(Ljava/lang/String;I)I
java/lang/StringBuilder reverse()Ljava/lang/StringBuilder;
java/lang/StringBuilder toString()Ljava/lang/String;
java/lang/StringBuilder writeObject(Ljava/io/ObjectOutputStream;)V
java/lang/StringBuilder
    readObject(Ljava/io/ObjectInputStream;)V
java/lang/StringBuilder reverse()Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(ID)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(IF)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(IJ)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(IC)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(IZ)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(ILjava/lang/CharSequence;II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(ILjava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(I[C)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(ILjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(ILjava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder insert(I[CII)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder
    replace(IILjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder deleteCharAt(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder appendCodePoint(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder delete(II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(D)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(F)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(J)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(C)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(Z)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append([CII)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append([C)Ljava/lang/AbstractStringBuilder;

```

```

java/lang/StringBuilder append(Ljava/lang/CharSequence;I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder
    append(Ljava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(Ljava/lang/StringBuffer;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(Ljava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(Ljava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuilder append(C)Ljava/lang/Appendable;
java/lang/StringBuilder append(Ljava/lang/CharSequence;I)Ljava/lang/Appendable;
java/lang/StringBuilder append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class java/lang/ThreadLocal java/lang/Object
java/lang/ThreadLocal threadLocalHashCode
java/lang/ThreadLocal nextHashCode
java/lang/ThreadLocal HASH_INCREMENT
java/lang/ThreadLocal nextHashCode()I
java/lang/ThreadLocal initialValue()Ljava/lang/Object;
java/lang/ThreadLocal <init>()V
java/lang/ThreadLocal get()Ljava/lang/Object;
java/lang/ThreadLocal set(Ljava/lang/Object;)V
java/lang/ThreadLocal remove()V
java/lang/ThreadLocal getMap(Ljava/lang/Thread;)Ljava/lang/ThreadLocal$ThreadLocalMap;
java/lang/ThreadLocal
    createMap(Ljava/lang/Thread;Ljava/lang/Object;)V
java/lang/ThreadLocal
    createInheritedMap(Ljava/lang/ThreadLocal$ThreadLocalMap;)Ljava/lang/ThreadLocal$ThreadLocalMap;
java/lang/ThreadLocal childValue(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/ThreadLocal access$400(Ljava/lang/ThreadLocal;)I
java/lang/ThreadLocal <clinit>()V
class java/nio/charset/spi/CharsetProvider java/lang/Object
java/nio/charset/spi/CharsetProvider <init>()V
java/nio/charset/spi/CharsetProvider charsets()Ljava/util/Iterator;
java/nio/charset/spi/CharsetProvider charsetForName(Ljava/lang/String;)Ljava/nio/charset/Charset;
class java/nio/charset/Charset java/lang/Object
java/nio/charset/Charset bugLevel
java/nio/charset/Charset standardProvider
java/nio/charset/Charset cache1
java/nio/charset/Charset cache2
java/nio/charset/Charset gate
java/nio/charset/Charset extendedProviderLock
java/nio/charset/Charset extendedProviderProbed
java/nio/charset/Charset
    extendedProvider
java/nio/charset/Charset defaultCharset
java/nio/charset/Charset name
java/nio/charset/Charset aliases
java/nio/charset/Charset aliasSet
java/nio/charset/Charset atBugLevel(Ljava/lang/String;)Z
java/nio/charset/Charset checkName(Ljava/lang/String;)V
java/nio/charset/Charset cache(Ljava/lang/String;Ljava/nio/charset/Charset;)V

```

```

java/nio/charset/Charset providers()Ljava/util/Iterator;
java/nio/charset/Charset lookupViaProviders(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/nio/charset/Charset probeExtendedProvider()V
java/nio/charset/Charset lookupExtendedCharset(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/nio/charset/Charset lookup(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/nio/charset/Charset lookup2(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/nio/charset/Charset isSupported(Ljava/lang/String;)Z
java/nio/charset/Charset forName(Ljava/lang/String;)Ljava/nio/charset/Charset;
java/nio/charset/Charset put(Ljava/util/Iterator;Ljava/util/Map;)V
java/nio/charset/Charset
    availableCharsets()Ljava/util/SortedMap;
java/nio/charset/Charset defaultCharset()Ljava/nio/charset/Charset;
java/nio/charset/Charset <init>(Ljava/lang/String;[Ljava/lang/String;)V
java/nio/charset/Charset name()Ljava/lang/String;
java/nio/charset/Charset aliases()Ljava/util/Set;
java/nio/charset/Charset displayName()Ljava/lang/String;
java/nio/charset/Charset isRegistered()Z
java/nio/charset/Charset displayName(Ljava/util/Locale;)Ljava/lang/String;
java/nio/charset/Charset contains(Ljava/nio/charset/Charset;)Z
java/nio/charset/Charset newDecoder()Ljava/nio/charset/CharsetDecoder;
java/nio/charset/Charset newEncoder()Ljava/nio/charset/CharsetEncoder;
java/nio/charset/Charset canEncode()Z
java/nio/charset/Charset decode(Ljava/nio/ByteBuffer;)Ljava/nio/CharBuffer;
java/nio/charset/Charset encode(Ljava/nio/CharBuffer;)Ljava/nio/ByteBuffer;
java/nio/charset/Charset encode(Ljava/lang/String;)Ljava/nio/ByteBuffer;
java/nio/charset/Charset compareTo(Ljava/nio/charset/Charset;)I
java/nio/charset/Charset
    hashCode()I
java/nio/charset/Charset equals(Ljava/lang/Object;)Z
java/nio/charset/Charset toString()Ljava/lang/String;
java/nio/charset/Charset compareTo(Ljava/lang/Object;)I
java/nio/charset/Charset access$000()Ljava/util/Iterator;
java/nio/charset/Charset access$102(Ljava/nio/charset/spi/CharsetProvider;)Ljava/nio/charset/spi/CharsetProvider;
java/nio/charset/Charset access$200()Ljava/nio/charset/spi/CharsetProvider;
java/nio/charset/Charset access$300(Ljava/util/Iterator;Ljava/util/Map;)V
java/nio/charset/Charset <clinit>()V
class java/io/OutputStreamWriter java/io/Writer
java/io/OutputStreamWriter se
java/io/OutputStreamWriter <init>(Ljava/io/OutputStream;Ljava/lang/String;)V
java/io/OutputStreamWriter <init>(Ljava/io/OutputStream;)V
java/io/OutputStreamWriter <init>(Ljava/io/OutputStream;Ljava/nio/charset/Charset;)V
java/io/OutputStreamWriter <init>(Ljava/io/OutputStream;Ljava/nio/charset/CharsetEncoder;)V
java/io/OutputStreamWriter getEncoding()Ljava/lang/String;
java/io/OutputStreamWriter
    flushBuffer()V
java/io/OutputStreamWriter write(I)V
java/io/OutputStreamWriter write([CII)V
java/io/OutputStreamWriter write(Ljava/lang/String;II)V

```

```

java/io/OutputStreamWriter flush()V
java/io/OutputStreamWriter close()V
class java/io/Writer java/lang/Object
java/io/Writer writeBuffer
java/io/Writer writeBufferSize
java/io/Writer lock
java/io/Writer <init>()V
java/io/Writer <init>(Ljava/lang/Object;)V
java/io/Writer write(I)V
java/io/Writer write([C)V
java/io/Writer write([CII)V
java/io/Writer write(Ljava/lang/String;)V
java/io/Writer write(Ljava/lang/String;II)V
java/io/Writer append(Ljava/lang/CharSequence;)Ljava/io/Writer;
java/io/Writer append(Ljava/lang/CharSequence;II)Ljava/io/Writer;
java/io/Writer append(C)Ljava/io/Writer;
java/io/Writer flush()V
java/io/Writer close()V
java/io/Writer append(C)Ljava/lang/Appendable;
java/io/Writer append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/io/Writer append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class
java/io/BufferedOutputStream java/io/FilterOutputStream
java/io/BufferedOutputStream buf
java/io/BufferedOutputStream count
java/io/BufferedOutputStream <init>(Ljava/io/OutputStream;)V
java/io/BufferedOutputStream <init>(Ljava/io/OutputStream;I)V
java/io/BufferedOutputStream flushBuffer()V
java/io/BufferedOutputStream write(I)V
java/io/BufferedOutputStream write([BII)V
java/io/BufferedOutputStream flush()V
class java/io/PrintStream java/io/FilterOutputStream
java/io/PrintStream autoFlush
java/io/PrintStream trouble
java/io/PrintStream formatter
java/io/PrintStream textOut
java/io/PrintStream charOut
java/io/PrintStream closing
java/io/PrintStream <init>(Ljava/io/OutputStream;)V
java/io/PrintStream <init>(ZLjava/io/OutputStream;)V
java/io/PrintStream init(Ljava/io/OutputStreamWriter;)V
java/io/PrintStream <init>(Ljava/io/OutputStream;Z)V
java/io/PrintStream <init>(Ljava/io/OutputStream;ZLjava/lang/String;)V
java/io/PrintStream <init>(Ljava/lang/String;)V
java/io/PrintStream
<init>(Ljava/lang/String;Ljava/lang/String;)V
java/io/PrintStream <init>(Ljava/io/File;)V
java/io/PrintStream <init>(Ljava/io/File;Ljava/lang/String;)V

```

```

java/io/PrintStream ensureOpen()V
java/io/PrintStream flush()V
java/io/PrintStream close()V
java/io/PrintStream checkError()Z
java/io/PrintStream setError()V
java/io/PrintStream write(I)V
java/io/PrintStream write([B)V
java/io/PrintStream write([C)V
java/io/PrintStream write(Ljava/lang/String;)V
java/io/PrintStream newLine()V
java/io/PrintStream print(Z)V
java/io/PrintStream print(C)V
java/io/PrintStream print(I)V
java/io/PrintStream print(J)V
java/io/PrintStream print(F)V
java/io/PrintStream print(D)V
java/io/PrintStream print([C)V
java/io/PrintStream print(Ljava/lang/String;)V
java/io/PrintStream print(Ljava/lang/Object;)V
java/io/PrintStream println()V
java/io/PrintStream println(Z)V
java/io/PrintStream println(C)V
java/io/PrintStream println(I)V
java/io/PrintStream println(J)V
java/io/PrintStream println(F)V
java/io/PrintStream
    println(D)V
java/io/PrintStream println([C)V
java/io/PrintStream println(Ljava/lang/String;)V
java/io/PrintStream println(Ljava/lang/Object;)V
java/io/PrintStream printf(Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintStream;
java/io/PrintStream printf(Ljava/util/Locale;Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintStream;
java/io/PrintStream format(Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintStream;
java/io/PrintStream format(Ljava/util/Locale;Ljava/lang/String;[Ljava/lang/Object;)Ljava/io/PrintStream;
java/io/PrintStream append(Ljava/lang/CharSequence;)Ljava/io/PrintStream;
java/io/PrintStream append(Ljava/lang/CharSequence;I)Ljava/io/PrintStream;
java/io/PrintStream append(C)Ljava/io/PrintStream;
java/io/PrintStream append(C)Ljava/lang/Appendable;
java/io/PrintStream append(Ljava/lang/CharSequence;I)Ljava/lang/Appendable;
java/io/PrintStream append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
class java/io/FilterOutputStream java/io/OutputStream
java/io/FilterOutputStream
    out
java/io/FilterOutputStream <init>(Ljava/io/OutputStream;)V
java/io/FilterOutputStream write(I)V
java/io/FilterOutputStream write([B)V
java/io/FilterOutputStream write([B)V
java/io/FilterOutputStream flush()V

```

```

java/io/FilterOutputStream close()V
class java/util/Collections$SynchronizedMap java/lang/Object
java/util/Collections$SynchronizedMap serialVersionUID
java/util/Collections$SynchronizedMap m
java/util/Collections$SynchronizedMap mutex
java/util/Collections$SynchronizedMap keySet
java/util/Collections$SynchronizedMap entrySet
java/util/Collections$SynchronizedMap values
java/util/Collections$SynchronizedMap <init>(Ljava/util/Map;)V
java/util/Collections$SynchronizedMap <init>(Ljava/util/Map;Ljava/lang/Object;)V
java/util/Collections$SynchronizedMap size()I
java/util/Collections$SynchronizedMap isEmpty()Z
java/util/Collections$SynchronizedMap containsKey(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedMap containsValue(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedMap
    get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$SynchronizedMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$SynchronizedMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$SynchronizedMap putAll(Ljava/util/Map;)V
java/util/Collections$SynchronizedMap clear()V
java/util/Collections$SynchronizedMap keySet()Ljava/util/Set;
java/util/Collections$SynchronizedMap entrySet()Ljava/util/Set;
java/util/Collections$SynchronizedMap values()Ljava/util/Collection;
java/util/Collections$SynchronizedMap equals(Ljava/lang/Object;)Z
java/util/Collections$SynchronizedMap hashCode()I
java/util/Collections$SynchronizedMap toString()Ljava/lang/String;
java/util/Collections$SynchronizedMap writeObject(Ljava/io/ObjectOutputStream;)V
class java/util/Collections$ReverseComparator java/lang/Object
java/util/Collections$ReverseComparator serialVersionUID
java/util/Collections$ReverseComparator <init>()V
java/util/Collections$ReverseComparator
    compare(Ljava/lang/Comparable;Ljava/lang/Comparable;)I
java/util/Collections$ReverseComparator compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/util/Collections$ReverseComparator <init>(Ljava/util/Collections$1;)V
class java/util/Collections$EmptyMap java/util/AbstractMap
java/util/Collections$EmptyMap serialVersionUID
java/util/Collections$EmptyMap <init>()V
java/util/Collections$EmptyMap size()I
java/util/Collections$EmptyMap isEmpty()Z
java/util/Collections$EmptyMap containsKey(Ljava/lang/Object;)Z
java/util/Collections$EmptyMap containsValue(Ljava/lang/Object;)Z
java/util/Collections$EmptyMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Collections$EmptyMap keySet()Ljava/util/Set;
java/util/Collections$EmptyMap values()Ljava/util/Collection;
java/util/Collections$EmptyMap entrySet()Ljava/util/Set;
java/util/Collections$EmptyMap equals(Ljava/lang/Object;)Z
java/util/Collections$EmptyMap hashCode()I
java/util/Collections$EmptyMap readResolve()Ljava/lang/Object;

```

```

java/util/Collections$EmptyMap
  <init>(Ljava/util/Collections$1;)V
class java/util/Collections$EmptyList java/util/AbstractList
java/util/Collections$EmptyList serialVersionUID
java/util/Collections$EmptyList <init>()V
java/util/Collections$EmptyList size()I
java/util/Collections$EmptyList contains(Ljava/lang/Object;)Z
java/util/Collections$EmptyList get(I)Ljava/lang/Object;
java/util/Collections$EmptyList readResolve()Ljava/lang/Object;
java/util/Collections$EmptyList <init>(Ljava/util/Collections$1;)V
class java/util/Collections$EmptySet java/util/AbstractSet
java/util/Collections$EmptySet serialVersionUID
java/util/Collections$EmptySet <init>()V
java/util/Collections$EmptySet iterator()Ljava/util/Iterator;
java/util/Collections$EmptySet size()I
java/util/Collections$EmptySet contains(Ljava/lang/Object;)Z
java/util/Collections$EmptySet readResolve()Ljava/lang/Object;
java/util/Collections$EmptySet <init>(Ljava/util/Collections$1;)V
class java/util/AbstractSet java/util/AbstractCollection
java/util/AbstractSet
  <init>()V
java/util/AbstractSet equals(Ljava/lang/Object;)Z
java/util/AbstractSet hashCode()I
java/util/AbstractSet removeAll(Ljava/util/Collection;)Z
class java/util/Set java/lang/Object
java/util/Set size()I
java/util/Set isEmpty()Z
java/util/Set contains(Ljava/lang/Object;)Z
java/util/Set iterator()Ljava/util/Iterator;
java/util/Set toArray()[Ljava/lang/Object;
java/util/Set toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/Set add(Ljava/lang/Object;)Z
java/util/Set remove(Ljava/lang/Object;)Z
java/util/Set containsAll(Ljava/util/Collection;)Z
java/util/Set addAll(Ljava/util/Collection;)Z
java/util/Set retainAll(Ljava/util/Collection;)Z
java/util/Set removeAll(Ljava/util/Collection;)Z
java/util/Set clear()V
java/util/Set equals(Ljava/lang/Object;)Z
java/util/Set hashCode()I
class java/lang/reflect/ReflectAccess java/lang/Object
java/lang/reflect/ReflectAccess <init>()V
java/lang/reflect/ReflectAccess
  newField(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Class;IILjava/lang/String;[B)Ljava/lang/reflect/Field;
java/lang/reflect/ReflectAccess
  newMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;[Ljava/lang/Class;IILjava/lang/
String;[B[B[B)Ljava/lang/reflect/Method;
java/lang/reflect/ReflectAccess

```

```

newConstructor(Ljava/lang/Class;[Ljava/lang/Class;ILjava/lang/String;[B[B)Ljava/lang/reflect/C
onstructor;
java/lang/reflect/ReflectAccess getMethodAccessor(Ljava/lang/reflect/Method;)Lsun/reflect/MethodAccessor;
java/lang/reflect/ReflectAccess setMethodAccessor(Ljava/lang/reflect/Method;Lsun/reflect/MethodAccessor;)V
java/lang/reflect/ReflectAccess
getConstructorAccessor(Ljava/lang/reflect/Constructor;)Lsun/reflect/ConstructorAccessor;
java/lang/reflect/ReflectAccess
setConstructorAccessor(Ljava/lang/reflect/Constructor;Lsun/reflect/ConstructorAccessor;)V
java/lang/reflect/ReflectAccess getConstructorSlot(Ljava/lang/reflect/Constructor;)I
java/lang/reflect/ReflectAccess getConstructorSignature(Ljava/lang/reflect/Constructor;)Ljava/lang/String;
java/lang/reflect/ReflectAccess
getConstructorAnnotations(Ljava/lang/reflect/Constructor;)[B
java/lang/reflect/ReflectAccess getConstructorParameterAnnotations(Ljava/lang/reflect/Constructor;)[B
java/lang/reflect/ReflectAccess copyMethod(Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;
java/lang/reflect/ReflectAccess copyField(Ljava/lang/reflect/Field;)Ljava/lang/reflect/Field;
java/lang/reflect/ReflectAccess copyConstructor(Ljava/lang/reflect/Constructor;)Ljava/lang/reflect/Constructor;
class java/lang/reflect/Modifier java/lang/Object
java/lang/reflect/Modifier PUBLIC
java/lang/reflect/Modifier PRIVATE
java/lang/reflect/Modifier PROTECTED
java/lang/reflect/Modifier STATIC
java/lang/reflect/Modifier FINAL
java/lang/reflect/Modifier SYNCHRONIZED
java/lang/reflect/Modifier VOLATILE
java/lang/reflect/Modifier TRANSIENT
java/lang/reflect/Modifier NATIVE
java/lang/reflect/Modifier INTERFACE
java/lang/reflect/Modifier
ABSTRACT
java/lang/reflect/Modifier STRICT
java/lang/reflect/Modifier BRIDGE
java/lang/reflect/Modifier VARARGS
java/lang/reflect/Modifier SYNTHETIC
java/lang/reflect/Modifier ANNOTATION
java/lang/reflect/Modifier ENUM
java/lang/reflect/Modifier <init>()V
java/lang/reflect/Modifier isPublic(I)Z
java/lang/reflect/Modifier isPrivate(I)Z
java/lang/reflect/Modifier isProtected(I)Z
java/lang/reflect/Modifier isStatic(I)Z
java/lang/reflect/Modifier isFinal(I)Z
java/lang/reflect/Modifier isSynchronized(I)Z
java/lang/reflect/Modifier isVolatile(I)Z
java/lang/reflect/Modifier isTransient(I)Z
java/lang/reflect/Modifier isNative(I)Z
java/lang/reflect/Modifier isInterface(I)Z
java/lang/reflect/Modifier isAbstract(I)Z
java/lang/reflect/Modifier isStrict(I)Z

```



```

java/lang/reflect/Modifier toString()Ljava/lang/String;
java/lang/reflect/Modifier isSynthetic()Z
java/lang/reflect/Modifier <clinit>()V
class java/lang/Class$3 java/lang/Object
java/lang/Class$3 <init>()V
java/lang/Class$3 run()Ljava/lang/Object;
class
    java/util/concurrent/atomic/AtomicLong java/lang/Number
java/util/concurrent/atomic/AtomicLong serialVersionUID
java/util/concurrent/atomic/AtomicLong unsafe
java/util/concurrent/atomic/AtomicLong valueOffset
java/util/concurrent/atomic/AtomicLong VM_SUPPORTS_LONG_CAS
java/util/concurrent/atomic/AtomicLong value
java/util/concurrent/atomic/AtomicLong VMsupportsCS8()Z
java/util/concurrent/atomic/AtomicLong <init>(J)V
java/util/concurrent/atomic/AtomicLong <init>()V
java/util/concurrent/atomic/AtomicLong get()J
java/util/concurrent/atomic/AtomicLong set(J)V
java/util/concurrent/atomic/AtomicLong getAndSet(J)J
java/util/concurrent/atomic/AtomicLong compareAndSet(JJ)Z
java/util/concurrent/atomic/AtomicLong weakCompareAndSet(JJ)Z
java/util/concurrent/atomic/AtomicLong getAndIncrement()J
java/util/concurrent/atomic/AtomicLong getAndDecrement()J
java/util/concurrent/atomic/AtomicLong getAndAdd(J)J
java/util/concurrent/atomic/AtomicLong incrementAndGet()J
java/util/concurrent/atomic/AtomicLong
    decrementAndGet()J
java/util/concurrent/atomic/AtomicLong addAndGet(J)J
java/util/concurrent/atomic/AtomicLong toString()Ljava/lang/String;
java/util/concurrent/atomic/AtomicLong intValue()I
java/util/concurrent/atomic/AtomicLong longValue()J
java/util/concurrent/atomic/AtomicLong floatValue()F
java/util/concurrent/atomic/AtomicLong doubleValue()D
java/util/concurrent/atomic/AtomicLong <clinit>()V
class java/util/Random java/lang/Object
java/util/Random serialVersionUID
java/util/Random seed
java/util/Random multiplier
java/util/Random addend
java/util/Random mask
java/util/Random seedUniquifier
java/util/Random BITS_PER_BYTE
java/util/Random BYTES_PER_INT
java/util/Random nextNextGaussian
java/util/Random haveNextNextGaussian
java/util/Random serialPersistentFields
java/util/Random <init>()V
java/util/Random <init>(J)V

```

```

java/util/Random setSeed(J)V
java/util/Random next(I)I
java/util/Random nextBytes([B)V
java/util/Random nextInt(I)I
java/util/Random nextInt(I)I
java/util/Random
    nextLong()J
java/util/Random nextBoolean()Z
java/util/Random nextFloat()F
java/util/Random nextDouble()D
java/util/Random nextGaussian()D
java/util/Random readObject(Ljava/io/ObjectInputStream;)V
java/util/Random writeObject(Ljava/io/ObjectOutputStream;)V
java/util/Random <clinit>()V
class java/util/Collections java/lang/Object
java/util/Collections BINARYSEARCH_THRESHOLD
java/util/Collections REVERSE_THRESHOLD
java/util/Collections SHUFFLE_THRESHOLD
java/util/Collections FILL_THRESHOLD
java/util/Collections ROTATE_THRESHOLD
java/util/Collections COPY_THRESHOLD
java/util/Collections REPLACEALL_THRESHOLD
java/util/Collections INDEXOFSUBLIST_THRESHOLD
java/util/Collections r
java/util/Collections EMPTY_SET
java/util/Collections EMPTY_LIST
java/util/Collections EMPTY_MAP
java/util/Collections REVERSE_ORDER
java/util/Collections <init>()V
java/util/Collections sort(Ljava/util/List;)V
java/util/Collections sort(Ljava/util/List;Ljava/util/Comparator;)V
java/util/Collections binarySearch(Ljava/util/List;Ljava/lang/Object;)I
java/util/Collections
    indexedBinarySearch(Ljava/util/List;Ljava/lang/Object;)I
java/util/Collections iteratorBinarySearch(Ljava/util/List;Ljava/lang/Object;)I
java/util/Collections get(Ljava/util/ListIterator;)Ljava/lang/Object;
java/util/Collections binarySearch(Ljava/util/List;Ljava/lang/Object;Ljava/util/Comparator;)I
java/util/Collections indexedBinarySearch(Ljava/util/List;Ljava/lang/Object;Ljava/util/Comparator;)I
java/util/Collections iteratorBinarySearch(Ljava/util/List;Ljava/lang/Object;Ljava/util/Comparator;)I
java/util/Collections reverse(Ljava/util/List;)V
java/util/Collections shuffle(Ljava/util/List;)V
java/util/Collections shuffle(Ljava/util/List;Ljava/util/Random;)V
java/util/Collections swap(Ljava/util/List;I)V
java/util/Collections swap([Ljava/lang/Object;I)V
java/util/Collections fill(Ljava/util/List;Ljava/lang/Object;)V
java/util/Collections copy(Ljava/util/List;Ljava/util/List;)V
java/util/Collections min(Ljava/util/Collection;)Ljava/lang/Object;
java/util/Collections

```

```

    min(Ljava/util/Collection;Ljava/util/Comparator;)Ljava/lang/Object;
java/util/Collections max(Ljava/util/Collection;)Ljava/lang/Object;
java/util/Collections max(Ljava/util/Collection;Ljava/util/Comparator;)Ljava/lang/Object;
java/util/Collections rotate(Ljava/util/List;I)V
java/util/Collections rotate1(Ljava/util/List;I)V
java/util/Collections rotate2(Ljava/util/List;I)V
java/util/Collections replaceAll(Ljava/util/List;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/Collections indexOfSubList(Ljava/util/List;Ljava/util/List;I)
java/util/Collections lastIndexOfSubList(Ljava/util/List;Ljava/util/List;)I
java/util/Collections unmodifiableCollection(Ljava/util/Collection;)Ljava/util/Collection;
java/util/Collections unmodifiableSet(Ljava/util/Set;)Ljava/util/Set;
java/util/Collections unmodifiableSortedSet(Ljava/util/SortedSet;)Ljava/util/SortedSet;
java/util/Collections unmodifiableList(Ljava/util/List;)Ljava/util/List;
java/util/Collections
    unmodifiableMap(Ljava/util/Map;)Ljava/util/Map;
java/util/Collections unmodifiableSortedMap(Ljava/util/SortedMap;)Ljava/util/SortedMap;
java/util/Collections synchronizedCollection(Ljava/util/Collection;)Ljava/util/Collection;
java/util/Collections synchronizedCollection(Ljava/util/Collection;Ljava/lang/Object;)Ljava/util/Collection;
java/util/Collections synchronizedSet(Ljava/util/Set;)Ljava/util/Set;
java/util/Collections synchronizedSet(Ljava/util/Set;Ljava/lang/Object;)Ljava/util/Set;
java/util/Collections synchronizedSortedSet(Ljava/util/SortedSet;)Ljava/util/SortedSet;
java/util/Collections synchronizedList(Ljava/util/List;)Ljava/util/List;
java/util/Collections synchronizedList(Ljava/util/List;Ljava/lang/Object;)Ljava/util/List;
java/util/Collections synchronizedMap(Ljava/util/Map;)Ljava/util/Map;
java/util/Collections synchronizedSortedMap(Ljava/util/SortedMap;)Ljava/util/SortedMap;
java/util/Collections checkedCollection(Ljava/util/Collection;Ljava/lang/Class;)Ljava/util/Collection;
java/util/Collections
    checkedSet(Ljava/util/Set;Ljava/lang/Class;)Ljava/util/Set;
java/util/Collections checkedSortedSet(Ljava/util/SortedSet;Ljava/lang/Class;)Ljava/util/SortedSet;
java/util/Collections checkedList(Ljava/util/List;Ljava/lang/Class;)Ljava/util/List;
java/util/Collections checkedMap(Ljava/util/Map;Ljava/lang/Class;Ljava/lang/Class;)Ljava/util/Map;
java/util/Collections
    checkedSortedMap(Ljava/util/SortedMap;Ljava/lang/Class;Ljava/lang/Class;)Ljava/util/SortedMap;
java/util/Collections emptySet()Ljava/util/Set;
java/util/Collections emptyList()Ljava/util/List;
java/util/Collections emptyMap()Ljava/util/Map;
java/util/Collections singleton(Ljava/lang/Object;)Ljava/util/Set;
java/util/Collections singletonList(Ljava/lang/Object;)Ljava/util/List;
java/util/Collections singletonMap(Ljava/lang/Object;Ljava/lang/Object;)Ljava/util/Map;
java/util/Collections nCopies(ILjava/lang/Object;)Ljava/util/List;
java/util/Collections reverseOrder()Ljava/util/Comparator;
java/util/Collections
    reverseOrder(Ljava/util/Comparator;)Ljava/util/Comparator;
java/util/Collections enumeration(Ljava/util/Collection;)Ljava/util/Enumeration;
java/util/Collections list(Ljava/util/Enumeration;)Ljava/util/ArrayList;
java/util/Collections eq(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/Collections frequency(Ljava/util/Collection;Ljava/lang/Object;)I
java/util/Collections disjoint(Ljava/util/Collection;Ljava/util/Collection;)Z

```

```

java/util/Collections addAll(Ljava/util/Collection;[Ljava/lang/Object;)Z
java/util/Collections access$000(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/Collections <clinit>()V
class java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
java/util/concurrent/atomic/AtomicReferenceFieldUpdater
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl unsafe
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl offset
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
    tclass
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl vclass
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl cclass
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
    <init>(Ljava/lang/Class;Ljava/lang/Class;Ljava/lang/String;)V
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
    compareAndSet(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
    weakCompareAndSet(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
    set(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
    get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl
    ensureProtectedAccess(Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReferenceFieldUpdater$AtomicReferenceFieldUpdaterImpl <clinit>()V
class java/util/concurrent/atomic/AtomicReferenceFieldUpdater java/lang/Object
java/util/concurrent/atomic/AtomicReferenceFieldUpdater
    newUpdater(Ljava/lang/Class;Ljava/lang/Class;Ljava/lang/String;)Ljava/util/concurrent/atomic/AtomicReferenceFieldUpdater;
java/util/concurrent/atomic/AtomicReferenceFieldUpdater <init>()V
java/util/concurrent/atomic/AtomicReferenceFieldUpdater
    compareAndSet(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceFieldUpdater
    weakCompareAndSet(Ljava/lang/Object;Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/concurrent/atomic/AtomicReferenceFieldUpdater set(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/concurrent/atomic/AtomicReferenceFieldUpdater get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/concurrent/atomic/AtomicReferenceFieldUpdater
    getAndSet(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
class java/io/BufferedInputStream java/io/FilterInputStream
java/io/BufferedInputStream defaultBufferSize
java/io/BufferedInputStream buf
java/io/BufferedInputStream bufUpdater
java/io/BufferedInputStream count
java/io/BufferedInputStream pos
java/io/BufferedInputStream markpos
java/io/BufferedInputStream marklimit
java/io/BufferedInputStream getInIfOpen()Ljava/io/InputStream;
java/io/BufferedInputStream getBufIfOpen()[B
java/io/BufferedInputStream <init>(Ljava/io/InputStream;)V

```

```

java/io/BufferedInputStream <init>(Ljava/io/InputStream;I)V
java/io/BufferedInputStream fill()V
java/io/BufferedInputStream read()I
java/io/BufferedInputStream read1([BII)I
java/io/BufferedInputStream read([BII)I
java/io/BufferedInputStream skip(J)J
java/io/BufferedInputStream available()I
java/io/BufferedInputStream mark(I)V
java/io/BufferedInputStream reset()V
java/io/BufferedInputStream markSupported()Z
java/io/BufferedInputStream
    close()V
java/io/BufferedInputStream <clinit>()V
class java/io/FilterInputStream java/io/InputStream
java/io/FilterInputStream in
java/io/FilterInputStream <init>(Ljava/io/InputStream;)V
java/io/FilterInputStream read()I
java/io/FilterInputStream read([B)I
java/io/FilterInputStream read([BII)I
java/io/FilterInputStream skip(J)J
java/io/FilterInputStream available()I
java/io/FilterInputStream close()V
java/io/FilterInputStream mark(I)V
java/io/FilterInputStream reset()V
java/io/FilterInputStream markSupported()Z
class java/io/FileOutputStream java/io/OutputStream
java/io/FileOutputStream fd
java/io/FileOutputStream channel
java/io/FileOutputStream append
java/io/FileOutputStream <init>(Ljava/lang/String;)V
java/io/FileOutputStream <init>(Ljava/lang/String;Z)V
java/io/FileOutputStream <init>(Ljava/io/File;)V
java/io/FileOutputStream <init>(Ljava/io/File;Z)V
java/io/FileOutputStream <init>(Ljava/io/FileDescriptor;)V
java/io/FileOutputStream open(Ljava/lang/String;)V
java/io/FileOutputStream
    openAppend(Ljava/lang/String;)V
java/io/FileOutputStream write(I)V
java/io/FileOutputStream writeBytes([BII)V
java/io/FileOutputStream write([B)V
java/io/FileOutputStream write([BII)V
java/io/FileOutputStream close()V
java/io/FileOutputStream getFD()Ljava/io/FileDescriptor;
java/io/FileOutputStream getChannel()Ljava/nio/channels/FileChannel;
java/io/FileOutputStream finalize()V
java/io/FileOutputStream close0()V
java/io/FileOutputStream initIDs()V
java/io/FileOutputStream <clinit>()V

```

```

class java/io/OutputStream java/lang/Object
java/io/OutputStream <init>()V
java/io/OutputStream write(I)V
java/io/OutputStream write([B)V
java/io/OutputStream write([BII)V
java/io/OutputStream flush()V
java/io/OutputStream close()V
class java/io/Flushable java/lang/Object
java/io/Flushable flush()V
class java/io/FileDescriptor java/lang/Object
java/io/FileDescriptor fd
java/io/FileDescriptor handle
java/io/FileDescriptor in
java/io/FileDescriptor out
java/io/FileDescriptor
err
java/io/FileDescriptor <init>()V
java/io/FileDescriptor <init>(I)V
java/io/FileDescriptor valid()Z
java/io/FileDescriptor sync()V
java/io/FileDescriptor initIDs()V
java/io/FileDescriptor set(I)J
java/io/FileDescriptor standardStream(I)Ljava/io/FileDescriptor;
java/io/FileDescriptor <clinit>()V
class java/io/FileInputStream java/io/InputStream
java/io/FileInputStream fd
java/io/FileInputStream channel
java/io/FileInputStream <init>(Ljava/lang/String;)V
java/io/FileInputStream <init>(Ljava/io/File;)V
java/io/FileInputStream <init>(Ljava/io/FileDescriptor;)V
java/io/FileInputStream open(Ljava/lang/String;)V
java/io/FileInputStream read()I
java/io/FileInputStream readBytes([BII)I
java/io/FileInputStream read([B)I
java/io/FileInputStream read([BII)I
java/io/FileInputStream skip(J)J
java/io/FileInputStream available()I
java/io/FileInputStream close()V
java/io/FileInputStream getFD()Ljava/io/FileDescriptor;
java/io/FileInputStream getChannel()Ljava/nio/channels/FileChannel;
java/io/FileInputStream
initIDs()V
java/io/FileInputStream close0()V
java/io/FileInputStream finalize()V
java/io/FileInputStream <clinit>()V
class java/io/InputStream java/lang/Object
java/io/InputStream SKIP_BUFFER_SIZE
java/io/InputStream skipBuffer

```

```

java/io/InputStream <init>()V
java/io/InputStream read()I
java/io/InputStream read([B)I
java/io/InputStream read([BII)I
java/io/InputStream skip(J)J
java/io/InputStream available()I
java/io/InputStream close()V
java/io/InputStream mark(I)V
java/io/InputStream reset()V
java/io/InputStream markSupported()Z
class java/io/Closeable java/lang/Object
java/io/Closeable close()V
class java/util/Hashtable$Entry java/lang/Object
java/util/Hashtable$Entry hash
java/util/Hashtable$Entry key
java/util/Hashtable$Entry value
java/util/Hashtable$Entry next
java/util/Hashtable$Entry <init>(ILjava/lang/Object;Ljava/lang/Object;Ljava/util/Hashtable$Entry;)V
java/util/Hashtable$Entry clone()Ljava/lang/Object;
java/util/Hashtable$Entry getKey()Ljava/lang/Object;
java/util/Hashtable$Entry
    getValue()Ljava/lang/Object;
java/util/Hashtable$Entry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Hashtable$Entry equals(Ljava/lang/Object;)Z
java/util/Hashtable$Entry hashCode()I
java/util/Hashtable$Entry toString()Ljava/lang/String;
class java/util/Hashtable$EmptyIterator java/lang/Object
java/util/Hashtable$EmptyIterator <init>()V
java/util/Hashtable$EmptyIterator hasNext()Z
java/util/Hashtable$EmptyIterator next()Ljava/lang/Object;
java/util/Hashtable$EmptyIterator remove()V
class java/util/Iterator java/lang/Object
java/util/Iterator hasNext()Z
java/util/Iterator next()Ljava/lang/Object;
java/util/Iterator remove()V
class java/util/Hashtable$EmptyEnumerator java/lang/Object
java/util/Hashtable$EmptyEnumerator <init>()V
java/util/Hashtable$EmptyEnumerator hasMoreElements()Z
java/util/Hashtable$EmptyEnumerator nextElement()Ljava/lang/Object;
class java/util/Enumeration java/lang/Object
java/util/Enumeration hasMoreElements()Z
java/util/Enumeration
    nextElement()Ljava/lang/Object;
class java/lang/ref/Finalizer$FinalizerThread java/lang/Thread
java/lang/ref/Finalizer$FinalizerThread <init>(Ljava/lang/ThreadGroup;)V
java/lang/ref/Finalizer$FinalizerThread run()V
class java/lang/ref/Reference$ReferenceHandler java/lang/Thread
java/lang/ref/Reference$ReferenceHandler <init>(Ljava/lang/ThreadGroup;Ljava/lang/String;)V

```

```

java/lang/ref/Reference$ReferenceHandler run()V
class java/lang/ref/Reference$Lock java/lang/Object
java/lang/ref/Reference$Lock <init>()V
java/lang/ref/Reference$Lock <init>(Ljava/lang/ref/Reference$1;)V
class java/lang/reflect/ReflectPermission java/security/BasicPermission
java/lang/reflect/ReflectPermission serialVersionUID
java/lang/reflect/ReflectPermission <init>(Ljava/lang/String;)V
java/lang/reflect/ReflectPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/lang/annotation/Annotation java/lang/Object
java/lang/annotation/Annotation equals(Ljava/lang/Object;)Z
java/lang/annotation/Annotation hashCode()I
java/lang/annotation/Annotation
    toString()Ljava/lang/String;
java/lang/annotation/Annotation annotationType()Ljava/lang/Class;
class java/lang/NoSuchMethodError java/lang/IncompatibleClassChangeError
java/lang/NoSuchMethodError <init>()V
java/lang/NoSuchMethodError <init>(Ljava/lang/String;)V
class java/lang/IncompatibleClassChangeError java/lang/LinkageError
java/lang/IncompatibleClassChangeError <init>()V
java/lang/IncompatibleClassChangeError <init>(Ljava/lang/String;)V
class java/util/HashMap$Entry java/lang/Object
java/util/HashMap$Entry key
java/util/HashMap$Entry value
java/util/HashMap$Entry hash
java/util/HashMap$Entry next
java/util/HashMap$Entry <init>(ILjava/lang/Object;Ljava/lang/Object;Ljava/util/HashMap$Entry;)V
java/util/HashMap$Entry getKey()Ljava/lang/Object;
java/util/HashMap$Entry getValue()Ljava/lang/Object;
java/util/HashMap$Entry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap$Entry equals(Ljava/lang/Object;)Z
java/util/HashMap$Entry hashCode()I
java/util/HashMap$Entry
    toString()Ljava/lang/String;
java/util/HashMap$Entry recordAccess(Ljava/util/HashMap;)V
java/util/HashMap$Entry recordRemoval(Ljava/util/HashMap;)V
class java/util/Map$Entry java/lang/Object
java/util/Map$Entry getKey()Ljava/lang/Object;
java/util/Map$Entry getValue()Ljava/lang/Object;
java/util/Map$Entry setValue(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Map$Entry equals(Ljava/lang/Object;)Z
java/util/Map$Entry hashCode()I
class java/util/Stack java/util/Vector
java/util/Stack serialVersionUID
java/util/Stack <init>()V
java/util/Stack push(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Stack pop()Ljava/lang/Object;
java/util/Stack peek()Ljava/lang/Object;
java/util/Stack empty()Z

```



```

java/util/Stack search(Ljava/lang/Object;)I
class java/security/AccessController java/lang/Object
java/security/AccessController <init>()V
java/security/AccessController doPrivileged(Ljava/security/PrivilegedAction;)Ljava/lang/Object;
java/security/AccessController
doPrivileged(Ljava/security/PrivilegedAction;Ljava/security/AccessControlContext;)Ljava/lang/Object;
java/security/AccessController
doPrivileged(Ljava/security/PrivilegedExceptionAction;)Ljava/lang/Object;
java/security/AccessController
doPrivileged(Ljava/security/PrivilegedExceptionAction;Ljava/security/AccessControlContext;)Ljava/lang/Object;
java/security/AccessController getStackAccessControlContext()Ljava/security/AccessControlContext;
java/security/AccessController getInheritedAccessControlContext()Ljava/security/AccessControlContext;
java/security/AccessController getContext()Ljava/security/AccessControlContext;
java/security/AccessController checkPermission(Ljava/security/Permission;)V
class java/security/PrivilegedAction java/lang/Object
java/security/PrivilegedAction run()Ljava/lang/Object;
class java/io/ObjectStreamClass java/lang/Object
java/io/ObjectStreamClass NO_FIELDS
java/io/ObjectStreamClass serialVersionUID
java/io/ObjectStreamClass serialPersistentFields
java/io/ObjectStreamClass
reflFactory
java/io/ObjectStreamClass cl
java/io/ObjectStreamClass name
java/io/ObjectStreamClass suid
java/io/ObjectStreamClass isProxy
java/io/ObjectStreamClass isEnum
java/io/ObjectStreamClass serializable
java/io/ObjectStreamClass externalizable
java/io/ObjectStreamClass hasWriteObjectData
java/io/ObjectStreamClass hasBlockExternalData
java/io/ObjectStreamClass resolveEx
java/io/ObjectStreamClass deserializeEx
java/io/ObjectStreamClass serializeEx
java/io/ObjectStreamClass defaultSerializeEx
java/io/ObjectStreamClass fields
java/io/ObjectStreamClass primDataSize
java/io/ObjectStreamClass numObjFields
java/io/ObjectStreamClass fieldRefl
java/io/ObjectStreamClass dataLayout
java/io/ObjectStreamClass cons
java/io/ObjectStreamClass writeObjectMethod
java/io/ObjectStreamClass readObjectMethod
java/io/ObjectStreamClass readObjectNoDataMethod
java/io/ObjectStreamClass writeReplaceMethod
java/io/ObjectStreamClass readResolveMethod
java/io/ObjectStreamClass localDesc
java/io/ObjectStreamClass

```

```

superDesc
java/io/ObjectStreamClass initNative()V
java/io/ObjectStreamClass lookup(Ljava/lang/Class;)Ljava/io/ObjectStreamClass;
java/io/ObjectStreamClass getName()Ljava/lang/String;
java/io/ObjectStreamClass getSerialVersionUID()J
java/io/ObjectStreamClass forClass()Ljava/lang/Class;
java/io/ObjectStreamClass getFields()[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass getField(Ljava/lang/String;)Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass toString()Ljava/lang/String;
java/io/ObjectStreamClass lookup(Ljava/lang/Class;Z)Ljava/io/ObjectStreamClass;
java/io/ObjectStreamClass <init>(Ljava/lang/Class;)V
java/io/ObjectStreamClass <init>()V
java/io/ObjectStreamClass
initProxy(Ljava/lang/Class;Ljava/lang/ClassNotFoundException;Ljava/io/ObjectStreamClass;)V
java/io/ObjectStreamClass
initNonProxy(Ljava/io/ObjectStreamClass;Ljava/lang/Class;Ljava/lang/ClassNotFoundException;Ljava/io/ObjectStreamClass;)V
java/io/ObjectStreamClass readNonProxy(Ljava/io/ObjectInputStream;)V
java/io/ObjectStreamClass
writeNonProxy(Ljava/io/ObjectOutputStream;)V
java/io/ObjectStreamClass getResolveException()Ljava/lang/ClassNotFoundException;
java/io/ObjectStreamClass checkDeserialize()V
java/io/ObjectStreamClass checkSerialize()V
java/io/ObjectStreamClass checkDefaultSerialize()V
java/io/ObjectStreamClass getSuperDesc()Ljava/io/ObjectStreamClass;
java/io/ObjectStreamClass getLocalDesc()Ljava/io/ObjectStreamClass;
java/io/ObjectStreamClass getFields(Z)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass getField(Ljava/lang/String;Ljava/lang/Class;)Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass isProxy()Z
java/io/ObjectStreamClass isEnum()Z
java/io/ObjectStreamClass isExternalizable()Z
java/io/ObjectStreamClass isSerializable()Z
java/io/ObjectStreamClass hasBlockExternalData()Z
java/io/ObjectStreamClass hasWriteObjectData()Z
java/io/ObjectStreamClass isInstantiable()Z
java/io/ObjectStreamClass hasWriteObjectMethod()Z
java/io/ObjectStreamClass hasReadObjectMethod()Z
java/io/ObjectStreamClass
hasReadObjectNoDataMethod()Z
java/io/ObjectStreamClass hasWriteReplaceMethod()Z
java/io/ObjectStreamClass hasReadResolveMethod()Z
java/io/ObjectStreamClass newInstance()Ljava/lang/Object;
java/io/ObjectStreamClass invokeWriteObject(Ljava/lang/Object;Ljava/io/ObjectOutputStream;)V
java/io/ObjectStreamClass invokeReadObject(Ljava/lang/Object;Ljava/io/ObjectInputStream;)V
java/io/ObjectStreamClass invokeReadObjectNoData(Ljava/lang/Object;)V
java/io/ObjectStreamClass invokeWriteReplace(Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectStreamClass invokeReadResolve(Ljava/lang/Object;)Ljava/lang/Object;
java/io/ObjectStreamClass getClassDataLayout()[Ljava/io/ObjectStreamClass$ClassDataSlot;

```

```

java/io/ObjectStreamClass getClassDataLayout0()[Ljava/io/ObjectStreamClass$ClassDataSlot;
java/io/ObjectStreamClass getPrimDataSize()I
java/io/ObjectStreamClass getNumObjFields()I
java/io/ObjectStreamClass getPrimFieldValues(Ljava/lang/Object;[B)V
java/io/ObjectStreamClass setPrimFieldValues(Ljava/lang/Object;[B)V
java/io/ObjectStreamClass
    getObjFieldValues(Ljava/lang/Object;[Ljava/lang/Object;)V
java/io/ObjectStreamClass setObjFieldValues(Ljava/lang/Object;[Ljava/lang/Object;)V
java/io/ObjectStreamClass computeFieldOffsets()V
java/io/ObjectStreamClass getVariantFor(Ljava/lang/Class;)Ljava/io/ObjectStreamClass;
java/io/ObjectStreamClass getExternalizableConstructor(Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/io/ObjectStreamClass getSerializableConstructor(Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/io/ObjectStreamClass
    getInheritableMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
    getPrivateMethod(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass packageEquals(Ljava/lang/Class;Ljava/lang/Class;)Z
java/io/ObjectStreamClass getPackageName(Ljava/lang/Class;)Ljava/lang/String;
java/io/ObjectStreamClass
    classNameEquals(Ljava/lang/String;Ljava/lang/String;)Z
java/io/ObjectStreamClass getClassSignature(Ljava/lang/Class;)Ljava/lang/String;
java/io/ObjectStreamClass getMethodSignature([Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/String;
java/io/ObjectStreamClass throwMiscException(Ljava/lang/Throwable;)V
java/io/ObjectStreamClass getSerialFields(Ljava/lang/Class;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass getDeclaredSerialFields(Ljava/lang/Class;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass getDefaultSerialFields(Ljava/lang/Class;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass getDeclaredSUID(Ljava/lang/Class;)Ljava/lang/Long;
java/io/ObjectStreamClass computeDefaultSUID(Ljava/lang/Class;)J
java/io/ObjectStreamClass hasStaticInitializer(Ljava/lang/Class;)Z
java/io/ObjectStreamClass
    getReflector([Ljava/io/ObjectStreamField;Ljava/io/ObjectStreamClass;)Ljava/io/ObjectStreamClass$FieldReflector;
java/io/ObjectStreamClass
    matchFields([Ljava/io/ObjectStreamField;Ljava/io/ObjectStreamClass;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass
    processQueue(Ljava/lang/ref/ReferenceQueue;Ljava/util/concurrent/ConcurrentMap;)V
java/io/ObjectStreamClass access$000(Ljava/io/ObjectStreamClass;)Ljava/lang/Class;
java/io/ObjectStreamClass access$100(Ljava/lang/Class;)J
java/io/ObjectStreamClass access$400(Ljava/io/ObjectStreamClass;)Z
java/io/ObjectStreamClass access$502(Ljava/io/ObjectStreamClass;Ljava/lang/Long;)Ljava/lang/Long;
java/io/ObjectStreamClass
    access$602(Ljava/io/ObjectStreamClass;[Ljava/io/ObjectStreamField;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass access$700(Ljava/lang/Class;)Ljava/lang/Long;
java/io/ObjectStreamClass access$800(Ljava/lang/Class;)[Ljava/io/ObjectStreamField;
java/io/ObjectStreamClass access$900(Ljava/io/ObjectStreamClass;)V
java/io/ObjectStreamClass
    access$1002(Ljava/io/ObjectStreamClass;Ljava/io/InvalidClassException;)Ljava/io/InvalidClassException;

```

```

java/io/ObjectStreamClass
access$1102(Ljava/io/ObjectStreamClass;Ljava/io/InvalidClassException;)Ljava/io/InvalidClassException;
java/io/ObjectStreamClass
  access$1200(Ljava/io/ObjectStreamClass;)Z
java/io/ObjectStreamClass
access$1302(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Constructor;)Ljava/lang/reflect/Constructor;
java/io/ObjectStreamClass access$1400(Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/io/ObjectStreamClass access$1500(Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/io/ObjectStreamClass
access$1602(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
access$1700(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
access$1802(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
access$1902(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass access$2002(Ljava/io/ObjectStreamClass;Z)Z
java/io/ObjectStreamClass
  access$1600(Ljava/io/ObjectStreamClass;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
access$2102(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
access$2200(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass
access$2302(Ljava/io/ObjectStreamClass;Ljava/lang/reflect/Method;)Ljava/lang/reflect/Method;
java/io/ObjectStreamClass access$2400([Ljava/lang/Class;Ljava/lang/Class;)Ljava/lang/String;
java/io/ObjectStreamClass <clinit>()V
class java/util/HashMap java/util/AbstractMap
java/util/HashMap DEFAULT_INITIAL_CAPACITY
java/util/HashMap MAXIMUM_CAPACITY
java/util/HashMap DEFAULT_LOAD_FACTOR
java/util/HashMap table
java/util/HashMap size
java/util/HashMap threshold
java/util/HashMap loadFactor
java/util/HashMap modCount
java/util/HashMap NULL_KEY
java/util/HashMap useNewHash
java/util/HashMap entrySet
java/util/HashMap
  serialVersionUID
java/util/HashMap <init>(IF)V
java/util/HashMap <init>(I)V
java/util/HashMap <init>()V
java/util/HashMap <init>(Ljava/util/Map;)V
java/util/HashMap init()V
java/util/HashMap maskNull(Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap unmaskNull(Ljava/lang/Object;)Ljava/lang/Object;

```

```

java/util/HashMap oldHash(I)I
java/util/HashMap newHash(I)I
java/util/HashMap hash(I)I
java/util/HashMap hash(Ljava/lang/Object;)I
java/util/HashMap eq(Ljava/lang/Object;Ljava/lang/Object;)Z
java/util/HashMap indexFor(II)I
java/util/HashMap size()I
java/util/HashMap isEmpty()Z
java/util/HashMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap getForNullKey()Ljava/lang/Object;
java/util/HashMap containsKey(Ljava/lang/Object;)Z
java/util/HashMap getEntry(Ljava/lang/Object;)Ljava/util/HashMap$Entry;
java/util/HashMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap putForNullKey(Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap
    putForCreate(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/HashMap putAllForCreate(Ljava/util/Map;)V
java/util/HashMap resize(I)V
java/util/HashMap transfer([Ljava/util/HashMap$Entry;)V
java/util/HashMap putAll(Ljava/util/Map;)V
java/util/HashMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/HashMap removeEntryForKey(Ljava/lang/Object;)Ljava/util/HashMap$Entry;
java/util/HashMap removeMapping(Ljava/lang/Object;)Ljava/util/HashMap$Entry;
java/util/HashMap clear()V
java/util/HashMap containsValue(Ljava/lang/Object;)Z
java/util/HashMap containsNullValue()Z
java/util/HashMap clone()Ljava/lang/Object;
java/util/HashMap addEntry(ILjava/lang/Object;Ljava/lang/Object;I)V
java/util/HashMap createEntry(ILjava/lang/Object;Ljava/lang/Object;I)V
java/util/HashMap newKeyIterator()Ljava/util/Iterator;
java/util/HashMap newValueIterator()Ljava/util/Iterator;
java/util/HashMap newEntryIterator()Ljava/util/Iterator;
java/util/HashMap keySet()Ljava/util/Set;
java/util/HashMap values()Ljava/util/Collection;
java/util/HashMap
    entrySet()Ljava/util/Set;
java/util/HashMap writeObject(Ljava/io/ObjectOutputStream;)V
java/util/HashMap readObject(Ljava/io/ObjectInputStream;)V
java/util/HashMap capacity()I
java/util/HashMap loadFactor()F
java/util/HashMap <clinit>()V
class java/lang/ref/ReferenceQueue$Lock java/lang/Object
java/lang/ref/ReferenceQueue$Lock <init>()V
java/lang/ref/ReferenceQueue$Lock <init>(Ljava/lang/ref/ReferenceQueue$1;)V
class java/lang/ref/ReferenceQueue$Null java/lang/ref/ReferenceQueue
java/lang/ref/ReferenceQueue$Null <init>()V
java/lang/ref/ReferenceQueue$Null enqueue(Ljava/lang/ref/Reference;)Z
java/lang/ref/ReferenceQueue$Null <init>(Ljava/lang/ref/ReferenceQueue$1;)V

```

```

class java/lang/ref/ReferenceQueue java/lang/Object
java/lang/ref/ReferenceQueue NULL
java/lang/ref/ReferenceQueue ENQUEUED
java/lang/ref/ReferenceQueue lock
java/lang/ref/ReferenceQueue head
java/lang/ref/ReferenceQueue queueLength
java/lang/ref/ReferenceQueue <init>()V
java/lang/ref/ReferenceQueue
    enqueue(Ljava/lang/ref/Reference;)Z
java/lang/ref/ReferenceQueue reallyPoll()Ljava/lang/ref/Reference;
java/lang/ref/ReferenceQueue poll()Ljava/lang/ref/Reference;
java/lang/ref/ReferenceQueue remove(J)Ljava/lang/ref/Reference;
java/lang/ref/ReferenceQueue remove()Ljava/lang/ref/Reference;
java/lang/ref/ReferenceQueue <clinit>()V
class java/util/AbstractMap java/lang/Object
java/util/AbstractMap keySet
java/util/AbstractMap values
java/util/AbstractMap <init>()V
java/util/AbstractMap size()I
java/util/AbstractMap isEmpty()Z
java/util/AbstractMap containsValue(Ljava/lang/Object;)Z
java/util/AbstractMap containsKey(Ljava/lang/Object;)Z
java/util/AbstractMap get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/AbstractMap put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/AbstractMap remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/AbstractMap putAll(Ljava/util/Map;)V
java/util/AbstractMap clear()V
java/util/AbstractMap keySet()Ljava/util/Set;
java/util/AbstractMap
    values()Ljava/util/Collection;
java/util/AbstractMap entrySet()Ljava/util/Set;
java/util/AbstractMap equals(Ljava/lang/Object;)Z
java/util/AbstractMap hashCode()I
java/util/AbstractMap toString()Ljava/lang/String;
java/util/AbstractMap clone()Ljava/lang/Object;
class java/lang/RuntimePermission java/security/BasicPermission
java/lang/RuntimePermission serialVersionUID
java/lang/RuntimePermission <init>(Ljava/lang/String;)V
java/lang/RuntimePermission <init>(Ljava/lang/String;Ljava/lang/String;)V
class java/security/BasicPermission java/security/Permission
java/security/BasicPermission serialVersionUID
java/security/BasicPermission wildcard
java/security/BasicPermission path
java/security/BasicPermission init(Ljava/lang/String;)V
java/security/BasicPermission <init>(Ljava/lang/String;)V
java/security/BasicPermission <init>(Ljava/lang/String;Ljava/lang/String;)V
java/security/BasicPermission implies(Ljava/security/Permission;)Z
java/security/BasicPermission equals(Ljava/lang/Object;)Z

```

```

java/security/BasicPermission
hashCode()I
java/security/BasicPermission getActions()Ljava/lang/String;
java/security/BasicPermission newPermissionCollection()Ljava/security/PermissionCollection;
java/security/BasicPermission readObject(Ljava/io/ObjectInputStream;)V
class java/security/Permission java/lang/Object
java/security/Permission serialVersionUID
java/security/Permission name
java/security/Permission <init>(Ljava/lang/String;)V
java/security/Permission checkGuard(Ljava/lang/Object;)V
java/security/Permission implies(Ljava/security/Permission;)Z
java/security/Permission equals(Ljava/lang/Object;)Z
java/security/Permission hashCode()I
java/security/Permission getName()Ljava/lang/String;
java/security/Permission getActions()Ljava/lang/String;
java/security/Permission newPermissionCollection()Ljava/security/PermissionCollection;
java/security/Permission toString()Ljava/lang/String;
class java/security/Guard java/lang/Object
java/security/Guard checkGuard(Ljava/lang/Object;)V
class
java/lang/String$CaseInsensitiveComparator java/lang/Object
java/lang/String$CaseInsensitiveComparator serialVersionUID
java/lang/String$CaseInsensitiveComparator <init>()V
java/lang/String$CaseInsensitiveComparator compare(Ljava/lang/String;Ljava/lang/String;)I
java/lang/String$CaseInsensitiveComparator compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/lang/String$CaseInsensitiveComparator <init>(Ljava/lang/String$1;)V
class java/util/Comparator java/lang/Object
java/util/Comparator compare(Ljava/lang/Object;Ljava/lang/Object;)I
java/util/Comparator equals(Ljava/lang/Object;)Z
class java/io/ObjectStreamField java/lang/Object
java/io/ObjectStreamField name
java/io/ObjectStreamField signature
java/io/ObjectStreamField type
java/io/ObjectStreamField unshared
java/io/ObjectStreamField field
java/io/ObjectStreamField offset
java/io/ObjectStreamField <init>(Ljava/lang/String;Ljava/lang/Class;)V
java/io/ObjectStreamField <init>(Ljava/lang/String;Ljava/lang/Class;Z)V
java/io/ObjectStreamField
<init>(Ljava/lang/String;Ljava/lang/String;Z)V
java/io/ObjectStreamField <init>(Ljava/lang/reflect/Field;ZZ)V
java/io/ObjectStreamField getName()Ljava/lang/String;
java/io/ObjectStreamField getType()Ljava/lang/Class;
java/io/ObjectStreamField getTypeCode()C
java/io/ObjectStreamField getTypeString()Ljava/lang/String;
java/io/ObjectStreamField getOffset()I
java/io/ObjectStreamField setOffset(I)V
java/io/ObjectStreamField isPrimitive()Z

```

```

java/io/ObjectStreamField isUnshared()Z
java/io/ObjectStreamField compareTo(Ljava/lang/Object;)I
java/io/ObjectStreamField toString()Ljava/lang/String;
java/io/ObjectStreamField getField()Ljava/lang/reflect/Field;
java/io/ObjectStreamField getSignature()Ljava/lang/String;
class java/lang/StrictMath java/lang/Object
java/lang/StrictMath E
java/lang/StrictMath PI
java/lang/StrictMath randomNumberGenerator
java/lang/StrictMath negativeZeroFloatBits
java/lang/StrictMath negativeZeroDoubleBits
java/lang/StrictMath <init>()V
java/lang/StrictMath sin(D)D
java/lang/StrictMath
    cos(D)D
java/lang/StrictMath tan(D)D
java/lang/StrictMath asin(D)D
java/lang/StrictMath acos(D)D
java/lang/StrictMath atan(D)D
java/lang/StrictMath toRadians(D)D
java/lang/StrictMath toDegrees(D)D
java/lang/StrictMath exp(D)D
java/lang/StrictMath log(D)D
java/lang/StrictMath log10(D)D
java/lang/StrictMath sqrt(D)D
java/lang/StrictMath cbrt(D)D
java/lang/StrictMath IEEEremainder(DD)D
java/lang/StrictMath ceil(D)D
java/lang/StrictMath floor(D)D
java/lang/StrictMath rint(D)D
java/lang/StrictMath atan2(DD)D
java/lang/StrictMath pow(DD)D
java/lang/StrictMath round(F)I
java/lang/StrictMath round(D)J
java/lang/StrictMath initRNG()V
java/lang/StrictMath random()D
java/lang/StrictMath abs(I)I
java/lang/StrictMath abs(J)J
java/lang/StrictMath abs(F)F
java/lang/StrictMath abs(D)D
java/lang/StrictMath max(II)I
java/lang/StrictMath max(JJ)J
java/lang/StrictMath max(FF)F
java/lang/StrictMath max(DD)D
java/lang/StrictMath min(II)I
java/lang/StrictMath min(JJ)J
java/lang/StrictMath

```



```

min(FF)F
java/lang/StrictMath min(DD)D
java/lang/StrictMath ulp(D)D
java/lang/StrictMath ulp(F)F
java/lang/StrictMath signum(D)D
java/lang/StrictMath signum(F)F
java/lang/StrictMath sinh(D)D
java/lang/StrictMath cosh(D)D
java/lang/StrictMath tanh(D)D
java/lang/StrictMath hypot(DD)D
java/lang/StrictMath expm1(D)D
java/lang/StrictMath log1p(D)D
java/lang/StrictMath <clinit>()V
class java/lang/ArithmeticException java/lang/RuntimeException
java/lang/ArithmeticException <init>()V
java/lang/ArithmeticException <init>(Ljava/lang/String;)V
class java/lang/NullPointerException java/lang/RuntimeException
java/lang/NullPointerException <init>()V
java/lang/NullPointerException <init>(Ljava/lang/String;)V
class java/lang/management/MemoryUsage java/lang/Object
java/lang/management/MemoryUsage init
java/lang/management/MemoryUsage used
java/lang/management/MemoryUsage committed
java/lang/management/MemoryUsage max
java/lang/management/MemoryUsage <init>(JJJJ)V
java/lang/management/MemoryUsage
  <init>(Ljavax/management/openmbean/CompositeData;)V
java/lang/management/MemoryUsage getInit()J
java/lang/management/MemoryUsage getUsed()J
java/lang/management/MemoryUsage getCommitted()J
java/lang/management/MemoryUsage getMax()J
java/lang/management/MemoryUsage toString()Ljava/lang/String;
java/lang/management/MemoryUsage
  from(Ljavax/management/openmbean/CompositeData;)Ljava/lang/management/MemoryUsage;
class java/lang/Long java/lang/Number
java/lang/Long MIN_VALUE
java/lang/Long MAX_VALUE
java/lang/Long TYPE
java/lang/Long value
java/lang/Long SIZE
java/lang/Long serialVersionUID
java/lang/Long toString(JI)Ljava/lang/String;
java/lang/Long toHexString(J)Ljava/lang/String;
java/lang/Long toOctalString(J)Ljava/lang/String;
java/lang/Long toBinaryString(J)Ljava/lang/String;
java/lang/Long toUnsignedString(JI)Ljava/lang/String;
java/lang/Long toString(J)Ljava/lang/String;
java/lang/Long getChars(JI[C)V

```

```

java/lang/Long stringSize(J)I
java/lang/Long parseLong(Ljava/lang/String;I)J
java/lang/Long
    parseLong(Ljava/lang/String;)J
java/lang/Long valueOf(Ljava/lang/String;I)Ljava/lang/Long;
java/lang/Long valueOf(Ljava/lang/String;)Ljava/lang/Long;
java/lang/Long valueOf(J)Ljava/lang/Long;
java/lang/Long decode(Ljava/lang/String;)Ljava/lang/Long;
java/lang/Long <init>(J)V
java/lang/Long <init>(Ljava/lang/String;)V
java/lang/Long byteValue()B
java/lang/Long shortValue()S
java/lang/Long intValue()I
java/lang/Long longValue()J
java/lang/Long floatValue()F
java/lang/Long doubleValue()D
java/lang/Long toString()Ljava/lang/String;
java/lang/Long hashCode()I
java/lang/Long equals(Ljava/lang/Object;)Z
java/lang/Long getLong(Ljava/lang/String;)Ljava/lang/Long;
java/lang/Long getLong(Ljava/lang/String;J)Ljava/lang/Long;
java/lang/Long getLong(Ljava/lang/String;Ljava/lang/Long;)Ljava/lang/Long;
java/lang/Long compareTo(Ljava/lang/Long;)I
java/lang/Long highestOneBit(J)J
java/lang/Long lowestOneBit(J)J
java/lang/Long numberOfLeadingZeros(J)I
java/lang/Long numberOfTrailingZeros(J)I
java/lang/Long
    bitCount(J)I
java/lang/Long rotateLeft(JI)J
java/lang/Long rotateRight(JI)J
java/lang/Long reverse(J)J
java/lang/Long signum(J)I
java/lang/Long reverseBytes(J)J
java/lang/Long compareTo(Ljava/lang/Object;)I
java/lang/Long <clinit>()V
class java/lang/Integer java/lang/Number
java/lang/Integer MIN_VALUE
java/lang/Integer MAX_VALUE
java/lang/Integer TYPE
java/lang/Integer digits
java/lang/Integer DigitTens
java/lang/Integer DigitOnes
java/lang/Integer sizeTable
java/lang/Integer value
java/lang/Integer SIZE
java/lang/Integer serialVersionUID
java/lang/Integer toString(II)Ljava/lang/String;

```

```

java/lang/Integer toHexString(I)Ljava/lang/String;
java/lang/Integer toOctalString(I)Ljava/lang/String;
java/lang/Integer toBinaryString(I)Ljava/lang/String;
java/lang/Integer toUnsignedString(II)Ljava/lang/String;
java/lang/Integer toString(I)Ljava/lang/String;
java/lang/Integer getChars(II[C)V
java/lang/Integer stringSize(I)I
java/lang/Integer parseInt(Ljava/lang/String;)I
java/lang/Integer
    parseInt(Ljava/lang/String;)I
java/lang/Integer valueOf(Ljava/lang/String;)Ljava/lang/Integer;
java/lang/Integer valueOf(Ljava/lang/String;)Ljava/lang/Integer;
java/lang/Integer valueOf(I)Ljava/lang/Integer;
java/lang/Integer <init>(I)V
java/lang/Integer <init>(Ljava/lang/String;)V
java/lang/Integer byteValue()B
java/lang/Integer shortValue()S
java/lang/Integer intValue()I
java/lang/Integer longValue()J
java/lang/Integer floatValue()F
java/lang/Integer doubleValue()D
java/lang/Integer toString()Ljava/lang/String;
java/lang/Integer hashCode()I
java/lang/Integer equals(Ljava/lang/Object;)Z
java/lang/Integer getInteger(Ljava/lang/String;)Ljava/lang/Integer;
java/lang/Integer getInteger(Ljava/lang/String;)Ljava/lang/Integer;
java/lang/Integer getInteger(Ljava/lang/String;Ljava/lang/Integer;)Ljava/lang/Integer;
java/lang/Integer decode(Ljava/lang/String;)Ljava/lang/Integer;
java/lang/Integer compareTo(Ljava/lang/Integer;)I
java/lang/Integer highestOneBit(I)I
java/lang/Integer lowestOneBit(I)I
java/lang/Integer
    numberOfLeadingZeros(I)I
java/lang/Integer numberOfTrailingZeros(I)I
java/lang/Integer bitCount(I)I
java/lang/Integer rotateLeft(II)I
java/lang/Integer rotateRight(II)I
java/lang/Integer reverse(I)I
java/lang/Integer signum(I)I
java/lang/Integer reverseBytes(I)I
java/lang/Integer compareTo(Ljava/lang/Object;)I
java/lang/Integer <clinit>()V
class java/lang/Short java/lang/Number
java/lang/Short MIN_VALUE
java/lang/Short MAX_VALUE
java/lang/Short TYPE
java/lang/Short value
java/lang/Short SIZE

```

```

java/lang/Short serialVersionUID
java/lang/Short toString(S)Ljava/lang/String;
java/lang/Short parseShort(Ljava/lang/String;)S
java/lang/Short parseShort(Ljava/lang/String;I)S
java/lang/Short valueOf(Ljava/lang/String;I)Ljava/lang/Short;
java/lang/Short valueOf(Ljava/lang/String;)Ljava/lang/Short;
java/lang/Short valueOf(S)Ljava/lang/Short;
java/lang/Short decode(Ljava/lang/String;)Ljava/lang/Short;
java/lang/Short <init>(S)V
java/lang/Short <init>(Ljava/lang/String;)V
java/lang/Short
    byteValue()B
java/lang/Short shortValue()S
java/lang/Short intValue()I
java/lang/Short longValue()J
java/lang/Short floatValue()F
java/lang/Short doubleValue()D
java/lang/Short toString()Ljava/lang/String;
java/lang/Short hashCode()I
java/lang/Short equals(Ljava/lang/Object;)Z
java/lang/Short compareTo(Ljava/lang/Short;)I
java/lang/Short reverseBytes(S)S
java/lang/Short compareTo(Ljava/lang/Object;)I
java/lang/Short <clinit>()V
class java/lang/Byte java/lang/Number
java/lang/Byte MIN_VALUE
java/lang/Byte MAX_VALUE
java/lang/Byte TYPE
java/lang/Byte value
java/lang/Byte SIZE
java/lang/Byte serialVersionUID
java/lang/Byte toString(B)Ljava/lang/String;
java/lang/Byte valueOf(B)Ljava/lang/Byte;
java/lang/Byte parseByte(Ljava/lang/String;)B
java/lang/Byte parseByte(Ljava/lang/String;I)B
java/lang/Byte valueOf(Ljava/lang/String;I)Ljava/lang/Byte;
java/lang/Byte valueOf(Ljava/lang/String;)Ljava/lang/Byte;
java/lang/Byte decode(Ljava/lang/String;)Ljava/lang/Byte;
java/lang/Byte <init>(B)V
java/lang/Byte
    <init>(Ljava/lang/String;)V
java/lang/Byte byteValue()B
java/lang/Byte shortValue()S
java/lang/Byte intValue()I
java/lang/Byte longValue()J
java/lang/Byte floatValue()F
java/lang/Byte doubleValue()D
java/lang/Byte toString()Ljava/lang/String;

```

```

java/lang/Byte hashCode()I
java/lang/Byte equals(Ljava/lang/Object;)Z
java/lang/Byte compareTo(Ljava/lang/Byte;)I
java/lang/Byte compareTo(Ljava/lang/Object;)I
java/lang/Byte <clinit>()V
class java/lang/Double java/lang/Number
java/lang/Double POSITIVE_INFINITY
java/lang/Double NEGATIVE_INFINITY
java/lang/Double NaN
java/lang/Double MAX_VALUE
java/lang/Double MIN_VALUE
java/lang/Double SIZE
java/lang/Double TYPE
java/lang/Double value
java/lang/Double serialVersionUID
java/lang/Double toString(D)Ljava/lang/String;
java/lang/Double toHexString(D)Ljava/lang/String;
java/lang/Double valueOf(Ljava/lang/String;)Ljava/lang/Double;
java/lang/Double valueOf(D)Ljava/lang/Double;
java/lang/Double parseDouble(Ljava/lang/String;)D
java/lang/Double
    isNaN(D)Z
java/lang/Double isInfinite(D)Z
java/lang/Double <init>(D)V
java/lang/Double <init>(Ljava/lang/String;)V
java/lang/Double isNaN()Z
java/lang/Double isInfinite()Z
java/lang/Double toString()Ljava/lang/String;
java/lang/Double byteValue()B
java/lang/Double shortValue()S
java/lang/Double intValue()I
java/lang/Double longValue()J
java/lang/Double floatValue()F
java/lang/Double doubleValue()D
java/lang/Double hashCode()I
java/lang/Double equals(Ljava/lang/Object;)Z
java/lang/Double doubleToLongBits(D)J
java/lang/Double doubleToRawLongBits(D)J
java/lang/Double longBitsToDouble(J)D
java/lang/Double compareTo(Ljava/lang/Double;)I
java/lang/Double compare(DD)I
java/lang/Double compareTo(Ljava/lang/Object;)I
java/lang/Double <clinit>()V
class java/lang/Float java/lang/Number
java/lang/Float POSITIVE_INFINITY
java/lang/Float NEGATIVE_INFINITY
java/lang/Float NaN
java/lang/Float MAX_VALUE

```

```

java/lang/Float MIN_VALUE
java/lang/Float SIZE
java/lang/Float TYPE
java/lang/Float value
java/lang/Float
    serialVersionUID
java/lang/Float toString(F)Ljava/lang/String;
java/lang/Float toHexString(F)Ljava/lang/String;
java/lang/Float valueOf(Ljava/lang/String;)Ljava/lang/Float;
java/lang/Float valueOf(F)Ljava/lang/Float;
java/lang/Float parseFloat(Ljava/lang/String;)F
java/lang/Float isNaN(F)Z
java/lang/Float isInfinite(F)Z
java/lang/Float <init>(F)V
java/lang/Float <init>(D)V
java/lang/Float <init>(Ljava/lang/String;)V
java/lang/Float isNaN()Z
java/lang/Float isInfinite()Z
java/lang/Float toString()Ljava/lang/String;
java/lang/Float byteValue()B
java/lang/Float shortValue()S
java/lang/Float intValue()I
java/lang/Float longValue()J
java/lang/Float floatValue()F
java/lang/Float doubleValue()D
java/lang/Float hashCode()I
java/lang/Float equals(Ljava/lang/Object;)Z
java/lang/Float floatToIntBits(F)I
java/lang/Float floatToRawIntBits(F)I
java/lang/Float intBitsToFloat(I)F
java/lang/Float compareTo(Ljava/lang/Float;)I
java/lang/Float compare(FF)I
java/lang/Float compareTo(Ljava/lang/Object;)I
java/lang/Float
    <clinit>()V
class java/lang/Number java/lang/Object
java/lang/Number serialVersionUID
java/lang/Number <init>()V
java/lang/Number intValue()I
java/lang/Number longValue()J
java/lang/Number floatValue()F
java/lang/Number doubleValue()D
java/lang/Number byteValue()B
java/lang/Number shortValue()S
class java/lang/Character java/lang/Object
java/lang/Character MIN_RADIX
java/lang/Character MAX_RADIX
java/lang/Character MIN_VALUE

```

java/lang/Character MAX_VALUE
java/lang/Character TYPE
java/lang/Character UNASSIGNED
java/lang/Character UPPERCASE_LETTER
java/lang/Character LOWERCASE_LETTER
java/lang/Character TITLECASE_LETTER
java/lang/Character MODIFIER_LETTER
java/lang/Character OTHER_LETTER
java/lang/Character NON_SPACING_MARK
java/lang/Character ENCLOSING_MARK
java/lang/Character COMBINING_SPACING_MARK
java/lang/Character DECIMAL_DIGIT_NUMBER
java/lang/Character LETTER_NUMBER
java/lang/Character OTHER_NUMBER
java/lang/Character SPACE_SEPARATOR
java/lang/Character
 LINE_SEPARATOR
java/lang/Character PARAGRAPH_SEPARATOR
java/lang/Character CONTROL
java/lang/Character FORMAT
java/lang/Character PRIVATE_USE
java/lang/Character SURROGATE
java/lang/Character DASH_PUNCTUATION
java/lang/Character START_PUNCTUATION
java/lang/Character END_PUNCTUATION
java/lang/Character CONNECTOR_PUNCTUATION
java/lang/Character OTHER_PUNCTUATION
java/lang/Character MATH_SYMBOL
java/lang/Character CURRENCY_SYMBOL
java/lang/Character MODIFIER_SYMBOL
java/lang/Character OTHER_SYMBOL
java/lang/Character INITIAL_QUOTE_PUNCTUATION
java/lang/Character FINAL_QUOTE_PUNCTUATION
java/lang/Character ERROR
java/lang/Character DIRECTIONALITY_UNDEFINED
java/lang/Character DIRECTIONALITY_LEFT_TO_RIGHT
java/lang/Character DIRECTIONALITY_RIGHT_TO_LEFT
java/lang/Character DIRECTIONALITY_RIGHT_TO_LEFT_ARABIC
java/lang/Character DIRECTIONALITY_EUROPEAN_NUMBER
java/lang/Character DIRECTIONALITY_EUROPEAN_NUMBER_SEPARATOR
java/lang/Character DIRECTIONALITY_EUROPEAN_NUMBER_TERMINATOR
java/lang/Character
 DIRECTIONALITY_ARABIC_NUMBER
java/lang/Character DIRECTIONALITY_COMMON_NUMBER_SEPARATOR
java/lang/Character DIRECTIONALITY_NONSPACING_MARK
java/lang/Character DIRECTIONALITY_BOUNDARY_NEUTRAL
java/lang/Character DIRECTIONALITY_PARAGRAPH_SEPARATOR
java/lang/Character DIRECTIONALITY_SEGMENT_SEPARATOR

java/lang/Character DIRECTIONALITY_WHITESPACE
java/lang/Character DIRECTIONALITY_OTHER_NEUTRALS
java/lang/Character DIRECTIONALITY_LEFT_TO_RIGHT_EMBEDDING
java/lang/Character DIRECTIONALITY_LEFT_TO_RIGHT_OVERRIDE
java/lang/Character DIRECTIONALITY_RIGHT_TO_LEFT_EMBEDDING
java/lang/Character DIRECTIONALITY_RIGHT_TO_LEFT_OVERRIDE
java/lang/Character DIRECTIONALITY_POP_DIRECTIONAL_FORMAT
java/lang/Character MIN_HIGH_SURROGATE
java/lang/Character MAX_HIGH_SURROGATE
java/lang/Character MIN_LOW_SURROGATE
java/lang/Character MAX_LOW_SURROGATE
java/lang/Character MIN_SURROGATE
java/lang/Character MAX_SURROGATE
java/lang/Character MIN_SUPPLEMENTARY_CODE_POINT
java/lang/Character MIN_CODE_POINT
java/lang/Character
MAX_CODE_POINT
java/lang/Character value
java/lang/Character serialVersionUID
java/lang/Character FAST_PATH_MAX
java/lang/Character SIZE
java/lang/Character \$assertionsDisabled
java/lang/Character <init>(C)V
java/lang/Character valueOf(C)Ljava/lang/Character;
java/lang/Character charValue()C
java/lang/Character hashCode()I
java/lang/Character equals(Ljava/lang/Object;)Z
java/lang/Character toString()Ljava/lang/String;
java/lang/Character toString(C)Ljava/lang/String;
java/lang/Character getPlane()I
java/lang/Character isValidCodePoint(I)Z
java/lang/Character isSupplementaryCodePoint(I)Z
java/lang/Character isHighSurrogate(C)Z
java/lang/Character isLowSurrogate(C)Z
java/lang/Character isSurrogatePair(CC)Z
java/lang/Character charCount(I)I
java/lang/Character toCodePoint(CC)I
java/lang/Character codePointAt(Ljava/lang/CharSequence;I)I
java/lang/Character codePointAt([CI)I
java/lang/Character codePointAt([CII)I
java/lang/Character codePointAtImpl([CII)I
java/lang/Character
codePointBefore(Ljava/lang/CharSequence;I)I
java/lang/Character codePointBefore([CI)I
java/lang/Character codePointBefore([CII)I
java/lang/Character codePointBeforeImpl([CII)I
java/lang/Character toChars(I[CI)I
java/lang/Character toChars(I)[C


```

java/lang/Character toSurrogates(I[CI)V
java/lang/Character codePointCount(Ljava/lang/CharSequence;II)I
java/lang/Character codePointCount([CII)I
java/lang/Character codePointCountImpl([CII)I
java/lang/Character offsetByCodePoints(Ljava/lang/CharSequence;II)I
java/lang/Character offsetByCodePoints([CIII)I
java/lang/Character offsetByCodePointsImpl([CIII)I
java/lang/Character isLowerCase(C)Z
java/lang/Character isLowerCase(I)Z
java/lang/Character isUpperCase(C)Z
java/lang/Character isUpperCase(I)Z
java/lang/Character isTitleCase(C)Z
java/lang/Character isTitleCase(I)Z
java/lang/Character isDigit(C)Z
java/lang/Character isDigit(I)Z
java/lang/Character isDefined(C)Z
java/lang/Character isDefined(I)Z
java/lang/Character isLetter(C)Z
java/lang/Character
    isLetter(I)Z
java/lang/Character isLetterOrDigit(C)Z
java/lang/Character isLetterOrDigit(I)Z
java/lang/Character isJavaLetter(C)Z
java/lang/Character isJavaLetterOrDigit(C)Z
java/lang/Character isJavaIdentifierStart(C)Z
java/lang/Character isJavaIdentifierStart(I)Z
java/lang/Character isJavaIdentifierPart(C)Z
java/lang/Character isJavaIdentifierPart(I)Z
java/lang/Character isUnicodeIdentifierStart(C)Z
java/lang/Character isUnicodeIdentifierStart(I)Z
java/lang/Character isUnicodeIdentifierPart(C)Z
java/lang/Character isUnicodeIdentifierPart(I)Z
java/lang/Character isIdentifierIgnorable(C)Z
java/lang/Character isIdentifierIgnorable(I)Z
java/lang/Character toLowerCase(C)C
java/lang/Character toLowerCase(I)I
java/lang/Character toUpperCase(C)C
java/lang/Character toUpperCase(I)I
java/lang/Character toTitleCase(C)C
java/lang/Character toTitleCase(I)I
java/lang/Character digit(CI)I
java/lang/Character digit(II)I
java/lang/Character getNumericValue(C)I
java/lang/Character
    getNumericValue(I)I
java/lang/Character isSpace(C)Z
java/lang/Character isSpaceChar(C)Z
java/lang/Character isSpaceChar(I)Z

```

```

java/lang/Character isWhitespace(C)Z
java/lang/Character isWhitespace(I)Z
java/lang/Character isISOControl(C)Z
java/lang/Character isISOControl(I)Z
java/lang/Character getType(C)I
java/lang/Character getType(I)I
java/lang/Character forDigit(II)C
java/lang/Character getDirectionality(C)B
java/lang/Character getDirectionality(I)B
java/lang/Character isMirrored(C)Z
java/lang/Character isMirrored(I)Z
java/lang/Character compareTo(Ljava/lang/Character;)I
java/lang/Character toUpperCaseEx(I)I
java/lang/Character toUpperCaseCharArray(I)[C
java/lang/Character reverseBytes(C)C
java/lang/Character compareTo(Ljava/lang/Object;)I
java/lang/Character <clinit>()V
class java/lang/Boolean java/lang/Object
java/lang/Boolean TRUE
java/lang/Boolean FALSE
java/lang/Boolean TYPE
java/lang/Boolean value
java/lang/Boolean serialVersionUID
java/lang/Boolean <init>(Z)V
java/lang/Boolean
    <init>(Ljava/lang/String;)V
java/lang/Boolean parseBoolean(Ljava/lang/String;)Z
java/lang/Boolean booleanValue()Z
java/lang/Boolean valueOf(Z)Ljava/lang/Boolean;
java/lang/Boolean valueOf(Ljava/lang/String;)Ljava/lang/Boolean;
java/lang/Boolean toString(Z)Ljava/lang/String;
java/lang/Boolean toString()Ljava/lang/String;
java/lang/Boolean hashCode()I
java/lang/Boolean equals(Ljava/lang/Object;)Z
java/lang/Boolean getBoolean(Ljava/lang/String;)Z
java/lang/Boolean compareTo(Ljava/lang/Boolean;)I
java/lang/Boolean toBoolean(Ljava/lang/String;)Z
java/lang/Boolean compareTo(Ljava/lang/Object;)I
java/lang/Boolean <clinit>()V
class java/nio/Buffer java/lang/Object
java/nio/Buffer mark
java/nio/Buffer position
java/nio/Buffer limit
java/nio/Buffer capacity
java/nio/Buffer address
java/nio/Buffer <init>(III)V
java/nio/Buffer capacity()I
java/nio/Buffer position()I

```

```

java/nio/Buffer position(I)Ljava/nio/Buffer;
java/nio/Buffer limit(I)
java/nio/Buffer limit(I)Ljava/nio/Buffer;
java/nio/Buffer mark()Ljava/nio/Buffer;
java/nio/Buffer
    reset()Ljava/nio/Buffer;
java/nio/Buffer clear()Ljava/nio/Buffer;
java/nio/Buffer flip()Ljava/nio/Buffer;
java/nio/Buffer rewind()Ljava/nio/Buffer;
java/nio/Buffer remaining()I
java/nio/Buffer hasRemaining()Z
java/nio/Buffer isReadOnly()Z
java/nio/Buffer nextGetIndex()I
java/nio/Buffer nextGetIndex(I)I
java/nio/Buffer nextPutIndex()I
java/nio/Buffer nextPutIndex(I)I
java/nio/Buffer checkIndex(I)I
java/nio/Buffer checkIndex(II)I
java/nio/Buffer markValue()I
java/nio/Buffer checkBounds(III)V
class java/lang/StackTraceElement java/lang/Object
java/lang/StackTraceElement declaringClass
java/lang/StackTraceElement methodName
java/lang/StackTraceElement fileName
java/lang/StackTraceElement lineNumber
java/lang/StackTraceElement serialVersionUID
java/lang/StackTraceElement <init>(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;I)V
java/lang/StackTraceElement getFileName()Ljava/lang/String;
java/lang/StackTraceElement getLineNumber()I
java/lang/StackTraceElement
    getClassName()Ljava/lang/String;
java/lang/StackTraceElement getMethodName()Ljava/lang/String;
java/lang/StackTraceElement isNativeMethod()Z
java/lang/StackTraceElement toString()Ljava/lang/String;
java/lang/StackTraceElement equals(Ljava/lang/Object;)Z
java/lang/StackTraceElement eq(Ljava/lang/Object;Ljava/lang/Object;)Z
java/lang/StackTraceElement hashCode()I
class java/lang/StringBuffer java/lang/AbstractStringBuilder
java/lang/StringBuffer serialVersionUID
java/lang/StringBuffer serialPersistentFields
java/lang/StringBuffer <init>()V
java/lang/StringBuffer <init>(I)V
java/lang/StringBuffer <init>(Ljava/lang/String;)V
java/lang/StringBuffer <init>(Ljava/lang/CharSequence;)V
java/lang/StringBuffer length()I
java/lang/StringBuffer capacity()I
java/lang/StringBuffer ensureCapacity(I)V
java/lang/StringBuffer trimToSize()V

```

```

java/lang/StringBuffer setLength(I)V
java/lang/StringBuffer charAt(I)C
java/lang/StringBuffer codePointAt(I)I
java/lang/StringBuffer codePointBefore(I)I
java/lang/StringBuffer
    codePointCount(II)I
java/lang/StringBuffer offsetByCodePoints(II)I
java/lang/StringBuffer getChars(II[CI)V
java/lang/StringBuffer setCharAt(IC)V
java/lang/StringBuffer append(Ljava/lang/Object;)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(Ljava/lang/String;)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(Ljava/lang/StringBuffer;)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(Ljava/lang/CharSequence;)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(Ljava/lang/CharSequence;II)Ljava/lang/StringBuffer;
java/lang/StringBuffer append([C)Ljava/lang/StringBuffer;
java/lang/StringBuffer append([CII)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(Z)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(C)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(I)Ljava/lang/StringBuffer;
java/lang/StringBuffer appendCodePoint(I)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(J)Ljava/lang/StringBuffer;
java/lang/StringBuffer append(F)Ljava/lang/StringBuffer;
java/lang/StringBuffer
    append(D)Ljava/lang/StringBuffer;
java/lang/StringBuffer delete(II)Ljava/lang/StringBuffer;
java/lang/StringBuffer deleteCharAt(I)Ljava/lang/StringBuffer;
java/lang/StringBuffer replace(IILjava/lang/String;)Ljava/lang/StringBuffer;
java/lang/StringBuffer substring(I)Ljava/lang/String;
java/lang/StringBuffer subSequence(II)Ljava/lang/CharSequence;
java/lang/StringBuffer substring(II)Ljava/lang/String;
java/lang/StringBuffer insert(I[CI)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(ILjava/lang/Object;)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(ILjava/lang/String;)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert([C)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(ILjava/lang/CharSequence;)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(ILjava/lang/CharSequence;II)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(IZ)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(IC)Ljava/lang/StringBuffer;
java/lang/StringBuffer
    insert(II)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(IJ)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(IF)Ljava/lang/StringBuffer;
java/lang/StringBuffer insert(ID)Ljava/lang/StringBuffer;
java/lang/StringBuffer indexOf(Ljava/lang/String;)I
java/lang/StringBuffer indexOf(Ljava/lang/String;I)I
java/lang/StringBuffer lastIndexOf(Ljava/lang/String;)I
java/lang/StringBuffer lastIndexOf(Ljava/lang/String;I)I
java/lang/StringBuffer reverse()Ljava/lang/StringBuffer;

```

```

java/lang/StringBuffer toString()Ljava/lang/String;
java/lang/StringBuffer writeObject(Ljava/io/ObjectOutputStream;)V
java/lang/StringBuffer readObject(Ljava/io/ObjectInputStream;)V
java/lang/StringBuffer reverse()Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(ID)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(IF)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(IJ)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer
    insert(IC)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(IZ)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(ILjava/lang/CharSequence;II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(ILjava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(IFC)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(ILjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(ILjava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer insert(IFCII)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer replace(IIIjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer deleteCharAt(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer appendCodePoint(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer delete(II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(D)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer
    append(F)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(J)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(I)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(C)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Z)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append([CII)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append([C)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Ljava/lang/CharSequence;II)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Ljava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Ljava/lang/StringBuffer;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Ljava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(Ljava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/StringBuffer append(C)Ljava/lang/Appendable;
java/lang/StringBuffer append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/lang/StringBuffer
    append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
java/lang/StringBuffer <clinit>()V
class java/lang/AbstractStringBuilder java/lang/Object
java/lang/AbstractStringBuilder value
java/lang/AbstractStringBuilder count
java/lang/AbstractStringBuilder sizeTable
java/lang/AbstractStringBuilder <init>()V
java/lang/AbstractStringBuilder <init>(I)V
java/lang/AbstractStringBuilder length()I
java/lang/AbstractStringBuilder capacity()I

```

```

java/lang/AbstractStringBuilder ensureCapacity(I)V
java/lang/AbstractStringBuilder expandCapacity(I)V
java/lang/AbstractStringBuilder trimToSize()V
java/lang/AbstractStringBuilder setLength(I)V
java/lang/AbstractStringBuilder charAt(I)C
java/lang/AbstractStringBuilder codePointAt(I)I
java/lang/AbstractStringBuilder codePointBefore(I)I
java/lang/AbstractStringBuilder codePointCount(II)I
java/lang/AbstractStringBuilder offsetByCodePoints(II)I
java/lang/AbstractStringBuilder getChars(II[CI)V
java/lang/AbstractStringBuilder
    setCharAt(IC)V
java/lang/AbstractStringBuilder append(Ljava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(Ljava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(Ljava/lang/StringBuffer;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(Ljava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(Ljava/lang/CharSequence;II)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append([C)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append([CII)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(Z)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(C)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(I)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder stringSizeOfInt(I)I
java/lang/AbstractStringBuilder append(J)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder
    stringSizeOfLong(J)I
java/lang/AbstractStringBuilder append(F)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder append(D)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder delete(II)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder appendCodePoint(I)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder deleteCharAt(I)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder replace(IIIjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder substring(I)Ljava/lang/String;
java/lang/AbstractStringBuilder subSequence(II)Ljava/lang/CharSequence;
java/lang/AbstractStringBuilder substring(II)Ljava/lang/String;
java/lang/AbstractStringBuilder insert([CII)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(ILjava/lang/Object;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(ILjava/lang/String;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder
    insert([C)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(ILjava/lang/CharSequence;)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(ILjava/lang/CharSequence;II)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(IZ)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(IC)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(II)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(IJ)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(IF)Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder insert(ID)Ljava/lang/AbstractStringBuilder;

```

```

java/lang/AbstractStringBuilder indexOf(Ljava/lang/String;)I
java/lang/AbstractStringBuilder indexOf(Ljava/lang/String;I)I
java/lang/AbstractStringBuilder lastIndexOf(Ljava/lang/String;)I
java/lang/AbstractStringBuilder lastIndexOf(Ljava/lang/String;I)I
java/lang/AbstractStringBuilder
    reverse()Ljava/lang/AbstractStringBuilder;
java/lang/AbstractStringBuilder toString()Ljava/lang/String;
java/lang/AbstractStringBuilder getValue()[C
java/lang/AbstractStringBuilder append(C)Ljava/lang/Appendable;
java/lang/AbstractStringBuilder append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/lang/AbstractStringBuilder append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
java/lang/AbstractStringBuilder <clinit>()V
class java/lang/Appendable java/lang/Object
java/lang/Appendable append(Ljava/lang/CharSequence;)Ljava/lang/Appendable;
java/lang/Appendable append(Ljava/lang/CharSequence;II)Ljava/lang/Appendable;
java/lang/Appendable append(C)Ljava/lang/Appendable;
class java/util/Vector java/util/AbstractList
java/util/Vector elementData
java/util/Vector elementCount
java/util/Vector capacityIncrement
java/util/Vector serialVersionUID
java/util/Vector <init>(II)V
java/util/Vector <init>(I)V
java/util/Vector <init>()V
java/util/Vector
    <init>(Ljava/util/Collection;)V
java/util/Vector copyInto([Ljava/lang/Object;)V
java/util/Vector trimToSize()V
java/util/Vector ensureCapacity(I)V
java/util/Vector ensureCapacityHelper(I)V
java/util/Vector setSize(I)V
java/util/Vector capacity()I
java/util/Vector size()I
java/util/Vector isEmpty()Z
java/util/Vector elements()Ljava/util/Enumeration;
java/util/Vector contains(Ljava/lang/Object;)Z
java/util/Vector indexOf(Ljava/lang/Object;)I
java/util/Vector indexOf(Ljava/lang/Object;I)I
java/util/Vector lastIndexOf(Ljava/lang/Object;)I
java/util/Vector lastIndexOf(Ljava/lang/Object;I)I
java/util/Vector elementAt(I)Ljava/lang/Object;
java/util/Vector firstElement()Ljava/lang/Object;
java/util/Vector lastElement()Ljava/lang/Object;
java/util/Vector setElementAt(Ljava/lang/Object;I)V
java/util/Vector removeElementAt(I)V
java/util/Vector insertElementAt(Ljava/lang/Object;I)V
java/util/Vector addElement(Ljava/lang/Object;)V
java/util/Vector removeElement(Ljava/lang/Object;)Z

```

```

java/util/Vector
    removeAllElements()V
java/util/Vector clone()Ljava/lang/Object;
java/util/Vector toArray()[Ljava/lang/Object;
java/util/Vector toArray([Ljava/lang/Object;)Ljava/lang/Object;
java/util/Vector get(I)Ljava/lang/Object;
java/util/Vector set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/Vector add(Ljava/lang/Object;)Z
java/util/Vector remove(Ljava/lang/Object;)Z
java/util/Vector add(ILjava/lang/Object;)V
java/util/Vector remove(I)Ljava/lang/Object;
java/util/Vector clear()V
java/util/Vector containsAll(Ljava/util/Collection;)Z
java/util/Vector addAll(Ljava/util/Collection;)Z
java/util/Vector removeAll(Ljava/util/Collection;)Z
java/util/Vector retainAll(Ljava/util/Collection;)Z
java/util/Vector addAll(ILjava/util/Collection;)Z
java/util/Vector equals(Ljava/lang/Object;)Z
java/util/Vector hashCode()I
java/util/Vector toString()Ljava/lang/String;
java/util/Vector subList(II)Ljava/util/List;
java/util/Vector removeRange(II)V
java/util/Vector writeObject(Ljava/io/ObjectOutputStream;)V
class
    java/util/AbstractList java/util/AbstractCollection
java/util/AbstractList modCount
java/util/AbstractList <init>()V
java/util/AbstractList add(Ljava/lang/Object;)Z
java/util/AbstractList get(I)Ljava/lang/Object;
java/util/AbstractList set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/AbstractList add(ILjava/lang/Object;)V
java/util/AbstractList remove(I)Ljava/lang/Object;
java/util/AbstractList indexOf(Ljava/lang/Object;)I
java/util/AbstractList lastIndexOf(Ljava/lang/Object;)I
java/util/AbstractList clear()V
java/util/AbstractList addAll(ILjava/util/Collection;)Z
java/util/AbstractList iterator()Ljava/util/Iterator;
java/util/AbstractList listIterator()Ljava/util/ListIterator;
java/util/AbstractList listIterator(I)Ljava/util/ListIterator;
java/util/AbstractList subList(II)Ljava/util/List;
java/util/AbstractList equals(Ljava/lang/Object;)Z
java/util/AbstractList hashCode()I
java/util/AbstractList removeRange(II)V
class java/util/AbstractCollection java/lang/Object
java/util/AbstractCollection
    <init>()V
java/util/AbstractCollection iterator()Ljava/util/Iterator;
java/util/AbstractCollection size()I

```



```

java/util/AbstractCollection isEmpty()Z
java/util/AbstractCollection contains(Ljava/lang/Object;)Z
java/util/AbstractCollection toArray()[Ljava/lang/Object;
java/util/AbstractCollection toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/AbstractCollection add(Ljava/lang/Object;)Z
java/util/AbstractCollection remove(Ljava/lang/Object;)Z
java/util/AbstractCollection containsAll(Ljava/util/Collection;)Z
java/util/AbstractCollection addAll(Ljava/util/Collection;)Z
java/util/AbstractCollection removeAll(Ljava/util/Collection;)Z
java/util/AbstractCollection retainAll(Ljava/util/Collection;)Z
java/util/AbstractCollection clear()V
java/util/AbstractCollection toString()Ljava/lang/String;
class java/util/RandomAccess java/lang/Object
class java/util/List java/lang/Object
java/util/List size()I
java/util/List isEmpty()Z
java/util/List contains(Ljava/lang/Object;)Z
java/util/List
    iterator()Ljava/util/Iterator;
java/util/List toArray()[Ljava/lang/Object;
java/util/List toArray([Ljava/lang/Object;)[Ljava/lang/Object;
java/util/List add(Ljava/lang/Object;)Z
java/util/List remove(Ljava/lang/Object;)Z
java/util/List containsAll(Ljava/util/Collection;)Z
java/util/List addAll(Ljava/util/Collection;)Z
java/util/List addAll(ILjava/util/Collection;)Z
java/util/List removeAll(Ljava/util/Collection;)Z
java/util/List retainAll(Ljava/util/Collection;)Z
java/util/List clear()V
java/util/List equals(Ljava/lang/Object;)Z
java/util/List hashCode()I
java/util/List get(I)Ljava/lang/Object;
java/util/List set(ILjava/lang/Object;)Ljava/lang/Object;
java/util/List add(ILjava/lang/Object;)V
java/util/List remove(I)Ljava/lang/Object;
java/util/List indexOf(Ljava/lang/Object;)I
java/util/List lastIndexOf(Ljava/lang/Object;)I
java/util/List listIterator()Ljava/util/ListIterator;
java/util/List listIterator(I)Ljava/util/ListIterator;
java/util/List subList(II)Ljava/util/List;
class
    java/util/Collection java/lang/Object
java/util/Collection size()I
java/util/Collection isEmpty()Z
java/util/Collection contains(Ljava/lang/Object;)Z
java/util/Collection iterator()Ljava/util/Iterator;
java/util/Collection toArray()[Ljava/lang/Object;
java/util/Collection toArray([Ljava/lang/Object;)[Ljava/lang/Object;

```

```

java/util/Collection add(Ljava/lang/Object;)Z
java/util/Collection remove(Ljava/lang/Object;)Z
java/util/Collection containsAll(Ljava/util/Collection;)Z
java/util/Collection addAll(Ljava/util/Collection;)Z
java/util/Collection removeAll(Ljava/util/Collection;)Z
java/util/Collection retainAll(Ljava/util/Collection;)Z
java/util/Collection clear()V
java/util/Collection equals(Ljava/lang/Object;)Z
java/util/Collection hashCode()I
class java/lang/Iterable java/lang/Object
java/lang/Iterable iterator()Ljava/util/Iterator;
class java/lang/reflect/Constructor java/lang/reflect/AccessibleObject
java/lang/reflect/Constructor clazz
java/lang/reflect/Constructor slot
java/lang/reflect/Constructor
    parameterTypes
java/lang/reflect/Constructor exceptionTypes
java/lang/reflect/Constructor modifiers
java/lang/reflect/Constructor signature
java/lang/reflect/Constructor genericInfo
java/lang/reflect/Constructor annotations
java/lang/reflect/Constructor parameterAnnotations
java/lang/reflect/Constructor constructorAccessor
java/lang/reflect/Constructor root
java/lang/reflect/Constructor EMPTY_ANNOTATION_ARRAY
java/lang/reflect/Constructor declaredAnnotations
java/lang/reflect/Constructor getFactory()Lsun/reflect/generics/factory/GenericsFactory;
java/lang/reflect/Constructor getGenericInfo()Lsun/reflect/generics/repository/ConstructorRepository;
java/lang/reflect/Constructor
    <init>(Ljava/lang/Class;[Ljava/lang/Class;[Ljava/lang/Class;IILjava/lang/String;[B[B)V
java/lang/reflect/Constructor copy()Ljava/lang/reflect/Constructor;
java/lang/reflect/Constructor getDeclaringClass()Ljava/lang/Class;
java/lang/reflect/Constructor getName()Ljava/lang/String;
java/lang/reflect/Constructor
    getModifiers()I
java/lang/reflect/Constructor getTypeParameters()[Ljava/lang/reflect/TypeVariable;
java/lang/reflect/Constructor getParameterTypes()[Ljava/lang/Class;
java/lang/reflect/Constructor getGenericParameterTypes()[Ljava/lang/reflect/Type;
java/lang/reflect/Constructor getExceptionTypes()[Ljava/lang/Class;
java/lang/reflect/Constructor getGenericExceptionTypes()[Ljava/lang/reflect/Type;
java/lang/reflect/Constructor equals(Ljava/lang/Object;)Z
java/lang/reflect/Constructor hashCode()I
java/lang/reflect/Constructor toString()Ljava/lang/String;
java/lang/reflect/Constructor toGenericString()Ljava/lang/String;
java/lang/reflect/Constructor newInstance([Ljava/lang/Object;)Ljava/lang/Object;
java/lang/reflect/Constructor isVarArgs()Z
java/lang/reflect/Constructor isSynthetic()Z
java/lang/reflect/Constructor acquireConstructorAccessor()V

```

```

java/lang/reflect/Constructor getConstructorAccessor()Ljava/lang/reflect/ConstructorAccessor;
java/lang/reflect/Constructor setConstructorAccessor(Ljava/lang/reflect/ConstructorAccessor;)V
java/lang/reflect/Constructor
    getSlot()I
java/lang/reflect/Constructor getSignature()Ljava/lang/String;
java/lang/reflect/Constructor getRawAnnotations()[Ljava/lang/reflect/Annotation;
java/lang/reflect/Constructor getRawParameterAnnotations()[Ljava/lang/reflect/Annotation;
java/lang/reflect/Constructor getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/reflect/Constructor getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/Constructor declaredAnnotations()Ljava/util/Map;
java/lang/reflect/Constructor getParameterAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/Constructor <clinit>()V
class java/lang/reflect/Method java/lang/reflect/AccessibleObject
java/lang/reflect/Method clazz
java/lang/reflect/Method slot
java/lang/reflect/Method name
java/lang/reflect/Method returnType
java/lang/reflect/Method parameterTypes
java/lang/reflect/Method exceptionTypes
java/lang/reflect/Method modifiers
java/lang/reflect/Method signature
java/lang/reflect/Method
    genericInfo
java/lang/reflect/Method annotations
java/lang/reflect/Method parameterAnnotations
java/lang/reflect/Method annotationDefault
java/lang/reflect/Method methodAccessor
java/lang/reflect/Method root
java/lang/reflect/Method securityCheckTargetClassCache
java/lang/reflect/Method EMPTY_ANNOTATION_ARRAY
java/lang/reflect/Method declaredAnnotations
java/lang/reflect/Method getGenericSignature()Ljava/lang/String;
java/lang/reflect/Method getFactory()Ljava/lang/reflect/GenericsFactory;
java/lang/reflect/Method getGenericInfo()Ljava/lang/reflect/MethodRepository;
java/lang/reflect/Method
    <init>(Ljava/lang/Class;Ljava/lang/String;[Ljava/lang/Class;Ljava/lang/Class;[Ljava/lang/Class;IILjava/lang/String;
    [B[B[B)V
java/lang/reflect/Method copy()Ljava/lang/reflect/Method;
java/lang/reflect/Method getDeclaringClass()Ljava/lang/Class;
java/lang/reflect/Method getName()Ljava/lang/String;
java/lang/reflect/Method getModifiers()I
java/lang/reflect/Method
    getTypeParameters()[Ljava/lang/reflect/TypeVariable;
java/lang/reflect/Method getReturnType()Ljava/lang/Class;
java/lang/reflect/Method getGenericReturnType()Ljava/lang/reflect/Type;
java/lang/reflect/Method getParameterTypes()[Ljava/lang/Class;
java/lang/reflect/Method getGenericParameterTypes()[Ljava/lang/reflect/Type;
java/lang/reflect/Method getExceptionTypes()[Ljava/lang/Class;

```

```

java/lang/reflect/Method getGenericExceptionTypes()[Ljava/lang/reflect/Type;
java/lang/reflect/Method equals(Ljava/lang/Object;)Z
java/lang/reflect/Method hashCode()I
java/lang/reflect/Method toString()Ljava/lang/String;
java/lang/reflect/Method toGenericString()Ljava/lang/String;
java/lang/reflect/Method invoke(Ljava/lang/Object;[Ljava/lang/Object;)Ljava/lang/Object;
java/lang/reflect/Method isBridge()Z
java/lang/reflect/Method isVarArgs()Z
java/lang/reflect/Method isSynthetic()Z
java/lang/reflect/Method acquireMethodAccessor()V
java/lang/reflect/Method getMethodAccessor()Lsun/reflect/MethodAccessor;
java/lang/reflect/Method
    setMethodAccessor(Lsun/reflect/MethodAccessor;)V
java/lang/reflect/Method getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/reflect/Method getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/Method declaredAnnotations()Ljava/util/Map;
java/lang/reflect/Method getDefaultValue()Ljava/lang/Object;
java/lang/reflect/Method getParameterAnnotations()[[Ljava/lang/annotation/Annotation;
java/lang/reflect/Method <clinit>()V
class java/lang/reflect/Field java/lang/reflect/AccessibleObject
java/lang/reflect/Field clazz
java/lang/reflect/Field slot
java/lang/reflect/Field name
java/lang/reflect/Field type
java/lang/reflect/Field modifiers
java/lang/reflect/Field signature
java/lang/reflect/Field genericInfo
java/lang/reflect/Field annotations
java/lang/reflect/Field fieldAccessor
java/lang/reflect/Field overrideFieldAccessor
java/lang/reflect/Field root
java/lang/reflect/Field securityCheckTargetClassCache
java/lang/reflect/Field
    EMPTY_ANNOTATION_ARRAY
java/lang/reflect/Field declaredAnnotations
java/lang/reflect/Field getGenericSignature()Ljava/lang/String;
java/lang/reflect/Field getFactory()Lsun/reflect/generics/factory/GenericsFactory;
java/lang/reflect/Field getGenericInfo()Lsun/reflect/generics/repository/FieldRepository;
java/lang/reflect/Field <init>(Ljava/lang/Class;Ljava/lang/String;Ljava/lang/Class;III)Ljava/lang/String;[B)V
java/lang/reflect/Field copy()Ljava/lang/reflect/Field;
java/lang/reflect/Field getDeclaringClass()Ljava/lang/Class;
java/lang/reflect/Field getName()Ljava/lang/String;
java/lang/reflect/Field getModifiers()I
java/lang/reflect/Field isEnumConstant()Z
java/lang/reflect/Field isSynthetic()Z
java/lang/reflect/Field getType()Ljava/lang/Class;
java/lang/reflect/Field getGenericType()Ljava/lang/reflect/Type;
java/lang/reflect/Field equals(Ljava/lang/Object;)Z

```

```

java/lang/reflect/Field hashCode()I
java/lang/reflect/Field toString()Ljava/lang/String;
java/lang/reflect/Field toGenericString()Ljava/lang/String;
java/lang/reflect/Field
    get(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/reflect/Field getBoolean(Ljava/lang/Object;)Z
java/lang/reflect/Field getByte(Ljava/lang/Object;)B
java/lang/reflect/Field getChar(Ljava/lang/Object;)C
java/lang/reflect/Field getShort(Ljava/lang/Object;)S
java/lang/reflect/Field getInt(Ljava/lang/Object;)I
java/lang/reflect/Field getLong(Ljava/lang/Object;)J
java/lang/reflect/Field getFloat(Ljava/lang/Object;)F
java/lang/reflect/Field getDouble(Ljava/lang/Object;)D
java/lang/reflect/Field set(Ljava/lang/Object;Ljava/lang/Object;)V
java/lang/reflect/Field setBoolean(Ljava/lang/Object;Z)V
java/lang/reflect/Field setByte(Ljava/lang/Object;B)V
java/lang/reflect/Field setChar(Ljava/lang/Object;C)V
java/lang/reflect/Field setShort(Ljava/lang/Object;S)V
java/lang/reflect/Field setInt(Ljava/lang/Object;I)V
java/lang/reflect/Field setLong(Ljava/lang/Object;J)V
java/lang/reflect/Field setFloat(Ljava/lang/Object;F)V
java/lang/reflect/Field
    setDouble(Ljava/lang/Object;D)V
java/lang/reflect/Field getFieldAccessor(Ljava/lang/Object;)Lsun/reflect/FieldAccessor;
java/lang/reflect/Field acquireFieldAccessor(Z)Lsun/reflect/FieldAccessor;
java/lang/reflect/Field getFieldAccessor(Z)Lsun/reflect/FieldAccessor;
java/lang/reflect/Field setFieldAccessor(Lsun/reflect/FieldAccessor;Z)V
java/lang/reflect/Field doSecurityCheck(Ljava/lang/Object;)V
java/lang/reflect/Field getTypeName(Ljava/lang/Class;)Ljava/lang/String;
java/lang/reflect/Field getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/reflect/Field getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/Field declaredAnnotations()Ljava/util/Map;
java/lang/reflect/Field <clinit>()V
class java/lang/reflect/Member java/lang/Object
java/lang/reflect/Member PUBLIC
java/lang/reflect/Member DECLARED
java/lang/reflect/Member getDeclaringClass()Ljava/lang/Class;
java/lang/reflect/Member getName()Ljava/lang/String;
java/lang/reflect/Member getModifiers()I
java/lang/reflect/Member
    isSynthetic()Z
class java/lang/reflect/AccessibleObject java/lang/Object
java/lang/reflect/AccessibleObject ACCESS_PERMISSION
java/lang/reflect/AccessibleObject securityCheckCache
java/lang/reflect/AccessibleObject override
java/lang/reflect/AccessibleObject reflectionFactory
java/lang/reflect/AccessibleObject setAccessible([Ljava/lang/reflect/AccessibleObject;Z)V
java/lang/reflect/AccessibleObject setAccessible(Z)V

```

```

java/lang/reflect/AccessibleObject setAccessible0(Ljava/lang/reflect/AccessibleObject;Z)V
java/lang/reflect/AccessibleObject isAccessible()Z
java/lang/reflect/AccessibleObject <init>()V
java/lang/reflect/AccessibleObject getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/reflect/AccessibleObject isAnnotationPresent(Ljava/lang/Class;)Z
java/lang/reflect/AccessibleObject getAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/AccessibleObject getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/AccessibleObject
    <clinit>()V
class java/util/Properties java/util/Hashtable
java/util/Properties serialVersionUID
java/util/Properties defaults
java/util/Properties hexDigit
java/util/Properties <init>()V
java/util/Properties <init>(Ljava/util/Properties;)V
java/util/Properties setProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/Object;
java/util/Properties load(Ljava/io/InputStream;)V
java/util/Properties loadConvert([CII[C)Ljava/lang/String;
java/util/Properties saveConvert(Ljava/lang/String;Z)Ljava/lang/String;
java/util/Properties save(Ljava/io/OutputStream;Ljava/lang/String;)V
java/util/Properties store(Ljava/io/OutputStream;Ljava/lang/String;)V
java/util/Properties writeln(Ljava/io/BufferedWriter;Ljava/lang/String;)V
java/util/Properties loadFromXML(Ljava/io/InputStream;)V
java/util/Properties storeToXML(Ljava/io/OutputStream;Ljava/lang/String;)V
java/util/Properties storeToXML(Ljava/io/OutputStream;Ljava/lang/String;Ljava/lang/String;)V
java/util/Properties
    getProperty(Ljava/lang/String;)Ljava/lang/String;
java/util/Properties getProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/util/Properties propertyNames()Ljava/util/Enumeration;
java/util/Properties list(Ljava/io/PrintStream;)V
java/util/Properties list(Ljava/io/PrintWriter;)V
java/util/Properties enumerate(Ljava/util/Hashtable;)V
java/util/Properties toHex(I)C
java/util/Properties <clinit>()V
class java/util/Hashtable java/util/Dictionary
java/util/Hashtable table
java/util/Hashtable count
java/util/Hashtable threshold
java/util/Hashtable loadFactor
java/util/Hashtable modCount
java/util/Hashtable serialVersionUID
java/util/Hashtable keySet
java/util/Hashtable entrySet
java/util/Hashtable values
java/util/Hashtable KEYS
java/util/Hashtable VALUES
java/util/Hashtable ENTRIES
java/util/Hashtable emptyEnumerator

```

```

java/util/Hashtable emptyIterator
java/util/Hashtable <init>(IF)V
java/util/Hashtable <init>(I)V
java/util/Hashtable <init>()V
java/util/Hashtable <init>(Ljava/util/Map;)V
java/util/Hashtable
    size()I
java/util/Hashtable isEmpty()Z
java/util/Hashtable keys()Ljava/util/Enumeration;
java/util/Hashtable elements()Ljava/util/Enumeration;
java/util/Hashtable contains(Ljava/lang/Object;)Z
java/util/Hashtable containsValue(Ljava/lang/Object;)Z
java/util/Hashtable containsKey(Ljava/lang/Object;)Z
java/util/Hashtable get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Hashtable rehash()V
java/util/Hashtable put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Hashtable remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Hashtable putAll(Ljava/util/Map;)V
java/util/Hashtable clear()V
java/util/Hashtable clone()Ljava/lang/Object;
java/util/Hashtable toString()Ljava/lang/String;
java/util/Hashtable getEnumeration(I)Ljava/util/Enumeration;
java/util/Hashtable getIterator(I)Ljava/util/Iterator;
java/util/Hashtable keySet()Ljava/util/Set;
java/util/Hashtable entrySet()Ljava/util/Set;
java/util/Hashtable values()Ljava/util/Collection;
java/util/Hashtable
    equals(Ljava/lang/Object;)Z
java/util/Hashtable hashCode()I
java/util/Hashtable writeObject(Ljava/io/ObjectOutputStream;)V
java/util/Hashtable readObject(Ljava/io/ObjectInputStream;)V
java/util/Hashtable reconstitutionPut(Ljava/lang/Object;Ljava/lang/Object;)V
java/util/Hashtable access$100(Ljava/util/Hashtable;I)Ljava/util/Iterator;
java/util/Hashtable access$200(Ljava/util/Hashtable;)I
java/util/Hashtable access$400(Ljava/util/Hashtable;)[Ljava/util/Hashtable$Entry;
java/util/Hashtable access$508(Ljava/util/Hashtable;)I
java/util/Hashtable access$210(Ljava/util/Hashtable;)I
java/util/Hashtable access$500(Ljava/util/Hashtable;)I
java/util/Hashtable <clinit>()V
class java/util/Dictionary java/lang/Object
java/util/Dictionary <init>()V
java/util/Dictionary size()I
java/util/Dictionary isEmpty()Z
java/util/Dictionary keys()Ljava/util/Enumeration;
java/util/Dictionary elements()Ljava/util/Enumeration;
java/util/Dictionary get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Dictionary

```

```

    put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Dictionary remove(Ljava/lang/Object;)Ljava/lang/Object;
class java/util/Map java/lang/Object
java/util/Map size()I
java/util/Map isEmpty()Z
java/util/Map containsKey(Ljava/lang/Object;)Z
java/util/Map containsValue(Ljava/lang/Object;)Z
java/util/Map get(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Map put(Ljava/lang/Object;Ljava/lang/Object;)Ljava/lang/Object;
java/util/Map remove(Ljava/lang/Object;)Ljava/lang/Object;
java/util/Map putAll(Ljava/util/Map;)V
java/util/Map clear()V
java/util/Map keySet()Ljava/util/Set;
java/util/Map values()Ljava/util/Collection;
java/util/Map entrySet()Ljava/util/Set;
java/util/Map equals(Ljava/lang/Object;)Z
java/util/Map hashCode()I
class java/lang/ThreadGroup java/lang/Object
java/lang/ThreadGroup parent
java/lang/ThreadGroup name
java/lang/ThreadGroup maxPriority
java/lang/ThreadGroup destroyed
java/lang/ThreadGroup daemon
java/lang/ThreadGroup vmAllowSuspension
java/lang/ThreadGroup
    nUnstartedThreads
java/lang/ThreadGroup nthreads
java/lang/ThreadGroup threads
java/lang/ThreadGroup ngroups
java/lang/ThreadGroup groups
java/lang/ThreadGroup <init>()V
java/lang/ThreadGroup <init>(Ljava/lang/String;)V
java/lang/ThreadGroup <init>(Ljava/lang/ThreadGroup;Ljava/lang/String;)V
java/lang/ThreadGroup getName()Ljava/lang/String;
java/lang/ThreadGroup getParent()Ljava/lang/ThreadGroup;
java/lang/ThreadGroup getMaxPriority()I
java/lang/ThreadGroup isDaemon()Z
java/lang/ThreadGroup isDestroyed()Z
java/lang/ThreadGroup setDaemon(Z)V
java/lang/ThreadGroup setMaxPriority(I)V
java/lang/ThreadGroup parentOf(Ljava/lang/ThreadGroup;)Z
java/lang/ThreadGroup checkAccess()V
java/lang/ThreadGroup activeCount()I
java/lang/ThreadGroup enumerate([Ljava/lang/Thread;)I
java/lang/ThreadGroup enumerate([Ljava/lang/Thread;Z)I
java/lang/ThreadGroup enumerate([Ljava/lang/Thread;IZ)I
java/lang/ThreadGroup activeGroupCount()I
java/lang/ThreadGroup enumerate([Ljava/lang/ThreadGroup;)I

```



```

java/lang/ThreadGroup
    enumerate([Ljava/lang/ThreadGroup;Z)I
java/lang/ThreadGroup enumerate([Ljava/lang/ThreadGroup;IZ)I
java/lang/ThreadGroup stop()V
java/lang/ThreadGroup interrupt()V
java/lang/ThreadGroup suspend()V
java/lang/ThreadGroup stopOrSuspend(Z)Z
java/lang/ThreadGroup resume()V
java/lang/ThreadGroup destroy()V
java/lang/ThreadGroup add(Ljava/lang/ThreadGroup;)V
java/lang/ThreadGroup remove(Ljava/lang/ThreadGroup;)V
java/lang/ThreadGroup addUnstarted()V
java/lang/ThreadGroup add(Ljava/lang/Thread;)V
java/lang/ThreadGroup remove(Ljava/lang/Thread;)V
java/lang/ThreadGroup list()V
java/lang/ThreadGroup list(Ljava/io/PrintStream;I)V
java/lang/ThreadGroup uncaughtException(Ljava/lang/Thread;Ljava/lang/Throwable;)V
java/lang/ThreadGroup allowThreadSuspension(Z)Z
java/lang/ThreadGroup toString()Ljava/lang/String;
class java/lang/Thread$UncaughtExceptionHandler java/lang/Object
java/lang/Thread$UncaughtExceptionHandler uncaughtException(Ljava/lang/Thread;Ljava/lang/Throwable;)V
class
    java/lang/Thread java/lang/Object
java/lang/Thread name
java/lang/Thread priority
java/lang/Thread threadQ
java/lang/Thread eetop
java/lang/Thread started
java/lang/Thread single_step
java/lang/Thread daemon
java/lang/Thread stillborn
java/lang/Thread target
java/lang/Thread group
java/lang/Thread contextClassLoader
java/lang/Thread inheritedAccessControlContext
java/lang/Thread threadInitNumber
java/lang/Thread threadLocals
java/lang/Thread inheritableThreadLocals
java/lang/Thread stackSize
java/lang/Thread tid
java/lang/Thread threadSeqNumber
java/lang/Thread threadStatus
java/lang/Thread blocker
java/lang/Thread blockerLock
java/lang/Thread MIN_PRIORITY
java/lang/Thread NORM_PRIORITY
java/lang/Thread MAX_PRIORITY
java/lang/Thread EMPTY_STACK_TRACE

```

java/lang/Thread SUBCLASS_IMPLEMENTATION_PERMISSION
java/lang/Thread subclassAudits
java/lang/Thread uncaughtExceptionHandler
java/lang/Thread defaultUncaughtExceptionHandler
java/lang/Thread registerNatives()V
java/lang/Thread
 nextThreadNum()I
java/lang/Thread nextThreadID()J
java/lang/Thread blockedOn(Lsun/nio/ch/Interruptible;)V
java/lang/Thread currentThread()Ljava/lang/Thread;
java/lang/Thread yield()V
java/lang/Thread sleep(J)V
java/lang/Thread sleep(JI)V
java/lang/Thread init(Ljava/lang/ThreadGroup;Ljava/lang/Runnable;Ljava/lang/String;)V
java/lang/Thread <init>()V
java/lang/Thread <init>(Ljava/lang/Runnable;)V
java/lang/Thread <init>(Ljava/lang/ThreadGroup;Ljava/lang/Runnable;)V
java/lang/Thread <init>(Ljava/lang/String;)V
java/lang/Thread <init>(Ljava/lang/ThreadGroup;Ljava/lang/String;)V
java/lang/Thread <init>(Ljava/lang/Runnable;Ljava/lang/String;)V
java/lang/Thread <init>(Ljava/lang/ThreadGroup;Ljava/lang/Runnable;Ljava/lang/String;)V
java/lang/Thread <init>(Ljava/lang/ThreadGroup;Ljava/lang/Runnable;Ljava/lang/String;J)V
java/lang/Thread start()V
java/lang/Thread start0()V
java/lang/Thread run()V
java/lang/Thread exit()V
java/lang/Thread stop()V
java/lang/Thread stop(Ljava/lang/Throwable;)V
java/lang/Thread
 interrupt()V
java/lang/Thread interrupted()Z
java/lang/Thread isInterrupted()Z
java/lang/Thread isInterrupted(Z)Z
java/lang/Thread destroy()V
java/lang/Thread isAlive()Z
java/lang/Thread suspend()V
java/lang/Thread resume()V
java/lang/Thread setPriority(I)V
java/lang/Thread getPriority()I
java/lang/Thread setName(Ljava/lang/String;)V
java/lang/Thread getName()Ljava/lang/String;
java/lang/Thread getThreadGroup()Ljava/lang/ThreadGroup;
java/lang/Thread activeCount()I
java/lang/Thread enumerate([Ljava/lang/Thread;)I
java/lang/Thread countStackFrames()I
java/lang/Thread join(J)V
java/lang/Thread join(JI)V
java/lang/Thread join()V

```

java/lang/Thread dumpStack()V
java/lang/Thread setDaemon(Z)V
java/lang/Thread isDaemon()Z
java/lang/Thread checkAccess()V
java/lang/Thread toString()Ljava/lang/String;
java/lang/Thread getContextClassLoader()Ljava/lang/ClassLoader;
java/lang/Thread setContextClassLoader(Ljava/lang/ClassLoader;)V
java/lang/Thread holdsLock(Ljava/lang/Object;)Z
java/lang/Thread
    getStackTrace()[Ljava/lang/StackTraceElement;
java/lang/Thread getAllStackTraces()Ljava/util/Map;
java/lang/Thread isCCLOverridden(Ljava/lang/Class;)Z
java/lang/Thread auditSubclass(Ljava/lang/Class;)Z
java/lang/Thread dumpThreads([Ljava/lang/Thread;)[Ljava/lang/StackTraceElement;
java/lang/Thread getThreads()Ljava/lang/Thread;
java/lang/Thread getId()J
java/lang/Thread getState()Ljava/lang/Thread$State;
java/lang/Thread setDefaultUncaughtExceptionHandler(Ljava/lang/Thread$UncaughtExceptionHandler;)V
java/lang/Thread getDefaultUncaughtExceptionHandler()Ljava/lang/Thread$UncaughtExceptionHandler;
java/lang/Thread getUncaughtExceptionHandler()Ljava/lang/Thread$UncaughtExceptionHandler;
java/lang/Thread setUncaughtExceptionHandler(Ljava/lang/Thread$UncaughtExceptionHandler;)V
java/lang/Thread dispatchUncaughtException(Ljava/lang/Throwable;)V
java/lang/Thread setPriority0(I)V
java/lang/Thread stop0(Ljava/lang/Object;)V
java/lang/Thread suspend0()V
java/lang/Thread resume0()V
java/lang/Thread
    interrupt0()V
java/lang/Thread <clinit>()V
class java/lang/Runnable java/lang/Object
java/lang/Runnable run()V
class java/lang/ref/Finalizer java/lang/ref/FinalReference
java/lang/ref/Finalizer queue
java/lang/ref/Finalizer unfinalized
java/lang/ref/Finalizer lock
java/lang/ref/Finalizer next
java/lang/ref/Finalizer prev
java/lang/ref/Finalizer invokeFinalizeMethod(Ljava/lang/Object;)V
java/lang/ref/Finalizer hasBeenFinalized()Z
java/lang/ref/Finalizer add()V
java/lang/ref/Finalizer remove()V
java/lang/ref/Finalizer <init>(Ljava/lang/Object;)V
java/lang/ref/Finalizer register(Ljava/lang/Object;)V
java/lang/ref/Finalizer runFinalizer()V
java/lang/ref/Finalizer forkSecondaryFinalizer(Ljava/lang/Runnable;)V
java/lang/ref/Finalizer runFinalization()V
java/lang/ref/Finalizer runAllFinalizers()V
java/lang/ref/Finalizer access$000(Ljava/lang/ref/ReferenceQueue;

```

```

java/lang/ref/Finalizer access$100(Ljava/lang/ref/Finalizer;)V
java/lang/ref/Finalizer access$200()Ljava/lang/Object;
java/lang/ref/Finalizer
    access$300()Ljava/lang/ref/Finalizer;
java/lang/ref/Finalizer access$302(Ljava/lang/ref/Finalizer;)Ljava/lang/ref/Finalizer;
java/lang/ref/Finalizer access$400(Ljava/lang/ref/Finalizer;)Ljava/lang/ref/Finalizer;
java/lang/ref/Finalizer <clinit>()V
class java/lang/ref/PhantomReference java/lang/ref/Reference
java/lang/ref/PhantomReference get()Ljava/lang/Object;
java/lang/ref/PhantomReference <init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;)V
class java/lang/ref/FinalReference java/lang/ref/Reference
java/lang/ref/FinalReference <init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;)V
class java/lang/ref/WeakReference java/lang/ref/Reference
java/lang/ref/WeakReference <init>(Ljava/lang/Object;)V
java/lang/ref/WeakReference <init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;)V
class java/lang/ref/SoftReference java/lang/ref/Reference
java/lang/ref/SoftReference clock
java/lang/ref/SoftReference timestamp
java/lang/ref/SoftReference <init>(Ljava/lang/Object;)V
java/lang/ref/SoftReference
    <init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;)V
java/lang/ref/SoftReference get()Ljava/lang/Object;
class java/lang/ref/Reference java/lang/Object
java/lang/ref/Reference referent
java/lang/ref/Reference queue
java/lang/ref/Reference next
java/lang/ref/Reference discovered
java/lang/ref/Reference lock
java/lang/ref/Reference pending
java/lang/ref/Reference get()Ljava/lang/Object;
java/lang/ref/Reference clear()V
java/lang/ref/Reference isEnqueued()Z
java/lang/ref/Reference enqueue()Z
java/lang/ref/Reference <init>(Ljava/lang/Object;)V
java/lang/ref/Reference <init>(Ljava/lang/Object;Ljava/lang/ref/ReferenceQueue;)V
java/lang/ref/Reference access$100()Ljava/lang/ref/Reference$Lock;
java/lang/ref/Reference access$200()Ljava/lang/ref/Reference;
java/lang/ref/Reference access$202(Ljava/lang/ref/Reference;)Ljava/lang/ref/Reference;
java/lang/ref/Reference <clinit>()V
class java/lang/StackOverflowError java/lang/VirtualMachineError
java/lang/StackOverflowError
    <init>()V
java/lang/StackOverflowError <init>(Ljava/lang/String;)V
class java/lang/OutOfMemoryError java/lang/VirtualMachineError
java/lang/OutOfMemoryError <init>()V
java/lang/OutOfMemoryError <init>(Ljava/lang/String;)V
class java/lang/VirtualMachineError java/lang/Error
java/lang/VirtualMachineError <init>()V

```

```

java/lang/VirtualMachineError <init>(Ljava/lang/String;)V
class java/lang/ArrayStoreException java/lang/RuntimeException
java/lang/ArrayStoreException <init>()V
java/lang/ArrayStoreException <init>(Ljava/lang/String;)V
class java/lang/ClassCastException java/lang/RuntimeException
java/lang/ClassCastException <init>()V
java/lang/ClassCastException <init>(Ljava/lang/String;)V
class java/lang/NoClassDefFoundError java/lang/LinkageError
java/lang/NoClassDefFoundError <init>()V
java/lang/NoClassDefFoundError <init>(Ljava/lang/String;)V
class java/lang/LinkageError java/lang/Error
java/lang/LinkageError <init>()V
java/lang/LinkageError <init>(Ljava/lang/String;)V
class
  java/lang/ClassNotFoundException java/lang/Exception
  java/lang/ClassNotFoundException serialVersionUID
  java/lang/ClassNotFoundException ex
  java/lang/ClassNotFoundException <init>()V
  java/lang/ClassNotFoundException <init>(Ljava/lang/String;)V
  java/lang/ClassNotFoundException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
  java/lang/ClassNotFoundException getException()Ljava/lang/Throwable;
  java/lang/ClassNotFoundException getCause()Ljava/lang/Throwable;
class java/security/AccessControlContext java/lang/Object
java/security/AccessControlContext context
java/security/AccessControlContext isPrivileged
java/security/AccessControlContext privilegedContext
java/security/AccessControlContext combiner
java/security/AccessControlContext debugInit
java/security/AccessControlContext debug
java/security/AccessControlContext getDebug()Lsun/security/util/Debug;
java/security/AccessControlContext <init>([Ljava/security/ProtectionDomain;)V
java/security/AccessControlContext
  <init>(Ljava/security/AccessControlContext;Ljava/security/DomainCombiner;)V
java/security/AccessControlContext
  <init>([Ljava/security/ProtectionDomain;Z)V
java/security/AccessControlContext isPrivileged()Z
java/security/AccessControlContext getDomainCombiner()Ljava/security/DomainCombiner;
java/security/AccessControlContext checkPermission(Ljava/security/Permission;)V
java/security/AccessControlContext optimize()Ljava/security/AccessControlContext;
java/security/AccessControlContext
  goCombiner([Ljava/security/ProtectionDomain;Ljava/security/AccessControlContext;)Ljava/security/AccessControlContext;
java/security/AccessControlContext equals(Ljava/lang/Object;)Z
java/security/AccessControlContext containsAllPDs(Ljava/security/AccessControlContext;)Z
java/security/AccessControlContext hashCode()I
java/security/AccessControlContext <clinit>()V
class java/security/ProtectionDomain java/lang/Object
java/security/ProtectionDomain codesource

```

```

java/security/ProtectionDomain classloader
java/security/ProtectionDomain
    principals
java/security/ProtectionDomain permissions
java/security/ProtectionDomain staticPermissions
java/security/ProtectionDomain debug
java/security/ProtectionDomain <init>(Ljava/security/CodeSource;Ljava/security/PermissionCollection;)V
java/security/ProtectionDomain
    <init>(Ljava/security/CodeSource;Ljava/security/PermissionCollection;Ljava/lang/ClassLoader;[Ljava/security/Principal;)V
java/security/ProtectionDomain getCodeSource()Ljava/security/CodeSource;
java/security/ProtectionDomain getClassLoader()Ljava/lang/ClassLoader;
java/security/ProtectionDomain getPrincipals()[Ljava/security/Principal;
java/security/ProtectionDomain getPermissions()Ljava/security/PermissionCollection;
java/security/ProtectionDomain implies(Ljava/security/Permission;)Z
java/security/ProtectionDomain toString()Ljava/lang/String;
java/security/ProtectionDomain seeAllp()Z
java/security/ProtectionDomain mergePermissions()Ljava/security/PermissionCollection;
java/security/ProtectionDomain <clinit>()V
class
    java/lang/RuntimeException java/lang/Exception
java/lang/RuntimeException serialVersionUID
java/lang/RuntimeException <init>()V
java/lang/RuntimeException <init>(Ljava/lang/String;)V
java/lang/RuntimeException <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/RuntimeException <init>(Ljava/lang/Throwable;)V
class java/lang/Exception java/lang/Throwable
java/lang/Exception serialVersionUID
java/lang/Exception <init>()V
java/lang/Exception <init>(Ljava/lang/String;)V
java/lang/Exception <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/Exception <init>(Ljava/lang/Throwable;)V
class java/lang/ThreadDeath java/lang/Error
java/lang/ThreadDeath <init>()V
class java/lang/Error java/lang/Throwable
java/lang/Error serialVersionUID
java/lang/Error <init>()V
java/lang/Error <init>(Ljava/lang/String;)V
java/lang/Error <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/Error <init>(Ljava/lang/Throwable;)V
class java/lang/Throwable java/lang/Object
java/lang/Throwable serialVersionUID
java/lang/Throwable
    backtrack
java/lang/Throwable detailMessage
java/lang/Throwable cause
java/lang/Throwable stackTrace
java/lang/Throwable <init>()V

```

```

java/lang/Throwable <init>(Ljava/lang/String;)V
java/lang/Throwable <init>(Ljava/lang/String;Ljava/lang/Throwable;)V
java/lang/Throwable <init>(Ljava/lang/Throwable;)V
java/lang/Throwable getMessage()Ljava/lang/String;
java/lang/Throwable getLocalizedMessage()Ljava/lang/String;
java/lang/Throwable getCause()Ljava/lang/Throwable;
java/lang/Throwable initCause(Ljava/lang/Throwable;)Ljava/lang/Throwable;
java/lang/Throwable toString()Ljava/lang/String;
java/lang/Throwable printStackTrace()V
java/lang/Throwable printStackTrace(Ljava/io/PrintStream;)V
java/lang/Throwable printStackTraceAsCause(Ljava/io/PrintStream;[Ljava/lang/StackTraceElement;)V
java/lang/Throwable printStackTrace(Ljava/io/PrintWriter;)V
java/lang/Throwable printStackTraceAsCause(Ljava/io/PrintWriter;[Ljava/lang/StackTraceElement;)V
java/lang/Throwable fillInStackTrace()Ljava/lang/Throwable;
java/lang/Throwable
    getStackTrace()[Ljava/lang/StackTraceElement;
java/lang/Throwable getOurStackTrace()[Ljava/lang/StackTraceElement;
java/lang/Throwable setStackTrace([Ljava/lang/StackTraceElement;)V
java/lang/Throwable getStackTraceDepth()I
java/lang/Throwable getStackTraceElement(I)Ljava/lang/StackTraceElement;
java/lang/Throwable writeObject(Ljava/io/ObjectOutputStream;)V
class java/lang/System java/lang/Object
java/lang/System in
java/lang/System out
java/lang/System err
java/lang/System security
java/lang/System props
java/lang/System registerNatives()V
java/lang/System <init>()V
java/lang/System setIn(Ljava/io/InputStream;)V
java/lang/System setOut(Ljava/io/PrintStream;)V
java/lang/System setErr(Ljava/io/PrintStream;)V
java/lang/System inheritedChannel()Ljava/nio/channels/Channel;
java/lang/System checkIO()V
java/lang/System setIn0(Ljava/io/InputStream;)V
java/lang/System setOut0(Ljava/io/PrintStream;)V
java/lang/System setErr0(Ljava/io/PrintStream;)V
java/lang/System
    setSecurityManager(Ljava/lang/SecurityManager;)V
java/lang/System setSecurityManager0(Ljava/lang/SecurityManager;)V
java/lang/System getSecurityManager()Ljava/lang/SecurityManager;
java/lang/System currentTimeMillis()J
java/lang/System nanoTime()J
java/lang/System arraycopy(Ljava/lang/Object;ILjava/lang/Object;II)V
java/lang/System identityHashCode(Ljava/lang/Object;)I
java/lang/System initProperties(Ljava/util/Properties;)Ljava/util/Properties;
java/lang/System getProperties()Ljava/util/Properties;
java/lang/System setProperties(Ljava/util/Properties;)V

```

```

java/lang/System getProperty(Ljava/lang/String;)Ljava/lang/String;
java/lang/System getProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/lang/System setProperty(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/lang/System clearProperty(Ljava/lang/String;)Ljava/lang/String;
java/lang/System checkKey(Ljava/lang/String;)V
java/lang/System getenv(Ljava/lang/String;)Ljava/lang/String;
java/lang/System
    getenv(Ljava/util/Map;
java/lang/System exit(I)V
java/lang/System gc()V
java/lang/System runFinalization()V
java/lang/System runFinalizersOnExit(Z)V
java/lang/System load(Ljava/lang/String;)V
java/lang/System loadLibrary(Ljava/lang/String;)V
java/lang/System mapLibraryName(Ljava/lang/String;)Ljava/lang/String;
java/lang/System nullInputStream(Ljava/io/InputStream;
java/lang/System nullPrintStream(Ljava/io/PrintStream;
java/lang/System initializeSystemClass()V
java/lang/System getCallerClass(Ljava/lang/Class;
java/lang/System <clinit>()V
class java/lang/ClassLoader java/lang/Object
java/lang/ClassLoader initialized
java/lang/ClassLoader parent
java/lang/ClassLoader package2certs
java/lang/ClassLoader nocerts
java/lang/ClassLoader classes
java/lang/ClassLoader domains
java/lang/ClassLoader packages
java/lang/ClassLoader bootstrapClassPath
java/lang/ClassLoader scl
java/lang/ClassLoader sclSet
java/lang/ClassLoader defaultDomain
java/lang/ClassLoader loadedLibraryNames
java/lang/ClassLoader
    systemNativeLibraries
java/lang/ClassLoader nativeLibraries
java/lang/ClassLoader nativeLibraryContext
java/lang/ClassLoader usr_paths
java/lang/ClassLoader sys_paths
java/lang/ClassLoader defaultAssertionStatus
java/lang/ClassLoader packageAssertionStatus
java/lang/ClassLoader classAssertionStatus
java/lang/ClassLoader registerNatives()V
java/lang/ClassLoader addClass(Ljava/lang/Class;)V
java/lang/ClassLoader <init>(Ljava/lang/ClassLoader;)V
java/lang/ClassLoader <init>()V
java/lang/ClassLoader loadClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader loadClass(Ljava/lang/String;Z)Ljava/lang/Class;

```



```

java/lang/ClassLoader loadClassInternal(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader checkPackageAccess(Ljava/lang/Class;Ljava/security/ProtectionDomain;)V
java/lang/ClassLoader findClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader defineClass([BII)Ljava/lang/Class;
java/lang/ClassLoader defineClass(Ljava/lang/String;[BII)Ljava/lang/Class;
java/lang/ClassLoader
    preDefineClass(Ljava/lang/String;Ljava/security/ProtectionDomain;)Ljava/security/ProtectionDomain;
java/lang/ClassLoader defineClassSourceLocation(Ljava/security/ProtectionDomain;)Ljava/lang/String;
java/lang/ClassLoader
    defineTransformedClass(Ljava/lang/String;[BIILjava/security/ProtectionDomain;Ljava/lang/ClassFormatError;Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader postDefineClass(Ljava/lang/Class;Ljava/security/ProtectionDomain;)V
java/lang/ClassLoader defineClass(Ljava/lang/String;[BIILjava/security/ProtectionDomain;)Ljava/lang/Class;
java/lang/ClassLoader
    defineClass(Ljava/lang/String;Ljava/nio/ByteBuffer;Ljava/security/ProtectionDomain;)Ljava/lang/Class;
java/lang/ClassLoader defineClass0(Ljava/lang/String;[BIILjava/security/ProtectionDomain;)Ljava/lang/Class;
java/lang/ClassLoader
    defineClass1(Ljava/lang/String;[BIILjava/security/ProtectionDomain;Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader
    defineClass2(Ljava/lang/String;Ljava/nio/ByteBuffer;IILjava/security/ProtectionDomain;Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader
    checkName(Ljava/lang/String;)Z
java/lang/ClassLoader checkCerts(Ljava/lang/String;Ljava/security/CodeSource;)V
java/lang/ClassLoader compareCerts([Ljava/security/cert/Certificate;Ljava/security/cert/Certificate;)Z
java/lang/ClassLoader resolveClass(Ljava/lang/Class;)V
java/lang/ClassLoader resolveClass0(Ljava/lang/Class;)V
java/lang/ClassLoader findSystemClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader findBootstrapClass0(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader findBootstrapClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader check()V
java/lang/ClassLoader findLoadedClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader findLoadedClass0(Ljava/lang/String;)Ljava/lang/Class;
java/lang/ClassLoader setSigners(Ljava/lang/Class;[Ljava/lang/Object;)V
java/lang/ClassLoader getResource(Ljava/lang/String;)Ljava/net/URL;
java/lang/ClassLoader
    getResources(Ljava/lang/String;)Ljava/util/Enumeration;
java/lang/ClassLoader findResource(Ljava/lang/String;)Ljava/net/URL;
java/lang/ClassLoader findResources(Ljava/lang/String;)Ljava/util/Enumeration;
java/lang/ClassLoader getSystemResource(Ljava/lang/String;)Ljava/net/URL;
java/lang/ClassLoader getSystemResources(Ljava/lang/String;)Ljava/util/Enumeration;
java/lang/ClassLoader getBootstrapResource(Ljava/lang/String;)Ljava/net/URL;
java/lang/ClassLoader getBootstrapResources(Ljava/lang/String;)Ljava/util/Enumeration;
java/lang/ClassLoader getBootstrapClassPath()Ljava/lang/String;
java/lang/ClassLoader getResourceAsStream(Ljava/lang/String;)Ljava/io/InputStream;
java/lang/ClassLoader getSystemResourceAsStream(Ljava/lang/String;)Ljava/io/InputStream;
java/lang/ClassLoader getParent()Ljava/lang/ClassLoader;
java/lang/ClassLoader getSystemClassLoader()Ljava/lang/ClassLoader;

```

```

java/lang/ClassLoader initSystemClassLoader()V
java/lang/ClassLoader isAncestor(Ljava/lang/ClassLoader;)Z
java/lang/ClassLoader
    getCallerClassLoader(Ljava/lang/ClassLoader;
java/lang/ClassLoader
    definePackage(Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/String;Ljava/lang/
g/String;Ljava/lang/String;Ljava/net/URL;)Ljava/lang/Package;
java/lang/ClassLoader getPackage(Ljava/lang/String;)Ljava/lang/Package;
java/lang/ClassLoader getPackages()[Ljava/lang/Package;
java/lang/ClassLoader findLibrary(Ljava/lang/String;)Ljava/lang/String;
java/lang/ClassLoader getDefaultDomain()Ljava/security/ProtectionDomain;
java/lang/ClassLoader initializePath(Ljava/lang/String;)[Ljava/lang/String;
java/lang/ClassLoader loadLibrary(Ljava/lang/Class;Ljava/lang/String;Z)V
java/lang/ClassLoader loadLibrary0(Ljava/lang/Class;Ljava/io/File;)Z
java/lang/ClassLoader findNative(Ljava/lang/ClassLoader;Ljava/lang/String;)J
java/lang/ClassLoader setDefaultAssertionStatus(Z)V
java/lang/ClassLoader setPackageAssertionStatus(Ljava/lang/String;Z)V
java/lang/ClassLoader setClassAssertionStatus(Ljava/lang/String;Z)V
java/lang/ClassLoader
    clearAssertionStatus()V
java/lang/ClassLoader desiredAssertionStatus(Ljava/lang/String;)Z
java/lang/ClassLoader initializeJavaAssertionMaps()V
java/lang/ClassLoader retrieveDirectives()Ljava/lang/AssertionStatusDirectives;
java/lang/ClassLoader access$000()Ljava/util/Vector;
java/lang/ClassLoader access$100()Ljava/util/Stack;
java/lang/ClassLoader <clinit>()V
class java/lang/Cloneable java/lang/Object
class java/lang/Class java/lang/Object
java/lang/Class ANNOTATION
java/lang/Class ENUM
java/lang/Class SYNTHETIC
java/lang/Class cachedConstructor
java/lang/Class newInstanceCallerCache
java/lang/Class name
java/lang/Class allPermDomain
java/lang/Class useCaches
java/lang/Class declaredFields
java/lang/Class publicFields
java/lang/Class declaredMethods
java/lang/Class publicMethods
java/lang/Class declaredConstructors
java/lang/Class publicConstructors
java/lang/Class declaredPublicFields
java/lang/Class declaredPublicMethods
java/lang/Class
    classRedefinedCount
java/lang/Class lastRedefinedCount
java/lang/Class genericInfo

```

```

java/lang/Class serialVersionUID
java/lang/Class serialPersistentFields
java/lang/Class reflectionFactory
java/lang/Class init
java/lang/Class enumConstants
java/lang/Class enumConstantDirectory
java/lang/Class EMPTY_ANNOTATIONS_ARRAY
java/lang/Class annotations
java/lang/Class declaredAnnotations
java/lang/Class annotationType
java/lang/Class registerNatives()V
java/lang/Class <init>()V
java/lang/Class toString()Ljava/lang/String;
java/lang/Class forName(Ljava/lang/String;)Ljava/lang/Class;
java/lang/Class forName(Ljava/lang/String;ZLjava/lang/ClassLoader;)Ljava/lang/Class;
java/lang/Class forName0(Ljava/lang/String;ZLjava/lang/ClassLoader;)Ljava/lang/Class;
java/lang/Class newInstance()Ljava/lang/Object;
java/lang/Class newInstance0(Ljava/lang/Object;
java/lang/Class isInstance(Ljava/lang/Object;)Z
java/lang/Class isAssignableFrom(Ljava/lang/Class;)Z
java/lang/Class isInterface()Z
java/lang/Class
    isArray()Z
java/lang/Class isPrimitive()Z
java/lang/Class isAnnotation()Z
java/lang/Class isSynthetic()Z
java/lang/Class getName()Ljava/lang/String;
java/lang/Class getName0()Ljava/lang/String;
java/lang/Class getClassLoader()Ljava/lang/ClassLoader;
java/lang/Class getClassLoader0()Ljava/lang/ClassLoader;
java/lang/Class getTypeParameters()[Ljava/lang/reflect/TypeVariable;
java/lang/Class getSuperclass()Ljava/lang/Class;
java/lang/Class getGenericSuperclass()Ljava/lang/reflect/Type;
java/lang/Class getPackage()Ljava/lang/Package;
java/lang/Class getInterfaces()[Ljava/lang/Class;
java/lang/Class getGenericInterfaces()[Ljava/lang/reflect/Type;
java/lang/Class getComponentType()Ljava/lang/Class;
java/lang/Class getModifiers()I
java/lang/Class getSigners()[Ljava/lang/Object;
java/lang/Class setSigners([Ljava/lang/Object;)V
java/lang/Class getEnclosingMethod()Ljava/lang/reflect/Method;
java/lang/Class getEnclosingMethod0()Ljava/lang/Object;
java/lang/Class getEnclosingMethodInfo()Ljava/lang/Class$EnclosingMethodInfo;
java/lang/Class
    toClass(Ljava/lang/reflect/Type;)Ljava/lang/Class;
java/lang/Class getEnclosingConstructor()Ljava/lang/reflect/Constructor;
java/lang/Class getDeclaringClass()Ljava/lang/Class;
java/lang/Class getEnclosingClass()Ljava/lang/Class;

```

```

java/lang/Class getSimpleName()Ljava/lang/String;
java/lang/Class isAsciiDigit(C)Z
java/lang/Class getCanonicalName()Ljava/lang/String;
java/lang/Class isAnonymousClass()Z
java/lang/Class isLocalClass()Z
java/lang/Class isMemberClass()Z
java/lang/Class getSimpleBinaryName()Ljava/lang/String;
java/lang/Class isLocalOrAnonymousClass()Z
java/lang/Class getClasses()[Ljava/lang/Class;
java/lang/Class getFields()[Ljava/lang/reflect/Field;
java/lang/Class getMethods()[Ljava/lang/reflect/Method;
java/lang/Class getConstructors()[Ljava/lang/reflect/Constructor;
java/lang/Class getField(Ljava/lang/String;)Ljava/lang/reflect/Field;
java/lang/Class getMethod(Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/lang/Class
    getConstructor([Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/lang/Class getDeclaredClasses()[Ljava/lang/Class;
java/lang/Class getDeclaredFields()[Ljava/lang/reflect/Field;
java/lang/Class getDeclaredMethods()[Ljava/lang/reflect/Method;
java/lang/Class getDeclaredConstructors()[Ljava/lang/reflect/Constructor;
java/lang/Class getDeclaredField(Ljava/lang/String;)Ljava/lang/reflect/Field;
java/lang/Class getDeclaredMethod(Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/lang/Class getDeclaredConstructor([Ljava/lang/Class;)Ljava/lang/reflect/Constructor;
java/lang/Class getResourceAsStream(Ljava/lang/String;)Ljava/io/InputStream;
java/lang/Class getResource(Ljava/lang/String;)Ljava/net/URL;
java/lang/Class getProtectionDomain()Ljava/security/ProtectionDomain;
java/lang/Class getProtectionDomain0()Ljava/security/ProtectionDomain;
java/lang/Class setProtectionDomain0(Ljava/security/ProtectionDomain;)V
java/lang/Class getPrimitiveClass(Ljava/lang/String;)Ljava/lang/Class;
java/lang/Class
    checkMemberAccess(ILjava/lang/ClassLoader;)V
java/lang/Class resolveName(Ljava/lang/String;)Ljava/lang/String;
java/lang/Class clearCachesOnClassRedefinition()V
java/lang/Class getGenericSignature()Ljava/lang/String;
java/lang/Class getFactory()Lsun/reflect/generics/factory/GenericsFactory;
java/lang/Class getGenericInfo()Lsun/reflect/generics/repository/ClassRepository;
java/lang/Class getRawAnnotations()[B
java/lang/Class getConstantPool()Lsun/reflect/ConstantPool;
java/lang/Class privateGetDeclaredFields(Z)[Ljava/lang/reflect/Field;
java/lang/Class privateGetPublicFields(Ljava/util/Set;)[Ljava/lang/reflect/Field;
java/lang/Class addAll(Ljava/util/Collection;[Ljava/lang/reflect/Field;)V
java/lang/Class privateGetDeclaredConstructors(Z)[Ljava/lang/reflect/Constructor;
java/lang/Class privateGetDeclaredMethods(Z)[Ljava/lang/reflect/Method;
java/lang/Class privateGetPublicMethods()[Ljava/lang/reflect/Method;
java/lang/Class searchFields([Ljava/lang/reflect/Field;Ljava/lang/String;)Ljava/lang/reflect/Field;
java/lang/Class
    getField0(Ljava/lang/String;)Ljava/lang/reflect/Field;
java/lang/Class

```

```

searchMethods([Ljava/lang/reflect/Method;Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/lang/Class getMethod0(Ljava/lang/String;[Ljava/lang/Class;)Ljava/lang/reflect/Method;
java/lang/Class getConstructor0([Ljava/lang/Class;I)Ljava/lang/reflect/Constructor;
java/lang/Class arrayContentsEq([Ljava/lang/Object;[Ljava/lang/Object;)Z
java/lang/Class copyFields([Ljava/lang/reflect/Field;)[Ljava/lang/reflect/Field;
java/lang/Class copyMethods([Ljava/lang/reflect/Method;)[Ljava/lang/reflect/Method;
java/lang/Class copyConstructors([Ljava/lang/reflect/Constructor;)[Ljava/lang/reflect/Constructor;
java/lang/Class getDeclaredFields0(Z)[Ljava/lang/reflect/Field;
java/lang/Class getDeclaredMethods0(Z)[Ljava/lang/reflect/Method;
java/lang/Class getDeclaredConstructors0(Z)[Ljava/lang/reflect/Constructor;
java/lang/Class getDeclaredClasses0()[Ljava/lang/Class;
java/lang/Class
    argumentTypesToString([Ljava/lang/Class;)Ljava/lang/String;
java/lang/Class desiredAssertionStatus()Z
java/lang/Class desiredAssertionStatus0(Ljava/lang/Class;)Z
java/lang/Class isEnum()Z
java/lang/Class getReflectionFactory()Lsun/reflect/ReflectionFactory;
java/lang/Class checkInitted()V
java/lang/Class getEnumConstants()[Ljava/lang/Object;
java/lang/Class enumConstantDirectory()Ljava/util/Map;
java/lang/Class cast(Ljava/lang/Object;)Ljava/lang/Object;
java/lang/Class asSubclass(Ljava/lang/Class;)Ljava/lang/Class;
java/lang/Class getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/Class isAnnotationPresent(Ljava/lang/Class;)Z
java/lang/Class getAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/Class getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/Class initAnnotationsIfNecessary()V
java/lang/Class setAnnotationType(Lsun/reflect/annotation/AnnotationType;)V
java/lang/Class getAnnotationType()Lsun/reflect/annotation/AnnotationType;
java/lang/Class
    access$100([Ljava/lang/Object;[Ljava/lang/Object;)Z
java/lang/Class access$202(Z)Z
java/lang/Class access$302(Z)Z
java/lang/Class <clinit>()V
class java/lang/reflect/AnnotatedElement java/lang/Object
java/lang/reflect/AnnotatedElement isAnnotationPresent(Ljava/lang/Class;)Z
java/lang/reflect/AnnotatedElement getAnnotation(Ljava/lang/Class;)Ljava/lang/annotation/Annotation;
java/lang/reflect/AnnotatedElement getAnnotations()[Ljava/lang/annotation/Annotation;
java/lang/reflect/AnnotatedElement getDeclaredAnnotations()[Ljava/lang/annotation/Annotation;
class java/lang/reflect/Type java/lang/Object
class java/lang/reflect/GenericDeclaration java/lang/Object
java/lang/reflect/GenericDeclaration getTypeParameters()[Ljava/lang/reflect/TypeVariable;
class java/lang/String java/lang/Object
java/lang/String value
java/lang/String offset
java/lang/String count
java/lang/String hash
java/lang/String serialVersionUID

```

```

java/lang/String
  serialPersistentFields
java/lang/String CASE_INSENSITIVE_ORDER
java/lang/String <init>()V
java/lang/String <init>(Ljava/lang/String;)V
java/lang/String <init>([C)V
java/lang/String <init>([CII)V
java/lang/String <init>([III)V
java/lang/String <init>([BIII)V
java/lang/String <init>([BII)V
java/lang/String checkBounds([BII)V
java/lang/String <init>([BIIILjava/lang/String;)V
java/lang/String <init>([BILjava/lang/String;)V
java/lang/String <init>([BII)V
java/lang/String <init>([B)V
java/lang/String <init>(Ljava/lang/StringBuffer;)V
java/lang/String <init>(Ljava/lang/StringBuilder;)V
java/lang/String <init>([C)V
java/lang/String length()I
java/lang/String charAt(I)C
java/lang/String codePointAt(I)I
java/lang/String codePointBefore(I)I
java/lang/String codePointCount(II)I
java/lang/String offsetByCodePoints(II)I
java/lang/String getChars([CI)V
java/lang/String getChars(II[CI)V
java/lang/String getBytes(II[B)V
java/lang/String getBytes(Ljava/lang/String;)B
java/lang/String getBytes()[B
java/lang/String
  equals(Ljava/lang/Object;)Z
java/lang/String contentEquals(Ljava/lang/StringBuffer;)Z
java/lang/String contentEquals(Ljava/lang/CharSequence;)Z
java/lang/String equalsIgnoreCase(Ljava/lang/String;)Z
java/lang/String compareTo(Ljava/lang/String;)I
java/lang/String compareToIgnoreCase(Ljava/lang/String;)I
java/lang/String regionMatches(ILjava/lang/String;II)Z
java/lang/String regionMatches(ZILjava/lang/String;II)Z
java/lang/String startsWith(Ljava/lang/String;)Z
java/lang/String startsWith(Ljava/lang/String;)Z
java/lang/String endsWith(Ljava/lang/String;)Z
java/lang/String hashCode()I
java/lang/String indexOf(I)I
java/lang/String indexOf(II)I
java/lang/String lastIndexOf(I)I
java/lang/String lastIndexOf(II)I
java/lang/String indexOf(Ljava/lang/String;)I
java/lang/String indexOf(Ljava/lang/String;I)I

```

```

java/lang/String indexOf([CII[CIII)I
java/lang/String lastIndexOf(Ljava/lang/String;)I
java/lang/String lastIndexOf(Ljava/lang/String;)I
java/lang/String lastIndexOf([CII[CIII)I
java/lang/String
    substring(I)Ljava/lang/String;
java/lang/String substring(II)Ljava/lang/String;
java/lang/String subSequence(II)Ljava/lang/CharSequence;
java/lang/String concat(Ljava/lang/String;)Ljava/lang/String;
java/lang/String replace(CC)Ljava/lang/String;
java/lang/String matches(Ljava/lang/String;)Z
java/lang/String contains(Ljava/lang/CharSequence;)Z
java/lang/String replaceFirst(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/lang/String replaceAll(Ljava/lang/String;Ljava/lang/String;)Ljava/lang/String;
java/lang/String replace(Ljava/lang/CharSequence;Ljava/lang/CharSequence;)Ljava/lang/String;
java/lang/String split(Ljava/lang/String;I)[Ljava/lang/String;
java/lang/String split(Ljava/lang/String;)[Ljava/lang/String;
java/lang/String toLowerCase(Ljava/util/Locale;)Ljava/lang/String;
java/lang/String toLowerCase()Ljava/lang/String;
java/lang/String toUpperCase(Ljava/util/Locale;)Ljava/lang/String;
java/lang/String toUpperCase()Ljava/lang/String;
java/lang/String
    trim()Ljava/lang/String;
java/lang/String toString()Ljava/lang/String;
java/lang/String toCharArray()[C
java/lang/String format(Ljava/lang/String;[Ljava/lang/Object;)Ljava/lang/String;
java/lang/String format(Ljava/util/Locale;Ljava/lang/String;[Ljava/lang/Object;)Ljava/lang/String;
java/lang/String valueOf(Ljava/lang/Object;)Ljava/lang/String;
java/lang/String valueOf([C)Ljava/lang/String;
java/lang/String valueOf([CII)Ljava/lang/String;
java/lang/String copyValueOf([CII)Ljava/lang/String;
java/lang/String copyValueOf([C)Ljava/lang/String;
java/lang/String valueOf(Z)Ljava/lang/String;
java/lang/String valueOf(C)Ljava/lang/String;
java/lang/String valueOf(I)Ljava/lang/String;
java/lang/String valueOf(J)Ljava/lang/String;
java/lang/String valueOf(F)Ljava/lang/String;
java/lang/String valueOf(D)Ljava/lang/String;
java/lang/String intern()Ljava/lang/String;
java/lang/String compareTo(Ljava/lang/Object;)I
java/lang/String <clinit>()V
class java/lang/CharSequence java/lang/Object
java/lang/CharSequence
    length()I
java/lang/CharSequence charAt(I)C
java/lang/CharSequence subSequence(II)Ljava/lang/CharSequence;
java/lang/CharSequence toString()Ljava/lang/String;
class java/lang/Comparable java/lang/Object

```

```
java/lang/Comparable compareTo(Ljava/lang/Object;)I
class java/io/Serializable java/lang/Object
class java/lang/Object null
java/lang/Object <init>()V
java/lang/Object registerNatives()V
java/lang/Object getClass()Ljava/lang/Class;
java/lang/Object hashCode()I
java/lang/Object equals(Ljava/lang/Object;)Z
java/lang/Object clone()Ljava/lang/Object;
java/lang/Object toString()Ljava/lang/String;
java/lang/Object notify()V
java/lang/Object notifyAll()V
java/lang/Object wait(J)V
java/lang/Object wait(JI)V
java/lang/Object wait()V
java/lang/Object finalize()V
java/lang/Object <clinit>()V
```

Found in path(s):

* /asm-6-0-sources-11-jar/org/objectweb/asm/tools/jdk1-5-0-12-txt-gz/jdk1.5.0.12.txt

No license file was found, but licenses were detected in source scan.

/***

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN


```

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/
/**
 * Constructs a new {@link LocalVariableAnnotationNode}. <i>Subclasses must
 * not use this constructor</i>. Instead, they must use the
 * {@link #LocalVariableAnnotationNode(int, TypePath, LabelNode[], LabelNode[], int[], String)}
 * version.
 *
 * @param typeRef
 *     a reference to the annotated type. See {@link TypeReference}.
 * @param typePath
 *     the path to the annotated type argument, wildcard bound, array
 *     element type, or static inner type within 'typeRef'. May be
 *     <tt>null</tt> if the annotation targets 'typeRef' as a whole.
 * @param start
 *     the first instructions corresponding to the continuous ranges
 *     that make the scope of this local variable (inclusive).
 * @param end
 *     the last instructions corresponding to the continuous ranges
 *     that make the scope of this local variable (exclusive). This
 *     array must have the same size as the 'start' array.
 * @param index
 *     the local variable's index in each range. This array must have
 *     the same size as the 'start' array.
 * @param desc
 *     the class descriptor of
the annotation class.
*/

```

Found in path(s):

`/asm-6-0-sources-11-jar/org/objectweb/asm/tree/LocalVariableAnnotationNode.java`

No license file was found, but licenses were detected in source scan.

```

/**
 * ASM: a very small and fast Java bytecode manipulation framework
 * Copyright (c) 2000-2011 INRIA, France Telecom
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 *    notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 *    notice, this list of conditions and the following disclaimer in the

```

- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- * "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
- * THE POSSIBILITY OF SUCH DAMAGE.
- */

Found in path(s):

- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/ASMifiable.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/Textifiable.java

No license file was found, but licenses were detected in source scan.

/***

- * ASM: a very small and fast Java bytecode manipulation framework
- * Copyright (c) 2000-2013 INRIA, France Telecom
- * All rights reserved.
- *
- * Redistribution and use in source and binary forms, with or without
- * modification, are permitted provided that the following conditions
- * are met:
- * 1. Redistributions of source code must retain the above copyright
- * notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
- * notice, this list of conditions and the following disclaimer in the
- * documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
- * contributors may be used to endorse or promote products derived from
- * this software without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
- * "AS IS"
- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /asm-6-0-sources-11-jar/org/objectweb/asm/TypePath.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/TypeReference.java
No license file was found, but licenses were detected in source scan.

/*

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.
*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

*/

/*

* Constructs a new {@link ClassNode}. *Subclasses must not use this*
* constructor*.* Instead, they must use the {@link #ClassNode(int)}
* version.
*
* @throws IllegalStateException

* If a subclass calls this constructor.

*/

Found in path(s):

* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ClassNode.java

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/Method.java

* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/SimpleRemapper.java

* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/SimpleVerifier.java

* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/LocalVariablesSorter.java

*

*/asm-6-0-sources-11-jar/org/objectweb/asm/Item.java

* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/LocalVariableNode.java

* /asm-6-0-sources-11-jar/org/objectweb/asm/MethodWriter.java

* /asm-6-0-sources-11-jar/org/objectweb/asm/Handler.java

- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/Analyzer.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceAnnotationVisitor.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckModuleAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/CodeSizeEvaluator.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/ClassRemapper.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/IincInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/MethodVisitor.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckAnnotationAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/InnerClassNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/AnnotationNode.java
- *
- /asm-6-0-sources-11-jar/org/objectweb/asm/signature/SignatureReader.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/MultiANewArrayInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/Opcodes.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/SourceInterpreter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/SourceValue.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceFieldVisitor.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/InstructionAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/CurrentFrame.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/Frame.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/BasicInterpreter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ModuleNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceSignatureVisitor.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/MethodRemapper.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/Type.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/ClassVisitor.java
- *
- /asm-6-0-sources-11-jar/org/objectweb/asm/tree/LabelNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tools/ModuleInfoBndPlugin.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/Subroutine.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceClassVisitor.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/TryCatchBlockSorter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/Remapper.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/ModuleWriter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/JumpInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/ModuleResolutionAttribute.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/FieldNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/AnnotationWriter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/AbstractInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckMethodAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/Attribute.java
- *
- /asm-6-0-sources-11-jar/org/objectweb/asm/ClassReader.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/TableSwitchInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/FrameNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/ModuleVisitor.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/FieldInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ModuleRequireNode.java

- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/VarInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/RemappingFieldAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/ModuleHashesAttribute.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckSignatureAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/ModuleRemapper.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/InsnList.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/InsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/FieldWriter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/signature/SignatureWriter.java
- *
- /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ParameterNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceModuleVisitor.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/RemappingClassAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/LookupSwitchInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/RemappingSignatureAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckFieldAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/LdcInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/TypeAnnotationNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/FieldRemapper.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/IntInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/BasicVerifier.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/AnalyzerException.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/TypeInsnNode.java
- *
- /asm-6-0-sources-11-jar/org/objectweb/asm/tree/InvokeDynamicInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/ModuleTargetAttribute.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/ByteVector.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/Label.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/RemappingAnnotationAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/signature/SignatureVisitor.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/ASMifier.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tools/Retrofitter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/RemappingMethodAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/Handle.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/AnnotationVisitor.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/SignatureRemapper.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/AdviceAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/Interpreter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/SerialVersionUIDAdder.java
- *
- /asm-6-0-sources-11-jar/org/objectweb/asm/tree/MethodInsnNode.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/Frame.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/Value.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/SmallSet.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/commons/StaticInitMerger.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/Printer.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/util/TraceMethodVisitor.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/tree/LineNumberNode.java

```

* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/TryCatchBlockNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ModuleProvideNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/FieldVisitor.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/MethodNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ModuleExportNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/CheckClassAdapter.java
*
/asm-6-0-sources-11-jar/org/objectweb/asm/Context.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/ModuleOpenNode.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/BasicValue.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/AnnotationRemapper.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/TableSwitchGenerator.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/Edge.java
* /asm-6-0-sources-11-jar/org/objectweb/asm/ClassWriter.java
No license file was found, but licenses were detected in source scan.

```

```

/****

```

```

* ASM: a very small and fast Java bytecode manipulation framework
* Copyright (c) 2000-2011 INRIA, France Telecom
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
*   notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
*   notice, this list of conditions and the following disclaimer in the
*   documentation and/or other materials provided with the distribution.
* 3. Neither the name of the copyright holders nor the names of its
*   contributors may be used to endorse or promote products derived from
*   this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
* "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

```

```

*/

```

```

/**

```

```

* Creates a new {@link AnalyzerAdapter}. <i>Subclasses must not use this

```

```

* constructor</i>. Instead, they must use the
* {@link #AnalyzerAdapter(int, String, int, String, String, MethodVisitor)}
* version.
*
* @param owner
*
*     the owner's class name.
* @param access
*     the method's access flags (see {@link Opcodes}).
* @param name
*     the method's name.
* @param desc
*     the method's descriptor (see {@link Type Type}).
* @param mv
*     the method visitor to which this adapter delegates calls. May
*     be <tt>null</tt>.
* @throws IllegalStateException
*     If a subclass calls this constructor.
*/

```

Found in path(s):

* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/AnalyzerAdapter.java

No license file was found, but licenses were detected in source scan.

<!--

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

-->

Found in path(s):

* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/analysis/package.html
* /asm-6-0-sources-11-jar/org/objectweb/asm/util/package.html
* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/package.html
* /asm-6-0-sources-11-jar/org/objectweb/asm/package.html
*

/asm-6-0-sources-11-jar/org/objectweb/asm/signature/package.html
* /asm-6-0-sources-11-jar/org/objectweb/asm/tree/package.html

No license file was found, but licenses were detected in source scan.

/***

* ASM XML Adapter

* Copyright (c) 2004-2011, Eugene Kuleshov

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

- * 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

- * /asm-6-0-sources-11-jar/org/objectweb/asm/xml/ASMContentHandler.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXCodeAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXAnnotationAdapter.java
- * /asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXClassAdapter.java
- *

/asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXModuleAdapter.java

- * /asm-6-0-sources-11-jar/org/objectweb/asm/xml/SAXFieldAdapter.java

No license file was found, but licenses were detected in source scan.

/**

- * ASM: a very small and fast Java bytecode manipulation framework

- * Copyright (c) 2000-2011 INRIA, France Telecom

- * All rights reserved.

- *

- * Redistribution and use in source and binary forms, with or without

- * modification, are permitted provided that the following conditions

- * are met:

- * 1. Redistributions of source code must retain the above copyright

- * notice, this list of conditions and the following disclaimer.

- * 2. Redistributions in binary form must reproduce the above copyright

- * notice, this list of conditions and the following disclaimer in the

- * documentation and/or other materials provided with the distribution.

- * 3. Neither the name of the copyright holders nor the names of its

- * contributors may be used to endorse or promote products derived from

- * this software without specific prior written permission.

- *

- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

- * AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

- * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

- * ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

- * LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

- * SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

- * INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

- * CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

- * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

- * THE POSSIBILITY OF SUCH DAMAGE.

- */

/**

- * Creates a new JSRInliner. <i>Subclasses must not use this

- * constructor</i>. Instead, they must use the

- * {@link #JSRInlinerAdapter(int, MethodVisitor, int, String, String, String, String[])}

- * version.

- *

- * @param mv

```

*
the <code>MethodVisitor</code> to send the resulting inlined
*   method code to (use <code>null</code> for none).
* @param access
*   the method's access flags (see {@link Opcodes}). This
*   parameter also indicates if the method is synthetic and/or
*   deprecated.
* @param name
*   the method's name.
* @param desc
*   the method's descriptor (see {@link Type}).
* @param signature
*   the method's signature. May be <tt>null</tt>.
* @param exceptions
*   the internal names of the method's exception classes (see
*   {@link Type#getInternalName() getInternalName}). May be
*   <tt>null</tt>.
* @throws IllegalStateException
*   If a subclass calls this constructor.
*/

```

Found in path(s):

* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/JSRInlinerAdapter.java

No license file was found, but licenses were detected in source scan.

<!--

* ASM XML Adapter

* Copyright (c) 2004-2011, Eugene Kuleshov

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF
* THE POSSIBILITY OF SUCH DAMAGE.

-->

Found in path(s):

* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/package.html

No license file was found, but licenses were detected in source scan.

/***

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

*/

/**

* Constructs a new {@link Textifier}. <i>Subclasses must not use this

* constructor</i>. Instead, they must use the {@link #Textifier(int)}

* version.

*

* @throws IllegalStateException

* If a subclass calls this constructor.

*/

Found in path(s):

* /asm-6-0-sources-11-jar/org/objectweb/asm/util/Textifier.java

No license file was found, but licenses were detected in source scan.

/**

* ASM: a very small and fast Java bytecode manipulation framework

* Copyright (c) 2000-2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. Neither the name of the copyright holders nor the names of its

* contributors may be used to endorse or promote products derived from

* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS"

* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

*/

/**

* Creates a new {@link GeneratorAdapter}. *Subclasses must not use this*

* constructor*.* Instead, they must use the

* {@link #GeneratorAdapter(int, MethodVisitor, int, String, String)}

* version.

*

* @param mv

* the

method visitor to which this adapter delegates calls.

* @param access

* the method's access flags (see {@link Opcodes}).

```

* @param name
*         the method's name.
* @param desc
*         the method's descriptor (see {@link Type Type}).
* @throws IllegalStateException
*         If a subclass calls this constructor.
*/

```

Found in path(s):

* /asm-6-0-sources-11-jar/org/objectweb/asm/commons/GeneratorAdapter.java

No license file was found, but licenses were detected in source scan.

2011, Eugene Kuleshov

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/asm-xml.dtd

No license file was found, but licenses were detected in source scan.

/*

```

* ASM XML Adapter
* Copyright (c) 2004-2011, Eugene Kuleshov
* All rights reserved.

```

- *
 - * Redistribution and use in source and binary forms, with or without
 - * modification, are permitted provided that the following conditions
 - * are met:
 - * 1. Redistributions of source code must retain the above copyright
 - * notice, this list of conditions and the following disclaimer.
 - * 2. Redistributions in binary form must reproduce the above copyright
 - * notice, this list of conditions and the following disclaimer in the
 - * documentation and/or other materials provided with the distribution.
 - * 3. Neither the name of the copyright holders nor the names of its
 - * contributors may be used to endorse or promote products derived from
 - * this software without specific prior written permission.
- *

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"

AND ANY EXPRESS OR IMPLIED WARRANTIES,

INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE

LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR

CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS

INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN

CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

THE POSSIBILITY OF SUCH DAMAGE.
- */
- /**
 - * Constructs a new {@link InputSlicingHandler SubdocumentHandler}
 - * object.
 - *
 - * @param subdocumentRoot
 - * name/path to the root element of the subdocument
 - * @param rootHandler
 - * content handler for the entire document (subdocument
 - * envelope).
 - * @param subdocumentHandlerFactory
 - * a {@link ContentHandlerFactory ContentHandlerFactory} used
 - * to create {@link ContentHandler ContentHandler} instances
 - * for subdocuments.
- */
- /**
 - * Constructs a new {@link OutputSlicingHandler SubdocumentHandler}
 - * object.
 - *
 - * @param subdocumentHandlerFactory
 - * a {@link ContentHandlerFactory ContentHandlerFactory} used
 - * to create {@link ContentHandler ContentHandler} instances

```

*      for subdocuments.
* @param entryElement
*      TODO.
* @param isXml
*      TODO.
*/

```

Found in path(s):

```
* /asm-6-0-sources-11-jar/org/objectweb/asm/xml/Processor.java
```

1.81 openjdk 11.0.28u6

1.81.1 Available under license :

```
## c-libutl 20160225
```

```
### c-libutl License
```

```

This software is distributed under the terms of the BSD license.

```
== BSD LICENSE =====
```

(C) 2009 by Remo Dentato (rdentato@gmail.com)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- \* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>



...

## Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

### Apache Commons BCEL Notice

<pre>

Apache Commons BCEL  
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing

the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,  
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
See the License for the specific language governing permissions and limitations under the License.

</pre>

## Apache Xerces v2.12.2

### Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java  
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at  
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

</pre>

### Apache 2.0 License

<pre>

Apache License  
Version 2.0, January 2004  
<http://www.apache.org/licenses/>

## TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

### 1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean  
an individual or Legal Entity  
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with

the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided



that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any

Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of

TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

## END OF TERMS AND CONDITIONS

### APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[ ]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");  
you may not use this file except in compliance with the License.  
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

## The Unicode Standard, Unicode Character Database, Version 10.0.0

### Unicode Character Database

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE  
Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,  
<http://www.unicode.org/cldr/data/>,  
<http://source.icu-project.org/repos/icu/>, and  
<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories  
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,  
<http://www.unicode.org/cldr/data/>,  
<http://source.icu-project.org/repos/icu/>, and  
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.  
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),  
YOU  
UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE  
TERMS AND CONDITIONS OF THIS AGREEMENT.  
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE  
THE DATA FILES OR SOFTWARE.

#### COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.  
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either  
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or  
(b)  
this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.  
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS

NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

## Pako v1.0

### Pako License

<pre>

Copyright (C) 2014-2017 by Vitaly Puzrin and Andrei Tuputcyn

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

(C) 1995-2013 Jean-loup Gailly and Mark Adler

(C) 2014-2017 Vitaly Puzrin and Andrey Tupitsin

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not

claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.

2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.

3. This notice may not be removed or altered from any source distribution.

</pre>

## Mozilla Elliptic Curve Cryptography (ECC)

### Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography, which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>) of the Elliptic Curve Cryptography library in source form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA\_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA\_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA\_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.

Attn: Associate General Counsel,  
Development and Engineering Legal  
500 Oracle Parkway, 10th Floor  
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version  
number of the Oracle product containing the binary
- The date you received the Oracle product
- Your name
- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.  
Your request must be sent (i) within three (3) years of the date you  
received the Oracle product that included the component or binary  
file(s) that are the subject of your request, or (ii) in the case of  
code licensed under the GPL v3, for as long as Oracle offers spare  
parts or customer support for that product model.

</pre>

### LGPL 2.1

<pre>

GNU LESSER GENERAL PUBLIC LICENSE  
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.  
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA  
Everyone is permitted to copy and distribute verbatim copies  
of this license document,  
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts

as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

## Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original

author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs



enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

## GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based

on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library,

and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the

copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license

restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library

specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

#### NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### END OF TERMS AND CONDITIONS

#### How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that



everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>
```

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims  
all copyright interest in the  
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990  
Ty Coon, President of Vice

That's all there is to it!

```
</pre>
The FreeType Project: Freetype v2.13.2
```

```
FreeType Notice
```

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

### FreeType License

...

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2007-2023 by Derek Clegg and Michael Toftdal.  
Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and  
Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.  
Copyright (C) 2007-2023 by Derek Clegg and  
Michael Toftdal.  
Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,  
Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Röttsches.  
Copyright (C) 2007-2023 by David Turner.  
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.  
Copyright (C) 2007-2023 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.  
Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.  
Copyright (C) 2013-2023 by Google, Inc.  
Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.  
Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.  
Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Röttsches, and Werner Lemberg.  
Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

-----

2006-Jan-27

Copyright 1996-2002, 2006 by  
David Turner, Robert Wilhelm, and Werner Lemberg

## Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

""""

Portions of this software are copyright <year> The FreeType Project ([www.freetype.org](http://www.freetype.org)). All rights reserved.

""""

Please replace <year> with the value from the FreeType version you actually use.

## Legal Terms

=====

### 0. Definitions

-----

Throughout this license, the terms `package`, `FreeType Project`, and `FreeType archive` refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the `FreeType Project`, be they named as alpha, beta or final release.

`You' refers to the licensee, or person using the project, where `using' is a generic term including compiling the project's source code as well as linking it to form a `program' or `executable'. This program is referred to as `a program using the FreeType engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

### 1. No Warranty

-----

THE FREETYPE PROJECT IS PROVIDED `AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

### 2. Redistribution

-----

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile,

display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid to us.

### 3. Advertising

-----

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

### 4. Contacts

-----  
There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

\*\*\*

### GPL v2

\*\*\*

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom

to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you

have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you

these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

## GNU GENERAL PUBLIC LICENSE

### TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with

modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You

may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)



These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation

of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent

license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate

parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

## NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

## END OF TERMS AND CONDITIONS

### How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

...

### ### Additional Freetype Attributions

...

-----

The below license applies to the following files:

libfreetype/src/psaux/psarrst.c  
libfreetype/src/psaux/psarrst.h  
libfreetype/src/psaux/psblues.c  
libfreetype/src/psaux/psblues.h  
libfreetype/src/psaux/pserror.c  
libfreetype/src/psaux/pserror.h  
libfreetype/src/psaux/psfixed.h  
libfreetype/src/psaux/psfont.c  
libfreetype/src/psaux/psfont.h  
libfreetype/src/psaux/psft.c  
libfreetype/src/psaux/psft.h  
libfreetype/src/psaux/psglue.h  
libfreetype/src/psaux/pshints.c  
libfreetype/src/psaux/pshints.h  
libfreetype/src/psaux/psintrp.c  
libfreetype/src/psaux/psintrp.h  
libfreetype/src/psaux/psread.c  
libfreetype/src/psaux/psread.h  
libfreetype/src/psaux/psstack.c  
libfreetype/src/psaux/psstack.h  
libfreetype/src/psaux/pstypes.h

### Copyright

2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a

perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was

submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

...

### MIT License  
...

-----  
The below license applies to the following files:  
libfreetype/include/freetype/internal/fthash.h  
libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University  
Copyright 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,  
INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

## xwd v1.0.7

### xwd utility

<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt\_xawt:  
list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.

Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

</pre>

## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License

<pre>

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this



list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## Eastman Kodak Company: Portions of color management and imaging software

### Eastman Kodak Notice

<pre>

Portions Copyright Eastman Kodak Company 1991-2003

</pre>

<pre>

/\* \*\*\*\*\*  
\*\*\*\*\*  
\*\*\*\*\*

\*\*\* COPYRIGHT (c) Eastman Kodak Company, 1997  
\*\*\* As an unpublished work pursuant to Title 17 of the United  
\*\*\* States Code. All rights reserved.

\*\*\*\*\*  
\*\*\*\*\*  
\*\*\*\*\*/

</pre>

## Mozilla Public Suffix List

### Public Suffix Notice

...

You are receiving a copy of the Mozilla Public Suffix List in the following  
file: <java-home>/lib/security/public\_suffix\_list.dat. The terms of the  
Oracle license do NOT apply to this file; it is licensed under the  
Mozilla Public License 2.0, separately from the Oracle programs you receive.  
If you do not wish to use the Public Suffix List, you may remove the  
<java-home>/lib/security/public\_suffix\_list.dat file.

The Source Code of this file is available under the  
Mozilla Public License, v. 2.0 and is located at  
[https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public\\_suffix\\_list.dat](https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat).

If a copy of the MPL was not distributed with this file, you can obtain one  
at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis,  
WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License  
for the specific language governing rights and limitations  
under the License.

...

### MPL v2.0

...

Mozilla Public License Version 2.0

=====

## 1. Definitions

-----

### 1.1. "Contributor"

means each individual or legal entity that creates, contributes to  
the creation of, or owns Covered Software.

### 1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used  
by a Contributor and that particular Contributor's Contribution.

### 1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered Software was made available under the terms of version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such

Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

#### 1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

#### 1.13. "Source Code Form"

means the form of the work preferred for making modifications.

#### 1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

### 2. License Grants and Conditions

-----

#### 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

#### 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for

each Contribution on the date the Contributor first distributes such Contribution.

### 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software;  
or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- (c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

### 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

### 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

### 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

### 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

### 3. Responsibilities

-----

#### 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

#### 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

#### 3.3.

##### Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

#### 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

### 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

### 4. Inability to Comply Due to Statute or Regulation

-----

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

### 5. Termination

-----

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the

first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

\*\*\*\*\*

\*  
\*  
\*  
\* 6. Disclaimer of Warranty \*  
\* ----- \*  
\*  
\* Covered Software is provided under this License on an "as is" \*  
\* basis, without warranty of any kind, either expressed, implied, or \*  
\* statutory, including, without limitation, warranties that the \*  
\* Covered Software is free of defects, merchantable, fit for a \*  
\* particular purpose or non-infringing. The entire risk as to the \*  
\* quality and performance of the Covered Software is with You. \*  
\* Should any Covered Software prove defective in any respect, You \*  
\* (not any Contributor) assume the cost of any necessary servicing, \*  
\* repair, or correction. This disclaimer of warranty constitutes an \*  
\*  
essential part of this License. No use of any Covered Software is \*  
\* authorized under this License except under this disclaimer. \*  
\*  
\*\*\*\*\*

\*\*\*\*\*

\*  
\*  
\* 7. Limitation of Liability \*  
\* ----- \*  
\*  
\* Under no circumstances and under no legal theory, whether tort \*  
\* (including negligence), contract, or otherwise, shall any \*  
\* Contributor, or anyone who distributes Covered Software as \*  
\* permitted above, be liable to You for any direct, indirect, \*  
\* special, incidental, or consequential damages of any



character \*

\* including, without limitation, damages for lost profits, loss of \*

\* goodwill, work stoppage, computer failure or malfunction, or any \*

\* and all other commercial damages or losses, even if such party \*

\* shall have been informed of the possibility of such damages. This \*

\* limitation of liability shall not apply to liability for death or \*

\* personal injury resulting from such party's negligence to the \*

\* extent applicable law prohibits such limitation. Some \*

\* jurisdictions do not allow the exclusion or limitation of \*

\* incidental or consequential damages, so this exclusion and \*

\* limitation may not apply to You. \*

\* \*

\*\*\*\*\*

## 8. Litigation

-----

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

## 9. Miscellaneous

-----

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

## 10. Versions of the License

-----

### 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

### 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

### 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

### 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

#### Exhibit A - Source Code Form License Notice

-----

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

#### Exhibit B - "Incompatible With Secondary Licenses" Notice

-----

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

## PC/SC Lite v1.9.5

### PC/SC Lite License

<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>  
Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>  
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS

SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](<https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING>) file for details.

```
</pre>
JSZip v3.7.1
```

JSZip is dual licensed. You may use it under the MIT license \*or\* the GPLv3 license.

```
The MIT License
...
```

Copyright (c) 2009-2016 Stuart Knightley, David Duponchel, Franz Buchinger, Antnio Afonso

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in

all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS

OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

### GPL version 3

...

## GNU GENERAL PUBLIC LICENSE

Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

### Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

## TERMS AND CONDITIONS

### 0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of

works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

#### 1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A

"Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other

than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

## 2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do

not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

### 3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

### 4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

### 5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent



notices stating that you modified it, and giving a relevant date.

b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".

c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.

d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

## 6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.

b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as

long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.

c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.

d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product

is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

## 7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately

under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

#### 8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

#### 9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other

than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

#### 10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

#### 11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent

license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily

for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

#### 12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

#### 13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

#### 14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.



If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

#### 15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

#### 16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

#### 17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

...

## Double-conversion v1.1.5

### Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.  
Redistribution and use in source and binary forms, with or without  
modification, are permitted provided that the following conditions are  
met:

- \* Redistributions of source code must retain the above copyright  
notice, this list of conditions and the following disclaimer.
- \* Redistributions in binary form must reproduce the above  
copyright notice, this list of conditions and the following  
disclaimer in the documentation and/or other materials provided  
with the distribution.
- \* Neither the name of Google Inc. nor the names of its  
contributors may be used to endorse or promote products derived  
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS  
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,  
BUT NOT  
LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR  
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT  
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,  
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT  
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY  
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT  
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE  
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

## jQuery v3.7.1

### jQuery License

...

jQuery v 3.7.1

Copyright OpenJS Foundation and other contributors, <https://openjsf.org/>

Permission is hereby granted, free of charge, to any person obtaining  
a copy of this software and associated documentation files (the  
"Software"), to deal in the Software without restriction, including  
without limitation the rights to use, copy, modify, merge, publish,

distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.  
...

## JLine v3.22.0

### JLine License

<pre>

Copyright (c) 2002-2018, the original author or authors.  
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE

FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,  
OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,  
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,  
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED  
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT  
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING  
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED  
OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>  
## libpng v1.6.43

### libpng License  
<pre>

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE  
=====

PNG Reference Library License version 2  
-----

Copyright (C) 1995-2024 The PNG Reference Library Authors.  
Copyright (C) 2018-2024 Cosmin Truta  
Copyright (C) 1998-2018 Glenn Randers-Pehrson  
Copyright (C) 1996-1997 Andreas Dilger  
Copyright (C) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind,  
express or implied, including, without limitation, the warranties  
of merchantability, fitness for a particular purpose, title, and  
non-infringement. In no event shall the Copyright owners, or  
anyone distributing the software, be liable for any damages or  
other liability, whether in contract, tort or otherwise, arising  
from, out of, or in connection with the software, or the use or  
other dealings in the software, even if advised of the possibility  
of such damage.

Permission is hereby  
granted to use, copy, modify, and distribute  
this software, or portions hereof, for any purpose, without fee,  
subject to the following restrictions:

1. The origin of this software must not be misrepresented; you  
must not claim that you wrote the original software. If you  
use this software in a product, an acknowledgment in the product  
documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must

not be misrepresented as being the original software.

3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

-----

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux  
Eric S. Raymond  
Mans Rullgard  
Cosmin Truta  
Gilles Vollant  
James Yu  
Mandar Sahastrabudhe  
Google Inc.  
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000

Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane  
Glenn Randers-Pehrson

Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler  
Kevin Bracey  
Sam Bushell  
Magnus Holmgren  
Greg Roelofs  
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger  
Dave Martindale  
Guy Eric Schalnat  
Paul Schmidt  
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.

3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

#### TRADEMARK

=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has been distributed and maintained world-wide, continually since 1995, the Copyright owners claim "common-law trademark protection" in any jurisdiction where common-law trademark is recognized.

</pre>

#### ### AUTHORS File Information

...

#### PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing Authors, for copyright and licensing purposes.

- \* Adam Richter
- \* Andreas Dilger
- \* Chris Blume
- \* Cosmin Truta
- \* Dave Martindale
- \* Eric S. Raymond
- \* Gilles Vollant
- \* Glenn Randers-Pehrson
- \* Greg Roelofs
- \* Guy Eric Schalnat
- \* James Yu
- \* John Bowler
- \* Kevin Bracey
- \* Magnus Holmgren
- \* Mandar Sahastrabudhe
- \* Mans Rullgard
- \* Matt Sarett
- \* Mike Klein
- \* Pascal Massimino

- \* Paul Schmidt
- \* Philippe Antoine
- \* Qiang Zhou
- \* Sam Bushell
- \* Samuel Williams
- \* Simon-Pierre Cadieux
- \* Tim Wegner
- \* Tom Lane
- \* Tom Tanner
- \* Vadim Barkov
- \* Willem van Schaik
- \* Zhijie Liang
- \* Apple Inc.
  - Zixu Wang ()
- \* Arm Holdings
  - Richard Townsend
- \* Google Inc.
  - Dan Field
  - Leon Scroggins III
  - Matt Sarett
  - Mike Klein
  - Sami Boukortt
  - Wan-Teh Chang
- \* Loongson Technology Corporation Ltd.
  - GuXiWei ()
  - JinBo ()
  - ZhangLixia ()

The build projects, the build scripts, the test scripts, and other files in the "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "ci" and "contrib" directories, as well as some of the tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

## Thai Dictionary

### Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,  
National Science and Technology Development Agency,  
Ministry of Science Technology and Environment,



Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

#### ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0 and may include FreeType. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under

the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Failing to distribute notices associated with some files may also create unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications

to this package which may subsequently be redistributed and/or involve the use of third party software.

## Apache Santuario v3.0.3

### Apache 2.0 License

```

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

...

Apache Santuario Notice
...

Apache Santuario - XML Security for Java
Copyright 1999-2023
The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.
...

Little Color Management System (LCMS) v2.16

LCMS License

<pre>

MIT License

Copyright (C) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose providing that this copyright notice is included with it. SoftSurfer makes no warranty for this code, and cannot be held liable for any real or imagined damage resulting from its use.

Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information

...

Main Author

Marti Maria

Contributors

Bob Friesenhahn

Kai-Uwe Behrmann

Stuart Nixon

Jordi Vilar

Richard Hughes

Auke Nauta

Chris Evans (Google)

Lorenzo Ridolfi

Robin Watts (Artifex)

Shawn Pedersen

Andrew Brygin

Samuli Suominen

Florian Hch

Aurelien Jarno

Claudiu Cebuc

Michael Vhrel (Artifex)

Michal Cihar

Daniel Kaneider

Mateusz

Jurczyk (Google)

Paul Miller

Sbastien Lon

Christian Schmitz

XhmikosR

Stanislav Brabec (SuSe)

Leonhard Gruenschloss (Google)

Patrick Noffke

Christopher James Halse Rogers

John Hein

Thomas Weber (Debian)

Mark Allen

Noel Carboni

Sergei Trofimovic

Philipp Knechtges

Amyspark
Lovell Fuller
Eli Schwartz
Diogo Teles Sant'Anna

Special Thanks

Artifex software
AlienSkin software
libVIPS
Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht
Dimitrios Anastassakis
Lemke Software
Tim Zaman

...

OASIS PKCS #11 Cryptographic Token Interface v3.0

OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: <http://www.oasis-open.org/policies-guidelines/ipr>

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

DOM Level 3 Core Specification v1.0

W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology,
European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License.
The software license requires "Notice of any changes or modifications to the W3C
files, including the date changes were made." Consequently, modified versions of
the DOM bindings must document that they do not conform to the W3C standard; in the
case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the
case of the Java language binding, the package names can no longer be in the
'org.w3c' package.

</pre>

W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other
related items) is being provided

by the copyright holders under the following
license. By obtaining, using and/or copying this work, you (the licensee)
agree that you have read, understood, and will comply with the following terms
and conditions.

Permission to copy, modify, and distribute this software and its
documentation, with or without modification, for any purpose and without fee
or royalty is hereby granted, provided that you include the following on ALL
copies of the software and documentation or portions thereof, including
modifications:

- 1.The full text of this NOTICE in a location viewable to users of the
redistributed or derivative work.
- 2.Any pre-existing intellectual property disclaimers, notices, or terms and
conditions. If none exist, the W3C Software Short Notice should be included
(hypertext is preferred, text is permitted) within the body of any
redistributed or derivative code.
- 3.Notice of any changes or modifications to the files, including the date
changes were made.
(We recommend you provide URIs to the location from
which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

</pre>

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<http://www.gnu.org/copyleft/gpl.html>> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <http://openjdk.java.net/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2,

provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.

Cryptix AES v3.2.0

Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

International Components for Unicode (ICU4J) v60.2

ICU4J License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),

YOU UNEQUIVOCALLY ACCEPT,

AND AGREE TO BE BOUND BY, ALL OF THE

TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either

- (a) this copyright and permission notice appear with all copies of the Data Files or Software, or
- (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

jopt-simple v5.0.4

MIT License

<pre>

Copyright (c) 2004-2015 Paul R. Holser, Jr.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

Independent JPEG Group: JPEG release 6b

JPEG License

<pre>

Must reproduce following license in documentation and/or other materials provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2)

If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this

distribution by permission of L. Peter Deutsch,
sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA.
ansi2knr.c is NOT covered by the above copyright and conditions, but instead
by the usual distribution terms of the Free Software Foundation; principally,
that you must include source code if you redistribute it.
(See the file ansi2knr.c for full details.) However, since ansi2knr.c is
not needed as part of any program generated from the IJG code, this does not
limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf.
It is copyright by the Free Software Foundation but is freely distributable.
The same holds for its supporting scripts (config.guess, config.sub,
ltconfig, ltmain.sh). Another support script, install-sh, is copyright
by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered
by patents owned by IBM, AT&T, and Mitsubishi.

Hence arithmetic coding
cannot legally be used without obtaining one or more licenses. For this
reason, support for arithmetic coding has been removed from the free
JPEG software. (Since arithmetic coding provides only a marginal gain
over the unpatented Huffman mode, it is unlikely that very many
implementations will support it.) So far as we are aware, there are
no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files.
To avoid entanglement with the Unisys LZW patent, GIF reading support
has been removed altogether, and the GIF writer has been simplified to
produce "uncompressed GIFs". This technique does not use the LZW algorithm;
the resulting GIF files are larger than usual, but are readable by all
standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is
the Copyright property of CompuServe Incorporated. GIF(sm) is a
Service Mark property of CompuServe Incorporated."

</pre>

Apache Xalan v2.7.2

Apache Xalan Notice

<pre>

```
=====
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control,
are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity
exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare

Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the
Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and

wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to
in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and

fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

</pre>

SipHash v1.0-68c8a7c

Notice

SipHash reference C implementation

...

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along with

this software. If not, see

<<http://creativecommons.org/publicdomain/zero/1.0/>>.

...

Licenses

The code is dual-licensed CCO and MIT

MIT License

...

Copyright 2012-2024 JP Aumasson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit

persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

CC0 1.0 Universal

...

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work

and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see
<<http://creativecommons.org/publicdomain/zero/1.0/>>

...

JRuby Joni v2.1.16

MIT License

<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

...

All images in this directory are copyright 1995 by Jeff Dinkins.
Unauthorized reproduction is prohibited.

For more information about Jeff's photographs, please see:

<http://www.theFixx.org/Jeff>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that

you have the freedom to

distribute copies of free software (and charge for this service if you wish),

that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must

show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not

accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that

distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How

to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school,

if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

jQuery UI v1.13.2

jQuery UI License
``

Copyright jQuery Foundation and other contributors, <https://jquery.org/>

This software consists of voluntary contributions made by many

individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery-ui>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code contained within the demos directory.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

All files located in the node_modules and external directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

...

Unicode Common Local Data Repository (CLDR) v33

CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.

BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or
(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE

WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Dynalink v.5

Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN

NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at http://www.azulsystems.com/license/zulu_third_party_licenses.html to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

- 1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software
- 2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the provisions of this Agreement, the provisions of the Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF

THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
Mesa 3-D Graphics Library v21.0.3

Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.
The following section lists the primary components of the Mesa distribution and their respective licenses.
Mesa Component Licenses

Component	Location	License

Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/gltext.h	Khronos
	GL/gltext.h	Khronos
	GL/wgltext.h	Khronos
	KHR/khrplatform.h	Khronos

include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.
Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

include/GL/glex.h
include/GL/glxext.h
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT
WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a
copy of this software and/or associated documentation files (the
"Materials"), to deal in the Materials without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Materials, and to
permit persons to whom the Materials are furnished to do
so, subject to
the following conditions:

The above copyright notice and this permission notice shall be included
in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY
CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT,
TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE
MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

GIFLIB v5.2.2

GIFLIB License

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

tree/README

== Authors ==

Gershon Elber <gershon[AT]cs.technion.sc.il>
original giflib code

Toshio Kuratomi <toshio[AT]tiki-lounge.com>
uncompressed gif writing code
former maintainer

Eric Raymond <esr[AT]snark.thyrsus.com>
current as well as long time former maintainer of giflib code

There have been many other contributors; see the attributions in the version-control history to learn more.

tree/openbsd-reallocarray.c

Copyright (C) 2008 Otto Moerbeek <otto@drijf.net>
SPDX-License-Identifier: MIT

...

ASM Bytecode Manipulation Framework v6.0

```
### ASM License
```

```
<pre>
```

Copyright (c) 2000-2011 France Tlcom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
```

1.82 openjdk-jre 11.0.28u6

1.82.1 Available under license :

```
## c-libutl 20160225
```

```
### c-libutl License
```

```
...
```

This software is distributed under the terms of the BSD license.

```
== BSD LICENSE =====
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT

SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

<http://opensource.org/licenses/bsd-license.php>

...

Apache Commons Byte Code Engineering Library (BCEL) Version 6.7.0

Apache Commons BCEL Notice

<pre>

Apache Commons BCEL
Copyright 2004-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity.

For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution

notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE

file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier

identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS
IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>

Apache Xerces v2.12.2

Apache Xerces Notice

<pre>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xerces Java distribution. ==
=====
```

Apache Xerces Java

Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the
Apache Software Foundation that were originally developed at iClick, Inc.,
software copyright (c) 1999.

</pre>

Apache 2.0 License

<pre>

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions

to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients

of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

</pre>

The Unicode Standard, Unicode Character Database, Version 10.0.0

Unicode Character Database

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the
directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard
or under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S
DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU
UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.

IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining
a copy of the Unicode data files and any associated documentation
(the "Data Files") or Unicode software and any associated documentation
(the "Software") to deal in the Data Files or Software
without restriction, including without limitation the rights to use,
copy, modify, merge, publish, distribute, and/or sell copies of
the Data Files or Software, and to permit persons to whom the Data Files
or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies
of the Data Files or Software, or
(b)
this copyright and permission notice appear in associated
Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF
ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE
WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS
NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL
DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE,
DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER
TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR
PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder
shall not be used in advertising or otherwise to promote the sale,
use or other dealings in these Data Files or Software without prior
written authorization of the copyright holder.

...

Mozilla Elliptic Curve Cryptography (ECC)

Mozilla ECC Notice

This notice is provided with respect to Elliptic Curve Cryptography,
which is included with JRE, JDK, and OpenJDK.

You are receiving a

[copy](<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>)

of the Elliptic Curve Cryptography library in source form with the JDK and OpenJDK source distributions, and as object code in the JRE & JDK runtimes.

<pre>

In the case of the JRE & JDK runtimes, the terms of the Oracle license do NOT apply to the Elliptic Curve Cryptography library; it is licensed under the following license, separately from Oracle's JDK & JRE. If you do not wish to install the Elliptic Curve Cryptography library, you may delete the Elliptic Curve Cryptography library:

- On Solaris and Linux systems: delete \$(JAVA_HOME)/lib/libsunec.so
- On Mac OSX systems: delete \$(JAVA_HOME)/lib/libsunec.dylib
- On Windows systems: delete \$(JAVA_HOME)\bin\sunec.dll

</pre>

###

Written Offer for Source Code

<pre>

For third party technology that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code from this page:

<http://hg.openjdk.java.net/jdk9/jdk9/jdk/file/tip/src/jdk.crypto.ec/share/native/libsunec/impl>

If the source code for the technology was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to:

Oracle America, Inc.
Attn: Associate General Counsel,
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Or, you may send an email to Oracle using the form at:

<http://www.oracle.com/goto/opensourcecode/request>

Your request should include:

- The name of the component or binary file(s) for which you are requesting the source code
- The name and version number of the Oracle product containing the binary
- The date you received the Oracle product

- Your name
- Your company name (if applicable)
- Your return mailing address and email and
- A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing. Your request must be sent (i) within three (3) years of the date you received the Oracle product that included the component or binary file(s) that are the subject of your request, or (ii) in the case of code licensed under the GPL v3, for as long as Oracle offers spare parts or customer support for that product model.

</pre>

LGPL 2.1

<pre>

GNU LESSER GENERAL PUBLIC LICENSE Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document,
but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,

not

price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public

License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs

enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other

program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and

distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary

GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source

code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even

though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a

copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials

specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact

that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful,

but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims
all copyright interest in the
library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

</pre>
The FreeType Project: Freetype v2.13.2

FreeType Notice

...

FreeType comes with two licenses from which you can choose the one which fits your needs best.

The FreeType License (FTL) is the most commonly used one. It is a BSD-style license with a credit clause and thus compatible with the GNU Public License (GPL) version 3, but not with the GPL version 2.

The GNU General Public License (GPL), version 2. Use it for all projects which use the GPLv2 also, or which need a license compatible to the GPLv2.

...

FreeType License
...

Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, and Werner Lemberg.

Copyright (C) 2007-2023 by Derek Clegg and Michael Toftdal.
Copyright (C) 1996-2023 by Just van Rossum, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, George Williams, and
Copyright (C) 2004-2023 by Masatake YAMATO and Redhat K.K.
Copyright (C) 2007-2023 by Derek Clegg and
Michael Toftdal.
Copyright (C) 2003-2023 by Masatake YAMATO, Red Hat K.K.,
Copyright (C) 1996-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Dominik Rttches.
Copyright (C) 2007-2023 by David Turner.
Copyright (C) 2022-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and Moazin Khatti.
Copyright (C) 2007-2023 by Rahul Bhalerao <rahul.bhalerao@redhat.com>, <b.rahul.pm@gmail.com>.
Copyright (C) 2008-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and suzuki toshiya.
Copyright (C) 2013-2023 by Google, Inc.
Copyright (C) 2019-2023 by Nikhil Ramakrishnan, David Turner, Robert Wilhelm, and Werner Lemberg.
Copyright (C) 2009-2023 by Oran Agra and Mickey Gabel.
Copyright (C) 2018-2023 by David Turner, Robert Wilhelm, Dominik Rttches, and Werner Lemberg.
Copyright (C) 2004-2023 by David Turner, Robert Wilhelm, Werner Lemberg, and George Williams.

The FreeType Project LICENSE

2006-Jan-27

Copyright 1996-2002, 2006 by
David Turner, Robert Wilhelm, and Werner Lemberg

Introduction

=====

The FreeType Project is distributed in several archive packages; some of them may contain, in addition to the FreeType font engine, various tools and contributions which rely on, or relate to, the FreeType Project.

This license applies to all files found in such packages, and which do not fall under their own explicit license. The license affects thus the FreeType font engine, the test programs, documentation and makefiles, at the very least.

This license was inspired by the BSD, Artistic, and IJG (Independent JPEG Group) licenses, which all encourage inclusion and use of free software in commercial and freeware products alike. As a consequence, its main points are that:

- o We don't promise that this software works. However, we will be interested in any kind of bug reports. ('as is' distribution)
- o You can use this software for whatever you want, in parts or full form, without having to pay us. ('royalty-free' usage)
- o You may not pretend that you wrote this software. If you use it, or only parts of it, in a program, you must acknowledge somewhere in your documentation that you have used the FreeType code. ('credits')

We specifically permit and encourage the inclusion of this software, with or without modifications, in commercial products. We disclaim all warranties covering The FreeType Project and assume no liability related to The FreeType Project.

Finally, many people asked us for a preferred form for a credit/disclaimer to use in compliance with this license. We thus encourage you to use the following text:

```

""
Portions of this software are copyright <year> The FreeType
Project (www.freetype.org). All rights reserved.
""

```

Please replace <year> with the value from the FreeType version you actually use.

Legal Terms

=====

0. Definitions

Throughout this license, the terms 'package', 'FreeType Project', and 'FreeType archive' refer to the set of files originally distributed by the authors (David Turner, Robert Wilhelm, and Werner Lemberg) as the 'FreeType Project', be they named as alpha, beta or final release.

'You' refers to the licensee, or person using the project, where 'using' is a generic term including compiling the project's source code as well as linking it to form a 'program' or 'executable'. This program is referred to as 'a program using the FreeType

engine'.

This license applies to all files distributed in the original FreeType Project, including all source code, binaries and documentation, unless otherwise stated in the file in its original, unmodified form as distributed in the original archive.

If you are unsure whether or not a particular file is covered by this license, you must contact us to verify this.

The FreeType Project is copyright (C) 1996-2000 by David Turner, Robert Wilhelm, and Werner Lemberg. All rights reserved except as specified below.

1. No Warranty

THE FREETYPE PROJECT IS PROVIDED 'AS IS' WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT WILL ANY OF THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY DAMAGES CAUSED BY THE USE OR THE INABILITY TO USE, OF THE FREETYPE PROJECT.

2. Redistribution

This license grants a worldwide, royalty-free, perpetual and irrevocable right and license to use, execute, perform, compile, display, copy, create derivative works of, distribute and sublicense the FreeType Project (in both source and object code forms) and derivative works thereof for any purpose; and to authorize others to exercise some or all of the rights granted herein, subject to the following conditions:

- o Redistribution of source code must retain this license file ('FTL.TXT') unaltered; any additions, deletions or changes to the original files must be clearly indicated in accompanying documentation. The copyright notices of the unaltered, original files must be preserved in all copies of source files.
- o Redistribution in binary form must provide a disclaimer that states that the software is based in part of the work of the FreeType Team, in the distribution documentation. We also encourage you to put an URL to the FreeType web page in your documentation, though this isn't mandatory.

These conditions apply to any software derived from or based on the FreeType Project, not just the unmodified files.

If you use our work, you must acknowledge us. However, no fee need be paid to us.

3. Advertising

Neither the FreeType authors and contributors nor you shall use the name of the other for commercial, advertising, or promotional purposes without specific prior written permission.

We suggest, but do not require, that you use one or more of the following phrases to refer to this software in your documentation or advertising materials: 'FreeType Project', 'FreeType Engine', 'FreeType library', or 'FreeType Distribution'.

As you have not signed this license, you are not required to accept it. However, as the FreeType Project is copyrighted material, only this license, or another one contracted with the authors, grants you the right to use, distribute, and modify it. Therefore, by using, distributing, or modifying the FreeType Project, you indicate that you understand and accept all the terms of this license.

4. Contacts

There are two mailing lists related to FreeType:

o freetype@nongnu.org

Discusses general use and applications of FreeType, as well as future and wanted additions to the library and distribution.

If you are looking for support, start in this list if you haven't found anything to help you in the documentation.

o freetype-devel@nongnu.org

Discusses bugs, as well as engine internals, design issues, specific licenses, porting, etc.

Our home page can be found at

<https://www.freetype.org>

...

GPL v2

...

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You

may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement

including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License

will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing

to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE

DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING,
REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING
WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR
REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,
INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING
OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED
TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY
YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER
PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE
POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest
possible use to the public, the best way to achieve this is to make it
free software which everyone can redistribute and change under these
terms.

To do so, attach the following notices to the program. It is safest
to attach them to the start of each source file to most effectively
convey the exclusion of warranty; and each file should have at least
the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify
it under the terms of the GNU General Public License as published by
the Free Software Foundation; either version 2 of the License, or
(at your option) any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with
this program; if not, write to the Free Software
Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

```
...
```

```
### Additional Freetype Attributions
...
```

```
-----
```

The below license applies to the following files:

```
libfreetype/src/psaux/psarrst.c
libfreetype/src/psaux/psarrst.h
libfreetype/src/psaux/psblues.c
libfreetype/src/psaux/psblues.h
libfreetype/src/psaux/pserror.c
libfreetype/src/psaux/pserror.h
libfreetype/src/psaux/psfixed.h
libfreetype/src/psaux/psfont.c
libfreetype/src/psaux/psfont.h
libfreetype/src/psaux/psft.c
libfreetype/src/psaux/psft.h
```

libfreetype/src/psaux/psglue.h
libfreetype/src/psaux/pshints.c
libfreetype/src/psaux/pshints.h
libfreetype/src/psaux/psintrp.c
libfreetype/src/psaux/psintrp.h
libfreetype/src/psaux/psread.c
libfreetype/src/psaux/psread.h
libfreetype/src/psaux/psstack.c
libfreetype/src/psaux/psstack.h
libfreetype/src/psaux/pstypes.h

Copyright

2006-2014 Adobe Systems Incorporated.

This software, and all works of authorship, whether in source or object code form as indicated by the copyright notice(s) included herein (collectively, the "Work") is made available, and may only be used, modified, and distributed under the FreeType Project License, LICENSE.TXT. Additionally, subject to the terms and conditions of the FreeType Project License, each contributor to the Work hereby grants to any individual or legal entity exercising permissions granted by the FreeType Project License and this section (hereafter, "You" or "Your") a

perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such contributor that are necessarily infringed by their contribution(s) alone or by combination of their contribution(s) with the Work to which such contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

By using, modifying, or distributing the Work you indicate that you have read and understood the terms and conditions of the FreeType Project License as well as those provided in this section, and you accept them fully.

...

MIT License

...

The below license applies to the following files:

libfreetype/include/freetype/internal/fthash.h

libfreetype/src/base/fthash.c

Copyright 2000 Computing Research Labs, New Mexico State University

Copyright 2001-2015

Francesco Zappa Nardelli

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE COMPUTING RESEARCH LAB OR NEW MEXICO STATE UNIVERSITY BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

xwd v1.0.7

xwd utility

<pre>

This is the copyright for the files in src/java.desktop/unix/native/libawt_xawt:

list.h, multiVis.h, wsutils.h, list.c, multiVis.c

Copyright 1994 Hewlett-Packard Co.

Copyright 1996, 1998 The Open Group

Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation.

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE OPEN GROUP BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Except as contained in this notice, the name of The Open Group shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization from The Open Group.

```
</pre>
## IAIK (Institute for Applied Information Processing and Communication) PKCS#11 wrapper files v1

### IAIK License
<pre>
```

Copyright (c) 2002 Graz University of Technology. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The end-user documentation included with the redistribution, if any, must include the following acknowledgment:

"This product includes software developed by IAIK of Graz University of Technology."

Alternately, this acknowledgment may appear in the software itself, if and wherever such third-party acknowledgments normally appear.

4. The names "Graz University of Technology" and "IAIK of Graz University of Technology" must not be used to endorse or promote products derived from this

software without prior written permission.

5. Products derived from this software may not be called "IAIK PKCS Wrapper", nor may "IAIK" appear in their name, without prior written permission of Graz University of Technology.

THIS SOFTWARE IS PROVIDED "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE LICENSOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
## Eastman Kodak Company: Portions of color management and imaging software
```

```
### Eastman Kodak Notice
<pre>
Portions Copyright Eastman Kodak Company 1991-2003
</pre>
```

```
<pre>
/* *****
*****
*****
*** COPYRIGHT (c) Eastman Kodak Company, 1997
*** As an unpublished work pursuant to Title 17 of the United
*** States Code. All rights reserved.
*****
*****
*****/
</pre>
```

```
## Mozilla Public Suffix List
```

```
### Public Suffix Notice
``
```

You are receiving a copy of the Mozilla Public Suffix List in the following file: `<java-home>/lib/security/public_suffix_list.dat`. The terms of the Oracle license do NOT apply to this file; it is licensed under the Mozilla Public License 2.0, separately from the Oracle programs you receive. If you do not wish to use the Public Suffix List, you may remove the `<java-home>/lib/security/public_suffix_list.dat` file.

The Source Code of this file is available under the Mozilla Public License, v. 2.0 and is located at https://raw.githubusercontent.com/publicsuffix/list/b5bf572c52988dbe9d865b8f090ea819024a9936/public_suffix_list.dat.

If a copy of the MPL was not distributed with this file, you can obtain one at <https://mozilla.org/MPL/2.0/>.

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

MPL v2.0

Mozilla Public License Version 2.0

=====

1. Definitions

1.1. "Contributor"

means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

1.2. "Contributor Version"

means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor's Contribution.

1.3. "Contribution"

means Covered Software of a particular Contributor.

1.4. "Covered Software"

means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

1.5. "Incompatible With Secondary Licenses"

means

(a) that the initial Contributor has attached the notice described in Exhibit B to the Covered Software; or

(b) that the Covered

Software was made available under the terms of

version 1.1 or earlier of the License, but not also under the terms of a Secondary License.

1.6. "Executable Form"

means any form of the work other than Source Code Form.

1.7. "Larger Work"

means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

1.8. "License"

means this document.

1.9. "Licensable"

means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

1.10. "Modifications"

means any of the following:

(a) any file in Source Code Form that results from an addition to, deletion from, or modification of the contents of Covered Software; or

(b) any new file in Source Code Form that contains any Covered Software.

1.11. "Patent Claims" of a Contributor

means any patent

claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

1.12. "Secondary License"

means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

1.13. "Source Code Form"

means the form of the work preferred for making modifications.

1.14. "You" (or "Your")

means an individual or a legal entity exercising rights under this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with You. For

purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants and Conditions

2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- (a) under intellectual property rights (other than patent or trademark) Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- (b) under Patent Claims of such Contributor to make, use, sell, offer for sale, have made, import, and otherwise transfer either its Contributions or its Contributor Version.

2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- (a) for any code that a Contributor has removed from Covered Software; or
- (b) for infringements caused by: (i) Your and any other third party's modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or

(c) under Patent Claims infringed by Covered Software in the absence of its Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

3. Responsibilities

3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms

of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- (a) such Covered Software must also be made available in Source Code Form, as described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- (b) You may distribute such Executable Form under the terms of this License, or sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

3.3.

Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must:

(a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Termination

5.1. The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

5.2. If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

5.3. In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

*

*

* 6. Disclaimer of Warranty *
* ----- *

* *

* Covered Software is provided under this License on an "as is" *
* basis, without warranty of any kind, either expressed, implied, or *
* statutory, including, without limitation, warranties that the *
* Covered Software is free of defects, merchantable, fit for a *
* particular purpose or non-infringing. The entire risk as to the *
* quality and performance of the Covered Software is with You. *
* Should any Covered Software prove defective in any respect, You *
* (not any Contributor) assume the cost of any necessary servicing, *
* repair, or correction. This disclaimer of warranty constitutes an *
*
essential part of this License. No use of any Covered Software is *
* authorized under this License except under this disclaimer. *
* *

* *

* 7. Limitation of Liability *

* ----- *

* *

* Under no circumstances and under no legal theory, whether tort *
* (including negligence), contract, or otherwise, shall any *
* Contributor, or anyone who distributes Covered Software as *
* permitted above, be liable to You for any direct, indirect, *
* special, incidental, or consequential damages of any
character *
* including, without limitation, damages for lost profits, loss of *
* goodwill, work stoppage, computer failure or malfunction, or any *
* and all other commercial damages or losses, even if such party *
* shall have been informed of the possibility of such damages. This *
* limitation of liability shall not apply to liability for death or *
* personal injury resulting from such party's negligence to the *
* extent applicable law prohibits such limitation. Some *
* jurisdictions do not allow the exclusion or limitation of *
* incidental or consequential damages, so this exclusion and *
* limitation may not apply to You. *
* *

8. Litigation

Any litigation relating to this License may be brought only in the
courts

of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

10. Versions of the License

10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License.

Each version will be given a distinguishing version number.

10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

Exhibit A - Source Code Form License Notice

This Source Code Form is subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was not distributed with this file, You can obtain one at <https://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

Exhibit B - "Incompatible With Secondary Licenses" Notice

This Source Code Form is "Incompatible With Secondary Licenses", as defined by the Mozilla Public License, v. 2.0.

...

PC/SC Lite v1.9.5

PC/SC Lite License

<pre>

The main parts of the code are using the BSD-like licence bellow:

Copyright (c) 1999-2003 David Corcoran <corcoran@linuxnet.com>

Copyright (c) 2001-2011 Ludovic Rousseau <ludovic.rousseau@free.fr>

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Changes to this license can be made only by the copyright author with explicit written consent.

THIS

SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some source code files are using other licences. See the [COPYING](<https://salsa.debian.org/rousseau/PCSC/-/blob/master/COPYING>) file for details.

</pre>

Double-conversion v1.1.5

Double-conversion License

<https://raw.githubusercontent.com/google/double-conversion/master/LICENSE>

<pre>

Copyright 2006-2011, the V8 project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions are
met:

- * Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above
copyright notice, this list of conditions and the following
disclaimer in the documentation and/or other materials provided
with the distribution.
- * Neither the name of Google Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR
A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT
OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT
LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE
OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
## JLine v3.22.0
```

```
### JLine License
<pre>
```

Copyright (c) 2002-2018, the original author or authors.
All rights reserved.

<https://opensource.org/licenses/BSD-3-Clause>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of JLine nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND

FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
</pre>
## libpng v1.6.43
```

```
### libpng License
<pre>
```


COPYRIGHT NOTICE, DISCLAIMER, and LICENSE

=====

PNG Reference Library License version 2

Copyright (C) 1995-2024 The PNG Reference Library Authors.

Copyright (C) 2018-2024 Cosmin Truta

Copyright (C) 1998-2018 Glenn Randers-Pehrson

Copyright (C) 1996-1997 Andreas Dilger

Copyright (C) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

The software is supplied "as is", without warranty of any kind, express or implied, including, without limitation, the warranties of merchantability, fitness for a particular purpose, title, and non-infringement. In no event shall the Copyright owners, or anyone distributing the software, be liable for any damages or other liability, whether in contract, tort or otherwise, arising from, out of, or in connection with the software, or the use or other dealings in the software, even if advised of the possibility of such damage.

Permission is hereby

granted to use, copy, modify, and distribute

this software, or portions hereof, for any purpose, without fee,

subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated, but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

PNG Reference Library License version 1 (for libpng 0.5 through 1.6.35)

libpng versions 1.0.7, July 1, 2000, through 1.6.35, July 15, 2018 are

Copyright (c) 2000-2002, 2004, 2006-2018 Glenn Randers-Pehrson, are derived from libpng-1.0.6, and are distributed according to the same

disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors:

Simon-Pierre Cadieux
Eric S. Raymond
Mans Rullgard
Cosmin Truta
Gilles Vollant
James Yu
Mandar Sahastrabuddhe
Google Inc.
Vadim Barkov

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

Some files in the "contrib" directory and some configure-generated files that are distributed with libpng have other copyright owners, and are released under other open source licenses.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998-2000 Glenn Randers-Pehrson, are derived from libpng-0.96, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane
Glenn Randers-Pehrson
Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996-1997 Andreas Dilger, are derived from libpng-0.88, and are distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler
Kevin Bracey
Sam Bushell
Magnus Holmgren
Greg Roelofs
Tom Tanner

Some files in the "scripts" directory have other copyright owners, but are released under this license.

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995-1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger
Dave Martindale
Guy Eric Schalnat
Paul Schmidt
Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

TRADEMARK
=====

The name "libpng" has not been registered by the Copyright owners as a trademark in any jurisdiction. However, because libpng has

been distributed and maintained world-wide, continually since 1995,
the Copyright owners claim "common-law trademark protection" in any
jurisdiction where common-law trademark is recognized.

</pre>

AUTHORS File Information

...

PNG REFERENCE LIBRARY AUTHORS

=====

This is the list of PNG Reference Library ("libpng") Contributing
Authors, for copyright and licensing purposes.

- * Adam Richter
- * Andreas Dilger
- * Chris Blume
- * Cosmin Truta
- * Dave Martindale
- * Eric S. Raymond
- * Gilles Vollant
- * Glenn Randers-Pehrson
- * Greg Roelofs
- * Guy Eric Schalnat
- * James Yu
- * John Bowler
- * Kevin Bracey
- * Magnus Holmgren
- * Mandar Sahastrabuddhe
- * Mans Rullgard
- * Matt Sarett
- * Mike Klein
- * Pascal Massimino
- * Paul Schmidt
- * Philippe Antoine
- * Qiang Zhou
- * Sam Bushell
- * Samuel Williams
- * Simon-Pierre Cadieux
- * Tim Wegner
- * Tom Lane
- * Tom Tanner
- * Vadim Barkov
- * Willem van Schaik
- * Zhijie Liang
- * Apple Inc.
 - Zixu Wang ()
- * Arm Holdings

- Richard Townsend
- * Google Inc.
 - Dan Field
 - Leon Scroggins III
 - Matt Sarett
 - Mike Klein
 - Sami Boukortt
 - Wan-Teh Chang
- * Loongson Technology Corporation Ltd.
 - GuXiWei ()
 - JinBo ()
 - ZhangLixia ()

The build projects, the build scripts, the test scripts, and other files in the "projects", "scripts" and "tests" directories, have other copyright owners, but are released under the libpng license.

Some files in the "ci" and "contrib" directories, as well as some of the tools-generated files that are distributed with libpng, have other copyright owners, and are released under other open source licenses.

...

Thai Dictionary

Thai Dictionary License

<pre>

Copyright (C) 1982 The Royal Institute, Thai Royal Government.

Copyright (C) 1998 National Electronics and Computer Technology Center,
National Science and Technology Development Agency,
Ministry of Science Technology and Environment,
Thai Royal Government.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES

OF MERCHANTABILITY,
FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
SOFTWARE.

</pre>

ADDITIONAL INFORMATION ABOUT LICENSING

Certain files distributed by Oracle America, Inc. and/or its affiliates are
subject to the following clarification and special exception to the GPLv2,
based on the GNU Project exception for its Classpath libraries, known as the
GNU Classpath Exception.

Note that Oracle includes multiple, independent programs in this software
package. Some of those programs are provided under licenses deemed
incompatible with the GPLv2 by the Free Software Foundation and others.
For example, the package includes programs licensed under the Apache
License, Version 2.0 and may include FreeType. Such programs are licensed
to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the
Classpath Exception to the necessary parts of its GPLv2 code, which permits
you to use that code in combination with other independent modules not
licensed under the GPLv2. However, note that this would
not permit you to
commingle code under an incompatible license with Oracle's GPLv2 licensed
code by, for example, cutting and pasting such code into a file also
containing Oracle's GPLv2 licensed code and then distributing the result.

Additionally, if you were to remove the Classpath Exception from any of the
files to which it applies and distribute the result, you would likely be
required to license some or all of the other code in that distribution under
the GPLv2 as well, and since the GPLv2 is incompatible with the license terms
of some items included in the distribution by Oracle, removing the Classpath
Exception could therefore effectively compromise your ability to further
distribute the package.

Failing to distribute notices associated with some files may also create
unexpected legal consequences.

Proceed with caution and we recommend that you obtain the advice of a lawyer
skilled in open source matters before removing the Classpath Exception or
making modifications
to this package which may subsequently be redistributed
and/or involve the use of third party software.

Apache Santuario v3.0.3

Apache 2.0 License

...

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations,

or other modifications

represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of

Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

...

Apache Santuario Notice
...

Apache Santuario - XML Security for Java
Copyright 1999-2023
The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

It was originally based on software copyright (c) 2001, Institute for Data Communications Systems, <<http://www.nue.et-inf.uni-siegen.de/>>.

The development of this software was partly funded by the European Commission in the <WebSig> project in the ISIS Programme.

This product contains software that is
copyright (c) 2021, Oracle and/or its affiliates.
...

Little Color Management System (LCMS) v2.16

LCMS License
<pre>

MIT License

Copyright (C) 1998-2023 Marti Maria Saguer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The below license applies to the following files:
liblcms/cmssm.c

Copyright 2001, softSurfer (www.softsurfer.com)

This code may be freely used and modified for any purpose providing that this copyright notice is included with it. SoftSurfer makes no warranty for this code, and cannot be held liable for any real or imagined damage resulting from its use. Users of this code must verify correctness for their application.

</pre>

AUTHORS File Information
...

Main Author

Marti Maria

Contributors

Bob Friesenhahn
Kai-Uwe Behrmann
Stuart Nixon
Jordi Vilar
Richard Hughes
Auke Nauta
Chris Evans (Google)
Lorenzo Ridolfi
Robin Watts (Artifex)
Shawn Pedersen
Andrew Brygin
Samuli Suominen
Florian Hch
Aurelien Jarno
Claudiu Cebuc
Michael Vhrel (Artifex)
Michal Cihar
Daniel Kaneider
Mateusz
Jurczyk (Google)
Paul Miller
Sbastien Lon
Christian Schmitz
XhmikosR
Stanislav Brabec (SuSe)
Leonhard Gruenschloss (Google)
Patrick Noffke
Christopher James Halse Rogers
John Hein
Thomas Weber (Debian)
Mark Allen
Noel Carboni
Sergei Trofimovic
Philipp Knechtges
Amyspark
Lovell Fuller
Eli Schwartz
Diogo Teles Sant'Anna

Special Thanks

Artifex software
AlienSkin software
libVIPS
Jan Morovic
Jos Vernon (WebSupergoo)
Harald Schneider (Maxon)
Christian Albrecht

Dimitrios Anastassakis

Lemke Software

Tim Zaman

...

OASIS PKCS #11 Cryptographic Token Interface v3.0

OASIS PKCS #11 Cryptographic Token Interface License

<pre>

Copyright OASIS Open 2020. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [<http://www.oasis-open.org/policies-guidelines/ipr>]

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to

grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

</pre>

DOM Level 3 Core Specification v1.0

W3C Software Notice

<pre>

Copyright 2004 World Wide Web Consortium, (Massachusetts Institute of Technology, European Research Consortium for Informatics and Mathematics, Keio University).
All Rights Reserved.

The DOM bindings are published under the W3C Software Copyright Notice and License. The software license requires "Notice of any changes or modifications to the W3C files, including the date changes were made." Consequently, modified versions of the DOM bindings must document that they do not conform to the W3C standard; in the case of the IDL definitions, the pragma prefix can no longer be 'w3c.org'; in the case of the Java language binding, the package names can no longer be in the 'org.w3c' package.

</pre>

W3C License

<pre>

W3C SOFTWARE NOTICE AND LICENSE

<http://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided

by the copyright holders under the following

license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

- 1.The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.

- 2.Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.

- 3.Notice of any changes or modifications to the files, including the date changes were made.

(We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS,COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION. The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This

version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

</pre>

Cryptix AES v3.2.0

Cryptix General License

<pre>

Cryptix General License

Copyright (c) 1995-2005 The Cryptix Foundation Limited.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE CRYPTIX FOUNDATION LIMITED AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE CRYPTIX FOUNDATION LIMITED OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

OPENJDK ASSEMBLY EXCEPTION

The OpenJDK source code made available by Oracle America, Inc. (Oracle) at openjdk.java.net ("OpenJDK Code") is distributed under the terms of the GNU General Public License <<http://www.gnu.org/copyleft/gpl.html>> version 2 only ("GPL2"), with the following clarification and special exception.

Linking this OpenJDK Code statically or dynamically with other code is making a combined work based on this library. Thus, the terms and conditions of GPL2 cover the whole combination.

As a special exception, Oracle gives you permission to link this OpenJDK Code with certain code licensed by Oracle as indicated at <http://openjdk.java.net/legal/exception-modules-2007-05-08.html> ("Designated Exception Modules") to produce an executable, regardless of the license terms of the Designated Exception Modules, and to copy and distribute the resulting executable under GPL2, provided that the Designated Exception Modules continue to be governed by the licenses under which they were offered by Oracle.

As such, it allows licensees and sublicensees of Oracle's GPL2 OpenJDK Code to build an executable that includes those portions of necessary code that Oracle could not provide under GPL2 (or that Oracle has provided under GPL2 with the Classpath exception). If you modify or add to the OpenJDK code, that new GPL2 code may still be combined with Designated Exception Modules if the new code is made subject to this exception by its copyright holder.

International Components for Unicode (ICU4J) v60.2

ICU4J License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,

<http://source.icu-project.org/repos/icu/>, and

<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or
(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale,

use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Independent JPEG Group: JPEG release 6b

JPEG License

<pre>

Must reproduce following license in documentation and/or other materials provided with distribution:

The authors make NO WARRANTY or representation, either express or implied, with respect to this software, its quality, accuracy, merchantability, or fitness for a particular purpose. This software is provided "AS IS", and you, its user, assume the entire risk as to its quality and accuracy.

This software is copyright (C) 1991-1998, Thomas G. Lane.
All Rights Reserved except as specified below.

Permission is hereby granted to use, copy, modify, and distribute this software (or portions thereof) for any purpose, without fee, subject to these conditions:

(1) If any part of the source code for this software is distributed, then this README file must be included, with this copyright and no-warranty notice unaltered; and any additions, deletions, or changes to the original files must be clearly indicated in accompanying documentation.

(2)
If only executable code is distributed, then the accompanying documentation must state that "this software is based in part on the work of the Independent JPEG Group".

(3) Permission for use of this software is granted only if the user accepts full responsibility for any undesirable consequences; the authors accept NO LIABILITY for damages of any kind.

These conditions apply to any software derived from or based on the IJG code, not just to the unmodified library. If you use our work, you ought to acknowledge us.

Permission is NOT granted for the use of any IJG author's name or company name in advertising or publicity relating to this software or products derived from it. This software may be referred to only as "the Independent JPEG Group's software".

We specifically permit and encourage the use of this software as the basis

of commercial products, provided that all warranty or liability claims are assumed by the product vendor.

ansi2knr.c is included in this distribution by permission of L. Peter Deutsch, sole proprietor of its copyright holder, Aladdin Enterprises of Menlo Park, CA. ansi2knr.c is NOT covered by the above copyright and conditions, but instead by the usual distribution terms of the Free Software Foundation; principally, that you must include source code if you redistribute it. (See the file ansi2knr.c for full details.) However, since ansi2knr.c is not needed as part of any program generated from the IJG code, this does not limit you more than the foregoing paragraphs do.

The Unix configuration script "configure" was produced with GNU Autoconf. It is copyright by the Free Software Foundation but is freely distributable. The same holds for its supporting scripts (config.guess, config.sub, ltconfig, ltmain.sh). Another support script, install-sh, is copyright by M.I.T. but is also freely distributable.

It appears that the arithmetic coding option of the JPEG spec is covered by patents owned by IBM, AT&T, and Mitsubishi.

Hence arithmetic coding cannot legally be used without obtaining one or more licenses. For this reason, support for arithmetic coding has been removed from the free JPEG software. (Since arithmetic coding provides only a marginal gain over the unpatented Huffman mode, it is unlikely that very many implementations will support it.) So far as we are aware, there are no patent restrictions on the remaining code.

The IJG distribution formerly included code to read and write GIF files. To avoid entanglement with the Unisys LZW patent, GIF reading support has been removed altogether, and the GIF writer has been simplified to produce "uncompressed GIFs". This technique does not use the LZW algorithm; the resulting GIF files are larger than usual, but are readable by all standard GIF decoders.

We are required to state that "The Graphics Interchange Format(c) is the Copyright property of CompuServe Incorporated. GIF(sm) is a Service Mark property of CompuServe Incorporated."

```
</pre>
## Apache Xalan v2.7.2

### Apache Xalan Notice
<pre>
```

=====

```
====
== NOTICE file corresponding to the section 4d of the Apache License, Version 2.0, ==
== in this case for the Apache Xalan distribution. ==
=====
=====
```

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Specifically, we only include the XSLTC portion of the source from the Xalan distribution.
The Xalan project has two processors: an interpretive one (Xalan Interpretive) and a
compiled one (The XSLT Compiler (XSLTC)). We *only* use the XSLTC part of Xalan; We use
the source from the packages that are part of the XSLTC sources.

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation., <http://www.ibm.com>.
- voluntary contributions made by Ovidiu Predescu (ovidiu@cup.hp.com) on behalf of the
Apache Software Foundation and was originally developed at Hewlett Packard Company.

</pre>

Apache 2.0 License

<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control,
are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare
Derivative Works of,
publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

JLEX COPYRIGHT NOTICE, LICENSE AND DISCLAIMER.

Copyright 1996-2003 by Elliot Joel Berk and C. Scott Ananian

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the name of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and

fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software. The portions of JLex output which are hard-coded into the JLex source code are (naturally) covered by this same license.

</pre>

SipHash v1.0-68c8a7c

Notice

SipHash reference C implementation

...

Copyright (c) 2016 Jean-Philippe Aumasson <jeanphilippe.aumasson@gmail.com>

To the extent possible under law, the author(s) have dedicated all copyright and related and neighboring rights to this software to the public domain worldwide. This software is distributed without any warranty.

You should have received a copy of the CC0 Public Domain Dedication along with

this software. If not, see

<<http://creativecommons.org/publicdomain/zero/1.0/>>.

...

Licenses

The code is dual-licensed CCO and MIT

MIT License

...

Copyright 2012-2024 JP Aumasson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

...

CC0 1.0 Universal

...

Statement of Purpose

The laws of most jurisdictions throughout the world automatically confer exclusive Copyright and Related Rights (defined below) upon the creator and subsequent owner(s) (each and all, an "owner") of an original work of authorship and/or a database (each, a "Work").

Certain

owners wish to permanently relinquish those rights to a Work for the purpose of contributing to a commons of creative, cultural and scientific works ("Commons") that the public can reliably and without fear of later claims of infringement build upon, modify, incorporate in other works, reuse and redistribute as freely as possible in any form whatsoever and for any purposes, including without limitation commercial purposes. These owners may contribute to the Commons to promote the ideal of a free culture and the further production of creative, cultural and scientific works, or to gain reputation or greater distribution for their Work in part through the use and efforts of others.

For these and/or other purposes and motivations, and without any expectation of additional consideration or compensation, the person associating CC0 with a Work (the "Affirmer"), to the extent that he or she is an owner of Copyright and Related Rights in the Work, voluntarily elects to apply CC0 to the Work

and publicly distribute the Work under its terms, with knowledge of his or her Copyright and Related Rights in the Work and the meaning and intended legal effect of CC0 on those rights.

1. Copyright and Related Rights. A Work made available under CC0 may be

protected by copyright and related or neighboring rights ("Copyright and Related Rights"). Copyright and Related Rights include, but are not limited to, the following:

- i. the right to reproduce, adapt, distribute, perform, display, communicate, and translate a Work;
- ii. moral rights retained by the original author(s) and/or performer(s);
- iii. publicity and privacy rights pertaining to a person's image or likeness depicted in a Work;
- iv. rights protecting against unfair competition in regards to a Work, subject to the limitations in paragraph 4(a), below;
- v. rights protecting the extraction, dissemination, use and reuse of data in a Work;
- vi. database rights (such as those arising under Directive 96/9/EC of the European Parliament and of the Council of 11 March 1996 on the legal protection of databases, and under any national implementation thereof, including any amended or successor version of such directive); and
- vii. other similar, equivalent or corresponding rights throughout the world based on applicable law or treaty, and any national implementations thereof.

2. Waiver. To the greatest extent permitted by, but not in contravention of, applicable law, Affirmer hereby overtly, fully, permanently, irrevocably and unconditionally waives, abandons, and surrenders all of Affirmer's Copyright and Related Rights and associated claims and causes of action, whether now known or unknown (including existing as well as future claims and causes of action), in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "Waiver"). Affirmer makes the Waiver for the benefit of each member of the public at large and to the detriment of Affirmer's heirs and successors, fully intending that such Waiver shall not be subject to revocation, rescission, cancellation, termination, or any other legal or equitable action to disrupt the quiet enjoyment of the Work by the public as contemplated by Affirmer's express Statement of Purpose.

3. Public License Fallback. Should any part of the Waiver for any reason be judged legally invalid or ineffective under applicable law, then the Waiver shall be preserved to the maximum extent permitted taking into account Affirmer's express Statement of Purpose. In addition, to the extent the Waiver

is so judged Affirmer hereby grants to each affected person a royalty-free, non transferable, non sublicensable, non exclusive, irrevocable and unconditional license to exercise

Affirmer's Copyright and Related Rights in the Work (i) in all territories worldwide, (ii) for the maximum duration provided by applicable law or treaty (including future time extensions), (iii) in any current or future medium and for any number of copies, and (iv) for any purpose whatsoever, including without limitation commercial, advertising or promotional purposes (the "License"). The License shall be deemed effective as of the date CC0 was applied by Affirmer to the Work. Should any part of the License for any reason be judged legally invalid or ineffective under applicable law, such partial invalidity or ineffectiveness shall not invalidate the remainder of the License, and in such case Affirmer hereby affirms that he or she will not (i) exercise any of his or her remaining Copyright and Related Rights in the Work or (ii) assert any associated claims and causes of action with respect to the Work, in either case contrary to Affirmer's express Statement of Purpose.

4. Limitations and Disclaimers.

- a. No trademark or patent rights held by Affirmer are waived, abandoned, surrendered, licensed or otherwise affected by this document.
- b. Affirmer offers the Work as-is and makes no representations or warranties of any kind concerning the Work, express, implied, statutory or otherwise, including without limitation warranties of title, merchantability, fitness for a particular purpose, non infringement, or the absence of latent or other defects, accuracy, or the present or absence of errors, whether or not discoverable, all to the greatest extent permissible under applicable law.
- c. Affirmer disclaims responsibility for clearing rights of other persons that may apply to the Work or any use thereof, including without limitation any person's Copyright and Related Rights in the Work. Further, Affirmer disclaims responsibility for obtaining any necessary consents, permissions or other rights required for any use of the Work.
- d. Affirmer understands and acknowledges that Creative Commons is not a party to this document and has no duty or obligation with respect to this CC0 or use of the Work.

For more information, please see

<<http://creativecommons.org/publicdomain/zero/1.0/>>

...

JRuby Joni v2.1.16

MIT License

<pre>

Copyright (c) 2017 JRuby Team

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

</pre>

CUP Parser Generator for Java v 0.11b

CUP Parser Generator License

...

Copyright 1996-2015 by Scott Hudson, Frank Flannery, C. Scott Ananian, Michael Petter

Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that the above copyright notice appear in all copies and that both the copyright notice and this permission notice and warranty disclaimer appear in supporting documentation, and that the names of the authors or their employers not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission.

The authors and their employers disclaim all warranties with regard to this software, including all implied warranties of merchantability and fitness. In no event shall the authors or their employers be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortious action, arising out of or in connection with the use or performance of this software.

This is an open source license. It is also GPL-Compatible (see entry for "Standard ML of New Jersey"). The portions of CUP output which are hard-coded into the CUP source code are (naturally) covered by this same license, as is the CUP runtime code linked with the generated parser.

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that
you have the freedom to
distribute copies of free software (and charge for this service if you wish),
that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2)

offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also,

for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its

terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections

1 and

2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source

code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to

do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body

of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS"

WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How

to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes
with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free
software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into
proprietary programs. If your program is a subroutine library, you may
consider it more useful to permit linking proprietary applications with the
library. If this is what you want to do, use the GNU Library General Public
License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are
subject to the following
clarification and special exception to the GPL, but
only where Oracle has expressly included in the particular source file's header
the words "Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making
a combined work based on this library. Thus, the terms and conditions of
the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you
permission to link this library with independent modules to produce an
executable, regardless of the license terms of these independent modules,
and to copy and distribute the resulting executable under terms of your
choice, provided that you also meet, for each linked independent module,
the terms and conditions of the license of that module. An independent
module is a module
which is not derived from or based on this library. If
you modify this library, you may extend this exception to your version of
the library, but you are not obligated to do so. If you do not wish to do
so, delete this exception statement from your version.

Unicode Common Local Data Repository (CLDR) v33

CLDR License

...

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,

<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>,
<http://source.icu-project.org/repos/icu/>, and
<http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT,
AND AGREE TO BE BOUND BY, ALL OF THE
TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE
THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2018 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either
(a) this copyright and permission notice appear with all copies of the Data Files or Software, or
(b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL

DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

...

Dynalink v.5

Dynalink License

<pre>

Copyright (c) 2009-2013, Attila Szegedi

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holder nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDER BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

The copyrights in this software and any visual or audio work distributed with the software belong to Azul Systems, Inc. and those included in all other notice files either listed in the readme file or contained in any other included notice files with this distribution. All rights are reserved. Installation of this

software and any Azul software bundled with or derived from this software is licensed only in accordance with these terms.

Provided you have not received the software directly from Azul and have already agreed to the terms of a separate license agreement, by installing, using or distributing this software you, on your own behalf and on behalf of your employer or principal, agree to be bound by these terms. If you do not agree to any of these terms, you may not use, copy, transmit, distribute nor install this software.

The software is developed and owned by Azul and/or any of its affiliates, subsidiaries or respective suppliers and licensors. The software also includes certain software components and materials ("Open Source Materials") of third parties ("Third Party Licensors") licensed under certain licenses ("Open Source Licenses").

Nothing in this Agreement limits your rights under, or grants you rights that supersede the terms and conditions of any applicable Open Source Licenses. You must review the Open Source Licenses located at http://www.azulsystems.com/license/zulu_third_party_licenses.html to understand your rights under them. In the event that no such third party license agreements exist, the restrictions contained in this Agreement shall apply.

With respect to the Open Source Licenses the following shall apply:

- 1) You hereby acknowledge and agree that you will be licensing any Open Source Materials directly from the applicable Third Party Licensors including the right to use such Third Party Materials in connection with the software
- 2) In the event of any inconsistencies or conflicting provisions of the Open Source Licenses and the provisions of this Agreement, the provisions of the Open Source Licenses shall prevail.

THIS SOFTWARE IS PROVIDED BY AZUL "AS-IS" AND WITHOUT EXPRESS OR IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL AZUL BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY OR CONSEQUENTIAL DAMAGES (INCLUDING BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICE, LOSS OF USE, DATA OR PROFITS; OR BUSINESS INTERRUPTION, HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY WHETHER IN CONTRACT, STRICT LIABILITY OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Mesa 3-D Graphics Library v21.0.3

Mesa License

...

Copyright (C) 1999-2007 Brian Paul All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Attention, Contributors

When contributing to the Mesa project you must agree to the licensing terms of the component to which you're contributing.

The following section lists the primary components of the Mesa distribution and their respective licenses.

Mesa Component Licenses

Component	Location	License

Main Mesa code	src/mesa/	MIT
Device drivers	src/mesa/drivers/*	MIT, generally
Gallium code	src/gallium/	MIT
Ext headers	GL/glext.h	Khronos
	GL/gltext.h	Khronos
	GL/wgltext.h	Khronos
	KHR/khrplatform.h	Khronos

include/GL/gl.h :

Mesa 3-D
graphics library

Copyright (C) 1999-2006 Brian Paul All Rights Reserved.

Copyright (C) 2009 VMware, Inc. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

include/GL/glex.h
include/GL/glxext.h
include/GL/wglxext.h :

Copyright (c) 2013 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

include/KHR/khrplatform.h :

Copyright (c) 2008 - 2018 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

GIFLIB v5.2.2

GIFLIB License

The GIFLIB distribution is Copyright (c) 1997 Eric S. Raymond

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal

in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

tree/README

== Authors ==

Gershon Elber <gershon[AT]cs.technion.sc.il>
original giflib code

Toshio Kuratomi <toshio[AT]tiki-lounge.com>
uncompressed gif writing code
former maintainer

Eric Raymond <esr[AT]snark.thyrsus.com>
current as well as long time former maintainer of giflib code

There have been many other contributors; see the attributions in the version-control history to learn more.

tree/openbsd-reallocarray.c

Copyright (C) 2008 Otto Moerbeek <otto@drijf.net>
SPDX-License-Identifier: MIT

...

ASM Bytecode Manipulation Framework v6.0

ASM License

<pre>

Copyright (c) 2000-2011 France Tlcom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

</pre>

1.83 commons-logging 1.3.4

1.83.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache Commons Logging

Copyright 2001-2024 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

1.84 jackson-annotations 2.17.3

1.84.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial

revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.85 annotations 4.1.1.4

1.85.1 Available under license :

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/2657836890_1759249724.2399228/0/annotations-4-1-1-4-sources-9-jar/android/annotation/TargetApi.java/*

Found in path(s):

*

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Android Open Source Project

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /annotations-4-1-1-4-sources-9-jar/android/annotation/SuppressLint.java

1.86 openssl 3.5.4-r0

1.86.1 Available under license :

This software is copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.

Terms of the Perl programming language system itself

- a) the GNU General Public License as published by the Free Software Foundation; either version 1, or (at your option) any later version, or
- b) the "Artistic License"

--- The GNU General Public License, Version 1, February 1989 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The GNU General Public License, Version 1, February 1989

GNU GENERAL PUBLIC LICENSE
Version 1, February 1989

Copyright (C) 1989 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The license agreements of most software companies try to keep users at the mercy of those companies. By contrast, our General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. The General Public License applies to the Free Software Foundation's software and to any other program whose authors commit to using it. You can use it for your programs, too.

When we speak of free software, we are referring to freedom, not price. Specifically, the General Public License is designed to make sure that you have the freedom to give away or sell copies of free software, that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid

anyone to deny you these rights or to ask you to surrender the rights.

These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of a such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must tell them their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any work containing the Program or a portion of it, either verbatim or with modifications. Each licensee is addressed as "you".

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this General Public License and to the absence of any warranty; and give any other recipients of the Program a copy of this General Public License along with the Program. You may charge a fee for the physical act of transferring a copy.

2. You may modify your copy or copies of the Program or any portion of it, and copy and distribute such modifications under the terms of Paragraph

1 above, provided that you also do the following:

- a) cause the modified files to carry prominent notices stating that you changed the files and the date of any change; and
- b) cause the whole of any work that you distribute or publish, that in whole or in part contains the Program or any part thereof, either with or without modifications, to be licensed at no charge to all third parties under the terms of this General Public License (except that you may choose to grant warranty protection to some or all third parties, at your option).
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the simplest and most usual way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this General Public License.
- d) You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

Mere aggregation of another independent work with the Program (or its derivative) on a volume of a storage or distribution medium does not bring the other work under the scope of these terms.

3. You may copy and distribute the Program (or a portion or derivative of it, under Paragraph 2) in object code or executable form under the terms of Paragraphs 1 and 2 above provided that you also do one of the following:

- a) accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Paragraphs 1 and 2 above; or,
- b) accompany it with a written offer, valid for at least three years, to give any third party free (except for a nominal charge for the cost of distribution) a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Paragraphs 1 and 2 above; or,
- c) accompany it with the information you received as to where the corresponding source code may be obtained. (This alternative is allowed only for noncommercial distribution and only if you

received the program in object code or executable form alone.)

Source code for a work means the preferred form of the work for making modifications to it. For an executable file, complete source code means all the source code for all modules it contains; but, as a special exception, it need not include source code for modules which are standard libraries that

accompany the operating system on which the executable file runs, or for standard header files or definitions files that accompany that operating system.

4. You may not copy, modify, sublicense, distribute or transfer the Program except as expressly provided under this General Public License. Any attempt otherwise to copy, modify, sublicense, distribute or transfer the Program is void, and will automatically terminate your rights to use the Program under this License. However, parties who have received copies, or rights to use copies, from you under this General Public License will not have their licenses terminated so long as such parties remain in full compliance.

5. By copying, distributing or modifying the Program (or any work based on the Program) you indicate your acceptance of this license to do so, and all its terms and conditions.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein.

7. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of the license which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the license, you may choose any version ever published by the Free Software Foundation.

8. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free

Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

9. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

10. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

Appendix: How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to humanity, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so,
attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) 19yy <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by

the Free Software Foundation; either version 1, or (at your option)
any later version.

This program is distributed in the hope that it will be useful,
but WITHOUT ANY WARRANTY; without even the implied warranty of
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
GNU General Public License for more details.

You should have received a copy of the GNU General Public License
along with this program; if not, write to the Free
Software
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this
when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) 19xx name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the
appropriate parts of the General Public License. Of course, the
commands you use may be called something other than `show w' and `show
c'; they could even be mouse-clicks or menu items--whatever suits your
program.

You should also get your employer (if you work as a programmer) or your
school, if any, to sign a "copyright disclaimer" for the program, if
necessary. Here a sample; alter
the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (a program to direct compilers to make passes
at assemblers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

That's all there is to it!

--- The Artistic License 1.0 ---

This software is Copyright (c) 2013 by Mark Jason Dominus <mjd@cpan.org>.

This is free software, licensed under:

The Artistic License 1.0

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

- "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.
- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.

1. You may make and give away verbatim copies of the source form of the Standard Version of this Package without restriction, provided that you duplicate all of the original copyright notices and associated disclaimers.
2. You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:

- a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
- b) use the modified Package only within your corporation or organization.
- c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:

- a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
- b) accompany the distribution with the machine-readable source of the Package with your modifications.
- c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
- d) make other distribution arrangements with the Copyright Holder.

5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.

6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.

7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.

8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.

9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Apache License
Version 2.0, January 2004
<https://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this

License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the

Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding

those notices that do not

pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions

for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify,
defend, and hold each Contributor harmless for any liability
incurred by, or claims asserted against, such Contributor by reason
of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.87 ca-certificates 20250911-r0

1.87.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/opt/cola/permits/2660733757_1759915527.765318/0/ca-certificates-20250911-r0-tar-gz/usr/share/ca-
certificates/mozilla/HARICA_TLS_RSA_Root_CA_2021.crt-----BEGIN CERTIFICATE-----
/opt/cola/permits/2660733757_1759915527.765318/0/ca-certificates-20250911-r0-tar-gz/usr/share/ca-
certificates/mozilla/QuoVadis_Root_CA_2.crt-----BEGIN CERTIFICATE-----
/opt/cola/permits/2660733757_1759915527.765318/0/ca-certificates-20250911-r0-tar-gz/usr/share/ca-
certificates/mozilla/TWCA_Global_Root_CA.crt-----BEGIN CERTIFICATE-----
/opt/cola/permits/2660733757_1759915527.765318/0/ca-certificates-20250911-r0-tar-gz/usr/share/ca-
certificates/mozilla/TrustAsia_TLS_RSA_Root_CA.crt-----BEGIN CERTIFICATE-----
```

Found in path(s):

*

No license file was found, but licenses were detected in source scan.

-----BEGIN CERTIFICATE-----

```
MIIFWjCCA0KgAwIBAgISEdK7udcjGJ5AXwqdLdDfJWfRMA0GCSqGSIb3DQEBAUA
MEYxChAJBgNVBAYTAkJFMRkwFwYDVQQKEExBHbG9iYWxTaWduIG52LXNhMRwwGgYD
VQQDEExNHbG9iYWxTaWduIFJvb3QgUjQ2MB4XDTE5MDMyMDAwMDAwMFoXDTE5MDMy
MDAwMDAwMFoRjELMAkGA1UEBhMCQkUxGTAXBgNVBAoTEEdsb2JhbFNpZ24gbnYt
c2ExHDAaBgNVBAMTE0dsb2JhbFNpZ24gUm9vdCBSNDYwgglMA0GCSqGSIb3DQEBA
AQUAA4ICDwAwggIKAoICAQCsrHQy6LNI5brtQyYdpokNRbopiLKkHWPd08EsCvEJ
OaFv6Wc0dwxu5FUdUiXSE2te4R2pt32JmI8Nnp8semNgQB+msLZ4j5lUlgHYruQG
vGIFaha/r6gjA7aUD7xubMLL1aa7DOn2wQL7Id5m3RerdELv8HQvJfTqa1VbkNud
316HCkD7rRlr+/fKYIje2sGP1q7Vf9Q8g+7XFkyDRTNrJ9CG0Bwta/OrffGFqfUo
0q3v84RLHif8E6M6cqJaESvWJ3En7YEtbWaBkoe0G1h6zD8K+kZPTXhc+CtI4wSE
y132tGqzZfxCnlEmIyDLPRt5ge1lFgBPGmSXZgjPjHvjK8Cd+RTyG/FWaha/LIWF
zXg4mutCagI0GIMXTpRW+LaCtFOW3T3zvn8gdz57GSNrLNRyc0NXfeD412IPFzYE
+cCQYDdF3uYM2HSNrpYibXRdQr4G9dlkbglQrImwTDsHTUB+JMWKmlJ5jqSngiCN
I/onccnfxkF0e32kRbcRoxfKWMxWXEM2G/CtjJ9++ZdU6Z+Ffy7dXxd7Pj2FxsZ
x2sZy/N78CsHpdlseVR2bJ0cpm4O6XkMqCNqo98bMDGfsVR7/mrLZqrcZdCinkqa
ByFrgY/bxFn63iLABJzjqls2k+g9vXqhnQt2sQvHnf3PmKgGwvqgo6GDoLclcqUC
4wIDAQABo0IwQDAOBgNVHQ8BAf8EBAMCAYYwDwYDVR0TAQH/BAUwAwEB/zAdBgNV
HQ4EFgQUA1yrc4GHqMywptWU4jaWSf8FmSwwDQYJKoZIhvcNAQEMBQADggIBAHx4
7PYCLltbfpIrXTncvtgdokIzTfnvpCo7RGkerNIFo048p9gkUbJUHJNOxO97k4Vg
JuoJSOD1u8fpaNK7ajFzxHmuEajwmmf3IH7wvqMxX63bElaZHU1VNaL8FpO7XJgti
```

2kM3S+LGteWygxk6x9PbTZ4IevPuzz5i+6zoYMzRx6Fcg0XERczzF2sUyQQCPtIk
pnnpHs6i58FZFZ8d4kuaPp92CC1r2LpXFNqD6v6MVenQTqnMdZGxRBF6XLE+0xRF
FRhiJBPSy03OXIPBNvIQ6IbbjhVp+J3pZmOUdkLG5NrmJ7v2B0GbhWrJKsFjLt
rWhV/pi60zTe9Mlhww6G9kuEYO4Ne7UyWHmRVSyBQ7N0H3qqJZ4d16GLuc1CLgSk
ZoNNiTW2bKg2SnkheCLQqrzRQDGQob4Ez8pn7fXwgNNgyYMqIgXQBztSvwyeviv5
u+YfjyW6hY0XHgL+XVAEV8/+LbzvXMAaq7afJMbf2hIkCwU9D9SGuTSyxTDYWnP
4vkYxboznxSjBF25cfe1lNj2M8FawTSLfJvdkzrnE6JwYZ+vj+vYxXX4M2bUdGc6
N3ec592kD3ZDZopD8p/7DEJ4Y9HiD2971KE9dJeFt0g5QdYg/NA6s/rob8SKunE3
vouXsXgxT7PntgMTzlSdriVZzH81Xwj3QEUxeCp6
-----END
CERTIFICATE-----

Found in path(s):

*

/ca-certificates-20250911-r0-tar-gz/usr/share/ca-certificates/mozilla/GlobalSign_Root_R46.crt

1.88 failureaccess 1.0.1

1.88.1 Available under license :

No license file was found, but licenses were detected in source scan.

/opt/cola/permits/2665668644_1759873713.7185001/0/failureaccess-1-0-1-sources-15-
jar/com/google/common/util/concurrent/internal/InternalFutures.java/*

Found in path(s):

*

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2018 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /failureaccess-1-0-1-sources-15-jar/com/google/common/util/concurrent/internal/InternalFutureFailureAccess.java

1.89 alpine-base 3.22.2-r0

1.89.1 Available under license :

MIT

MIT License

Copyright 2019-2021 Caleb Porzio and contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT

OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2025 Cisco Systems, Inc. All rights reserved.